


APPENDIX F - RADIATED EMISSION (ABOVE 1GHZ)

Test Mode: WCDMA Band IV _TX CH1413


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment

Test Mode: WCDMA Band IV _TX CH1413


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17850.000	-63.21	18.99	-44.22	-13.00	-31.22	peak	

Test Mode:	WCDMA Band IV _TX CH1413
------------	--------------------------


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment

Test Mode: WCDMA Band IV _TX CH1413


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17835.000	-63.18	18.94	-44.24	-13.00	-31.24	peak	

Test Mode: LTE Band 4_TX CH20175_1.4M


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment

Test Mode: LTE Band 4_TX CH20175_1.4M


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	17812.500	-61.64	18.88	-42.76	-13.00	-29.76	peak	

Test Mode: LTE Band 4_TX CH20175_1.4M


Horizontal



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		


Test Mode: LTE Band 4_TX CH20175_1.4M

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17955.000	-61.00	19.26	-41.74	-13.00	-28.74	peak	


Test Mode: LTE Band 4_TX CH20175_5M



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment

Test Mode: LTE Band 4_TX CH20175_5M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17955.000	-62.69	19.26	-43.43	-13.00	-30.43	peak	

Test Mode: LTE Band 4_TX CH20175_5M


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment


Test Mode: LTE Band 4_TX CH20175_5M

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	18000.000	-62.44	19.37	-43.07	-13.00	-30.07	peak	


Test Mode:	LTE Band 4_TX CH20175_20M
------------	---------------------------



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment

Test Mode: LTE Band 4_TX CH20175_20M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17977.500	-61.61	19.31	-42.30	-13.00	-29.30	peak	

Test Mode: LTE Band 4_TX CH20175_20M


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment

Test Mode: LTE Band 4_TX CH20175_20M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17992.500	-61.94	19.35	-42.59	-13.00	-29.59	peak	

Test Mode: LTE Band 7_TX CH21100_5M


Vertical



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		

Test Mode: LTE Band 7_TX CH21100_5M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		5062.500	-51.98	4.11	-47.87	-25.00	-22.87	peak	
2	*	17707.500	-61.88	18.61	-43.27	-25.00	-18.27	peak	

Test Mode: LTE Band 7_TX CH21100_5M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	25633.000	-62.99	26.74	-36.25	-25.00	-11.25	peak	

Test Mode: LTE Band 7_TX CH21100_5M


Horizontal



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		

Test Mode: LTE Band 7_TX CH21100_5M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		5062.500	-54.60	4.11	-50.49	-25.00	-25.49	peak	
2	*	17932.500	-62.03	19.19	-42.84	-25.00	-17.84	peak	

Test Mode: LTE Band 7_TX CH21100_5M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	25556.500	-62.75	26.71	-36.04	-25.00	-11.04	peak	

Test Mode: LTE Band 7_TX CH21100_20M


Vertical



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		

Test Mode: LTE Band 7_TX CH21100_20M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		5055.000	-52.42	4.09	-48.33	-25.00	-23.33	peak	
2	*	12630.000	-57.39	13.57	-43.82	-25.00	-18.82	peak	

Test Mode: LTE Band 7_TX CH21100_20M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	25573.500	-63.32	26.72	-36.60	-25.00	-11.60	peak	

Test Mode: LTE Band 7_TX CH21100_20M


Horizontal



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		

Test Mode: LTE Band 7_TX CH21100_20M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		5055.000	-55.02	4.09	-50.93	-25.00	-25.93	peak	
2	*	17902.500	-62.22	19.11	-43.11	-25.00	-18.11	peak	


Test Mode: LTE Band 7_TX CH21100_20M

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	25871.000	-63.29	26.80	-36.49	-25.00	-11.49	peak	


Test Mode: LTE Band 12_TX CH23095_1.4M



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	17974.500	-62.46	19.30	-43.16	-13.00	-30.16	peak	

Test Mode: LTE Band 12_TX CH23095_1.4M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17991.500	-62.09	19.34	-42.75	-13.00	-29.75	peak	

Test Mode: LTE Band 12_TX CH23095_5M


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	17736.500	-61.99	18.69	-43.30	-13.00	-30.30	peak	

Test Mode: LTE Band 12_TX CH23095_5M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17821.500	-61.83	18.91	-42.92	-13.00	-29.92	peak	

Test Mode: LTE Band 12_TX CH23095_10M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		2946.500	-53.19	-1.22	-54.41	-13.00	-41.41	peak	
2	*	17881.000	-62.09	19.07	-43.02	-13.00	-30.02	peak	

Test Mode: LTE Band 12_TX CH23095_10M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17983.000	-63.06	19.33	-43.73	-13.00	-30.73	peak	

Test Mode: LTE Band 13_TX CH23230_5M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	1600.000	-54.95	-5.52	-60.47	-40.00	-20.47	peak	
2		17974.500	-62.94	19.30	-43.64	-13.00	-30.64	peak	

Test Mode:	LTE Band 13_TX CH23230_5M
------------	---------------------------


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		17957.500	-62.48	19.26	-43.22	-13.00	-30.22	peak	
2	*	1600.000	-54.71	-5.52	-60.23	-40.00	-20.23	peak	

Test Mode: LTE Band 13_TX CH23230_10M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		17940.500	-61.89	19.21	-42.68	-13.00	-29.68	peak	
2	*	1600.000	-55.66	-5.52	-61.18	-40.00	-21.18	peak	

Test Mode: LTE Band 13_TX CH23230_10M


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	1600.000	-54.02	-5.52	-59.54	-40.00	-19.54	peak	
2		17592.000	-61.49	18.32	-43.17	-13.00	-30.17	peak	

APPENDIX G - BAND EDGE

WCDMA Band IV _WCDMA



WCDMA Band IV _HSDPA



WCDMA Band IV _HSUPA

