


Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	14.50	41.25	55.75	68.30	-12.55	peak	
2		5715.000	3.38	41.25	44.63	68.30	-23.67	AVG	
3		5725.000	17.25	41.27	58.52	78.30	-19.78	peak	
4		5725.000	5.79	41.27	47.06	68.30	-21.24	AVG	
5	X	5743.200	62.52	41.29	103.81	78.30	25.51	peak	No Limit
6	*	5746.100	52.79	41.29	94.08	68.30	25.78	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	17235.00	42.50	21.53	64.03	74.30	-10.27	peak	
2		11490.00	40.18	16.91	57.09	74.30	-17.21	peak	




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	40000.00	45.17	17.60	62.77	74.30	-11.53	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785MHz


Vertical




No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5784.000	49.78	41.34	91.12	68.30	22.82	AVG	No Limit
2	X	5786.500	59.36	41.35	100.71	78.30	22.41	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11570.00	41.02	17.05	58.07	74.30	-16.23	peak	
2	*	17355.00	40.55	21.91	62.46	74.30	-11.84	peak	




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	39851.50	45.43	17.23	62.66	74.30	-11.64	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785MHz


Horizontal




No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5784.000	52.91	41.34	94.25	68.30	25.95	AVG	No Limit
2	X	5785.400	61.32	41.35	102.67	78.30	24.37	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11570.00	41.93	17.05	58.98	74.30	-15.32	peak	
2	*	17355.00	41.18	21.91	63.09	74.30	-11.21	peak	




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	39838.00	46.16	17.21	63.37	74.30	-10.93	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5824.500	59.34	41.40	100.74	78.30	22.44	peak	No Limit
2	*	5826.100	49.82	41.40	91.22	68.30	22.92	AVG	No Limit
3		5850.000	13.72	41.44	55.16	78.30	-23.14	peak	
4		5850.000	2.40	41.44	43.84	68.30	-24.46	AVG	
5		5860.000	10.40	41.45	51.85	68.30	-16.45	peak	
6		5860.000	1.06	41.45	42.51	68.30	-25.79	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11650.00	39.65	17.17	56.82	74.30	-17.48	peak	
2	*	17475.00	40.57	22.29	62.86	74.30	-11.44	peak	




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	39824.50	45.65	17.17	62.82	74.30	-11.48	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5826.100	52.61	41.40	94.01	68.30	25.71	AVG	No Limit
2	X	5829.000	61.99	41.41	103.40	78.30	25.10	peak	No Limit
3		5850.000	15.74	41.44	57.18	78.30	-21.12	peak	
4		5850.000	4.31	41.44	45.75	68.30	-22.55	AVG	
5		5860.000	16.41	41.45	57.86	68.30	-10.44	peak	
6		5860.000	2.35	41.45	43.80	68.30	-24.50	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11650.00	40.80	17.17	57.97	74.30	-16.33	peak	
2	*	17475.00	41.78	22.29	64.07	74.30	-10.23	peak	




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	39905.50	44.80	17.37	62.17	74.30	-12.13	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz




Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	10.98	41.25	52.23	68.30	-16.07	peak	
2		5715.000	2.44	41.25	43.69	68.30	-24.61	AVG	
3		5725.000	16.71	41.27	57.98	78.30	-20.32	peak	
4		5725.000	4.51	41.27	45.78	68.30	-22.52	AVG	
5	X	5756.200	54.26	41.31	95.57	78.30	17.27	peak	No Limit
6	*	5757.400	44.43	41.31	85.74	68.30	17.44	AVG	No Limit


Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz

Vertical



Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	19.78	41.25	61.03	68.30	-7.27	peak	
2		5715.000	6.29	41.25	47.54	68.30	-20.76	AVG	
3		5725.000	18.69	41.27	59.96	78.30	-18.34	peak	
4		5725.000	7.89	41.27	49.16	68.30	-19.14	AVG	
5	X	5757.400	49.07	41.31	90.38	68.30	22.08	AVG	No Limit
6	*	5760.800	59.36	41.32	100.68	78.30	22.38	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz


Horizontal



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBuV	dB	dBuV/m	dBuV/m	dB		
1		11510.00	39.59	16.96	56.55	74.30	-17.75	peak	
2	*	17265.00	41.55	21.62	63.17	74.30	-11.13	peak	




No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39905.50	45.41	17.37	62.78	74.30	-11.52	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5797.400	45.35	41.37	86.72	68.30	18.42	AVG	No Limit
2	*	5801.600	55.40	41.37	96.77	78.30	18.47	peak	No Limit
3		5850.000	11.44	41.44	52.88	78.30	-25.42	peak	
4		5850.000	0.34	41.44	41.78	68.30	-26.52	AVG	
5		5860.000	10.18	41.45	51.63	68.30	-16.67	peak	
6		5860.000	0.23	41.45	41.68	68.30	-26.62	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11590.00	40.03	17.08	57.11	74.30	-17.19	peak	
2	*	17385.00	40.33	22.00	62.33	74.30	-11.97	peak	




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	39838.00	45.28	17.21	62.49	74.30	-11.81	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5789.800	59.58	41.35	100.93	78.30	22.63	peak	No Limit
2	X	5792.600	49.55	41.36	90.91	68.30	22.61	AVG	No Limit
3		5850.000	13.41	41.44	54.85	78.30	-23.45	peak	
4		5850.000	1.33	41.44	42.77	68.30	-25.53	AVG	
5		5860.000	11.44	41.45	52.89	68.30	-15.41	peak	
6		5860.000	1.08	41.45	42.53	68.30	-25.77	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11590.00	40.63	17.08	57.71	74.30	-16.59	peak	
2	*	17385.00	40.81	22.00	62.81	74.30	-11.49	peak	




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	39838.00	45.28	17.21	62.49	74.30	-11.81	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz




Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	10.83	41.25	52.08	68.30	-16.22	peak	
2		5715.000	2.06	41.25	43.31	68.30	-24.99	AVG	
3		5725.000	15.79	41.27	57.06	78.30	-21.24	peak	
4		5725.000	3.62	41.27	44.89	68.30	-23.41	AVG	
5	X	5743.400	59.87	41.29	101.16	78.30	22.86	peak	No Limit
6	*	5744.000	50.14	41.29	91.43	68.30	23.13	AVG	No Limit


Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz

Vertical



Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	16.66	41.25	57.91	68.30	-10.39	peak	
2		5715.000	3.42	41.25	44.67	68.30	-23.63	AVG	
3		5725.000	17.59	41.27	58.86	78.30	-19.44	peak	
4		5725.000	5.77	41.27	47.04	68.30	-21.26	AVG	
5	X	5743.100	62.16	41.29	103.45	78.30	25.15	peak	No Limit
6	*	5746.100	52.87	41.29	94.16	68.30	25.86	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11490.00	39.64	16.91	56.55	74.30	-17.75	peak	
2	*	17235.00	41.15	21.53	62.68	74.30	-11.62	peak	




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	39838.00	46.05	17.21	63.26	74.30	-11.04	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5783.900	58.72	41.34	100.06	78.30	21.76	peak	No Limit
2	*	5784.000	49.91	41.34	91.25	68.30	22.95	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11570.00	42.16	17.05	59.21	74.30	-15.09	peak	
2	*	17355.00	41.50	21.91	63.41	74.30	-10.89	peak	




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	39905.50	45.52	17.37	62.89	74.30	-11.41	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5784.000	52.82	41.34	94.16	68.30	25.86	AVG	No Limit
2	X	5786.400	61.43	41.35	102.78	78.30	24.48	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11570.00	39.64	17.05	56.69	74.30	-17.61	peak	
2	*	17355.00	40.55	21.91	62.46	74.30	-11.84	peak	




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	39919.00	46.27	17.40	63.67	74.30	-10.63	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5826.100	49.89	41.40	91.29	68.30	22.99	AVG	No Limit
2	X	5826.300	59.29	41.40	100.69	78.30	22.39	peak	No Limit
3		5850.000	15.91	41.44	57.35	78.30	-20.95	peak	
4		5850.000	1.83	41.44	43.27	68.30	-25.03	AVG	
5		5860.000	15.43	41.45	56.88	68.30	-11.42	peak	
6		5860.000	0.89	41.45	42.34	68.30	-25.96	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11650.00	40.58	17.17	57.75	74.30	-16.55	peak	
2	*	17475.00	41.13	22.29	63.42	74.30	-10.88	peak	




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	39838.00	45.66	17.21	62.87	74.30	-11.43	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5826.100	52.66	41.40	94.06	68.30	25.76	AVG	No Limit
2	X	5826.300	62.01	41.40	103.41	78.30	25.11	peak	No Limit
3		5850.000	17.97	41.44	59.41	78.30	-18.89	peak	
4		5850.000	3.87	41.44	45.31	68.30	-22.99	AVG	
5		5860.000	13.28	41.45	54.73	68.30	-13.57	peak	
6		5860.000	2.19	41.45	43.64	68.30	-24.66	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11650.00	40.26	17.17	57.43	74.30	-16.87	peak	
2	*	17475.00	40.45	22.29	62.74	74.30	-11.56	peak	




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	39905.50	45.88	17.37	63.25	74.30	-11.05	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	15.25	41.25	56.50	68.30	-11.80	peak	
2		5715.000	4.32	41.25	45.57	68.30	-22.73	AVG	
3		5725.000	16.76	41.27	58.03	78.30	-20.27	peak	
4		5725.000	5.80	41.27	47.07	68.30	-21.23	AVG	
5	*	5757.400	45.34	41.31	86.65	68.30	18.35	AVG	No Limit
6	X	5758.400	54.60	41.31	95.91	78.30	17.61	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		10510.00	39.99	13.71	53.70	74.30	-20.60	peak	
2	*	17265.00	42.19	21.62	63.81	74.30	-10.49	peak	




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	40000.00	44.99	17.60	62.59	74.30	-11.71	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		5715.000	21.82	41.25	63.07	68.30	-5.23	peak	
2		5715.000	8.60	41.25	49.85	68.30	-18.45	AVG	
3		5725.000	21.82	41.27	63.09	78.30	-15.21	peak	
4		5725.000	10.63	41.27	51.90	68.30	-16.40	AVG	
5	X	5752.400	59.28	41.30	100.58	78.30	22.28	peak	No Limit
6	*	5757.400	50.27	41.31	91.58	68.30	23.28	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		10510.00	39.59	13.71	53.30	74.30	-21.00	peak	
2 *		17265.00	42.63	21.62	64.25	74.30	-10.05	peak	




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *		39824.50	45.64	17.17	62.81	74.30	-11.49	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5792.800	45.01	41.36	86.37	68.30	18.07	AVG	No Limit
2	X	5793.400	54.63	41.36	95.99	78.30	17.69	peak	No Limit
3		5850.000	11.54	41.44	52.98	78.30	-25.32	peak	
4		5850.000	0.25	41.44	41.69	68.30	-26.61	AVG	
5		5860.000	9.25	41.45	50.70	68.30	-17.60	peak	
6		5860.000	0.14	41.45	41.59	68.30	-26.71	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	17385.00	40.60	22.00	62.60	74.30	-11.70	peak	
2		11590.00	40.09	17.08	57.17	74.30	-17.13	peak	




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	39838.00	45.66	17.21	62.87	74.30	-11.43	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz




Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5793.200	59.23	41.36	100.59	78.30	22.29	peak	No Limit
2	*	5797.400	50.03	41.37	91.40	68.30	23.10	AVG	No Limit
3		5850.000	11.61	41.44	53.05	78.30	-25.25	peak	
4		5850.000	1.32	41.44	42.76	68.30	-25.54	AVG	
5		5860.000	13.44	41.45	54.89	68.30	-13.41	peak	
6		5860.000	1.04	41.45	42.49	68.30	-25.81	AVG	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz

Horizontal



Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz



Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	16.69	41.25	57.94	68.30	-10.36	peak	
2		5715.000	5.95	41.25	47.20	68.30	-21.10	AVG	
3		5725.000	17.70	41.27	58.97	78.30	-19.33	peak	
4		5725.000	6.39	41.27	47.66	68.30	-20.64	AVG	
5	*	5767.800	52.66	41.33	93.99	78.30	15.69	peak	No Limit
6	X	5779.000	41.43	41.34	82.77	68.30	14.47	AVG	No Limit
7		5850.000	13.51	41.44	54.95	78.30	-23.35	peak	
8		5850.000	1.70	41.44	43.14	68.30	-25.16	AVG	
9		5860.000	11.78	41.45	53.23	68.30	-15.07	peak	
10		5860.000	0.81	41.45	42.26	68.30	-26.04	AVG	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

Vertical



Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	22.53	41.25	63.78	68.30	-4.52	peak	
2		5715.000	10.36	41.25	51.61	68.30	-16.69	AVG	
3		5725.000	22.03	41.27	63.30	78.30	-15.00	peak	
4		5725.000	10.52	41.27	51.79	68.30	-16.51	AVG	
5	*	5762.200	56.43	41.32	97.75	78.30	19.45	peak	No Limit
6	X	5771.400	45.03	41.32	86.35	68.30	18.05	AVG	No Limit
7		5850.000	13.74	41.44	55.18	78.30	-23.12	peak	
8		5850.000	2.66	41.44	44.10	68.30	-24.20	AVG	
9		5860.000	11.78	41.45	53.23	68.30	-15.07	peak	
10		5860.000	1.78	41.45	43.23	68.30	-25.07	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11550.00	39.42	17.02	56.44	74.30	-17.86	peak	
2	*	17325.00	40.82	21.81	62.63	74.30	-11.67	peak	



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	39973.00	44.78	17.54	62.32	74.30	-11.98	peak	