



1 SAR TEST SETUP PHOTOS

ANNEX H: THE EUT APPEARANCES AND TEST CONFIGURATION



4-a: DUT – slide open view



4-b: DUT - slide close view

TA Technology (Shanghai) Co., Ltd.
Test Report

No. RZA2008-1085FCC

Page-164of-173



4-c: DUT—rear-view



4-d: Battery—front-view

TA Technology (Shanghai) Co., Ltd.
Test Report

No. RZA2008-1085FCC

Page-165of-173



4-e: Battery—rear-view

Picture-4:-Constituents-of the-sample

TA Technology (Shanghai) Co., Ltd.
Test Report

No. RZA2008-1085FCC

Page-166of-173



5-a: slide-open



5-b: slide-close

Picture-5: Left-Hand-Touch-Cheek-Position

TA Technology (Shanghai) Co., Ltd.
Test Report

No. RZA2008-1085FCC

Page-167 of 173



6-a: slide-open



6-b: slide-close

Picture-6: Left Hand-Tilt-15-Degree-Position

TA Technology (Shanghai) Co., Ltd.
Test Report

No. RZA2008-1085FCC

Page 168 of 173



7-a: slide-open



7-b: slide-close

Picture-7: Right Hand Touch Cheek Position



8-a: slide-open



8-b: slide-close

Picture-8: Right Hand Tilt-15-Degree Position

TA Technology (Shanghai) Co., Ltd.
Test Report

No. RZA2008-1085FCC

Page-170 of 173



9-a: slide-open



9-b: slide-close

Picture-9: Body, The EUT display towards phantom, the distance from handset to the bottom of the Phantom is 15mm)

TA Technology (Shanghai) Co., Ltd.
Test Report

No. RZA2008-1085FCC

Page-171 of 173



10-a: slide-open



10-b: slide-close

Picture-10:-Body,The-EUT-display-towards-ground,the-distance-from-handset-to-the-bottom-of
the-Phantom-is-15mm)

TA Technology (Shanghai) Co., Ltd.
Test Report

No. RZA2008-1085FCC

Page-172of-173



11-a: slide-open



11-b: slide-close

Picture-11:—Body-with the-Earphone, towards-ground, the-distance from-handset to-the-bottom-of-the Phantom-is-15mm)

TA Technology (Shanghai) Co., Ltd.
Test Report

No. RZA2008-1085FCC

Page-173 of 173



12-a: slide-open



12-b: slide-close

Picture-12: Body-with-the-Bluetooth-earphone, towards-ground, the distance from handset to the bottom of the Phantom is 15mm)