





802.11n (HT40) , Channel No.: 159, N Line



Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.165750	49.66	---	65.17	15.51	1000.0	9.000	N	ON	19.2
0.170250	---	36.41	54.95	18.54	1000.0	9.000	N	ON	19.2
0.494250	---	26.38	46.10	19.71	1000.0	9.000	N	ON	19.2
0.498750	41.78	---	56.02	14.24	1000.0	9.000	N	ON	19.2
1.887000	---	22.03	46.00	23.97	1000.0	9.000	N	ON	19.2
2.033250	35.30	---	56.00	20.70	1000.0	9.000	N	ON	19.1
3.003000	---	26.32	46.00	19.68	1000.0	9.000	N	ON	19.1
3.007500	38.39	---	56.00	17.61	1000.0	9.000	N	ON	19.1
9.741750	---	22.42	50.00	27.58	1000.0	9.000	N	ON	19.4
10.131000	28.12	---	60.00	31.88	1000.0	9.000	N	ON	19.4
12.527250	---	20.90	50.00	29.10	1000.0	9.000	N	ON	19.4
12.988500	25.29	---	60.00	34.71	1000.0	9.000	N	ON	19.5


802.11ac (HT20) , Channel No.: 36, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.163500	46.18	---	65.28	19.10	1000.0	9.000	L1	ON	19.1
0.170250	---	38.02	54.95	16.93	1000.0	9.000	L1	ON	19.1
0.413250	---	25.39	47.58	22.20	1000.0	9.000	L1	ON	19.2
0.744000	36.07	---	56.00	19.93	1000.0	9.000	L1	ON	19.2
2.206500	---	24.89	46.00	21.11	1000.0	9.000	L1	ON	19.1
2.206500	40.38	---	56.00	15.62	1000.0	9.000	L1	ON	19.1
3.093000	43.90	---	56.00	12.10	1000.0	9.000	L1	ON	19.1
3.727500	---	31.15	46.00	14.85	1000.0	9.000	L1	ON	19.1
7.041750	37.09	---	60.00	22.91	1000.0	9.000	L1	ON	19.2
7.068750	---	28.28	50.00	21.72	1000.0	9.000	L1	ON	19.2
12.331500	---	33.06	50.00	16.94	1000.0	9.000	L1	ON	19.4
12.374250	41.03	---	60.00	18.97	1000.0	9.000	L1	ON	19.4


802.11ac (HT20) , Channel No.: 36, N Line



Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.168000	---	38.05	55.06	17.01	1000.0	9.000	N	ON	19.2
0.170250	50.92	---	64.95	14.03	1000.0	9.000	N	ON	19.2
0.325500	40.95	---	59.57	18.62	1000.0	9.000	N	ON	19.2
0.354750	---	24.12	48.85	24.73	1000.0	9.000	N	ON	19.2
1.975250	---	22.07	46.00	23.93	1000.0	9.000	N	ON	19.1
2.064750	37.14	---	56.00	18.86	1000.0	9.000	N	ON	19.1
3.189750	41.16	---	56.00	14.84	1000.0	9.000	N	ON	19.1
3.909750	---	29.80	46.00	16.20	1000.0	9.000	N	ON	19.0
7.586250	35.13	---	60.00	24.87	1000.0	9.000	N	ON	19.2
7.626750	---	26.63	50.00	23.37	1000.0	9.000	N	ON	19.2
12.552000	31.39	---	60.00	28.61	1000.0	9.000	N	ON	19.4
13.380000	---	24.76	50.00	25.24	1000.0	9.000	N	ON	19.5


802.11ac (HT20) , Channel No.: 40, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.163500	45.45	---	65.28	19.83	1000.0	9.000	L1	ON	19.1
0.170250	---	37.98	54.95	16.97	1000.0	9.000	L1	ON	19.1
0.413250	---	23.68	47.58	23.90	1000.0	9.000	L1	ON	19.2
0.453750	35.95	---	56.81	20.86	1000.0	9.000	L1	ON	19.2
2.089500	38.40	---	56.00	17.60	1000.0	9.000	L1	ON	19.1
2.208750	---	24.21	46.00	21.79	1000.0	9.000	L1	ON	19.1
3.167250	---	29.54	46.00	16.46	1000.0	9.000	L1	ON	19.1
3.183000	42.64	---	56.00	13.37	1000.0	9.000	L1	ON	19.1
10.275000	---	29.13	50.00	20.87	1000.0	9.000	L1	ON	19.4
12.405750	34.42	---	60.00	25.58	1000.0	9.000	L1	ON	19.4
12.466500	34.29	---	60.00	25.71	1000.0	9.000	L1	ON	19.4
12.756750	---	27.79	50.00	22.21	1000.0	9.000	L1	ON	19.5

802.11ac (HT20) , Channel No.: 40, N Line




Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.163500	48.33	---	65.28	16.96	1000.0	9.000	N	ON	19.1
0.168000	---	36.61	55.06	18.45	1000.0	9.000	N	ON	19.2
0.325500	39.67	---	59.57	19.89	1000.0	9.000	N	ON	19.2
0.512250	---	22.78	46.00	23.22	1000.0	9.000	N	ON	19.2
2.141250	36.06	---	56.00	19.94	1000.0	9.000	N	ON	19.1
2.184000	---	22.08	46.00	23.92	1000.0	9.000	N	ON	19.1
3.448500	40.42	---	56.00	15.58	1000.0	9.000	N	ON	19.0
3.799500	---	28.02	46.00	17.98	1000.0	9.000	N	ON	19.0
6.571500	34.23	---	60.00	25.77	1000.0	9.000	N	ON	19.1
10.779000	---	25.13	50.00	24.87	1000.0	9.000	N	ON	19.4
12.590250	28.87	---	60.00	31.13	1000.0	9.000	N	ON	19.4
12.669000	---	22.63	50.00	27.37	1000.0	9.000	N	ON	19.4




802.11ac (HT20) , Channel No.: 48, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.165750	45.40	---	65.17	19.77	1000.0	9.000	L1	ON	19.1
0.174750	---	36.52	54.73	18.21	1000.0	9.000	L1	ON	19.2
0.447000	---	22.11	46.93	24.82	1000.0	9.000	L1	ON	19.2
0.546000	34.12	---	56.00	21.88	1000.0	9.000	L1	ON	19.2
1.974750	---	23.86	46.00	22.14	1000.0	9.000	L1	ON	19.1
2.073750	37.60	---	56.00	18.40	1000.0	9.000	L1	ON	19.1
3.093000	---	29.54	46.00	16.46	1000.0	9.000	L1	ON	19.1
3.255000	41.90	---	56.00	14.10	1000.0	9.000	L1	ON	19.1
10.185000	---	29.08	50.00	20.92	1000.0	9.000	L1	ON	19.4
10.383000	35.15	---	60.00	24.85	1000.0	9.000	L1	ON	19.4
12.777000	33.24	---	60.00	26.76	1000.0	9.000	L1	ON	19.5
12.923250	---	27.62	50.00	22.38	1000.0	9.000	L1	ON	19.5


802.11ac (HT20) , Channel No.: 48, N Line



Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.168000	---	36.87	55.06	18.18	1000.0	9.000	N	ON	19.2
0.170250	48.18	---	64.95	16.76	1000.0	9.000	N	ON	19.2
0.582000	33.47	---	56.00	22.53	1000.0	9.000	N	ON	19.3
0.600000	---	20.18	46.00	25.82	1000.0	9.000	N	ON	19.3
1.628250	---	21.22	46.00	24.78	1000.0	9.000	N	ON	19.2
2.085000	33.57	---	56.00	22.43	1000.0	9.000	N	ON	19.1
3.320250	40.75	---	56.00	15.25	1000.0	9.000	N	ON	19.1
3.975000	---	28.71	46.00	17.29	1000.0	9.000	N	ON	19.0
7.194750	34.39	---	60.00	25.61	1000.0	9.000	N	ON	19.2
7.390500	---	25.94	50.00	24.06	1000.0	9.000	N	ON	19.2
12.446250	---	23.82	50.00	26.18	1000.0	9.000	N	ON	19.4
12.797250	29.58	---	60.00	30.42	1000.0	9.000	N	ON	19.5


802.11ac (HT20) , Channel No.: 52, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.172500	---	36.52	54.84	18.32	1000.0	9.000	L1	ON	19.2
0.179250	45.16	---	64.52	19.36	1000.0	9.000	L1	ON	19.2
0.573000	37.83	---	56.00	18.17	1000.0	9.000	L1	ON	19.3
0.575250	---	23.58	46.00	22.42	1000.0	9.000	L1	ON	19.3
2.060250	---	23.59	46.00	22.41	1000.0	9.000	L1	ON	19.1
2.145750	38.05	---	56.00	17.95	1000.0	9.000	L1	ON	19.1
3.187500	---	29.67	46.00	16.33	1000.0	9.000	L1	ON	19.1
3.291000	41.58	---	56.00	14.42	1000.0	9.000	L1	ON	19.1
10.124250	34.91	---	60.00	25.09	1000.0	9.000	L1	ON	19.4
10.169250	---	29.00	50.00	21.00	1000.0	9.000	L1	ON	19.4
12.606000	---	27.56	50.00	22.44	1000.0	9.000	L1	ON	19.5
12.705000	33.22	---	60.00	26.78	1000.0	9.000	L1	ON	19.5


802.11ac (HT20) , Channel No.: 52, N Line



Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.174750	---	36.01	54.73	18.72	1000.0	9.000	N	ON	19.2
0.181500	46.04	---	64.42	18.38	1000.0	9.000	N	ON	19.2
0.424500	---	23.86	47.36	23.50	1000.0	9.000	N	ON	19.2
0.543750	36.10	---	56.00	19.90	1000.0	9.000	N	ON	19.2
2.139000	---	22.72	46.00	23.28	1000.0	9.000	N	ON	19.1
2.163750	37.06	---	56.00	18.94	1000.0	9.000	N	ON	19.1
3.016500	40.15	---	56.00	15.85	1000.0	9.000	N	ON	19.1
3.801750	---	29.01	46.00	16.99	1000.0	9.000	N	ON	19.0
7.224000	34.74	---	60.00	25.26	1000.0	9.000	N	ON	19.2
7.302750	---	25.99	50.00	24.01	1000.0	9.000	N	ON	19.2
12.619500	---	23.79	50.00	26.21	1000.0	9.000	N	ON	19.4
12.750000	29.89	---	60.00	30.11	1000.0	9.000	N	ON	19.5

802.11ac (HT20) , Channel No.: 56, L Line




Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.170250	---	36.56	54.95	18.39	1000.0	9.000	L1	ON	19.1
0.177000	45.55	---	64.63	19.07	1000.0	9.000	L1	ON	19.2
0.577500	37.85	---	56.00	18.15	1000.0	9.000	L1	ON	19.3
0.579750	---	22.64	46.00	23.36	1000.0	9.000	L1	ON	19.3
1.974750	---	23.73	46.00	22.27	1000.0	9.000	L1	ON	19.1
2.078250	38.08	---	56.00	17.92	1000.0	9.000	L1	ON	19.1
3.266250	---	29.68	46.00	16.32	1000.0	9.000	L1	ON	19.1
3.385500	41.36	---	56.00	14.64	1000.0	9.000	L1	ON	19.1
10.014000	34.84	---	60.00	25.16	1000.0	9.000	L1	ON	19.4
10.209750	---	29.09	50.00	20.91	1000.0	9.000	L1	ON	19.4
12.588000	33.09	---	60.00	26.91	1000.0	9.000	L1	ON	19.5
12.687000	---	27.81	50.00	22.19	1000.0	9.000	L1	ON	19.5




802.11ac (HT20) , Channel No.: 56, N Line



Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.170250	---	36.32	54.95	18.63	1000.0	9.000	N	ON	19.2
0.179250	46.63	---	64.52	17.89	1000.0	9.000	N	ON	19.2
0.424500	---	23.81	47.36	23.55	1000.0	9.000	N	ON	19.2
0.566250	35.40	---	56.00	20.60	1000.0	9.000	N	ON	19.3
2.139000	---	22.54	46.00	23.46	1000.0	9.000	N	ON	19.1
2.195250	36.65	---	56.00	19.35	1000.0	9.000	N	ON	19.1
3.392250	40.84	---	56.00	15.16	1000.0	9.000	N	ON	19.1
3.801750	---	29.07	46.00	16.93	1000.0	9.000	N	ON	19.0
7.248750	34.42	---	60.00	25.58	1000.0	9.000	N	ON	19.2
7.532250	---	26.40	50.00	23.60	1000.0	9.000	N	ON	19.2
12.464250	29.91	---	60.00	30.09	1000.0	9.000	N	ON	19.4
12.673500	---	23.74	50.00	26.26	1000.0	9.000	N	ON	19.4


802.11ac (HT20) , Channel No.: 64, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.170250	45.51	---	64.95	19.44	1000.0	9.000	L1	ON	19.1
0.177000	---	35.67	54.63	18.95	1000.0	9.000	L1	ON	19.2
0.577500	---	23.77	46.00	22.23	1000.0	9.000	L1	ON	19.3
0.579750	37.88	---	56.00	18.12	1000.0	9.000	L1	ON	19.3
1.577000	---	23.81	46.00	22.19	1000.0	9.000	L1	ON	19.1
2.031250	37.93	---	56.00	18.07	1000.0	9.000	L1	ON	19.1
3.203250	41.65	---	56.00	14.35	1000.0	9.000	L1	ON	19.1
3.651000	---	29.88	46.00	16.12	1000.0	9.000	L1	ON	19.1
10.171500	34.92	---	60.00	25.08	1000.0	9.000	L1	ON	19.4
10.200750	---	29.17	50.00	20.83	1000.0	9.000	L1	ON	19.4
12.671250	33.42	---	60.00	26.58	1000.0	9.000	L1	ON	19.5
12.790500	---	27.75	50.00	22.25	1000.0	9.000	L1	ON	19.5


802.11ac (HT20) , Channel No.: 64, N Line



Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.168000	---	34.58	55.05	20.48	1000.0	9.000	N	ON	19.2
0.172500	46.26	---	64.84	18.58	1000.0	9.000	N	ON	19.2
0.431250	---	20.93	47.23	26.30	1000.0	9.000	N	ON	19.2
0.573000	36.04	---	56.00	19.96	1000.0	9.000	N	ON	19.3
2.132250	36.55	---	56.00	19.45	1000.0	9.000	N	ON	19.1
2.195250	---	21.24	46.00	24.76	1000.0	9.000	N	ON	19.1
3.529500	41.16	---	56.00	14.84	1000.0	9.000	N	ON	19.1
4.049250	---	26.82	46.00	19.18	1000.0	9.000	N	ON	19.1
7.437750	---	24.21	50.00	25.79	1000.0	9.000	N	ON	19.2
7.545750	34.33	---	60.00	25.67	1000.0	9.000	N	ON	19.2
12.529500	---	21.35	50.00	28.65	1000.0	9.000	N	ON	19.4
12.948000	29.21	---	60.00	30.79	1000.0	9.000	N	ON	19.5


802.11ac (HT20) , Channel No.: 100, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.174750	44.88	---	64.73	19.86	1000.0	9.000	L1	ON	19.2
0.177000	---	34.31	54.63	20.31	1000.0	9.000	L1	ON	19.2
0.575250	38.30	---	56.00	17.70	1000.0	9.000	L1	ON	19.3
0.600000	---	24.49	46.00	21.51	1000.0	9.000	L1	ON	19.3
2.058000	---	23.59	46.00	22.41	1000.0	9.000	L1	ON	19.1
2.190750	38.55	---	56.00	17.45	1000.0	9.000	L1	ON	19.1
3.135750	41.63	---	56.00	14.37	1000.0	9.000	L1	ON	19.1
3.644250	---	28.87	46.00	17.13	1000.0	9.000	L1	ON	19.1
9.649500	34.08	---	60.00	25.92	1000.0	9.000	L1	ON	19.4
10.110750	---	28.18	50.00	21.82	1000.0	9.000	L1	ON	19.4
12.576750	32.69	---	60.00	27.31	1000.0	9.000	L1	ON	19.5
12.851250	---	26.63	50.00	23.37	1000.0	9.000	L1	ON	19.5

802.11ac (HT20) , Channel No.: 100, N Line




Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.165750	50.64	---	65.17	14.53	1000.0	9.000	N	ON	19.2
0.170250	---	37.29	54.95	17.66	1000.0	9.000	N	ON	19.2
0.273750	41.97	---	61.00	19.04	1000.0	9.000	N	ON	19.1
0.512250	---	21.99	46.00	24.01	1000.0	9.000	N	ON	19.2
1.526000	---	21.11	46.00	24.89	1000.0	9.000	N	ON	19.2
2.060250	35.88	---	56.00	20.12	1000.0	9.000	N	ON	19.1
3.691500	39.67	---	56.00	16.33	1000.0	9.000	N	ON	19.1
3.966000	---	28.24	46.00	17.76	1000.0	9.000	N	ON	19.0
6.825750	33.83	---	60.00	26.17	1000.0	9.000	N	ON	19.1
7.442250	---	25.12	50.00	24.88	1000.0	9.000	N	ON	19.2
12.554250	---	22.33	50.00	27.67	1000.0	9.000	N	ON	19.4
12.952500	27.69	---	60.00	32.31	1000.0	9.000	N	ON	19.5




802.11ac (HT20) , Channel No.: 116, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.168000	---	35.07	55.06	19.99	1000.0	9.000	L1	ON	19.1
0.172500	44.10	---	64.84	20.74	1000.0	9.000	L1	ON	19.2
0.498750	---	24.66	46.02	21.36	1000.0	9.000	L1	ON	19.2
0.636000	38.49	---	56.00	17.51	1000.0	9.000	L1	ON	19.3
2.134500	---	22.22	46.00	23.78	1000.0	9.000	L1	ON	19.1
2.181750	38.71	---	56.00	17.29	1000.0	9.000	L1	ON	19.1
2.915250	39.76	---	56.00	16.24	1000.0	9.000	L1	ON	19.1
3.729750	---	27.37	46.00	18.63	1000.0	9.000	L1	ON	19.1
10.207500	33.68	---	60.00	26.32	1000.0	9.000	L1	ON	19.4
10.259250	---	26.52	50.00	23.48	1000.0	9.000	L1	ON	19.4
12.718500	30.69	---	60.00	29.31	1000.0	9.000	L1	ON	19.5
12.736500	---	24.78	50.00	25.22	1000.0	9.000	L1	ON	19.5


802.11ac (HT20) , Channel No.: 116, N Line



Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.163500	53.89	---	65.28	11.39	1000.0	9.000	N	ON	19.1
0.170250	---	39.15	54.95	15.80	1000.0	9.000	N	ON	19.2
0.341250	43.70	---	59.17	15.48	1000.0	9.000	N	ON	19.2
0.345750	---	26.45	49.06	22.62	1000.0	9.000	N	ON	19.2
2.078250	---	21.14	46.00	24.86	1000.0	9.000	N	ON	19.1
2.166000	35.90	---	56.00	20.10	1000.0	9.000	N	ON	19.1
3.315750	40.08	---	56.00	15.92	1000.0	9.000	N	ON	19.1
3.817500	---	28.63	46.00	17.37	1000.0	9.000	N	ON	19.0
6.807750	---	25.80	50.00	24.20	1000.0	9.000	N	ON	19.1
7.026000	34.88	---	60.00	25.12	1000.0	9.000	N	ON	19.2
12.534000	---	22.95	50.00	27.05	1000.0	9.000	N	ON	19.4
12.698250	29.63	---	60.00	30.37	1000.0	9.000	N	ON	19.4


802.11ac (HT20) , Channel No.: 144, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.174750	---	33.37	54.73	21.36	1000.0	9.000	L1	ON	19.2
0.179250	43.35	---	64.52	21.17	1000.0	9.000	L1	ON	19.2
0.512250	---	22.43	46.00	23.57	1000.0	9.000	L1	ON	19.2
0.649500	39.35	---	56.00	16.65	1000.0	9.000	L1	ON	19.3
2.053500	---	23.60	46.00	22.40	1000.0	9.000	L1	ON	19.1
2.127750	37.49	---	56.00	18.51	1000.0	9.000	L1	ON	19.1
2.951250	40.04	---	56.00	15.96	1000.0	9.000	L1	ON	19.1
3.079500	---	28.31	46.00	17.69	1000.0	9.000	L1	ON	19.1
9.885750	---	26.16	50.00	23.84	1000.0	9.000	L1	ON	19.4
9.984750	32.72	---	60.00	27.28	1000.0	9.000	L1	ON	19.4
12.502500	---	24.24	50.00	25.76	1000.0	9.000	L1	ON	19.4
12.741000	29.88	---	60.00	30.12	1000.0	9.000	L1	ON	19.5


802.11ac (HT20) , Channel No.: 144, N Line



Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.172500	47.81	---	64.84	17.03	1000.0	9.000	N	ON	19.2
0.174750	---	34.55	54.73	20.18	1000.0	9.000	N	ON	19.2
0.332250	---	24.68	49.40	24.71	1000.0	9.000	N	ON	19.2
0.546000	32.47	---	56.00	23.53	1000.0	9.000	N	ON	19.2
2.132250	35.17	---	56.00	20.83	1000.0	9.000	N	ON	19.1
2.141250	---	22.09	46.00	23.91	1000.0	9.000	N	ON	19.1
3.378750	39.74	---	56.00	16.26	1000.0	9.000	N	ON	19.1
3.975000	---	28.22	46.00	17.78	1000.0	9.000	N	ON	19.0
6.798750	---	24.60	50.00	25.40	1000.0	9.000	N	ON	19.1
6.825750	33.47	---	60.00	26.53	1000.0	9.000	N	ON	19.1
12.509250	---	22.82	50.00	27.18	1000.0	9.000	N	ON	19.4
12.906250	28.07	---	60.00	31.93	1000.0	9.000	N	ON	19.5

802.11ac (HT20) , Channel No.: 149, L Line




Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.170250	---	33.21	54.95	21.74	1000.0	9.000	L1	ON	19.1
0.179250	42.06	---	64.52	22.46	1000.0	9.000	L1	ON	19.2
0.577500	39.05	---	56.00	16.95	1000.0	9.000	L1	ON	19.3
0.586500	---	24.54	46.00	21.46	1000.0	9.000	L1	ON	19.3
2.053500	---	23.10	46.00	22.90	1000.0	9.000	L1	ON	19.1
2.091750	37.43	---	56.00	18.57	1000.0	9.000	L1	ON	19.1
3.167250	---	27.47	46.00	18.53	1000.0	9.000	L1	ON	19.1
3.313500	39.72	---	56.00	16.28	1000.0	9.000	L1	ON	19.1
9.712500	---	25.28	50.00	24.72	1000.0	9.000	L1	ON	19.4
9.910500	31.72	---	60.00	28.28	1000.0	9.000	L1	ON	19.4
12.624000	---	23.30	50.00	26.70	1000.0	9.000	L1	ON	19.5
12.855750	29.16	---	60.00	30.84	1000.0	9.000	L1	ON	19.5




802.11ac (HT20) , Channel No.: 149, N Line



Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.163500	45.86	---	65.28	19.42	1000.0	9.000	N	ON	19.1
0.168000	---	34.32	55.06	20.73	1000.0	9.000	N	ON	19.2
0.336750	38.53	---	59.28	20.76	1000.0	9.000	N	ON	19.2
0.339000	---	25.00	49.23	24.23	1000.0	9.000	N	ON	19.2
2.143500	---	20.26	46.00	25.74	1000.0	9.000	N	ON	19.1
2.199750	36.26	---	56.00	19.74	1000.0	9.000	N	ON	19.1
3.216750	39.12	---	56.00	16.88	1000.0	9.000	N	ON	19.1
3.887250	---	27.27	46.00	18.73	1000.0	9.000	N	ON	19.0
6.933750	32.32	---	60.00	27.68	1000.0	9.000	N	ON	19.2
7.239750	---	23.91	50.00	26.09	1000.0	9.000	N	ON	19.2
12.419250	---	20.68	50.00	29.32	1000.0	9.000	N	ON	19.4
12.917250	26.38	---	60.00	33.62	1000.0	9.000	N	ON	19.5


802.11ac (HT20) , Channel No.: 157, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.165750	---	32.70	55.17	22.47	1000.0	9.000	L1	ON	19.1
0.255750	41.41	---	61.57	20.16	1000.0	9.000	L1	ON	19.1
0.568500	38.41	---	56.00	17.59	1000.0	9.000	L1	ON	19.3
0.575250	---	24.78	46.00	21.22	1000.0	9.000	L1	ON	19.3
2.127750	36.12	---	56.00	19.88	1000.0	9.000	L1	ON	19.1
2.206500	---	22.12	46.00	23.88	1000.0	9.000	L1	ON	19.1
3.084000	---	26.59	46.00	19.41	1000.0	9.000	L1	ON	19.1
9.255000	39.35	---	56.00	16.65	1000.0	9.000	L1	ON	19.1
9.836250	30.61	---	60.00	29.39	1000.0	9.000	L1	ON	19.4
9.892500	---	23.66	50.00	26.34	1000.0	9.000	L1	ON	19.4
12.383250	28.20	---	60.00	31.80	1000.0	9.000	L1	ON	19.4
12.917250	---	21.92	50.00	28.08	1000.0	9.000	L1	ON	19.5


802.11ac (HT20) , Channel No.: 157, N Line



Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.168000	---	33.76	55.06	21.30	1000.0	9.000	N	ON	19.2
0.172500	44.47	---	64.84	20.37	1000.0	9.000	N	ON	19.2
0.339000	---	25.59	49.23	23.64	1000.0	9.000	N	ON	19.2
0.429000	36.34	---	57.27	20.94	1000.0	9.000	N	ON	19.2
1.884750	---	16.45	46.00	29.55	1000.0	9.000	N	ON	19.2
1.911750	32.82	---	56.00	23.18	1000.0	9.000	N	ON	19.2
3.342750	---	17.76	46.00	28.24	1000.0	9.000	N	ON	19.1
3.822000	38.37	---	56.00	17.63	1000.0	9.000	N	ON	19.0
6.670500	31.96	---	60.00	28.04	1000.0	9.000	N	ON	19.1
6.983250	---	22.81	50.00	27.19	1000.0	9.000	N	ON	19.2
12.484500	---	21.00	50.00	29.00	1000.0	9.000	N	ON	19.4
12.520500	25.39	---	60.00	34.61	1000.0	9.000	N	ON	19.4


802.11ac (HT20) , Channel No.: 165, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.170250	---	34.15	54.95	20.80	1000.0	9.000	L1	ON	19.1
0.258000	37.72	---	61.50	23.78	1000.0	9.000	L1	ON	19.1
0.568500	39.72	---	56.00	16.28	1000.0	9.000	L1	ON	19.3
0.579750	---	25.01	46.00	20.99	1000.0	9.000	L1	ON	19.3
1.821750	32.96	---	56.00	23.04	1000.0	9.000	L1	ON	19.2
1.884750	---	20.47	46.00	25.53	1000.0	9.000	L1	ON	19.2
3.174000	---	26.24	46.00	19.76	1000.0	9.000	L1	ON	19.1
3.176250	38.48	---	56.00	17.52	1000.0	9.000	L1	ON	19.1
9.424500	29.16	---	60.00	30.84	1000.0	9.000	L1	ON	19.3
9.692250	---	22.32	50.00	27.68	1000.0	9.000	L1	ON	19.4
12.657750	---	21.29	50.00	28.71	1000.0	9.000	L1	ON	19.5
12.837750	26.26	---	60.00	33.74	1000.0	9.000	L1	ON	19.5

802.11ac (HT20) , Channel No.: 165, N Line




Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.170250	---	34.15	54.95	20.79	1000.0	9.000	N	ON	19.2
0.253500	39.81	---	61.64	21.84	1000.0	9.000	N	ON	19.1
0.532500	37.40	---	56.00	18.60	1000.0	9.000	N	ON	19.2
0.539250	---	21.40	46.00	24.60	1000.0	9.000	N	ON	19.2
1.630500	---	20.07	46.00	25.93	1000.0	9.000	N	ON	19.2
2.031000	36.94	---	56.00	19.06	1000.0	9.000	N	ON	19.1
3.174000	---	26.71	46.00	19.29	1000.0	9.000	N	ON	19.1
3.185250	39.27	---	56.00	16.73	1000.0	9.000	N	ON	19.1
6.645750	---	22.19	50.00	27.81	1000.0	9.000	N	ON	19.1
6.843750	32.19	---	60.00	27.81	1000.0	9.000	N	ON	19.2
12.489000	---	20.41	50.00	29.59	1000.0	9.000	N	ON	19.4
13.166250	24.42	---	60.00	35.58	1000.0	9.000	N	ON	19.5




802.11ac (HT40) , Channel No.: 38, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.325500	39.72	---	59.57	19.85	1000.0	9.000	L1	ON	19.2
0.332250	---	28.71	49.40	20.68	1000.0	9.000	L1	ON	19.2
0.528000	42.46	---	56.00	13.54	1000.0	9.000	L1	ON	19.2
0.532500	---	28.09	46.00	17.91	1000.0	9.000	L1	ON	19.2
0.978000	---	23.72	46.00	22.28	1000.0	9.000	L1	ON	19.2
2.060250	37.35	---	56.00	18.65	1000.0	9.000	L1	ON	19.1
2.827500	38.40	---	56.00	17.60	1000.0	9.000	L1	ON	19.0
3.005250	---	25.96	46.00	20.04	1000.0	9.000	L1	ON	19.1
9.417750	28.54	---	60.00	31.46	1000.0	9.000	L1	ON	19.3
9.735000	---	21.68	50.00	28.32	1000.0	9.000	L1	ON	19.4
12.437250	---	20.81	50.00	29.19	1000.0	9.000	L1	ON	19.4
12.536250	26.30	---	60.00	33.70	1000.0	9.000	L1	ON	19.4


802.11ac (HT40) , Channel No.: 38, N Line



Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.170250	---	33.35	54.95	21.60	1000.0	9.000	N	ON	19.2
0.181500	41.69	---	64.42	22.73	1000.0	9.000	N	ON	19.2
0.332250	---	24.27	49.40	25.12	1000.0	9.000	N	ON	19.2
0.573000	34.99	---	56.00	21.01	1000.0	9.000	N	ON	19.3
2.071500	34.10	---	56.00	21.90	1000.0	9.000	N	ON	19.1
2.181750	---	21.82	46.00	24.18	1000.0	9.000	N	ON	19.1
3.534000	39.93	---	56.00	16.07	1000.0	9.000	N	ON	19.1
3.970500	---	27.58	46.00	18.42	1000.0	9.000	N	ON	19.0
7.282500	---	24.89	50.00	25.11	1000.0	9.000	N	ON	19.2
7.336500	33.13	---	60.00	26.87	1000.0	9.000	N	ON	19.2
12.527250	27.79	---	60.00	32.21	1000.0	9.000	N	ON	19.4
12.630750	---	21.19	50.00	28.81	1000.0	9.000	N	ON	19.4


802.11ac (HT40) , Channel No.: 46, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.339000	39.57	---	59.23	19.66	1000.0	9.000	L1	ON	19.2
0.341250	---	28.40	49.17	20.77	1000.0	9.000	L1	ON	19.2
0.532500	42.89	---	56.00	13.11	1000.0	9.000	L1	ON	19.2
0.539250	---	27.69	46.00	18.31	1000.0	9.000	L1	ON	19.2
1.545000	---	22.27	46.00	23.73	1000.0	9.000	L1	ON	19.2
2.100750	36.11	---	56.00	19.89	1000.0	9.000	L1	ON	19.1
2.919750	38.90	---	56.00	17.10	1000.0	9.000	L1	ON	19.1
3.257250	---	25.55	46.00	20.45	1000.0	9.000	L1	ON	19.1
9.262500	---	21.39	50.00	28.61	1000.0	9.000	L1	ON	19.3
9.397500	28.48	---	60.00	31.52	1000.0	9.000	L1	ON	19.3
12.554250	25.78	---	60.00	34.22	1000.0	9.000	L1	ON	19.5
12.669000	---	20.21	50.00	29.79	1000.0	9.000	L1	ON	19.5


802.11ac (HT40) , Channel No.: 46, N Line



Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.168000	---	34.23	55.06	20.83	1000.0	9.000	N	ON	19.2
0.181500	41.21	---	64.42	23.21	1000.0	9.000	N	ON	19.2
0.330000	---	25.12	49.45	24.34	1000.0	9.000	N	ON	19.2
0.586500	31.21	---	56.00	24.79	1000.0	9.000	N	ON	19.3
1.457250	30.87	---	56.00	25.13	1000.0	9.000	N	ON	19.2
1.812750	---	18.41	46.00	27.59	1000.0	9.000	N	ON	19.2
3.174000	---	27.57	46.00	18.43	1000.0	9.000	N	ON	19.1
3.187500	39.78	---	56.00	16.23	1000.0	9.000	N	ON	19.1
7.287000	---	22.67	50.00	27.33	1000.0	9.000	N	ON	19.2
7.334250	31.29	---	60.00	28.71	1000.0	9.000	N	ON	19.2
12.383250	27.16	---	60.00	32.84	1000.0	9.000	N	ON	19.4
12.462000	---	20.89	50.00	29.11	1000.0	9.000	N	ON	19.4

802.11ac (HT40) , Channel No.: 54, L Line




Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.168000	---	34.37	55.06	20.69	1000.0	9.000	L1	ON	19.1
0.348000	39.07	---	59.01	19.94	1000.0	9.000	L1	ON	19.2
0.514500	---	27.03	46.00	18.97	1000.0	9.000	L1	ON	19.2
0.548250	42.11	---	56.00	13.89	1000.0	9.000	L1	ON	19.3
1.061250	---	22.84	46.00	23.16	1000.0	9.000	L1	ON	19.2
2.179500	36.51	---	56.00	19.49	1000.0	9.000	L1	ON	19.1
2.827500	39.19	---	56.00	16.81	1000.0	9.000	L1	ON	19.0
3.003000	---	26.31	46.00	19.69	1000.0	9.000	L1	ON	19.1
6.317250	26.97	---	60.00	33.03	1000.0	9.000	L1	ON	19.1
9.089250	---	20.66	50.00	29.34	1000.0	9.000	L1	ON	19.3
12.682500	25.53	---	60.00	34.47	1000.0	9.000	L1	ON	19.5
13.087500	---	20.12	50.00	29.88	1000.0	9.000	L1	ON	19.5




802.11ac (HT40) , Channel No.: 54, N Line



Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.163500	47.99	---	65.28	17.30	1000.0	9.000	N	ON	19.1
0.174750	---	36.11	54.73	18.62	1000.0	9.000	N	ON	19.2
0.442500	---	22.40	47.02	24.62	1000.0	9.000	N	ON	19.2
0.530250	35.54	---	56.00	20.46	1000.0	9.000	N	ON	19.2
1.968000	---	21.85	46.00	24.15	1000.0	9.000	N	ON	19.1
1.970250	36.17	---	56.00	19.83	1000.0	9.000	N	ON	19.1
3.162750	41.71	---	56.00	14.29	1000.0	9.000	N	ON	19.1
3.423750	---	29.18	46.00	16.82	1000.0	9.000	N	ON	19.0
7.140750	35.01	---	60.00	24.99	1000.0	9.000	N	ON	19.2
7.156500	---	26.22	50.00	23.78	1000.0	9.000	N	ON	19.2
12.324750	---	24.39	50.00	25.61	1000.0	9.000	N	ON	19.4
12.961500	29.58	---	60.00	30.42	1000.0	9.000	N	ON	19.5


802.11ac (HT40) , Channel No.: 62, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.170250	---	34.29	54.95	20.66	1000.0	9.000	L1	ON	19.1
0.343500	38.63	---	59.12	20.49	1000.0	9.000	L1	ON	19.2
0.575250	---	28.64	46.00	17.36	1000.0	9.000	L1	ON	19.3
0.579750	42.82	---	56.00	13.18	1000.0	9.000	L1	ON	19.3
0.903750	---	23.60	46.00	22.40	1000.0	9.000	L1	ON	19.2
1.623750	34.79	---	56.00	21.21	1000.0	9.000	L1	ON	19.2
2.856750	36.42	---	56.00	19.58	1000.0	9.000	L1	ON	19.0
3.088500	---	26.03	46.00	19.97	1000.0	9.000	L1	ON	19.1
9.298500	---	20.53	50.00	29.47	1000.0	9.000	L1	ON	19.3
9.613500	26.68	---	60.00	33.32	1000.0	9.000	L1	ON	19.3
13.776000	25.47	---	60.00	34.53	1000.0	9.000	L1	ON	19.5
15.006750	---	20.56	50.00	29.44	1000.0	9.000	L1	ON	19.5


802.11ac (HT40) , Channel No.: 62, N Line



Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.170250	---	35.00	54.95	19.95	1000.0	9.000	N	ON	19.2
0.179250	44.31	---	64.52	20.21	1000.0	9.000	N	ON	19.2
0.501000	---	21.88	46.00	24.12	1000.0	9.000	N	ON	19.2
0.597750	35.21	---	56.00	20.79	1000.0	9.000	N	ON	19.3
1.970250	---	21.82	46.00	24.18	1000.0	9.000	N	ON	19.1
2.069250	35.89	---	56.00	20.11	1000.0	9.000	N	ON	19.1
3.167250	40.77	---	56.00	15.23	1000.0	9.000	N	ON	19.1
3.732000	---	28.56	46.00	17.44	1000.0	9.000	N	ON	19.1
7.001250	33.83	---	60.00	26.17	1000.0	9.000	N	ON	19.2
7.084500	---	25.35	50.00	24.65	1000.0	9.000	N	ON	19.2
12.545250	---	22.45	50.00	27.55	1000.0	9.000	N	ON	19.4
12.790500	27.94	---	60.00	32.06	1000.0	9.000	N	ON	19.5


802.11ac (HT40) , Channel No.: 102, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.170250	---	34.06	54.95	20.89	1000.0	9.000	L1	ON	19.1
0.447000	42.08	---	56.93	14.85	1000.0	9.000	L1	ON	19.2
0.546000	41.77	---	56.00	14.23	1000.0	9.000	L1	ON	19.2
0.579750	---	28.64	46.00	17.36	1000.0	9.000	L1	ON	19.3
1.887000	---	23.00	46.00	23.00	1000.0	9.000	L1	ON	19.2
2.017500	36.20	---	56.00	19.80	1000.0	9.000	L1	ON	19.1
3.084000	37.48	---	56.00	18.52	1000.0	9.000	L1	ON	19.1
3.090750	---	24.43	46.00	21.57	1000.0	9.000	L1	ON	19.1
8.988000	26.31	---	60.00	33.69	1000.0	9.000	L1	ON	19.3
9.350250	---	20.11	50.00	29.89	1000.0	9.000	L1	ON	19.3
12.538500	25.32	---	60.00	34.68	1000.0	9.000	L1	ON	19.4
15.204750	---	20.97	50.00	29.03	1000.0	9.000	L1	ON	19.5

802.11ac (HT40) , Channel No.: 102, N Line




Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.168000	---	34.66	55.06	20.40	1000.0	9.000	N	ON	19.2
0.172500	43.71	---	64.84	21.12	1000.0	9.000	N	ON	19.2
0.429000	33.74	---	57.27	23.54	1000.0	9.000	N	ON	19.2
0.494250	---	22.42	46.10	23.68	1000.0	9.000	N	ON	19.2
1.810500	---	19.90	46.00	26.10	1000.0	9.000	N	ON	19.2
2.087250	35.11	---	56.00	20.89	1000.0	9.000	N	ON	19.1
3.257250	---	27.94	46.00	18.06	1000.0	9.000	N	ON	19.1
3.300000	39.58	---	56.00	16.42	1000.0	9.000	N	ON	19.1
7.149750	---	24.75	50.00	25.25	1000.0	9.000	N	ON	19.2
7.266750	33.08	---	60.00	26.92	1000.0	9.000	N	ON	19.2
12.374250	---	21.36	50.00	28.64	1000.0	9.000	N	ON	19.4
12.927750	27.22	---	60.00	32.78	1000.0	9.000	N	ON	19.5




802.11ac (HT40) , Channel No.: 118, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.168000	---	33.45	55.06	21.61	1000.0	9.000	L1	ON	19.1
0.440250	42.00	---	57.06	15.06	1000.0	9.000	L1	ON	19.2
0.568500	43.56	---	56.00	12.44	1000.0	9.000	L1	ON	19.3
0.577500	---	28.64	46.00	17.36	1000.0	9.000	L1	ON	19.3
2.031000	35.54	---	56.00	20.46	1000.0	9.000	L1	ON	19.1
2.060250	---	23.33	46.00	22.67	1000.0	9.000	L1	ON	19.1
2.908500	37.12	---	56.00	18.88	1000.0	9.000	L1	ON	19.1
2.919750	---	24.45	46.00	21.55	1000.0	9.000	L1	ON	19.1
9.154500	26.17	---	60.00	33.83	1000.0	9.000	L1	ON	19.3
9.431250	---	20.24	50.00	29.76	1000.0	9.000	L1	ON	19.3
13.348500	24.97	---	60.00	35.03	1000.0	9.000	L1	ON	19.5
15.207000	---	20.85	50.00	29.15	1000.0	9.000	L1	ON	19.5


802.11ac (HT40) , Channel No.: 118, N Line



Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.163500	44.09	---	65.28	21.19	1000.0	9.000	N	ON	19.1
0.168000	---	32.23	55.06	22.83	1000.0	9.000	N	ON	19.2
0.334500	---	25.18	49.34	24.16	1000.0	9.000	N	ON	19.2
0.582000	32.67	---	56.00	23.33	1000.0	9.000	N	ON	19.3
2.098500	32.71	---	56.00	23.29	1000.0	9.000	N	ON	19.1
2.141250	---	21.39	46.00	24.61	1000.0	9.000	N	ON	19.1
3.518250	39.62	---	56.00	16.38	1000.0	9.000	N	ON	19.1
3.885000	---	26.71	46.00	19.29	1000.0	9.000	N	ON	19.0
7.359000	32.62	---	60.00	27.38	1000.0	9.000	N	ON	19.2
7.626750	---	23.79	50.00	26.21	1000.0	9.000	N	ON	19.2
12.590250	---	20.74	50.00	29.26	1000.0	9.000	N	ON	19.4
13.029000	25.53	---	60.00	34.47	1000.0	9.000	N	ON	19.5


802.11ac (HT40) , Channel No.: 142, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.172500	---	33.37	54.84	21.47	1000.0	9.000	L1	ON	19.2
0.440250	42.20	---	57.06	14.86	1000.0	9.000	L1	ON	19.2
0.444750	---	29.41	46.97	17.57	1000.0	9.000	L1	ON	19.2
0.570750	43.07	---	56.00	12.93	1000.0	9.000	L1	ON	19.3
2.085000	---	21.81	46.00	24.19	1000.0	9.000	L1	ON	19.1
2.123250	36.99	---	56.00	19.01	1000.0	9.000	L1	ON	19.1
3.052500	37.70	---	56.00	18.30	1000.0	9.000	L1	ON	19.1
3.093000	---	25.12	46.00	20.88	1000.0	9.000	L1	ON	19.1
12.255000	26.35	---	60.00	33.65	1000.0	9.000	L1	ON	19.4
12.306750	---	20.44	50.00	29.56	1000.0	9.000	L1	ON	19.4
12.419250	26.65	---	60.00	33.35	1000.0	9.000	L1	ON	19.4
15.459000	---	20.45	50.00	29.55	1000.0	9.000	L1	ON	19.4


802.11ac (HT40) , Channel No.: 142, N Line



Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.163500	48.44	---	65.28	16.85	1000.0	9.000	N	ON	19.1
0.168000	---	37.46	55.06	17.60	1000.0	9.000	N	ON	19.2
0.584250	34.61	---	56.00	21.39	1000.0	9.000	N	ON	19.3
0.816000	---	21.82	46.00	24.18	1000.0	9.000	N	ON	19.2
1.977000	---	22.29	46.00	23.71	1000.0	9.000	N	ON	19.1
2.064750	37.38	---	56.00	18.62	1000.0	9.000	N	ON	19.1
3.192000	41.25	---	56.00	14.75	1000.0	9.000	N	ON	19.1
3.815250	---	30.21	46.00	15.79	1000.0	9.000	N	ON	19.0
6.492750	35.04	---	60.00	24.96	1000.0	9.000	N	ON	19.1
10.556250	---	27.25	50.00	22.75	1000.0	9.000	N	ON	19.4
12.327000	---	25.62	50.00	24.38	1000.0	9.000	N	ON	19.4
12.633000	31.52	---	60.00	28.48	1000.0	9.000	N	ON	19.4

802.11ac (HT40) , Channel No.: 151, L Line




Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.170250	---	33.14	54.95	21.81	1000.0	9.000	L1	ON	19.1
0.297000	37.66	---	61.21	23.55	1000.0	9.000	L1	ON	19.1
0.449250	---	29.41	46.89	17.48	1000.0	9.000	L1	ON	19.2
0.586500	42.33	---	56.00	13.67	1000.0	9.000	L1	ON	19.3
1.545000	---	23.67	46.00	22.33	1000.0	9.000	L1	ON	19.2
2.132250	36.79	---	56.00	19.21	1000.0	9.000	L1	ON	19.1
2.854500	37.19	---	56.00	18.81	1000.0	9.000	L1	ON	19.0
3.093000	---	24.87	46.00	21.13	1000.0	9.000	L1	ON	19.1
8.846250	27.29	---	60.00	32.71	1000.0	9.000	L1	ON	19.3
12.201000	---	21.18	50.00	28.82	1000.0	9.000	L1	ON	19.4
12.993000	25.94	---	60.00	34.06	1000.0	9.000	L1	ON	19.5
15.213750	---	20.47	50.00	29.53	1000.0	9.000	L1	ON	19.5




802.11ac (HT40) , Channel No.: 151, N Line



Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.165750	47.02	---	65.17	18.15	1000.0	9.000	N	ON	19.2
0.168000	---	36.00	55.06	19.06	1000.0	9.000	N	ON	19.2
0.498750	---	23.14	46.02	22.88	1000.0	9.000	N	ON	19.2
0.613500	33.73	---	56.00	22.27	1000.0	9.000	N	ON	19.3
1.857750	34.01	---	56.00	21.99	1000.0	9.000	N	ON	19.2
2.130000	---	21.35	46.00	24.65	1000.0	9.000	N	ON	19.1
3.471000	40.77	---	56.00	15.23	1000.0	9.000	N	ON	19.0
4.373250	---	27.75	46.00	18.25	1000.0	9.000	N	ON	19.1
6.447750	34.23	---	60.00	25.77	1000.0	9.000	N	ON	19.1
10.648500	---	25.12	50.00	24.88	1000.0	9.000	N	ON	19.4
12.459750	30.03	---	60.00	29.97	1000.0	9.000	N	ON	19.4
12.615000	---	23.01	50.00	26.99	1000.0	9.000	N	ON	19.4


802.11ac (HT40) , Channel No.: 159, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.168000	---	32.47	55.06	22.59	1000.0	9.000	L1	ON	19.1
0.172500	41.11	---	64.84	23.73	1000.0	9.000	L1	ON	19.2
0.447000	---	28.98	46.93	17.95	1000.0	9.000	L1	ON	19.2
0.503250	43.13	---	56.00	12.87	1000.0	9.000	L1	ON	19.2
1.545000	---	22.54	46.00	23.46	1000.0	9.000	L1	ON	19.2
1.574250	37.43	---	56.00	18.57	1000.0	9.000	L1	ON	19.2
2.922000	38.82	---	56.00	17.18	1000.0	9.000	L1	ON	19.1
2.922000	---	24.33	46.00	21.67	1000.0	9.000	L1	ON	19.1
11.935500	---	20.98	50.00	29.02	1000.0	9.000	L1	ON	19.4
12.090750	26.50	---	60.00	33.50	1000.0	9.000	L1	ON	19.4
12.642000	---	20.87	50.00	29.13	1000.0	9.000	L1	ON	19.5
13.166250	25.37	---	60.00	34.63	1000.0	9.000	L1	ON	19.5


802.11ac (HT40) , Channel No.: 159, N Line



Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.170250	---	34.49	54.95	20.46	1000.0	9.000	N	ON	19.2
0.172500	44.85	---	64.84	19.99	1000.0	9.000	N	ON	19.2
0.537000	---	20.59	46.00	25.41	1000.0	9.000	N	ON	19.2
0.541500	34.53	---	56.00	21.47	1000.0	9.000	N	ON	19.2
1.990500	34.02	---	56.00	21.98	1000.0	9.000	N	ON	19.1
2.053500	---	21.66	46.00	24.34	1000.0	9.000	N	ON	19.1
3.162750	40.15	---	56.00	15.85	1000.0	9.000	N	ON	19.1
3.813000	---	28.61	46.00	17.39	1000.0	9.000	N	ON	19.0
6.843750	33.33	---	60.00	26.67	1000.0	9.000	N	ON	19.2
7.446750	---	25.44	50.00	24.56	1000.0	9.000	N	ON	19.2
12.417000	---	22.82	50.00	27.18	1000.0	9.000	N	ON	19.4
12.520500	28.71	---	60.00	31.29	1000.0	9.000	N	ON	19.4


802.11ac HT80, Channel No.: 42, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.170250	---	32.67	54.95	22.28	1000.0	9.000	L1	ON	19.1
0.179250	41.17	---	64.52	23.35	1000.0	9.000	L1	ON	19.2
0.456000	42.99	---	56.77	13.77	1000.0	9.000	L1	ON	19.2
0.501000	---	30.13	46.00	15.87	1000.0	9.000	L1	ON	19.2
1.416750	---	22.78	46.00	23.22	1000.0	9.000	L1	ON	19.2
1.439250	37.38	---	56.00	18.62	1000.0	9.000	L1	ON	19.2
2.996250	37.06	---	56.00	18.94	1000.0	9.000	L1	ON	19.1
3.005250	---	24.47	46.00	21.53	1000.0	9.000	L1	ON	19.1
11.424750	27.67	---	60.00	32.33	1000.0	9.000	L1	ON	19.4
12.120000	---	21.05	50.00	28.95	1000.0	9.000	L1	ON	19.4
12.439500	26.40	---	60.00	33.60	1000.0	9.000	L1	ON	19.4
12.892750	---	20.82	50.00	29.18	1000.0	9.000	L1	ON	19.5

802.11ac HT80, Channel No.: 42, N Line




Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.172500	---	34.38	54.84	20.46	1000.0	9.000	N	ON	19.2
0.440250	41.80	---	57.06	15.26	1000.0	9.000	N	ON	19.2
0.575250	---	28.70	46.00	17.30	1000.0	9.000	N	ON	19.3
0.591000	42.58	---	56.00	13.42	1000.0	9.000	N	ON	19.3
2.060250	---	23.00	46.00	23.00	1000.0	9.000	N	ON	19.1
2.143500	35.00	---	56.00	21.00	1000.0	9.000	N	ON	19.1
3.023250	37.57	---	56.00	18.43	1000.0	9.000	N	ON	19.1
3.178500	---	24.15	46.00	21.85	1000.0	9.000	N	ON	19.1
9.264750	25.86	---	60.00	34.14	1000.0	9.000	N	ON	19.3
12.284250	---	20.07	50.00	29.93	1000.0	9.000	N	ON	19.4
13.006500	---	20.37	50.00	29.63	1000.0	9.000	N	ON	19.5
14.023500	23.97	---	60.00	36.03	1000.0	9.000	N	ON	19.4




802.11ac HT80, Channel No.: 58, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.172500	---	31.63	54.84	23.21	1000.0	9.000	L1	ON	19.2
0.179250	40.35	---	64.52	24.17	1000.0	9.000	L1	ON	19.2
0.501000	---	30.21	46.00	15.79	1000.0	9.000	L1	ON	19.2
0.512250	43.20	---	56.00	12.80	1000.0	9.000	L1	ON	19.2
1.335750	---	19.25	46.00	26.75	1000.0	9.000	L1	ON	19.2
1.601250	32.75	---	56.00	23.25	1000.0	9.000	L1	ON	19.2
2.402250	36.51	---	56.00	19.49	1000.0	9.000	L1	ON	19.0
3.005250	---	24.08	46.00	21.92	1000.0	9.000	L1	ON	19.0
12.023250	---	20.45	50.00	29.55	1000.0	9.000	L1	ON	19.4
12.070500	26.19	---	60.00	33.81	1000.0	9.000	L1	ON	19.4
12.599250	---	19.88	50.00	30.12	1000.0	9.000	L1	ON	19.5
12.698250	25.67	---	60.00	34.33	1000.0	9.000	L1	ON	19.5


802.11ac HT80, Channel No.: 58, N Line



Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.165750	43.59	---	65.17	21.58	1000.0	9.000	N	ON	19.2
0.172500	---	34.04	54.84	20.80	1000.0	9.000	N	ON	19.2
0.568500	43.35	---	56.00	12.65	1000.0	9.000	N	ON	19.3
0.584250	---	28.28	46.00	17.72	1000.0	9.000	N	ON	19.3
2.145750	---	22.05	46.00	23.95	1000.0	9.000	N	ON	19.1
2.148000	36.63	---	56.00	19.37	1000.0	9.000	N	ON	19.1
2.773500	36.45	---	56.00	19.55	1000.0	9.000	N	ON	19.0
3.005250	---	24.58	46.00	21.42	1000.0	9.000	N	ON	19.1
9.818250	---	25.74	60.00	34.26	1000.0	9.000	N	ON	19.4
12.345000	---	20.23	50.00	29.77	1000.0	9.000	N	ON	19.4
12.545250	---	20.37	50.00	29.63	1000.0	9.000	N	ON	19.4
12.923250	25.31	---	60.00	34.69	1000.0	9.000	N	ON	19.5


802.11ac HT80, Channel No.: 106, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.168000	---	30.47	55.06	24.59	1000.0	9.000	L1	ON	19.1
0.411000	37.49	---	57.63	20.14	1000.0	9.000	L1	ON	19.2
0.494250	---	29.38	46.10	16.71	1000.0	9.000	L1	ON	19.2
0.503250	44.47	---	56.00	11.53	1000.0	9.000	L1	ON	19.2
1.452750	36.13	---	56.00	19.87	1000.0	9.000	L1	ON	19.2
2.060250	---	20.39	46.00	25.61	1000.0	9.000	L1	ON	19.1
2.742000	35.22	---	56.00	20.78	1000.0	9.000	L1	ON	19.0
3.005250	---	22.36	46.00	23.64	1000.0	9.000	L1	ON	19.1
9.397500	---	19.70	50.00	30.30	1000.0	9.000	L1	ON	19.3
10.767750	22.85	---	60.00	37.15	1000.0	9.000	L1	ON	19.4
12.367500	26.00	---	60.00	34.00	1000.0	9.000	L1	ON	19.4
14.529750	---	18.80	50.00	31.20	1000.0	9.000	L1	ON	19.5


802.11ac HT80, Channel No.: 106, N Line



Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.170250	---	35.36	54.95	19.59	1000.0	9.000	N	ON	19.2
0.325500	39.77	---	59.57	19.80	1000.0	9.000	N	ON	19.2
0.537000	43.04	---	56.00	12.96	1000.0	9.000	N	ON	19.2
0.539250	---	27.39	46.00	18.61	1000.0	9.000	N	ON	19.2
1.545000	---	19.16	46.00	26.84	1000.0	9.000	N	ON	19.2
2.161500	36.15	---	56.00	19.85	1000.0	9.000	N	ON	19.1
2.811750	37.48	---	56.00	18.52	1000.0	9.000	N	ON	19.0
3.289500	---	24.27	46.00	21.73	1000.0	9.000	N	ON	19.1
9.170250	---	19.97	50.00	30.03	1000.0	9.000	N	ON	19.3
9.946500	27.16	---	60.00	32.84	1000.0	9.000	N	ON	19.4
12.408000	25.40	---	60.00	34.60	1000.0	9.000	N	ON	19.4
12.536250	---	19.24	50.00	30.76	1000.0	9.000	N	ON	19.4

802.11ac HT80, Channel No.: 122, L Line




Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.168000	---	25.55	55.06	29.51	1000.0	9.000	L1	ON	19.1
0.447000	36.61	---	56.93	20.33	1000.0	9.000	L1	ON	19.2
0.496500	---	24.82	46.06	21.43	1000.0	9.000	L1	ON	19.2
0.503250	41.28	---	56.00	14.72	1000.0	9.000	L1	ON	19.2
1.488750	31.90	---	56.00	24.10	1000.0	9.000	L1	ON	19.2
2.148000	---	18.44	46.00	27.56	1000.0	9.000	L1	ON	19.1
2.645250	32.12	---	56.00	23.88	1000.0	9.000	L1	ON	19.0
3.007500	---	20.02	46.00	25.98	1000.0	9.000	L1	ON	19.1
9.296250	---	16.10	50.00	33.90	1000.0	9.000	L1	ON	19.3
12.302250	23.10	---	60.00	36.90	1000.0	9.000	L1	ON	19.4
12.590250	22.96	---	60.00	37.04	1000.0	9.000	L1	ON	19.5
13.677000	---	16.84	50.00	33.16	1000.0	9.000	L1	ON	19.5




802.11ac HT80, Channel No.: 122, N Line



Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.168000	---	34.76	55.06	20.29	1000.0	9.000	N	ON	19.2
0.350250	38.41	---	58.96	20.55	1000.0	9.000	N	ON	19.2
0.528000	41.80	---	56.00	14.20	1000.0	9.000	N	ON	19.2
0.584250	---	28.18	46.00	17.82	1000.0	9.000	N	ON	19.3
0.903750	---	23.08	46.00	22.92	1000.0	9.000	N	ON	19.2
1.623750	34.50	---	56.00	21.50	1000.0	9.000	N	ON	19.2
1.632750	---	20.44	46.00	25.56	1000.0	9.000	N	ON	19.2
3.005250	37.33	---	56.00	18.67	1000.0	9.000	N	ON	19.1
3.090750	---	25.73	46.00	20.27	1000.0	9.000	N	ON	19.1
6.398250	25.07	---	60.00	34.93	1000.0	9.000	N	ON	19.1
9.849500	---	19.99	50.00	30.01	1000.0	9.000	N	ON	19.4
12.673500	24.52	---	60.00	35.48	1000.0	9.000	N	ON	19.4


802.11ac HT80, Channel No.: 138, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.170250	38.56	---	64.95	26.39	1000.0	9.000	L1	ON	19.1
0.172500	---	26.57	54.84	28.27	1000.0	9.000	L1	ON	19.2
0.510000	41.57	---	56.00	14.43	1000.0	9.000	L1	ON	19.2
0.516750	---	25.57	46.00	20.43	1000.0	9.000	L1	ON	19.2
2.148750	32.83	---	56.00	23.17	1000.0	9.000	L1	ON	19.1
2.175000	---	18.51	46.00	27.49	1000.0	9.000	L1	ON	19.1
2.915250	---	19.08	46.00	26.92	1000.0	9.000	L1	ON	19.1
2.946750	32.73	---	56.00	23.27	1000.0	9.000	L1	ON	19.1
10.203000	21.07	---	60.00	38.93	1000.0	9.000	L1	ON	19.4
10.970250	---	16.12	50.00	33.88	1000.0	9.000	L1	ON	19.4
11.942250	---	16.63	50.00	33.37	1000.0	9.000	L1	ON	19.4
13.928750	22.80	---	60.00	37.20	1000.0	9.000	L1	ON	19.5


802.11ac HT80, Channel No.: 138, N Line



Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.172500	---	34.58	54.84	20.26	1000.0	9.000	N	ON	19.2
0.451500	41.90	---	56.85	14.94	1000.0	9.000	N	ON	19.2
0.568500	43.67	---	56.00	12.33	1000.0	9.000	N	ON	19.3
0.577500	---	28.47	46.00	17.53	1000.0	9.000	N	ON	19.3
0.903750	---	22.44	46.00	23.56	1000.0	9.000	N	ON	19.2
2.055750	35.55	---	56.00	20.45	1000.0	9.000	N	ON	19.1
2.915250	37.17	---	56.00	18.83	1000.0	9.000	N	ON	19.1
3.090750	---	25.07	46.00	20.93	1000.0	9.000	N	ON	19.1
9.460500	---	19.90	50.00	30.10	1000.0	9.000	N	ON	19.3
9.786750	25.00	---	60.00	35.00	1000.0	9.000	N	ON	19.4
12.635250	24.63	---	60.00	35.37	1000.0	9.000	N	ON	19.4
12.675750	---	19.90	50.00	30.10	1000.0	9.000	N	ON	19.4


802.11ac HT80, Channel No.: 155, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.170250	---	27.53	54.95	27.41	1000.0	9.000	L1	ON	19.1
0.179250	38.83	---	64.52	25.69	1000.0	9.000	L1	ON	19.2
0.514500	41.92	---	56.00	14.08	1000.0	9.000	L1	ON	19.2
0.534750	---	25.27	46.00	20.73	1000.0	9.000	L1	ON	19.2
2.035500	---	17.63	46.00	28.37	1000.0	9.000	L1	ON	19.1
2.159250	32.72	---	56.00	23.28	1000.0	9.000	L1	ON	19.1
2.897250	33.21	---	56.00	22.79	1000.0	9.000	L1	ON	19.1
3.003000	---	19.66	46.00	26.34	1000.0	9.000	L1	ON	19.1
9.080250	---	16.18	50.00	33.82	1000.0	9.000	L1	ON	19.3
11.247000	21.64	---	60.00	38.36	1000.0	9.000	L1	ON	19.4
13.395750	22.88	---	60.00	37.12	1000.0	9.000	L1	ON	19.5
13.465500	---	16.82	50.00	33.18	1000.0	9.000	L1	ON	19.5

802.11ac HT80, Channel No.: 155, N Line



Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.168000	---	34.25	55.06	20.81	1000.0	9.000	N	ON	19.2
0.449250	42.36	---	56.89	14.52	1000.0	9.000	N	ON	19.2
0.573000	---	28.49	46.00	17.51	1000.0	9.000	N	ON	19.3
0.575250	43.41	---	56.00	12.59	1000.0	9.000	N	ON	19.3
2.053500	35.89	---	56.00	20.11	1000.0	9.000	N	ON	19.1
2.060250	---	23.10	46.00	22.90	1000.0	9.000	N	ON	19.1
2.798250	37.42	---	56.00	18.58	1000.0	9.000	N	ON	19.0
2.919750	---	24.65	46.00	21.35	1000.0	9.000	N	ON	19.1
12.097500	---	19.72	50.00	30.28	1000.0	9.000	N	ON	19.4
12.277500	25.20	---	60.00	34.80	1000.0	9.000	N	ON	19.4
12.603750	25.10	---	60.00	34.90	1000.0	9.000	N	ON	19.4
12.882750	---	20.07	50.00	29.93	1000.0	9.000	N	ON	19.5

6. Main Test Instruments

Name	Type	Manufacturer	Serial Number	Calibration Date	Expiration Time
Spectrum Analyzer	FSV30	R&S	100815	2015-12-17	2016-12-16
EMI Test Receiver	ESCI	R&S	100948	2016-06-01	2017-05-31
Loop Antenna	FMZB1519	SCHWARZBECK	1519-047	2014-02-29	2017-02-28
TRILOG Broadband Antenna	VULB 9163	Schwarzbeck	9163-201	2014-12-06	2017-12-05
Double Ridged Waveguide Horn Antenna	HF907	R&S	100126	2014-12-06	2017-12-05
Standard Gain Horn	3160-09	ETS-Lindgren	00102644	2015-01-30	2018-01-29
Broadband Horn Antenna	BBHA9170	Schwarzbeck	MRTSUE06024	2016-11-23	2017-02-22
EMI Test Receiver	ESCS30	R&S	100138	2015-12-17	2016-12-16
LISN	ENV216	R&S	101171	2013-12-18	2016-12-17
Spectrum Analyzer	N9010A	Agilent	MY47191109	2016-05-21	2017-05-20
MOB COMMS DC SUPPLY	66319D	Agilent	MY43004105	2016-05-21	2017-05-20
Peak Power Meter	U2021XA	Keysight	MY55240003	2016-06-26	2017-06-25
RF Cable	SMA 15cm	Agilent	0001	2016-11-04	2017-01-03

*****END OF REPORT *****