

ANNEX I: The EUT Appearances and Test Configuration



a: EUT

TA Technology (Shanghai) Co., Ltd.
Test Report



Battery 1



Battery 2



Battery 3




Battery 4



Battery 5

a: Battery

Picture 8: Constituents of EUT




Picture 9: Left Hand Touch Cheek Position


TA Technology (Shanghai) Co., Ltd.
Test Report

Report No.: RHA1311-0086SAR01R2


Page 162 of 166



Picture 10: Left Hand Tilt 15 Degree Position



Picture 11: Right Hand Touch Cheek Position



Picture 12: Right Hand Tilt 15 Degree Position



Picture 13: Back Side, the distance from handset to the bottom of the Phantom is 10mm



Picture 14: Front Side, the distance from handset to the bottom of the Phantom is 10mm



Picture 15: Left Edge, the distance from handset to the bottom of the Phantom is 10mm



Picture 16: Right Edge, the distance from handset to the bottom of the Phantom is 10mm



Picture 17: Top Edge, the distance from handset to the bottom of the Phantom is 10mm

TA Technology (Shanghai) Co., Ltd.
Test Report

Report No.: RHA1311-0086SAR01R2

Page 166 of 166



Picture 18: Bottom Edge, the distance from handset to the bottom of the Phantom is 10mm