

Prüfbericht - Nr.: 14001814 001
Test Report No.

Seite 1 von 4
Page 1 of 4

Conducted Emission

Photo of test set-up



Prüfbericht - Nr.: 14001814 001

Test Report No.

Seite 2 von 4

Page 2 of 4

Test Result

Test Specification : ANSI C63.4-1992
Mode of operation : Tx mode (hopping on)
Port of testing : AC power port of charger
Supply voltage: AC 110V
Temperature : 20°C
Humidity : 52%

Result on Neutral


Frequency	QPK	Limit	AVG	Limit
0.514 MHz	48.0 dB μ V	56.0 dB μ V	39.9 dB μ V	46.0 dB μ V

Result on Live

Frequency	QPK	Limit	AVG	Limit
0.516 MHz	49.4 dBV	56.0 dB μ V	38.8 dB μ V	46.0 dB μ V

Prüfbericht - Nr.: 14001814 001
 Test Report No.

Seite 3 von 4
 Page 3 of 4



MES 05407B05.PK
 LIM FCC 15.207 QP NEW
 LIM FCC 15.207 AV NEW

F 0.516
 0.516
 49.4
 38.8

Prüfbericht - Nr.: 14001814 001
 Test Report No.

Seite 4 von 4
 Page 4 of 4

