



MET Laboratories, Inc.

Safety Certification - EMI - Telecom Environmental Simulation

914 WEST PATAPSCO AVENUE • BALTIMORE, MARYLAND 21230-3432 • PHONE (410) 354-3300 • FAX (410) 354-3313

33439 WESTERN AVENUE • UNION CITY, CALIFORNIA 94587 • PHONE (510) 489-6300 • FAX (510) 489-6372

3162 BELICK STREET • SANTA CLARA, CA 95054 • PHONE (408) 748-3585 • FAX (510) 489-6372

13301 MCCALLEN PASS • AUSTIN, TX 78753 • PHONE (512) 287-2500 • FAX (512) 287-2513

December 19, 2012

Motorola Solutions, Inc.
1064 Greenwood Blvd. Suite 400
Lake Mary, FL 32746

Dear Bob Greenway,

Enclosed is the EMC Wireless test report for Class II Permissive Change compliance testing of the Motorola Solutions, Inc., AP-7161 as tested to the requirements of Title 47 of the CFR, Ch. 1 (10-1-06 ed.), Part 15 Subpart C and RSS-210, Issue 8, Dec. 2010 for Intentional Radiators.

Thank you for using the services of MET Laboratories, Inc. If you have any questions regarding these results or if MET can be of further service to you, please feel free to contact me.

Sincerely yours,
MET LABORATORIES, INC.

Jennifer Warnell
Documentation Department

Reference: (\Motorola Solutions, Inc.\EMC35330A-FCC247 Rev. 2)

Certificates and reports shall not be reproduced except in full, without the written permission of MET Laboratories, Inc.

**Electromagnetic Compatibility Criteria
Class II Permissive Change
Test Report**

for the

**Motorola Solutions, Inc.
AP-7161**

Tested under
the FCC Certification Rules
contained in
Title 47 of the CFR, Parts 15 Subpart C
& RSS-210, Issue 8, Dec. 2010
for Intentional Radiators

MET Report: EMC35330A-FCC247 Rev. 2

December 19, 2012

Prepared For:

**Motorola Solutions, Inc.
1064 Greenwood Blvd. Suite 400
Lake Mary, FL 32746**

Prepared By:
MET Laboratories, Inc.
914 W. Patapsco Ave.
Baltimore, MD 21230

**Electromagnetic Compatibility Criteria
Class II Permissive Change
Test Report**

for the

**Motorola Solutions, Inc.
AP-7161**

Tested under
the FCC Certification Rules
contained in
Title 47 of the CFR, Parts 15 Subpart C
& RSS-210, Issue 8, Dec. 2010
for Intentional Radiators




Ben Taylor, Project Engineer
Electromagnetic Compatibility Lab



Jennifer Warnell
Documentation Department

Engineering Statement: The measurements shown in this report were made in accordance with the procedures indicated, and the emissions from this equipment were found to be within the limits applicable. I assume full responsibility for the accuracy and completeness of these measurements, and for the qualifications of all persons taking them. It is further stated that upon the basis of the measurements made, the equipment tested is capable of operation in accordance with the requirements of the FCC Rules Part 15.247 and Industry Canada standard RSS-210, Issue 8, Dec. 2010 under normal use and maintenance.



Dusmantha Tennakoon, Wireless Manager
Electromagnetic Compatibility Lab

Report Status Sheet

Revision	Report Date	Reason for Revision
Ø	November 7, 2012	Initial Issue.
1	December 17, 2012	Revised to reflect engineer corrections.
2	December 19, 2012	Revised to reflect engineer corrections.

Table of Contents

I.	Executive Summary	1
	A. Purpose of Test	2
	B. Executive Summary	2
II.	Equipment Configuration	3
	A. Overview.....	4
	B. References.....	5
	C. Test Site	5
	D. Description of Test Sample	6
	E. Equipment Configuration.....	7
	F. Support Equipment	7
	G. Ports and Cabling Information.....	7
	H. Mode of Operation.....	7
	I. Method of Monitoring EUT Operation	8
	J. Modifications	8
	a) Modifications to EUT	8
	b) Modifications to Test Standard.....	8
	K. Disposition of EUT	8
III.	Electromagnetic Compatibility Criteria for Intentional Radiators.....	9
	§ 15.203 Antenna Requirement	10
	§ 15.247(b) Peak Power Output	11
	§ 15.247(d) Radiated Spurious Emissions Requirements and Band Edge.....	13
IV.	Test Equipment	119
V.	Certification & User's Manual Information	121
	A. Certification Information	122
	B. Label and User's Manual Information	126
VI.	ICES-003 Procedural & Labeling Requirements	128

List of Tables

Table 1. Executive Summary of EMC Part 15.247 Class II Permissive Change Compliance Testing	2
Table 2. EUT Summary Table.....	4
Table 3. References	5
Table 4. Equipment Configuration	7
Table 5. Support Equipment	7
Table 6. Ports and Cabling Information	7
Table 7. Output Power Requirements from §15.247(b)	11
Table 8. Peak Power Output, Test Results	12
Table 9. Restricted Bands of Operation.....	13
Table 10. Radiated Emissions Limits Calculated from FCC Part 15, § 15.209 (a)	14
Table 11. Test Equipment List	120

List of Plots

Plot 1. Radiated Spurious Emissions, 802.11b, Low Channel, 30 MHz – 1 GHz, Panel, 2.4 GHz.....	15
Plot 2. Radiated Spurious Emissions, 802.11b, Low Channel, 1 GHz – 18 GHz, Average, Panel, 2.4 GHz	15
Plot 3. Radiated Spurious Emissions, 802.11b, Low Channel, 1 GHz – 18 GHz, Peak, Panel, 2.4 GHz.....	16
Plot 4. Radiated Spurious Emissions, 802.11b, Low Channel, 18 GHz – 25 GHz, Average, Panel, 2.4 GHz	16
Plot 5. Radiated Spurious Emissions, 802.11b, Low Channel, 18 GHz – 25 GHz, Peak, Panel, 2.4 GHz.....	17
Plot 6. Radiated Spurious Emissions, 802.11b, Mid Channel, 30 MHz – 1 GHz, Panel, 2.4 GHz	17
Plot 7. Radiated Spurious Emissions, 802.11b, Mid Channel, 1 GHz – 18 GHz, Average, Panel, 2.4 GHz.....	18
Plot 8. Radiated Spurious Emissions, 802.11b, Mid Channel, 1 GHz – 18 GHz, Peak, Panel, 2.4 GHz	18
Plot 9. Radiated Spurious Emissions, 802.11b, Mid Channel, 18 GHz – 25 GHz, Average, Panel, 2.4 GHz.....	19
Plot 10. Radiated Spurious Emissions, 802.11b, Mid Channel, 18 GHz – 25 GHz, Peak, Panel, 2.4 GHz	19
Plot 11. Radiated Spurious Emissions, 802.11b, High Channel, 30 MHz – 1 GHz, Panel, 2.4 GHz	20
Plot 12. Radiated Spurious Emissions, 802.11b, High Channel, 1 GHz – 18 GHz, Average, Panel, 2.4 GHz	20
Plot 13. Radiated Spurious Emissions, 802.11b, High Channel, 1 GHz – 18 GHz, Peak, Panel, 2.4 GHz	21
Plot 14. Radiated Spurious Emissions, 802.11b, High Channel, 18 GHz – 25 GHz, Average, Panel, 2.4 GHz	21
Plot 15. Radiated Spurious Emissions, 802.11b, High Channel, 18 GHz – 25 GHz, Peak, Panel, 2.4 GHz	22
Plot 16. Radiated Spurious Emissions, 802.11g, Low Channel, 30 MHz – 1 GHz, Panel, 2.4 GHz.....	23
Plot 17. Radiated Spurious Emissions, 802.11g, Low Channel, 1 GHz – 18 GHz, Average, Panel, 2.4 GHz.....	23
Plot 18. Radiated Spurious Emissions, 802.11g, Low Channel, 1 GHz – 18 GHz, Peak, Panel, 2.4 GHz	24
Plot 19. Radiated Spurious Emissions, 802.11g, Low Channel, 18 GHz – 25 GHz, Average, Panel, 2.4 GHz	24
Plot 20. Radiated Spurious Emissions, 802.11g, Low Channel, 18 GHz – 25 GHz, Peak, Panel, 2.4 GHz	25
Plot 21. Radiated Spurious Emissions, 802.11g, Mid Channel, 30 MHz – 1 GHz, Panel, 2.4 GHz	25
Plot 22. Radiated Spurious Emissions, 802.11g, Mid Channel, 1 GHz – 18 GHz, Average, Panel, 2.4 GHz.....	26
Plot 23. Radiated Spurious Emissions, 802.11g, Mid Channel, 1 GHz – 18 GHz, Peak, Panel, 2.4 GHz	26
Plot 24. Radiated Spurious Emissions, 802.11g, Mid Channel, 18 GHz – 25 GHz, Average, Panel, 2.4 GHz	27
Plot 25. Radiated Spurious Emissions, 802.11g, Mid Channel, 18 GHz – 25 GHz, Peak, Panel, 2.4 GHz	27
Plot 26. Radiated Spurious Emissions, 802.11g, High Channel, 30 MHz – 1 GHz, Panel, 2.4 GHz	28
Plot 27. Radiated Spurious Emissions, 802.11g, High Channel, 1 GHz – 18 GHz, Average, Panel, 2.4 GHz	28
Plot 28. Radiated Spurious Emissions, 802.11g, High Channel, 1 GHz – 18 GHz, Peak, Panel, 2.4 GHz	29
Plot 29. Radiated Spurious Emissions, 802.11g, High Channel, 18 GHz – 25 GHz, Average, Panel, 2.4 GHz	29
Plot 30. Radiated Spurious Emissions, 802.11g, High Channel, 18 GHz – 25 GHz, Peak, Panel, 2.4 GHz	30
Plot 31. Radiated Spurious Emissions, 802.11g 20 MHz, Low Channel, 30 MHz – 1 GHz, Panel, 2.4 GHz.....	31
Plot 32. Radiated Spurious Emissions, 802.11g 20 MHz, Low Channel, 1 GHz – 18 GHz, Average, Panel, 2.4 GHz	31
Plot 33. Radiated Spurious Emissions, 802.11g 20 MHz, Low Channel, 1 GHz – 18 GHz, Peak, Panel, 2.4 GHz	32
Plot 34. Radiated Spurious Emissions, 802.11g 20 MHz, Low Channel, 18 GHz – 25 GHz, Average, Panel, 2.4 GHz.....	32
Plot 35. Radiated Spurious Emissions, 802.11g 20 MHz, Low Channel, 18 GHz – 25 GHz, Peak, Panel, 2.4 GHz	33
Plot 36. Radiated Spurious Emissions, 802.11g 20 MHz, Mid Channel, 30 MHz – 1 GHz, Panel, 2.4 GHz	33
Plot 37. Radiated Spurious Emissions, 802.11g 20 MHz, Mid Channel, 1 GHz – 18 GHz, Average, Panel, 2.4 GHz	34
Plot 38. Radiated Spurious Emissions, 802.11g 20 MHz, Mid Channel, 1 GHz – 18 GHz, Peak, Panel, 2.4 GHz	34

Plot 39. Radiated Spurious Emissions, 802.11g 20 MHz, Mid Channel, 18 GHz – 25 GHz, Average, Panel, 2.4 GHz.....	35
Plot 40. Radiated Spurious Emissions, 802.11g 20 MHz, Mid Channel, 18 GHz – 25 GHz, Peak, Panel, 2.4 GHz	35
Plot 41. Radiated Spurious Emissions, 802.11g 20 MHz, High Channel, 30 MHz – 1 GHz, Panel, 2.4 GHz.....	36
Plot 42. Radiated Spurious Emissions, 802.11g 20 MHz, High Channel, 1 GHz – 18 GHz, Average, Panel, 2.4 GHz	36
Plot 43. Radiated Spurious Emissions, 802.11g 20 MHz, High Channel, 1 GHz – 18 GHz, Peak, Panel, 2.4 GHz	37
Plot 44. Radiated Spurious Emissions, 802.11g 20 MHz, High Channel, 18 GHz – 25 GHz, Average, Panel, 2.4 GHz	37
Plot 45. Radiated Spurious Emissions, 802.11g 20 MHz, High Channel, 18 GHz – 25 GHz, Peak, Panel, 2.4 GHz	38
Plot 46. Radiated Spurious Emissions, 802.11g 40 MHz, Low Channel, 30 MHz – 1 GHz, Panel, 2.4 GHz.....	39
Plot 47. Radiated Spurious Emissions, 802.11g 40 MHz, Low Channel, 1 GHz – 18 GHz, Average, Panel, 2.4 GHz	39
Plot 48. Radiated Spurious Emissions, 802.11g 40 MHz, Low Channel, 1 GHz – 18 GHz, Peak, Panel, 2.4 GHz.....	40
Plot 49. Radiated Spurious Emissions, 802.11g 40 MHz, Low Channel, 18 GHz – 25 GHz, Average, Panel, 2.4 GHz	40
Plot 50. Radiated Spurious Emissions, 802.11g 40 MHz, Low Channel, 18 GHz – 25 GHz, Peak, Panel, 2.4 GHz.....	41
Plot 51. Radiated Spurious Emissions, 802.11g 40 MHz, Mid Channel, 30 MHz – 1 GHz, Panel, 2.4 GHz	41
Plot 52. Radiated Spurious Emissions, 802.11g 40 MHz, Mid Channel, 1 GHz – 18 GHz, Average, Panel, 2.4 GHz.....	42
Plot 53. Radiated Spurious Emissions, 802.11g 40 MHz, Mid Channel, 1 GHz – 18 GHz, Peak, Panel, 2.4 GHz	42
Plot 54. Radiated Spurious Emissions, 802.11g 40 MHz, Mid Channel, 18 GHz – 25 GHz, Average, Panel, 2.4 GHz.....	43
Plot 55. Radiated Spurious Emissions, 802.11g 40 MHz, Mid Channel, 18 GHz – 25 GHz, Peak, Panel, 2.4 GHz	43
Plot 56. Radiated Spurious Emissions, 802.11g 40 MHz, High Channel, 30 MHz – 1 GHz, Panel, 2.4 GHz	44
Plot 57. Radiated Spurious Emissions, 802.11g 40 MHz, High Channel, 1 GHz – 18 GHz, Average, Panel, 2.4 GHz	44
Plot 58. Radiated Spurious Emissions, 802.11g 40 MHz, High Channel, 1 GHz – 18 GHz, Peak, Panel, 2.4 GHz	45
Plot 59. Radiated Spurious Emissions, 802.11g 40 MHz, High Channel, 18 GHz – 25 GHz, Average, Panel, 2.4 GHz	45
Plot 60. Radiated Spurious Emissions, 802.11g 40 MHz, High Channel, 18 GHz – 25 GHz, Peak, Panel, 2.4 GHz	46
Plot 61. Radiated Spurious Emissions, 802.11a, Low Channel, 30 MHz – 1 GHz, Panel, 5 GHz.....	47
Plot 62. Radiated Spurious Emissions, 802.11a, Low Channel, 1 GHz – 7 GHz, Peak under Average, Panel, 5 GHz	47
Plot 63. Radiated Spurious Emissions, 802.11a, Low Channel, 7 GHz – 18 GHz, Peak under Average, Panel, 5 GHz	48
Plot 64. Radiated Spurious Emissions, 802.11a, Low Channel, 18 GHz – 40 GHz, Peak under Average, Panel, 5 GHz	48
Plot 65. Radiated Spurious Emissions, 802.11a, Mid Channel, 30 MHz – 1 GHz, Panel, 5 GHz.....	49
Plot 66. Radiated Spurious Emissions, 802.11a, Mid Channel, 1 GHz – 7 GHz, Peak under Average, Panel, 5 GHz	49
Plot 67. Radiated Spurious Emissions, 802.11a, Mid Channel, 7 GHz – 18 GHz, Peak under Average, Panel, 5 GHz	50
Plot 68. Radiated Spurious Emissions, 802.11a, Mid Channel, 18 GHz – 40 GHz, Peak under Average, Panel, 5 GHz	50
Plot 69. Radiated Spurious Emissions, 802.11a, High Channel, 30 MHz – 1 GHz, Panel, 5 GHz	51
Plot 70. Radiated Spurious Emissions, 802.11a, High Channel, 1 GHz – 7 GHz, Peak under Average, Panel, 5 GHz	51
Plot 71. Radiated Spurious Emissions, 802.11a, High Channel, 7 GHz – 18 GHz, Peak under Average, Panel, 5 GHz	52
Plot 72. Radiated Spurious Emissions, 802.11a, High Channel, 18 GHz – 40 GHz, Peak under Average, Panel, 5 GHz	52
Plot 73. Radiated Spurious Emissions, 802.11n 20 MHz, Low Channel, 30 MHz – 1 GHz, Panel, 5 GHz.....	53
Plot 74. Radiated Spurious Emissions, 802.11n 20 MHz, Low Channel, 1 GHz – 7 GHz, Peak under Average, Panel, 5 GHz	53
Plot 75. Radiated Spurious Emissions, 802.11n 20 MHz, Low Channel, 7 GHz – 18 GHz, Peak under Average, Panel, 5 GHz	54
Plot 76. Radiated Spurious Emissions, 802.11n 20 MHz, Low Channel, 18 GHz – 40 GHz, Peak under Average, Panel, 5 GHz	54
Plot 77. Radiated Spurious Emissions, 802.11n 20 MHz, Mid Channel, 30 MHz – 1 GHz, Panel, 5 GHz	55
Plot 78. Radiated Spurious Emissions, 802.11n 20 MHz, Mid Channel, 1 GHz – 7 GHz, Peak under Average, Panel, 5 GHz	55
Plot 79. Radiated Spurious Emissions, 802.11n 20 MHz, Mid Channel, 7 GHz – 18 GHz, Peak under Average, Panel, 5 GHz	56
Plot 80. Radiated Spurious Emissions, 802.11n 20 MHz, Mid Channel, 18 GHz – 40 GHz, Peak under Average, Panel, 5 GHz	56
Plot 81. Radiated Spurious Emissions, 802.11n 20 MHz, High Channel, 30 MHz – 1 GHz, Panel, 5 GHz	57
Plot 82. Radiated Spurious Emissions, 802.11n 20 MHz, High Channel, 1 GHz – 7 GHz, Peak under Average, Panel, 5 GHz	57
Plot 83. Radiated Spurious Emissions, 802.11n 20 MHz, High Channel, 7 GHz – 18 GHz, Peak under Average, Panel, 5 GHz	58
Plot 84. Radiated Spurious Emissions, 802.11n 20 MHz, High Channel, 18 GHz – 40 GHz, Peak under Average, Panel, 5 GHz	58

Plot 85. Radiated Spurious Emissions, 802.11n 40 MHz, Low Channel, 30 MHz – 1 GHz, Panel, 5 GHz.....	59
Plot 86. Radiated Spurious Emissions, 802.11n 40 MHz, Low Channel, 1 GHz – 7 GHz, Average, Panel, 5 GHz.....	59
Plot 87. Radiated Spurious Emissions, 802.11n 40 MHz, Low Channel, 1 GHz – 7 GHz, Peak, Panel, 5 GHz.....	60
Plot 88. Radiated Spurious Emissions, 802.11n 40 MHz, Low Channel, 7 GHz – 18 GHz, Peak under Average, Panel, 5 GHz	60
Plot 89. Radiated Spurious Emissions, 802.11n 40 MHz, Low Channel, 18 GHz – 40 GHz, Peak under Average, Panel, 5 GHz	61
Plot 90. Radiated Spurious Emissions, 802.11n 40 MHz, Mid Channel, 30 MHz – 1 GHz, Panel, 5 GHz	61
Plot 91. Radiated Spurious Emissions, 802.11n 40 MHz, Mid Channel, 1 GHz – 7 GHz, Average, Panel, 5 GHz	62
Plot 92. Radiated Spurious Emissions, 802.11n 40 MHz, Mid Channel, 1 GHz – 7 GHz, Peak, Panel, 5 GHz	62
Plot 93. Radiated Spurious Emissions, 802.11n 40 MHz, Mid Channel, 7 GHz – 18 GHz, Peak under Average, Panel, 5 GHz	63
Plot 94. Radiated Spurious Emissions, 802.11n 40 MHz, Mid Channel, 18 GHz – 40 GHz, Peak under Average, Panel, 5 GHz	63
Plot 95. Radiated Spurious Emissions, 802.11n 40 MHz, High Channel, 30 MHz – 1 GHz, Panel, 5 GHz	64
Plot 96. Radiated Spurious Emissions, 802.11n 40 MHz, High Channel, 1 GHz – 7 GHz, Average, Panel, 5 GHz	64
Plot 97. Radiated Spurious Emissions, 802.11n 40 MHz, High Channel, 1 GHz – 7 GHz, Peak, Panel, 5 GHz	65
Plot 98. Radiated Spurious Emissions, 802.11n 40 MHz, High Channel, 7 GHz – 18 GHz, Peak under Average, Panel, 5 GHz	65
Plot 99. Radiated Spurious Emissions, 802.11n 40 MHz, High Channel, 18 GHz – 40 GHz, Peak under Average, Panel, 5 GHz	66
Plot 100. Radiated Spurious Emissions, 802.11b, Low Channel, 30 MHz – 1 GHz, VMM, 2.4 GHz.....	67
Plot 101. Radiated Spurious Emissions, 802.11b, Low Channel, 1 GHz – 18 GHz, Peak under Average, VMM, 2.4 GHz	67
Plot 102. Radiated Spurious Emissions, 802.11b, Low Channel, 18 GHz – 25 GHz, Peak under Average, VMM, 2.4 GHz	68
Plot 103. Radiated Spurious Emissions, 802.11b, Mid Channel, 30 MHz – 1 GHz, VMM, 2.4 GHz	68
Plot 104. Radiated Spurious Emissions, 802.11b, Mid Channel, 1 GHz – 18 GHz, Peak under Average, VMM, 2.4 GHz	69
Plot 105. Radiated Spurious Emissions, 802.11b, Mid Channel, 18 GHz – 25 GHz, Peak under Average, VMM, 2.4 GHz	69
Plot 106. Radiated Spurious Emissions, 802.11b, High Channel, 30 MHz – 1 GHz, VMM, 2.4 GHz	70
Plot 107. Radiated Spurious Emissions, 802.11b, High Channel, 1 GHz – 18 GHz, Peak under Average, VMM, 2.4 GHz	70
Plot 108. Radiated Spurious Emissions, 802.11b, High Channel, 18 GHz – 25 GHz, Peak under Average, VMM, 2.4 GHz	71
Plot 109. Radiated Spurious Emissions, 802.11g, Low Channel, 30 MHz – 1 GHz, VMM, 2.4 GHz	72
Plot 110. Radiated Spurious Emissions, 802.11g, Low Channel, 1 GHz – 18 GHz, Peak under Average, VMM, 2.4 GHz	72
Plot 111. Radiated Spurious Emissions, 802.11g, Low Channel, 18 GHz – 25 GHz, Peak under Average, VMM, 2.4 GHz	73
Plot 112. Radiated Spurious Emissions, 802.11g, Mid Channel, 30 MHz – 1 GHz, VMM, 2.4 GHz	73
Plot 113. Radiated Spurious Emissions, 802.11g, Mid Channel, 1 GHz – 18 GHz, Peak under Average, VMM, 2.4 GHz	74
Plot 114. Radiated Spurious Emissions, 802.11g, Mid Channel, 18 GHz – 25 GHz, Peak under Average, VMM, 2.4 GHz	74
Plot 115. Radiated Spurious Emissions, 802.11g, High Channel, 30 MHz – 1 GHz, VMM, 2.4 GHz	75
Plot 116. Radiated Spurious Emissions, 802.11g, High Channel, 1 GHz – 18 GHz, Peak under Average, VMM, 2.4 GHz	75
Plot 117. Radiated Spurious Emissions, 802.11g, High Channel, 18 GHz – 25 GHz, Peak under Average, VMM, 2.4 GHz	76
Plot 118. Radiated Spurious Emissions, 802.11g 20 MHz, Low Channel, 30 MHz – 1 GHz, VMM, 2.4 GHz	77
Plot 119. Radiated Spurious Emissions, 802.11g 20 MHz, Low Channel, 1 GHz – 18 GHz, Peak under Average, VMM, 2.4 GHz	77
Plot 120. Radiated Spurious Emissions, 802.11g 20 MHz, Low Channel, 18 GHz – 25 GHz, Peak under Average, VMM, 2.4 GHz	78
Plot 121. Radiated Spurious Emissions, 802.11g 20 MHz, Mid Channel, 30 MHz – 1 GHz, VMM, 2.4 GHz	78
Plot 122. Radiated Spurious Emissions, 802.11g 20 MHz, Mid Channel, 1 GHz – 18 GHz, Peak under Average, VMM, 2.4 GHz	79
Plot 123. Radiated Spurious Emissions, 802.11g 20 MHz, Mid Channel, 18 GHz – 25 GHz, Peak under Average, VMM, 2.4 GHz	79

Plot 124. Radiated Spurious Emissions, 802.11g 20 MHz, High Channel, 30 MHz – 1 GHz, VMM, 2.4 GHz.....	80
Plot 125. Radiated Spurious Emissions, 802.11g 20 MHz, High Channel, 1 GHz – 18 GHz, Peak under Average, VMM, 2.4 GHz	80
Plot 126. Radiated Spurious Emissions, 802.11g 20 MHz, High Channel, 18 GHz – 25 GHz, Peak under Average, VMM, 2.4 GHz	81
Plot 127. Radiated Spurious Emissions, 802.11g 40 MHz, Low Channel, 30 MHz – 1 GHz, VMM, 2.4 GHz.....	82
Plot 128. Radiated Spurious Emissions, 802.11g 40 MHz, Low Channel, 1 GHz – 18 GHz, Peak under Average, VMM, 2.4 GHz	82
Plot 129. Radiated Spurious Emissions, 802.11g 40 MHz, Low Channel, 18 GHz – 25 GHz, Peak under Average, VMM, 2.4 GHz	83
Plot 130. Radiated Spurious Emissions, 802.11g 40 MHz, Mid Channel, 30 MHz – 1 GHz, VMM, 2.4 GHz	83
Plot 131. Radiated Spurious Emissions, 802.11g 40 MHz, Mid Channel, 1 GHz – 18 GHz, Peak under Average, VMM, 2.4 GHz	84
Plot 132. Radiated Spurious Emissions, 802.11g 40 MHz, Mid Channel, 18 GHz – 25 GHz, Peak under Average, VMM, 2.4 GHz	84
Plot 133. Radiated Spurious Emissions, 802.11g 40 MHz, High Channel, 30 MHz – 1 GHz, VMM, 2.4 GHz.....	85
Plot 134. Radiated Spurious Emissions, 802.11g 40 MHz, High Channel, 1 GHz – 18 GHz, Peak under Average, VMM, 2.4 GHz	85
Plot 135. Radiated Spurious Emissions, 802.11g 40 MHz, High Channel, 18 GHz – 25 GHz, Peak under Average, VMM, 2.4 GHz	86
Plot 136. Radiated Spurious Emissions, 802.11a, Low Channel, 30 MHz – 1 GHz, VMM, 5 GHz.....	87
Plot 137. Radiated Spurious Emissions, 802.11a, Low Channel, 1 GHz – 18 GHz, Peak under Average, VMM, 5 GHz ...	87
Plot 138. Radiated Spurious Emissions, 802.11a, Low Channel, 18 GHz – 40 GHz, Peak under Average, VMM, 5 GHz ..	88
Plot 139. Radiated Spurious Emissions, 802.11a, Mid Channel, 30 MHz – 1 GHz, VMM, 5 GHz	88
Plot 140. Radiated Spurious Emissions, 802.11a, Mid Channel, 1 GHz – 18 GHz, Peak under Average, VMM, 5 GHz...89	89
Plot 141. Radiated Spurious Emissions, 802.11a, Mid Channel, 18 GHz – 40 GHz, Peak under Average, VMM, 5 GHz..89	89
Plot 142. Radiated Spurious Emissions, 802.11a, High Channel, 30 MHz – 1 GHz, VMM, 5 GHz	90
Plot 143. Radiated Spurious Emissions, 802.11a, High Channel, 1 GHz – 18 GHz, Peak under Average, VMM, 5 GHz...90	90
Plot 144. Radiated Spurious Emissions, 802.11a, High Channel, 18 GHz – 40 GHz, Peak under Average, VMM, 5 GHz.91	91
Plot 145. Radiated Spurious Emissions, 802.11n 20 MHz, Low Channel, 30 MHz – 1 GHz, VMM, 5 GHz	92
Plot 146. Radiated Spurious Emissions, 802.11n 20 MHz, Low Channel, 1 GHz – 18 GHz, Peak under Average, VMM, 5 GHz	92
Plot 147. Radiated Spurious Emissions, 802.11n 20 MHz, Low Channel, 18 GHz – 40 GHz, Peak under Average, VMM, 5 GHz	93
Plot 148. Radiated Spurious Emissions, 802.11n 20 MHz, Mid Channel, 30 MHz – 1 GHz, VMM, 5 GHz	93
Plot 149. Radiated Spurious Emissions, 802.11n 20 MHz, Mid Channel, 1 GHz – 18 GHz, Peak under Average, VMM, 5 GHz	94
Plot 150. Radiated Spurious Emissions, 802.11n 20 MHz, Mid Channel, 18 GHz – 40 GHz, Peak under Average, VMM, 5 GHz	94
Plot 151. Radiated Spurious Emissions, 802.11n 20 MHz, High Channel, 30 MHz – 1 GHz, VMM, 5 GHz	95
Plot 152. Radiated Spurious Emissions, 802.11n 20 MHz, High Channel, 1 GHz – 7 GHz, Peak under Average, VMM, 5 GHz	95
Plot 153. Radiated Spurious Emissions, 802.11n 20 MHz, High Channel, 18 GHz – 40 GHz, Peak under Average, VMM, 5 GHz	96
Plot 154. Radiated Spurious Emissions, 802.11n 40 MHz, Low Channel, 30 MHz – 1 GHz, VMM, 5 GHz	97
Plot 155. Radiated Spurious Emissions, 802.11n 40 MHz, Low Channel, 1 GHz – 18 GHz, Peak under Average, VMM, 5 GHz	97
Plot 156. Radiated Spurious Emissions, 802.11n 40 MHz, Low Channel, 18 GHz – 40 GHz, Peak under Average, VMM, 5 GHz	98
Plot 157. Radiated Spurious Emissions, 802.11n 40 MHz, Mid Channel, 30 MHz – 1 GHz, VMM, 5 GHz	98
Plot 158. Radiated Spurious Emissions, 802.11n 40 MHz, Mid Channel, 1 GHz – 18 GHz, Peak under Average, VMM, 5 GHz	99
Plot 159. Radiated Spurious Emissions, 802.11n 40 MHz, Mid Channel, 18 GHz – 40 GHz, Peak under Average, VMM, 5 GHz	99
Plot 160. Radiated Spurious Emissions, 802.11n 40 MHz, High Channel, 30 MHz – 1 GHz, VMM, 5 GHz.....	100

Plot 161. Radiated Spurious Emissions, 802.11n 40 MHz, High Channel, 1 GHz – 7 GHz, Peak under Average, VMM, 5 GHz	100
Plot 162. Radiated Spurious Emissions, 802.11n 40 MHz, High Channel, 18 GHz – 40 GHz, Peak under Average, VMM, 5 GHz	101
Plot 163. Radiated Restricted Band Edge, 802.11b, Low Channel, Average, Panel, 2.4 GHz	102
Plot 164. Radiated Restricted Band Edge, 802.11b, Low Channel, Peak, Panel, 2.4 GHz	102
Plot 165. Radiated Restricted Band Edge, 802.11b, High Channel, Average, Panel, 2.4 GHz	103
Plot 166. Radiated Restricted Band Edge, 802.11b, High Channel, Peak, Panel, 2.4 GHz	103
Plot 167. Radiated Restricted Band Edge, 802.11g, Low Channel, Average, Panel, 2.4 GHz	104
Plot 168. Radiated Restricted Band Edge, 802.11g, Low Channel, Peak, Panel, 2.4 GHz	104
Plot 169. Radiated Restricted Band Edge, 802.11g, High Channel, Average, Panel, 2.4 GHz	105
Plot 170. Radiated Restricted Band Edge, 802.11g, High Channel, Peak, Panel, 2.4 GHz	105
Plot 171. Radiated Restricted Band Edge, 802.11g 20 MHz, Low Channel, Average, Panel, 2.4 GHz	106
Plot 172. Radiated Restricted Band Edge, 802.11g 20 MHz, Low Channel, Peak, Panel, 2.4 GHz	106
Plot 173. Radiated Restricted Band Edge, 802.11g 20 MHz, High Channel, Average, Panel, 2.4 GHz	107
Plot 174. Radiated Restricted Band Edge, 802.11g 20 MHz, High Channel, Peak, Panel, 2.4 GHz	107
Plot 175. Radiated Restricted Band Edge, 802.11g 40 MHz, Low Channel, Average, Panel, 2.4 GHz	108
Plot 176. Radiated Restricted Band Edge, 802.11g 40 MHz, Low Channel, Peak, Panel, 2.4 GHz	108
Plot 177. Radiated Restricted Band Edge, 802.11g 40 MHz, High Channel, Average, Panel, 2.4 GHz	109
Plot 178. Radiated Restricted Band Edge, 802.11g 40 MHz, High Channel, Peak, Panel, 2.4 GHz	109
Plot 179. Radiated Restricted Band Edge, 802.11b, Low Channel, Average, VMM, 2.4 GHz	110
Plot 180. Radiated Restricted Band Edge, 802.11b, Low Channel, Peak, VMM, 2.4 GHz	110
Plot 181. Radiated Restricted Band Edge, 802.11b, High Channel, Average, VMM, 2.4 GHz	111
Plot 182. Radiated Restricted Band Edge, 802.11b, High Channel, Peak, VMM, 2.4 GHz	111
Plot 183. Radiated Restricted Band Edge, 802.11g, Low Channel, Average, VMM, 2.4 GHz	112
Plot 184. Radiated Restricted Band Edge, 802.11g, Low Channel, Peak, VMM, 2.4 GHz	112
Plot 185. Radiated Restricted Band Edge, 802.11g, High Channel, Average, VMM, 2.4 GHz	113
Plot 186. Radiated Restricted Band Edge, 802.11g, High Channel, Peak, VMM, 2.4 GHz	113
Plot 187. Radiated Restricted Band Edge, 802.11g 20 MHz, Low Channel, Average, VMM, 2.4 GHz	114
Plot 188. Radiated Restricted Band Edge, 802.11g 20 MHz, Low Channel, Peak, VMM, 2.4 GHz	114
Plot 189. Radiated Restricted Band Edge, 802.11g 20 MHz, High Channel, Average, VMM, 2.4 GHz	115
Plot 190. Radiated Restricted Band Edge, 802.11g 20 MHz, High Channel, Peak, VMM, 2.4 GHz	115
Plot 191. Radiated Restricted Band Edge, 802.11g 40 MHz, Low Channel, Average, VMM, 2.4 GHz	116
Plot 192. Radiated Restricted Band Edge, 802.11g 40 MHz, Low Channel, Peak, VMM, 2.4 GHz	116
Plot 193. Radiated Restricted Band Edge, 802.11g 40 MHz, High Channel, Average, VMM, 2.4 GHz	117
Plot 194. Radiated Restricted Band Edge, 802.11g 40 MHz, High Channel, Peak, VMM, 2.4 GHz	117

List of Figures

Figure 1. Block Diagram of Test Configuration.....	6
Figure 2. Peak Power Output Test Setup.....	11

List of Terms and Abbreviations

AC	Alternating Current
ACF	Antenna Correction Factor
Cal	Calibration
<i>d</i>	Measurement Distance
dB	Decibels
dB_μA	Decibels above one microamp
dB_μV	Decibels above one microvolt
dB_μA/m	Decibels above one microamp per meter
dB_μV/m	Decibels above one microvolt per meter
DC	Direct Current
E	Electric Field
DSL	Digital Subscriber Line
ESD	Electrostatic Discharge
EUT	Equipment Under Test
<i>f</i>	Frequency
FCC	Federal Communications Commission
GRP	Ground Reference Plane
H	Magnetic Field
HCP	Horizontal Coupling Plane
Hz	Hertz
IEC	International Electrotechnical Commission
kHz	kilohertz
kPa	kilopascal
kV	kilovolt
LISN	Line Impedance Stabilization Network
MHz	Megahertz
μH	microhenry
μ	microfarad
μs	microseconds
NEBS	Network Equipment-Building System
PRF	Pulse Repetition Frequency
RF	Radio Frequency
RMS	Root-Mean-Square
TWT	Traveling Wave Tube
V/m	Volts per meter
VCP	Vertical Coupling Plane

I. Executive Summary

A. Purpose of Test

An EMC evaluation was performed to determine compliance of the Motorola Solutions, Inc. AP-7161, with the requirements of Part 15, §15.247. All references are to the most current version of Title 47 of the Code of Federal Regulations in effect. In accordance with §2.1033, the following data is presented in support of the Certification of the AP-7161. Motorola Solutions, Inc. should retain a copy of this document which should be kept on file for at least two years after the manufacturing of the AP-7161, has been **permanently** discontinued.

B. Executive Summary

The following tests were conducted on a sample of the equipment for the purpose of demonstrating compliance with Part 15, §15.247, in accordance with Motorola Solutions, Inc., purchase order number NP5490326. All tests were conducted using measurement procedure ANSI C63.4-2003.

FCC Reference 47 CFR Part 15.247:2005	IC Reference RSS-210 Issue 8: 2010; RSS-GEN Issue 3: 2010	Description	Compliance
Title 47 of the CFR, Part 15 §15.203	N/A	Antenna Requirement	Compliant
Title 47 of the CFR, Part 15 §15.247(b)	RSS-210(A8.4)	Peak Power Output	Compliant
Title 47 of the CFR, Part 15 §15.247(d); §15.209; §15.205	RSS-210(A8.5)	Radiated Spurious Emissions Requirements	Compliant

Table 1. Executive Summary of EMC Part 15.247 Class II Permissive Change Compliance Testing

II. Equipment Configuration

A. Overview

MET Laboratories, Inc. was contracted by Motorola Solutions, Inc. to perform testing on the AP-7161, under Motorola Solutions, Inc.'s purchase order number NP5490326.

This document describes the test setups, test methods, required test equipment, and the test limit criteria used to perform compliance testing of the Motorola Solutions, Inc., AP-7161.

The results obtained relate only to the item(s) tested.

Model(s) Tested:	AP-7161
Model(s) Covered:	AP-7161
EUT Specifications:	Primary Power: 120 VAC, 60 Hz
	FCC ID: QJEAP716101
	IC: 4602A-AP716101
	Type of Modulations: OFDM
	Equipment Code: DTS
	Peak RF Output Power: 22.34 dBm 15.22 dBm
Analysis:	EUT Frequency Ranges: 2412MHz-2462MHz, 5745MHz-5825MHz
	The results obtained relate only to the item(s) tested.
	Temperature: 15-35° C
Environmental Test Conditions:	Relative Humidity: 30-60%
	Barometric Pressure: 860-1060 mbar
Evaluated by:	Ben Taylor
Report Date(s):	December 19, 2012

Table 2. EUT Summary Table

B. References

CFR 47, Part 15, Subpart C	Federal Communication Commission, Code of Federal Regulations, Title 47, Part 15: General Rules and Regulations, Allocation, Assignment, and Use of Radio Frequencies
RSS-210, Issue 8, Dec. 2010	Low-power Licence-exempt Radiocommunications Devices (All Frequency Bands): Category I Equipment
RSS-GEN, Issue 3, Dec. 2010	General Requirements and Information for the Certification of Radio Apparatus
ANSI C63.4:2003	Methods and Measurements of Radio-Noise Emissions from Low-Voltage Electrical And Electronic Equipment in the Range of 9 kHz to 40 GHz
ISO/IEC 17025:2005	General Requirements for the Competence of Testing and Calibration Laboratories
ANSI C63.10-2009	American National Standard for Testing Unlicensed Wireless Devices

Table 3. References

C. Test Site

All testing was performed at MET Laboratories, Inc., 914 W. Patapsco Ave., Baltimore, MD 2130. All equipment used in making physical determinations is accurate and bears recent traceability to the National Institute of Standards and Technology.

Radiated Emissions measurements were performed in a 3 meter semi-anechoic chamber (equivalent to an Open Area Test Site). In accordance with §2.948(a)(3), a complete site description is contained at MET Laboratories.

D. Description of Test Sample

The Motorola Solutions, Inc. AP-7161, Equipment Under Test (EUT), is a Wireless Access Point.




Figure 1. Block Diagram of Test Configuration

E. Equipment Configuration

The EUT was set up as outlined in Figure 1, Block Diagram of Test Setup. All cards, racks, etc., incorporated as part of the EUT is included in the following list.

Ref. ID	Name / Description	Model Number
1	AP 7161	AP-7161
2	Power Cable	N/A

Table 4. Equipment Configuration

F. Support Equipment

Support equipment necessary for the operation and testing of the EUT is included in the following list.

Ref. ID	Name / Description	Manufacturer	Model Number
1	Laptop with ART software	Dell	D600

Table 5. Support Equipment

G. Ports and Cabling Information

Ref. ID	Port Name on EUT	Cable Description	Qty.	Length (m)	Shielded (Y/N)	Termination Point
N/A	GE1/PoE	Cat5	1	N/A	Y	N/A
N/A	Console	RJ-45	1	N/A	N	N/A

Table 6. Ports and Cabling Information

H. Mode of Operation

Laptop connected through Ethernet runs Winprius software. Commands are entered to control channel, power and data rate on all radios.

I. Method of Monitoring EUT Operation

Spectrum Analyzer.

J. Modifications

a) Modifications to EUT

No modifications were made to the EUT.

b) Modifications to Test Standard

No modifications were made to the test standard.

K. Disposition of EUT

The test sample including all support equipment submitted to the Electro-Magnetic Compatibility Lab for testing was returned to Motorola Solutions, Inc. upon completion of testing.

III. Electromagnetic Compatibility Criteria for Intentional Radiators

Electromagnetic Compatibility Criteria for Intentional Radiators

§ 15.203 Antenna Requirement

Test Requirement:

§ 15.203: An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section. The manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

The structure and application of the EUT were analyzed to determine compliance with Section 15.203 of the Rules. Section 15.203 states that the subject device must meet at least one of the following criteria:

- a.) Antenna must be permanently attached to the unit.
- b.) Antenna must use a unique type of connector to attach to the EUT.
- c.) Unit must be professionally installed. Installer shall be responsible for verifying that the correct antenna is employed with the unit.

Results:

The EUT as tested is compliant the criteria of §15.203. The EUT and its antenna require professional installation.

Test Engineer(s): Ben Taylor

Test Date(s): 06/08/12

Electromagnetic Compatibility Criteria for Intentional Radiators

§ 15.247(b) Peak Power Output

Test Requirements: **§15.247(b):** The maximum peak output power of the intentional radiator shall not exceed the following:

Digital Transmission Systems (MHz)	Output Limit (Watts)
902-928	1.000
2400-2483.5	1.000
5725- 5850	1.000

Table 7. Output Power Requirements from §15.247(b)

§15.247(c): if transmitting antennas of directional gain greater than 6 dBi are used the peak output power from the intentional radiator shall be reduced below the stated values in the Table 7, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

Systems operating in the 2400 – 2483.5 MHz band and using a point to point application may employ transmitting antennas with directional gain greater than 6 dBi provided the maximum peak output power of the intentional radiator is reduced by 1 dB for every 3 dB that the directional gain of the antenna exceeds 6 dBi.

Systems operating in the 5725 – 5850 MHz band that are used exclusively for fixed, point-to-point operations may employ transmitting antennas with directional gain greater than 6 dBi without any corresponding reduction in transmitter peak output power.

Fixed, point-to-point operation excludes the use of point-to-multipoint systems, Omni-directional applications, and multiple co-located intentional radiators transmitting the same information. The operator of the spread spectrum intentional radiator or, if the equipment is professionally installed, the installer is responsible for ensuring that the system is used exclusively for fixed, point-to-point operations. The instruction manual furnished with the intentional radiator shall contain language in the installation instructions informing the operator and the installer of this responsibility.

Test Procedure: The transmitter was connected to a calibrated spectrum analyzer. The EUT was measured at the low, mid and high channels of each band at the maximum power level.

Test Results: The EUT was compliant with the Peak Power Output limits of §15.247(b).

Test Engineer(s): Ben Taylor

Test Date(s): 06/08/12 – 06/11/12




Figure 2. Peak Power Output Test Setup

Peak Power Output Test Results

Frequency (MHz)	Mode / Modulation Type	Port A Conducted Power (dBm)	Port B Conducted Power (dBm)	Port C Conducted Power (dBm)	Summed Conducted Power (dBm)
2412	802.11b	21.83	--	--	21.83
2437	802.11b	22.34	--	--	22.34
2462	802.11b	20.98	--	--	20.98
2412	802.11g	13.09	14.18	16.14	19.43
2437	802.11g	15.81	16.00	16.62	20.93
2462	802.11g	16.46	17.30	17.39	21.84
2412	802.11g HT20	13.23	14.15	16.89	19.82
2437	802.11g HT20	14.15	14.26	15.82	19.58
2462	802.11g HT20	17.17	16.69	17.97	22.08
2422	802.11g HT40	14.28	13.59	16.10	19.56
2437	802.11g HT40	13.50	13.31	15.40	18.95
2452	802.11g HT40	13.19	13.06	14.15	18.27

Frequency (MHz)	Mode / Modulation Type	Port A Conducted Power (dBm)	Port B Conducted Power (dBm)	Port C Conducted Power (dBm)	Summed Conducted Power (dBm)
5745	802.11a	11.34	9.32	10.26	15.16
5785	802.11a	9.77	10.58	10.93	15.22
5825	802.11a	7.39	10.81	11.4	14.96
5745	802.11n HT20	9.08	10.2	10.66	14.80
5785	802.11n HT20	8.23	10.83	11.07	14.99
5825	802.11n HT20	7.35	10.79	11.88	15.16
5755	802.11n HT40	9.07	10.07	11.02	14.90
5785	802.11n HT40	8.12	10.199	11.06	15.03
5815	802.11n HT40	7.27	10.22	11.49	14.76

Table 8. Peak Power Output, Test Results

Electromagnetic Compatibility Criteria for Intentional Radiators

§ 15.247(d) Radiated Spurious Emissions Requirements and Band Edge

Test Requirements: §15.247(d); §15.205: Emissions outside the frequency band.

§15.247(d): In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement. Attenuation below the general limits specified in § 15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in § 15.205(a), must also comply with the radiated emission limits specified in § 15.209(a).

§15.205(a): Except as shown in paragraph (d) of this section, only spurious emissions are permitted in any of the frequency bands listed below:

MHz	MHz	MHz	GHz
0.090–0.110-----	16.42–16.423	399.9–410	4.5–5.15
¹ 0.495–0.505-----	16.69475–16.69525	608–614	5.35–5.46
2.1735–2.1905-----	16.80425–16.80475	960–1240	7.25–7.75
4.125–4.128-----	25.5–25.67	1300–1427	8.025–8.5
4.17725–4.17775-----	37.5–38.25	1435–1626.5	9.0–9.2
4.20725–4.20775-----	73–74.6	1645.5–1646.5	9.3–9.5
6.215–6.218-----	74.8–75.2	1660–1710	10.6–12.7
6.26775–6.26825-----	108–121.94	1718.8–1722.2	13.25–13.4
6.31175–6.31225-----	123–138	2200–2300	14.47–14.5
8.291–8.294-----	149.9–150.05	2310–2390	15.35–16.2
8.362–8.366-----	156.52475–156.52525	2483.5–2500	17.7–21.4
8.37625–8.38675-----	156.7–156.9	2655–2900	22.01–23.12
8.41425–8.41475-----	162.0125–167.17	3260–3267	23.6–24.0
12.29–12.293-----	167.72–173.2	3332–3339	31.2–31.8
12.51975–12.52025-----	240–285	3345.8–3358.36.	43–36.5
12.57675–12.57725-----	322–335.4	3600–4400	(²)

Table 9. Restricted Bands of Operation

¹ Until February 1, 1999, this restricted band shall be 0.490 – 0.510 MHz.

² Above 38.6

Test Requirement(s): **§ 15.209 (a):** Except as provided elsewhere in this subpart, the emissions from an intentional radiator shall not exceed the field strength levels specified in Table 10.

Frequency (MHz)	§ 15.209(a), Radiated Emission Limits (dB μ V) @ 3m
30 - 88	40.00
88 - 216	43.50
216 - 960	46.00
Above 960	54.00

Table 10. Radiated Emissions Limits Calculated from FCC Part 15, § 15.209 (a)


Test Procedures: The transmitter was turned on. Measurements were performed of the low, mid and high Channels. The EUT was rotated orthogonally through all three axes. Plots shown are corrected for both antenna correction factor and distance and compared to a 3 m limit line. Only noise floor was measured above 18 GHz.

Test Results: The EUT was compliant with the Radiated Spurious Emission limits of § 15.247(d). The average plots taken with bandwidths of 1MHz and 3MHz had the number of bins adjusted appropriately. The failing emissions are not in the restricted band and meet the 20 dBc requirement.


Test Engineer(s): Ben Taylor

Test Date(s): 06/12/12 – 07/06/12


Radiated Spurious Emissions Test Results, 802.11b, Panel, 2.4 GHz




Plot 1. Radiated Spurious Emissions, 802.11b, Low Channel, 30 MHz – 1 GHz, Panel, 2.4 GHz




Plot 2. Radiated Spurious Emissions, 802.11b, Low Channel, 1 GHz – 18 GHz, Average, Panel, 2.4 GHz




Plot 3. Radiated Spurious Emissions, 802.11b, Low Channel, 1 GHz – 18 GHz, Peak, Panel, 2.4 GHz




Plot 4. Radiated Spurious Emissions, 802.11b, Low Channel, 18 GHz – 25 GHz, Average, Panel, 2.4 GHz




Plot 5. Radiated Spurious Emissions, 802.11b, Low Channel, 18 GHz – 25 GHz, Peak, Panel, 2.4 GHz




Plot 6. Radiated Spurious Emissions, 802.11b, Mid Channel, 30 MHz – 1 GHz, Panel, 2.4 GHz




Plot 7. Radiated Spurious Emissions, 802.11b, Mid Channel, 1 GHz – 18 GHz, Average, Panel, 2.4 GHz




Plot 8. Radiated Spurious Emissions, 802.11b, Mid Channel, 1 GHz – 18 GHz, Peak, Panel, 2.4 GHz




Plot 9. Radiated Spurious Emissions, 802.11b, Mid Channel, 18 GHz – 25 GHz, Average, Panel, 2.4 GHz




Plot 10. Radiated Spurious Emissions, 802.11b, Mid Channel, 18 GHz – 25 GHz, Peak, Panel, 2.4 GHz




Plot 11. Radiated Spurious Emissions, 802.11b, High Channel, 30 MHz – 1 GHz, Panel, 2.4 GHz




Plot 12. Radiated Spurious Emissions, 802.11b, High Channel, 1 GHz – 18 GHz, Average, Panel, 2.4 GHz



Plot 13. Radiated Spurious Emissions, 802.11b, High Channel, 1 GHz – 18 GHz, Peak, Panel, 2.4 GHz




Plot 14. Radiated Spurious Emissions, 802.11b, High Channel, 18 GHz – 25 GHz, Average, Panel, 2.4 GHz




Plot 15. Radiated Spurious Emissions, 802.11b, High Channel, 18 GHz – 25 GHz, Peak, Panel, 2.4 GHz


Radiated Spurious Emissions Test Results, 802.11g, Panel, 2.4 GHz




Plot 16. Radiated Spurious Emissions, 802.11g, Low Channel, 30 MHz – 1 GHz, Panel, 2.4 GHz




Plot 17. Radiated Spurious Emissions, 802.11g, Low Channel, 1 GHz – 18 GHz, Average, Panel, 2.4 GHz




Plot 18. Radiated Spurious Emissions, 802.11g, Low Channel, 1 GHz – 18 GHz, Peak, Panel, 2.4 GHz




Plot 19. Radiated Spurious Emissions, 802.11g, Low Channel, 18 GHz – 25 GHz, Average, Panel, 2.4 GHz




Plot 20. Radiated Spurious Emissions, 802.11g, Low Channel, 18 GHz – 25 GHz, Peak, Panel, 2.4 GHz




Plot 21. Radiated Spurious Emissions, 802.11g, Mid Channel, 30 MHz – 1 GHz, Panel, 2.4 GHz




Plot 22. Radiated Spurious Emissions, 802.11g, Mid Channel, 1 GHz – 18 GHz, Average, Panel, 2.4 GHz




Plot 23. Radiated Spurious Emissions, 802.11g, Mid Channel, 1 GHz – 18 GHz, Peak, Panel, 2.4 GHz




Plot 24. Radiated Spurious Emissions, 802.11g, Mid Channel, 18 GHz – 25 GHz, Average, Panel, 2.4 GHz




Plot 25. Radiated Spurious Emissions, 802.11g, Mid Channel, 18 GHz – 25 GHz, Peak, Panel, 2.4 GHz




Plot 26. Radiated Spurious Emissions, 802.11g, High Channel, 30 MHz – 1 GHz, Panel, 2.4 GHz




Plot 27. Radiated Spurious Emissions, 802.11g, High Channel, 1 GHz – 18 GHz, Average, Panel, 2.4 GHz



Plot 28. Radiated Spurious Emissions, 802.11g, High Channel, 1 GHz – 18 GHz, Peak, Panel, 2.4 GHz




Plot 29. Radiated Spurious Emissions, 802.11g, High Channel, 18 GHz – 25 GHz, Average, Panel, 2.4 GHz




Plot 30. Radiated Spurious Emissions, 802.11g, High Channel, 18 GHz – 25 GHz, Peak, Panel, 2.4 GHz


Radiated Spurious Emissions Test Results, 802.11g 20 MHz, Panel, 2.4 GHz




Plot 31. Radiated Spurious Emissions, 802.11g 20 MHz, Low Channel, 30 MHz – 1 GHz, Panel, 2.4 GHz




Plot 32. Radiated Spurious Emissions, 802.11g 20 MHz, Low Channel, 1 GHz – 18 GHz, Average, Panel, 2.4 GHz




Plot 33. Radiated Spurious Emissions, 802.11g 20 MHz, Low Channel, 1 GHz – 18 GHz, Peak, Panel, 2.4 GHz




Plot 34. Radiated Spurious Emissions, 802.11g 20 MHz, Low Channel, 18 GHz – 25 GHz, Average, Panel, 2.4 GHz




Plot 35. Radiated Spurious Emissions, 802.11g 20 MHz, Low Channel, 18 GHz – 25 GHz, Peak, Panel, 2.4 GHz




Plot 36. Radiated Spurious Emissions, 802.11g 20 MHz, Mid Channel, 30 MHz – 1 GHz, Panel, 2.4 GHz




Plot 37. Radiated Spurious Emissions, 802.11g 20 MHz, Mid Channel, 1 GHz – 18 GHz, Average, Panel, 2.4 GHz




Plot 38. Radiated Spurious Emissions, 802.11g 20 MHz, Mid Channel, 1 GHz – 18 GHz, Peak, Panel, 2.4 GHz




Plot 39. Radiated Spurious Emissions, 802.11g 20 MHz, Mid Channel, 18 GHz – 25 GHz, Average, Panel, 2.4 GHz




Plot 40. Radiated Spurious Emissions, 802.11g 20 MHz, Mid Channel, 18 GHz – 25 GHz, Peak, Panel, 2.4 GHz




Plot 41. Radiated Spurious Emissions, 802.11g 20 MHz, High Channel, 30 MHz – 1 GHz, Panel, 2.4 GHz




Plot 42. Radiated Spurious Emissions, 802.11g 20 MHz, High Channel, 1 GHz – 18 GHz, Average, Panel, 2.4 GHz



Plot 43. Radiated Spurious Emissions, 802.11g 20 MHz, High Channel, 1 GHz – 18 GHz, Peak, Panel, 2.4 GHz




Plot 44. Radiated Spurious Emissions, 802.11g 20 MHz, High Channel, 18 GHz – 25 GHz, Average, Panel, 2.4 GHz




Plot 45. Radiated Spurious Emissions, 802.11g 20 MHz, High Channel, 18 GHz – 25 GHz, Peak, Panel, 2.4 GHz


Radiated Spurious Emissions Test Results, 802.11g 40 MHz, Panel, 2.4 GHz




Plot 46. Radiated Spurious Emissions, 802.11g 40 MHz, Low Channel, 30 MHz – 1 GHz, Panel, 2.4 GHz




Plot 47. Radiated Spurious Emissions, 802.11g 40 MHz, Low Channel, 1 GHz – 18 GHz, Average, Panel, 2.4 GHz




Plot 48. Radiated Spurious Emissions, 802.11g 40 MHz, Low Channel, 1 GHz – 18 GHz, Peak, Panel, 2.4 GHz




Plot 49. Radiated Spurious Emissions, 802.11g 40 MHz, Low Channel, 18 GHz – 25 GHz, Average, Panel, 2.4 GHz




Plot 50. Radiated Spurious Emissions, 802.11g 40 MHz, Low Channel, 18 GHz – 25 GHz, Peak, Panel, 2.4 GHz




Plot 51. Radiated Spurious Emissions, 802.11g 40 MHz, Mid Channel, 30 MHz – 1 GHz, Panel, 2.4 GHz




Plot 52. Radiated Spurious Emissions, 802.11g 40 MHz, Mid Channel, 1 GHz – 18 GHz, Average, Panel, 2.4 GHz




Plot 53. Radiated Spurious Emissions, 802.11g 40 MHz, Mid Channel, 1 GHz – 18 GHz, Peak, Panel, 2.4 GHz




Plot 54. Radiated Spurious Emissions, 802.11g 40 MHz, Mid Channel, 18 GHz – 25 GHz, Average, Panel, 2.4 GHz




Plot 55. Radiated Spurious Emissions, 802.11g 40 MHz, Mid Channel, 18 GHz – 25 GHz, Peak, Panel, 2.4 GHz




Plot 56. Radiated Spurious Emissions, 802.11g 40 MHz, High Channel, 30 MHz – 1 GHz, Panel, 2.4 GHz




Plot 57. Radiated Spurious Emissions, 802.11g 40 MHz, High Channel, 1 GHz – 18 GHz, Average, Panel, 2.4 GHz



Plot 58. Radiated Spurious Emissions, 802.11g 40 MHz, High Channel, 1 GHz – 18 GHz, Peak, Panel, 2.4 GHz




Plot 59. Radiated Spurious Emissions, 802.11g 40 MHz, High Channel, 18 GHz – 25 GHz, Average, Panel, 2.4 GHz




Plot 60. Radiated Spurious Emissions, 802.11g 40 MHz, High Channel, 18 GHz – 25 GHz, Peak, Panel, 2.4 GHz


Radiated Spurious Emissions Test Results, 802.11a, Panel, 5 GHz




Plot 61. Radiated Spurious Emissions, 802.11a, Low Channel, 30 MHz – 1 GHz, Panel, 5 GHz




Plot 62. Radiated Spurious Emissions, 802.11a, Low Channel, 1 GHz – 7 GHz, Peak under Average, Panel, 5 GHz




Plot 63. Radiated Spurious Emissions, 802.11a, Low Channel, 7 GHz – 18 GHz, Peak under Average, Panel, 5 GHz




Plot 64. Radiated Spurious Emissions, 802.11a, Low Channel, 18 GHz – 40 GHz, Peak under Average, Panel, 5 GHz




Plot 65. Radiated Spurious Emissions, 802.11a, Mid Channel, 30 MHz – 1 GHz, Panel, 5 GHz




Plot 66. Radiated Spurious Emissions, 802.11a, Mid Channel, 1 GHz – 7 GHz, Peak under Average, Panel, 5 GHz




Plot 67. Radiated Spurious Emissions, 802.11a, Mid Channel, 7 GHz – 18 GHz, Peak under Average, Panel, 5 GHz




Plot 68. Radiated Spurious Emissions, 802.11a, Mid Channel, 18 GHz – 40 GHz, Peak under Average, Panel, 5 GHz




Plot 69. Radiated Spurious Emissions, 802.11a, High Channel, 30 MHz – 1 GHz, Panel, 5 GHz



Plot 70. Radiated Spurious Emissions, 802.11a, High Channel, 1 GHz – 7 GHz, Peak under Average, Panel, 5 GHz




Plot 71. Radiated Spurious Emissions, 802.11a, High Channel, 7 GHz – 18 GHz, Peak under Average, Panel, 5 GHz




Plot 72. Radiated Spurious Emissions, 802.11a, High Channel, 18 GHz – 40 GHz, Peak under Average, Panel, 5 GHz


Radiated Spurious Emissions Test Results, 802.11n 20 MHz, Panel, 5 GHz




Plot 73. Radiated Spurious Emissions, 802.11n 20 MHz, Low Channel, 30 MHz – 1 GHz, Panel, 5 GHz




Plot 74. Radiated Spurious Emissions, 802.11n 20 MHz, Low Channel, 1 GHz – 7 GHz, Peak under Average, Panel, 5 GHz




Plot 75. Radiated Spurious Emissions, 802.11n 20 MHz, Low Channel, 7 GHz – 18 GHz, Peak under Average, Panel, 5 GHz




Plot 76. Radiated Spurious Emissions, 802.11n 20 MHz, Low Channel, 18 GHz – 40 GHz, Peak under Average, Panel, 5 GHz




Plot 77. Radiated Spurious Emissions, 802.11n 20 MHz, Mid Channel, 30 MHz – 1 GHz, Panel, 5 GHz




Plot 78. Radiated Spurious Emissions, 802.11n 20 MHz, Mid Channel, 1 GHz – 7 GHz, Peak under Average, Panel, 5 GHz




Plot 79. Radiated Spurious Emissions, 802.11n 20 MHz, Mid Channel, 7 GHz – 18 GHz, Peak under Average, Panel, 5 GHz




Plot 80. Radiated Spurious Emissions, 802.11n 20 MHz, Mid Channel, 18 GHz – 40 GHz, Peak under Average, Panel, 5 GHz




Plot 81. Radiated Spurious Emissions, 802.11n 20 MHz, High Channel, 30 MHz – 1 GHz, Panel, 5 GHz



Plot 82. Radiated Spurious Emissions, 802.11n 20 MHz, High Channel, 1 GHz – 7 GHz, Peak under Average, Panel, 5 GHz




Plot 83. Radiated Spurious Emissions, 802.11n 20 MHz, High Channel, 7 GHz – 18 GHz, Peak under Average, Panel, 5 GHz




Plot 84. Radiated Spurious Emissions, 802.11n 20 MHz, High Channel, 18 GHz – 40 GHz, Peak under Average, Panel, 5 GHz


Radiated Spurious Emissions Test Results, 802.11n 40 MHz, Panel, 5 GHz




Plot 85. Radiated Spurious Emissions, 802.11n 40 MHz, Low Channel, 30 MHz – 1 GHz, Panel, 5 GHz




Plot 86. Radiated Spurious Emissions, 802.11n 40 MHz, Low Channel, 1 GHz – 7 GHz, Average, Panel, 5 GHz




Plot 87. Radiated Spurious Emissions, 802.11n 40 MHz, Low Channel, 1 GHz – 7 GHz, Peak, Panel, 5 GHz




Plot 88. Radiated Spurious Emissions, 802.11n 40 MHz, Low Channel, 7 GHz – 18 GHz, Peak under Average, Panel, 5 GHz




Plot 89. Radiated Spurious Emissions, 802.11n 40 MHz, Low Channel, 18 GHz – 40 GHz, Peak under Average, Panel, 5 GHz




Plot 90. Radiated Spurious Emissions, 802.11n 40 MHz, Mid Channel, 30 MHz – 1 GHz, Panel, 5 GHz




Plot 91. Radiated Spurious Emissions, 802.11n 40 MHz, Mid Channel, 1 GHz – 7 GHz, Average, Panel, 5 GHz




Plot 92. Radiated Spurious Emissions, 802.11n 40 MHz, Mid Channel, 1 GHz – 7 GHz, Peak, Panel, 5 GHz




Plot 93. Radiated Spurious Emissions, 802.11n 40 MHz, Mid Channel, 7 GHz – 18 GHz, Peak under Average, Panel, 5 GHz




Plot 94. Radiated Spurious Emissions, 802.11n 40 MHz, Mid Channel, 18 GHz – 40 GHz, Peak under Average, Panel, 5 GHz




Plot 95. Radiated Spurious Emissions, 802.11n 40 MHz, High Channel, 30 MHz – 1 GHz, Panel, 5 GHz




Plot 96. Radiated Spurious Emissions, 802.11n 40 MHz, High Channel, 1 GHz – 7 GHz, Average, Panel, 5 GHz



Plot 97. Radiated Spurious Emissions, 802.11n 40 MHz, High Channel, 1 GHz – 7 GHz, Peak, Panel, 5 GHz




Plot 98. Radiated Spurious Emissions, 802.11n 40 MHz, High Channel, 7 GHz – 18 GHz, Peak under Average, Panel, 5 GHz




Plot 99. Radiated Spurious Emissions, 802.11n 40 MHz, High Channel, 18 GHz – 40 GHz, Peak under Average, Panel, 5 GHz


Radiated Spurious Emissions Test Results, 802.11b, VMM, 2.4 GHz




Plot 100. Radiated Spurious Emissions, 802.11b, Low Channel, 30 MHz – 1 GHz, VMM, 2.4 GHz




Plot 101. Radiated Spurious Emissions, 802.11b, Low Channel, 1 GHz – 18 GHz, Peak under Average, VMM, 2.4 GHz




Plot 102. Radiated Spurious Emissions, 802.11b, Low Channel, 18 GHz – 25 GHz, Peak under Average, VMM, 2.4 GHz




Plot 103. Radiated Spurious Emissions, 802.11b, Mid Channel, 30 MHz – 1 GHz, VMM, 2.4 GHz




Plot 104. Radiated Spurious Emissions, 802.11b, Mid Channel, 1 GHz – 18 GHz, Peak under Average, VMM, 2.4 GHz




Plot 105. Radiated Spurious Emissions, 802.11b, Mid Channel, 18 GHz – 25 GHz, Peak under Average, VMM, 2.4 GHz



Plot 106. Radiated Spurious Emissions, 802.11b, High Channel, 30 MHz – 1 GHz, VMM, 2.4 GHz




Plot 107. Radiated Spurious Emissions, 802.11b, High Channel, 1 GHz – 18 GHz, Peak under Average, VMM, 2.4 GHz




Plot 108. Radiated Spurious Emissions, 802.11b, High Channel, 18 GHz – 25 GHz, Peak under Average, VMM, 2.4 GHz


Radiated Spurious Emissions Test Results, 802.11g, VMM, 2.4 GHz




Plot 109. Radiated Spurious Emissions, 802.11g, Low Channel, 30 MHz – 1 GHz, VMM, 2.4 GHz




Plot 110. Radiated Spurious Emissions, 802.11g, Low Channel, 1 GHz – 18 GHz, Peak under Average, VMM, 2.4 GHz




Plot 111. Radiated Spurious Emissions, 802.11g, Low Channel, 18 GHz – 25 GHz, Peak under Average, VMM, 2.4 GHz




Plot 112. Radiated Spurious Emissions, 802.11g, Mid Channel, 30 MHz – 1 GHz, VMM, 2.4 GHz




Plot 113. Radiated Spurious Emissions, 802.11g, Mid Channel, 1 GHz – 18 GHz, Peak under Average, VMM, 2.4 GHz




Plot 114. Radiated Spurious Emissions, 802.11g, Mid Channel, 18 GHz – 25 GHz, Peak under Average, VMM, 2.4 GHz



Plot 115. Radiated Spurious Emissions, 802.11g, High Channel, 30 MHz – 1 GHz, VMM, 2.4 GHz




Plot 116. Radiated Spurious Emissions, 802.11g, High Channel, 1 GHz – 18 GHz, Peak under Average, VMM, 2.4 GHz




Plot 117. Radiated Spurious Emissions, 802.11g, High Channel, 18 GHz – 25 GHz, Peak under Average, VMM, 2.4 GHz


Radiated Spurious Emissions Test Results, 802.11g 20 MHz, VMM, 2.4 GHz




Plot 118. Radiated Spurious Emissions, 802.11g 20 MHz, Low Channel, 30 MHz – 1 GHz, VMM, 2.4 GHz




Plot 119. Radiated Spurious Emissions, 802.11g 20 MHz, Low Channel, 1 GHz – 18 GHz, Peak under Average, VMM, 2.4 GHz




Plot 120. Radiated Spurious Emissions, 802.11g 20 MHz, Low Channel, 18 GHz – 25 GHz, Peak under Average, VMM, 2.4 GHz




Plot 121. Radiated Spurious Emissions, 802.11g 20 MHz, Mid Channel, 30 MHz – 1 GHz, VMM, 2.4 GHz




Plot 122. Radiated Spurious Emissions, 802.11g 20 MHz, Mid Channel, 1 GHz – 18 GHz, Peak under Average, VMM, 2.4 GHz




Plot 123. Radiated Spurious Emissions, 802.11g 20 MHz, Mid Channel, 18 GHz – 25 GHz, Peak under Average, VMM, 2.4 GHz



Plot 124. Radiated Spurious Emissions, 802.11g 20 MHz, High Channel, 30 MHz – 1 GHz, VMM, 2.4 GHz




Plot 125. Radiated Spurious Emissions, 802.11g 20 MHz, High Channel, 1 GHz – 18 GHz, Peak under Average, VMM, 2.4 GHz




Plot 126. Radiated Spurious Emissions, 802.11g 20 MHz, High Channel, 18 GHz – 25 GHz, Peak under Average, VMM, 2.4 GHz


Radiated Spurious Emissions Test Results, 802.11g 40 MHz, VMM, 2.4 GHz




Plot 127. Radiated Spurious Emissions, 802.11g 40 MHz, Low Channel, 30 MHz – 1 GHz, VMM, 2.4 GHz




Plot 128. Radiated Spurious Emissions, 802.11g 40 MHz, Low Channel, 1 GHz – 18 GHz, Peak under Average, VMM, 2.4 GHz




Plot 129. Radiated Spurious Emissions, 802.11g 40 MHz, Low Channel, 18 GHz – 25 GHz, Peak under Average, VMM, 2.4 GHz




Plot 130. Radiated Spurious Emissions, 802.11g 40 MHz, Mid Channel, 30 MHz – 1 GHz, VMM, 2.4 GHz




Plot 131. Radiated Spurious Emissions, 802.11g 40 MHz, Mid Channel, 1 GHz – 18 GHz, Peak under Average, VMM, 2.4 GHz




Plot 132. Radiated Spurious Emissions, 802.11g 40 MHz, Mid Channel, 18 GHz – 25 GHz, Peak under Average, VMM, 2.4 GHz



Plot 133. Radiated Spurious Emissions, 802.11g 40 MHz, High Channel, 30 MHz – 1 GHz, VMM, 2.4 GHz




Plot 134. Radiated Spurious Emissions, 802.11g 40 MHz, High Channel, 1 GHz – 18 GHz, Peak under Average, VMM, 2.4 GHz




Plot 135. Radiated Spurious Emissions, 802.11g 40 MHz, High Channel, 18 GHz – 25 GHz, Peak under Average, VMM, 2.4 GHz


Radiated Spurious Emissions Test Results, 802.11a, VMM, 5 GHz




Plot 136. Radiated Spurious Emissions, 802.11a, Low Channel, 30 MHz – 1 GHz, VMM, 5 GHz




Plot 137. Radiated Spurious Emissions, 802.11a, Low Channel, 1 GHz – 18 GHz, Peak under Average, VMM, 5 GHz




Plot 138. Radiated Spurious Emissions, 802.11a, Low Channel, 18 GHz – 40 GHz, Peak under Average, VMM, 5 GHz




Plot 139. Radiated Spurious Emissions, 802.11a, Mid Channel, 30 MHz – 1 GHz, VMM, 5 GHz




Plot 140. Radiated Spurious Emissions, 802.11a, Mid Channel, 1 GHz – 18 GHz, Peak under Average, VMM, 5 GHz




Plot 141. Radiated Spurious Emissions, 802.11a, Mid Channel, 18 GHz – 40 GHz, Peak under Average, VMM, 5 GHz



Plot 142. Radiated Spurious Emissions, 802.11a, High Channel, 30 MHz – 1 GHz, VMM, 5 GHz




Plot 143. Radiated Spurious Emissions, 802.11a, High Channel, 1 GHz – 18 GHz, Peak under Average, VMM, 5 GHz




Plot 144. Radiated Spurious Emissions, 802.11a, High Channel, 18 GHz – 40 GHz, Peak under Average, VMM, 5 GHz


Radiated Spurious Emissions Test Results, 802.11n 20 MHz, VMM, 5 GHz




Plot 145. Radiated Spurious Emissions, 802.11n 20 MHz, Low Channel, 30 MHz – 1 GHz, VMM, 5 GHz




Plot 146. Radiated Spurious Emissions, 802.11n 20 MHz, Low Channel, 1 GHz – 18 GHz, Peak under Average, VMM, 5 GHz




Plot 147. Radiated Spurious Emissions, 802.11n 20 MHz, Low Channel, 18 GHz – 40 GHz, Peak under Average, VMM, 5 GHz




Plot 148. Radiated Spurious Emissions, 802.11n 20 MHz, Mid Channel, 30 MHz – 1 GHz, VMM, 5 GHz




Plot 149. Radiated Spurious Emissions, 802.11n 20 MHz, Mid Channel, 1 GHz – 18 GHz, Peak under Average, VMM, 5 GHz




Plot 150. Radiated Spurious Emissions, 802.11n 20 MHz, Mid Channel, 18 GHz – 40 GHz, Peak under Average, VMM, 5 GHz



Plot 151. Radiated Spurious Emissions, 802.11n 20 MHz, High Channel, 30 MHz – 1 GHz, VMM, 5 GHz




Plot 152. Radiated Spurious Emissions, 802.11n 20 MHz, High Channel, 1 GHz – 7 GHz, Peak under Average, VMM, 5 GHz




Plot 153. Radiated Spurious Emissions, 802.11n 20 MHz, High Channel, 18 GHz – 40 GHz, Peak under Average, VMM, 5 GHz


Radiated Spurious Emissions Test Results, 802.11n 40 MHz, VMM, 5 GHz




Plot 154. Radiated Spurious Emissions, 802.11n 40 MHz, Low Channel, 30 MHz – 1 GHz, VMM, 5 GHz




Plot 155. Radiated Spurious Emissions, 802.11n 40 MHz, Low Channel, 1 GHz – 18 GHz, Peak under Average, VMM, 5 GHz




Plot 156. Radiated Spurious Emissions, 802.11n 40 MHz, Low Channel, 18 GHz – 40 GHz, Peak under Average, VMM, 5 GHz




Plot 157. Radiated Spurious Emissions, 802.11n 40 MHz, Mid Channel, 30 MHz – 1 GHz, VMM, 5 GHz




Plot 158. Radiated Spurious Emissions, 802.11n 40 MHz, Mid Channel, 1 GHz – 18 GHz, Peak under Average, VMM, 5 GHz




Plot 159. Radiated Spurious Emissions, 802.11n 40 MHz, Mid Channel, 18 GHz – 40 GHz, Peak under Average, VMM, 5 GHz



Plot 160. Radiated Spurious Emissions, 802.11n 40 MHz, High Channel, 30 MHz – 1 GHz, VMM, 5 GHz



Plot 161. Radiated Spurious Emissions, 802.11n 40 MHz, High Channel, 1 GHz – 7 GHz, Peak under Average, VMM, 5 GHz




Plot 162. Radiated Spurious Emissions, 802.11n 40 MHz, High Channel, 18 GHz – 40 GHz, Peak under Average, VMM, 5 GHz


Radiated Band Edge Measurements

Test Procedures: The transmitter was turned on. Measurements were performed of the low, mid and high Channels. The EUT was rotated orthogonally through all three axes. Plots shown are corrected for both antenna correction factor and distance and compared to a 3 m limit line.


Radiated Band Edge Measurements, 802.11b, Panel, 2.4 GHz




Plot 163. Radiated Restricted Band Edge, 802.11b, Low Channel, Average, Panel, 2.4 GHz



Plot 164. Radiated Restricted Band Edge, 802.11b, Low Channel, Peak, Panel, 2.4 GHz




Plot 165. Radiated Restricted Band Edge, 802.11b, High Channel, Average, Panel, 2.4 GHz




Plot 166. Radiated Restricted Band Edge, 802.11b, High Channel, Peak, Panel, 2.4 GHz


Radiated Band Edge Measurements, 802.11g, Panel, 2.4 GHz




Plot 167. Radiated Restricted Band Edge, 802.11g, Low Channel, Average, Panel, 2.4 GHz



Plot 168. Radiated Restricted Band Edge, 802.11g, Low Channel, Peak, Panel, 2.4 GHz




Plot 169. Radiated Restricted Band Edge, 802.11g, High Channel, Average, Panel, 2.4 GHz




Plot 170. Radiated Restricted Band Edge, 802.11g, High Channel, Peak, Panel, 2.4 GHz


Radiated Band Edge Measurements, 802.11g 20 MHz, Panel, 2.4 GHz




Plot 171. Radiated Restricted Band Edge, 802.11g 20 MHz, Low Channel, Average, Panel, 2.4 GHz



Plot 172. Radiated Restricted Band Edge, 802.11g 20 MHz, Low Channel, Peak, Panel, 2.4 GHz




Plot 173. Radiated Restricted Band Edge, 802.11g 20 MHz, High Channel, Average, Panel, 2.4 GHz




Plot 174. Radiated Restricted Band Edge, 802.11g 20 MHz, High Channel, Peak, Panel, 2.4 GHz


Radiated Band Edge Measurements, 802.11g 40 MHz, Panel, 2.4 GHz




Plot 175. Radiated Restricted Band Edge, 802.11g 40 MHz, Low Channel, Average, Panel, 2.4 GHz



Plot 176. Radiated Restricted Band Edge, 802.11g 40 MHz, Low Channel, Peak, Panel, 2.4 GHz




Plot 177. Radiated Restricted Band Edge, 802.11g 40 MHz, High Channel, Average, Panel, 2.4 GHz




Plot 178. Radiated Restricted Band Edge, 802.11g 40 MHz, High Channel, Peak, Panel, 2.4 GHz


Radiated Band Edge Measurements, 802.11b, VMM, 2.4 GHz




Plot 179. Radiated Restricted Band Edge, 802.11b, Low Channel, Average, VMM, 2.4 GHz



Plot 180. Radiated Restricted Band Edge, 802.11b, Low Channel, Peak, VMM, 2.4 GHz




Plot 181. Radiated Restricted Band Edge, 802.11b, High Channel, Average, VMM, 2.4 GHz




Plot 182. Radiated Restricted Band Edge, 802.11b, High Channel, Peak, VMM, 2.4 GHz


Radiated Band Edge Measurements, 802.11g, VMM, 2.4 GHz




Plot 183. Radiated Restricted Band Edge, 802.11g, Low Channel, Average, VMM, 2.4 GHz



Plot 184. Radiated Restricted Band Edge, 802.11g, Low Channel, Peak, VMM, 2.4 GHz




Plot 185. Radiated Restricted Band Edge, 802.11g, High Channel, Average, VMM, 2.4 GHz




Plot 186. Radiated Restricted Band Edge, 802.11g, High Channel, Peak, VMM, 2.4 GHz


Radiated Band Edge Measurements, 802.11g 20 MHz, VMM, 2.4 GHz




Plot 187. Radiated Restricted Band Edge, 802.11g 20 MHz, Low Channel, Average, VMM, 2.4 GHz



Plot 188. Radiated Restricted Band Edge, 802.11g 20 MHz, Low Channel, Peak, VMM, 2.4 GHz




Plot 189. Radiated Restricted Band Edge, 802.11g 20 MHz, High Channel, Average, VMM, 2.4 GHz




Plot 190. Radiated Restricted Band Edge, 802.11g 20 MHz, High Channel, Peak, VMM, 2.4 GHz


Radiated Band Edge Measurements, 802.11g 40 MHz, VMM, 2.4 GHz




Plot 191. Radiated Restricted Band Edge, 802.11g 40 MHz, Low Channel, Average, VMM, 2.4 GHz




Plot 192. Radiated Restricted Band Edge, 802.11g 40 MHz, Low Channel, Peak, VMM, 2.4 GHz



Plot 193. Radiated Restricted Band Edge, 802.11g 40 MHz, High Channel, Average, VMM, 2.4 GHz



Plot 194. Radiated Restricted Band Edge, 802.11g 40 MHz, High Channel, Peak, VMM, 2.4 GHz



Photograph 1. Radiated Spurious Emissions, Test Setup

IV. Test Equipment

Test Equipment

Calibrated test equipment utilized during testing was maintained in a current state of calibration per the requirements of ISO/IEC 17025:2005.

MET Asset #	Equipment	Manufacturer	Model	Last Cal Date	Cal Due Date
1T4745	ANTENNA, HORN	ETS-LINDGREN	3116	10/04/2011	10/04/2012
1T4149	HIGH-FREQUENCY ANECHOIC CHAMBER	RAY-PROOF	81	NOT REQUIRED	
1T4771	SPECTRUM ANALYZER	AGILENT TECHNOLOGIES	E4446A	12/12/2011	12/12/2012
1T4300B	SEMI-ANECHOIC CHAMBER # 1 D (2043A-1) (IC)	EMC TEST SYSTEMS	NONE	01/25/2012	01/25/2015
1T4751	ANTENNA - BILOG	SUNOL SCIENCES	JB6	12/07/2011	12/07/2012
1T4409	EMI RECEIVER	ROHDE & SCHWARZ	ESIB7	07/16/2012	07/16/2013
1T4757	ANTENNA; HORN	ETS-LINDGREN	3117	02/18/2012	08/18/2013
1T4752	PRE-AMPLIFIER	MITEQ	JS44-18004000-35-8P	SEE NOTE	

Table 11. Test Equipment List

Note: Functionally tested equipment is verified using calibrated instrumentation at the time of testing.

V. Certification & User's Manual Information

Certification & User's Manual Information

A. Certification Information

The following is extracted from Title 47 of the Code of Federal Regulations, Part 2, Subpart I — Marketing of Radio frequency devices:

§ 2.801 Radio-frequency device defined.

As used in this part, a radio-frequency device is any device which in its operation is capable of Emitting radio-frequency energy by radiation, conduction, or other means. Radio- frequency devices include, but are not limited to:

- (a) The various types of radio communication transmitting devices described throughout this chapter.
- (b) *The incidental, unintentional and intentional radiators defined in Part 15 of this chapter.*
- (c) The industrial, scientific, and medical equipment described in Part 18 of this chapter.
- (d) Any part or component thereof which in use emits radio-frequency energy by radiation, conduction, or other means.

§ 2.803 Marketing of radio frequency devices prior to equipment authorization.

- (a) Except as provided elsewhere in this chapter, no person shall sell or lease, or offer for sale or lease (including advertising for sale or lease), or import, ship or distribute for the purpose of selling or leasing or offering for sale or lease, any radio frequency device unless:
 - (1) In the case of a device subject to certification, such device has been authorized by the Commission in accordance with the rules in this chapter and is properly identified and labeled as required by §2.925 and other relevant sections in this chapter; or
 - (2) In the case of a device that is not required to have a grant of equipment authorization issued by the Commission, but which must comply with the specified technical standards prior to use, such device also complies with all applicable administrative (including verification of the equipment or authorization under a Declaration of Conformity, where required), technical, labeling and identification requirements specified in this chapter.
- (d) Notwithstanding the provisions of paragraph (a) of this section, the offer for sale solely to business, commercial, industrial, scientific or medical users (but not an offer for sale to other parties or to end users located in a residential environment) of a radio frequency device that is in the conceptual, developmental, design or pre-production stage is permitted prior to equipment authorization or, for devices not subject to the equipment authorization requirements, prior to a determination of compliance with the applicable technical requirements *provided* that the prospective buyer is advised in writing at the time of the offer for sale that the equipment is subject to the FCC rules and that the equipment will comply with the appropriate rules before delivery to the buyer or to centers of distribution.

(e)(1) Notwithstanding the provisions of paragraph (a) of this section, prior to equipment authorization or determination of compliance with the applicable technical requirements any radio frequency device may be operated, but not marketed, for the following purposes and under the following conditions:

- (i) *Compliance testing;*
- (ii) Demonstrations at a trade show provided the notice contained in paragraph (c) of this section is displayed in a conspicuous location on, or immediately adjacent to, the device;
- (iii) Demonstrations at an exhibition conducted at a business, commercial, industrial, scientific or medical location, but excluding locations in a residential environment, provided the notice contained in paragraphs (c) or (d) of this section, as appropriate, is displayed in a conspicuous location on, or immediately adjacent to, the device;
- (iv) Evaluation of product performance and determination of customer acceptability, provided such operation takes place at the manufacturer's facilities during developmental, design or pre-production stages; or
- (v) Evaluation of product performance and determination of customer acceptability where customer acceptability of a radio frequency device cannot be determined at the manufacturer's facilities because of size or unique capability of the device, provided the device is operated at a business, commercial, industrial, scientific or medical user's site, but not at a residential site, during the development, design or pre-production stages.

(e)(2) For the purpose of paragraphs (e)(1)(iv) and (e)(1)(v) of this section, the term *manufacturer's facilities* includes the facilities of the party responsible for compliance with the regulations and the manufacturer's premises, as well as the facilities of other entities working under the authorization of the responsible party in connection with the development and manufacture, but not the marketing, of the equipment.

(f) For radio frequency devices subject to verification and sold solely to business, commercial, industrial, scientific and medical users (excluding products sold to other parties or for operation in a residential environment), parties responsible for verification of the devices shall have the option of ensuring compliance with the applicable technical specifications of this chapter at each end user's location after installation, provided that the purchase or lease agreement includes a proviso that such a determination of compliance be made and is the responsibility of the party responsible for verification of the equipment.

Certification & User's Manual Information

The following is extracted from Title 47 of the Code of Federal Regulations, Part 2, Subpart J — Equipment Authorization Procedures:

§ 2.901 Basis and Purpose

- (a) In order to carry out its responsibilities under the Communications Act and the various treaties and international regulations, and in order to promote efficient use of the radio spectrum, the Commission has developed technical standards for radio frequency equipment and parts or components thereof. The technical standards applicable to individual types of equipment are found in that part of the rules governing the service wherein the equipment is to be operated.¹ *In addition to the technical standards provided, the rules governing the service may require that such equipment be verified by the manufacturer or importer,* be authorized under a Declaration of Conformity, or receive an equipment authorization from the Commission by one of the following procedures: certification or registration.
- (b) The following sections describe the verification procedure, the procedure for a Declaration of Conformity, and the procedures to be followed in obtaining certification from the Commission and the conditions attendant to such a grant.

§ 2.907 Certification.

- (a) Certification is an equipment authorization issued by the Commission, based on representation and test data submitted by the applicant.
- (b) Certification attaches to all units subsequently marketed by the grantee which are identical (see Section 2.908) to the sample tested except for permissive changes or other variations authorized by the Commission pursuant to Section 2.1043.

¹ In this case, the equipment is subject to the rules of Part 15. More specifically, the equipment falls under Subpart B (of Part 15), which deals with unintentional radiators.

Certification & User's Manual Information

§ 2.948 Description of measurement facilities.

(a) Each party making measurements of equipment that is subject to an equipment authorization under Part 15 or Part 18 of this chapter, regardless of whether the measurements are filed with the Commission or kept on file by the party responsible for compliance of equipment marketed within the U.S. or its possessions, shall compile a description of the measurement facilities employed.

(1) If the measured equipment is subject to the verification procedure, the description of the measurement facilities shall be retained by the party responsible for verification of the equipment.

(i) *If the equipment is verified through measurements performed by an independent laboratory, it is acceptable for the party responsible for verification of the equipment to rely upon the description of the measurement facilities retained by or placed on file with the Commission by that laboratory. In this situation, the party responsible for the verification of the equipment is not required to retain a duplicate copy of the description of the measurement facilities.*

(ii) If the equipment is verified based on measurements performed at the installation site of the equipment, no specific site calibration data is required. It is acceptable to retain the description of the measurement facilities at the site at which the measurements were performed.

(2) If the equipment is to be authorized by the Commission under the certification procedure, the description of the measurement facilities shall be filed with the Commission's Laboratory in Columbia, Maryland. The data describing the measurement facilities need only be filed once but must be updated as changes are made to the measurement facilities or as otherwise described in this section. At least every three years, the organization responsible for filing the data with the Commission shall certify that the data on file is current.

Certification & User's Manual Information

1. Label and User's Manual Information

The following is extracted from Title 47 of the Code of Federal Regulations, Part 15, Subpart A — General:

§ 15.19 Labeling requirements.

(a) *In addition to the requirements in Part 2 of this chapter, a device subject to certification or verification shall be labeled as follows:*

(1) Receivers associated with the operation of a licensed radio service, e.g., FM broadcast under Part 73 of this chapter, land mobile operation under Part 90, etc., shall bear the following statement in a conspicuous location on the device:

This device complies with Part 15 of the FCC Rules. Operation is subject to the condition that this device does not cause harmful interference.

(2) A stand-alone cable input selector switch, shall bear the following statement in a conspicuous location on the device:

This device is verified to comply with Part 15 of the FCC Rules for use with cable television service.

(3) All other devices shall bear the following statement in a conspicuous location on the device:

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

(4) Where a device is constructed in two or more sections connected by wires and marketed together, the statement specified under paragraph (a) of this section is required to be affixed only to the main control unit.

(5) When the device is so small or for such use that it is not practicable to place the statement specified under paragraph (a) of this section on it, the information required by this paragraph shall be placed in a prominent location in the instruction manual or pamphlet supplied to the user or, alternatively, shall be placed on the container in which the device is marketed. However, the FCC identifier or the unique identifier, as appropriate, must be displayed on the device.

§ 15.21 Information to user.

The users manual or instruction manual for an intentional or unintentional radiator shall caution the user that changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Verification & User's Manual Information

The following is extracted from Title 47 of the Code of Federal Regulations, Part 15, Subpart B — Unintentional Radiators:

§ 15.105 Information to the user.

(a) For a Class A digital device or peripheral, the instructions furnished the user shall include the following or similar statement, placed in a prominent location in the text of the manual:

Note: This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a commercial environment. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instruction manual, may cause harmful interference to radio communications. Operation of this equipment in a residential area is likely to cause harmful interference in which case the user will be required to correct the interference at own expense.

(b) For a Class B digital device or peripheral, the instructions furnished the user shall include the following or similar statement, placed in a prominent location in the text of the manual:

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a residential environment. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instruction manual, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

ICES-003 Procedural & Labeling Requirements

From the Industry Canada Electromagnetic Compatibility Advisory Bulletin entitled, "Implementation and Interpretation of the Interference-Causing Equipment Standard for Digital Apparatus, ICES-003" (EMCAB-3, Issue 2, July 1995):

"At present, CISPR 22: 2002 and ICES technical requirements are essentially equivalent. Therefore, if you have CISPR 22: 2002 approval by meeting CISPR Publication 22, the only additional requirements are: to attach a note to the report of the test results for compliance, indicating that these results are deemed satisfactory evidence of compliance with ICES-003 of the Canadian Interference-Causing Equipment Regulations; to maintain these records on file for the requisite five year period; and to provide the device with a notice of compliance in accordance with ICES-003."

Procedural Requirements:

According to Industry Canada's Interference Causing Equipment Standard for Digital Apparatus ICES-003 Issue 4, February 2004:

Section 6.1: A record of the measurements and results, showing the date that the measurements were completed, shall be retained by the manufacturer or importer for a period of at least five years from the date shown in the record and made available for examination on the request of the Minister.

Section 6.2: A written notice indicating compliance must accompany each unit of digital apparatus to the end user. The notice shall be in the form of a label that is affixed to the apparatus. Where because of insufficient space or other constraints it is not feasible to affix a label to the apparatus, the notice may be in the form of a statement in the user's manual.

Labeling Requirements:

The suggested text for the notice, in English and in French, is provided below, from the Annex of ICES-003:

This Class ^[2] digital apparatus complies with Canadian ICES-003.

Cet appareil numérique de la classe ^[1] est conforme à la norme NMB-003 du Canada.

² Insert either A or B but not both as appropriate for the equipment requirements.

End of Report