External PHOTO:

Model: YU6

kanto
YU6
Right Channel In
Impedance: 6 Ohms
Serial Number
R
RCA
L
AUX
Sub Out
OPT1
OPT2
Phono
Line
RCA
GND
Right Channel Out
USB Charge
5V / 1000mA
kanto
YU6
FCC ID: QKH-KANTOYU6
IC: 10678A-KANTOYU6
100-240V ~ 50/60 Hz
Max Power Consumption 120W
ON
OFF
POWER
WARNING / ADVERTISMENT







Serial Number
RoHS COMPLIANT
TÜV SÜD
C US
R
RCA
L
AUX
Sub Out
OPT1
OPT2
Phono Line
RCA
GND
Right Channel Out
USB Charge
5V / 1000mA
kanto
YU6
This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation
FCC ID: QKH-KANTOYU6
IC: 10678A-KANTOYU6
100-240V ~ 50/60 Hz
Max Power Consumption 120W
ON
OFF
POWER
WARNING / ADVERTISSMENT
RISK OF ELECTRIC SHOCK. DO NOT OPEN
RISQUE DE CHOC ÉLECTRIQUE. NE PAS OUVRIR.
www.kantoaudio.com
Designed in Canada
Made in China