Report No.: 06149191
Charging & Headset
Online Mode
Adaptor's AC Port

Tested By:Hong, Report No.:06149191
Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement: x QP / + AV
Meas Time: 1 s
Subranges: 16
Acc Margin: 20dB

Transducer No.	Start	Stop	Name
2	1	9k	30M	EW0699
12	9k	30M	EW0192



Ctrl No.: N/A

Tested By:Hong, Report No.:06149191

Scan Settings (1 Range)

|--------- Frequencies ----------||---------- Receiver Settings ----------|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency MHz	QP Level dBuV	QP Limit dBuV
0.29000	48.0	60.6
0.30000	49.8	60.2
0.59000	47.7	56.0
0.90000	44.0	56.0
1.21000	39.9	56.0
1.73000	32.1	56.0
2.66000	33.4	56.0
3.03500	30.2	56.0
4.50500	23.5	56.0

Frequency MHz	AV Level dBuV	AV Limit dBuV
0.29500	35.0	50.3
0.59500	31.0	46.0

*** limit**

Report No.: 06149191
Charging & Headset
Online Mode
Notebook's AC Port

Tested By:Hong, Report No.:06149191
Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement: x QP / + AV
Meas Time: 1 s
Subranges: 16
Acc Margin: 20dB

Transducer No.	Start	Stop	Name
2 1	9k	30M	EW0699
12	9k	30M	EW0192



Ctrl No.: N/A

Tested By:Hong, Report No.:06149191

Scan Settings (1 Range)

|--------- Frequencies ----------||---------- Receiver Settings ----------|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency MHz	QP Level dBuV	QP Limit dBuV
0.21000	43.8	63.2

Frequency MHz	AV Level dBuV	AV Limit dBuV
0.60000	26.9	46.0

*** limit exceeded**