

TEST RESULTS

Radiated Emissions Measurement

EUT	Personal Computer / Casper Alfa (SN:N/A)
Limit apply to	15.33(b) (1)
Test Date	September 10, 2002
Operating Condition	“ H ” Pattern display & Printing
Environment Condition	Humidity Level : 41 %RH, Temperature : 25
Result	Passed by dB

Radiated Emission Test Data

The following table shows the highest levels of radiated emissions on both polarization of horizontal and vertical.

Detector mode : CISPR Quasi-Peak mode (6dB Bandwidth : 120 kHz)

Measurement Distance : 10 meters

	Frequency [MHz]	Reading [dB μ V]	Polarization (*H/**V)	Ant. Factor [dB]	Cable Loss [dB]	EmissionLevel [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]
Fundamental	2000	-	-	-	-	-	-	-
2th Hormonic	4000	-	-	-	-	-	-	-
3th Hormonic	8000	-	-	-	-	-	-	-
4th Hormonic	10000	-	-	-	-	-	-	-

NOTES :

1. * H : Horizontal polarization , ** V : Vertical polarization
2. Emission Level = Reading + Antenna factor + Cable loss
3. Margin value = Limit - Emission Level
4. **No signal Detected**
5. The measurement was performed for the frequency range 1000MHz ~ 10000MHz according to the 15.33 (b) (1)



Test Engineer : C. S. Kim