


Appendix B

RF Power Output




Marker 1 [T1] RBW 3 MHz RF Att 50 dB
Ref Lvl 28.95 dBm VBW 3 MHz
36.5 dBm 1.85023006 GHz SWT 5 ms Unit dBm



Title: Output Power conducted Channel 512
Comment A: Followit MRS
Date: 30.AUG.2002 15:12:23




Marker 1 [T1] RBW 3 MHz RF Att 50 dB
Ref Lvl 28.33 dBm VBW 3 MHz
36.5 dBm 1.87990982 GHz SWT 5 ms Unit dBm



Title: Output Power conducted Channel 661
Comment A: Followit MRS
Date: 30.AUG.2002 15:14:04



Marker 1 [T1] RBW 3 MHz RF Att 50 dB
Ref Lvl 28.58 dBm VBW 3 MHz
36.5 dBm 1.90983006 GHz SWT 5 ms Unit dBm




Title: Output Power conducted Channel 810
Comment A: Followit MRS
Date: 30.AUG.2002 15:15:19

Appendix C

Radiated Power


Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
Approval Holder: Followit AB
Channel 512
Operating Condition: Tnom:23°C / Unom: 12 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: BBHA2190D
Comment 2: Freq: 1.849GHz, Pmax: 18.61dBm, RBW: 3MHz




Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
Approval Holder: Followit AB
Channel 512
Operating Condition: Tnom:23°C / Unom: 12 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: BBHA2190D
Comment 2: Freq: 1.849GHz, Pmax: 17.82dBm, RBW: 3MHz




Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
Approval Holder: Followit AB
Channel 661
Operating Condition: Tnom: 23°C / Unom: 12 V DC
Test Site / Operator: ETS / Mr. F. Schulz
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: BBHA2190D
Comment 2: Freq: 1.880GHz, Pmax: 17.91dBm, RBW: 3MHz




Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
Approval Holder: Followit AB
Channel 661
Operating Condition: Tnom:23°C / Unom: 12 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: BBHA2190D
Comment 2: Freq: 1.878GHz, Pmax: 19.00dBm, RBW: 3MHz




Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
Approval Holder: Followit AB
Channel 810
Operating Condition: Tnom: 23°C / Unom: 12 V DC
Test Site / Operator: ETS / Mr. F. Schulz
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: BBHA2190D
Comment 2: Freq: 1.910GHz, Pmax: 18.77dBm, RBW: 3MHz



Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
Approval Holder: Followit AB
Channel 810
Operating Condition: Tnom: 23°C / Unom: 12 V DC
Test Site / Operator: ETS / Mr. F. Schulz
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: BBHA2190D
Comment 2: Freq: 1.909GHz, Pmax: 19.29dBm, RBW: 3MHz




Appendix D

Occupied Bandwidth




Marker 1 [T1] RBW 3 kHz RF Att 50 dB
Ref Lvl 21.89 dBm VBW 3 kHz
36.5 dBm 1.85020100 GHz SWT 280 ms Unit dBm



Title: Occupied Bandwidth Channel 512
Comment A: Followit MRS
Date: 30.AUG.2002 15:09:38




Marker 1 [T1] RBW 3 kHz RF Att 60 dB
Ref Lvl 21.70 dBm VSW 3 kHz
37 dBm 1.87998497 GHz SWT 280 ms Unit dBm



Title: Occupied Bandwidth Channel 661
Comment A: Followit MRS
Date: 30.AUG.2002 14:25:06




Marker 1 [T1] RBW 3 kHz RF Att 60 dB
Ref Lvl 20.93 dBm VBW 3 kHz
37 dBm 1.90978497 GHz SWT 280 ms Unit dBm



Title: Occupied Bandwidth Channel 810
Comment A: Followit MRS
Date: 30.AUG.2002 14:46:00




Marker 1 [T1 ndB] RBW 3 kHz RF Att 60 dB
Ref Lvl ndB 26.00 dB VSW 3 kHz
37 dBm BW 314.62925852 kHz SWT 280 ms Unit dBm



Title: -26 dBc Bandwidth Channel 512
Comment A: Followit MRS
Date: 30.AUG.2002 14:38:28




Marker 1 [T1 ndB] RBW 3 kHz RF Att 60 dB
Ref Lvl ndB 26.00 dB VSW 3 kHz
37 dBm BW 324.64929860 kHz SWT 280 ms Unit dBm



Title: - 26dBc Bandwidth Channel 661
Comment A: Followit MRS
Date: 30.AUG.2002 14:23:36



Marker 1 [T1 ndB] RBW 3 kHz RF Att 60 dB
Ref Lvl ndB 26.00 dB VSW 3 kHz
37 dBm BW 318.63727455 kHz SWT 280 ms Unit dBm




Title: -26 dBc Bandwidth Channel 810
Comment A: Followit MRS
Date: 30.AUG.2002 14:42:20

Appendix E

Field Strenght of Spurious Radiation


Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
Approval Holder: Followit AB
Channel 512
Operating Condition: Tnom: 23°C / Unom: 12 V DC
Test Site / Operator: ETS / Mr. F. Schulz
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 165.932MHz, Pmax: -47.37dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
 Approval Holder: Followit AB
 Channel 512
 Operating Condition: Tnom:23°C / Unom: 12 V DC
 Test Site / Operator: ETS / Mr. F.Schulz
 Test Specification: according to §24.238
 Comment 1: Dist.: 3m, Ant.: HK 116
 Comment 2: Freq: 51.463MHz, Pmax: -49.91dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
Approval Holder: Followit AB
Channel 512
Operating Condition: Tnom: 23°C / Unom: 12 V DC
Test Site / Operator: ETS / Mr. F. Schulz
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 945.491MHz, Pmax: -36.24dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
Approval Holder: Followit AB
Channel 512
Operating Condition: Tnom:23°C / Unom: 12 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 822.044MHz, Pmax: -35.22dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
Approval Holder: Followit AB
Channel 512
Operating Condition: Tnom: 23°C / Unom: 12 V DC
Test Site / Operator: ETS / Mr. F. Schulz
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: BBHA2190D
Comment 2: Freq: 1.850GHz, Pmax: -17.51dBm, RBW: 1MHz/20kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
Approval Holder: Followit AB
Channel 512
Operating Condition: Tnom:23°C / Unom: 12 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: BBHA2190D
Comment 2: Freq: 1.850GHz, Pmax: -13.20dBm, RBW: 1MHz/20kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
Approval Holder: Followit AB
Channel 512
Operating Condition: Tnom:23°C / Unom: 12 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 7.407GHz, Pmax: -31.69dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
 Approval Holder: Followit AB
 Channel 512
 Operating Condition: Tnom:23°C / Unom: 12 V DC
 Test Site / Operator: ETS / Mr. F.Schulz
 Test Specification: according to §24.238
 Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
 Comment 2: Freq: 5.547GHz, Pmax: -34.64dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
Approval Holder: Followit AB
Channel 512
Operating Condition: Tnom: 23°C / Unom: 12 V DC
Test Site / Operator: ETS / Mr. F. Schulz
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 11.102GHz, Pmax: -32.97dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
Approval Holder: Followit AB
Channel 512
Operating Condition: Tnom:23°C / Unom: 12 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 11.102GHz, Pmax: -34.53dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
Approval Holder: Followit AB
Channel 512
Operating Condition: Tnom: 23°C / Unom: 12 V DC
Test Site / Operator: ETS / Mr. F. Schulz
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 14.806GHz, Pmax: -32.30dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
Approval Holder: Followit AB
Channel 512
Operating Condition: Tnom: 23°C / Unom: 12 V DC
Test Site / Operator: ETS / Mr. F. Schulz
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 14.645GHz, Pmax: -35.64dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
Approval Holder: Followit AB
Channel 512
Operating Condition: Tnom:23°C / Unom: 12 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 25.872GHz, Pmax: -20.22dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
Approval Holder: Followit AB
Channel 512
Operating Condition: Tnom:23°C / Unom: 12 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 22.502GHz, Pmax: -16.11dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
Approval Holder: Followit AB
Channel 661
Operating Condition: Tnom:23°C / Unom: 12 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 157.074MHz, Pmax: -46.68dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
Approval Holder: Followit AB
Channel 661
Operating Condition: Tnom:23°C / Unom: 12 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 32.725MHz, Pmax: -49.69dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
Approval Holder: Followit AB
Channel 661
Operating Condition: Tnom: 23°C / Unom: 12 V DC
Test Site / Operator: ETS / Mr. F. Schulz
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 971.142MHz, Pmax: -35.99dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
Approval Holder: Followit AB
Channel 661
Operating Condition: Tnom:23°C / Unom: 12 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 818.838MHz, Pmax: -35.64dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
Approval Holder: Followit AB
Channel 661
Operating Condition: Tnom:23°C / Unom: 12 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: BBHA2190D
Comment 2: Freq: 2.807GHz, Pmax: -22.87dBm, RBW: 1MHz/20kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
Approval Holder: Followit AB
Channel 661
Operating Condition: Tnom:23°C / Unom: 12 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: BBHA2190D
Comment 2: Freq: 3.916GHz, Pmax: -22.60dBm, RBW: 1MHz/20kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
Approval Holder: Followit AB
Channel 661
Operating Condition: Tnom: 23°C / Unom: 12 V DC
Test Site / Operator: ETS / Mr. F. Schulz
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 7.527GHz, Pmax: -32.22dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
Approval Holder: Followit AB
Channel 661
Operating Condition: Tnom:23°C / Unom: 12 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 5.635GHz, Pmax: -35.98dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
Approval Holder: Followit AB
Channel 661
Operating Condition: Tnom:23°C / Unom: 12 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 11.287GHz, Pmax: -32.56dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
Approval Holder: Followit AB
Channel 661
Operating Condition: Tnom:23°C / Unom: 12 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 11.287GHz, Pmax: -33.27dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
Approval Holder: Followit AB
Channel 661
Operating Condition: Tnom:23°C / Unom: 12 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 13.162GHz, Pmax: -34.31dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
Approval Holder: Followit AB
Channel 661
Operating Condition: Tnom:23°C / Unom: 12 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 14.946GHz, Pmax: -35.86dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
Approval Holder: Followit AB
Channel 661
Operating Condition: Tnom:23°C / Unom: 12 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 25.853GHz, Pmax: -19.29dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
Approval Holder: Followit AB
Channel 661
Operating Condition: Tnom: 23°C / Unom: 12 V DC
Test Site / Operator: ETS / Mr. F. Schulz
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 22.502GHz, Pmax: -15.70dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
Approval Holder: Followit AB
Channel 810
Operating Condition: Tnom:23°C / Unom: 12 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 159.800MHz, Pmax: -46.88dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
Approval Holder: Followit AB
Channel 810
Operating Condition: Tnom:23°C / Unom: 12 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 159.118MHz, Pmax: -49.87dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
Approval Holder: Followit AB
Channel 810
Operating Condition: Tnom:23°C / Unom: 12 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 903.808MHz, Pmax: -36.16dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
Approval Holder: Followit AB
Channel 810
Operating Condition: Tnom:23°C / Unom: 12 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 818.838MHz, Pmax: -34.73dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
Approval Holder: Followit AB
Channel 810
Operating Condition: Tnom:23°C / Unom: 12 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: BBHA2190D
Comment 2: Freq: 2.797GHz, Pmax: -23.01dBm, RBW: 1MHz/20kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
Approval Holder: Followit AB
Channel 810
Operating Condition: Tnom:23°C / Unom: 12 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: BBHA2190D
Comment 2: Freq: 3.921GHz, Pmax: -23.15dBm, RBW: 1MHz/20kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
Approval Holder: Followit AB
Channel 810
Operating Condition: Tnom:23°C / Unom: 12 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 5.731GHz, Pmax: -30.02dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
Approval Holder: Followit AB
Channel 810
Operating Condition: Tnom: 23°C / Unom: 12 V DC
Test Site / Operator: ETS / Mr. F. Schulz
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 7.639GHz, Pmax: -33.38dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
Approval Holder: Followit AB
Channel 810
Operating Condition: Tnom: 23°C / Unom: 12 V DC
Test Site / Operator: ETS / Mr. F. Schulz
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 11.463GHz, Pmax: -33.41dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
Approval Holder: Followit AB
Channel 810
Operating Condition: Tnom:23°C / Unom: 12 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 11.463GHz, Pmax: -35.99dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
Approval Holder: Followit AB
Channel 810
Operating Condition: Tnom: 23°C / Unom: 12 V DC
Test Site / Operator: ETS / Mr. F. Schulz
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 13.363GHz, Pmax: -34.57dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
Approval Holder: Followit AB
Channel 810
Operating Condition: Tnom: 23°C / Unom: 12 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 14.585GHz, Pmax: -35.81dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
Approval Holder: Followit AB
Channel 810
Operating Condition: Tnom: 23°C / Unom: 12 V DC
Test Site / Operator: ETS / Mr. F. Schulz
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 25.891GHz, Pmax: -19.72dBm, RBW: 1MHz



Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
Approval Holder: Followit AB
Channel 810
Operating Condition: Tnom: 23°C / Unom: 12 V DC
Test Site / Operator: ETS / Mr. F. Schulz
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 22.502GHz, Pmax: -15.92dBm, RBW: 1MHz



Appendix F

Line Conducted Emissions

No test

Appendix G

Frequency Stability vs. Temperature

No diagrams

Refer to point 9.2

Appendix H

Frequency Stability vs. Voltage

No diagrams

Refer to point 10.2