



Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
Approval Holder: Followit
Channel 512
Test Site / Operator: ETS / Mr. F.Schulz
Temperature/ Voltage: 23°C / Unom : 12 V DC
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 1.850GHz, Pmax: 19.76dBm, RBW: 3MHz




Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
Approval Holder: Followit
Channel 512
Test Site / Operator: ETS / Mr. F.Schulz
Temperature/ Voltage: 23°C / Unom : 12 V DC
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 1.850GHz, Pmax: 19.76dBm, RBW: 3MHz




Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
Approval Holder: Followit
Channel 512
Test Site / Operator: ETS / Mr. F.Schulz
Temperature/ Voltage: 23°C / Unom : 12 V DC
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 1.851GHz, Pmax: 26.88dBm, RBW: 3MHz




Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
Approval Holder: Followit
Channel 512
Test Site / Operator: ETS / Mr. F.Schulz
Temperature/ Voltage: 23°C / Unom : 12 V DC
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 1.851GHz, Pmax: 26.88dBm, RBW: 3MHz




Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
Approval Holder: Followit
Channel 810
Test Site / Operator: ETS / Mr. F.Schulz
Temperature/ Voltage: 23°C / Unom : 12 V DC
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 1.910GHz, Pmax: 20.22dBm, RBW: 3MHz




Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
Approval Holder: Followit
Channel 810
Test Site / Operator: ETS / Mr. F.Schulz
Temperature/ Voltage: 23°C / Unom : 12 V DC
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 1.910GHz, Pmax: 20.22dBm, RBW: 3MHz



Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
Approval Holder: Followit
Channel 810
Test Site / Operator: ETS / Mr. F.Schulz
Temperature/ Voltage: 23°C / Unom : 12 V DC
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 1.910GHz, Pmax: 25.56dBm, RBW: 3MHz



Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E

EUT / Model: MRS
Approval Holder: Followit
Channel 810
Test Site / Operator: ETS / Mr. F.Schulz
Temperature/ Voltage: 23°C / Unom : 12 V DC
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 1.910GHz, Pmax: 25.56dBm, RBW: 3MHz

