




2-928 MHz)
ader Module

1510AE-RM

S/N: 041213-0198

dim

APPLIED WIRELESS ID

10 - Input2
9 - Out2
8 - Out1
7 - 6-12 VD
6 - 6-12 VE
Ground

TEKCON

UP
1990

3

- 10 - Input2
- 9 - Output
- 8 - 6-12 VDC
- 7 - 6-12 VDC
- 6 - Ground
- 5 - Input1 (ENB)
- 4 - RS-232 Tx
- 3 - RS-232 Rx
- 2 - Ground
- 1 - Ground

UHF (902-928 MHz)
RFID Reader Module

P/N: MPR-1510AE-RM
REV: E S/N: 041213-0198


awip
APPLIED WIRELESS ID

- 10 - Input2
- 9 - Out2
- 8 - Out1
- 7 - 6-12 VDC
- 6 - 6-12 VDC
- 5 - Ground
- 4 - Input1 (ENB)
- 3 - RS-232 Tx
- 2 - RS-232 Rx
- 1 - Ground

UHF (902-928 MHz)
RFID Reader Module

PIN: MPR-1502EN
REV. E. SN: 100000

AWID
RFID READER MODULE



UHF (902-928 MHz)
RFID Reader Module

P/N: MPR-1510AE-RM
REV. E S/N: 041213-0198

awip
APPLIED WIRELESS ID

10 - Input2
9 - Out2
8 - Out1
7 - 6-12 VDC
6 - 6-12 VDC
5 - Ground
4 - Input1 (ENB)
3 - RS-232 Tx
2 - RS-232 Rx
1 - Ground

**UHF (902-928 MHz)
RFID Reader Module**

P/N: MPR-1510AE-RM
REV: E S/N: 041213-0198

awip
APPLIED WIRELESS ID

10 - Input2
11 - Out2
12 - Out1
13 - 0-12 VDC
14 - 0-12 VDC
15 - Ground
16 - Input1 (EMB)
17 - RS-232 Tx
18 - RS-232 Rx
19 - Ground