


厦门通士达照明有限公司灯印文件

产品描述	货号	1	2	备注
TSZ9A19-LD001,DIM, A19+WIFI智能彩灯 ,9W, RGBCW ,E26,200°,120V,25Kh, Lumileds+易美光电 ,乳 白 ,,,RoHS,,ETL,FCCID,ICID, 1/BX,TZ,JS51337E,51337	JS51337E	<p style="text-align: center;">enbrighten®</p> <p>SKU: 51337 Model: WFD7101 120VAC 60Hz 9W 125mA 800lm RGBCW Made in China Datecode</p> <p>SUITABLE FOR DAMP LOCATIONS DO NOT USE WITH STANDARD DIMMERS, SEE INSTRUCTIONS. NOT FOR USE IN TOTALLY ENCLOSED LUMINAIRES CONVIENT AUX EMPLACEMENTS HUMIDES NE PAS UTILISER AVEC DES GRADATEURS STANDARD. SE REPORTER AUX INSTRUCTIONS NE CONVIENT PAS À DES LUMINAIRES TOTALEMENT FERMÉS</p>	 <p>Intertek 5008098 FCC ID:Q0B-WFDAB IC:6924A-WFDAB CONFORMS TO UL STD.1993 CERTIFIED TO CSA STD. C22.2#1993</p>	A

备注Remark:

1.激光打标 laser engraving


2.Datecode格式为YYWW 年周: 如2021年8月1日生产2021年32周, 则为: 2132;

The Datecode format of item 2 is YYWW:YEAR WEEK. If it is produced on 1th August, 2021, it is 2132;


3.第1项要求5PT字号, 字高1.3MM,字体 ARIAL BOLD;Item 1 requires 5PT font size, font height 1.3MM, font ARIAL BOLD;

4.第2项ETL 字体大小如下图要求: Item 2 ETL font size is required as shown in the figure below:

5,具体排版字体大小参考下图: The typesetting and font size are as follows



厦门通士达照明有限公司灯印文件

产品描述	货号	1	2	3	备注
TSZ9BR30-LD001,DIM, BR30 WIFI智能彩灯 ,9W, RGBCW ,E26,110°,120V,25Kh , Lumileds+易美光电 ,乳白 ,,,RoHS,,ETL,FCCID,ICID, 1/BX,TZ,JS51340E,51340	JS51340E	enbrighten® SKU: 51340 Model: WFD7102 120VAC 60Hz 9W 125mA 800lm RGBCW Made in China Datecode	SUITABLE FOR DAMP LOCATIONS DO NOT USE WITH STANDARD DIMMERS, SEE INSTRUCTIONS. NOT FOR USE IN TOTALLY ENCLOSED LUMINAIRES CONVIENT AUX EMPLACEMENTS HUMIDES NE PAS UTILISER AVEC DES GRADATEURS STANDARD. SE REPORTER AUX INSTRUCTIONS NE CONVIENT PAS À DES LUMINAIRES TOTALEMENT FERMÉS	 Intertek 5008098 FCC ID:Q08-WFDAB IC:6924A-WFDAB CONFORMS TO UL STD.1993 CERTIFIED TO CSA STD. C22.2#1993	A

备注Remark:

1.激光打标 laser engraving

2.第1项的Datecode格式为YYWW 年周: 如2021年8月1日生产2021年32周, 则为: 2132;

The Datecode format of item 2 is YYWW:YEAR WEEK. If it is produced on 1th August, 2021, it is 2132;



4.第2项要求5PT字号, 字高1.3MM,字体 ARIAL BOLD;Item 2 requires 5PT font size, font height 1.3MM, font ARIAL BOLD;

5.第3项ETL 字体大小如下图要求: Item 3 ETL font size is required as shown in the figure below:

6.具体排版字体大小参考下图: The typesetting and font size are as follows



厦门通士达照明有限公司灯印文件

产品描述	货号	1	2	备注
TSZ9A19-LD004,DIM, A19+WIFI智能调光调色 灯 ,9W,2700K-6500K,E26,2 00°,120V,25Kh,Lumileds ,乳白 ,,,RoHS,,ETL,FCCID,ICID, 1/BX,TZ, JS51443U,51443	JS51443U	 <p> UltraPro™ SKU: 51443 Model: WFD7104 120VAC 60Hz 9W 125mA 800lm 2700K-6500K Made in China Datecode SUITABLE FOR DAMP LOCATIONS DO NOT USE WITH STANDARD DIMMERS, SEE INSTRUCTIONS. NOT FOR USE IN TOTALLY ENCLOSED LUMINAIRES CONVIENT AUX EMPLACEMENTS HUMIDES NE PAS UTILISER AVEC DES GRADATEURS STANDARD. SE REPORTER AUX INSTRUCTIONS NE CONVIENT PAS À DES LUMINAIRES TOTALEMENT FERMÉS </p>	 <p> ETL LISTED US Intertek 5008098 FCC ID:Q0B-WFDAB IC:6924A-WFDAB CONFORMS TO UL STD.1993 CERTIFIED TO CSA STD. C22.2#1993 </p>	A

备注Remark:

1.激光打标 laser engraving


2.Datecode格式为YYWW 年周: 如2021年8月1日生产2021年32周, 则为: 2132;

The Datecode format of item 2 is YYWW:YEAR WEEK. If it is produced on 1th August, 2021, it is 2132;


3.第1项要求5PT字号, 字高1.3MM,字体 ARIAL BOLD;Item 1 requires 5PT font size, font height 1.3MM, font ARIAL BOLD;

4.第2项ETL 字体大小如下图要求: Item 2 ETL font size is required as shown in the figure below:

5,具体排版字体大小参考下图: The typesetting and font size are as follows



厦门通士达照明有限公司灯印文件

产品描述	货号	1	2	3	备注
TSZ9BR30-LD003,DIM, BR30 WIFI智能调光调色灯 9W,2700K-6500K,E26,10°,120V,25Kh,Lumileds乳白 ,,,RoHS,,ETL,FCCID,ICID,1/BX,TZ,JS51339E,51339	JS51339E	enbrighten® SKU: 51339 Model: WFD7105 120VAC 60Hz 9W 125mA 800lm 2700K-6500K Made in China Datecode	SUITABLE FOR DAMP LOCATIONS DO NOT USE WITH STANDARD DIMMERS, SEE INSTRUCTIONS. NOT FOR USE IN TOTALLY ENCLOSED LUMINAIRES CONVIENT AUX EMPLACEMENTS HUMIDES NE PAS UTILISER AVEC DES GRADATEURS STANDARD. SE REPORTER AUX INSTRUCTIONS NE CONVIENT PAS À DES LUMINAIRES TOTALEMENT FERMÉS	 Intertek 5008098 FCC ID: Q08-WFDAB IC: 6924A-WFDAB CONFORMS TO UL STD.1993 CERTIFIED TO CSA STD. C22.2#1993	A

备注Remark:

1.激光打标 laser engraving

2.第1项的Datecode格式为YYWW 年周: 如2021年8月1日生产2021年32周, 则为: 2132;

The Datecode format of item 2 is YYWW:YEAR WEEK. If it is produced on 1th August, 2021, it is 2132;


4.第2项要求5PT字号, 字高1.3MM,字体 ARIAL BOLD;Item 2 requires 5PT font size, font height 1.3MM, font ARIAL BOLD;

5.第3项ETL 字体大小如下图要求: Item 3 ETL font size is required as shown in the figure below:

6.具体排版字体大小参考下图: The typesetting and font size are as follows



厦门通士达照明有限公司灯印文件

产品描述	货号	1	2	备注
TSZ9A19-LD005,DIM,A1 9+WIFI智能调光灯 ,9W,2700K,E26,200°,120 V,25Kh,Lumileds,乳白 ,,RoHS,,ETL,FCCID,ICID, 1/BX,TZ,JS51335E,51335	JS51335E	<p>enbrighten®</p> <p>SKU: 51335 Model: WFD7106 120VAC 60Hz 9W 125mA 800lm 2700K Warm White Made in China Datecode</p> <p>SUITABLE FOR DAMP LOCATIONS DO NOT USE WITH STANDARD DIMMERS, SEE INSTRUCTIONS. NOT FOR USE IN TOTALLY ENCLOSED LUMINAIRES CONVIENT AUX EMPLACEMENTS HUMIDES NE PAS UTILISER AVEC DES GRADATEURS STANDARD. SE REPORTER AUX INSTRUCTIONS NE CONVIENT PAS À DES LUMINAIRES TOTALEMENT FERMÉS</p>	 <p>Intertek 5008098 FCC ID:Q0B-WFDAB IC:6924A-WFDAB CONFORMS TO UL STD.1993 CERTIFIED TO CSA STD. C22.2#1993</p>	A

备注Remark:

1.激光打标 laser engraving


2.Datecode格式为YYWW 年周: 如2021年8月1日生产2021年32周, 则为: 2132;

The Datecode format of item 2 is YYWW:YEAR WEEK. If it is produced on 1th August, 2021, it is 2132;


3.第1项要求5PT字号, 字高1.3MM,字体 ARIAL BOLD;Item 1 requires 5PT font size, font height 1.3MM, font ARIAL BOLD;

4.第2项ETL 字体大小如下图要求: Item 2 ETL font size is required as shown in the figure below:

5,具体排版字体大小参考下图: The typesetting and font size are as follows



厦门通士达照明有限公司灯印文件

产品描述	货号	1	2	3	备注
TSZ9BR30-LD005,DIM, BR30 WIFI智能调光灯,9W,2700K,E26,110°,120V,25Kh,Lumileds,乳白,,,RoHS,,ETL,FCCID,ICID,1/BX,TZ,JS51338E,51338	JS51338E	<p>enbrighten®</p> <p>SKU: 51338 Model: WFD7107 120VAC 60Hz 9W 125mA 800lm 2700K Warm White Made in China Datecode</p>	<p>SUITABLE FOR DAMP LOCATIONS DO NOT USE WITH STANDARD DIMMERS, SEE INSTRUCTIONS. NOT FOR USE IN TOTALLY ENCLOSED LUMINAIRES CONVIENT AUX EMPLACEMENTS HUMIDES NE PAS UTILISER AVEC DES GRADATEURS STANDARD. SE REPORTER AUX INSTRUCTIONS NE CONVIENT PAS À DES LUMINAIRES TOTALEMENT FERMÉS</p>	 <p>Intertek 5008098 FCC ID:Q08-WFDAB IC:6924A-WFDAB CONFORMS TO UL STD.1993 CERTIFIED TO CSA STD. C22.2#1993</p>	A

备注Remark:

1.激光打标 laser engraving

2.第1项的Datecode格式为YYWW 年周: 如2021年8月1日生产2021年32周, 则为: 2132;

The Datecode format of item 2 is YYWW:YEAR WEEK. If it is produced on 1th August, 2021, it is 2132;

4.第2项要求5PT字号, 字高1.3MM,字体 ARIAL BOLD;Item 2 requires 5PT font size, font height 1.3MM, font ARIAL BOLD;

5.第3项ETL 字体大小如下图要求: Item 3 ETL font size is required as shown in the figure below:

6.具体排版字体大小参考下图: The typesetting and font size are as follows

