

## **Profile:**

**BH939 is a Bluetooth 2.1 + EDR stereo headset with built-in microphone. This headset is volume adjustable, with last/next music pick up, pause function and 360 degree Omni direction microphone, built-in echo reduction circuits. The music would be paused automatically while phone call's coming in, and would be started again while you end the phone call, so you can enjoy your music at any moment.**

## **User Guide:**

### **1. Pairing:**

a. Keep press ►|| for 6-8s, the headset would search the other Bluetooth device automatically (Blue LED/Red LED flash by turns), then open Bluetooth function of mobile phone, choose to search a new Bluetooth device, when mobile

phone show model BH939, that means it has found the headset, choose to link the headset, input Bluetooth default password 0000, pairing succeed.

b. ►► for next song, ◀◀ for last song.

c. V+ , V- for volume adjust.

d. Press ►► for pause. Pause more than 50s, then the machine would power off automatically.

e. Keep press ►► to power off the headset.

f. When the headset is out of power, please connect the USB charging cable to the computer. When the machine is charged, red LED light up and would out after finishing charge.


## **2. Audio In:**

a. Power off the headset.

b. Plug one end of OD3.5 to OD3.5 audio cable in "AUDIO IN" OD3.5 jack of headset.

c. Plug the other end of this cable in OD3.5 jack of MP3, so that it can act as a wired headset.





## Stereo Headset Bluetooth

### Button Description:

▶▶ ON / OFF / Play / Pause, Keep press it to power on, continue to press it to enter pairing mode. When use the headphone listen to mobile phone music, press this button for play/pause. Press this button for communication when a call's coming in.

▶▶ Press this button for next song.

◀◀ Press this button for last song.

V+ Press this button to add the volume.

V- Press this button to lower the volume.

### Specification:

Static Current: Under 10UA

Working Current: Under 30mA

Working Voltage: 4.2V

Charge Current: 30mA-150mA (Red LED light up)

Headset Output Power: L 50mw, R 50mw (32Ω)



Battery Capacity: 330mAh 3.7V  
Charge Time: 3 hours  
Working Time: Above 8 hours  
Battery Life:  $\geq 500$  times rechargeable  
Available Distance:  $\geq 10\text{m}$  (Open and no block)  
Input Voltage: DC 5V/200mA  
Standby Time: Above 30 hours  
Support Bluetooth 2.1 version + EDR

### **Reliable Test:**

Test Condition, normal temperature ( $5-35^{\circ}\text{C}$ ), normal humidity (45-85%), normal pressure (860-1060mbar), temperature  $20\pm 2^{\circ}\text{C}$  relative humidity 60-70%, pressure is 860-1060mbar.

High Temperature Test: It is in normal condition after exposing at  $50^{\circ}\text{C}$  for 60 hours.

Low Temperature Test: It is in normal condition after exposing at  $-30^{\circ}\text{C}$  for 60 hours.

Humidity Test: It is in normal condition after exposing at  $30^{\circ}\text{C}$  95% for 60 hours.

Power Test: No difference after inputting 1mW noise for 48 hours .

### **Note:**

1. Don't expose product in high temperature or insulation place.
2. Don't keep discharge product for a long time, please charge it every 15 days at least.

### **Accessories:**

1. OD3.5 to OD3.5 black audio extending cable.
2. USB A to Mini USB 5Pin connector.

FCC statement:

This equipment has been tested and found to comply with the limits for a Class B digital device.

Pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one of the following measures:

Reorient or relocate the receiving antenna

Increase the separation between the equipment and receiver.

Connect the equipment into an outlet on a circuit different from that to which the receiver is connected

Consult the dealer or an experienced radio/TV technician for help.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions

(1) This device may not cause harmful interference, and

(2) this device must accept any interference received, including interference that may cause undesired operation.

FCC Caution: Any change or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions

(1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.