

APPENDIX

(Radiated Test Data at Semi-Anechoic Chamber)

Total Pages: 6



TAIWAN TOKIN EMC ENG. CORP.
台灣東金科技股份有限公司


No. 53-11, Tin-fu Tsun, Lin-kou Hsiang, Taipei County, Taiwan, R.O.C.
TEL: (02) 2609-9301, 26092133
FAX: (02) 2609-9303
E-Mail: ttemc@ttemc.com.tw



TAIWAN TOKIN EMC ENG. CORP.
台灣東金科技股份有限公司


No. 53-11, Tin-fu Tsun, Lin-kou Hsiang, Taipei County, Taiwan, R.O.C.
TEL: (02) 2609-9301, 26092133
FAX: (02) 2609-9303
E-Mail: ttemc@ttemc.com.tw

Data#: 19 File#: D:\G91713\晶達-G91713.EMI



Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m BBA9106(A3L) HORIZONTAL
ENVIRONMENT : 21°C/64%
EUT : THIN CLIENT SYSTEM, MINI PC M/N:TC300
POWER : 120V/60Hz
MEMO : 640*480/85Hz; 43KHz (25W)

Data#: 20 File#: D:\G91713\晶達-G91713.EMI



Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m BBA9106(A3L) VERTICAL
ENVIRONMENT : 21°C/64%
EUT : THIN CLIENT SYSTEM, MINI PC M/N:TC300
POWER : 120V/60Hz
MEMO : 640*480/85Hz; 43KHz (25W)



TAIWAN TOKIN EMC ENG. CORP.
台灣東金科技股份有限公司


No. 53-11, Tin-fu Tsun, Lin-kou Hsiang, Taipei County, Taiwan, R.O.C.
TEL: (02) 2609-9301, 26092133
FAX: (02) 2609-9303
E-Mail: ttemc@ttemc.com.tw



TAIWAN TOKIN EMC ENG. CORP.
台灣東金科技股份有限公司


No. 53-11, Tin-fu Tsun, Lin-kou Hsiang, Taipei County, Taiwan, R.O.C.
TEL: (02) 2609-9301, 26092133
FAX: (02) 2609-9303
E-Mail: ttemc@ttemc.com.tw

Data#: 18 File#: D:\G91713\晶達-G91713.EMI



Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALP 9108-A 0138 HORIZONTAL
ENVIRONMENT : 21°C/64%
EUT : THIN CLIENT SYSTEM, MINI PC M/N:TC300
POWER : 120V/60Hz
MEMO : 640*480/85Hz; 43KHz (25W)

Data#: 17 File#: D:\G91713\晶達-G91713.EMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALP 9108-A 0138 VERTICAL
ENVIRONMENT : 21°C/64%
EUT : THIN CLIENT SYSTEM, MINI PC M/N:TC300
POWER : 120V/60Hz
MEMO : 640*480/85Hz; 43KHz (25W)



TAIWAN TOKIN EMC ENG. CORP.
台灣東金科技股份有限公司

No. 53-11, Tin-fu Tsun, Lin-kou Hsiang, Taipei County, Taiwan, R.O.C.
TEL: (02) 2609-9301, 26092133
FAX: (02) 2609-9303
E-Mail: tiemc@tiemc.com.tw

Data#: 22 File#: D:\G91713\晶達-G91713.EMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m BBA9106(A3L) HORIZONTAL
ENVIRONMENT : 21°C/64%
EUT : THIN CLIENT SYSTEM, MINI PC M/N:TC300
POWER : 120V/60Hz
MEMO : 1280*1024/75Hz; 80KHz (25W)



TAIWAN TOKIN EMC ENG. CORP.
台灣東金科技股份有限公司

No. 53-11, Tin-fu Tsun, Lin-kou Hsiang, Taipei County, Taiwan, R.O.C.
TEL: (02) 2609-9301, 26092133
FAX: (02) 2609-9303
E-Mail: tiemc@tiemc.com.tw

Data#: 21 File#: D:\G91713\晶達-G91713.EMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m BBA9106(A3L) VERTICAL
ENVIRONMENT : 21°C/64%
EUT : THIN CLIENT SYSTEM, MINI PC M/N:TC300
POWER : 120V/60Hz
MEMO : 1280*1024/75Hz; 80KHz (25W)



TAIWAN TOKIN EMC ENG. CORP.
台灣東金科技股份有限公司

No. 53-11, Tin-fu Tsun, Lin-kou Hsiang, Taipei County, Taiwan, R.O.C.
TEL: (02) 2609-9301, 26092133
FAX: (02) 2609-9303
E-Mail: tiemc@tiemc.com.tw

Data#: 23 File#: D:\G91713\晶達-G91713.EMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALP 9108-A 0138 HORIZONTAL
ENVIRONMENT : 21°C/64%
EUT : THIN CLIENT SYSTEM, MINI PC M/N:TC300
POWER : 120V/60Hz
MEMO : 1280*1024/75Hz; 80KHz (25W)



TAIWAN TOKIN EMC ENG. CORP.
台灣東金科技股份有限公司

No. 53-11, Tin-fu Tsun, Lin-kou Hsiang, Taipei County, Taiwan, R.O.C.
TEL: (02) 2609-9301, 26092133
FAX: (02) 2609-9303
E-Mail: tiemc@tiemc.com.tw

Data#: 24 File#: D:\G91713\晶達-G91713.EMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALP 9108-A 0138 VERTICAL
ENVIRONMENT : 21°C/64%
EUT : THIN CLIENT SYSTEM, MINI PC M/N:TC300
POWER : 120V/60Hz
MEMO : 1280*1024/75Hz; 80KHz (25W)



TAIWAN TOKIN EMC ENG. CORP.
台灣東金科技股份有限公司

No. 53-11, Tin-fu Tsun, Lin-kou Hsiang, Taipei County, Taiwan, R.O.C.
TEL: (02) 2609-9301, 26092133
FAX: (02) 2609-9303
E-Mail: tiemc@tiemc.com.tw

Data#: 27 File#: D:\G91713\晶達-G91713.EMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m BBA9106(A3L) HORIZONTAL
ENVIRONMENT : 21°C/64%
EUT : THIN CLIENT SYSTEM, MINI PC M/N:TC300
POWER : 120V/60Hz
MEMO : 1600*1200/60Hz; 75KHz (25W)



TAIWAN TOKIN EMC ENG. CORP.
台灣東金科技股份有限公司

No. 53-11, Tin-fu Tsun, Lin-kou Hsiang, Taipei County, Taiwan, R.O.C.
TEL: (02) 2609-9301, 26092133
FAX: (02) 2609-9303
E-Mail: tiemc@tiemc.com.tw

Data#: 28 File#: D:\G91713\晶達-G91713.EMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m BBA9106(A3L) VERTICAL
ENVIRONMENT : 21°C/64%
EUT : THIN CLIENT SYSTEM, MINI PC M/N:TC300
POWER : 120V/60Hz
MEMO : 1600*1200/60Hz; 75KHz (25W)



TAIWAN TOKIN EMC ENG. CORP.
台灣東金科技股份有限公司

No. 53-11, Tin-fu Tsun, Lin-kou Hsiang, Taipei County, Taiwan, R.O.C.
TEL: (02) 2609-9301, 26092133
FAX: (02) 2609-9303
E-Mail: tiemc@tiemc.com.tw

Data#: 26 File#: D:\G91713\晶達-G91713.EMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALP 9108-A 0138 HORIZONTAL
ENVIRONMENT : 21°C/64%
EUT : THIN CLIENT SYSTEM, MINI PC M/N:TC300
POWER : 120V/60Hz
MEMO : 1600*1200/60Hz; 75KHz (25W)



TAIWAN TOKIN EMC ENG. CORP.
台灣東金科技股份有限公司

No. 53-11, Tin-fu Tsun, Lin-kou Hsiang, Taipei County, Taiwan, R.O.C.
TEL: (02) 2609-9301, 26092133
FAX: (02) 2609-9303
E-Mail: tiemc@tiemc.com.tw

Data#: 25 File#: D:\G91713\晶達-G91713.EMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALP 9108-A 0138 VERTICAL
ENVIRONMENT : 21°C/64%
EUT : THIN CLIENT SYSTEM, MINI PC M/N:TC300
POWER : 120V/60Hz
MEMO : 1600*1200/60Hz; 75KHz (25W)



TAIWAN TOKIN EMC ENG. CORP.
台灣東金科技股份有限公司

No. 53-11, Tin-fu Tsun, Lin-kou Hsiang, Taipei County, Taiwan, R.O.C.
TEL: (02) 2609-9301, 26092133
FAX: (02) 2609-9303
E-Mail: ttemc@ttemc.com.tw

Data#: 14 File#: D:\G91713\晶達-G91713.EMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m BBA9106(A3L) HORIZONTAL
ENVIRONMENT : 21°C/64%
EUT : THIN CLIENT SYSTEM, MINI PC M/N:TC300
POWER : 120V/60Hz
MEMO : 640*480/85Hz; 43KHz (60W)



TAIWAN TOKIN EMC ENG. CORP.
台灣東金科技股份有限公司

No. 53-11, Tin-fu Tsun, Lin-kou Hsiang, Taipei County, Taiwan, R.O.C.
TEL: (02) 2609-9301, 26092133
FAX: (02) 2609-9303
E-Mail: ttemc@ttemc.com.tw

Data#: 13 File#: D:\G91713\晶達-G91713.EMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m BBA9106(A3L) VERTICAL
ENVIRONMENT : 21°C/64%
EUT : THIN CLIENT SYSTEM, MINI PC M/N:TC300
POWER : 120V/60Hz
MEMO : 640*480/85Hz; 43KHz (60W)



TAIWAN TOKIN EMC ENG. CORP.
台灣東金科技股份有限公司

No. 53-11, Tin-fu Tsun, Lin-kou Hsiang, Taipei County, Taiwan, R.O.C.
TEL: (02) 2609-9301, 26092133
FAX: (02) 2609-9303
E-Mail: ttemc@ttemc.com.tw

Data#: 15 File#: D:\G91713\晶達-G91713.EMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALP 9108-A 0138 HORIZONTAL
ENVIRONMENT : 21°C/64%
EUT : THIN CLIENT SYSTEM, MINI PC M/N:TC300
POWER : 120V/60Hz
MEMO : 640*480/85Hz; 43KHz (60W)



TAIWAN TOKIN EMC ENG. CORP.
台灣東金科技股份有限公司

No. 53-11, Tin-fu Tsun, Lin-kou Hsiang, Taipei County, Taiwan, R.O.C.
TEL: (02) 2609-9301, 26092133
FAX: (02) 2609-9303
E-Mail: ttemc@ttemc.com.tw

Data#: 16 File#: D:\G91713\晶達-G91713.EMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALP 9108-A 0138 VERTICAL
ENVIRONMENT : 21°C/64%
EUT : THIN CLIENT SYSTEM, MINI PC M/N:TC300
POWER : 120V/60Hz
MEMO : 640*480/85Hz; 43KHz (60W)



TAIWAN TOKIN EMC ENG. CORP.
台灣東金科技股份有限公司

No. 53-11, Tin-fu Tsun, Lin-kou Hsiang, Taipei County, Taiwan, R.O.C.
TEL: (02) 2609-9301, 26092133
FAX: (02) 2609-9303
E-Mail: tiemc@tiemc.com.tw

Data#: 11 File#: D:\G91713\晶達-G91713.EMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m BBA9106(A3L) HORIZONTAL
ENVIRONMENT : 21°C/64%
EUT : THIN CLIENT SYSTEM, MINI PC M/N:TC300
POWER : 120V/60Hz
MEMO : 1280*1024/75Hz; 80KHz (60W)



TAIWAN TOKIN EMC ENG. CORP.
台灣東金科技股份有限公司

No. 53-11, Tin-fu Tsun, Lin-kou Hsiang, Taipei County, Taiwan, R.O.C.
TEL: (02) 2609-9301, 26092133
FAX: (02) 2609-9303
E-Mail: tiemc@tiemc.com.tw

Data#: 12 File#: D:\G91713\晶達-G91713.EMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m BBA9106(A3L) VERTICAL
ENVIRONMENT : 21°C/64%
EUT : THIN CLIENT SYSTEM, MINI PC M/N:TC300
POWER : 120V/60Hz
MEMO : 1280*1024/75Hz; 80KHz (60W)



TAIWAN TOKIN EMC ENG. CORP.
台灣東金科技股份有限公司

No. 53-11, Tin-fu Tsun, Lin-kou Hsiang, Taipei County, Taiwan, R.O.C.
TEL: (02) 2609-9301, 26092133
FAX: (02) 2609-9303
E-Mail: tiemc@tiemc.com.tw

Data#: 10 File#: D:\G91713\晶達-G91713.EMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALP 9108-A 0138 HORIZONTAL
ENVIRONMENT : 21°C/64%
EUT : THIN CLIENT SYSTEM, MINI PC M/N:TC300
POWER : 120V/60Hz
MEMO : 1280*1024/75Hz; 80KHz (60W)



TAIWAN TOKIN EMC ENG. CORP.
台灣東金科技股份有限公司

No. 53-11, Tin-fu Tsun, Lin-kou Hsiang, Taipei County, Taiwan, R.O.C.
TEL: (02) 2609-9301, 26092133
FAX: (02) 2609-9303
E-Mail: tiemc@tiemc.com.tw

Data#: 9 File#: D:\G91713\晶達-G91713.EMI



Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALP 9108-A 0138 VERTICAL
ENVIRONMENT : 21°C/64%
EUT : THIN CLIENT SYSTEM, MINI PC M/N:TC300
POWER : 120V/60Hz
MEMO : 1280*1024/75Hz; 80KHz (60W)




TAIWAN TOKIN EMC ENG. CORP.
台灣東金科技股份有限公司

No. 53-11, Tin-fu Tsun, Lin-kou Hsiang, Taipei County, Taiwan, R.O.C.
TEL: (02) 2609-9301, 26092133
FAX: (02) 2609-9303
E-Mail: tiemc@tiemc.com.tw

Data#: 6

File#: D:\G91713\晶達-G91713.EMI



Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m BBA9106(A3L) HORIZONTAL
ENVIRONMENT : 21°C/64%
EUT : THIN CLIENT SYSTEM, MINI PC M/N:TC300
POWER : 120V/60Hz
MEMO : 1600*1200/60Hz; 75KHz (60W)




TAIWAN TOKIN EMC ENG. CORP.
台灣東金科技股份有限公司

No. 53-11, Tin-fu Tsun, Lin-kou Hsiang, Taipei County, Taiwan, R.O.C.
TEL: (02) 2609-9301, 26092133
FAX: (02) 2609-9303
E-Mail: tiemc@tiemc.com.tw

Data#: 5

File#: D:\G91713\晶達-G91713.EMI



Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m BBA9106(A3L) VERTICAL
ENVIRONMENT : 21°C/64%
EUT : THIN CLIENT SYSTEM, MINI PC M/N:TC300
POWER : 120V/60Hz
MEMO : 1600*1200/60Hz; 75KHz (60W)




TAIWAN TOKIN EMC ENG. CORP.
台灣東金科技股份有限公司

No. 53-11, Tin-fu Tsun, Lin-kou Hsiang, Taipei County, Taiwan, R.O.C.
TEL: (02) 2609-9301, 26092133
FAX: (02) 2609-9303
E-Mail: tiemc@tiemc.com.tw

Data#: 7

File#: D:\G91713\晶達-G91713.EMI



Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALP 9108-A 0138 HORIZONTAL
ENVIRONMENT : 21°C/64%
EUT : THIN CLIENT SYSTEM, MINI PC M/N:TC300
POWER : 120V/60Hz
MEMO : 1600*1200/60Hz; 75KHz (60W)




TAIWAN TOKIN EMC ENG. CORP.
台灣東金科技股份有限公司

No. 53-11, Tin-fu Tsun, Lin-kou Hsiang, Taipei County, Taiwan, R.O.C.
TEL: (02) 2609-9301, 26092133
FAX: (02) 2609-9303
E-Mail: tiemc@tiemc.com.tw

Data#: 8

File#: D:\G91713\晶達-G91713.EMI



Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALP 9108-A 0138 VERTICAL
ENVIRONMENT : 21°C/64%
EUT : THIN CLIENT SYSTEM, MINI PC M/N:TC300
POWER : 120V/60Hz
MEMO : 1600*1200/60Hz; 75KHz (60W)