


## 15.1 TFT-LCD MONITOR

# USER GUIDE

## 15.1 TFT-LCD MONITOR



Beofre using this monitor, the user should read and follow the indication in the User guide.

MB151AL  
MB151AL

**The instructions furnished the user shall include the following or similar statement, placed in a prominent location in the text of the manual.**

## **INFORMATION TO THE USER (Part 15.105(b))**

**For Class B digital device**

### **INFORMATION TO THE USER**

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one more of the following measures:

- ☐ Reorient or relocate the receiving antenna.
- ☐ Increase the separation between the equipment and receiver.
- ☐ Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- ☐ Consult the dealer or an experienced radio/TV technician for help.

### **WARNING (Part 15.21)**


Changes or modifications not expressly approved by the manufacturer could void the user's authority to operate the equipment.

"Note: The manufacturer is not responsible for any Radio or TV interference caused by unauthorized modifications to this equipment. Such modifications could void the user's authority to operate the equipment."

Please make sure "User Guide, Adaptor, D-SUB Signal Cable" are included with the monitor.  
If any items are missing, contact Service center or your dealer

## Description of Monitor & Function Buttons

### 1. Front View




- 1. LCD Panel
- 2. MENU Button
- 3. SELECT Button
- 4. Power Button
- 5. ADJ(ADJUST) Button

### 2. Rear View

- 1. Power connector
- 2. D-SUB Unit
- 3. VESA Hole for wall mounting or arm
- 4. Stopper

\*\* Normal Tilt angle will be 5° (Front Angle) and 20° (Back Angle).

If you would like to wall-mount this monitor, press this Stopper to make tilt angle 90° (Back Angle).



### 3. Description of Function Buttons

In this manual, we will call <DISPLAY ADJUST>, <MISC ADJUST>, <OSD ADJUST>, <EXIT> as Category and each of their respective sub-categories as Individual category.

#### 1) MENU BUTTON

Press this button to bring up Screen Adjustment Menu on the screen.

OSD(On Screen Display) main screen appears when you press "MENU" button once.

Press "MENU" button again to go to sub-category(individual Category) of <DISPLAY ADJUST>, <MISC ADJUST>, <OSD ADJUST>, or <EXIT> category.

Press this button again to move back to the main Category from the Individual Category.

#### 2) SELECT BUTTON

When you are in the sub-category(individual category) of DISPLAY ADJUST, MISC ADJUST, OSD ADJUST, or EXIT category, press "SELECT" button once. The color of control bar below will change to yellow from black color.(This indicates that you can use "ADJ" button to change values of each individual category.)

When you press "SELECT" button again, the color of control bar will change back to black from yellow.(This indicates you can't change the value of the individual category with "ADJ" button. You can only use "ADJ" button to move up or down among the individual categories.)

As the HOT KEY function, press "SELECT" button once to bring up "AUTO ADJUSTING" screen.

#### 3) POWER BUTTON

Power ON/OFF the monitor.

#### 4) ADJ(ADJUST) BUTTON

When you are in Main Category, you can use "ADJ" button to move to up or down in categories.(Category : DISPLAY ADJUST, MISC ADJUST, OSD ADJUST, EXIT)

With "SELECT" button function, if the color of the control bar below is yellow, you can change the value of the individual category by pressing "ADJ" button. If the color of the control bar below is black, you can select the individual category you want by moving the selection bar up or down with "ADJ" button.

