

www.tuv.com

Appendix 1

Test Results

Disturbance Voltage on AC Mains


TUV Rheinland Hong Kong Ltd.

Continuous Disturbance

Test Information

EUT Name:	Baracoda BT Barcode Reader
Serial Number:	D Fly V2(CiNO)(00111003062-001)
Test Description:	FCC Part15 - Class B
Operating Conditions:	Charging Mode
Operator Name:	Chung
Comment:	120V 60Hz
Description	CE L1

Conducted Emission (FCC-P.15) - Class B



Result Table_Single

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)
0.156000	54.8	43.8
0.444000	41.4	26.0
1.599250	34.2	19.8


TUV Rheinland Hong Kong Ltd.

Continuous Disturbance

Test Information

EUT Name:	Baracoda BT Barcode Reader
Serial Number:	D Fly V2(CiNO)(00111003062-001)
Test Description:	FCC Part15 - Class B
Operating Conditions:	Charging Mode
Operator Name:	Chung
Comment:	120V 60Hz
Description:	CE N

Conducted Emission (FCC-P.15) - Class B




Result Table_Single

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)
0.162000	52.8	37.6
0.456250	45.4	32.3
1.458000	35.2	23.3


www.tuv.com

Carrier Frequency Separation




www.tuv.com

Number of hopping channels




Date: 31.OCT.2011 16:26:09




Date: 31.OCT.2011 16:27:19

www.tuv.com

Dwell Time



Date: 31.OCT.2011 16:34:47




Date: 31.OCT.2011 16:38:45

www.tuv.com

20dB Bandwidth

Modulation: GFSK


Tx frequency: 2402MHz



Date: 31.OCT.2011 16:51:59

Modulation: GFSK


Tx frequency: 2441MHz



Date: 31.OCT.2011 16:53:23

www.tuv.com

Modulation: GFSK
Tx frequency: 2480MHz




Date: 31.OCT.2011 16:55:33

www.tuv.com

Peak Output Power

Modulation: GFSK


Tx frequency: 2402MHz



Date: 31.OCT.2011 16:59:07

Modulation: GFSK


Tx frequency: 2441MHz



Date: 31.OCT.2011 16:58:21

www.tuv.com

Modulation: GFSK
Tx frequency: 2480MHz




Date: 31.OCT.2011 16:57:29

www.tuv.com


Band Edge Compliance

Tx frequency: 2402MHz (conducted measurement; hopping on)



Date: 31.OCT.2011 17:06:27


Tx frequency: 2480MHz (conducted measurement; hopping on)



Date: 31.OCT.2011 17:11:42


www.tuv.com

Tx frequency: 2402MHz (conducted measurement; hopping off)



Date: 31.OCT.2011 17:09:35


Tx frequency: 2480MHz (conducted measurement; hopping off)



Date: 31.OCT.2011 17:12:51

www.tuv.com

Tx frequency: 2402MHz (radiated measurement)




BARACODA/ BT BARACODE READER/ DELY V2 (EV10)/ 2402MHz/ VERT.

Date: 14.OCT.2011 16:30:37

Vertical Polarization

www.tuv.com




BARACODA/ BT BARACODE READER/ DELY V2 (EV10)/ 2402MHz/ HORI.

Date: 14.OCT.2011 16:32:02

Horizontal Polarization

www.tuv.com

Tx frequency: 2480MHz (radiated measurement)




BARACODA/ BT BARACODE READER/ DELY V2 (EV10)/ 2480MHz/ VERT.

Date: 14.OCT.2011 17:01:40

Vertical Polarization

www.tuv.com



BARACODA/ BT BARACODE READER/ DELY V2 (EV10)/ 2480MHz/ HORI.


Date: 14.OCT.2011 16:59:54

Horizontal Polarization


www.tuv.com

Spurious Emissions - Conducted

Tx frequency: 2402MHz




Tx frequency: 2441MHz



www.tuv.com

Tx frequency: 2480MHz



Date: 31.OCT.2011 17:15:05