ACCESS-10(8 or 9) Transmitter

Code Setting OPERATING INSTRUCTIONS:

- . Determine the 10(8 or 9)digit code obtained from the previous possible for you to choose from However there are over hundreds of combinations of codes transmitter or the receiver.
- Open the battery compartment cover located on the front side of the cover to expose the circuit board and battery.(See Diagram #1) the Transmitter. Carefully press down on the arrow and separate




DIAGRAM #1

Battery Cover

Batt, Cover Removed

Using a sharp object or tool, such as a paper clip, set the new (See Diagram #2) or the receiver. (Note: The switches are in the "ON" positions according to the exact code setting of your previous transmitter transmitter code by setting the "ON" and "OFF" switches when the switch is pushed toward the letter "ON".)



(ACCESS-10)



(ACCESS-8)

(ACCESS-9)

DIAGRAM #2 Code Switch

 Unce the codes have been set, replace the battery cover and test the system.

Note: In order to avoid duplication of your access code the following sequences are not recommended.

- Alternating from "ON" and "OFF" or "OFF" and "ON" position.
- Setting the switch on all "ON" or all "OFF" position.
- It is important for the access code to be set exactly in the same order as the receiver for the transmitter to function properly.

Testing the Transmitter

1. Standing approximately 10-30 feet away from the receiver. push the transmitter button to activate.

General spectication & Features

2. Output Frequency: 300MHz (ACCESS-10 310MHz (ACCESS-8) 318MHz (ACCESS-9

5. Power Supply: 9Vdc

1. Output Power: -37dBm

INFORMATION TO USER: undesired operation.

This equipment has been tested and found to comply with the limit of a Class B digital

this device must accept any interference received, including interference that may cause

following two conditions: (1) This device may not cause harmful interference, and (2) This device complies with part 15 of the FCC Rules. Operation is subject to the responsible for compliance could void the user's authority to operate the equipment

CAUTION: Changes or modifications not expressly approved by the manufacturer

Stand in several different areas of usage to locate possible points where certain structures may interfere with the transmission.

measures. Increase the separation between the equipment and receiver. . Reorient / Relocate the receiving antenna.

user is encouraged to try to correct the interference by one or more of the following television reception, which can be determined by turning the equipment off and on, the particular installation; if this equipment does cause harmful interference to radio or and used in accordance with the instructions, may cause harmful interference to radio equipment generates, uses and can radiate radio frequency energy and, if not installed

communications. However, there is no guarantee that interference will not occur in a device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This

Connect the equipment into an outlet on a circuit difference from that to which the receiver is connected.

4. Consult the dealer or an experienced radio/TV technician for help