



A D T

RF EXPOSURE REPORT

REPORT NO.: SA971215A10

MODEL NO.: BH-104

VERSION: HW: 1.0, SW:1.0, MV:1.0, Proto B4.0

ACCORDING: FCC Guidelines for Human Exposure
IEEE C95.1

APPLICANT : Nokia (China) Investment Co., Ltd.

ADDRESS : B2, Nokia China Campus. Beijing Economic and Tech Development Area, No.5. Donghuan Zhonglu. P.O. Box 100176, Beijing, China

ISSUED BY : Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch

LAB ADDRESS : No. 47, 14th Ling, Chia Pau Tsuen, Lin Kou Hsiang, Taipei Hsien, 244 Taiwan



A D T

Conclusion

No Evaluation Required if power is below this threshold:

F(GHz)		mW
Low	2.402	24.58
High	2.480	

Maximum measured transmitter power:

Pout (dBm)		Pout (mW)
Conducted Power	8.2	6.607
EIRP Power	9.2	8.318

*Note: The antenna is PCB F shape antenna with 1dBi gain

Threshold for no SAR evaluation is 24.58mW

Transmitter power is 8.318mW

Conclusion: No SAR evaluation required since Transmitter Pout is below FCC threshold

---END---