



TEST REPORT

No. 2010TAR008

for

Nokia (China) investment CO.LTD.

GSM/TD mobile phone

Model Name: RM-636

FCC ID : QTLRM-636

with

Hardware Version: 4000

Software Version: 10.1.5

Issued Date: 2010-01-15



No. DAT-P-114/01-01

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of TMC Beijing.

Test Laboratory:

TMC Beijing, Telecommunication Metrology Center of Ministry of Industry and Information Technology

No. 52, Huayuan Bei Road, Haidian District, Beijing, P. R. China 100191.

Tel:+86(0)10-62303288-2105, Fax:+86(0)10-62304793 Email:welcome@emcite.com. www.emcite.com

©Copyright. All rights reserved by TMC Beijing.

CONTENTS

CONTENTS	2
1. TEST LABORATORY	6
1.1. TESTING LOCATION.....	6
1.2. TESTING ENVIRONMENT	6
1.3. PROJECT DATA	6
1.4. SIGNATURE	6
2. CLIENT INFORMATION.....	7
2.1. APPLICANT INFORMATION.....	7
2.2. MANUFACTURER INFORMATION.....	7
3. EQUIPMENT UNDER TEST (EUT) AND ANCILLARY EQUIPMENT (AE)	8
3.1. ABOUT EUT	8
3.2. INTERNAL IDENTIFICATION OF EUT USED DURING THE TEST	8
3.3. INTERNAL IDENTIFICATION OF AE USED DURING THE TEST	8
4. REFERENCE DOCUMENTS	9
4.1. DOCUMENTS SUPPLIED BY APPLICANT	9
4.2. REFERENCE DOCUMENTS FOR TESTING	9
5. LABORATORY ENVIRONMENT	10
6. SUMMARY OF TEST RESULTS.....	11
6.1. SUMMARY OF TEST RESULTS	11
6.2. STATEMENTS.....	11
7. TEST EQUIPMENTS UTILIZED.....	12
ANNEX A: MEASUREMENT RESULTS	13
A.1. MEASUREMENT METHOD	13
A.2. PEAK OUTPUT POWER - CONDUCTED.....	13
A.3. FREQUENCY BAND EDGES - CONDUCTED	14
A.4. CONDUCTED EMISSION.....	15
A.5. RADIATED EMISSION.....	16
A.6. TIME OF OCCUPANCY (DWELL TIME).....	17
A.7. 20DB BANDWIDTH.....	18
A.8. CARRIER FREQUENCY SEPARATION.....	19
A.9. NUMBER OF HOPPING CHANNELS	19
A.10. AC POWERLINE CONDUCTED EMISSION	20
ANNEX B: TEST FIGURE LIST	21
FIG. 1 FREQUENCY BAND EDGES: GFSK, CHANNEL 0, HOPPING OFF	21
FIG. 2 FREQUENCY BAND EDGES: GFSK, CHANNEL 0, HOPPING ON	21

FIG. 3	FREQUENCY BAND EDGES: GFSK, CHANNEL 78, HOPPING OFF.....	22
FIG. 4	FREQUENCY BAND EDGES: GFSK, CHANNEL 78, HOPPING ON	22
FIG. 5	FREQUENCY BAND EDGES: $\pi/4$ DQPSK, CHANNEL 0, HOPPING OFF	23
FIG. 6	FREQUENCY BAND EDGES: $\pi/4$ DQPSK, CHANNEL 0, HOPPING ON	23
FIG. 7	FREQUENCY BAND EDGES: $\pi/4$ DQPSK, CHANNEL 78, HOPPING OFF	24
FIG. 8	FREQUENCY BAND EDGES: $\pi/4$ DQPSK, CHANNEL 78, HOPPING ON	24
FIG. 9	FREQUENCY BAND EDGES: 8DPSK, CHANNEL 0, HOPPING OFF	25
FIG. 10	FREQUENCY BAND EDGES: 8DPSK, CHANNEL 0, HOPPING ON	25
FIG. 11	FREQUENCY BAND EDGES: 8DPSK, CHANNEL 78, HOPPING OFF.....	26
FIG. 12	FREQUENCY BAND EDGES: 8DPSK, CHANNEL 78, HOPPING ON	26
FIG. 13	CONDUCTED SPURIOUS EMISSION: GFSK, CHANNEL 0, 2402MHz	27
FIG. 14	CONDUCTED SPURIOUS EMISSION: GFSK, CHANNEL 0, 30MHz - 1GHz.....	27
FIG. 15	CONDUCTED SPURIOUS EMISSION: GFSK, CHANNEL 0, 1GHz - 26GHz.....	28
FIG. 16	CONDUCTED SPURIOUS EMISSION: GFSK, CHANNEL 39, 2441MHz.....	28
FIG. 17	CONDUCTED SPURIOUS EMISSION: GFSK, CHANNEL 39, 30MHz - 1GHz.....	29
FIG. 18	CONDUCTED SPURIOUS EMISSION: GFSK, CHANNEL 39, 1GHz – 26GHz	29
FIG. 19	CONDUCTED SPURIOUS EMISSION: GFSK, CHANNEL 78, 2480MHz.....	30
FIG. 20	CONDUCTED SPURIOUS EMISSION: GFSK, CHANNEL 78, 30MHz - 1GHz.....	30
FIG. 21	CONDUCTED SPURIOUS EMISSION: GFSK, CHANNEL 78, 1GHz - 26GHz.....	31
FIG. 22	CONDUCTED SPURIOUS EMISSION: $\pi/4$ DQPSK, CHANNEL 0, 2402MHz.....	31
FIG. 23	CONDUCTED SPURIOUS EMISSION: $\pi/4$ DQPSK, CHANNEL 0, 30MHz - 1GHz	32
FIG. 24	CONDUCTED SPURIOUS EMISSION: $\pi/4$ DQPSK, CHANNEL 0, 1GHz - 26GHz	32
FIG. 25	CONDUCTED SPURIOUS EMISSION: $\pi/4$ DQPSK, CHANNEL 39, 2441MHz.....	33
FIG. 26	CONDUCTED SPURIOUS EMISSION: $\pi/4$ DQPSK, CHANNEL 39, 30MHz - 1GHz	33
FIG. 27	CONDUCTED SPURIOUS EMISSION: $\pi/4$ DQPSK, CHANNEL 39, 1GHz – 26GHz	34
FIG. 28	CONDUCTED SPURIOUS EMISSION: $\pi/4$ DQPSK, CHANNEL 78, 2480MHz.....	34
FIG. 29	CONDUCTED SPURIOUS EMISSION: $\pi/4$ DQPSK, CHANNEL 78, 30MHz - 1GHz	35
FIG. 30	CONDUCTED SPURIOUS EMISSION: $\pi/4$ DQPSK, CHANNEL 78, 1GHz - 26GHz	35
FIG. 31	CONDUCTED SPURIOUS EMISSION: 8DPSK, CHANNEL 0, 2402MHz	36
FIG. 32	CONDUCTED SPURIOUS EMISSION: 8DPSK, CHANNEL 0, 30MHz - 1GHz.....	36
FIG. 33	CONDUCTED SPURIOUS EMISSION: 8DPSK, CHANNEL 0, 1GHz - 26GHz.....	37
FIG. 34	CONDUCTED SPURIOUS EMISSION: 8DPSK, CHANNEL 39, 2441MHz.....	37
FIG. 35	CONDUCTED SPURIOUS EMISSION: 8DPSK, CHANNEL 39, 30MHz - 1GHz.....	38
FIG. 36	CONDUCTED SPURIOUS EMISSION: 8DPSK, CHANNEL 39, 1GHz – 26GHz	38
FIG. 37	CONDUCTED SPURIOUS EMISSION: 8DPSK, CHANNEL 78, 2480MHz.....	39
FIG. 38	CONDUCTED SPURIOUS EMISSION: 8DPSK, CHANNEL 78, 30MHz - 1GHz.....	39
FIG. 39	CONDUCTED SPURIOUS EMISSION: 8DPSK, CHANNEL 78, 1GHz - 26GHz	40
FIG. 40	RADIATED EMISSION: GFSK, CHANNEL 0, 30 MHz - 1 GHz	40
FIG. 41	RADIATED EMISSION: GFSK, CHANNEL 0, 1 GHz - 4 GHz	41
FIG. 42	RADIATED EMISSION: GFSK, CHANNEL 0, 4 GHz - 18 GHz	41
FIG. 43	RADIATED EMISSION: GFSK, CHANNEL 39, 30 MHz - 1 GHz	42
FIG. 44	RADIATED EMISSION: GFSK, CHANNEL 39, 1 GHz - 4 GHz	42
FIG. 45	RADIATED EMISSION: GFSK, CHANNEL 39, 4 GHz - 18 GHz	43
FIG. 46	RADIATED EMISSION: GFSK, CHANNEL 78, 30 MHz - 1 GHz	43

FIG. 47	RADIATED EMISSION: GFSK, CHANNEL 78, 1 GHz - 4 GHz	44
FIG. 48	RADIATED EMISSION: GFSK, CHANNEL 78, 4 GHz - 18 GHz	44
FIG. 49	RADIATED EMISSION (POWER): GFSK, 2.45GHz - 2.5GHz	45
FIG. 50	RADIATED EMISSION: GFSK, 18 GHz - 26 GHz	45
FIG. 51	RADIATED EMISSION: $\pi/4$ DQPSK, CHANNEL 0, 30 MHz - 1 GHz	46
FIG. 52	RADIATED EMISSION: $\pi/4$ DQPSK, CHANNEL 0, 1 GHz - 4 GHz.....	46
FIG. 53	RADIATED EMISSION: $\pi/4$ DQPSK, CHANNEL 0, 4 GHz - 18 GHz.....	47
FIG. 54	RADIATED EMISSION: $\pi/4$ DQPSK, CHANNEL 39, 30 MHz - 1 GHz	47
FIG. 55	RADIATED EMISSION: $\pi/4$ DQPSK, CHANNEL 39, 1 GHz - 4 GHz.....	48
FIG. 56	RADIATED EMISSION: $\pi/4$ DQPSK, CHANNEL 39, 4 GHz - 18 GHz.....	48
FIG. 57	RADIATED EMISSION: $\pi/4$ DQPSK, CHANNEL 78, 30 MHz - 1 GHz	49
FIG. 58	RADIATED EMISSION: $\pi/4$ DQPSK, CHANNEL 78, 1 GHz - 4 GHz.....	49
FIG. 59	RADIATED EMISSION: $\pi/4$ DQPSK, CHANNEL 78, 4 GHz - 18 GHz.....	50
FIG. 60	RADIATED EMISSION (POWER): $\pi/4$ DQPSK, 2.45GHz - 2.5GHz	50
FIG. 61	RADIATED EMISSION: $\pi/4$ DQPSK, 18 GHz - 26 GHz	51
FIG. 62	RADIATED EMISSION: 8DPSK, CHANNEL 0, 30 MHz - 1 GHz	51
FIG. 63	RADIATED EMISSION: 8DPSK, CHANNEL 0, 1 GHz - 4 GHz	52
FIG. 64	RADIATED EMISSION: 8DPSK, CHANNEL 0, 4 GHz - 18 GHz	52
FIG. 65	RADIATED EMISSION: 8DPSK, CHANNEL 39, 30 MHz - 1 GHz	53
FIG. 66	RADIATED EMISSION: 8DPSK, CHANNEL 39, 1 GHz - 4 GHz	53
FIG. 67	RADIATED EMISSION: 8DPSK, CHANNEL 39, 4 GHz - 18 GHz	54
FIG. 68	RADIATED EMISSION: 8DPSK, CHANNEL 78, 30 MHz - 1 GHz	54
FIG. 69	RADIATED EMISSION: 8DPSK, CHANNEL 78, 1 GHz - 4 GHz	55
FIG. 70	RADIATED EMISSION: 8DPSK, CHANNEL 78, 4 GHz - 18 GHz	55
FIG. 71	RADIATED EMISSION (POWER): 8DPSK, 2.45GHz - 2.5GHz	56
FIG. 72	RADIATED EMISSION: 8DPSK, 18 GHz - 26 GHz	56
FIG. 73	TIME OF OCCUPANCY (DWEELL TIME): CHANNEL 39, PACKET DH1.....	57
FIG. 74	NUMBER OF TRANSMISSIONS MEASUREMENT:CHANNEL 39,PACKET DH1.....	57
FIG. 75	TIME OF OCCUPANCY (DWEELL TIME): CHANNEL 39, PACKET DH3.....	58
FIG. 76	NUMBER OF TRANSMISSIONS MEASUREMENT:CHANNEL 39,PACKET DH3.....	58
FIG. 77	TIME OF OCCUPANCY (DWEELL TIME): CHANNEL 39, PACKET DH5.....	59
FIG. 78	NUMBER OF TRANSMISSIONS MEASUREMENT:CHANNEL 39,PACKET DH5.....	59
FIG. 79	TIME OF OCCUPANCY (DWEELL TIME): CHANNEL 39, PACKET 2-DH1.....	60
FIG. 80	NUMBER OF TRANSMISSIONS MEASUREMENT:CHANNEL 39,PACKET 2-DH1	60
FIG. 81	TIME OF OCCUPANCY (DWEELL TIME): CHANNEL 39, PACKET 2-DH3.....	61
FIG. 82	NUMBER OF TRANSMISSIONS MEASUREMENT:CHANNEL 39,PACKET 2-DH3	61
FIG. 83	TIME OF OCCUPANCY (DWEELL TIME): CHANNEL 39, PACKET 2-DH5.....	62
FIG. 84	NUMBER OF TRANSMISSIONS MEASUREMENT:CHANNEL 39,PACKET 2-DH5	62
FIG. 85	TIME OF OCCUPANCY (DWEELL TIME): CHANNEL 39, PACKET 3-DH1.....	63
FIG. 86	NUMBER OF TRANSMISSIONS MEASUREMENT:CHANNEL 39,PACKET 3-DH1	63
FIG. 87	TIME OF OCCUPANCY (DWEELL TIME): CHANNEL 39, PACKET 3-DH3.....	64
FIG. 88	NUMBER OF TRANSMISSIONS MEASUREMENT:CHANNEL 39,PACKET 3-DH3	64
FIG. 89	TIME OF OCCUPANCY (DWEELL TIME): CHANNEL 39, PACKET 3-DH5.....	65
FIG. 90	NUMBER OF TRANSMISSIONS MEASUREMENT:CHANNEL 39,PACKET 3-DH5	65

FIG. 91	20dB BANDWIDTH: GFSK, CHANNEL 0	66
FIG. 92	20dB BANDWIDTH: GFSK, CHANNEL 39	66
FIG. 93	20dB BANDWIDTH: GFSK, CHANNEL 78	67
FIG. 94	20dB BANDWIDTH: $\pi/4$ DQPSK, CHANNEL 0.....	67
FIG. 95	20dB BANDWIDTH: $\pi/4$ DQPSK, CHANNEL 39.....	68
FIG. 96	20dB BANDWIDTH: $\pi/4$ DQPSK, CHANNEL 78.....	68
FIG. 97	20dB BANDWIDTH: 8DPSK, CHANNEL 0	69
FIG. 98	20dB BANDWIDTH: 8DPSK, CHANNEL 39	69
FIG. 99	20dB BANDWIDTH: 8DPSK, CHANNEL 78	70
FIG. 100	CARRIER FREQUENCY SEPARATION MEASUREMENT: GFSK, CHANNEL 39	70
FIG. 101	CARRIER FREQUENCY SEPARATION MEASUREMENT: $\pi/4$ DQPSK, CHANNEL 39.....	71
FIG. 102	CARRIER FREQUENCY SEPARATION MEASUREMENT: 8DPSK, CHANNEL 39.....	71
FIG. 103	NUMBER OF HOPPING FREQUENCIES: GFSK, CHANNEL 0 - 39	72
FIG. 104	NUMBER OF HOPPING FREQUENCIES: GFSK, CHANNEL 40 - 78	72
FIG. 105	NUMBER OF HOPPING FREQUENCIES: $\pi/4$ DQPSK, CHANNEL 0 - 39.....	73
FIG. 106	NUMBER OF HOPPING FREQUENCIES: $\pi/4$ DQPSK, CHANNEL 40 - 78.....	73
FIG. 107	NUMBER OF HOPPING FREQUENCIES: 8DPSK, CHANNEL 0 - 39	74
FIG. 108	NUMBER OF HOPPING FREQUENCIES: 8DPSK, CHANNEL 40 - 78	74
FIG. 109	AC POWERLINE CONDUCTED EMISSION WITH CHARGER	75

1. Test Laboratory

1.1. Testing Location

Company Name: TMC Beijing, Telecommunication Metrology Center of MIIT
Address: No 52, Huayuan beilu, Haidian District, Beijing, P.R.China
Postal Code: 100191
Telephone: 00861062303288
Fax: 00861062304793


1.2. Testing Environment

Normal Temperature: 15-35℃
Extreme Temperature: -20/+55℃
Relative Humidity: 20-75%


1.3. Project data

Project Leader: Zi Xiaogang
Testing Start Date: 2009-10-20
Testing End Date: 2010-01-15


1.4. Signature



Zi Xiaogang
(Prepared this test report)



Sun Xiangqian
(Reviewed this test report)



Lu Bingsong
Deputy Director of the laboratory
(Approved this test report)

2. Client Information

2.1. Applicant Information

Company Name: Nokia (China) investment CO.LTD.
Address /Post: Building 2, No.5 Donghuan Zhonglu, Beijing Economic and Technological Development Area. Beijing, 100176, P.R.China
City: Beijing
Postal Code: 100176
Country: China
Telephone: 0086 10 87111332
Fax: 0086 10-87114664

2.2. Manufacturer Information

Company Name: BYD Precision Manufacturer Co., Ltd. Beijing Branch
Address /Post: No.1, Kechuang Dong 5 Jie, Tongzhou District Beijing, 101111, P.R. China
City: Beijing
Postal Code: 101111
Country: China
Telephone: 0086-10-58018888-71158
Fax: 0086-10-58018888-73000

3. Equipment Under Test (EUT) and Ancillary Equipment (AE)

3.1. About EUT

Description	GSM/TD mobile phone
Model	RM-636
FCC ID	QTLRM-636
Frequency Band	ISM 2400MHz~2483.5MHz
Type of Modulation	FHSS
Number of Channels	79
Extreme Temperature	-20/+55℃
Normal Voltage	3.8V
Extreme Low Voltage	3.4V
Extreme High Voltage	4.2V

3.2. Internal Identification of EUT used during the test

EUT ID*	SN or IMEI	HW Version	SW Version
N08	860113000021030	4000	10.1.5
N02	860113000034256	4000	10.1.5

*EUT ID: is used to identify the test sample in the lab internally.

Note: This is a variant of 6788. All the results are coming from it.

3.3. Internal Identification of AE used during the test

AE ID*	Description	Type	SN
AE1	Battery	/	/
AE2	Travel Adapter	/	/

*AE ID: is used to identify the test sample in the lab internally.

4. Reference Documents

4.1. Documents supplied by applicant

EUT feature information is supplied by the applicant or manufacturer, which is the basis of testing.

4.2. Reference Documents for testing

The following documents listed in this section are referred for testing.

FCC Part15	FCC CFR 47, Part 15, Subpart C:	July 10, 2008 Edition
	15.205 Restricted bands of operation;	
	15.209 Radiated emission limits, general requirements;	
	15.247 Operation within the bands 902–928MHz, 2400–2483.5 MHz, and 5725–5850 MHz.	
ANSI C63.4	Methods of Measurement of Radio-Noise Emissions from Low-Voltage Electrical and Electronic Equipment in the Range of 9 kHz to 40 GHz	2003
FCC Public Notice DA 00-705	Filing and Measurement Guidelines for Frequency Hopping Spread Spectrum Systems	March 2000

5. LABORATORY ENVIRONMENT

Shielding Room1 (6.0 meters×3.0 meters×2.7 meters) did not exceed following limits along the conducted RF performance testing:

Temperature	Min. = 15 °C, Max. = 30 °C
Relative humidity	Min. = 30 %, Max. = 60 %
Shielding effectiveness	> 110 dB
Ground system resistance	< 0.5 Ω
Uniformity of field strength	Between 0 and 6 dB, from 80MHz to 3000 MHz

Control room did not exceed following limits along the EMC testing:

Temperature	Min. = 15 °C, Max. = 35 °C
Relative humidity	Min. = 30 %, Max. = 60 %
Shielding effectiveness	> 110 dB
Electrical insulation	> 10 kΩ
Ground system resistance	< 0.5 Ω

Fully-anechoic chamber1 (6.8 meters×3.08 meters×3.53 meters) did not exceed following limits along the EMC testing:

Temperature	Min. = 15 °C, Max. = 30 °C
Relative humidity	Min. = 30 %, Max. = 60 %
Shielding effectiveness	> 110 dB
Electrical insulation	> 10 kΩ
Ground system resistance	< 0.5 Ω
Uniformity of field strength	Between 0 and 6 dB, from 80MHz to 3000 MHz

Shielding Room2 (7.30 meters×4.00 meters×3.80 meters) did not exceed following limits along the EMC testing:

Temperature	Min. = 15 °C, Max. = 30 °C
Relative humidity	Min. = 35 %, Max. = 60 %
Shielding effectiveness	> 110 dB
Electrical insulation	> 10 kΩ
Ground system resistance	< 0.5 Ω
Uniformity of field strength	Between 0 and 6 dB, from 80MHz to 3000 MHz

6. SUMMARY OF TEST RESULTS

6.1. Summary of Test Results

Abbreviations used in this clause:

P Pass

F Fail

NA not applicable

NM not measured

SUMMARY OF MEASUREMENT RESULTS	Sub-clause	Verdict
Peak Output Power - Conducted	15.247 (b)(1)	P
Frequency Band Edges	15.247 (d)	P
Conducted Emission	15.247 (d)	P
Radiated Emission	15.247, 15.205, 15.209	P
Time of Occupancy (Dwell Time)	15.247 (a) (1)(iii)	P
20dB Bandwidth	15.247 (a)(1)	NA
Carrier Frequency Separation	15.247 (a)(1)	P
Number of hopping channels	15.247 (a)(b)(iii)	P
AC Powerline Conducted Emission	15.107, 15.207	P

Please refer to **ANNEX A** for detail.

The measurement is made according to Public notice DA 00-705 and ANSI C63.4.

6.2. Statements

TMC has evaluated the test cases requested by the applicant /manufacturer as listed in section 6.1 of this report for the EUT specified in section 3 according to the standards or reference documents listed in section 4.2

7. Test Equipments Utilized

Conducted test system

No.	Equipment	Model	Serial Number	Manufacturer	Calibration Due date
1	Vector Signal Analyzer	FSU26	200030	Rohde & Schwarz	2010-06-18
2	Bluetooth Tester	CBT32	100649	Rohde & Schwarz	2010-01-22

Radiated emission test system

No.	Equipment	Model	Serial Number	Manufacturer	Calibration Due date
1	Test Receiver	ESI40	831564/002	Rohde & Schwarz	2010-02-12
2	BiLog Antenna	3142B	9908-1403	EMCO	2010-03-15
3	Dual-Ridge Waveguide Horn Antenna	3115	9906-5827	EMCO	2010-12-24
4	Universal Radio Communication Tester	CMU200	105948	Rohde & Schwarz	2010-08-14

Anechoic chamber

Fully anechoic chamber by Frankonia German.


ANNEX A: MEASUREMENT RESULTS

A.1. Measurement Method

A.1.1. Conducted Measurements

The measurement is made according to Public notice DA 00-705 and ANSI C63.4.

- 1). Connect the EUT to the test system correctly.
- 2). Set the EUT to the required work mode (Transmitter, receiver or transmitter & receiver).
- 3). Set the EUT to the required channel.
- 4). Set the EUT hopping mode (hopping or hopping off).
- 5). Set the spectrum analyzer to start measurement.
- 6). Record the values. Vector Signal Analyzer



A.1.2. Radiated Emission Measurements

In the case of radiated emission, the used settings are as follows,

Sweep frequency from 30 MHz to 1GHz, RBW = 100 kHz, VBW = 300 kHz;

Sweep frequency from 1 GHz to 26GHz, RBW = 1MHz, VBW = 1MHz;

A.2. Peak Output Power - Conducted

Measurement Limit:

Standard	Limit (dBm)
FCC Part 15.247(b)(1)	< 30

The measurement is made according to Public notice DA 00-705 and ANSI C63.4.

Measurement Results:

For GFSK

Channel	Ch 0 2402 MHz	Ch 39 2441 MHz	Ch 78 2480 MHz	Conclusion
Peak Conducted Output Power (dBm)	2.01	2.54	2.79	P

For $\pi/4$ DQPSK

Channel	Ch 0 2402 MHz	Ch 39 2441 MHz	Ch 78 2480 MHz	Conclusion
Peak Conducted Output Power (dBm)	-3.01	-3.24	-2.86	P

For 8DPSK

Channel	Ch 0 2402 MHz	Ch 39 2441 MHz	Ch 78 2480 MHz	Conclusion
Peak Conducted Output Power (dBm)	-2.59	-2.90	-2.36	P

Conclusion: PASS

A.3. Frequency Band Edges - Conducted

Measurement Limit:

Standard	Limit (dBc)
FCC 47 CFR Part 15.247 (d)	> 20

The measurement is made according to Public notice DA 00-705 and ANSI C63.4.

Measurement Result:

For GFSK

Channel	Hopping	Band Edge Power (dBc)		Conclusion
0	Hopping OFF	Fig.1	-57.82	P
	Hopping ON	Fig.2	-58.70	P
78	Hopping OFF	Fig.3	-61.94	P
	Hopping ON	Fig.4	-63.18	P

For $\pi/4$ DQPSK

Channel	Hopping	Band Edge Power (dBc)		Conclusion
0	Hopping OFF	Fig.5	-56.57	P
	Hopping ON	Fig.6	-57.65	P
78	Hopping OFF	Fig.7	-59.84	P
	Hopping ON	Fig.8	-55.63	P

For 8DPSK

Channel	Hopping	Band Edge Power (dBc)		Conclusion
0	Hopping OFF	Fig.9	-56.33	P
	Hopping ON	Fig.10	-55.69	P
78	Hopping OFF	Fig.11	-59.66	P
	Hopping ON	Fig.12	-59.05	P

See annex B for test graphs.

Conclusion: PASS

A.4. Conducted Emission

Measurement Limit:

Standard	Limit
FCC 47 CFR Part 15.247 (d)	20dB below peak output power in 100 kHz bandwidth

The measurement is made according to Public notice DA 00-705 and ANSI C63.4

Measurement Results:

For GFSK

Channel	Frequency Range	Test Results	Conclusion
Ch 0 2402 MHz	Center Frequency	Fig.13	P
	30 MHz ~ 1 GHz	Fig.14	P
	1 GHz ~ 26 GHz	Fig.15	P
Ch 39 2441 MHz	Center Frequency	Fig.16	P
	30 MHz ~ 1 GHz	Fig.17	P
	1 GHz ~ 26 GHz	Fig.18	P
Ch 78 2480 MHz	Center Frequency	Fig.19	P
	30 MHz ~ 1 GHz	Fig.20	P
	1 GHz ~ 26 GHz	Fig.21	P

For $\pi/4$ DQPSK

Channel	Frequency Range	Test Results	Conclusion
Ch 0 2402 MHz	Center Frequency	Fig.22	P
	30 MHz ~ 1 GHz	Fig.23	P
	1 GHz ~ 26 GHz	Fig.24	P
Ch 39 2441 MHz	Center Frequency	Fig.25	P
	30 MHz ~ 1 GHz	Fig.26	P
	1 GHz ~ 26 GHz	Fig.27	P
Ch 78 2480 MHz	Center Frequency	Fig.28	P
	30 MHz ~ 1 GHz	Fig.29	P
	1 GHz ~ 26 GHz	Fig.30	P

For 8DPSK

Channel	Frequency Range	Test Results	Conclusion
Ch 0 2402 MHz	Center Frequency	Fig.31	P
	30 MHz ~ 1 GHz	Fig.32	P
	1 GHz ~ 26 GHz	Fig.33	P
Ch 39 2441 MHz	Center Frequency	Fig.34	P
	30 MHz ~ 1 GHz	Fig.35	P
	1 GHz ~ 26 GHz	Fig.36	P

Ch 78 2480 MHz	Center Frequency	Fig.37	P
	30 MHz ~ 1 GHz	Fig.38	P
	1 GHz ~ 26 GHz	Fig.39	P

See annex B for test graphs.

Conclusion: PASS

A.5. Radiated Emission

Measurement Limit:

Standard	Limit
FCC 47 CFR Part 15.247, 15.205, 15.209	20dB below peak output power

In addition, radiated emissions which fall in the restricted bands, as defined in § 15.205(a), must also comply with the radiated emission limits specified in § 15.209(a) (see § 15.205(c)).

The measurement is made according to Public notice DA 00-705 and ANSI C63.4

Limit in restricted band:

Frequency of emission (MHz)	Field strength(uV/m)	Field strength(dBuV/m)
30-88	100	40
88-216	150	43.5
216-960	200	46
Above 960	500	54

Test Condition

Frequency of emission (MHz)	RBW/VBW	Sweep Time(s)
30-1000	100KHz/300KHz	5
1000-4000	1MHz/1MHz	15
4000-18000	1MHz/1MHz	40
18000-26500	1MHz/1MHz	20

Measurement Results:

For GFSK

Channel	Frequency Range	Test Results	Conclusion
Ch 0 2402 MHz	30 MHz ~ 1 GHz	Fig.40	P
	1 GHz ~ 4 GHz	Fig.41	P
	4 GHz ~ 18 GHz	Fig.42	P
Ch 39 2441 MHz	30 MHz ~ 1 GHz	Fig.43	P
	1 GHz ~ 4 GHz	Fig.44	P
	4 GHz ~ 18 GHz	Fig.45	P
Ch 78	30 MHz ~ 1 GHz	Fig.46	P

2480 MHz	1 GHz ~ 4 GHz	Fig.47	P
	4 GHz ~ 18 GHz	Fig.48	P
Power	2.45GHz~2.5GHz	Fig.49	P
For all channels	18 GHz ~ 26 GHz	Fig.50	P

For $\pi/4$ DQPSK

Channel	Frequency Range	Test Results	Conclusion
Ch 0 2402 MHz	30 MHz ~ 1 GHz	Fig.51	P
	1 GHz ~ 4 GHz	Fig.52	P
	4 GHz ~ 18 GHz	Fig.53	P
Ch 39 2441 MHz	30 MHz ~ 1 GHz	Fig.54	P
	1 GHz ~ 4 GHz	Fig.55	P
	4 GHz ~ 18 GHz	Fig.56	P
Ch 78 2480 MHz	30 MHz ~ 1 GHz	Fig.57	P
	1 GHz ~ 4 GHz	Fig.58	P
	4 GHz ~ 18 GHz	Fig.59	P
Power	2.45GHz~2.5GHz	Fig.60	P
For all channels	18 GHz ~ 26 GHz	Fig.61	P

For 8DPSK

Channel	Frequency Range	Test Results	Conclusion
Ch 0 2402 MHz	30 MHz ~ 1 GHz	Fig.62	P
	1 GHz ~ 4 GHz	Fig.63	P
	4 GHz ~ 18 GHz	Fig.64	P
Ch 39 2441 MHz	30 MHz ~ 1 GHz	Fig.65	P
	1 GHz ~ 4 GHz	Fig.66	P
	4 GHz ~ 18 GHz	Fig.67	P
Ch 78 2480 MHz	30 MHz ~ 1 GHz	Fig.68	P
	1 GHz ~ 4 GHz	Fig.69	P
	4 GHz ~ 18 GHz	Fig.70	P
Power	2.45GHz~2.5GHz	Fig.71	P
For all channels	18 GHz ~ 26 GHz	Fig.72	P

See annex B for test graphs.

Conclusion: PASS

A.6. Time of Occupancy (Dwell Time)

Measurement Limit:

Standard	Limit (ms)
FCC 47 CFR Part 15.247(a) (1)(iii)	< 400

The measurement is made according to Public notice DA 00-705 and ANSI C63.4

Measurement Result:

For GFSK

Channel	Packet	Dwell Time (ms)		Conclusion
39	DH1	Fig.73	112.71	P
		Fig.74		
	DH3	Fig.75	152.77	P
		Fig.76		
	DH5	Fig.77	183.58	P
		Fig.78		

For $\pi/4$ DQPSK

Channel	Packet	Dwell Time (ms)		Conclusion
39	DH1	Fig.79	113.44	P
		Fig.80		
	DH3	Fig.81	179.34	P
		Fig.82		
	DH5	Fig.83	216.02	P
		Fig.84		

For 8DPSK

Channel	Packet	Dwell Time (ms)		Conclusion
39	DH1	Fig.85	111.73	P
		Fig.86		
	DH3	Fig.87	149.45	P
		Fig.88		
	DH5	Fig.89	198.51	P
		Fig.90		

See annex B for test graphs.

Conclusion: PASS

A.7. 20dB Bandwidth

Measurement Limit:

Standard	Limit
FCC 47 CFR Part 15.247(a)(1)	NA *

The measurement is made according to Public notice DA 00-705 and ANSI C63.4

* Comment: This test case is not required according to the latest FCC 47 CFR Part 15.247. But the test results are necessary for “carrier frequency separation” test case, in Annex A.8.

Measurement Results:

For GFSK

Channel	20dB Bandwidth (kHz)		Conclusion
0	Fig.91	762.82	NA
39	Fig.92	762.82	NA
78	Fig.93	762.82	NA

For $\pi/4$ DQPSK

Channel	20dB Bandwidth (kHz)		Conclusion
---------	----------------------	--	------------

0	Fig.94	1240.38	NA
39	Fig.95	1237.18	NA
78	Fig.96	1243.59	NA

For 8DPSK

Channel	20dB Bandwidth (kHz)		Conclusion
0	Fig.97	1269.23	NA
39	Fig.98	1269.23	NA
78	Fig.99	1269.23	NA

See annex B for test graphs.

Conclusion: NA

A.8. Carrier Frequency Separation

Measurement Limit:

Standard	Limit(kHz)
FCC 47 CFR Part 15.247(a)(1)	over 25 kHz or (2/3) * 20dB bandwidth

The measurement is made according to Public notice DA 00-705 and ANSI C63.4

* Comment: This limit should be over 25 kHz or (2/3) * 20dB bandwidth, whichever is greater.

Measurement Result:

For GFSK

Channel	Carrier frequency separation (kHz)		Conclusion
39	Fig.100	951.92	P

For $\pi/4$ DQPSK

Channel	Carrier frequency separation (kHz)		Conclusion
39	Fig.101	677.88	P

For 8DPSK

Channel	Carrier frequency separation (kHz)		Conclusion
39	Fig.102	1004.81	P

See annex B for test graphs.

Conclusion: PASS

A.9. Number of Hopping Channels

Measurement Limit:

Standard	Limit
FCC 47 CFR Part 15.247(a) (1)(iii)	At least 15 non-overlapping channels

The measurement is made according to Public notice DA 00-705 and ANSI C63.4

Measurement Result:

For GFSK

Channel	Number of hopping channels		Conclusion
0~39	Fig.103	79	P
40~78	Fig.104		

For $\pi/4$ DQPSK

Channel	Number of hopping channels		Conclusion
0~39	Fig.105	79	P
40~78	Fig.106		

For 8DPSK

Channel	Number of hopping channels		Conclusion
0~39	Fig.107	79	P
40~78	Fig.108		

See annex B for test graphs.

Conclusion: PASS

A.10. AC Powerline Conducted Emission

Test Condition

Voltage (V)	Frequency (Hz)
110	60

Measurement Result and limit:

Bluetooth (Quasi-peak Limit)

Frequency range (MHz)	Quasi-peak Limit (dB μ V)	Result (dB μ V)	Conclusion
		With Charger	
0.15 to 0.5	66 to 56	Fig.109	P
0.5 to 5	56		
5 to 30	60		

NOTE: The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.5 MHz.

Bluetooth (Average Limit)

Frequency range (MHz)	Average Limit (dB μ V)	Result (dB μ V)	Conclusion
		With Charger 1	
0.15 to 0.5	56 to 46	Fig.109	P
0.5 to 5	46		
5 to 30	50		


NOTE: The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.5 MHz.

The measurement is made according to Public notice DA 00-705 and ANSI C63.4

See annex B for test graphs.


Conclusion: PASS

ANNEX B: TEST FIGURE LIST



Date: 23.OCT.2009 06:33:18

Fig. 1 Frequency Band Edges: GFSK, Channel 0, Hopping Off



Date: 23.OCT.2009 06:38:37

Fig. 2 Frequency Band Edges: GFSK, Channel 0, Hopping On




Fig. 3 Frequency Band Edges: GFSK, Channel 78, Hopping Off




Fig. 4 Frequency Band Edges: GFSK, Channel 78, Hopping On




Fig. 5 Frequency Band Edges: $\pi/4$ DQPSK, Channel 0, Hopping Off




Fig. 6 Frequency Band Edges: $\pi/4$ DQPSK, Channel 0, Hopping On




Fig. 7 Frequency Band Edges: $\pi/4$ DQPSK, Channel 78, Hopping Off




Fig. 8 Frequency Band Edges: $\pi/4$ DQPSK, Channel 78, Hopping On




Fig. 9 Frequency Band Edges: 8DPSK, Channel 0, Hopping Off






Fig. 10 Frequency Band Edges: 8DPSK, Channel 0, Hopping On



Date: 23.OCT.2009 07:48:03

Fig. 11 Frequency Band Edges: 8DPSK, Channel 78, Hopping Off



Date: 23.OCT.2009 07:58:07

Fig. 12 Frequency Band Edges: 8DPSK, Channel 78, Hopping On




Fig. 13 Conducted spurious emission: GFSK, Channel 0,2402MHz




Fig. 14 Conducted spurious emission: GFSK, Channel 0, 30MHz - 1GHz




Fig. 15 Conducted spurious emission: GFSK, Channel 0,1GHz - 26GHz




Fig. 16 Conducted spurious emission: GFSK, Channel 39, 2441MHz




Fig. 17 Conducted spurious emission: GFSK, Channel 39, 30MHz - 1GHz




Fig. 18 Conducted spurious emission: GFSK, Channel 39, 1GHz – 26GHz




Fig. 19 Conducted spurious emission: GFSK, Channel 78, 2480MHz




Fig. 20 Conducted spurious emission: GFSK, Channel 78, 30MHz - 1GHz




Fig. 21 Conducted spurious emission: GFSK, Channel 78, 1GHz - 26GHz




Fig. 22 Conducted spurious emission: $\pi/4$ DQPSK, Channel 0, 2402MHz




Fig. 23 Conducted spurious emission: $\pi/4$ DQPSK, Channel 0, 30MHz - 1GHz




Fig. 24 Conducted spurious emission: $\pi/4$ DQPSK, Channel 0, 1GHz - 26GHz




Fig. 25 Conducted spurious emission: $\pi/4$ DQPSK, Channel 39, 2441MHz




Fig. 26 Conducted spurious emission: $\pi/4$ DQPSK, Channel 39, 30MHz - 1GHz




Fig. 27 Conducted spurious emission: $\pi/4$ DQPSK, Channel 39, 1GHz – 26GHz




Fig. 28 Conducted spurious emission: $\pi/4$ DQPSK, Channel 78, 2480MHz




Fig. 29 Conducted spurious emission: $\pi/4$ DQPSK, Channel 78, 30MHz - 1GHz




Fig. 30 Conducted spurious emission: $\pi/4$ DQPSK, Channel 78, 1GHz - 26GHz




Fig. 31 Conducted spurious emission: 8DPSK, Channel 0,2402MHz




Fig. 32 Conducted spurious emission: 8DPSK, Channel 0, 30MHz - 1GHz




Fig. 33 Conducted spurious emission: 8DPSK, Channel 0,1GHz - 26GHz




Fig. 34 Conducted spurious emission: 8DPSK, Channel 39, 2441MHz




Fig. 35 Conducted spurious emission: 8DPSK, Channel 39, 30MHz - 1GHz




Fig. 36 Conducted spurious emission: 8DPSK, Channel 39, 1GHz – 26GHz




Fig. 37 Conducted spurious emission: 8DPSK, Channel 78, 2480MHz




Fig. 38 Conducted spurious emission: 8DPSK, Channel 78, 30MHz - 1GHz




Fig. 39 Conducted spurious emission: 8DPSK, Channel 78, 1GHz - 26GHz




Fig. 40 Radiated emission: GFSK, Channel 0, 30 MHz - 1 GHz




Fig. 41 Radiated emission: GFSK, Channel 0, 1 GHz - 4 GHz




Fig. 42 Radiated emission: GFSK, Channel 0, 4 GHz - 18 GHz




Fig. 43 Radiated emission: GFSK, Channel 39, 30 MHz - 1 GHz




Fig. 44 Radiated emission: GFSK, Channel 39, 1 GHz - 4 GHz




Fig. 45 Radiated emission: GFSK, Channel 39, 4 GHz - 18 GHz




Fig. 46 Radiated emission: GFSK, Channel 78, 30 MHz - 1 GHz




Fig. 47 Radiated emission: GFSK, Channel 78, 1 GHz - 4 GHz




Fig. 48 Radiated emission: GFSK, Channel 78, 4 GHz - 18 GHz




Fig. 49 Radiated emission (Power): GFSK, 2.45GHz - 2.5GHz




Fig. 50 Radiated emission: GFSK, 18 GHz - 26 GHz




Fig. 51 Radiated emission: $\pi/4$ DQPSK, Channel 0, 30 MHz - 1 GHz




Fig. 52 Radiated emission: $\pi/4$ DQPSK, Channel 0, 1 GHz - 4 GHz




Fig. 53 Radiated emission: $\pi/4$ DQPSK, Channel 0, 4 GHz - 18 GHz




Fig. 54 Radiated emission: $\pi/4$ DQPSK, Channel 39, 30 MHz - 1 GHz




Fig. 55 Radiated emission: $\pi/4$ DQPSK, Channel 39, 1 GHz - 4 GHz




Fig. 56 Radiated emission: $\pi/4$ DQPSK, Channel 39, 4 GHz - 18 GHz




Fig. 57 Radiated emission: $\pi/4$ DQPSK, Channel 78, 30 MHz - 1 GHz




Fig. 58 Radiated emission: $\pi/4$ DQPSK, Channel 78, 1 GHz - 4 GHz




Fig. 59 Radiated emission: $\pi/4$ DQPSK, Channel 78, 4 GHz - 18 GHz




Fig. 60 Radiated emission (Power): $\pi/4$ DQPSK, 2.45GHz - 2.5GHz




Fig. 61 Radiated emission: $\pi/4$ DQPSK, 18 GHz - 26 GHz




Fig. 62 Radiated emission: 8DPSK, Channel 0, 30 MHz - 1 GHz




Fig. 63 Radiated emission: 8DPSK, Channel 0, 1 GHz - 4 GHz




Fig. 64 Radiated emission: 8DPSK, Channel 0, 4 GHz - 18 GHz




Fig. 65 Radiated emission: 8DPSK, Channel 39, 30 MHz - 1 GHz




Fig. 66 Radiated emission: 8DPSK, Channel 39, 1 GHz - 4 GHz




Fig. 67 Radiated emission: 8DPSK, Channel 39, 4 GHz - 18 GHz




Fig. 68 Radiated emission: 8DPSK, Channel 78, 30 MHz - 1 GHz




Fig. 69 Radiated emission: 8DPSK, Channel 78, 1 GHz - 4 GHz




Fig. 70 Radiated emission: 8DPSK, Channel 78, 4 GHz - 18 GHz




Fig. 71 Radiated emission (Power): 8DPSK, 2.45GHz - 2.5GHz






Fig. 72 Radiated emission: 8DPSK, 18 GHz - 26 GHz




Date: 23.OCT.2009 06:48:21

Fig. 73 Time of occupancy (Dwell Time): Channel 39, Packet DH1




Date: 23.OCT.2009 06:48:09

Fig. 74 Number of Transmissions Measurement:Channel 39,Packet DH1



Date: 23.OCT.2009 06:49:41

Fig. 75 Time of occupancy (Dwell Time): Channel 39, Packet DH3



Date: 23.OCT.2009 06:49:30

Fig. 76 Number of Transmissions Measurement:Channel 39,Packet DH3




Fig. 77 Time of occupancy (Dwell Time): Channel 39, Packet DH5






Fig. 78 Number of Transmissions Measurement:Channel 39,Packet DH5




Date: 23.OCT.2009 07:23:58

Fig. 79 Time of occupancy (Dwell Time): Channel 39, Packet 2-DH1




Date: 23.OCT.2009 07:23:46

Fig. 80 Number of Transmissions Measurement:Channel 39,Packet 2-DH1




Date: 23.OCT.2009 07:25:15

Fig. 81 Time of occupancy (Dwell Time): Channel 39, Packet 2-DH3




Date: 23.OCT.2009 07:25:03

Fig. 82 Number of Transmissions Measurement:Channel 39,Packet 2-DH3




Date: 23.OCT.2009 07:26:31

Fig. 83 Time of occupancy (Dwell Time): Channel 39, Packet 2-DH5




Date: 23.OCT.2009 07:26:20

Fig. 84 Number of Transmissions Measurement:Channel 39,Packet 2-DH5




Date: 23.OCT.2009 08:02:47

Fig. 85 Time of occupancy (Dwell Time): Channel 39, Packet 3-DH1




Date: 23.OCT.2009 08:02:36

Fig. 86 Number of Transmissions Measurement:Channel 39,Packet 3-DH1




Date: 23.OCT.2009 08:04:06

Fig. 87 Time of occupancy (Dwell Time): Channel 39, Packet 3-DH3




Date: 23.OCT.2009 08:03:54

Fig. 88 Number of Transmissions Measurement:Channel 39,Packet 3-DH3




Date: 23.OCT.2009 08:05:23

Fig. 89 Time of occupancy (Dwell Time): Channel 39, Packet 3-DH5




Date: 23.OCT.2009 08:05:12

Fig. 90 Number of Transmissions Measurement:Channel 39,Packet 3-DH5




Date: 23.OCT.2009 06:51:34

Fig. 91 20dB Bandwidth: GFSK, Channel 0




Date: 23.OCT.2009 06:52:05

Fig. 92 20dB Bandwidth: GFSK, Channel 39




Date: 23.OCT.2009 06:52:37

Fig. 93 20dB Bandwidth: GFSK, Channel 78




Date: 23.OCT.2009 07:27:04

Fig. 94 20dB Bandwidth: $\pi/4$ DQPSK, Channel 0




Date: 23.OCT.2009 07:27:36

Fig. 95 20dB Bandwidth: $\pi/4$ DQPSK, Channel 39




Date: 23.OCT.2009 07:28:08

Fig. 96 20dB Bandwidth: $\pi/4$ DQPSK, Channel 78




Date: 23.OCT.2009 08:05:57

Fig. 97 20dB Bandwidth: 8DPSK, Channel 0




Date: 23.OCT.2009 08:06:28

Fig. 98 20dB Bandwidth: 8DPSK, Channel 39



Date: 23.OCT.2009 08:07:00

Fig. 99 20dB Bandwidth: 8DPSK, Channel 78



Date: 23.OCT.2009 06:57:41

Fig. 100 Carrier frequency separation measurement: GFSK, Channel 39




Fig. 101 Carrier frequency separation measurement: $\pi/4$ DQPSK, Channel 39




Fig. 102 Carrier frequency separation measurement: 8DPSK, Channel 39




Fig. 103 Number of hopping frequencies: GFSK, Channel 0 - 39




Fig. 104 Number of hopping frequencies: GFSK, Channel 40 - 78




Fig. 105 Number of hopping frequencies: $\pi/4$ DQPSK, Channel 0 - 39




Fig. 106 Number of hopping frequencies: $\pi/4$ DQPSK, Channel 40 - 78




Fig. 107 Number of hopping frequencies: 8DPSK, Channel 0 - 39




Fig. 108 Number of hopping frequencies: 8DPSK, Channel 40 - 78




Fig. 109 AC Powerline Conducted Emission with charger

MEASUREMENT RESULT: "9TA864_BC_fin QP"

Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Line dB	PE
0.400000	44.30	10.1	58	13.5	L1	GND
0.855000	43.60	10.1	56	12.4	L1	FLO
0.920000	41.40	10.1	56	14.6	L1	GND
1.400000	44.40	10.1	56	11.6	L1	GND
2.564864	46.60	10.1	56	9.4	L1	GND
6.218227	42.40	10.2	60	17.6	L1	GND

MEASUREMENT RESULT: "9TA864_BC_fin AV"

Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Line dB	PE
1.345000	35.30	10.1	46	10.7	L1	FLO
2.564864	38.60	10.1	46	7.4	L1	GND

*** END OF REPORT BODY ***