

FCC Part 22/24/27 Compliance Test Report

Test Report no.:	FCC22&24&27_RM-995_01.docx	Date of Report:	16-Dec-2013
Number of pages:	61	Customer's Contact person:	Hu Helen
Testing laboratory:	TCC Nokia Beijing Laboratory Beijing Economic and Technological Development Area No.5 Donghuan Zhonglu Beijing PRC China 100176 Tel. +86 10 8711 8888 Fax. +86 10 8711 4550	Customer:	Nokia Corporation Beijing Economic and Technological Development Area No.5 Donghuan Zhonglu Beijing PRC China 100176 Tel. +86 10 8711 8888 Fax. +86 10 8711 4550
FCC listing no.:	975940		
IC recognition no.:	661AH-1		
Tested devices/ accessories:	Phone RM-995 / Battery BV-4BWA(Sony) / AC-Charger AC-20U / Headset WH-108 / Dummy battery -		
FCC ID:	QTLRM-995	IC:	661AB-RM995
Supplement reports:	-		
Testing has been carried out in accordance with:	CFR 47, FCC rules Parts 22/24/27, TIA-603-C-2004 and IC standards, RSS-GEN (Issue 3, December 2010), RSS-130 (Issue 1, October 2013), RSS-132 (Issue 2, September 2005), RSS-133 (Issue 5, February 2009), RSS-139 (Issue 2, February 2009). Deviations, modifications or clarifications (if any) to above mentioned documents are written in each section under "Test method and limit".		
Documentation:	The test report must always be reproduced in full; reproduction of an excerpt only is subject to written approval of the testing laboratory. The documentation of the testing performed on the tested devices is archived for 15 years at TCC Nokia.		
Test Results:	The EUT complies with the requirements in respect of all parameters subject to the test. The test results relate only to devices specified in this document		
Date and signature for the contents:			

Gao Sherina, Engineer, EMC

1. Summary for FCC Part 22/24/27 Compliance Test Report

Date of receipt	13-Nov-2013
Testing completed	05-Dec-2013
The customer's contact person	Hu Helen
Test Plan referred to	T:\Projects\RM-995\TestPlan\RS_testplan_RM-995.xlsm
Notes	-
Document name	FCC22&24&27_RM-995_01.docx

1.1. EUT and Accessory Information

The EUT is a mobile phone with following features:

GSM/WCDMA/WLAN/Bluetooth

The EUT is tested with maximum rated TX power.

Devices under tests

Product	Type	SN	HW	MV	SW	DUT
Phone	RM-995	004402476462381	1000	-	3055.40000.1344.1000	54191
Battery	BV-4BWA(Sony)	-	-	-	-	53966
AC-Charger	AC-20U	4868673112340509941;0675629	-	-	-	53388
Headset	WH-108	3323471	-	-	-	53963
Phone	RM-995	004402476460609	1000	-	3055.40000.1344.1000	53964
Battery	BV-4BWA(Sony)	-	-	-	-	53967
AC-Charger	AC-20U	4868673112340509970;0675629	-	-	-	53340
Headset	WH-108	3185D71	-	-	-	53782
Phone	RM-995	004402476462092	1000	-	3055.40000.1344.1000	54199
Dummy battery	-	-	-	-	-	54200

1.2. Summary of Test Results

GSM850:

Section in CFR 47	Section in RSS-GEN or RSS-132	Name of the test	Result
§2.1046(a), 22.913(a)	4.4	Conducted RF output power	NP
§22.913(a)	4.4	Radiated RF output power	NP
§2.1049(h)	4.6.1	99 % occupied bandwidth	PASSED
§22.917(a)	4.5	Band edge compliance	PASSED
§22.917(a), §2.1051	4.5	Spurious emissions at antenna terminals	NP
§22.917(a), §2.1053	4.5	Spurious radiated emissions	PASSED
§2.1055(a)	4.3	Frequency stability, temperature variation	PASSED
§2.1055(d)	4.3	Frequency stability, voltage variation	PASSED

WCDMA 850 (Band V):

Section in CFR 47	Section in RSS-GEN or RSS-132	Name of the test	Result
§2.1046(a), 22.913(a)	4.4	Conducted RF output power	NP
§22.913(a)	4.4	Radiated RF output power	NP
§2.1049(h)	4.6.1	99 % occupied bandwidth	PASSED
§22.917(a)	4.5	Band edge compliance	PASSED
§22.917(a), §2.1051	4.5	Spurious emissions at antenna terminals	NP
§22.917(a), §2.1053	4.5	Spurious radiated emissions	PASSED

§2.1055(a)	4.3	Frequency stability, temperature variation	NP
§2.1055(d)	4.3	Frequency stability, voltage variation	NP

LTE 850 (Band V):

Section in CFR 47	Section in RSS-GEN or RSS-132	Name of the test	Result
§2.1046(a), 22.913(a)	4.4	Conducted RF output power	NP
§22.913(a)	4.4	Radiated RF output power	NP
§2.1049(h)	4.6.1	99 % occupied bandwidth	PASSED
§22.917(a)	4.5	Band edge compliance	PASSED
§22.917(a), §2.1051	4.5	Spurious emissions at antenna terminals	NP
§22.917(a), §2.1053	4.5	Spurious radiated emissions	PASSED
§2.1055(a)	4.3	Frequency stability, temperature variation	NP
§2.1055(d)	4.3	Frequency stability, voltage variation	NP

GSM1900:

Section in CFR 47	Section in RSS-GEN or RSS-133	Name of the test	Result
§2.1046(a)	6.4	Conducted RF output power	NP
§24.232(b)	6.4	Radiated RF output power	NP
§2.1049(h)	4.6.1	99 % occupied bandwidth	PASSED
§24.238(a)	6.5	Band edge compliance	PASSED
§24.238(a), §2.1051	6.5	Spurious emissions at antenna terminals	NP
§24.238(a), §2.1053	6.5	Spurious radiated emissions	PASSED
§2.1055(a)	6.3	Frequency stability, temperature variation	PASSED
§2.1055(d)	6.3	Frequency stability, voltage variation	PASSED

WCDMA 1900 (Band II):

Section in CFR 47	Section in RSS-GEN or RSS-133	Name of the test	Result
§2.1046(a)	6.4	Conducted RF output power	NP
§24.232(b)	6.4	Radiated RF output power	NP
§2.1049(h)	4.6.1	99 % occupied bandwidth	PASSED
§24.238(a)	6.5	Band edge compliance	PASSED
§24.238(a), §2.1051	6.5	Spurious emissions at antenna terminals	NP
§24.238(a), §2.1053	6.5	Spurious radiated emissions	PASSED
§2.1055(a)	6.3	Frequency stability, temperature variation	NP
§2.1055(d)	6.3	Frequency stability, voltage variation	NP

WCDMA 1700 (Band IV):

Section in CFR 47	Section in RSS-GEN or RSS-139	Name of the test	Result
§2.1046(a)	6.4	Conducted RF output power	NP
§27.50(d)(2)	6.4	Radiated RF output power	NP
§2.1049(h)	4.6.1	99 % occupied bandwidth	PASSED
§27.53(g)	6.5	Band edge compliance	PASSED
§27.53(g), §2.1051	6.5	Spurious emissions at antenna terminals	NP
§24.238(a), §2.1053	6.5	Spurious radiated emissions	PASSED
§2.1055(a)	6.3	Frequency stability, temperature variation	PASSED
§2.1055(d)	6.3	Frequency stability, voltage variation	PASSED

LTE 1900 (Band II):

Section in CFR 47	Section in RSS-GEN or RSS-133	Name of the test	Result
§2.1046(a)	6.4	Conducted RF output power	NP
§24.232(b)	6.4	Radiated RF output power	NP
§2.1049(h)	4.6.1	99 % occupied bandwidth	PASSED
§24.238(a)	6.5	Band edge compliance	PASSED
§24.238(a), §2.1051	6.5	Spurious emissions at antenna terminals	NP
§24.238(a), §2.1053	6.5	Spurious radiated emissions	PASSED
§2.1055(a)	6.3	Frequency stability, temperature variation	NP
§2.1055(d)	6.3	Frequency stability, voltage variation	NP

LTE1700 (Band 4):

Section in CFR 47	Section in RSS-GEN or RSS-139	Name of the test	Result
§2.1046(a)	6.4	Conducted RF output power	NP
§27.50(d)(4)	6.4	Radiated RF output power	NP
§2.1049(h)	4.6.1	99 % occupied bandwidth	PASSED
§27.53(h)	6.5	Band edge compliance	PASSED
§27.53(h), §2.1051	6.5	Spurious emissions at antenna terminals	NP
§27.53(h), §2.1053	6.5	Spurious radiated emissions	NP
§2.1055(a)	6.3	Frequency stability, temperature variation	NP
§2.1055(d)	6.3	Frequency stability, voltage variation	NP
N/A	N/A	Peak to average power ratio	NP

LTE700 Lower (Band 17):

Section in CFR 47	Section in RSS-GEN or RSS-130	Name of the test	Result
§2.1046 (a)	4.4	Conducted RF output power	NP
§27.50(c)(10)	4.4	Radiated RF output power	NP
§2.1049(h)	4.6.1	99 % occupied bandwidth	PASSED
§27.53(g)	4.6	Band edge compliance	PASSED
§27.53(g), §2.1051	4.6	Spurious emissions at antenna terminals	NP
§27.53(g), §2.1051	4.6	Spurious radiated emissions	PASSED
§2.1055(a)	4.3 (a)	Frequency stability, temperature variation	PASSED
§2.1055(d)	4.3 (a)	Frequency stability, voltage variation	PASSED
N/A	NA	Peak to average power ratio	NP

PASSED

FAILED

NP

The EUT complies with the essential requirements in the standard.

The EUT does not comply with the essential requirements in the standard.

The test was not performed by the TCC Nokia Laboratory.

CONTENTS


1. Summary for FCC Part 22/24/27 Compliance Test Report	2
1.1. EUT and Accessory Information.....	2
1.2. Summary of Test Results.....	2
2. 99% occupied bandwidth (FCC §2.1049(h), RSS-GEN 4.6.1)	7
2.1. Test Setup.....	7
2.2. Test method and limit.....	7
2.3. GSM 1900 Test results	8
2.4. GSM 850 Test results	9
2.5. WCDMA 1900 Test results.....	10
2.6. WCDMA 1700 Test results.....	10
2.7. WCDMA 850 Test results.....	11
2.8. LTE1900 (Band 2) Test results	12
2.9. LTE1700 (Band 4) Test results	19
2.10. LTE850 (Band 5) Test results	25
2.11. LTE700 Lower (Band 17) Test results.....	30
3. Band edge compliance (FCC §22.917(a), §24.238(a), §27.53(g), §27.53(h), §27.53(c)(2)(4), §27.53(g), RSS- 132 4.5, RSS-133 6.5, RSS-139 6.5, RSS-130 4.6)	32
3.1. Test Setup.....	32
3.2. Test method and limit.....	32
3.3. GSM 1900 Test results	33
3.4. GSM 850 Test results	35
3.5. WCDMA 1900 Test results.....	37
3.6. WCDMA 1700 Test results.....	38
3.7. WCDMA 850 Test results.....	39
3.8. LTE1900 (Band 2) Test results	40
3.9. LTE1700 (Band 4) Test results	42
3.10. LTE850 (Band 5) Test results	44
3.11. LTE700 Lower (Band 17) Test results.....	46
4. Spurious radiated emissions (FCC §22.917(a), §2.1053, §24.238(a), §2.1053, §27.53(g), §2.1053, §27.53(h), §27.53(g), §2.1051, RSS-132 4.5, RSS-133 6.5, RSS-130 4.6)	48
4.2. Test method and limit.....	48
4.3. GSM850 TX test results	50
4.4. GSM850-E1 TX test results.....	50
4.5. GSM1900 TX test results	50

4.7.	WCDMA 1900 (Band II) test results	51
4.8.	WCDMA 1700 (Band IV) test results	51
4.9.	WCDMA 850 (Band V) test results	52
4.10.	LTE 1900 (Band II) test results	52
4.11.	LTE 850 (Band V) test results	53
4.12.	LTE700 Lower (Band 17) test results	53
5.	Frequency stability, temperature variation	
	(FCC §2.1055(a), RSS-132 4.3, RSS-133 6.3, RSS-139 6.3, RSS-130 4.3(a))	55
5.1.	Test Setup.....	55
5.2.	Test method and limit.....	55
5.3.	GSM 1900 Test results	56
5.4.	GSM 850 Test results	56
5.5.	WCDMA 1700 Test results.....	56
5.6.	LTE700 Lower (Band 17) Test results.....	57
6.	Frequency stability, voltage variation	
	(FCC §2.1055(d), RSS-132 4.3, RSS-133 6.3, RSS-139 6.3, RSS-130 4.3(a))	58
6.1.	Test Setup.....	58
6.2.	Test method and limit.....	58
6.3.	GSM 1900 Test results	59
6.4.	GSM 850 Test results	59
6.5.	WCDMA 1700 Test results.....	59
6.6.	LTE700 Lower (Band 17) Test results.....	59
7.	Test Equipment.....	60
7.1.	Conducted measurements	60
7.2.	Radiated measurements	60

2. 99% occupied bandwidth (FCC §2.1049(h), RSS-GEN 4.6.1)

EUT with DUT number	RM-995, DUT 54191
Accessories with DUT numbers	BV-4BWA(Sony) , DUT 53966 ; AC-20U, DUT 53388 ; WH-108, DUT 53963
Operation Voltage [V] / [Hz]	Nominal
Results	PASSED
Remarks	-
Temp [°C] / Humidity [%RH] / Air Pressure [kPa]	20/30/101.4 to 19/28/102.1
Date of measurements	14-Nov-2013 to 13-Dec-2013
Measured by	Gao Sherina

2.1. Test Setup




2.2. Test method and limit

The measurement is made according to FCC rules parts 22, 24, 27 and IC standard RSS-GEN.


2.3. GSM 1900 Test results

Operation mode (TX on)	99% Occupied bandwidth [kHz]
GSM	244
EGPRS	244

GSM, Channel 661 / 1880.0 MHz




EGPRS, Channel 661 / 1880.0 MHz




2.4. GSM 850 Test results

Operation mode (TX on)	99% Occupied bandwidth [kHz]
GSM	244
EGPRS	242

GSM, Channel 190 / 836.6 MHz




EGPRS, Channel 190 / 836.6 MHz



2.5. WCDMA 1900 Test results

Operation mode (TX on)	99% Occupied bandwidth [kHz]
FDD	4160


FDD, Channel 9400 / 1880.0 MHz



2.6. WCDMA 1700 Test results

Operation mode (TX on)	99% Occupied bandwidth [kHz]
FDD	4200


FDD, Channel 1412 / 1732.4 MHz



2.7. WCDMA 850 Test results

Operation mode (TX on)	99% Occupied bandwidth [kHz]
FDD	4180


FDD, Channel 4175 / 835.0 MHz




2.8. LTE1900 (Band 2) Test results

Operation mode (TX on)	99% Occupied bandwidth [kHz]
FDD, CBW 1.4MHz, QPSK, 6 RB	1092
FDD, CBW 3MHz, QPSK, 15 RB	2690
FDD, CBW 5MHz, QPSK, 25 RB	4480
FDD, CBW 10MHz, QPSK, 50 RB	8940
FDD, CBW 15MHz, QPSK, 75 RB	13400
FDD, CBW 20MHz, QPSK, 100 RB	17900
FDD, CBW 1.4MHz, 16QAM, 6 RB	1084
FDD, CBW 3MHz, 16QAM, 15 RB	2700
FDD, CBW 5MHz, 16QAM, 25 RB	4480
FDD, CBW 10MHz, 16QAM, 50 RB	8940
FDD, CBW 15MHz, 16QAM, 75 RB	13480
FDD, CBW 20MHz, 16QAM, 100 RB	17850


FDD, CBW 1.4MHz, QPSK, 6 RB, Channel 18900 / 1880.0 MHz




FDD, CBW 3MHz, QPSK, 15 RB, Channel 18900 / 1880.0 MHz




FDD, CBW 5MHz, QPSK, 25 RB, Channel 18900 / 1880.0 MHz




FDD, CBW 10MHz, QPSK, 50 RB, Channel 18900 / 1880.0 MHz




FDD, CBW 15MHz, QPSK, 75 RB, Channel 18900 / 1880.0 MHz




FDD, CBW 20MHz, QPSK, 100 RB, Channel 18900 / 1880.0 MHz




FDD, CBW 1.4MHz, 16QAM, 6 RB, Channel 18900 / 1880.0 MHz




FDD, CBW 3MHz, 16QAM, 15 RB, Channel 18900 / 1880.0 MHz




FDD, CBW 5MHz, 16QAM, 25 RB, Channel 18900 / 1880.0 MHz




FDD, CBW 10MHz, 16QAM, 50 RB, Channel 18900 / 1880.0 MHz



FDD, CBW 15MHz, 16QAM, 75 RB, Channel 18900 / 1880.0 MHz




FDD, CBW 20MHz, 16QAM, 100 RB, Channel 18900 / 1880.0 MHz




2.9. LTE1700 (Band 4) Test results

Operation mode (TX on)	99% Occupied bandwidth [kHz]
FDD, CBW 1.4MHz, QPSK, 6 RB	1088
FDD, CBW 3MHz, QPSK, 15 RB	2690
FDD, CBW 5MHz, QPSK, 25 RB	4480
FDD, CBW 10MHz, QPSK, 50 RB	8940
FDD, CBW 15MHz, QPSK, 75 RB	13440
FDD, CBW 20MHz, QPSK, 100 RB	17900
FDD, CBW 1.4MHz, 16QAM, 6 RB	1084
FDD, CBW 3MHz, 16QAM, 15 RB	2680
FDD, CBW 5MHz, 16QAM, 25 RB	4466
FDD, CBW 10MHz, 16QAM, 50 RB	8940
FDD, CBW 15MHz, 16QAM, 75 RB	13440
FDD, CBW 20MHz, 16QAM, 100 RB	17850


FDD, CBW 1.4MHz, QPSK, 6 RB, Channel 20175 / 1732.5 MHz




FDD, CBW 3MHz, QPSK, 15 RB, Channel 20175 / 1732.5 MHz




FDD, CBW 5MHz, QPSK, 25 RB, Channel 20175 / 1732.5 MHz




FDD, CBW 10MHz, QPSK, 50 RB, Channel 20175 / 1732.5 MHz




FDD, CBW 15MHz, QPSK, 75 RB, Channel 20175 / 1732.5 MHz




FDD, CBW 20MHz, QPSK, 100 RB, Channel 20175 / 1732.5 MHz




FDD, CBW 1.4MHz, 16QAM, 6 RB, Channel 20175 / 1732.5 MHz




FDD, CBW 3MHz, 16QAM, 15 RB, Channel 20175 / 1732.5 MHz




FDD, CBW 5MHz, 16QAM, 25 RB, Channel 20175 / 1732.5 MHz




FDD, CBW 10MHz, 16QAM, 50 RB, Channel 20175 / 1732.5 MHz



FDD, CBW 15MHz, 16QAM, 75 RB, Channel 20175 / 1732.5 MHz




FDD, CBW 20MHz, 16QAM, 100 RB, Channel 20175 / 1732.5 MHz





2.10. LTE850 (Band 5) Test results


Operation mode (TX on)	99% Occupied bandwidth [kHz]
FDD, CBW 1.4MHz, QPSK, 6 RB	1092
FDD, CBW 3MHz, QPSK, 15 RB	2690
FDD, CBW 5MHz, QPSK, 25 RB	4480
FDD, CBW 10MHz, QPSK, 50 RB	8940
FDD, CBW 1.4MHz, 16QAM, 6 RB	1084
FDD, CBW 3MHz, 16QAM, 15 RB	2680
FDD, CBW 5MHz, 16QAM, 25 RB	4480
FDD, CBW 10MHz, 16QAM, 50 RB	8970

FDD, CBW 1.4MHz, QPSK, 6 RB, Channel 20525 / 836.5 MHz







FDD, CBW 10MHz, QPSK, 50 RB, Channel 20525 / 836.5 MHz




FDD, CBW 1.4MHz, 16QAM, 6 RB, Channel 20525 / 836.5 MHz




FDD, CBW 3MHz, 16QAM, 15 RB, Channel 20525 / 836.5 MHz



FDD, CBW 5MHz, 16QAM, 25 RB, Channel 20525 / 836.5 MHz




FDD, CBW 10MHz, 16QAM, 50 RB, Channel 20525 / 836.5 MHz




2.11. LTE700 Lower (Band 17) Test results

Operation mode (TX on)	99% Occupied bandwidth [kHz]
FDD, CBW 5MHz, QPSK, 25 RB	4480
FDD, CBW 10MHz, QPSK, 50 RB	8940
FDD, CBW 5MHz, 16QAM, 25 RB	4480
FDD, CBW 10MHz, 16QAM, 50 RB	8940


FDD, CBW 5MHz, QPSK, 25 RB, Channel 23790 / 710.0 MHz




FDD, CBW 10MHz, QPSK, 50 RB, Channel 23790 / 710.0 MHz



FDD, CBW 5MHz, 16QAM, 25 RB, Channel 23790 / 710.0 MHz



FDD, CBW 10MHz, 16QAM, 50 RB, Channel 23790 / 710.0 MHz




3. Band edge compliance

(FCC §22.917(a), §24.238(a), §27.53(g), §27.53(h), §27.53(c)(2)(4), §27.53(g), RSS-132 4.5, RSS-133 6.5, RSS-139 6.5, RSS-130 4.6)

EUT with DUT number	RM-995, DUT 54191
Accessories with DUT numbers	BV-4BWA(Sony) , DUT 53966 ; AC-20U, DUT 53388 ; WH-108, DUT 53963
Operation Voltage [V] / [Hz]	Nominal
Results	PASSED
Remarks	-
Temp [°C] / Humidity [%RH] / Air Pressure [kPa]	19/33/102.2 to 18/32/102.5
Date of measurements	21-Nov-2013 to 22-Nov-2013
Measured by	Gao Sherina

3.1. Test Setup



3.2. Test method and limit


The measurement is made according to FCC rules parts 22, 24, 27 and IC standards , RSS-132, RSS-133, RSS-139.

Limits for band edge compliance measurements

Operation band	Frequency range [MHz]	Limit [dBm]
LTE 700 Lower	703.9 – 704 and 716 – 716.1 Below 703.9 and above 716.1	-13 (RBW = 30 kHz, ERP) -13 (RBW = 30 kHz, ERP)
GSM850 / WCDMA850 / LTE850	Below 824 and above 849	-13
WCDMA1700 / LTE1700	Below 1710 and above 1755	-13
GSM1900 / LTE1900 / WCDMA1900	Below 1850 and above 1910	-13

3.3. GSM 1900 Test results


Channel 512 / 1850.2 MHz



RMS (RBW: 3 kHz, VBW: 3 kHz, Max hold)

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
GSM	1849.998	-23.84	PASSED


Channel 810 / 1909.8 MHz



RMS (RBW: 3 kHz, VBW: 3 kHz, Max hold)

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
GSM	1910.022	-25.56	PASSED


Channel 512 / 1850.2 MHz



RMS (RBW: 3 kHz, VBW: 3 kHz, Max hold)

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
EGPRS	1849.994	-36.58	PASSED

Channel 810 / 1909.8 MHz




RMS (RBW: 3 kHz, VBW: 3 kHz, Max hold)

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
EGPRS	1910.038	-35.85	PASSED

3.4. GSM 850 Test results


Channel 128 / 824.2 MHz



RMS (RBW: 3 kHz, VBW: 3 kHz, Max hold)

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
GSM	823.982	-23.46	PASSED


Channel 251 / 848.8 MHz



RMS (RBW: 3 kHz, VBW: 3 kHz, Max hold)

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
GSM	849.020	-22.04	PASSED


Channel 128 / 824.2 MHz



RMS (RBW: 3 kHz, VBW: 3 kHz, Max hold)

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
EGPRS	823.974	-31.45	PASSED

Channel 251 / 848.8 MHz




RMS (RBW: 3 kHz, VBW: 3 kHz, Max hold)

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
EGPRS	849.040	-30.62	PASSED

3.5. WCDMA 1900 Test results


Channel 9262 / 1852.4 MHz



RMS (RBW: 50 kHz, VBW: 50 kHz, Max hold)

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
FDD	1849.848	-32.37	PASSED

Channel 9538 / 1907.6 MHz




RMS (RBW: 50 kHz, VBW: 50 kHz, Max hold)

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
FDD	1910.026	-34.06	PASSED

3.6. WCDMA 1700 Test results


Channel 1312 / 1712.4 MHz



RMS (RBW: 50 kHz, VBW: 50 kHz, Max hold)

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
FDD	1709.970	-30.87	PASSED

Channel 1513 / 1752.6 MHz




RMS (RBW: 50 kHz, VBW: 50 kHz, Max hold)

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
FDD	1755.176	-30.04	PASSED

3.7. WCDMA 850 Test results


Channel 4132 / 826.4 MHz



RMS (RBW: 50 kHz, VBW: 50 kHz, Max hold)

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
FDD	823.960	-29.49	PASSED

Channel 4233 / 846.6 MHz




RMS (RBW: 50 kHz, VBW: 50 kHz, Max hold)

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
FDD	849.016	-29.09	PASSED

3.8. LTE1900 (Band 2) Test results


Channel 18700 / 1860 MHz



RMS (RBW: 200 kHz, VBW: 200 kHz, Max hold)

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
FDD, CBW 20MHz, QPSK, 100 RB	1849.990	-28.76	PASSED


Channel 19100 / 1900 MHz



RMS (RBW: 200 kHz, VBW: 200 kHz, Max hold)

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
FDD, CBW 20MHz, QPSK, 100 RB	1910.024	-28.32	PASSED


Channel 18700 / 1860 MHz



RMS (RBW: 200 kHz, VBW: 200 kHz, Max hold)

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
FDD, CBW 20MHz, 16QAM, 100 RB	1849.998	-29.21	PASSED

Channel 19100 / 1900 MHz




RMS (RBW: 200 kHz, VBW: 200 kHz, Max hold)

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
FDD, CBW 20MHz, 16QAM, 100 RB	1910.092	-29.08	PASSED

3.9. LTE1700 (Band 4) Test results


Channel 20050 / 1720 MHz



RMS (RBW: 200 kHz, VBW: 200 kHz, Max hold)

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
FDD, CBW 20MHz, QPSK, 100 RB	1709.898	-25.05	PASSED


Channel 20300 / 1745 MHz



RMS (RBW: 200 kHz, VBW: 200 kHz, Max hold)

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
FDD, CBW 20MHz, QPSK, 100 RB	1755.018	-25.87	PASSED


Channel 20050 / 1720 MHz



RMS (RBW: 200 kHz, VBW: 200 kHz, Max hold)

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
FDD, CBW 20MHz, 16QAM, 100 RB	1709.798	-24.03	PASSED

Channel 20300 / 1745 MHz




RMS (RBW: 200 kHz, VBW: 200 kHz, Max hold)

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
FDD, CBW 20MHz, 16QAM, 100 RB	1755.220	-24.44	PASSED

3.10. LTE850 (Band 5) Test results


Channel 20450 / 829 MHz



RMS (RBW: 100 kHz, VBW: 100 kHz, Max hold)

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
FDD, CBW 10MHz, QPSK, 50 RB	823.996	-43.22	PASSED


Channel 20600 / 844 MHz



RMS (RBW: 100 kHz, VBW: 100 kHz, Max hold)

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
FDD, CBW 10MHz, QPSK, 50 RB	849.004	-44.32	PASSED


Channel 20450 / 829 MHz



RMS (RBW: 100 kHz, VBW: 100 kHz, Max hold)

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
FDD, CBW 10MHz, 16QAM, 50 RB	823.900	-44.91	PASSED

Channel 20600 / 844 MHz




RMS (RBW: 100 kHz, VBW: 100 kHz, Max hold)

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
FDD, CBW 10MHz, 16QAM, 50 RB	849.012	-45.55	PASSED

3.11. LTE700 Lower (Band 17) Test results


Channel 23780 / 709 MHz



RMS detector

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
FDD, CBW 10MHz, QPSK, 50 RB	703.966	-27.41	PASSED


Channel 23800 / 711 MHz



RMS detector

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
FDD, CBW 10MHz, QPSK, 50 RB	716.010	-28.91	PASSED


Channel 23780 / 709 MHz



RMS detector

Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
FDD, CBW 10MHz, 16QAM, 50 RB	703.946	-28.57	PASSED

Channel 23800 / 711 MHz



RMS detector


Operation mode (TX on)	Frequency [MHz]	Level [dBm]	Result
FDD, CBW 10MHz, 16QAM, 50 RB	716.004	-30.18	PASSED

4. Spurious radiated emissions

(FCC §22.917(a), §2.1053, §24.238(a), §2.1053, §27.53(g), §2.1053, §27.53(h), §27.53(g), §2.1051, RSS-132 4.5, RSS-133 6.5, RSS-130 4.6)

EUT with DUT number	RM-995, DUT 53964
Accessories with DUT numbers	BV-4BWA(Sony) , DUT 53967 ; AC-20U, DUT 53340 ; WH-108, DUT 53782
Operation Voltage [V] / [Hz]	Nominal
Results	PASSED
Remarks	-
Temp [°C] / Humidity [%RH] / Air Pressure [kPa]	18 / 31/ 101.4 to 19/34/101
Date of measurements	02-Dec-2013 to 05-Dec-2013
Measured by	Zou Ming

4.1.1 Test setup



4.2. Test method and limit

The measurement is made according to TIA-603-C-2004 as follows:

The measurement is divided into the Preliminary Measurement and the Final Measurement.

The suspected frequencies are searched for in Preliminary Measurement with absorbers on floor and measuring antenna at fixed height using 2-axis EUT position system.

The Final Measurement is performed in the Semi-Anechoic Chamber with conducting metal floor, if the Preliminary Measurement results are closer than 20 dB to the permissible value.

The EUT is placed at nonconductive plate at the turntable center.

For each suspected frequency, the turntable is rotated 360 degrees and antenna is scanned from 1 to 4 m. This is repeated for both horizontal and vertical receive antenna polarizations.

The emissions less than 20 dB below the permissible value are reported.

The substitution method is used. Substitution values at each frequencies are measured beforehand and saved to the test software. The substitution corrections are obtained as described below:

$$ASUBST = PSUBST\ TX - PSUBST\ RX - LSUBST\ CABLES + GSUBST\ TX\ ANT$$

Where ASUBST is the final substitution correction including receive antenna gain. PSUBST TX is signal generator level, PSUBST RX is receiver level, LSUBST CABLES is cable losses including both TX and RX cables and GSUBST TX ANT is substitution antenna gain.

The measurement results are obtained as described below:

$$P[\text{dBm}] = \text{PMEAS} + \text{ATOT}$$

Where PMEAS is receiver reading in dBm and ATOT is total correction factor including cable loss and substitution correction (ATOT = LCABLES - GPREAMP + ASUBST).

Limits for spurious radiated emissions measurements

Operation band	Frequency range [MHz]	Limit [dBm]
LTE 700 Lower	30 - 7200	-13 (RBW = 100 kHz, ERP)
GSM850 / WCDMA850 / LTE850	30 - 8500	-13
WCDMA1700 / LTE1700 / / GSM1900 / WCDMA1900 / LTE1900	30 - 18000	-13

4.3. GSM850 TX test results

GSM mode, Channel 190 / 836.6 MHz

Peak detector

Frequency [MHz]	P [dBm]	P [μ W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarization	Results
851.535	-69.96	0.0001	-65.34	-4.62	HORIZONTAL	PASSED
1673.307	-52.52	0.0056	-56.31	3.79	VERTICAL	PASSED
1713.627	-58.55	0.0014	-62.8	4.25	VERTICAL	PASSED
2509.619	-43.2	0.04784	-53.87	10.67	VERTICAL	PASSED
2510.02	-41.61	0.0691	-52.02	10.41	HORIZONTAL	PASSED
3379.439	-58.81	0.00132	-66.12	7.31	VERTICAL	PASSED

*Substitution method could not be utilized as no emissions above noise floor were found during measurements.

4.4. GSM850-E1 TX test results

EGPRS mode, Channel 190 / 836.6 MHz

Peak detector

Frequency [MHz]	P [dBm]	P [μ W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarization	Results
1673.26	-54.73	0.00336	-58.43	3.7	HORIZONTAL	PASSED
2509.74	-52.61	0.00548	-63.28	10.67	VERTICAL	PASSED

*Substitution method could not be utilized as no emissions above noise floor were found during measurements.

4.5. GSM1900 TX test results

GSM mode, channel 661 / 1880.0 MHz

Peak detector

Frequency [MHz]	P [dBm]	P [μ W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarization	Results
9326.333	-44.71	0.0338	-68.4	23.69	HORIZONTAL	PASSED
9796.834	-42.9	0.05132	-67.71	24.81	HORIZONTAL	PASSED
9840.24	-42.07	0.06203	-67.15	25.08	VERTICAL	PASSED
9945.411	-42.73	0.05332	-67.79	25.06	VERTICAL	PASSED
9997.648	-42.84	0.052	-67.78	24.94	HORIZONTAL	PASSED
10023.747	-42.44	0.05708	-67.12	24.68	VERTICAL	PASSED

*Substitution method could not be utilized as no emissions above noise floor were found during measurements.

4.6. GSM1900-E1 TX test results

EGPRS mode, Channel 661 / 1880.0 MHz

Peak detector

Frequency [MHz]	P [dBm]	P [μ W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarization	Results
3759.82	-53.69	0.00428	-64.36	10.67	HORIZONTAL	PASSED
5639.94	-46.69	0.02145	-60.53	13.84	VERTICAL	PASSED

*Substitution method could not be utilized as no emissions above noise floor were found during measurements.

4.7. WCDMA 1900 (Band II) test results

Channel 9400 / 1880.0 MHz

FDD mode, Peak detector

Frequency [MHz]	P [dBm]	P [μ W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarization	Results
9848.236	-42.01	0.06299	-66.92	24.91	HORIZONTAL	PASSED
9911.042	-41.42	0.07213	-66.77	25.35	VERTICAL	PASSED
9942.906	-42.07	0.06209	-67.07	25	HORIZONTAL	PASSED
9998.556	-41.7	0.06758	-66.64	24.94	HORIZONTAL	PASSED

*Substitution method could not be utilized as no emissions above noise floor were found during measurements.

4.8. WCDMA 1700 (Band IV) test results

Channel 1412 / 1732.4 MHz

FDD mode, Peak detector

Frequency [MHz]	P [dBm]	P [μ W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarization	Results
1711.493	-46.25	0.02371	-53.55	7.3	HORIZONTAL	PASSED
1714.84	-39.16	0.12139	-46.67	7.51	HORIZONTAL	PASSED
1714.966	-44.14	0.03857	-50.75	6.61	VERTICAL	PASSED
1755.601	-43.26	0.04718	-50.3	7.04	HORIZONTAL	PASSED
9701.303	-42.37	0.05801	-66.93	24.56	HORIZONTAL	PASSED
9943.828	-41.56	0.0699	-66.64	25.08	VERTICAL	PASSED

*Substitution method could not be utilized as no emissions above noise floor were found during measurements.

4.9. WCDMA 850 (Band V) test results

Channel 4175 / 835.0 MHz

FDD mode, Peak detector

Frequency [MHz]	P [dBm]	P [μ W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarization	Results
847.546	-48.61	0.01378	-81.46	32.85	HORIZONTAL	PASSED
848.342	-48.17	0.01524	-80.97	32.8	HORIZONTAL	PASSED
1000.441	-59.67	0.00108	-62.05	2.38	HORIZONTAL	PASSED
2490.24	-51.77	0.00665	-62.38	10.61	VERTICAL	PASSED
2507.876	-51.08	0.0078	-61.75	10.67	VERTICAL	PASSED
3349.76	-57.54	0.00176	-65	7.46	HORIZONTAL	PASSED

*Substitution method could not be utilized as no emissions above noise floor were found during measurements.

4.10. LTE 1900 (Band II) test results

Channel 18900 / 1880.0 MHz

FDD, CBW 5MHz, QPSK, 1 RB, RMS detector

Frequency [MHz]	P [dBm]	P [μ W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarization	Results
3765.19	-65.82	0.00026	-76.55	10.73	HORIZONTAL	PASSED
5633.567	-56	0.00251	-69.9	13.9	VERTICAL	PASSED
7528.758	-56.8	0.00209	-78.49	21.69	VERTICAL	PASSED

*Substitution method could not be utilized as no emissions above noise floor were found during measurements.

Channel 18900 / 1880.0 MHz

FDD, CBW 5MHz, 16QAM, 1 RB, RMS detector

Frequency [MHz]	P [dBm]	P [μ W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarization	Results
3759.9	-65.04	0.00031	-75.71	10.67	HORIZONTAL	PASSED
5633.567	-56.85	0.00207	-70.75	13.9	VERTICAL	PASSED
7525.311	-56.85	0.00207	-78.49	21.64	VERTICAL	PASSED

*Substitution method could not be utilized as no emissions above noise floor were found during measurements.

4.11. LTE 850 (Band V) test results

Channel 20525 / 836.5 MHz

FDD, CBW 5MHz, QPSK, 1 RB, RMS detector

Frequency [MHz]	P [dBm]	P [μ W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarization	Results
824.199	-59.24	0.00119	-93.03	33.79	VERTICAL	PASSED
857.298	-58.6	0.00138	-93.02	34.42	VERTICAL	PASSED
880.994	-38.26	0.14928	-72.74	34.48	VERTICAL	PASSED
882.767	-38.29	0.14842	-72.74	34.45	VERTICAL	PASSED
1668.731	-65.78	0.00026	-69.5	3.72	VERTICAL	PASSED
2507.115	-71.07	8E-05	-81.74	10.67	VERTICAL	PASSED
3352.313	-77.01	2E-05	-84.51	7.5	VERTICAL	PASSED

*Substitution method could not be utilized as no emissions above noise floor were found during measurements.

Channel 20525 / 836.5 MHz

FDD, CBW 5MHz, 16QAM, 1 RB, RMS detector

Frequency [MHz]	P [dBm]	P [μ W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarization	Results
858.14	-58.48	0.00142	-93.02	34.54	VERTICAL	PASSED
879.792	-38.22	0.15066	-72.74	34.52	VERTICAL	PASSED
883.016	-38.28	0.14856	-72.74	34.46	VERTICAL	PASSED
994.791	-54.58	0.00348	-93.03	38.45	HORIZONTAL	PASSED
1668.651	-66.39	0.00023	-70.11	3.72	VERTICAL	PASSED
2509.159	-71.9	6E-05	-82.57	10.67	VERTICAL	PASSED
3351.631	-77.02	2E-05	-84.5	7.48	HORIZONTAL	PASSED

*Substitution method could not be utilized as no emissions above noise floor were found during measurements.

4.12. LTE700 Lower (Band 17) test results

Channel 23790 / 710 MHz

FDD, CBW 5MHz, QPSK, 1 RB, RMS detector

Frequency [MHz]	P [dBm]	P [μ W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarization	Results
1415.852	-78.89	1E-05	-80.99	2.1	VERTICAL	PASSED
2123.487	-67.21	0.00019	-74.61	7.4	VERTICAL	PASSED
2848.918	-69.51	0.00011	-82.57	13.06	VERTICAL	PASSED

*Substitution method could not be utilized as no emissions above noise floor were found during measurements.

Channel 23790 / 710 MHz

FDD, CBW 5MHz, 16QAM, 1 RB, RMS detector


Frequency [MHz]	P [dBm]	P [μ W]	P _{MEAS} [dBm]	A _{TOT} [dB]	Polarization	Results
1416.052	-78.88	1E-05	-80.98	2.1	VERTICAL	PASSED
2123.487	-69.15	0.00012	-76.55	7.4	VERTICAL	PASSED
2849.439	-70.41	9E-05	-83.48	13.07	VERTICAL	PASSED

*Substitution method could not be utilized as no emissions above noise floor were found during measurements.

5. Frequency stability, temperature variation (FCC §2.1055(a), RSS-132 4.3, RSS-133 6.3, RSS-139 6.3, RSS-130 4.3(a))

EUT with DUT number	RM-995, DUT 54191
Accessories with DUT numbers	BV-4BWA(Sony) , DUT 53966 ; AC-20U, DUT 53388 ; WH-108, DUT 53963
Operation Voltage [V] / [Hz]	Nominal
Results	PASSED
Remarks	-
Temp [°C] / Humidity [%RH] / Air Pressure [kPa]	19/33/102.2 to 18/32/102.5
Date of measurements	21-Nov-2013 to 22-Nov-2013
Measured by	Gao Sherina

5.1. Test Setup



5.2. Test method and limit

The measurement is made according to FCC rules parts 22, 24, 27 and IC standard RSS-132, RSS-133 and RSS-139 as follows:

The climate chamber temperature is set to the maximum value and the temperature is allowed to stabilize. The EUT is placed in the chamber.
The EUT is set in idle mode for 15 minutes.
The EUT is set to transmit.
The transmit frequency error was measured immediately.
The steps c - e were repeated for each temperature. Limits for frequency stability, temperature variation measurements

Frequency deviation [ppm]
+/- 2.5

5.3. GSM 1900 Test results

GSM, Channel 661 / 1880.0 MHz

Temperature [°C]	Frequency [MHz]	Deviation [Hz]	Deviation [ppm]	Result
50	1880.00	-6.33000	-0.0034	PASSED
40	1880.00	-7.43000	-0.004	PASSED
30	1880.00	-28.93000	-0.0154	PASSED
20	1880.00	-24.86000	-0.0132	PASSED
10	1880.00	-21.18000	-0.0113	PASSED
0	1880.00	-18.21000	-0.0097	PASSED
-10	1880.00	-24.02000	-0.0128	PASSED
-20	1880.00	-16.79000	-0.0089	PASSED
-30	1880.00	-20.92000	-0.0111	PASSED

5.4. GSM 850 Test results

GSM, Channel 190 / 836.6 MHz

Temperature [°C]	Frequency [MHz]	Deviation [Hz]	Deviation [ppm]	Result
50	836.60	3.87000	0.0046	PASSED
40	836.60	-4.00000	-0.0048	PASSED
30	836.60	-11.95000	-0.0143	PASSED
20	836.60	-9.10000	-0.0109	PASSED
10	836.60	-10.14000	-0.0121	PASSED
0	836.60	-10.01000	-0.012	PASSED
-10	836.60	-8.72000	-0.0104	PASSED
-20	836.60	1.94000	0.0023	PASSED
-30	836.60	-7.81000	-0.0093	PASSED

5.5. WCDMA 1700 Test results

FDD, Channel 1412 / 1732.4 MHz

Temperature [°C]	Frequency [MHz]	Deviation [Hz]	Deviation [ppm]	Result
50	1732.40	-7.44629	-0.0043	PASSED
40	1732.40	-4.13513	-0.0024	PASSED
30	1732.40	-2.85339	-0.0016	PASSED
20	1732.40	-2.15149	-0.0012	PASSED
10	1732.40	-2.27356	-0.0013	PASSED
0	1732.40	-4.47083	-0.0026	PASSED
-10	1732.40	-3.63159	-0.0021	PASSED
-20	1732.40	-5.24902	-0.003	PASSED
-22	1732.40	-2.63977	-0.0015	PASSED
-24	1732.40	-2.24304	-0.0013	PASSED
-26	1732.40	-4.89807	-0.0028	PASSED

*The EUT stopped working below -26 °C.

5.6. LTE700 Lower (Band 17) Test results

FDD, CBW 10MHz, QPSK, 50 RB, Channel 23790 / 710.0 MHz


Temperature [°C]	Frequency [MHz]	Deviation [Hz]	Deviation [ppm]	Result
50	710.00	-3.04699	-0.0043	PASSED
40	710.00	-1.37329	-0.0019	PASSED
30	710.00	-1.51634	-0.0021	PASSED
20	710.00	-1.88828	-0.0027	PASSED
10	710.00	-1.25885	-0.0018	PASSED
0	710.00	0.44346	0.0006	PASSED
-10	710.00	-1.77383	-0.0025	PASSED
-20	710.00	0.51498	0.0007	PASSED
-30	710.00	-2.47479	-0.0035	PASSED

6. Frequency stability, voltage variation

(FCC §2.1055(d), RSS-132 4.3, RSS-133 6.3, RSS-139 6.3, RSS-130 4.3(a))

EUT with DUT number	RM-995, DUT 54199
Accessories with DUT numbers	Dummy battery, DUT 54200
Operation Voltage [V] / [Hz]	Nominal
Results	PASSED
Remarks	-
Temp [°C] / Humidity [%RH] / Air Pressure [kPa]	18/26/101.5
Date of measurements	27-Nov-2013
Measured by	Gao Sherina

6.1. Test Setup



6.2. Test method and limit

The measurement is made according to FCC rules parts 22, 24, 27 and IC standard RSS-132, RSS-133 and RSS-139 as follows:

The EUT battery was replaced with an adjustable power supply. The frequency stability was measured at nominal voltage and at the battery cut-off point.

Limits for frequency stability, voltage variation measurements

Frequency deviation [ppm]
+/- 2.5

6.3. GSM 1900 Test results

GSM, Channel 661 / 1880.0 MHz

Voltage level [V]	Frequency [MHz]	Deviation [Hz]	Deviation [ppm]	Result
Nominal / 4.2	1880.00	-14.59000	-0.0078	PASSED
Battery cut-off point / 3.4	1880.00	-25.18000	-0.0134	PASSED
Max / 4.2	1880.00	-10.46000	-0.0056	PASSED

6.4. GSM 850 Test results

GSM, Channel 190 / 836.6 MHz

Voltage level [V]	Frequency [MHz]	Deviation [Hz]	Deviation [ppm]	Result
Nominal / 4.2	836.60	-11.56000	-0.0138	PASSED
Battery cut-off point / 3.4	836.60	-3.87000	-0.0046	PASSED
Max / 4.2	836.60	-6.97000	-0.0083	PASSED

6.5. WCDMA 1700 Test results

FDD, Channel 1412 / 1732.4 MHz

Voltage level [V]	Frequency [MHz]	Deviation [Hz]	Deviation [ppm]	Result
Nominal / 4.2	1732.40	-2.09045	-0.0012	PASSED
Battery cut-off point / 3.4	1732.40	-2.25830	-0.0013	PASSED
Max / 4.2	1732.40	-2.85339	-0.0016	PASSED

6.6. LTE700 Lower (Band 17) Test results

FDD, CBW 10MHz, QPSK, 50 RB, Channel 23790 / 710.0 MHz

Voltage level [V]	Frequency [MHz]	Deviation [Hz]	Deviation [ppm]	Result
Nominal / 4.2	710.00	-1.51634	-0.0021	PASSED
Battery cut-off point / 3.4	710.00	0.15736	0.0002	PASSED
Max / 4.2	710.00	-0.97275	-0.0014	PASSED

7. Test Equipment

7.1. Conducted measurements

Eq. No	Equipment	Type	Manufacturer	Used in
-	RF Emission Software	EMC32 Test Software	R&S	22/24/27, 15C, 15B
BJPCHW0020	DC Power supply	Hp6632B	HP	22/24/27, 15C
BJPCPT0040	Receiver	ESCS30	R&S	15C,15B
BJPCPT0069	LISN 50 μ H	ESH3-Z5	R&S	15C,15B
BJPCTC0323	Signal Generator	SMR 27	R&S	22/24/27, 15C, 15B
BJPCPT0073	Signal Generator	SMR 20	R&S	22/24/27, 15C, 15B
BJPCPT0191	Pulse Limiter	ESH3-Z2	R&S	15C,15B
BJPCPT0208	UPS	PULSAR RX10	Merlin gerin	15C.15B
BJPCTC0001	DIGITAL CAMERA	PC1015	CANON	15C.15R
BJPCTC0017	Communication Tester	CMU200	R&S	22/24/27, 15C, 15B
BJPCTC0062	AC Power source	6812B	Hp	15C.15B
BJPCTC0067	Bluetooth Tester	CBT	R&S	22/24/27, 15C
BJPCTC0082	Humidity and Temperature Sensor	175-H2	Testo	15B,15C
BJPCTC0088	Absolut pressure meter	testo 511	Testo	22/24/27, 15B,15C
BJPCTC0089	Tempreture Test chamber	VT4002	Votsch industrietechnik	22/24/27, 15C
BJPCTC0090	FSP spectrum analyzer	FSP30	R&S	22/24/27, 15C
BJPCTC0094	GPIO-RS232 convertor	GPIO-RS232	NI	22/24/27, 15C
BJPCTC0112	Power Splitter	11667B	Agilent	22/24/27, 15C
BJPCTC0115	Communication Tester	CMU200	R&S	22/24/27, 15B, 15C
BJPCTC0127	AC Power source	SOYI-500VA	SOYI	15B 15C
BJPCTC0128	Communication antenna	JXTXLB-10180	A-INFOMW	22/24/27 15B 15C
BJPCTC0129	Communication antenna	JXTXLB-10180	A-INFOMW	22/24/27 15B 15C
BJPCTC0131	Communication tester	CMW500	R&S	22/24/27 15B 15C
BJPCTC0136	Communication antenna	JXTXLB-880-NF	A-INFOMW	15B 15C
BJPCTC0306	Power Splitter	11667B	Agilent	22/24/27, 15C
BJPCTC0305	GPIO converter	GPIO-RS232	NI	22/24/27, 15C
BJPCTC0304	Spectrum Analyser	FSV30	R&S	22/24/27, 15C
BJPCTC0309	GPIO-RS232 convertor	RS232	NI	22/24/27, 15C
BJPCTC0307	Dual channel battery/charger simulator	2306	KEITHLEY	22/24/27, 15C
BJPCTC0308	Dual channel battery/charger simulator	2306	KEITHLEY	22/24/27, 15C
BJPCHW0571	Signal Generator 20GHz	MG3692B	Anritsu	22/24/27, 15C
BJBDATC0169	Tempreture Test chamber	VT4002	Votsch	22/24/27, 15C

7.2. Radiated measurements

Eq. No	Equipment	Type	Manufacturer	Used in
-	BT / WLAN Antenna	SPA 2400/75/9/0/V	Huber-Suhner	15C, 15B
-	BT / WLAN Antenna	SPA 2400/75/9/0/V	Huber-Suhner	15C, 15B
-	RF Emission Software	EMC32 Test Software	R&S	22/24/27, 15C, 15B
BJPCPT0072	Receiver	ESI B26	R&S	22/24/27, 15C, 15B
BJPCPT0150	High Pass Filter	WHKS1200-10SS	Wainwright	22/24/27, 15C, 15B
BJPCPT0151	Band Reject Filter	WRCD1880/2000-0.2/40-5SSK	Wainwright	24, 15B
BJPCPT0154	Band Reject Filter	WRCT2402/2480-2400/2483.5-30-20SS	Wainwright	15C, 15B
BJPCPT0166	Antenna	VUBA 9117	Swarzbeck	22/24/27
BJPCPT0208	UPS	PULSAR RX10	Merlin gerin	15C.15B
BJPCTC0001	DIGITAL CAMERA	PC1015	CANON	15C.15R
BJPCTC0007	Antenna	HL562	R&S	22/24/27, 15C, 15B

Eq. No	Equipment	Type	Manufacturer	Used in
BJPCTC0029	Antenna	HF906	R&S	22/24/27, 15C, 15B
BJPCTC0034	Band Reject Filter	WRCT 800/880-0.2/40-5SSK	Wainwright	22, 15B
BJPCTC0049	Preamplifier	Blma 0118-1A-Bt	Bonn	22/24/27, 15C, 15B
BJPCTC0055	Communication Tester	CMU200	R&S	22/24/27, 15C, 15B
BJPCTC0058	Bluetooth Tester	CBT	R&S	15C, 15B
BJPCTC0062	AC Power source	6812B	Hp	15C, 15B
BJPCTC0064	Band Reject Filter	WRCG1877/1883-1870/1890-40/6SS	Wainwright	24, 15B
BJPCTC0071	Multi-Device Controller	2090	EMCO	22/24/27, 15C, 15B
BJPCTC0072	Anechoic Chamber	3 m Semi / Full Anechoic Chamber	ETS	22/24/27, 15C, 15B
BJPCTC0073	MAST	Model-TR/POL	ETS	22/24/27, 15C, 15B
BJPCTC0074	MAST	Model 2070-2	ETS	22/24/27, 15C, 15B
BJPCTC0075	Turntable	Model 2188	ETS-EMCO	22/24/27, 15C, 15B
BJPCTC0081	Humidity and Temperature Sensor	175-H2	Testo	15B, 15C
BJPCTC0088	Absolut pressure meter	testo 511	Testo	22/24/27, 15B, 15C
BJPCTC0113	Receiver	ESI B26	R&S	22/24/27, 15B, 15C
BJPCTC0115	Communication Tester	CMU200	R&S	22/24/27, 15B, 15C
BJPCTC0124	Attenuator	SA18N200W-40	Fairview Microwave	-
BJPCTC0125	Loop Antenna	HFH2-Z2	R&S	15C
BJPCTC0126	Tripod	FHU-Z	R&S	15C
BJPCTC0128	Communication antenna	JXTXLB-10180	A-INFOMW	22/24/27, 15B, 15C
BJPCTC0129	Communication antenna	JXTXLB-10180	A-INFOMW	22/24/27, 15B, 15C
BJPCTC0131	Communication tester	CMW500	R&S	22/24/27, 15B, 15C
BJPCTC0133	Open Swith and contril unit	OSP 150	R&S	15B, 15C
BJPCTC0134	Open Swith and contril unit	OSP 150	R&S	15B, 15C
BJPCTC0135	Open Swith and contril unit	OSP 130	R&S	15B, 15C
BJPCTC0136	Communication antenna	JXTXLB-880-NF	A-INFOMW	15B, 15C
BJPCTC0171	Broad-band Horn Antenna	BBHA9120 D	SCHWARZBECK MESS - ELEKTRONIK	22/24/27, 15C, 15B
BJPCTC0310	Horn Antenna	QSH20SMA	Q-par	22/24/27, 15C, 15B
BJPCTC0311	Horn Antenna	QSH18SMA	Q-par	22/24/27, 15C, 15B
BJPCTC0312	Relay Switch Unit	-	-	22/24/27, 15C, 15B
BJPCTC0313	High Pass Filter	WHKX1.0/15G-12SS	Wainwright	22/24/27, 15C, 15B
BJPCTC0314	High Pass Filter	WHKX8.0/18G-88SS	Wainwright	22/24/27, 15C, 15B
BJPCTC0315	High Pass Filter	WHKX3.0/18G-12SS	Wainwright	22/24/27, 15C, 15B
BJPCTC0316	Preamplifier	AMT-5F-18002550-25-108	-	22/24/27, 15C, 15B
BJPCTC0317	Preamplifier	AMF-6D-02001800-29-20P	-	22/24/27, 15C, 15B
BJPCTC0318	Preamplifier	AFS42-00101500-25-10P-42	-	22/24/27, 15C, 15B
BJPCTC0324	Preamplifier	AFS4-00100300-20-23P-6	Miteq	22/24/27, 15C, 15B
BJPCTC0329	Relay Switch Unit	-	-	22/24/27, 15C, 15B