




PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF LOAD SYSTEMS INTERNATIONAL. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF LOAD SYSTEMS INTERNATIONAL IS PROHIBITED.

UNLESS OTHERWISE SPECIFIED
DIMENSION ARE IN INCHES


TOLERANCE ARE :

DECIMALS		FRACTIONS	
X	± 0.1	< 1/4	± 1/64
X.X	± 0.05	> 1/2	± 1/32
X.XX	± 0.01	≥ 1/2	± 1/16
X.XXX	± 0.002	ANGLE	± 0.5°
X.XXXX	± 0.0005	ROUGHNESS	125 ✓

APPROVALS		DATE
DRAWN	D. Lafrance	2013-05-28
CHECKED		
MAT.		WEIGHT
Treatment:		11.1919 lb



TITLE Part numbers and label placement			
SIZE A	DWG. NO. GLCXXX MN	REV.	
SCALE : 1:10		SHEET 1 OF 11	



PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF LOAD SYSTEMS INTERNATIONAL. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF LOAD SYSTEMS INTERNATIONAL IS PROHIBITED.

UNLESS OTHERWISE SPECIFIED
DIMENSION ARE IN INCHES

TOLERANCE ARE :

DECIMALS	FRACTIONS
X ± 0.1	< 1/4 ± 1/64
X.X ± 0.05	> 1/2 ± 1/32
X.XX ± 0.01	>= 1/2 ± 1/16
X.XXX ± 0.002	ANGLE ± 0.5°
X.XXXX ± 0.0005	ROUGHNESS 125 ✓

APPROVALS	DATE
DRAWN D. Lafrance	2013-05-28
CHECKED	
MAT.	WEIGHT 14.6150 lb
Treatment:	



TITLE	Part number and label placement			
SIZE A	DWG. NO. GLCXXX MN	REV.		
SCALE : 1:10		SHEET 2 OF 11		



PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF LOAD SYSTEMS INTERNATIONAL. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF LOAD SYSTEMS INTERNATIONAL IS PROHIBITED.

UNLESS OTHERWISE SPECIFIED
DIMENSION ARE IN INCHES

TOLERANCE ARE :

DECIMALS	FRACTIONS
X ± 0.1	< 1/4 ± 1/64
X.X ± 0.05	> 1/2 ± 1/32
X.XX ± 0.01	>= 1/2 ± 1/16
X.XXX ± 0.002	ANGLE ± 0.5°
X.XXXX ± 0.0005	ROUGHNESS 125 ✓

APPROVALS

DRAWN	D. Lafrance	DATE	2013-05-28
CHECKED			
MAT.		WEIGHT	32.2461 lb
Treatment:			



TITLE

Part number and label
placement

SIZE A	DWG. NO. GLCXXX MN	REV.	
SCALE : 1:10		SHEET 3 OF 11	



PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF LOAD SYSTEMS INTERNATIONAL. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF LOAD SYSTEMS INTERNATIONAL IS PROHIBITED.

UNLESS OTHERWISE SPECIFIED
DIMENSION ARE IN INCHES

TOLERANCE ARE :

DECIMALS	FRACTIONS
X ± 0.1	< 1/4 ± 1/64
X.X ± 0.05	> 1/2 ± 1/32
X.XX ± 0.01	>= 1/2 ± 1/16
X.XXX ± 0.002	ANGLE ± 0.5°
X.XXXX ± 0.0005	ROUGHNESS 125 ✓

APPROVALS

DRAWN D. Lafrance

DATE

2013-05-28

CHECKED

MAT.

WEIGHT

42.2240 lb

Treatment:



Load Systems International

www.loadsystems.com

TITLE

Part number and label
placement

SIZE
A

DWG. NO.

GLCXXX MN

REV.

SCALE : 1:10

SHEET 4 OF 11



PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF LOAD SYSTEMS INTERNATIONAL. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF LOAD SYSTEMS INTERNATIONAL IS PROHIBITED.

UNLESS OTHERWISE SPECIFIED
DIMENSION ARE IN INCHES

TOLERANCE ARE :

DECIMALS	FRACTIONS
X ± 0.1	< 1/4 ± 1/64
X.X ± 0.05	> 1/2 ± 1/32
X.XX ± 0.01	>= 1/2 ± 1/16
X.XXX ± 0.002	ANGLE ± 0.5°
X.XXXX ± 0.0005	ROUGHNESS 125 ✓

APPROVALS


DRAWN	D. Lafrance	DATE	2013-05-28
CHECKED			
MAT.		WEIGHT	70.5093 lb
Treatment:			



TITLE

Part number and label
placement

SIZE A	DWG. NO. GLCXXX MN	REV.	
SCALE : 1:10		SHEET 5 OF 11	



PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF LOAD SYSTEMS INTERNATIONAL. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF LOAD SYSTEMS INTERNATIONAL IS PROHIBITED.

UNLESS OTHERWISE SPECIFIED
DIMENSION ARE IN INCHES

TOLERANCE ARE :

DECIMALS	FRACTIONS
X ± 0.1	< 1/4 ± 1/64
X.X ± 0.05	> 1/2 ± 1/32
X.XX ± 0.01	>= 1/2 ± 1/16
X.XXX ± 0.002	ANGLE ± 0.5°
X.XXXX ± 0.0005	ROUGHNESS 125 ✓

APPROVALS

DRAWN D. Lafrance

DATE

2013-05-28

CHECKED

MAT.

WEIGHT

115.8015 lb

Treatment:



Load Systems International

www.loadsystems.com

TITLE

Part number and label
placement

SIZE
A



DWG. NO.

GLCXXX MN

REV.

SCALE : 1:10

SHEET 6 OF 11



DETAIL F
SCALE 1 : 1

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF LOAD SYSTEMS INTERNATIONAL. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF LOAD SYSTEMS INTERNATIONAL IS PROHIBITED.

UNLESS OTHERWISE SPECIFIED
DIMENSION ARE IN INCHES


TOLERANCE ARE :

DECIMALS	FRACTIONS
X ± 0.1	< 1/4 ± 1/64
X.X ± 0.05	> 1/2 ± 1/32
X.XX ± 0.01	>= 1/2 ± 1/16
X.XXX ± 0.002	ANGLE ± 0.5°
X.XXXX ± 0.0005	ROUGHNESS 125 ✓


APPROVALS	DATE
DRAWN D. Lafrance	2013-05-28
CHECKED	
MAT.	WEIGHT
Treatment:	158.8941 lb



TITLE Part number and label placement			
SIZE A	DWG. NO. GLCXXX MN	REV.	
SCALE : 1:10	SHEET 7 OF 11		



PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF LOAD SYSTEMS INTERNATIONAL. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF LOAD SYSTEMS INTERNATIONAL IS PROHIBITED.	UNLESS OTHERWISE SPECIFIED DIMENSION ARE IN INCHES TOLERANCE ARE :			APPROVALS		DATE		 LSI Load Systems International www.loadsystems.com	TITLE Part number and label placement				
				DRAWN D. Lafrance		2013-05-28							
				CHECKED									
				MAT.		WEIGHT							
				Treatment:		217.4335 lb		SIZE A		DWG. NO. GLCXXX MN		REV.	
	X ± 0.1 < 1/4 ± 1/64							SCALE : 1:10				SHEET 8 OF 11	
	X.X ± 0.05 > 1/2 ± 1/32												
	X.XX ± 0.01 >=1/2 ± 1/16												
	X.XXX ± 0.002 ANGLE ± 0.5°												
	X.XXXX ± 0.0005 ROUGHNESS 125 ✓												



DETAIL D
SCALE 1:1

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF LOAD SYSTEMS INTERNATIONAL. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF LOAD SYSTEMS INTERNATIONAL IS PROHIBITED.

UNLESS OTHERWISE SPECIFIED

DIMENSION ARE IN INCHES

TOLERANCE ARE :

DECIMALS

FRACTIONS

X ± 0.1

< 1/4

± 1/64

X.X ± 0.05

> 1/2

± 1/32

X.XX ± 0.01

>= 1/2

± 1/16

X.XXX ± 0.002

ANGLE

± 0.5°

X.XXXX ± 0.0005

ROUGHNESS

125 ✓

APPROVALS

DATE

DRAWN: D. Lafrance

2013-05-28

CHECKED

MAT.

WEIGHT

290.9840 lb

Treatment:



Load Systems International

www.loadsystems.com

TITLE

Part number and label placement

SIZE

A


SCALE : 1:10

DWG. NO.

GLCXXX MN

REV.

SHEET 9 OF 11



DETAIL C
SCALE 1 : 1

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF LOAD SYSTEMS INTERNATIONAL. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF LOAD SYSTEMS INTERNATIONAL IS PROHIBITED.

UNLESS OTHERWISE SPECIFIED
DIMENSION ARE IN INCHES




TOLERANCE ARE :

DECIMALS	FRACTIONS
X ± 0.1	< 1/4 ± 1/64
X.X ± 0.05	> 1/2 ± 1/32
X.XX ± 0.01	>= 1/2 ± 1/16
X.XXX ± 0.002	ANGLE ± 0.5°
X.XXXX ± 0.0005	ROUGHNESS 125 ✓

APPROVALS	DATE
DRAWN D. Lafrance	2013-05-28
CHECKED	
MAT.	WEIGHT 457.3157 lb
Treatment:	



TITLE Part number and label placement			
SIZE A	DWG. NO. GLCXXX MN	REV.	
SCALE : 1:10		SHEET 10 OF 11	



DETAIL B
SCALE 1 : 1.2

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF LOAD SYSTEMS INTERNATIONAL. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF LOAD SYSTEMS INTERNATIONAL IS PROHIBITED.

UNLESS OTHERWISE SPECIFIED DIMENSION ARE IN INCHES TOLERANCE ARE :			
DECIMALS		FRACTIONS	
X	± 0.1	< 1/4	± 1/64
X.X	± 0.05	> 1/2	± 1/32
X.XX	± 0.01	>= 1/2	± 1/16
X.XXX	± 0.002	ANGLE	± 0.5°
X.XXXX	± 0.0005	ROUGHNESS	125 ✓

APPROVALS		DATE
DRAWN	D. Lafrance	2013-05-28
CHECKED		
MAT.		
Treatment:		

LSI
Load Systems International
www.loadsystems.com

TITLE Part number and label placement			
SIZE A	DWG. NO. GLCXXX MN	REV.	
SCALE : 1:10		SHEET 11 OF 11	