


HP SMK 428 MHz REMOTE 20 dB BW
REF -40.0 dBm ATTEN 10 dB

PEAK
LOG
5
dB/
OFFST
6.0
dB

VA SB
SC FC
CORR




CENTER 428.000 MHz
#RES BW 100 kHz

#VBW 300 kHz

SPAN 0 Hz
#SWP 90 msec

Agilent



Print Setup

Printer Type
 Custom

Define
 Custom


Orientation
 Portrait

Prints/Page
 1 2

Eject Page

More
 1 of 2

Agilent



Freq/Channel

Center Freq
 428.000000 MHz

Start Freq
 426.500000 MHz

Stop Freq
 429.500000 MHz


CF Step
 300.000000 kHz
 Auto Man

Freq Offset
 0.00000000 Hz

Signal Track
 On Off

Scale Type
 Log Lin

Agilent



Print Setup

Printer Type
 Custom

Define
 Custom


Orientation
 Portrait

Prints/Page
 1 2

Eject Page

More
 1 of 2

Agilent



Freq/Channel

Center Freq
 428.000000 MHz

Start Freq
 426.500000 MHz

Stop Freq
 429.500000 MHz

CF Step
 300.000000 kHz
 Auto Man

Freq Offset
 0.00000000 Hz

Signal Track
 On Off

Scale Type
 Log Lin