MPA40BT

MPA40BT-PRO

MIC 1
MIC 2
BT/AUX
WIRELESS SYSTEM
LEVEL
INST/MIC IN
PAIRING
L
R
behringer
DIGITAL
WIRELESS
40 W
POWER
2.4
GHz
WIRELESS
25%
50%
75%
100%
BASS
TREBLE
MAIN LEVEL
BATTERY STATUS
MAIN CONTROL

POWER
WIRELESS
25%
50%
75%
100%
BASS
TREBLE
MAIN LEVEL
BATTERY STATUS
MAIN CONTROL
ON/ OFF
This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:
N11999
MUSIC Group Macao Commercial Offshore Limited
CAUTION
RISK OF ELECTRIC SHOCK!
DO NOT OPEN!
ATTENTION
RISQUE DE CHOC ELECTRIQUE!
NE PAS OUVRIR!
CAUTION
REPLACE FUSE WITH SAME FUSE TYPE AND RATING.
ATTENTION
UTILISER UN FUSIBLE DE RECHANGE DE MEME TYPE ET CALIBRE.
100-240V~ 50/60Hz 55W
FUSE: T 2A H 250V
SERIAL NUMBER
DATE CODE