
## The waveform of the conducted power line

## The waveform for the model BMS-15



03-3-27 16	:05	_		Manual-	Time	DE
Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Line	PE
0.465000	35.60	10.1	48	12.4		GND
0.850000	36.90	10.2	48	11.1	L1	GND
1.195000	33.00	10.3	48	15.0		GND
1.850000	25.80	10.3	48	22.2		GND
3.140000	21.50	10.5		26.5		GND
4.185000	16.40	10.5	48	31.6		GND
4.185000	10.40	10.5	40			
						4
2003-3-27 16	36 03	27ITS01L	15			

## EUT: Compact Fluorescent Lamp Manufacturer: Chengguang Operating Condition: Lighting On Operator: EX Comment: MX: 120V, 60Hz Comment: MX: 120V, 60Hz SN: Level [dbuv] SO 450K 700K lm 2M 3M 4M 5M 5M 5M 5M 5M 10M 20M 30M LTM FCC 18 CLASSB Voltage QP Limit 2003-3-27 16:37 03\_27ITS0INIS

2003-3-27 16:										
Frequency MHz	Level dB <sub>\mu V</sub>	Transd dB	Limit dB <sub>µ</sub> V	Margin dB	Line	PE				
0.625000	37.70	10.1	48			GND				
0.910000	37.90	10.2	48			GND				
2.175000	26.40	10.4	48			GND				
3.480000	21.90	10.5	48			GND				
3.675000	19.10	10.5	48			GND				
16.180000	13.50	11.0	48	34.5	N	GND				
						4				