


802.11ax HEW20_Nss1,(MCS0)_1TX

02/10/2020

5745MHz_TX




EUT Y_1TX Ant 2
Setting 88
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49116G	52.97	74.00	-21.03	38.08	3	Horizontal	309	1.71	-	38.89	8.85	32.85
AV	11.48686G	39.64	54.00	-14.36	24.75	3	Horizontal	309	1.71	-	38.89	8.85	32.85

802.11ax HEW20_Nss1,(MCS0)_1TX

02/10/2020

5785MHz_TX




EUT Y_1TX Ant 2
Setting 89
02-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.634G	65.60	68.20	-2.60	56.88	3	Vertical	2	1.48	-	33.87	6.32	31.47
PK	5.782G	120.26	Inf	-Inf	111.53	3	Vertical	2	1.48	-	33.80	6.39	31.46
AV	5.79G	106.71	Inf	-Inf	97.97	3	Vertical	2	1.48	-	33.80	6.40	31.46
PK	5.934G	64.61	68.20	-3.59	55.60	3	Vertical	2	1.48	-	34.13	6.33	31.45

802.11ax HEW20_Nss1,(MCS0)_1TX

02/10/2020

5785MHz_TX




EUT Y_1TX Ant 2
Setting 89
02-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.57G	60.82	68.20	-7.38	52.12	3	Horizontal	358	1.37	-	33.90	6.27	31.47
PK	5.782G	109.12	Inf	-Inf	100.39	3	Horizontal	358	1.37	-	33.80	6.39	31.46
AV	5.781G	94.97	Inf	-Inf	86.24	3	Horizontal	358	1.37	-	33.80	6.39	31.46
PK	5.966G	61.44	68.20	-6.76	52.40	3	Horizontal	358	1.37	-	34.17	6.32	31.45

802.11ax HEW20_Nss1,(MCS0)_1TX

02/10/2020

5785MHz_TX




EUT Y_1TX Ant 2
Setting 89
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5682G	54.14	74.00	-19.86	39.18	3	Vertical	163	2.96	-	38.95	8.87	32.86
AV	11.57052G	40.04	54.00	-13.96	25.06	3	Vertical	163	2.96	-	38.96	8.88	32.86

802.11ax HEW20_Nss1,(MCS0)_1TX

02/10/2020

5785MHz_TX




EUT Y_1TX Ant 2
Setting 89
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57466G	53.60	74.00	-20.40	38.62	3	Horizontal	102	1.83	-	38.96	8.88	32.86
AV	11.57018G	40.04	54.00	-13.96	25.06	3	Horizontal	102	1.83	-	38.96	8.88	32.86

802.11ax HEW20_Nss1,(MCS0)_1TX

06/10/2020

5825MHz_TX




EUT Y_1TX Ant 2
Setting 89
02-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.624G	62.80	68.20	-5.40	54.08	3	Vertical	360	1.47	-	33.88	6.31	31.47
PK	5.822G	120.27	Inf	-Inf	111.47	3	Vertical	360	1.47	-	33.87	6.39	31.46
AV	5.83G	106.91	Inf	-Inf	98.09	3	Vertical	360	1.47	-	33.89	6.39	31.46
PK	5.934G	66.25	68.20	-1.95	57.24	3	Vertical	360	1.47	-	34.13	6.33	31.45

802.11ax HEW20_Nss1,(MCS0)_1TX

06/10/2020

5825MHz_TX




EUT Y_1TX Ant 2
Setting 89
02-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.616G	61.11	68.20	-7.09	52.39	3	Horizontal	360	1.23	-	33.88	6.31	31.47
PK	5.822G	110.25	Inf	-Inf	101.45	3	Horizontal	360	1.23	-	33.87	6.39	31.46
AV	5.823G	96.22	Inf	-Inf	87.42	3	Horizontal	360	1.23	-	33.87	6.39	31.46
PK	5.944G	61.48	68.20	-6.72	52.46	3	Horizontal	360	1.23	-	34.14	6.33	31.45

802.11ax HEW20_Nss1,(MCS0)_1TX

06/10/2020

5825MHz_TX




EUT Y_1TX Ant 2
Setting 89
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65028G	54.50	74.00	-19.50	39.46	3	Vertical	329	1.40	-	39.02	8.90	32.88
AV	11.65002G	40.18	54.00	-13.82	25.14	3	Vertical	329	1.40	-	39.02	8.90	32.88

802.11ax HEW20_Nss1,(MCS0)_1TX

06/10/2020

5825MHz_TX




EUT Y_1TX Ant 2
Setting 89
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65116G	54.41	74.00	-19.59	39.37	3	Horizontal	308	1.38	-	39.02	8.90	32.88
AV	11.64676G	40.24	54.00	-13.76	25.20	3	Horizontal	308	1.38	-	39.02	8.90	32.88

802.11ax HEW40_Nss1,(MCS0)_1TX

06/10/2020

5190MHz_TX




EUT Y_1TX Ant 2
Setting 61
02-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	72.77	74.00	-1.23	65.08	3	Vertical	360	1.57	-	33.45	5.97	31.73
AV	5.1488G	52.16	54.00	-1.84	44.47	3	Vertical	360	1.57	-	33.45	5.97	31.73
PK	5.1952G	111.22	Inf	-Inf	103.41	3	Vertical	360	1.57	-	33.50	6.00	31.69
AV	5.1956G	98.76	Inf	-Inf	90.95	3	Vertical	360	1.57	-	33.50	6.00	31.69

802.11ax HEW40_Nss1,(MCS0)_1TX

06/10/2020

5190MHz_TX




EUT Y_1TX Ant 2
Setting 61
02-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	62.54	74.00	-11.46	54.85	3	Horizontal	360	2.89	-	33.45	5.97	31.73
AV	5.0956G	47.73	54.00	-6.27	40.14	3	Horizontal	360	2.89	-	33.40	5.95	31.76
PK	5.1956G	99.98	Inf	-Inf	92.17	3	Horizontal	360	2.89	-	33.50	6.00	31.69
AV	5.1952G	87.56	Inf	-Inf	79.75	3	Horizontal	360	2.89	-	33.50	6.00	31.69

802.11ax HEW40_Nss1,(MCS0)_1TX

06/10/2020

5190MHz_TX




EUT Y_1TX Ant 2
Setting 61
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5553G	57.93	74.00	-16.07	42.85	3	Vertical	258	1.33	-	38.69	9.25	32.86
AV	15.57042G	45.51	54.00	-8.49	30.46	3	Vertical	258	1.33	-	38.65	9.26	32.86

802.11ax HEW40_Nss1,(MCS0)_1TX

06/10/2020

5190MHz_TX




EUT Y_1TX Ant 2
Setting 61
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.579G	57.38	74.00	-16.62	42.36	3	Horizontal	108	2.56	-	38.62	9.26	32.86	
AV	15.5829G	45.44	54.00	-8.56	30.43	3	Horizontal	108	2.56	-	38.61	9.26	32.86	

802.11ax HEW40_Nss1,(MCS0)_1TX

02/10/2020

5230MHz_TX




EUT Y_1TX Ant 2
Setting 78
02-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1478G	69.68	74.00	-4.32	61.99	3	Vertical	360	1.64	-	33.45	5.97	31.73
AV	5.149G	53.81	54.00	-0.19	46.12	3	Vertical	360	1.64	-	33.45	5.97	31.73
PK	5.227G	115.28	Inf	-Inf	107.39	3	Vertical	360	1.64	-	33.55	6.01	31.67
AV	5.2264G	102.66	Inf	-Inf	94.77	3	Vertical	360	1.64	-	33.55	6.01	31.67
PK	5.3542G	63.33	74.00	-10.67	55.08	3	Vertical	360	1.64	-	33.75	6.08	31.58
AV	5.3686G	49.81	54.00	-4.19	41.53	3	Vertical	360	1.64	-	33.77	6.08	31.57

802.11ax HEW40_Nss1,(MCS0)_1TX

02/10/2020

5230MHz_TX




EUT Y_1TX Ant 2
Setting 78
02-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1478G	59.80	74.00	-14.20	52.11	3	Horizontal	356	2.14	-	33.45	5.97	31.73
AV	5.146G	48.01	54.00	-5.99	40.32	3	Horizontal	356	2.14	-	33.45	5.97	31.73
PK	5.227G	100.97	Inf	-Inf	93.08	3	Horizontal	356	2.14	-	33.55	6.01	31.67
AV	5.2246G	88.60	Inf	-Inf	80.71	3	Horizontal	356	2.14	-	33.55	6.01	31.67
PK	5.3782G	59.64	74.00	-14.36	51.34	3	Horizontal	356	2.14	-	33.78	6.09	31.57
AV	5.3752G	48.18	54.00	-5.82	39.88	3	Horizontal	356	2.14	-	33.78	6.09	31.57

802.11ax HEW40_Nss1,(MCS0)_1TX

02/10/2020

5230MHz_TX




EUT Y_1TX Ant 2
Setting 78
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.69144G	57.68	74.00	-16.32	42.95	3	Vertical	51	1.80	-	38.29	9.30	32.86
AV	15.67788G	44.90	54.00	-9.10	30.14	3	Vertical	51	1.80	-	38.33	9.29	32.86

802.11ax HEW40_Nss1,(MCS0)_1TX

02/10/2020

5230MHz_TX




EUT Y_1TX Ant 2
Setting 78
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68022G	57.67	74.00	-16.33	42.91	3	Horizontal	304	1.80	-	38.33	9.29	32.86
AV	15.6786G	45.16	54.00	-8.84	30.40	3	Horizontal	304	1.80	-	38.33	9.29	32.86

802.11ax HEW40_Nss1,(MCS0)_1TX

06/10/2020

5755MHz_TX




EUT Y_1TX Ant 2
Setting 82
02-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	68.77	68.94	-0.17	60.05	3	Vertical	360	1.41	-	33.85	6.33	31.46
PK	5.752G	116.25	Inf	-Inf	107.53	3	Vertical	360	1.41	-	33.80	6.38	31.46
AV	5.761G	104.15	Inf	-Inf	95.43	3	Vertical	360	1.41	-	33.80	6.38	31.46
PK	5.981G	62.48	68.20	-5.72	53.44	3	Vertical	360	1.41	-	34.18	6.31	31.45

802.11ax HEW40_Nss1,(MCS0)_1TX

06/10/2020

5755MHz_TX




EUT Y_1TX Ant 2
Setting 82
02-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.633G	60.94	68.20	-7.26	52.22	3	Horizontal	343	1.57	-	33.87	6.32	31.47
PK	5.76G	106.08	Inf	-Inf	97.36	3	Horizontal	343	1.57	-	33.80	6.38	31.46
AV	5.761G	93.72	Inf	-Inf	85.00	3	Horizontal	343	1.57	-	33.80	6.38	31.46
PK	5.986G	60.45	68.20	-7.75	51.40	3	Horizontal	343	1.57	-	34.19	6.31	31.45

802.11ax HEW40_Nss1,(MCS0)_1TX

06/10/2020

5755MHz_TX




EUT V_1TX Ant 2
Setting 82
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5178G	53.36	74.00	-20.64	38.44	3	Vertical	296	2.69	-	38.91	8.86	32.85
AV	11.50592G	41.21	54.00	-12.79	26.30	3	Vertical	296	2.69	-	38.90	8.86	32.85

802.11ax HEW40_Nss1,(MCS0)_1TX

06/10/2020

5755MHz_TX




EUT Y_1TX Ant 2
Setting 82
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50694G	53.79	74.00	-20.21	38.87	3	Horizontal	160	1.45	-	38.91	8.86	32.85
AV	11.5142G	41.00	54.00	-13.00	26.08	3	Horizontal	160	1.45	-	38.91	8.86	32.85

802.11ax HEW40_Nss1,(MCS0)_1TX

06/10/2020

5795MHz_TX




EUT Y_1TX Ant 2
Setting 88
02-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	67.23	68.20	-0.97	58.52	3	Vertical	360	1.41	-	33.86	6.32	31.47
PK	5.792G	117.52	Inf	-Inf	108.78	3	Vertical	360	1.41	-	33.80	6.40	31.46
AV	5.797G	105.44	Inf	-Inf	96.70	3	Vertical	360	1.41	-	33.80	6.40	31.46
PK	5.928G	66.89	68.20	-1.31	57.87	3	Vertical	360	1.41	-	34.13	6.34	31.45

802.11ax HEW40_Nss1,(MCS0)_1TX

06/10/2020

5795MHz_TX




EUT Y_1TX Ant 2
Setting 88
02-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.624G	61.16	68.20	-7.04	52.44	3	Horizontal	341	1.59	-	33.88	6.31	31.47
PK	5.792G	107.04	Inf	-Inf	98.30	3	Horizontal	341	1.59	-	33.80	6.40	31.46
AV	5.797G	94.84	Inf	-Inf	86.10	3	Horizontal	341	1.59	-	33.80	6.40	31.46
PK	5.935G	61.59	68.20	-6.61	52.57	3	Horizontal	341	1.59	-	34.14	6.33	31.45

802.11ax HEW40_Nss1,(MCS0)_1TX

06/10/2020

5795MHz_TX




EUT Y_1TX Ant 2
Setting 88
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57944G	54.48	74.00	-19.52	39.50	3	Vertical	328	2.83	-	38.96	8.88	32.86
AV	11.59414G	41.64	54.00	-12.36	26.65	3	Vertical	328	2.83	-	38.98	8.88	32.87

802.11ax HEW40_Nss1,(MCS0)_1TX

06/10/2020

5795MHz_TX




EUT Y_1TX Ant 2
Setting 88
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.60218G	53.87	74.00	-20.13	38.88	3	Horizontal	357	1.80	-	38.98	8.88	32.87
AV	11.59264G	41.60	54.00	-12.40	26.62	3	Horizontal	357	1.80	-	38.97	8.88	32.87

802.11ax HEW80_Nss1,(MCS0)_1TX

06/10/2020

5210MHz_TX




EUT Y_1TX Ant 2
Setting 63
02-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	71.96	74.00	-2.04	64.27	3	Vertical	360	1.52	-	33.45	5.97	31.73
AV	5.145G	53.65	54.00	-0.35	45.96	3	Vertical	360	1.52	-	33.45	5.97	31.73
PK	5.213G	107.98	Inf	-Inf	100.12	3	Vertical	360	1.52	-	33.53	6.01	31.68
AV	5.221G	96.38	Inf	-Inf	88.51	3	Vertical	360	1.52	-	33.54	6.01	31.68
PK	5.355G	62.44	74.00	-11.56	54.18	3	Vertical	360	1.52	-	33.76	6.08	31.58
AV	5.363G	49.76	54.00	-4.24	41.50	3	Vertical	360	1.52	-	33.76	6.08	31.58

802.11ax HEW80_Nss1,(MCS0)_1TX

06/10/2020

5210MHz_TX




EUT Y_1TX Ant 2
Setting 63
02-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.132G	60.87	74.00	-13.13	53.21	3	Horizontal	351	2.04	-	33.43	5.97	31.74	
PK	5.192G	95.27	Inf	-Inf	87.48	3	Horizontal	351	2.04	-	33.49	6.00	31.70	
AV	5.196G	83.37	Inf	-Inf	75.56	3	Horizontal	351	2.04	-	33.50	6.00	31.69	
PK	5.393G	60.43	74.00	-13.57	52.09	3	Horizontal	351	2.04	-	33.79	6.10	31.55	

802.11ax HEW80_Nss1,(MCS0)_1TX

06/10/2020

5210MHz_TX




EUT Y_1TX Ant 2
Setting 63
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.63204G	57.50	74.00	-16.50	42.61	3	Vertical	239	1.54	-	38.47	9.28	32.86
AV	15.63678G	44.86	54.00	-9.14	29.99	3	Vertical	239	1.54	-	38.45	9.28	32.86

802.11ax HEW80_Nss1,(MCS0)_1TX

06/10/2020

5210MHz_TX




EUT Y_1TX Ant 2
Setting 63
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.63174G	57.28	74.00	-16.72	42.39	3	Horizontal	71	1.73	-	38.47	9.28	32.86
AV	15.61692G	45.48	54.00	-8.52	30.56	3	Horizontal	71	1.73	-	38.51	9.27	32.86

802.11ax HEW80_Nss1,(MCS0)_1TX

06/10/2020

5775MHz_TX




EUT Y_1TX Ant 2
Setting 72
02-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	68.51	68.94	-0.43	59.79	3	Vertical	360	1.40	-	33.85	6.33	31.46
PK	5.757G	111.09	Inf	-Inf	102.37	3	Vertical	360	1.40	-	33.80	6.38	31.46
AV	5.761G	99.31	Inf	-Inf	90.59	3	Vertical	360	1.40	-	33.80	6.38	31.46
PK	5.926G	64.04	68.20	-4.16	55.02	3	Vertical	360	1.40	-	34.13	6.34	31.45

802.11ax HEW80_Nss1,(MCS0)_1TX

06/10/2020

5775MHz_TX




EUT Y_1TX Ant 2
Setting 72
02-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.635G	61.49	68.20	-6.71	52.78	3	Horizontal	342	1.42	-	33.86	6.32	31.47
PK	5.757G	100.95	Inf	-Inf	92.23	3	Horizontal	342	1.42	-	33.80	6.38	31.46
AV	5.761G	89.44	Inf	-Inf	80.72	3	Horizontal	342	1.42	-	33.80	6.38	31.46
PK	5.946G	61.12	68.20	-7.08	52.09	3	Horizontal	342	1.42	-	34.15	6.33	31.45

802.11ax HEW80_Nss1,(MCS0)_1TX

06/10/2020

5775MHz_TX




EUT Y_1TX Ant 2
Setting 72
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55018G	54.02	74.00	-19.98	39.07	3	Vertical	238	1.80	-	38.94	8.87	32.86
AV	11.541G	41.28	54.00	-12.72	26.34	3	Vertical	238	1.80	-	38.93	8.87	32.86

802.11ax HEW80_Nss1,(MCS0)_1TX

06/10/2020

5775MHz_TX



EUT V_1TX Ant 2
Setting 72
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55174G	53.37	74.00	-20.63	38.42	3	Horizontal	283	2.10	-	38.94	8.87	32.86
AV	11.562G	41.00	54.00	-13.00	26.04	3	Horizontal	283	2.10	-	38.95	8.87	32.86



For non beamforming mode 2TX


Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.15G	53.96	54.00	-0.04	3	Vertical	346	1.62	-

802.11a_Nss1,(6Mbps)_2TX

25/09/2020

5180MHz_TX




EUT Y_2TX
Setting 71
04-D-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1412G	73.03	74.00	-0.97	67.81	3	Vertical	0	1.66	-	33.04	4.98	32.80
AV	5.15G	53.77	54.00	-0.23	48.54	3	Vertical	0	1.66	-	33.05	4.98	32.80
PK	5.1868G	115.92	Inf	-Inf	110.61	3	Vertical	0	1.66	-	33.09	5.00	32.78
AV	5.1816G	106.25	Inf	-Inf	100.97	3	Vertical	0	1.66	-	33.08	4.99	32.79

802.11a_Nss1,(6Mbps)_2TX

25/09/2020

5180MHz_TX




EUT Y_2TX
Setting 71
04-D-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	67.41	74.00	-6.59	62.18	3	Horizontal	357	1.85	-	33.05	4.98	32.80
AV	5.1484G	48.13	54.00	-5.87	42.90	3	Horizontal	357	1.85	-	33.05	4.98	32.80
PK	5.1836G	107.65	Inf	-Inf	102.35	3	Horizontal	357	1.85	-	33.08	5.00	32.78
AV	5.184G	98.61	Inf	-Inf	93.31	3	Horizontal	357	1.85	-	33.08	5.00	32.78

802.11a_Nss1,(6Mbps)_2TX

25/09/2020

5180MHz_TX




EUT Y_2TX
Setting 71
04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35902G	55.57	68.20	-12.63	42.40	3	Vertical	317	2.23	-	38.89	7.60	33.32
PK	15.54298G	58.38	74.00	-15.62	44.73	3	Vertical	325	1.80	-	39.10	8.81	34.26
AV	15.54356G	44.29	54.00	-9.71	30.64	3	Vertical	325	1.80	-	39.10	8.81	34.26

802.11a_Nss1,(6Mbps)_2TX

25/09/2020

5180MHz_TX




EUT Y_2TX
Setting 71
04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35918G	55.46	68.20	-12.74	42.29	3	Horizontal	40	1.80	-	38.89	7.60	33.32
PK	15.54104G	57.63	74.00	-16.37	43.98	3	Horizontal	272	1.48	-	39.10	8.81	34.26
AV	15.54216G	44.41	54.00	-9.59	30.76	3	Horizontal	272	1.48	-	39.10	8.81	34.26

802.11a_Nss1,(6Mbps)_2TX

25/09/2020

5200MHz_TX




EUT Y_2TX
Setting 83
04-D-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	73.62	74.00	-0.38	68.39	3	Vertical	346	1.62	-	33.05	4.98	32.80
AV	5.15G	53.96	54.00	-0.04	48.73	3	Vertical	346	1.62	-	33.05	4.98	32.80
PK	5.1952G	120.49	Inf	-Inf	115.17	3	Vertical	346	1.62	-	33.10	5.00	32.78
AV	5.1958G	110.39	Inf	-Inf	105.07	3	Vertical	346	1.62	-	33.10	5.00	32.78

802.11a_Nss1,(6Mbps)_2TX

25/09/2020

5200MHz_TX




EUT Y_2TX
Setting 83
04-D-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1478G	64.41	74.00	-9.59	59.18	3	Horizontal	360	2.95	-	33.05	4.98	32.80
AV	5.1466G	46.71	54.00	-7.29	41.48	3	Horizontal	360	2.95	-	33.05	4.98	32.80
PK	5.1976G	110.99	Inf	-Inf	105.67	3	Horizontal	360	2.95	-	33.10	5.00	32.78
AV	5.1982G	101.61	Inf	-Inf	96.29	3	Horizontal	360	2.95	-	33.10	5.00	32.78

802.11a_Nss1,(6Mbps)_2TX

25/09/2020

5200MHz_TX




EUT Y_2TX
Setting 83
04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40472G	55.47	68.20	-12.73	42.27	3	Vertical	311	1.79	-	38.92	7.63	33.35
PK	15.604G	58.46	74.00	-15.54	44.90	3	Vertical	358	1.67	-	39.04	8.82	34.30
AV	15.604G	45.37	54.00	-8.63	31.81	3	Vertical	358	1.67	-	39.04	8.82	34.30

802.11a_Nss1,(6Mbps)_2TX

25/09/2020

5200MHz_TX




EUT Y_2TX
Setting 83
04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39516G	56.23	68.20	-11.97	43.03	3	Horizontal	59	1.73	-	38.92	7.62	33.34
PK	15.605G	58.26	74.00	-15.74	44.71	3	Horizontal	306	1.60	-	39.03	8.83	34.31
AV	15.60084G	44.89	54.00	-9.11	31.33	3	Horizontal	306	1.60	-	39.04	8.82	34.30

802.11a_Nss1,(6Mbps)_2TX

25/09/2020

5240MHz_TX




EUT Y_2TX
Setting 91
04-D-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	65.36	74.00	-8.64	60.13	3	Vertical	0	1.62	-	33.05	4.98	32.80
AV	5.148G	50.52	54.00	-3.48	45.29	3	Vertical	0	1.62	-	33.05	4.98	32.80
PK	5.2472G	121.89	Inf	-Inf	116.48	3	Vertical	0	1.62	-	33.15	5.02	32.76
AV	5.2424G	111.56	Inf	-Inf	106.16	3	Vertical	0	1.62	-	33.14	5.02	32.76
PK	5.3504G	66.06	74.00	-7.94	60.36	3	Vertical	0	1.62	-	33.35	5.07	32.72
AV	5.3512G	49.88	54.00	-4.12	44.18	3	Vertical	0	1.62	-	33.35	5.07	32.72

802.11a_Nss1,(6Mbps)_2TX

25/09/2020

5240MHz_TX




EUT Y_2TX
Setting 91
04-D-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	57.10	74.00	-16.90	51.87	3	Horizontal	0	1.74	-	33.05	4.98	32.80
AV	5.1464G	45.11	54.00	-8.89	39.88	3	Horizontal	0	1.74	-	33.05	4.98	32.80
PK	5.2448G	112.22	Inf	-Inf	106.82	3	Horizontal	0	1.74	-	33.14	5.02	32.76
AV	5.244G	101.87	Inf	-Inf	96.47	3	Horizontal	0	1.74	-	33.14	5.02	32.76
PK	5.4168G	58.20	74.00	-15.80	52.25	3	Horizontal	0	1.74	-	33.55	5.09	32.69
AV	5.428G	45.48	54.00	-8.52	39.50	3	Horizontal	0	1.74	-	33.58	5.09	32.69

802.11a_Nss1,(6Mbps)_2TX

25/09/2020

5240MHz_TX




EUT Y_2TX
Setting 91
04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48178G	55.87	68.20	-12.33	42.61	3	Vertical	340	1.80	-	38.99	7.68	33.41
PK	15.7165G	58.25	74.00	-15.75	44.87	3	Vertical	29	1.50	-	38.91	8.85	34.38
AV	15.7105G	45.94	54.00	-8.06	32.55	3	Vertical	29	1.50	-	38.92	8.85	34.38

802.11a_Nss1,(6Mbps)_2TX

25/09/2020

5240MHz_TX




EUT Y_2TX
Setting 91
04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4775G	55.54	68.20	-12.66	42.28	3	Horizontal	342	1.00	-	38.98	7.68	33.40
PK	15.71892G	58.21	74.00	-15.79	44.83	3	Horizontal	35	1.56	-	38.91	8.85	34.38
AV	15.71834G	45.33	54.00	-8.67	31.95	3	Horizontal	35	1.56	-	38.91	8.85	34.38

802.11a_Nss1,(6Mbps)_2TX

25/09/2020

5745MHz_TX




EUT Y_2TX
Setting 88
04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	68.26	68.94	-0.68	61.76	3	Vertical	260	1.53	-	34.05	5.18	32.73
PK	5.741G	121.18	Inf	-Inf	114.53	3	Vertical	260	1.53	-	34.18	5.22	32.75
AV	5.741G	111.16	Inf	-Inf	104.51	3	Vertical	260	1.53	-	34.18	5.22	32.75
PK	5.928G	61.49	68.20	-6.71	54.00	3	Vertical	260	1.53	-	35.01	5.29	32.81

802.11a_Nss1,(6Mbps)_2TX

25/09/2020

5745MHz_TX




EUT Y_2TX
Setting 88
04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.522G	58.32	68.20	-9.88	52.03	3	Horizontal	166	1.80	-	33.84	5.13	32.68
PK	5.742G	107.99	Inf	-Inf	101.34	3	Horizontal	166	1.80	-	34.18	5.22	32.75
AV	5.747G	98.58	Inf	-Inf	91.92	3	Horizontal	166	1.80	-	34.19	5.22	32.75
PK	5.978G	58.66	68.20	-9.54	50.96	3	Horizontal	166	1.80	-	35.21	5.31	32.82

802.11a_Nss1,(6Mbps)_2TX

25/09/2020

5745MHz_TX




EUT Y_2TX
Setting 88
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48476G	54.86	74.00	-19.14	41.76	3	Vertical	184	1.80	-	39.16	8.01	34.07
AV	11.4852G	41.96	54.00	-12.04	28.86	3	Vertical	184	1.80	-	39.16	8.01	34.07

802.11a_Nss1,(6Mbps)_2TX

25/09/2020

5745MHz_TX




EUT Y_2TX
Setting 88
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49696G	55.06	74.00	-18.94	41.98	3	Horizontal	48	2.05	-	39.15	8.01	34.08
AV	11.48772G	41.94	54.00	-12.06	28.84	3	Horizontal	48	2.05	-	39.16	8.01	34.07

802.11a_Nss1,(6Mbps)_2TX

25/09/2020

5785MHz_TX




EUT Y_2TX
Setting 89
04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.629G	67.12	68.20	-1.08	60.64	3	Vertical	246	1.46	-	34.03	5.17	32.72
PK	5.78G	121.72	Inf	-Inf	114.99	3	Vertical	246	1.46	-	34.26	5.23	32.76
AV	5.78G	111.12	Inf	-Inf	104.39	3	Vertical	246	1.46	-	34.26	5.23	32.76
PK	5.937G	67.96	68.20	-0.24	60.43	3	Vertical	246	1.46	-	35.05	5.29	32.81

802.11a_Nss1,(6Mbps)_2TX

25/09/2020

5785MHz_TX




EUT Y_2TX
Setting 89
04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.613G	59.04	68.20	-9.16	52.57	3	Horizontal	241	1.80	-	34.01	5.17	32.71
PK	5.79G	110.03	Inf	-Inf	103.27	3	Horizontal	241	1.80	-	34.28	5.24	32.76
AV	5.78G	99.07	Inf	-Inf	92.34	3	Horizontal	241	1.80	-	34.26	5.23	32.76
PK	5.962G	59.27	68.20	-8.93	51.64	3	Horizontal	241	1.80	-	35.15	5.30	32.82

802.11a_Nss1,(6Mbps)_2TX

25/09/2020

5785MHz_TX




EUT Y_2TX
Setting 89
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56324G	55.31	74.00	-18.69	42.31	3	Vertical	337	1.80	-	39.12	8.00	34.12
AV	11.5704G	42.23	54.00	-11.77	29.24	3	Vertical	337	1.80	-	39.11	8.00	34.12
PK	17.35368G	61.80	68.20	-6.40	45.50	3	Vertical	237	2.42	-	41.12	9.67	34.49

802.11a_Nss1,(6Mbps)_2TX

25/09/2020

5785MHz_TX




EUT Y_2TX
Setting 89
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56116G	55.24	74.00	-18.76	42.24	3	Horizontal	17	1.89	-	39.12	8.00	34.12
AV	11.57852G	42.15	54.00	-11.85	29.17	3	Horizontal	17	1.89	-	39.11	8.00	34.13
PK	17.35688G	61.78	68.20	-6.42	45.48	3	Horizontal	327	1.80	-	41.12	9.67	34.49

802.11a_Nss1,(6Mbps)_2TX

25/09/2020

5825MHz_TX




EUT Y_2TX
Setting 89
04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	63.51	68.20	-4.69	57.01	3	Vertical	255	1.54	-	34.04	5.18	32.72
PK	5.821G	122.47	Inf	-Inf	115.56	3	Vertical	255	1.54	-	34.43	5.25	32.77
AV	5.826G	111.80	Inf	-Inf	104.86	3	Vertical	255	1.54	-	34.46	5.25	32.77
PK	5.923G	68.73	69.68	-0.95	61.26	3	Vertical	255	1.54	-	34.99	5.29	32.81

802.11a_Nss1,(6Mbps)_2TX

25/09/2020

5825MHz_TX




EUT Y_2TX
Setting 89
04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.619G	58.45	68.20	-9.75	51.98	3	Horizontal	240	1.73	-	34.02	5.17	32.72
PK	5.83G	109.06	Inf	-Inf	102.10	3	Horizontal	240	1.73	-	34.48	5.25	32.77
AV	5.819G	99.01	Inf	-Inf	92.12	3	Horizontal	240	1.73	-	34.41	5.25	32.77
PK	5.963G	59.15	68.20	-9.05	51.51	3	Horizontal	240	1.73	-	35.15	5.31	32.82

802.11a_Nss1,(6Mbps)_2TX

25/09/2020

5825MHz_TX




EUT Y_2TX
Setting 89
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6588G	55.12	74.00	-18.88	42.23	3	Vertical	331	2.13	-	39.07	8.00	34.18
AV	11.65208G	41.77	54.00	-12.23	28.87	3	Vertical	331	2.13	-	39.07	8.00	34.17
PK	17.46672G	61.73	68.20	-6.47	45.30	3	Vertical	65	1.70	-	41.22	9.70	34.49

802.11a_Nss1,(6Mbps)_2TX

25/09/2020

5825MHz_TX




EUT Y_2TX
Setting 89
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65036G	54.57	74.00	-19.43	41.67	3	Horizontal	279	2.35	-	39.07	8.00	34.17
AV	11.6522G	41.63	54.00	-12.37	28.73	3	Horizontal	279	2.35	-	39.07	8.00	34.17
PK	17.47324G	61.56	68.20	-6.64	45.12	3	Horizontal	212	1.79	-	41.23	9.70	34.49

802.11ax HEW20_Nss1,(MCS0)_2TX

25/09/2020

5180MHz_TX




EUT Y_2TX
Setting 67
04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	73.26	74.00	-0.74	68.03	3	Vertical	249	2.05	-	33.05	4.98	32.80
AV	5.15G	53.83	54.00	-0.17	48.60	3	Vertical	249	2.05	-	33.05	4.98	32.80
PK	5.1852G	115.54	Inf	-Inf	110.23	3	Vertical	249	2.05	-	33.09	5.00	32.78
AV	5.1828G	103.40	Inf	-Inf	98.12	3	Vertical	249	2.05	-	33.08	4.99	32.79

802.11ax HEW20_Nss1,(MCS0)_2TX

25/09/2020

5180MHz_TX




EUT Y_2TX
Setting 67
04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	63.54	74.00	-10.46	58.31	3	Horizontal	258	1.97	-	33.05	4.98	32.80
AV	5.1496G	46.90	54.00	-7.10	41.67	3	Horizontal	258	1.97	-	33.05	4.98	32.80
PK	5.1816G	107.00	Inf	-Inf	101.72	3	Horizontal	258	1.97	-	33.08	4.99	32.79
AV	5.182G	95.02	Inf	-Inf	89.74	3	Horizontal	258	1.97	-	33.08	4.99	32.79

802.11ax HEW20_Nss1,(MCS0)_2TX

25/09/2020

5180MHz_TX




EUT Y_2TX
Setting 67
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54908G	57.06	74.00	-16.94	43.42	3	Vertical	205	2.39	-	39.10	8.81	34.27
AV	15.5496G	44.01	54.00	-9.99	30.37	3	Vertical	205	2.39	-	39.10	8.81	34.27

802.11ax HEW20_Nss1,(MCS0)_2TX

25/09/2020

5180MHz_TX




EUT Y_2TX
Setting 67
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5472G	57.03	74.00	-16.97	43.39	3	Horizontal	69	2.00	-	39.10	8.81	34.27
AV	15.54612G	43.88	54.00	-10.12	30.24	3	Horizontal	69	2.00	-	39.10	8.81	34.27

802.11ax HEW20_Nss1,(MCS0)_2TX

25/09/2020

5200MHz_TX




EUT Y_2TX
Setting 80
04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1456G	71.23	74.00	-2.77	66.00	3	Vertical	256	1.75	-	33.05	4.98	32.80
AV	5.1484G	52.78	54.00	-1.22	47.55	3	Vertical	256	1.75	-	33.05	4.98	32.80
PK	5.1932G	117.87	Inf	-Inf	112.56	3	Vertical	256	1.75	-	33.09	5.00	32.78
AV	5.198G	107.10	Inf	-Inf	101.78	3	Vertical	256	1.75	-	33.10	5.00	32.78

802.11ax HEW20_Nss1,(MCS0)_2TX

25/09/2020

5200MHz_TX




EUT Y_2TX
Setting 80
04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1492G	60.96	74.00	-13.04	55.73	3	Horizontal	265	3.00	-	33.05	4.98	32.80	
AV	5.1496G	46.29	54.00	-7.71	41.06	3	Horizontal	265	3.00	-	33.05	4.98	32.80	
PK	5.1968G	110.09	Inf	-Inf	104.77	3	Horizontal	265	3.00	-	33.10	5.00	32.78	
AV	5.2016G	97.44	Inf	-Inf	92.12	3	Horizontal	265	3.00	-	33.10	5.00	32.78	

802.11ax HEW20_Nss1,(MCS0)_2TX

25/09/2020

5200MHz_TX




EUT Y_2TX
Setting 80
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60528G	57.56	74.00	-16.44	44.01	3	Vertical	317	1.81	-	39.03	8.83	34.31
AV	15.60112G	44.35	54.00	-9.65	30.79	3	Vertical	317	1.81	-	39.04	8.82	34.30

802.11ax HEW20_Nss1,(MCS0)_2TX

25/09/2020

5200MHz_TX




EUT Y_2TX
Setting 80
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59132G	57.72	74.00	-16.28	44.15	3	Horizontal	311	2.14	-	39.05	8.82	34.30
AV	15.59984G	44.43	54.00	-9.57	30.87	3	Horizontal	311	2.14	-	39.04	8.82	34.30

802.11ax HEW20_Nss1,(MCS0)_2TX

25/09/2020

5240MHz_TX




EUT Y_2TX
Setting 90
04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	65.96	74.00	-8.04	60.73	3	Vertical	258	1.62	-	33.05	4.98	32.80
AV	5.1488G	50.33	54.00	-3.67	45.10	3	Vertical	258	1.62	-	33.05	4.98	32.80
PK	5.2328G	119.17	Inf	-Inf	113.79	3	Vertical	258	1.62	-	33.13	5.02	32.77
AV	5.2432G	107.73	Inf	-Inf	102.33	3	Vertical	258	1.62	-	33.14	5.02	32.76
PK	5.3536G	63.20	74.00	-10.80	57.49	3	Vertical	258	1.62	-	33.36	5.07	32.72
AV	5.3504G	48.85	54.00	-5.15	43.15	3	Vertical	258	1.62	-	33.35	5.07	32.72

802.11ax HEW20_Nss1,(MCS0)_2TX

25/09/2020

5240MHz_TX



EUT_Y_2TX
Setting 90
04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	59.03	74.00	-14.97	53.80	3	Horizontal	252	2.00	-	33.05	4.98	32.80
AV	5.1496G	44.85	54.00	-9.15	39.62	3	Horizontal	252	2.00	-	33.05	4.98	32.80
PK	5.2368G	111.94	Inf	-Inf	106.55	3	Horizontal	252	2.00	-	33.14	5.02	32.77
AV	5.244G	99.71	Inf	-Inf	94.31	3	Horizontal	252	2.00	-	33.14	5.02	32.76
PK	5.3536G	57.98	74.00	-16.02	52.27	3	Horizontal	252	2.00	-	33.36	5.07	32.72
AV	5.3584G	44.61	54.00	-9.39	38.88	3	Horizontal	252	2.00	-	33.38	5.07	32.72

802.11ax HEW20_Nss1,(MCS0)_2TX

25/09/2020

5240MHz_TX




EUT Y_2TX
Setting 90
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71752G	57.86	74.00	-16.14	44.48	3	Vertical	243	1.78	-	38.91	8.85	34.38
AV	15.7124G	44.89	54.00	-9.11	31.50	3	Vertical	243	1.78	-	38.92	8.85	34.38

802.11ax HEW20_Nss1,(MCS0)_2TX

25/09/2020

5240MHz_TX




EUT Y_2TX
Setting 90
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71224G	57.64	74.00	-16.36	44.25	3	Horizontal	204	2.25	-	38.92	8.85	34.38
AV	15.71728G	44.95	54.00	-9.05	31.57	3	Horizontal	204	2.25	-	38.91	8.85	34.38

802.11ax HEW20_Nss1,(MCS0)_2TX

25/09/2020

5745MHz_TX




EUT Y_2TX
Setting 87
04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	64.34	68.20	-3.86	57.83	3	Vertical	258	1.41	-	34.05	5.18	32.72
PK	5.738G	119.82	Inf	-Inf	113.17	3	Vertical	258	1.41	-	34.18	5.22	32.75
AV	5.748G	108.27	Inf	-Inf	101.60	3	Vertical	258	1.41	-	34.20	5.22	32.75
PK	5.936G	58.77	68.20	-9.43	51.25	3	Vertical	258	1.41	-	35.04	5.29	32.81

802.11ax HEW20_Nss1,(MCS0)_2TX

25/09/2020

5745MHz_TX




EUT Y_2TX
Setting 87
04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.591G	57.68	68.20	-10.52	51.25	3	Horizontal	244	1.67	-	33.98	5.16	32.71
PK	5.742G	109.71	Inf	-Inf	103.06	3	Horizontal	244	1.67	-	34.18	5.22	32.75
AV	5.742G	97.35	Inf	-Inf	90.70	3	Horizontal	244	1.67	-	34.18	5.22	32.75
PK	5.938G	58.31	68.20	-9.89	50.77	3	Horizontal	244	1.67	-	35.05	5.30	32.81

802.11ax HEW20_Nss1,(MCS0)_2TX

25/09/2020

5745MHz_TX




EUT Y_2TX
Setting 87
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49436G	54.73	74.00	-19.27	41.65	3	Vertical	124	1.66	-	39.15	8.01	34.08
AV	11.48252G	41.71	54.00	-12.29	28.61	3	Vertical	124	1.66	-	39.16	8.01	34.07

802.11ax HEW20_Nss1,(MCS0)_2TX

25/09/2020

5745MHz_TX




EUT Y_2TX
Setting 87
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4926G	55.16	74.00	-18.84	42.08	3	Horizontal	301	1.96	-	39.15	8.01	34.08
AV	11.4864G	41.85	54.00	-12.15	28.75	3	Horizontal	301	1.96	-	39.16	8.01	34.07

802.11ax HEW20_Nss1,(MCS0)_2TX

25/09/2020

5785MHz_TX




EUT Y_2TX
Setting 88
04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.625G	62.25	68.20	-5.95	55.78	3	Vertical	250	1.55	-	34.02	5.17	32.72
PK	5.793G	120.01	Inf	-Inf	113.24	3	Vertical	250	1.55	-	34.29	5.24	32.76
AV	5.79G	109.01	Inf	-Inf	102.25	3	Vertical	250	1.55	-	34.28	5.24	32.76
PK	5.933G	62.91	68.20	-5.29	55.40	3	Vertical	250	1.55	-	35.03	5.29	32.81

802.11ax HEW20_Nss1,(MCS0)_2TX

25/09/2020

5785MHz_TX




EUT Y_2TX
Setting 88
04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.578G	58.73	68.20	-9.47	52.32	3	Horizontal	240	1.80	-	33.96	5.15	32.70
PK	5.782G	109.23	Inf	-Inf	102.50	3	Horizontal	240	1.80	-	34.26	5.23	32.76
AV	5.78G	97.21	Inf	-Inf	90.48	3	Horizontal	240	1.80	-	34.26	5.23	32.76
PK	5.929G	58.64	68.20	-9.56	51.14	3	Horizontal	240	1.80	-	35.02	5.29	32.81

802.11ax HEW20_Nss1,(MCS0)_2TX

25/09/2020

5785MHz_TX




EUT Y_2TX
Setting 88
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57944G	54.84	74.00	-19.16	41.86	3	Vertical	132	2.24	-	39.11	8.00	34.13
AV	11.5688G	41.78	54.00	-12.22	28.78	3	Vertical	132	2.24	-	39.12	8.00	34.12

802.11ax HEW20_Nss1,(MCS0)_2TX

25/09/2020

5785MHz_TX




EUT Y_2TX
Setting 88
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5764G	55.51	74.00	-18.49	42.53	3	Horizontal	281	1.40	-	39.11	8.00	34.13
AV	11.56884G	41.89	54.00	-12.11	28.89	3	Horizontal	281	1.40	-	39.12	8.00	34.12

802.11ax HEW20_Nss1,(MCS0)_2TX

25/09/2020

5825MHz_TX




EUT Y_2TX
Setting 88
04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.589G	60.02	68.20	-8.18	53.59	3	Vertical	255	1.44	-	33.98	5.16	32.71
PK	5.818G	120.79	Inf	-Inf	113.90	3	Vertical	255	1.44	-	34.41	5.25	32.77
AV	5.828G	109.26	Inf	-Inf	102.31	3	Vertical	255	1.44	-	34.47	5.25	32.77
PK	5.925G	64.53	68.20	-3.67	57.05	3	Vertical	255	1.44	-	35.00	5.29	32.81

802.11ax HEW20_Nss1,(MCS0)_2TX

25/09/2020

5825MHz_TX




EUT Y_2TX
Setting 88
04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.606G	57.21	68.20	-10.99	50.75	3	Horizontal	240	1.72	-	34.01	5.16	32.71
PK	5.822G	108.61	Inf	-Inf	101.70	3	Horizontal	240	1.72	-	34.43	5.25	32.77
AV	5.82G	96.35	Inf	-Inf	89.45	3	Horizontal	240	1.72	-	34.42	5.25	32.77
PK	5.987G	58.64	68.20	-9.56	50.91	3	Horizontal	240	1.72	-	35.25	5.31	32.83

802.11ax HEW20_Nss1,(MCS0)_2TX

25/09/2020

5825MHz_TX




EUT Y_2TX
Setting 88
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65864G	54.75	74.00	-19.25	41.86	3	Vertical	282	2.08	-	39.07	8.00	34.18
AV	11.64184G	41.48	54.00	-12.52	28.57	3	Vertical	282	2.08	-	39.08	8.00	34.17

802.11ax HEW20_Nss1,(MCS0)_2TX

25/09/2020

5825MHz_TX




EUT Y_2TX
Setting 88
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65688G	54.96	74.00	-19.04	42.06	3	Horizontal	220	1.46	-	39.07	8.00	34.17
AV	11.64236G	41.54	54.00	-12.46	28.63	3	Horizontal	220	1.46	-	39.08	8.00	34.17

802.11ax HEW40_Nss1,(MCS0)_2TX

25/09/2020

5190MHz_TX




EUT Y_2TX
Setting 60
04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	72.42	74.00	-1.58	67.19	3	Vertical	257	1.73	-	33.05	4.98	32.80
AV	5.15G	51.83	54.00	-2.17	46.60	3	Vertical	257	1.73	-	33.05	4.98	32.80
PK	5.1956G	112.87	Inf	-Inf	107.55	3	Vertical	257	1.73	-	33.10	5.00	32.78
AV	5.198G	100.68	Inf	-Inf	95.36	3	Vertical	257	1.73	-	33.10	5.00	32.78

802.11ax HEW40_Nss1,(MCS0)_2TX

25/09/2020

5190MHz_TX




EUT Y_2TX
Setting 60
04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1484G	65.97	74.00	-8.03	60.74	3	Horizontal	260	1.81	-	33.05	4.98	32.80	
AV	5.1492G	46.93	54.00	-7.07	41.70	3	Horizontal	260	1.81	-	33.05	4.98	32.80	
PK	5.1868G	104.65	Inf	-Inf	99.34	3	Horizontal	260	1.81	-	33.09	5.00	32.78	
AV	5.1968G	91.88	Inf	-Inf	86.56	3	Horizontal	260	1.81	-	33.10	5.00	32.78	

802.11ax HEW40_Nss1,(MCS0)_2TX

25/09/2020

5190MHz_TX




EUT Y_2TX
Setting 60
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.57748G	57.53	74.00	-16.47	43.94	3	Vertical	105	2.15	-	39.06	8.82	34.29
AV	15.57908G	45.27	54.00	-8.73	31.68	3	Vertical	105	2.15	-	39.06	8.82	34.29

802.11ax HEW40_Nss1,(MCS0)_2TX

25/09/2020

5190MHz_TX




EUT Y_2TX
Setting 60
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56936G	58.03	74.00	-15.97	44.42	3	Horizontal	350	1.88	-	39.07	8.82	34.28
AV	15.57092G	45.14	54.00	-8.86	31.53	3	Horizontal	350	1.88	-	39.07	8.82	34.28

802.11ax HEW40_Nss1,(MCS0)_2TX

25/09/2020

5230MHz_TX




EUT Y_2TX
Setting 75
04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	71.37	74.00	-2.63	66.14	3	Vertical	260	1.80	-	33.05	4.98	32.80
AV	5.15G	53.94	54.00	-0.06	48.71	3	Vertical	260	1.80	-	33.05	4.98	32.80
PK	5.2356G	116.65	Inf	-Inf	111.26	3	Vertical	260	1.80	-	33.14	5.02	32.77
AV	5.2356G	105.02	Inf	-Inf	99.63	3	Vertical	260	1.80	-	33.14	5.02	32.77

802.11ax HEW40_Nss1,(MCS0)_2TX

25/09/2020

5230MHz_TX




EUT Y_2TX
Setting 75
04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	63.26	74.00	-10.74	58.03	3	Horizontal	257	1.84	-	33.05	4.98	32.80
AV	5.1484G	47.80	54.00	-6.20	42.57	3	Horizontal	257	1.84	-	33.05	4.98	32.80
PK	5.2268G	109.00	Inf	-Inf	103.63	3	Horizontal	257	1.84	-	33.13	5.01	32.77
AV	5.2344G	96.21	Inf	-Inf	90.83	3	Horizontal	257	1.84	-	33.13	5.02	32.77

802.11ax HEW40_Nss1,(MCS0)_2TX

25/09/2020

5230MHz_TX




EUT Y_2TX
Setting 75
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68456G	57.14	74.00	-16.86	43.71	3	Vertical	149	1.89	-	38.95	8.84	34.36
AV	15.691G	44.84	54.00	-9.16	31.41	3	Vertical	149	1.89	-	38.94	8.85	34.36

802.11ax HEW40_Nss1,(MCS0)_2TX

25/09/2020

5230MHz_TX




EUT Y_2TX
Setting 75
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.69664G	57.73	74.00	-16.27	44.32	3	Horizontal	219	1.60	-	38.93	8.85	34.37
AV	15.69428G	44.93	54.00	-9.07	31.51	3	Horizontal	219	1.60	-	38.94	8.85	34.37

802.11ax HEW40_Nss1,(MCS0)_2TX

25/09/2020

5755MHz_TX




EUT Y_2TX
Setting 81
04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	68.00	68.20	-0.20	61.50	3	Vertical	262	1.41	-	34.05	5.18	32.73
PK	5.751G	117.68	Inf	-Inf	111.01	3	Vertical	262	1.41	-	34.20	5.22	32.75
AV	5.751G	106.94	Inf	-Inf	100.27	3	Vertical	262	1.41	-	34.20	5.22	32.75
PK	5.975G	60.44	68.20	-7.76	52.75	3	Vertical	262	1.41	-	35.20	5.31	32.82

802.11ax HEW40_Nss1,(MCS0)_2TX

25/09/2020

5755MHz_TX




EUT Y_2TX
Setting 81
04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	58.91	68.20	-9.29	52.40	3	Horizontal	237	1.94	-	34.05	5.18	32.72
PK	5.74G	106.04	Inf	-Inf	99.39	3	Horizontal	237	1.94	-	34.18	5.22	32.75
AV	5.742G	95.17	Inf	-Inf	88.52	3	Horizontal	237	1.94	-	34.18	5.22	32.75
PK	5.944G	59.06	68.20	-9.14	51.49	3	Horizontal	237	1.94	-	35.08	5.30	32.81

802.11ax HEW40_Nss1,(MCS0)_2TX

25/09/2020

5755MHz_TX




EUT Y_2TX
Setting 81
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50824G	55.25	74.00	-18.75	42.18	3	Vertical	46	1.87	-	39.15	8.00	34.08
AV	11.50484G	42.48	54.00	-11.52	29.41	3	Vertical	46	1.87	-	39.15	8.00	34.08

802.11ax HEW40_Nss1,(MCS0)_2TX

25/09/2020

5755MHz_TX




EUT Y_2TX
Setting 81
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50296G	55.55	74.00	-18.45	42.48	3	Horizontal	48	2.24	-	39.15	8.00	34.08
AV	11.5194G	42.34	54.00	-11.66	29.29	3	Horizontal	48	2.24	-	39.14	8.00	34.09

802.11ax HEW40_Nss1,(MCS0)_2TX

25/09/2020

5795MHz_TX




EUT Y_2TX
Setting 86
04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	66.32	68.20	-1.88	59.82	3	Vertical	251	1.49	-	34.04	5.18	32.72
PK	5.793G	118.73	Inf	-Inf	111.96	3	Vertical	251	1.49	-	34.29	5.24	32.76
AV	5.798G	107.85	Inf	-Inf	101.07	3	Vertical	251	1.49	-	34.30	5.24	32.76
PK	5.927G	66.30	68.20	-1.90	58.81	3	Vertical	251	1.49	-	35.01	5.29	32.81

802.11ax HEW40_Nss1,(MCS0)_2TX

25/09/2020

5795MHz_TX




EUT Y_2TX
Setting 86
04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63G	58.58	68.20	-9.62	52.10	3	Horizontal	244	1.77	-	34.03	5.17	32.72
PK	5.8G	107.23	Inf	-Inf	100.45	3	Horizontal	244	1.77	-	34.30	5.24	32.76
AV	5.8G	95.62	Inf	-Inf	88.84	3	Horizontal	244	1.77	-	34.30	5.24	32.76
PK	5.953G	60.17	68.20	-8.03	52.58	3	Horizontal	244	1.77	-	35.11	5.30	32.82

802.11ax HEW40_Nss1,(MCS0)_2TX

25/09/2020

5795MHz_TX




EUT Y_2TX
Setting 86
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58232G	54.65	74.00	-19.35	41.67	3	Vertical	21	2.84	-	39.11	8.00	34.13
AV	11.59004G	42.54	54.00	-11.46	29.57	3	Vertical	21	2.84	-	39.10	8.00	34.13

802.11ax HEW40_Nss1,(MCS0)_2TX

25/09/2020

5795MHz_TX




EUT Y_2TX
Setting 86
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59528G	54.30	74.00	-19.70	41.34	3	Horizontal	88	2.54	-	39.10	8.00	34.14
AV	11.58744G	42.52	54.00	-11.48	29.54	3	Horizontal	88	2.54	-	39.11	8.00	34.13

802.11ax HEW80_Nss1,(MCS0)_2TX

25/09/2020

5210MHz_TX




EUT_Y_2TX
Setting 61
04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	71.16	74.00	-2.84	65.93	3	Vertical	248	1.80	-	33.05	4.98	32.80
AV	5.15G	53.14	54.00	-0.86	47.91	3	Vertical	248	1.80	-	33.05	4.98	32.80
PK	5.2124G	108.94	Inf	-Inf	103.60	3	Vertical	248	1.80	-	33.11	5.01	32.78
AV	5.1956G	97.65	Inf	-Inf	92.33	3	Vertical	248	1.80	-	33.10	5.00	32.78
PK	5.3556G	62.78	74.00	-11.22	57.06	3	Vertical	248	1.80	-	33.37	5.07	32.72
AV	5.3508G	48.51	54.00	-5.49	42.81	3	Vertical	248	1.80	-	33.35	5.07	32.72

802.11ax HEW80_Nss1,(MCS0)_2TX

25/09/2020

5210MHz_TX




EUT Y_2TX
Setting 61
04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	62.47	74.00	-11.53	57.24	3	Horizontal	259	1.79	-	33.05	4.98	32.80
AV	5.1492G	47.10	54.00	-6.90	41.87	3	Horizontal	259	1.79	-	33.05	4.98	32.80
PK	5.2268G	100.00	Inf	-Inf	94.63	3	Horizontal	259	1.79	-	33.13	5.01	32.77
AV	5.1996G	88.88	Inf	-Inf	83.56	3	Horizontal	259	1.79	-	33.10	5.00	32.78
PK	5.4084G	57.33	74.00	-16.67	51.42	3	Horizontal	259	1.79	-	33.53	5.08	32.70
AV	5.3516G	45.83	54.00	-8.17	40.13	3	Horizontal	259	1.79	-	33.35	5.07	32.72

802.11ax HEW80_Nss1,(MCS0)_2TX

25/09/2020

5210MHz_TX




EUT Y_2TX
Setting 61
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62576G	57.26	74.00	-16.74	43.74	3	Vertical	158	2.83	-	39.01	8.83	34.32
AV	15.63948G	45.01	54.00	-8.99	31.51	3	Vertical	158	2.83	-	39.00	8.83	34.33

802.11ax HEW80_Nss1,(MCS0)_2TX

25/09/2020

5210MHz_TX




EUT Y_2TX
Setting 61
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6224G	57.09	74.00	-16.91	43.56	3	Horizontal	202	1.89	-	39.02	8.83	34.32
AV	15.62304G	45.05	54.00	-8.95	31.53	3	Horizontal	202	1.89	-	39.01	8.83	34.32

802.11ax HEW80_Nss1,(MCS0)_2TX

25/09/2020

5775MHz_TX




EUT Y_2TX
Setting 70
04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	67.08	68.20	-1.12	60.57	3	Vertical	259	1.25	-	34.05	5.18	32.72
PK	5.778G	113.77	Inf	-Inf	107.04	3	Vertical	259	1.25	-	34.26	5.23	32.76
AV	5.766G	101.80	Inf	-Inf	95.09	3	Vertical	259	1.25	-	34.23	5.23	32.75
PK	5.927G	63.18	68.20	-5.02	55.69	3	Vertical	259	1.25	-	35.01	5.29	32.81

802.11ax HEW80_Nss1,(MCS0)_2TX

25/09/2020

5775MHz_TX




EUT Y_2TX
Setting 70
04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.637G	59.46	68.20	-8.74	52.97	3	Horizontal	236	1.98	-	34.04	5.17	32.72
PK	5.777G	102.51	Inf	-Inf	95.79	3	Horizontal	236	1.98	-	34.25	5.23	32.76
AV	5.767G	90.09	Inf	-Inf	83.38	3	Horizontal	236	1.98	-	34.23	5.23	32.75
PK	5.949G	59.52	68.20	-8.68	51.93	3	Horizontal	236	1.98	-	35.10	5.30	32.81

802.11ax HEW80_Nss1,(MCS0)_2TX

25/09/2020

5775MHz_TX




EUT Y_2TX
Setting 70
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54428G	55.60	74.00	-18.40	42.58	3	Vertical	317	1.80	-	39.13	8.00	34.11
AV	11.55396G	43.07	54.00	-10.93	30.06	3	Vertical	317	1.80	-	39.12	8.00	34.11

802.11ax HEW80_Nss1,(MCS0)_2TX

25/09/2020

5775MHz_TX



EUT Y_2TX
Setting 70
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55036G	55.51	74.00	-18.49	42.50	3	Horizontal	315	1.63	-	39.12	8.00	34.11
AV	11.554G	43.10	54.00	-10.90	30.09	3	Horizontal	315	1.63	-	39.12	8.00	34.11



For beamforming mode 2TX


Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	PK	5.65G	68.15	68.20	-0.05	3	Vertical	342	1.12	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

25/09/2020

5180MHz_TX




EUT Y_2TX
Setting 65
02-E-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	72.79	74.00	-1.21	65.10	3	Vertical	352	1.60	-	33.45	5.97	31.73
AV	5.15G	53.33	54.00	-0.67	45.64	3	Vertical	352	1.60	-	33.45	5.97	31.73
PK	5.1752G	117.37	Inf	-Inf	109.61	3	Vertical	352	1.60	-	33.48	5.99	31.71
AV	5.1776G	105.36	Inf	-Inf	97.60	3	Vertical	352	1.60	-	33.48	5.99	31.71

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

25/09/2020

5180MHz_TX




EUT Y_2TX
Setting 65
02-E-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5148G	63.82	74.00	-10.18	56.13	3	Horizontal	322	1.62	-	33.45	5.97	31.73
AV	51496G	48.29	54.00	-5.71	40.60	3	Horizontal	322	1.62	-	33.45	5.97	31.73
PK	51856G	110.20	Inf	-Inf	102.42	3	Horizontal	322	1.62	-	33.49	5.99	31.70
AV	51852G	98.07	Inf	-Inf	90.29	3	Horizontal	322	1.62	-	33.49	5.99	31.70

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

25/09/2020

5180MHz_TX




EUT Y_2TX
Setting 65
02-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53178G	57.24	74.00	-16.76	42.09	3	Vertical	348	1.18	-	38.76	9.25	32.86
AV	15.534G	44.64	54.00	-9.36	29.50	3	Vertical	348	1.18	-	38.75	9.25	32.86

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

25/09/2020

5180MHz_TX




EUT Y_2TX
Setting 65
02-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5412G	57.54	74.00	-16.46	42.42	3	Horizontal	42	1.56	-	38.73	9.25	32.86
AV	15.53982G	44.59	54.00	-9.41	29.47	3	Horizontal	42	1.56	-	38.73	9.25	32.86

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

25/09/2020

5200MHz_TX




EUT Y_2TX
Setting 80
02-E-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	71.59	74.00	-2.41	63.90	3	Vertical	314	1.51	-	33.45	5.97	31.73
AV	5.15G	53.81	54.00	-0.19	46.12	3	Vertical	314	1.51	-	33.45	5.97	31.73
PK	5.2092G	120.47	Inf	-Inf	112.63	3	Vertical	314	1.51	-	33.52	6.00	31.68
AV	5.2076G	108.77	Inf	-Inf	100.93	3	Vertical	314	1.51	-	33.52	6.00	31.68

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

25/09/2020

5200MHz_TX




EUT Y_2TX
Setting 80
02-E-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	68.64	74.00	-5.36	60.95	3	Horizontal	315	1.46	-	33.45	5.97	31.73
AV	5.15G	51.71	54.00	-2.29	44.02	3	Horizontal	315	1.46	-	33.45	5.97	31.73
PK	5.1908G	114.35	Inf	-Inf	106.56	3	Horizontal	315	1.46	-	33.49	6.00	31.70
AV	5.1908G	103.15	Inf	-Inf	95.36	3	Horizontal	315	1.46	-	33.49	6.00	31.70

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

25/09/2020

5200MHz_TX




EUT Y_2TX
Setting 80
02-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60318G	58.12	74.00	-15.88	43.16	3	Vertical	235	1.16	-	38.55	9.27	32.86
AV	15.58944G	44.91	54.00	-9.09	29.92	3	Vertical	235	1.16	-	38.59	9.26	32.86

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

25/09/2020

5200MHz_TX




EUT Y_2TX
Setting 80
02-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59208G	57.43	74.00	-16.57	42.44	3	Horizontal	185	1.05	-	38.58	9.27	32.86
AV	15.6096G	44.86	54.00	-9.14	29.92	3	Horizontal	185	1.05	-	38.53	9.27	32.86

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

25/09/2020

5240MHz_TX




EUT Y_2TX
Setting 90
02-E-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	67.63	74.00	-6.37	59.94	3	Vertical	358	1.80	-	33.45	5.97	31.73
AV	5.1464G	52.27	54.00	-1.73	44.58	3	Vertical	358	1.80	-	33.45	5.97	31.73
PK	5.246G	122.43	Inf	-Inf	114.48	3	Vertical	358	1.80	-	33.59	6.02	31.66
AV	5.2484G	110.96	Inf	-Inf	103.00	3	Vertical	358	1.80	-	33.60	6.02	31.66
PK	5.3552G	66.16	74.00	-7.84	57.90	3	Vertical	358	1.80	-	33.76	6.08	31.58
AV	5.35G	51.21	54.00	-2.79	42.96	3	Vertical	358	1.80	-	33.75	6.08	31.58

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

25/09/2020

5240MHz_TX




EUT Y_2TX
Setting 90
02-E-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1482G	62.23	74.00	-11.77	54.54	3	Horizontal	309	1.64	-	33.45	5.97	31.73
AV	5.1482G	47.53	54.00	-6.47	39.84	3	Horizontal	309	1.64	-	33.45	5.97	31.73
PK	5.2484G	115.28	Inf	-Inf	107.32	3	Horizontal	309	1.64	-	33.60	6.02	31.66
AV	5.249G	104.44	Inf	-Inf	96.48	3	Horizontal	309	1.64	-	33.60	6.02	31.66
PK	5.363G	60.07	74.00	-13.93	51.81	3	Horizontal	309	1.64	-	33.76	6.08	31.58
AV	5.375G	47.40	54.00	-6.60	39.11	3	Horizontal	309	1.64	-	33.77	6.09	31.57

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

25/09/2020

5240MHz_TX




EUT Y_2TX
Setting 90
02-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.73488G	56.91	74.00	-17.09	42.30	3	Vertical	109	1.71	-	38.17	9.31	32.87
AV	15.7293G	43.92	54.00	-10.08	29.29	3	Vertical	109	1.71	-	38.19	9.31	32.87

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

25/09/2020

5240MHz_TX




EUT Y_2TX
Setting 90
02-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7122G	58.06	74.00	-15.94	43.39	3	Horizontal	141	1.32	-	38.23	9.31	32.87
AV	15.7236G	44.12	54.00	-9.88	29.48	3	Horizontal	141	1.32	-	38.20	9.31	32.87

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

25/09/2020

5745MHz_TX




EUT Y_2TX
Setting 87
02-E-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	67.19	68.94	-1.75	58.47	3	Vertical	340	1.29	-	33.85	6.33	31.46
PK	5.744G	124.29	Inf	-Inf	115.58	3	Vertical	340	1.29	-	33.80	6.37	31.46
AV	5.746G	111.96	Inf	-Inf	103.25	3	Vertical	340	1.29	-	33.80	6.37	31.46
PK	5.949G	62.32	68.20	-5.88	53.29	3	Vertical	340	1.29	-	34.15	6.33	31.45

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

25/09/2020

5745MHz_TX




EUT Y_2TX
Setting 87
02-E-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.58G	60.40	68.20	-7.80	51.69	3	Horizontal	15	1.06	-	33.90	6.28	31.47
PK	5.754G	116.32	Inf	-Inf	107.60	3	Horizontal	15	1.06	-	33.80	6.38	31.46
AV	5.754G	105.29	Inf	-Inf	96.57	3	Horizontal	15	1.06	-	33.80	6.38	31.46
PK	5.962G	60.43	68.20	-7.77	51.40	3	Horizontal	15	1.06	-	34.16	6.32	31.45

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

25/09/2020

5745MHz_TX




EUT Y_2TX
Setting 87
02-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48586G	53.01	74.00	-20.99	38.12	3	Vertical	134	2.99	-	38.89	8.85	32.85
AV	11.4975G	40.18	54.00	-13.82	25.28	3	Vertical	134	2.99	-	38.90	8.85	32.85

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

25/09/2020

5745MHz_TX




EUT Y_2TX
Setting 87
02-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47542G	52.33	74.00	-21.67	37.45	3	Horizontal	109	2.51	-	38.88	8.85	32.85
AV	11.49846G	40.22	54.00	-13.78	25.32	3	Horizontal	109	2.51	-	38.90	8.85	32.85

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

25/09/2020

5785MHz_TX




EUT Y_2TX
Setting 87
02-E-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.586G	62.80	68.20	-5.40	54.08	3	Vertical	350	1.58	-	33.90	6.29	31.47
PK	5.791G	122.89	Inf	-Inf	114.15	3	Vertical	350	1.58	-	33.80	6.40	31.46
AV	5.79G	112.29	Inf	-Inf	103.55	3	Vertical	350	1.58	-	33.80	6.40	31.46
PK	5.967G	63.06	68.20	-5.14	54.02	3	Vertical	350	1.58	-	34.17	6.32	31.45

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

25/09/2020

5785MHz_TX




EUT Y_2TX
Setting 87
02-E-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.608G	60.01	68.20	-8.19	51.29	3	Horizontal	219	1.80	-	33.89	6.30	31.47
PK	5.776G	112.18	Inf	-Inf	103.45	3	Horizontal	219	1.80	-	33.80	6.39	31.46
AV	5.777G	101.13	Inf	-Inf	92.40	3	Horizontal	219	1.80	-	33.80	6.39	31.46
PK	5.966G	60.72	68.20	-7.48	51.68	3	Horizontal	219	1.80	-	34.17	6.32	31.45

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

25/09/2020

5785MHz_TX




EUT Y_2TX
Setting 87
02-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57138G	53.75	74.00	-20.25	38.77	3	Vertical	139	2.26	-	38.96	8.88	32.86
AV	11.57216G	40.62	54.00	-13.38	25.64	3	Vertical	139	2.26	-	38.96	8.88	32.86

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

25/09/2020

5785MHz_TX




EUT Y_2TX
Setting 87
02-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58476G	54.45	74.00	-19.55	39.47	3	Horizontal	4	2.06	-	38.97	8.88	32.87
AV	11.5724G	40.63	54.00	-13.37	25.65	3	Horizontal	4	2.06	-	38.96	8.88	32.86

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

25/09/2020

5825MHz_TX




EUT Y_2TX
Setting 87
02-E-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.594G	62.13	68.20	-6.07	53.41	3	Vertical	333	1.36	-	33.90	6.29	31.47
PK	5.816G	124.18	Inf	-Inf	115.40	3	Vertical	333	1.36	-	33.85	6.39	31.46
AV	5.829G	112.23	Inf	-Inf	103.41	3	Vertical	333	1.36	-	33.89	6.39	31.46
PK	5.929G	66.86	68.20	-1.34	57.84	3	Vertical	333	1.36	-	34.13	6.34	31.45

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

25/09/2020

5825MHz_TX




EUT Y_2TX
Setting 87
02-E-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	61.01	68.20	-7.19	52.30	3	Horizontal	259	1.80	-	33.86	6.32	31.47
PK	5.82G	112.44	Inf	-Inf	103.65	3	Horizontal	259	1.80	-	33.86	6.39	31.46
AV	5.819G	101.20	Inf	-Inf	92.41	3	Horizontal	259	1.80	-	33.86	6.39	31.46
PK	5.978G	60.90	68.20	-7.30	51.86	3	Horizontal	259	1.80	-	34.18	6.31	31.45

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

25/09/2020

5825MHz_TX




EUT Y_2TX
Setting 87
02-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64406G	53.96	74.00	-20.04	38.92	3	Vertical	62	1.80	-	39.02	8.90	32.88
AV	11.6521G	41.11	54.00	-12.89	26.07	3	Vertical	62	1.80	-	39.02	8.90	32.88

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

25/09/2020

5825MHz_TX




EUT Y_2TX
Setting 87
02-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66164G	55.04	74.00	-18.96	39.99	3	Horizontal	55	1.80	-	39.03	8.90	32.88
AV	11.65312G	40.87	54.00	-13.13	25.83	3	Horizontal	55	1.80	-	39.02	8.90	32.88

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

25/09/2020

5190MHz_TX




EUT Y_2TX
Setting 59
02-E-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	73.81	74.00	-0.19	66.12	3	Vertical	0	1.05	-	33.45	5.97	31.73
AV	5.1496G	51.67	54.00	-2.33	43.98	3	Vertical	0	1.05	-	33.45	5.97	31.73
PK	5.194G	113.13	Inf	-Inf	105.33	3	Vertical	0	1.05	-	33.49	6.00	31.69
AV	5.1932G	101.39	Inf	-Inf	93.59	3	Vertical	0	1.05	-	33.49	6.00	31.69

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

25/09/2020

5190MHz_TX




EUT Y_2TX
Setting 59
02-E-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	62.04	74.00	-11.96	54.35	3	Horizontal	304	1.51	-	33.45	5.97	31.73
AV	5.1452G	46.86	54.00	-7.14	39.17	3	Horizontal	304	1.51	-	33.45	5.97	31.73
PK	5.184G	108.24	Inf	-Inf	100.47	3	Horizontal	304	1.51	-	33.48	5.99	31.70
AV	5.1844G	96.02	Inf	-Inf	88.25	3	Horizontal	304	1.51	-	33.48	5.99	31.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

05/10/2020

5190MHz_TX




EUT Y_2TX
Setting 59
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.549G	58.09	74.00	-15.91	42.99	3	Vertical	164	1.46	-	38.71	9.25	32.86
AV	15.5676G	45.44	54.00	-8.56	30.39	3	Vertical	164	1.46	-	38.65	9.26	32.86

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

05/10/2020

5190MHz_TX




EUT Y_2TX
Setting 59
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5228G	57.86	74.00	-16.14	42.70	3	Horizontal	91	1.54	-	38.78	9.24	32.86
AV	15.5834G	45.37	54.00	-8.63	30.36	3	Horizontal	91	1.54	-	38.61	9.26	32.86

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

25/09/2020

5230MHz_TX




EUT Y_2TX
Setting 75
02-E-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	69.40	74.00	-4.60	61.71	3	Vertical	338	1.80	-	33.45	5.97	31.73
AV	5.15G	53.78	54.00	-0.22	46.09	3	Vertical	338	1.80	-	33.45	5.97	31.73
PK	5.2474G	118.57	Inf	-Inf	110.62	3	Vertical	338	1.80	-	33.59	6.02	31.66
AV	5.2462G	106.75	Inf	-Inf	98.80	3	Vertical	338	1.80	-	33.59	6.02	31.66
PK	5.3542G	62.17	74.00	-11.83	53.92	3	Vertical	338	1.80	-	33.75	6.08	31.58
AV	5.3518G	49.53	54.00	-4.47	41.28	3	Vertical	338	1.80	-	33.75	6.08	31.58

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

25/09/2020

5230MHz_TX




EUT Y_2TX
Setting 75
02-E-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	62.77	74.00	-11.23	55.08	3	Horizontal	309	1.55	-	33.45	5.97	31.73
AV	5.15G	49.11	54.00	-4.89	41.42	3	Horizontal	309	1.55	-	33.45	5.97	31.73
PK	5.245G	111.33	Inf	-Inf	103.38	3	Horizontal	309	1.55	-	33.59	6.02	31.66
AV	5.248G	100.21	Inf	-Inf	92.25	3	Horizontal	309	1.55	-	33.60	6.02	31.66
PK	5.3512G	60.18	74.00	-13.82	51.93	3	Horizontal	309	1.55	-	33.75	6.08	31.58
AV	5.3578G	47.44	54.00	-6.56	39.18	3	Horizontal	309	1.55	-	33.76	6.08	31.58

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

05/10/2020

5230MHz_TX




EUT Y_2TX
Setting 75
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.651G	57.37	74.00	-16.63	42.54	3	Vertical	158	2.31	-	38.41	9.28	32.86
AV	15.6498G	44.64	54.00	-9.36	29.80	3	Vertical	158	2.31	-	38.42	9.28	32.86

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

05/10/2020

5230MHz_TX




EUT Y_2TX
Setting 75
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6444G	57.53	74.00	-16.47	42.68	3	Horizontal	69	2.59	-	38.43	9.28	32.86
AV	15.6402G	44.85	54.00	-9.15	29.99	3	Horizontal	69	2.59	-	38.44	9.28	32.86

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

25/09/2020

5755MHz_TX




EUT Y_2TX
Setting 81
02-E-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	68.15	68.20	-0.05	59.44	3	Vertical	342	1.12	-	33.85	6.32	31.46
PK	5.747G	118.68	Inf	-Inf	109.97	3	Vertical	342	1.12	-	33.80	6.37	31.46
AV	5.75G	107.10	Inf	-Inf	98.39	3	Vertical	342	1.12	-	33.80	6.37	31.46
PK	5.927G	60.90	68.20	-7.30	51.88	3	Vertical	342	1.12	-	34.13	6.34	31.45

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

25/09/2020

5755MHz_TX




EUT Y_2TX
Setting 81
02-E-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	61.73	68.94	-7.21	53.01	3	Horizontal	219	1.75	-	33.85	6.33	31.46
PK	5.77G	108.74	Inf	-Inf	100.01	3	Horizontal	219	1.75	-	33.80	6.39	31.46
AV	5.743G	96.99	Inf	-Inf	88.28	3	Horizontal	219	1.75	-	33.80	6.37	31.46
PK	5.979G	59.85	68.20	-8.35	50.81	3	Horizontal	219	1.75	-	34.18	6.31	31.45

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

03/10/2020

5755MHz_TX




EUT Y_2TX
Setting 81
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4919G	53.66	74.00	-20.34	38.77	3	Vertical	263	2.01	-	38.89	8.85	32.85
AV	11.4904G	41.19	54.00	-12.81	26.30	3	Vertical	263	2.01	-	38.89	8.85	32.85

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

03/10/2020

5755MHz_TX




EUT Y_2TX
Setting 81
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5339G	53.96	74.00	-20.04	39.03	3	Horizontal	80	1.33	-	38.93	8.86	32.86
AV	11.5016G	41.33	54.00	-12.67	26.42	3	Horizontal	80	1.33	-	38.90	8.86	32.85

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

25/09/2020

5795MHz_TX




EUT Y_2TX
Setting 86
02-E-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	66.08	68.20	-2.12	57.37	3	Vertical	333	1.30	-	33.85	6.32	31.46
PK	5.793G	120.92	Inf	-Inf	112.18	3	Vertical	333	1.30	-	33.80	6.40	31.46
AV	5.797G	109.21	Inf	-Inf	100.47	3	Vertical	333	1.30	-	33.80	6.40	31.46
PK	5.925G	68.11	68.20	-0.09	59.09	3	Vertical	333	1.30	-	34.13	6.34	31.45

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

25/09/2020

5795MHz_TX




EUT Y_2TX
Setting 86
02-E-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.637G	60.15	68.20	-8.05	51.44	3	Horizontal	216	1.92	-	33.86	6.32	31.47
PK	5.813G	110.00	Inf	-Inf	101.23	3	Horizontal	216	1.92	-	33.84	6.39	31.46
AV	5.812G	98.14	Inf	-Inf	89.37	3	Horizontal	216	1.92	-	33.84	6.39	31.46
PK	5.956G	59.97	68.20	-8.23	50.94	3	Horizontal	216	1.92	-	34.16	6.32	31.45

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

03/10/2020

5795MHz_TX




EUT Y_2TX
Setting 86
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5826G	53.90	74.00	-20.10	38.91	3	Vertical	134	2.90	-	38.97	8.88	32.86
AV	11.5815G	41.64	54.00	-12.36	26.65	3	Vertical	134	2.90	-	38.97	8.88	32.86

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

03/10/2020

5795MHz_TX




EUT Y_2TX
Setting 86
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5917G	53.65	74.00	-20.35	38.67	3	Horizontal	234	1.14	-	38.97	8.88	32.87
AV	11.5728G	41.31	54.00	-12.69	26.33	3	Horizontal	234	1.14	-	38.96	8.88	32.86

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

25/09/2020

5210MHz_TX




EUT Y_2TX
Setting 61
02-E-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	73.13	74.00	-0.87	65.44	3	Vertical	360	1.67	-	33.45	5.97	31.73
AV	5.149G	53.77	54.00	-0.23	46.08	3	Vertical	360	1.67	-	33.45	5.97	31.73
PK	5.215G	109.40	Inf	-Inf	101.54	3	Vertical	360	1.67	-	33.53	6.01	31.68
AV	5.204G	97.97	Inf	-Inf	90.15	3	Vertical	360	1.67	-	33.51	6.00	31.69
PK	5.356G	64.97	74.00	-9.03	56.71	3	Vertical	360	1.67	-	33.76	6.08	31.58
AV	5.353G	48.84	54.00	-5.16	40.59	3	Vertical	360	1.67	-	33.75	6.08	31.58

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

25/09/2020

5210MHz_TX




EUT Y_2TX
Setting 61
02-E-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.136G	68.58	74.00	-5.42	60.90	3	Horizontal	316	1.64	-	33.44	5.97	31.73
AV	5.146G	48.59	54.00	-5.41	40.90	3	Horizontal	316	1.64	-	33.45	5.97	31.73
PK	5.179G	104.63	Inf	-Inf	96.86	3	Horizontal	316	1.64	-	33.48	5.99	31.70
AV	5.181G	92.48	Inf	-Inf	84.71	3	Horizontal	316	1.64	-	33.48	5.99	31.70
PK	5.373G	59.70	74.00	-14.30	51.41	3	Horizontal	316	1.64	-	33.77	6.09	31.57
AV	5.424G	47.11	54.00	-6.89	38.69	3	Horizontal	316	1.64	-	33.82	6.13	31.53

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

03/10/2020

5210MHz_TX




EUT Y_2TX
Setting 61
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6185G	59.07	74.00	-14.93	44.15	3	Vertical	104	2.48	-	38.51	9.27	32.86
AV	15.6065G	44.88	54.00	-9.12	29.93	3	Vertical	104	2.48	-	38.54	9.27	32.86

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

03/10/2020

5210MHz_TX




EUT Y_2TX
Setting 61
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6091G	58.27	74.00	-15.73	43.33	3	Horizontal	154	2.17	-	38.53	9.27	32.86
AV	15.6067G	44.75	54.00	-9.25	29.80	3	Horizontal	154	2.17	-	38.54	9.27	32.86

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

05/10/2020

5775MHz_TX




EUT Y_2TX
Setting 65
02-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.621G	67.75	68.20	-0.45	59.03	3	Vertical	340	1.63	-	33.88	6.31	31.47
PK	5.751G	117.45	Inf	-Inf	108.73	3	Vertical	340	1.63	-	33.80	6.38	31.46
AV	5.767G	101.81	Inf	-Inf	93.09	3	Vertical	340	1.63	-	33.80	6.38	31.46
PK	5.935G	64.39	68.20	-3.81	55.37	3	Vertical	340	1.63	-	34.14	6.33	31.45

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

05/10/2020

5775MHz_TX




EUT Y_2TX
Setting 65
02-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.631G	61.10	68.20	-7.10	52.38	3	Horizontal	207	1.93	-	33.87	6.32	31.47
PK	5.769G	105.68	Inf	-Inf	96.96	3	Horizontal	207	1.93	-	33.80	6.38	31.46
AV	5.768G	93.32	Inf	-Inf	84.60	3	Horizontal	207	1.93	-	33.80	6.38	31.46
PK	5.968G	61.50	68.20	-6.70	52.46	3	Horizontal	207	1.93	-	34.17	6.32	31.45

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

05/10/2020

5775MHz_TX




EUT Y_2TX
Setting 65
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5824G	54.66	74.00	-19.34	39.67	3	Vertical	217	1.58	-	38.97	8.88	32.86
AV	11.5888G	41.08	54.00	-12.92	26.10	3	Vertical	217	1.58	-	38.97	8.88	32.87

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

05/10/2020

5775MHz_TX



EUT Y_2TX
Setting 65
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5898G	53.92	74.00	-20.08	38.94	3	Horizontal	165	1.81	-	38.97	8.88	32.87
AV	11.5994G	41.06	54.00	-12.94	26.07	3	Horizontal	165	1.81	-	38.98	8.88	32.87




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.64204G	36.79	54.00	-17.21	Vertical

Mode 1


30/10/2020



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	1.6598G	43.96	74.00	-30.04	-6.68	3	Vertical	155	1.03	-	50.64	25.06	2.50	34.24
AV	1.64204G	36.79	54.00	-17.21	-6.67	3	Vertical	155	1.03	"Worst"	43.46	25.10	2.50	34.27

Mode 1

30/10/2020



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	1.6533G	42.95	74.00	-31.05	-6.66	3	Horizontal	97	1.00	-	49.61	25.09	2.50	34.25
AV	1.658G	35.69	54.00	-18.31	-6.67	3	Horizontal	97	1.00	"Worst"	42.36	25.07	2.50	34.24