



## Appendix 2: AP305C-Eth2 RSE

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Profile: 1962097R                                 | Page No.: 321            |
| Engineer: Simon                                   |                          |
| Site: AC5                                         | Time: 2019/07/18 - 04:21 |
| Limit: FCC_Part15.209_RE(3m)                      | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                | Polarity: Horizontal     |
| EUT: Wireless Access Point                        | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5180MHz by 802.11a ANT 0 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 43.939                 | 32.420               | -30.061         | 74.000         | 11.519      | PK   |
| 2  | *    | 15540.000       | 50.783                 | 32.926               | -23.217         | 74.000         | 17.857      | PK   |

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Profile: 1962097R                                 | Page No.: 322            |
| Engineer: Simon                                   |                          |
| Site: AC5                                         | Time: 2019/07/18 - 04:21 |
| Limit: FCC_Part15.209_RE(3m)                      | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                | Polarity: Vertical       |
| EUT: Wireless Access Point                        | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5180MHz by 802.11a ANT 0 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 43.103                 | 31.584               | -30.897         | 74.000         | 11.519      | PK   |
| 2  | *    | 15540.000       | 50.371                 | 32.514               | -23.629         | 74.000         | 17.857      | PK   |

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Profile: 1962097R                                 | Page No.: 323            |
| Engineer: Simon                                   |                          |
| Site: AC5                                         | Time: 2019/07/18 - 04:21 |
| Limit: FCC_Part15.209_RE(3m)                      | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                | Polarity: Horizontal     |
| EUT: Wireless Access Point                        | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5220MHz by 802.11a ANT 0 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 42.818                 | 30.749               | -31.182         | 74.000         | 12.070      | PK   |
| 2  | *    | 15660.000       | 49.046                 | 31.441               | -24.954         | 74.000         | 17.605      | PK   |

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Profile: 1962097R                                 | Page No.: 324            |
| Engineer: Simon                                   |                          |
| Site: AC5                                         | Time: 2019/07/18 - 04:22 |
| Limit: FCC_Part15.209_RE(3m)                      | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                | Polarity: Vertical       |
| EUT: Wireless Access Point                        | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5220MHz by 802.11a ANT 0 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 43.614                 | 31.545               | -30.386         | 74.000         | 12.070      | PK   |
| 2  | *    | 15660.000       | 49.856                 | 32.251               | -24.144         | 74.000         | 17.605      | PK   |

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Profile: 1962097R                                 | Page No.: 325            |
| Engineer: Simon                                   |                          |
| Site: AC5                                         | Time: 2019/07/18 - 04:22 |
| Limit: FCC_Part15.209_RE(3m)                      | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                | Polarity: Horizontal     |
| EUT: Wireless Access Point                        | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5240MHz by 802.11a ANT 0 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 42.470                 | 30.198               | -31.530         | 74.000         | 12.272      | PK   |
| 2  | *    | 15720.000       | 48.851                 | 30.814               | -25.149         | 74.000         | 18.038      | PK   |

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Profile: 1962097R                                 | Page No.: 326            |
| Engineer: Simon                                   |                          |
| Site: AC5                                         | Time: 2019/07/18 - 04:22 |
| Limit: FCC_Part15.209_RE(3m)                      | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                | Polarity: Vertical       |
| EUT: Wireless Access Point                        | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5240MHz by 802.11a ANT 0 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 42.318                 | 30.046               | -31.682         | 74.000         | 12.272      | PK   |
| 2  | *    | 15720.000       | 49.093                 | 31.056               | -24.907         | 74.000         | 18.038      | PK   |

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Profile: 1962097R                                 | Page No.: 327            |
| Engineer: Simon                                   |                          |
| Site: AC5                                         | Time: 2019/07/18 - 04:22 |
| Limit: FCC_Part15.209_RE(3m)                      | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                | Polarity: Horizontal     |
| EUT: Wireless Access Point                        | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5745MHz by 802.11a ANT 0 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 43.630                 | 30.192               | -30.370         | 74.000         | 13.438      | PK   |
| 2  | *    | 17235.000       | 51.313                 | 29.375               | -22.687         | 74.000         | 21.938      | PK   |

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Profile: 1962097R                                 | Page No.: 328            |
| Engineer: Simon                                   |                          |
| Site: AC5                                         | Time: 2019/07/18 - 04:22 |
| Limit: FCC_Part15.209_RE(3m)                      | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                | Polarity: Vertical       |
| EUT: Wireless Access Point                        | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5745MHz by 802.11a ANT 0 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 43.782                 | 30.344               | -30.218         | 74.000         | 13.438      | PK   |
| 2  | *    | 17235.000       | 52.748                 | 30.810               | -21.252         | 74.000         | 21.938      | PK   |

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Profile: 1962097R                                 | Page No.: 329            |
| Engineer: Simon                                   |                          |
| Site: AC5                                         | Time: 2019/07/18 - 04:24 |
| Limit: FCC_Part15.209_RE(3m)                      | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                | Polarity: Horizontal     |
| EUT: Wireless Access Point                        | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5785MHz by 802.11a ANT 0 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 42.193                 | 28.557               | -31.807         | 74.000         | 13.637      | PK   |
| 2  | *    | 17355.000       | 52.635                 | 29.594               | -21.365         | 74.000         | 23.041      | PK   |

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Profile: 1962097R                                 | Page No.: 330            |
| Engineer: Simon                                   |                          |
| Site: AC5                                         | Time: 2019/07/18 - 04:24 |
| Limit: FCC_Part15.209_RE(3m)                      | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                | Polarity: Vertical       |
| EUT: Wireless Access Point                        | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5785MHz by 802.11a ANT 0 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 41.689                 | 28.053               | -32.311         | 74.000         | 13.637      | PK   |
| 2  | *    | 17355.000       | 52.830                 | 29.789               | -21.170         | 74.000         | 23.041      | PK   |

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Profile: 1962097R                                 | Page No.: 331            |
| Engineer: Simon                                   |                          |
| Site: AC5                                         | Time: 2019/07/18 - 04:24 |
| Limit: FCC_Part15.209_RE(3m)                      | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                | Polarity: Horizontal     |
| EUT: Wireless Access Point                        | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5825MHz by 802.11a ANT 0 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 42.397                 | 28.218               | -31.603         | 74.000         | 14.179      | PK   |
| 2  | *    | 17475.000       | 49.321                 | 29.969               | -24.679         | 74.000         | 19.352      | PK   |

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Profile: 1962097R                                 | Page No.: 332            |
| Engineer: Simon                                   |                          |
| Site: AC5                                         | Time: 2019/07/18 - 04:24 |
| Limit: FCC_Part15.209_RE(3m)                      | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                | Polarity: Vertical       |
| EUT: Wireless Access Point                        | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5825MHz by 802.11a ANT 0 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 43.690                 | 29.511               | -30.310         | 74.000         | 14.179      | PK   |
| 2  | *    | 17475.000       | 50.839                 | 31.487               | -23.161         | 74.000         | 19.352      | PK   |

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Profile: 1962097R                                 | Page No.: 333            |
| Engineer: Simon                                   |                          |
| Site: AC5                                         | Time: 2019/07/18 - 04:24 |
| Limit: FCC_Part15.209_RE(3m)                      | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                | Polarity: Horizontal     |
| EUT: Wireless Access Point                        | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5180MHz by 802.11a ANT 1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 42.472                 | 30.953               | -31.528         | 74.000         | 11.519      | PK   |
| 2  | *    | 15540.000       | 48.675                 | 30.818               | -25.325         | 74.000         | 17.857      | PK   |

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Profile: 1962097R                                 | Page No.: 334            |
| Engineer: Simon                                   |                          |
| Site: AC5                                         | Time: 2019/07/18 - 04:24 |
| Limit: FCC_Part15.209_RE(3m)                      | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                | Polarity: Vertical       |
| EUT: Wireless Access Point                        | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5180MHz by 802.11a ANT 1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 41.705                 | 30.186               | -32.295         | 74.000         | 11.519      | PK   |
| 2  | *    | 15540.000       | 48.480                 | 30.623               | -25.520         | 74.000         | 17.857      | PK   |

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Profile: 1962097R                                 | Page No.: 335            |
| Engineer: Simon                                   |                          |
| Site: AC5                                         | Time: 2019/07/18 - 04:24 |
| Limit: FCC_Part15.209_RE(3m)                      | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                | Polarity: Horizontal     |
| EUT: Wireless Access Point                        | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5220MHz by 802.11a ANT 1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 41.553                 | 29.484               | -32.447         | 74.000         | 12.070      | PK   |
| 2  | *    | 15660.000       | 48.432                 | 30.827               | -25.568         | 74.000         | 17.605      | PK   |

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Profile: 1962097R                                 | Page No.: 336            |
| Engineer: Simon                                   |                          |
| Site: AC5                                         | Time: 2019/07/18 - 04:24 |
| Limit: FCC_Part15.209_RE(3m)                      | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                | Polarity: Vertical       |
| EUT: Wireless Access Point                        | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5220MHz by 802.11a ANT 1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 41.108                 | 29.039               | -32.892         | 74.000         | 12.070      | PK   |
| 2  | *    | 15660.000       | 47.744                 | 30.139               | -26.256         | 74.000         | 17.605      | PK   |

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Profile: 1962097R                                 | Page No.: 337            |
| Engineer: Simon                                   |                          |
| Site: AC5                                         | Time: 2019/07/18 - 04:24 |
| Limit: FCC_Part15.209_RE(3m)                      | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                | Polarity: Horizontal     |
| EUT: Wireless Access Point                        | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5240MHz by 802.11a ANT 1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 41.791                 | 29.519               | -32.209         | 74.000         | 12.272      | PK   |
| 2  | *    | 15720.000       | 47.811                 | 29.774               | -26.189         | 74.000         | 18.038      | PK   |

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Profile: 1962097R                                 | Page No.: 338            |
| Engineer: Simon                                   |                          |
| Site: AC5                                         | Time: 2019/07/18 - 04:24 |
| Limit: FCC_Part15.209_RE(3m)                      | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                | Polarity: Vertical       |
| EUT: Wireless Access Point                        | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5240MHz by 802.11a ANT 1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 42.083                 | 29.811               | -31.917         | 74.000         | 12.272      | PK   |
| 2  | *    | 15720.000       | 49.653                 | 31.616               | -24.347         | 74.000         | 18.038      | PK   |

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Profile: 1962097R                                 | Page No.: 339            |
| Engineer: Simon                                   |                          |
| Site: AC5                                         | Time: 2019/07/18 - 04:25 |
| Limit: FCC_Part15.209_RE(3m)                      | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                | Polarity: Horizontal     |
| EUT: Wireless Access Point                        | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5745MHz by 802.11a ANT 1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 42.537                 | 29.099               | -31.463         | 74.000         | 13.438      | PK   |
| 2  | *    | 17235.000       | 51.403                 | 29.465               | -22.597         | 74.000         | 21.938      | PK   |

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Profile: 1962097R                                 | Page No.: 340            |
| Engineer: Simon                                   |                          |
| Site: AC5                                         | Time: 2019/07/18 - 04:25 |
| Limit: FCC_Part15.209_RE(3m)                      | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                | Polarity: Vertical       |
| EUT: Wireless Access Point                        | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5745MHz by 802.11a ANT 1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 44.146                 | 30.708               | -29.854         | 74.000         | 13.438      | PK   |
| 2  | *    | 17235.000       | 52.033                 | 30.095               | -21.967         | 74.000         | 21.938      | PK   |

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Profile: 1962097R                                 | Page No.: 341            |
| Engineer: Simon                                   |                          |
| Site: AC5                                         | Time: 2019/07/18 - 04:25 |
| Limit: FCC_Part15.209_RE(3m)                      | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                | Polarity: Horizontal     |
| EUT: Wireless Access Point                        | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5785MHz by 802.11a ANT 1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 43.080                 | 29.444               | -30.920         | 74.000         | 13.637      | PK   |
| 2  | *    | 17355.000       | 52.989                 | 29.948               | -21.011         | 74.000         | 23.041      | PK   |

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Profile: 1962097R                                 | Page No.: 342            |
| Engineer: Simon                                   |                          |
| Site: AC5                                         | Time: 2019/07/18 - 04:25 |
| Limit: FCC_Part15.209_RE(3m)                      | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                | Polarity: Vertical       |
| EUT: Wireless Access Point                        | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5785MHz by 802.11a ANT 1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 43.104                 | 29.468               | -30.896         | 74.000         | 13.637      | PK   |
| 2  | *    | 17355.000       | 51.717                 | 28.676               | -22.283         | 74.000         | 23.041      | PK   |

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Profile: 1962097R                                 | Page No.: 343            |
| Engineer: Simon                                   |                          |
| Site: AC5                                         | Time: 2019/07/18 - 04:25 |
| Limit: FCC_Part15.209_RE(3m)                      | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                | Polarity: Horizontal     |
| EUT: Wireless Access Point                        | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5825MHz by 802.11a ANT 1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 43.496                 | 29.317               | -30.504         | 74.000         | 14.179      | PK   |
| 2  | *    | 17475.000       | 49.985                 | 30.633               | -24.015         | 74.000         | 19.352      | PK   |

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Profile: 1962097R                                 | Page No.: 344            |
| Engineer: Simon                                   |                          |
| Site: AC5                                         | Time: 2019/07/18 - 04:25 |
| Limit: FCC_Part15.209_RE(3m)                      | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                | Polarity: Vertical       |
| EUT: Wireless Access Point                        | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5825MHz by 802.11a ANT 1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 44.144                 | 29.965               | -29.856         | 74.000         | 14.179      | PK   |
| 2  | *    | 17475.000       | 49.206                 | 29.854               | -24.794         | 74.000         | 19.352      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Profile: 1962097R                               | Page No.: 345            |
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2019/07/18 - 04:25 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access Point                      | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5180MHz by 802.11a CDD |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 42.023                 | 30.504               | -31.977         | 74.000         | 11.519      | PK   |
| 2  | *    | 15540.000       | 48.533                 | 30.676               | -25.467         | 74.000         | 17.857      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Profile: 1962097R                               | Page No.: 346            |
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2019/07/18 - 04:25 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access Point                      | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5180MHz by 802.11a CDD |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 42.043                 | 30.524               | -31.957         | 74.000         | 11.519      | PK   |
| 2  | *    | 15540.000       | 48.686                 | 30.829               | -25.314         | 74.000         | 17.857      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Profile: 1962097R                               | Page No.: 347            |
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2019/07/18 - 04:25 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access Point                      | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5220MHz by 802.11a CDD |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 43.201                 | 31.132               | -30.799         | 74.000         | 12.070      | PK   |
| 2  | *    | 15660.000       | 49.184                 | 31.579               | -24.816         | 74.000         | 17.605      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Profile: 1962097R                               | Page No.: 348            |
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2019/07/18 - 04:25 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access Point                      | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5220MHz by 802.11a CDD |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 41.262                 | 29.193               | -32.738         | 74.000         | 12.070      | PK   |
| 2  | *    | 15660.000       | 48.622                 | 31.017               | -25.378         | 74.000         | 17.605      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Profile: 1962097R                               | Page No.: 349            |
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2019/07/18 - 04:25 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access Point                      | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5240MHz by 802.11a CDD |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 43.629                 | 31.357               | -30.371         | 74.000         | 12.272      | PK   |
| 2  | *    | 15720.000       | 49.616                 | 31.579               | -24.384         | 74.000         | 18.038      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Profile: 1962097R                               | Page No.: 350            |
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2019/07/18 - 04:25 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access Point                      | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5240MHz by 802.11a CDD |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 41.997                 | 29.725               | -32.003         | 74.000         | 12.272      | PK   |
| 2  | *    | 15720.000       | 48.439                 | 30.402               | -25.561         | 74.000         | 18.038      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Profile: 1962097R                               | Page No.: 351            |
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2019/07/18 - 04:26 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access Point                      | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5745MHz by 802.11a CDD |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 43.020                 | 29.582               | -30.980         | 74.000         | 13.438      | PK   |
| 2  | *    | 17235.000       | 51.385                 | 29.447               | -22.615         | 74.000         | 21.938      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Profile: 1962097R                               | Page No.: 352            |
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2019/07/18 - 04:26 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access Point                      | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5745MHz by 802.11a CDD |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 43.998                 | 30.560               | -30.002         | 74.000         | 13.438      | PK   |
| 2  | *    | 17235.000       | 51.641                 | 29.703               | -22.359         | 74.000         | 21.938      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Profile: 1962097R                               | Page No.: 353            |
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2019/07/18 - 04:26 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access Point                      | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5785MHz by 802.11a CDD |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 42.453                 | 28.817               | -31.547         | 74.000         | 13.637      | PK   |
| 2  | *    | 17355.000       | 52.483                 | 29.442               | -21.517         | 74.000         | 23.041      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Profile: 1962097R                               | Page No.: 354            |
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2019/07/18 - 04:26 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access Point                      | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5785MHz by 802.11a CDD |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 42.349                 | 28.713               | -31.651         | 74.000         | 13.637      | PK   |
| 2  | *    | 17355.000       | 52.291                 | 29.250               | -21.709         | 74.000         | 23.041      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Profile: 1962097R                               | Page No.: 355            |
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2019/07/18 - 04:26 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access Point                      | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5825MHz by 802.11a CDD |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 44.344                 | 30.165               | -29.656         | 74.000         | 14.179      | PK   |
| 2  | *    | 17475.000       | 49.486                 | 30.134               | -24.514         | 74.000         | 19.352      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Profile: 1962097R                               | Page No.: 356            |
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2019/07/18 - 04:26 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access Point                      | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5825MHz by 802.11a CDD |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 43.054                 | 28.875               | -30.946         | 74.000         | 14.179      | PK   |
| 2  | *    | 17475.000       | 48.947                 | 29.595               | -25.053         | 74.000         | 19.352      | PK   |

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                           | Page No.: 369            |
| Engineer: Simon                                             |                          |
| Site: AC5                                                   | Time: 2019/07/18 - 04:27 |
| Limit: FCC_Part15.209_RE(3m)                                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                          | Polarity: Horizontal     |
| EUT: Wireless Access Point                                  | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5180MHz by 802.11n ( 20MHz ) ANT 0 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 41.656                 | 30.137               | -32.344         | 74.000         | 11.519      | PK   |
| 2  | *    | 15540.000       | 49.304                 | 31.447               | -24.696         | 74.000         | 17.857      | PK   |

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                           | Page No.: 370            |
| Engineer: Simon                                             |                          |
| Site: AC5                                                   | Time: 2019/07/18 - 04:27 |
| Limit: FCC_Part15.209_RE(3m)                                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                          | Polarity: Vertical       |
| EUT: Wireless Access Point                                  | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5180MHz by 802.11n ( 20MHz ) ANT 0 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 42.463                 | 30.944               | -31.537         | 74.000         | 11.519      | PK   |
| 2  | *    | 15540.000       | 50.345                 | 32.488               | -23.655         | 74.000         | 17.857      | PK   |

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                           | Page No.: 371            |
| Engineer: Simon                                             |                          |
| Site: AC5                                                   | Time: 2019/07/18 - 04:27 |
| Limit: FCC_Part15.209_RE(3m)                                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                          | Polarity: Horizontal     |
| EUT: Wireless Access Point                                  | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5220MHz by 802.11n ( 20MHz ) ANT 0 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 41.532                 | 29.463               | -32.468         | 74.000         | 12.070      | PK   |
| 2  | *    | 15660.000       | 49.310                 | 31.705               | -24.690         | 74.000         | 17.605      | PK   |

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                           | Page No.: 372            |
| Engineer: Simon                                             |                          |
| Site: AC5                                                   | Time: 2019/07/18 - 04:27 |
| Limit: FCC_Part15.209_RE(3m)                                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                          | Polarity: Vertical       |
| EUT: Wireless Access Point                                  | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5220MHz by 802.11n ( 20MHz ) ANT 0 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 42.242                 | 30.173               | -31.758         | 74.000         | 12.070      | PK   |
| 2  | *    | 15660.000       | 48.240                 | 30.635               | -25.760         | 74.000         | 17.605      | PK   |

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                           | Page No.: 373            |
| Engineer: Simon                                             |                          |
| Site: AC5                                                   | Time: 2019/07/18 - 04:27 |
| Limit: FCC_Part15.209_RE(3m)                                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                          | Polarity: Horizontal     |
| EUT: Wireless Access Point                                  | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5240MHz by 802.11n ( 20MHz ) ANT 0 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 42.516                 | 30.244               | -31.484         | 74.000         | 12.272      | PK   |
| 2  | *    | 15720.000       | 49.312                 | 31.275               | -24.688         | 74.000         | 18.038      | PK   |

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                           | Page No.: 374            |
| Engineer: Simon                                             |                          |
| Site: AC5                                                   | Time: 2019/07/18 - 04:27 |
| Limit: FCC_Part15.209_RE(3m)                                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                          | Polarity: Vertical       |
| EUT: Wireless Access Point                                  | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5240MHz by 802.11n ( 20MHz ) ANT 0 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 43.575                 | 31.303               | -30.425         | 74.000         | 12.272      | PK   |
| 2  | *    | 15720.000       | 50.165                 | 32.128               | -23.835         | 74.000         | 18.038      | PK   |

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                           | Page No.: 375            |
| Engineer: Simon                                             |                          |
| Site: AC5                                                   | Time: 2019/07/18 - 04:28 |
| Limit: FCC_Part15.209_RE(3m)                                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                          | Polarity: Horizontal     |
| EUT: Wireless Access Point                                  | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5745MHz by 802.11n ( 20MHz ) ANT 0 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 42.896                 | 29.458               | -31.104         | 74.000         | 13.438      | PK   |
| 2  | *    | 17235.000       | 52.202                 | 30.264               | -21.798         | 74.000         | 21.938      | PK   |

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                           | Page No.: 376            |
| Engineer: Simon                                             |                          |
| Site: AC5                                                   | Time: 2019/07/18 - 04:28 |
| Limit: FCC_Part15.209_RE(3m)                                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                          | Polarity: Vertical       |
| EUT: Wireless Access Point                                  | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5745MHz by 802.11n ( 20MHz ) ANT 0 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 42.554                 | 29.116               | -31.446         | 74.000         | 13.438      | PK   |
| 2  | *    | 17235.000       | 51.639                 | 29.701               | -22.361         | 74.000         | 21.938      | PK   |

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                           | Page No.: 377            |
| Engineer: Simon                                             |                          |
| Site: AC5                                                   | Time: 2019/07/18 - 04:28 |
| Limit: FCC_Part15.209_RE(3m)                                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                          | Polarity: Horizontal     |
| EUT: Wireless Access Point                                  | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5785MHz by 802.11n ( 20MHz ) ANT 0 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 42.470                 | 28.834               | -31.530         | 74.000         | 13.637      | PK   |
| 2  | *    | 17355.000       | 52.985                 | 29.944               | -21.015         | 74.000         | 23.041      | PK   |

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                           | Page No.: 378            |
| Engineer: Simon                                             |                          |
| Site: AC5                                                   | Time: 2019/07/18 - 04:28 |
| Limit: FCC_Part15.209_RE(3m)                                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                          | Polarity: Vertical       |
| EUT: Wireless Access Point                                  | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5785MHz by 802.11n ( 20MHz ) ANT 0 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 42.379                 | 28.743               | -31.621         | 74.000         | 13.637      | PK   |
| 2  | *    | 17355.000       | 51.605                 | 28.564               | -22.395         | 74.000         | 23.041      | PK   |

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                           | Page No.: 379            |
| Engineer: Simon                                             |                          |
| Site: AC5                                                   | Time: 2019/07/18 - 04:28 |
| Limit: FCC_Part15.209_RE(3m)                                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                          | Polarity: Horizontal     |
| EUT: Wireless Access Point                                  | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5825MHz by 802.11n ( 20MHz ) ANT 0 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 43.937                 | 29.758               | -30.063         | 74.000         | 14.179      | PK   |
| 2  | *    | 17475.000       | 52.134                 | 32.782               | -21.866         | 74.000         | 19.352      | PK   |

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                           | Page No.: 380            |
| Engineer: Simon                                             |                          |
| Site: AC5                                                   | Time: 2019/07/18 - 04:28 |
| Limit: FCC_Part15.209_RE(3m)                                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                          | Polarity: Vertical       |
| EUT: Wireless Access Point                                  | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5825MHz by 802.11n ( 20MHz ) ANT 0 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 44.528                 | 30.349               | -29.472         | 74.000         | 14.179      | PK   |
| 2  | *    | 17475.000       | 49.985                 | 30.633               | -24.015         | 74.000         | 19.352      | PK   |

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                           | Page No.: 381            |
| Engineer: Simon                                             |                          |
| Site: AC5                                                   | Time: 2019/07/18 - 04:28 |
| Limit: FCC_Part15.209_RE(3m)                                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                          | Polarity: Horizontal     |
| EUT: Wireless Access Point                                  | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5180MHz by 802.11n ( 20MHz ) ANT 1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 41.781                 | 30.262               | -32.219         | 74.000         | 11.519      | PK   |
| 2  | *    | 15540.000       | 48.658                 | 30.801               | -25.342         | 74.000         | 17.857      | PK   |

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                           | Page No.: 382            |
| Engineer: Simon                                             |                          |
| Site: AC5                                                   | Time: 2019/07/18 - 04:28 |
| Limit: FCC_Part15.209_RE(3m)                                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                          | Polarity: Vertical       |
| EUT: Wireless Access Point                                  | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5180MHz by 802.11n ( 20MHz ) ANT 1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 43.372                 | 31.853               | -30.628         | 74.000         | 11.519      | PK   |
| 2  | *    | 15540.000       | 49.742                 | 31.885               | -24.258         | 74.000         | 17.857      | PK   |

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                           | Page No.: 383            |
| Engineer: Simon                                             |                          |
| Site: AC5                                                   | Time: 2019/07/18 - 04:28 |
| Limit: FCC_Part15.209_RE(3m)                                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                          | Polarity: Horizontal     |
| EUT: Wireless Access Point                                  | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5220MHz by 802.11n ( 20MHz ) ANT 1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 41.583                 | 29.514               | -32.417         | 74.000         | 12.070      | PK   |
| 2  | *    | 15660.000       | 48.097                 | 30.492               | -25.903         | 74.000         | 17.605      | PK   |

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                           | Page No.: 384            |
| Engineer: Simon                                             |                          |
| Site: AC5                                                   | Time: 2019/07/18 - 04:28 |
| Limit: FCC_Part15.209_RE(3m)                                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                          | Polarity: Vertical       |
| EUT: Wireless Access Point                                  | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5220MHz by 802.11n ( 20MHz ) ANT 1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 42.791                 | 30.722               | -31.209         | 74.000         | 12.070      | PK   |
| 2  | *    | 15660.000       | 48.623                 | 31.018               | -25.377         | 74.000         | 17.605      | PK   |

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                           | Page No.: 385            |
| Engineer: Simon                                             |                          |
| Site: AC5                                                   | Time: 2019/07/18 - 04:29 |
| Limit: FCC_Part15.209_RE(3m)                                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                          | Polarity: Horizontal     |
| EUT: Wireless Access Point                                  | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5240MHz by 802.11n ( 20MHz ) ANT 1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 41.991                 | 29.719               | -32.009         | 74.000         | 12.272      | PK   |
| 2  | *    | 15720.000       | 48.432                 | 30.395               | -25.568         | 74.000         | 18.038      | PK   |

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                           | Page No.: 386            |
| Engineer: Simon                                             |                          |
| Site: AC5                                                   | Time: 2019/07/18 - 04:29 |
| Limit: FCC_Part15.209_RE(3m)                                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                          | Polarity: Vertical       |
| EUT: Wireless Access Point                                  | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5240MHz by 802.11n ( 20MHz ) ANT 1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 42.713                 | 30.441               | -31.287         | 74.000         | 12.272      | PK   |
| 2  | *    | 15720.000       | 48.275                 | 30.238               | -25.725         | 74.000         | 18.038      | PK   |

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                           | Page No.: 387            |
| Engineer: Simon                                             |                          |
| Site: AC5                                                   | Time: 2019/07/18 - 04:29 |
| Limit: FCC_Part15.209_RE(3m)                                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                          | Polarity: Horizontal     |
| EUT: Wireless Access Point                                  | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5745MHz by 802.11n ( 20MHz ) ANT 1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 43.240                 | 29.802               | -30.760         | 74.000         | 13.438      | PK   |
| 2  | *    | 17235.000       | 50.946                 | 29.008               | -23.054         | 74.000         | 21.938      | PK   |

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                           | Page No.: 388            |
| Engineer: Simon                                             |                          |
| Site: AC5                                                   | Time: 2019/07/18 - 04:29 |
| Limit: FCC_Part15.209_RE(3m)                                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                          | Polarity: Vertical       |
| EUT: Wireless Access Point                                  | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5745MHz by 802.11n ( 20MHz ) ANT 1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 42.927                 | 29.489               | -31.073         | 74.000         | 13.438      | PK   |
| 2  | *    | 17235.000       | 50.303                 | 28.365               | -23.697         | 74.000         | 21.938      | PK   |

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                           | Page No.: 389            |
| Engineer: Simon                                             |                          |
| Site: AC5                                                   | Time: 2019/07/18 - 04:29 |
| Limit: FCC_Part15.209_RE(3m)                                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                          | Polarity: Horizontal     |
| EUT: Wireless Access Point                                  | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5785MHz by 802.11n ( 20MHz ) ANT 1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 43.491                 | 29.855               | -30.509         | 74.000         | 13.637      | PK   |
| 2  | *    | 17355.000       | 52.980                 | 29.939               | -21.020         | 74.000         | 23.041      | PK   |

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                           | Page No.: 390            |
| Engineer: Simon                                             |                          |
| Site: AC5                                                   | Time: 2019/07/18 - 04:29 |
| Limit: FCC_Part15.209_RE(3m)                                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                          | Polarity: Vertical       |
| EUT: Wireless Access Point                                  | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5785MHz by 802.11n ( 20MHz ) ANT 1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 42.632                 | 28.996               | -31.368         | 74.000         | 13.637      | PK   |
| 2  | *    | 17355.000       | 51.769                 | 28.728               | -22.231         | 74.000         | 23.041      | PK   |

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                           | Page No.: 391            |
| Engineer: Simon                                             |                          |
| Site: AC5                                                   | Time: 2019/07/18 - 04:29 |
| Limit: FCC_Part15.209_RE(3m)                                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                          | Polarity: Horizontal     |
| EUT: Wireless Access Point                                  | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5825MHz by 802.11n ( 20MHz ) ANT 1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 44.054                 | 29.875               | -29.946         | 74.000         | 14.179      | PK   |
| 2  | *    | 17475.000       | 49.455                 | 30.103               | -24.545         | 74.000         | 19.352      | PK   |

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                           | Page No.: 392            |
| Engineer: Simon                                             |                          |
| Site: AC5                                                   | Time: 2019/07/18 - 04:29 |
| Limit: FCC_Part15.209_RE(3m)                                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                          | Polarity: Vertical       |
| EUT: Wireless Access Point                                  | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5825MHz by 802.11n ( 20MHz ) ANT 1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 42.974                 | 28.795               | -31.026         | 74.000         | 14.179      | PK   |
| 2  | *    | 17475.000       | 50.070                 | 30.718               | -23.930         | 74.000         | 19.352      | PK   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 1962097R                                         | Page No.: 393            |
| Engineer: Simon                                           |                          |
| Site: AC5                                                 | Time: 2019/07/18 - 04:29 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                        | Polarity: Horizontal     |
| EUT: Wireless Access Point                                | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5180MHz by 802.11n ( 20MHz ) CDD |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 41.853                 | 30.334               | -32.147         | 74.000         | 11.519      | PK   |
| 2  | *    | 15540.000       | 48.457                 | 30.600               | -25.543         | 74.000         | 17.857      | PK   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 1962097R                                         | Page No.: 394            |
| Engineer: Simon                                           |                          |
| Site: AC5                                                 | Time: 2019/07/18 - 04:29 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                        | Polarity: Vertical       |
| EUT: Wireless Access Point                                | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5180MHz by 802.11n ( 20MHz ) CDD |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 41.643                 | 30.124               | -32.357         | 74.000         | 11.519      | PK   |
| 2  | *    | 15540.000       | 49.469                 | 31.612               | -24.531         | 74.000         | 17.857      | PK   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 1962097R                                         | Page No.: 395            |
| Engineer: Simon                                           |                          |
| Site: AC5                                                 | Time: 2019/07/18 - 04:29 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                        | Polarity: Horizontal     |
| EUT: Wireless Access Point                                | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5220MHz by 802.11n ( 20MHz ) CDD |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 42.328                 | 30.259               | -31.672         | 74.000         | 12.070      | PK   |
| 2  | *    | 15660.000       | 48.644                 | 31.039               | -25.356         | 74.000         | 17.605      | PK   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 1962097R                                         | Page No.: 396            |
| Engineer: Simon                                           |                          |
| Site: AC5                                                 | Time: 2019/07/18 - 04:29 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                        | Polarity: Vertical       |
| EUT: Wireless Access Point                                | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5220MHz by 802.11n ( 20MHz ) CDD |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 41.600                 | 29.531               | -32.400         | 74.000         | 12.070      | PK   |
| 2  | *    | 15660.000       | 48.967                 | 31.362               | -25.033         | 74.000         | 17.605      | PK   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 1962097R                                         | Page No.: 397            |
| Engineer: Simon                                           |                          |
| Site: AC5                                                 | Time: 2019/07/18 - 04:30 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                        | Polarity: Horizontal     |
| EUT: Wireless Access Point                                | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5240MHz by 802.11n ( 20MHz ) CDD |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 42.404                 | 30.132               | -31.596         | 74.000         | 12.272      | PK   |
| 2  | *    | 15720.000       | 48.950                 | 30.913               | -25.050         | 74.000         | 18.038      | PK   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 1962097R                                         | Page No.: 398            |
| Engineer: Simon                                           |                          |
| Site: AC5                                                 | Time: 2019/07/18 - 04:30 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                        | Polarity: Vertical       |
| EUT: Wireless Access Point                                | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5240MHz by 802.11n ( 20MHz ) CDD |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 42.719                 | 30.447               | -31.281         | 74.000         | 12.272      | PK   |
| 2  | *    | 15720.000       | 48.499                 | 30.462               | -25.501         | 74.000         | 18.038      | PK   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 1962097R                                         | Page No.: 399            |
| Engineer: Simon                                           |                          |
| Site: AC5                                                 | Time: 2019/07/18 - 04:30 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                        | Polarity: Horizontal     |
| EUT: Wireless Access Point                                | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5745MHz by 802.11n ( 20MHz ) CDD |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 42.934                 | 29.496               | -31.066         | 74.000         | 13.438      | PK   |
| 2  | *    | 17235.000       | 51.871                 | 29.933               | -22.129         | 74.000         | 21.938      | PK   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 1962097R                                         | Page No.: 400            |
| Engineer: Simon                                           |                          |
| Site: AC5                                                 | Time: 2019/07/18 - 04:30 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                        | Polarity: Vertical       |
| EUT: Wireless Access Point                                | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5745MHz by 802.11n ( 20MHz ) CDD |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 41.894                 | 28.456               | -32.106         | 74.000         | 13.438      | PK   |
| 2  | *    | 17235.000       | 51.249                 | 29.311               | -22.751         | 74.000         | 21.938      | PK   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 1962097R                                         | Page No.: 401            |
| Engineer: Simon                                           |                          |
| Site: AC5                                                 | Time: 2019/07/18 - 04:30 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                        | Polarity: Horizontal     |
| EUT: Wireless Access Point                                | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5785MHz by 802.11n ( 20MHz ) CDD |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 41.584                 | 27.948               | -32.416         | 74.000         | 13.637      | PK   |
| 2  | *    | 17355.000       | 52.091                 | 29.050               | -21.909         | 74.000         | 23.041      | PK   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 1962097R                                         | Page No.: 402            |
| Engineer: Simon                                           |                          |
| Site: AC5                                                 | Time: 2019/07/18 - 04:30 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                        | Polarity: Vertical       |
| EUT: Wireless Access Point                                | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5785MHz by 802.11n ( 20MHz ) CDD |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 43.303                 | 29.667               | -30.697         | 74.000         | 13.637      | PK   |
| 2  | *    | 17355.000       | 52.708                 | 29.667               | -21.292         | 74.000         | 23.041      | PK   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 1962097R                                         | Page No.: 403            |
| Engineer: Simon                                           |                          |
| Site: AC5                                                 | Time: 2019/07/18 - 04:30 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                        | Polarity: Horizontal     |
| EUT: Wireless Access Point                                | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5825MHz by 802.11n ( 20MHz ) CDD |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 43.264                 | 29.085               | -30.736         | 74.000         | 14.179      | PK   |
| 2  | *    | 17475.000       | 49.579                 | 30.227               | -24.421         | 74.000         | 19.352      | PK   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 1962097R                                         | Page No.: 404            |
| Engineer: Simon                                           |                          |
| Site: AC5                                                 | Time: 2019/07/18 - 04:30 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                        | Polarity: Vertical       |
| EUT: Wireless Access Point                                | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5825MHz by 802.11n ( 20MHz ) CDD |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 43.612                 | 29.433               | -30.388         | 74.000         | 14.179      | PK   |
| 2  | *    | 17475.000       | 49.165                 | 29.813               | -24.835         | 74.000         | 19.352      | PK   |

|                                                                   |                          |
|-------------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                                 | Page No.: 405            |
| Engineer: Simon                                                   |                          |
| Site: AC5                                                         | Time: 2019/07/18 - 04:30 |
| Limit: FCC_Part15.209_RE(3m)                                      | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                | Polarity: Horizontal     |
| EUT: Wireless Access Point                                        | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5180MHz by 802.11n ( 20MHz ) Beamforming |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 42.729                 | 31.210               | -31.271         | 74.000         | 11.519      | PK   |
| 2  | *    | 15540.000       | 49.483                 | 31.626               | -24.517         | 74.000         | 17.857      | PK   |

|                                                                   |                          |
|-------------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                                 | Page No.: 406            |
| Engineer: Simon                                                   |                          |
| Site: AC5                                                         | Time: 2019/07/18 - 04:30 |
| Limit: FCC_Part15.209_RE(3m)                                      | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                | Polarity: Vertical       |
| EUT: Wireless Access Point                                        | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5180MHz by 802.11n ( 20MHz ) Beamforming |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 42.458                 | 30.939               | -31.542         | 74.000         | 11.519      | PK   |
| 2  | *    | 15540.000       | 48.991                 | 31.134               | -25.009         | 74.000         | 17.857      | PK   |

|                                                                   |                          |
|-------------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                                 | Page No.: 407            |
| Engineer: Simon                                                   |                          |
| Site: AC5                                                         | Time: 2019/07/18 - 04:30 |
| Limit: FCC_Part15.209_RE(3m)                                      | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                | Polarity: Horizontal     |
| EUT: Wireless Access Point                                        | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5220MHz by 802.11n ( 20MHz ) Beamforming |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 42.197                 | 30.128               | -31.803         | 74.000         | 12.070      | PK   |
| 2  | *    | 15660.000       | 48.008                 | 30.403               | -25.992         | 74.000         | 17.605      | PK   |

|                                                                   |                          |
|-------------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                                 | Page No.: 408            |
| Engineer: Simon                                                   |                          |
| Site: AC5                                                         | Time: 2019/07/18 - 04:30 |
| Limit: FCC_Part15.209_RE(3m)                                      | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                | Polarity: Vertical       |
| EUT: Wireless Access Point                                        | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5220MHz by 802.11n ( 20MHz ) Beamforming |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 42.358                 | 30.289               | -31.642         | 74.000         | 12.070      | PK   |
| 2  | *    | 15660.000       | 47.401                 | 29.796               | -26.599         | 74.000         | 17.605      | PK   |

|                                                                   |                          |
|-------------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                                 | Page No.: 409            |
| Engineer: Simon                                                   |                          |
| Site: AC5                                                         | Time: 2019/07/18 - 04:31 |
| Limit: FCC_Part15.209_RE(3m)                                      | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                | Polarity: Horizontal     |
| EUT: Wireless Access Point                                        | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5240MHz by 802.11n ( 20MHz ) Beamforming |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 42.145                 | 29.873               | -31.855         | 74.000         | 12.272      | PK   |
| 2  | *    | 15720.000       | 48.779                 | 30.742               | -25.221         | 74.000         | 18.038      | PK   |

|                                                                   |                          |
|-------------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                                 | Page No.: 410            |
| Engineer: Simon                                                   |                          |
| Site: AC5                                                         | Time: 2019/07/18 - 04:31 |
| Limit: FCC_Part15.209_RE(3m)                                      | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                | Polarity: Vertical       |
| EUT: Wireless Access Point                                        | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5240MHz by 802.11n ( 20MHz ) Beamforming |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 42.382                 | 30.110               | -31.618         | 74.000         | 12.272      | PK   |
| 2  | *    | 15720.000       | 48.353                 | 30.316               | -25.647         | 74.000         | 18.038      | PK   |

|                                                                   |                          |
|-------------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                                 | Page No.: 411            |
| Engineer: Simon                                                   |                          |
| Site: AC5                                                         | Time: 2019/07/18 - 04:31 |
| Limit: FCC_Part15.209_RE(3m)                                      | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                | Polarity: Horizontal     |
| EUT: Wireless Access Point                                        | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5745MHz by 802.11n ( 20MHz ) Beamforming |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 43.175                 | 29.737               | -30.825         | 74.000         | 13.438      | PK   |
| 2  | *    | 17235.000       | 52.105                 | 30.167               | -21.895         | 74.000         | 21.938      | PK   |

|                                                                   |                          |
|-------------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                                 | Page No.: 412            |
| Engineer: Simon                                                   |                          |
| Site: AC5                                                         | Time: 2019/07/18 - 04:31 |
| Limit: FCC_Part15.209_RE(3m)                                      | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                | Polarity: Vertical       |
| EUT: Wireless Access Point                                        | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5745MHz by 802.11n ( 20MHz ) Beamforming |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 43.147                 | 29.709               | -30.853         | 74.000         | 13.438      | PK   |
| 2  | *    | 17235.000       | 51.215                 | 29.277               | -22.785         | 74.000         | 21.938      | PK   |

|                                                                   |                          |
|-------------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                                 | Page No.: 413            |
| Engineer: Simon                                                   |                          |
| Site: AC5                                                         | Time: 2019/07/18 - 04:31 |
| Limit: FCC_Part15.209_RE(3m)                                      | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                | Polarity: Horizontal     |
| EUT: Wireless Access Point                                        | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5785MHz by 802.11n ( 20MHz ) Beamforming |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 42.777                 | 29.141               | -31.223         | 74.000         | 13.637      | PK   |
| 2  | *    | 17355.000       | 52.774                 | 29.733               | -21.226         | 74.000         | 23.041      | PK   |

|                                                                   |                          |
|-------------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                                 | Page No.: 414            |
| Engineer: Simon                                                   |                          |
| Site: AC5                                                         | Time: 2019/07/18 - 04:31 |
| Limit: FCC_Part15.209_RE(3m)                                      | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                | Polarity: Vertical       |
| EUT: Wireless Access Point                                        | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5785MHz by 802.11n ( 20MHz ) Beamforming |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 43.504                 | 29.868               | -30.496         | 74.000         | 13.637      | PK   |
| 2  | *    | 17355.000       | 52.609                 | 29.568               | -21.391         | 74.000         | 23.041      | PK   |

|                                                                   |                          |
|-------------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                                 | Page No.: 415            |
| Engineer: Simon                                                   |                          |
| Site: AC5                                                         | Time: 2019/07/18 - 04:31 |
| Limit: FCC_Part15.209_RE(3m)                                      | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                | Polarity: Horizontal     |
| EUT: Wireless Access Point                                        | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5825MHz by 802.11n ( 20MHz ) Beamforming |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 42.446                 | 28.267               | -31.554         | 74.000         | 14.179      | PK   |
| 2  | *    | 17475.000       | 49.922                 | 30.570               | -24.078         | 74.000         | 19.352      | PK   |

|                                                                   |                          |
|-------------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                                 | Page No.: 416            |
| Engineer: Simon                                                   |                          |
| Site: AC5                                                         | Time: 2019/07/18 - 04:31 |
| Limit: FCC_Part15.209_RE(3m)                                      | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                | Polarity: Vertical       |
| EUT: Wireless Access Point                                        | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5825MHz by 802.11n ( 20MHz ) Beamforming |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 43.012                 | 28.833               | -30.988         | 74.000         | 14.179      | PK   |
| 2  | *    | 17475.000       | 50.383                 | 31.031               | -23.617         | 74.000         | 19.352      | PK   |

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                           | Page No.: 417            |
| Engineer: Simon                                             |                          |
| Site: AC5                                                   | Time: 2019/07/18 - 04:31 |
| Limit: FCC_Part15.209_RE(3m)                                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                          | Polarity: Horizontal     |
| EUT: Wireless Access Point                                  | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5190MHz by 802.11n ( 40MHz ) ANT 0 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 42.568                 | 30.918               | -31.432         | 74.000         | 11.650      | PK   |
| 2  | *    | 15570.000       | 48.849                 | 30.975               | -25.151         | 74.000         | 17.874      | PK   |

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                           | Page No.: 418            |
| Engineer: Simon                                             |                          |
| Site: AC5                                                   | Time: 2019/07/18 - 04:31 |
| Limit: FCC_Part15.209_RE(3m)                                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                          | Polarity: Vertical       |
| EUT: Wireless Access Point                                  | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5190MHz by 802.11n ( 40MHz ) ANT 0 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 42.916                 | 31.266               | -31.084         | 74.000         | 11.650      | PK   |
| 2  | *    | 15570.000       | 50.273                 | 32.399               | -23.727         | 74.000         | 17.874      | PK   |

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                           | Page No.: 419            |
| Engineer: Simon                                             |                          |
| Site: AC5                                                   | Time: 2019/07/18 - 04:31 |
| Limit: FCC_Part15.209_RE(3m)                                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                          | Polarity: Horizontal     |
| EUT: Wireless Access Point                                  | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5230MHz by 802.11n ( 40MHz ) ANT 0 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 41.263                 | 29.199               | -32.737         | 74.000         | 12.064      | PK   |
| 2  | *    | 15690.000       | 49.175                 | 31.317               | -24.825         | 74.000         | 17.857      | PK   |

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                           | Page No.: 420            |
| Engineer: Simon                                             |                          |
| Site: AC5                                                   | Time: 2019/07/18 - 04:31 |
| Limit: FCC_Part15.209_RE(3m)                                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                          | Polarity: Vertical       |
| EUT: Wireless Access Point                                  | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5230MHz by 802.11n ( 40MHz ) ANT 0 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 41.362                 | 29.298               | -32.638         | 74.000         | 12.064      | PK   |
| 2  | *    | 15690.000       | 48.161                 | 30.303               | -25.839         | 74.000         | 17.857      | PK   |

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                           | Page No.: 421            |
| Engineer: Simon                                             |                          |
| Site: AC5                                                   | Time: 2019/07/18 - 04:32 |
| Limit: FCC_Part15.209_RE(3m)                                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                          | Polarity: Horizontal     |
| EUT: Wireless Access Point                                  | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5755MHz by 802.11n ( 40MHz ) ANT 0 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 43.079                 | 29.745               | -30.921         | 74.000         | 13.334      | PK   |
| 2  | *    | 17265.000       | 52.848                 | 29.818               | -21.152         | 74.000         | 23.030      | PK   |

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                           | Page No.: 422            |
| Engineer: Simon                                             |                          |
| Site: AC5                                                   | Time: 2019/07/18 - 04:32 |
| Limit: FCC_Part15.209_RE(3m)                                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                          | Polarity: Vertical       |
| EUT: Wireless Access Point                                  | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5755MHz by 802.11n ( 40MHz ) ANT 0 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 42.509                 | 29.175               | -31.491         | 74.000         | 13.334      | PK   |
| 2  | *    | 17265.000       | 51.580                 | 28.550               | -22.420         | 74.000         | 23.030      | PK   |

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                           | Page No.: 423            |
| Engineer: Simon                                             |                          |
| Site: AC5                                                   | Time: 2019/07/18 - 04:32 |
| Limit: FCC_Part15.209_RE(3m)                                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                          | Polarity: Horizontal     |
| EUT: Wireless Access Point                                  | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5795MHz by 802.11n ( 40MHz ) ANT 0 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 42.500                 | 28.590               | -31.500         | 74.000         | 13.909      | PK   |
| 2  | *    | 17385.000       | 52.274                 | 30.498               | -21.726         | 74.000         | 21.775      | PK   |

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                           | Page No.: 424            |
| Engineer: Simon                                             |                          |
| Site: AC5                                                   | Time: 2019/07/18 - 04:33 |
| Limit: FCC_Part15.209_RE(3m)                                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                          | Polarity: Vertical       |
| EUT: Wireless Access Point                                  | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5795MHz by 802.11n ( 40MHz ) ANT 0 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 43.553                 | 29.643               | -30.447         | 74.000         | 13.909      | PK   |
| 2  | *    | 17385.000       | 52.375                 | 30.599               | -21.625         | 74.000         | 21.775      | PK   |

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                           | Page No.: 425            |
| Engineer: Simon                                             |                          |
| Site: AC5                                                   | Time: 2019/07/18 - 04:33 |
| Limit: FCC_Part15.209_RE(3m)                                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                          | Polarity: Horizontal     |
| EUT: Wireless Access Point                                  | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5190MHz by 802.11n ( 40MHz ) ANT 1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 42.513                 | 30.863               | -31.487         | 74.000         | 11.650      | PK   |
| 2  | *    | 15570.000       | 50.376                 | 32.502               | -23.624         | 74.000         | 17.874      | PK   |

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                           | Page No.: 426            |
| Engineer: Simon                                             |                          |
| Site: AC5                                                   | Time: 2019/07/18 - 04:34 |
| Limit: FCC_Part15.209_RE(3m)                                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                          | Polarity: Vertical       |
| EUT: Wireless Access Point                                  | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5190MHz by 802.11n ( 40MHz ) ANT 1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 42.841                 | 31.191               | -31.159         | 74.000         | 11.650      | PK   |
| 2  | *    | 15570.000       | 50.775                 | 32.901               | -23.225         | 74.000         | 17.874      | PK   |

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                           | Page No.: 427            |
| Engineer: Simon                                             |                          |
| Site: AC5                                                   | Time: 2019/07/18 - 04:34 |
| Limit: FCC_Part15.209_RE(3m)                                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                          | Polarity: Horizontal     |
| EUT: Wireless Access Point                                  | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5230MHz by 802.11n ( 40MHz ) ANT 1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 41.258                 | 29.194               | -32.742         | 74.000         | 12.064      | PK   |
| 2  | *    | 15690.000       | 48.419                 | 30.561               | -25.581         | 74.000         | 17.857      | PK   |

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                           | Page No.: 428            |
| Engineer: Simon                                             |                          |
| Site: AC5                                                   | Time: 2019/07/18 - 04:34 |
| Limit: FCC_Part15.209_RE(3m)                                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                          | Polarity: Vertical       |
| EUT: Wireless Access Point                                  | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5230MHz by 802.11n ( 40MHz ) ANT 1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 41.215                 | 29.151               | -32.785         | 74.000         | 12.064      | PK   |
| 2  | *    | 15690.000       | 48.129                 | 30.271               | -25.871         | 74.000         | 17.857      | PK   |

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                           | Page No.: 429            |
| Engineer: Simon                                             |                          |
| Site: AC5                                                   | Time: 2019/07/18 - 04:34 |
| Limit: FCC_Part15.209_RE(3m)                                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                          | Polarity: Horizontal     |
| EUT: Wireless Access Point                                  | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5755MHz by 802.11n ( 40MHz ) ANT 1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 44.066                 | 30.732               | -29.934         | 74.000         | 13.334      | PK   |
| 2  | *    | 17265.000       | 52.199                 | 29.169               | -21.801         | 74.000         | 23.030      | PK   |

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                           | Page No.: 430            |
| Engineer: Simon                                             |                          |
| Site: AC5                                                   | Time: 2019/07/18 - 04:34 |
| Limit: FCC_Part15.209_RE(3m)                                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                          | Polarity: Vertical       |
| EUT: Wireless Access Point                                  | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5755MHz by 802.11n ( 40MHz ) ANT 1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 42.247                 | 28.913               | -31.753         | 74.000         | 13.334      | PK   |
| 2  | *    | 17265.000       | 52.554                 | 29.524               | -21.446         | 74.000         | 23.030      | PK   |

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                           | Page No.: 431            |
| Engineer: Simon                                             |                          |
| Site: AC5                                                   | Time: 2019/07/18 - 04:34 |
| Limit: FCC_Part15.209_RE(3m)                                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                          | Polarity: Horizontal     |
| EUT: Wireless Access Point                                  | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5795MHz by 802.11n ( 40MHz ) ANT 1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 43.249                 | 29.339               | -30.751         | 74.000         | 13.909      | PK   |
| 2  | *    | 17385.000       | 52.924                 | 31.148               | -21.076         | 74.000         | 21.775      | PK   |

|                                                             |                          |
|-------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                           | Page No.: 432            |
| Engineer: Simon                                             |                          |
| Site: AC5                                                   | Time: 2019/07/18 - 04:34 |
| Limit: FCC_Part15.209_RE(3m)                                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                          | Polarity: Vertical       |
| EUT: Wireless Access Point                                  | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5795MHz by 802.11n ( 40MHz ) ANT 1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 43.573                 | 29.663               | -30.427         | 74.000         | 13.909      | PK   |
| 2  | *    | 17385.000       | 52.521                 | 30.745               | -21.479         | 74.000         | 21.775      | PK   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 1962097R                                         | Page No.: 433            |
| Engineer: Simon                                           |                          |
| Site: AC5                                                 | Time: 2019/07/18 - 04:34 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                        | Polarity: Horizontal     |
| EUT: Wireless Access Point                                | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5190MHz by 802.11n ( 40MHz ) CDD |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 42.499                 | 30.849               | -31.501         | 74.000         | 11.650      | PK   |
| 2  | *    | 15570.000       | 48.765                 | 30.891               | -25.235         | 74.000         | 17.874      | PK   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 1962097R                                         | Page No.: 434            |
| Engineer: Simon                                           |                          |
| Site: AC5                                                 | Time: 2019/07/18 - 04:34 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                        | Polarity: Vertical       |
| EUT: Wireless Access Point                                | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5190MHz by 802.11n ( 40MHz ) CDD |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 41.630                 | 29.980               | -32.370         | 74.000         | 11.650      | PK   |
| 2  | *    | 15570.000       | 48.224                 | 30.350               | -25.776         | 74.000         | 17.874      | PK   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 1962097R                                         | Page No.: 435            |
| Engineer: Simon                                           |                          |
| Site: AC5                                                 | Time: 2019/07/18 - 04:35 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                        | Polarity: Horizontal     |
| EUT: Wireless Access Point                                | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5230MHz by 802.11n ( 40MHz ) CDD |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 41.805                 | 29.741               | -32.195         | 74.000         | 12.064      | PK   |
| 2  | *    | 15690.000       | 47.924                 | 30.066               | -26.076         | 74.000         | 17.857      | PK   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 1962097R                                         | Page No.: 436            |
| Engineer: Simon                                           |                          |
| Site: AC5                                                 | Time: 2019/07/18 - 04:35 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                        | Polarity: Vertical       |
| EUT: Wireless Access Point                                | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5230MHz by 802.11n ( 40MHz ) CDD |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 43.087                 | 31.023               | -30.913         | 74.000         | 12.064      | PK   |
| 2  | *    | 15690.000       | 48.124                 | 30.266               | -25.876         | 74.000         | 17.857      | PK   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 1962097R                                         | Page No.: 437            |
| Engineer: Simon                                           |                          |
| Site: AC5                                                 | Time: 2019/07/18 - 04:35 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                        | Polarity: Horizontal     |
| EUT: Wireless Access Point                                | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5755MHz by 802.11n ( 40MHz ) CDD |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 42.584                 | 29.250               | -31.416         | 74.000         | 13.334      | PK   |
| 2  | *    | 17265.000       | 52.832                 | 29.802               | -21.168         | 74.000         | 23.030      | PK   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 1962097R                                         | Page No.: 438            |
| Engineer: Simon                                           |                          |
| Site: AC5                                                 | Time: 2019/07/18 - 04:35 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                        | Polarity: Vertical       |
| EUT: Wireless Access Point                                | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5755MHz by 802.11n ( 40MHz ) CDD |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 43.133                 | 29.799               | -30.867         | 74.000         | 13.334      | PK   |
| 2  | *    | 17265.000       | 52.733                 | 29.703               | -21.267         | 74.000         | 23.030      | PK   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 1962097R                                         | Page No.: 439            |
| Engineer: Simon                                           |                          |
| Site: AC5                                                 | Time: 2019/07/18 - 04:35 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                        | Polarity: Horizontal     |
| EUT: Wireless Access Point                                | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5795MHz by 802.11n ( 40MHz ) CDD |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 43.975                 | 30.065               | -30.025         | 74.000         | 13.909      | PK   |
| 2  | *    | 17385.000       | 51.986                 | 30.210               | -22.014         | 74.000         | 21.775      | PK   |

|                                                           |                          |
|-----------------------------------------------------------|--------------------------|
| Profile: 1962097R                                         | Page No.: 440            |
| Engineer: Simon                                           |                          |
| Site: AC5                                                 | Time: 2019/07/18 - 04:35 |
| Limit: FCC_Part15.209_RE(3m)                              | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                        | Polarity: Vertical       |
| EUT: Wireless Access Point                                | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5795MHz by 802.11n ( 40MHz ) CDD |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 43.276                 | 29.366               | -30.724         | 74.000         | 13.909      | PK   |
| 2  | *    | 17385.000       | 53.433                 | 31.657               | -20.567         | 74.000         | 21.775      | PK   |

|                                                                   |                          |
|-------------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                                 | Page No.: 441            |
| Engineer: Simon                                                   |                          |
| Site: AC5                                                         | Time: 2019/07/18 - 04:35 |
| Limit: FCC_Part15.209_RE(3m)                                      | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                | Polarity: Horizontal     |
| EUT: Wireless Access Point                                        | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5190MHz by 802.11n ( 40MHz ) Beamforming |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 44.513                 | 32.863               | -29.487         | 74.000         | 11.650      | PK   |
| 2  | *    | 15570.000       | 49.150                 | 31.276               | -24.850         | 74.000         | 17.874      | PK   |

|                                                                   |                          |
|-------------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                                 | Page No.: 442            |
| Engineer: Simon                                                   |                          |
| Site: AC5                                                         | Time: 2019/07/18 - 04:35 |
| Limit: FCC_Part15.209_RE(3m)                                      | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                | Polarity: Vertical       |
| EUT: Wireless Access Point                                        | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5190MHz by 802.11n ( 40MHz ) Beamforming |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 45.170                 | 33.520               | -28.830         | 74.000         | 11.650      | PK   |
| 2  | *    | 15570.000       | 49.821                 | 31.947               | -24.179         | 74.000         | 17.874      | PK   |

|                                                                   |                          |
|-------------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                                 | Page No.: 443            |
| Engineer: Simon                                                   |                          |
| Site: AC5                                                         | Time: 2019/07/18 - 04:35 |
| Limit: FCC_Part15.209_RE(3m)                                      | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                | Polarity: Horizontal     |
| EUT: Wireless Access Point                                        | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5230MHz by 802.11n ( 40MHz ) Beamforming |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 41.590                 | 29.526               | -32.410         | 74.000         | 12.064      | PK   |
| 2  | *    | 15690.000       | 47.646                 | 29.788               | -26.354         | 74.000         | 17.857      | PK   |

|                                                                   |                          |
|-------------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                                 | Page No.: 444            |
| Engineer: Simon                                                   |                          |
| Site: AC5                                                         | Time: 2019/07/18 - 04:35 |
| Limit: FCC_Part15.209_RE(3m)                                      | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                | Polarity: Vertical       |
| EUT: Wireless Access Point                                        | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5230MHz by 802.11n ( 40MHz ) Beamforming |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 43.232                 | 31.168               | -30.768         | 74.000         | 12.064      | PK   |
| 2  | *    | 15690.000       | 49.208                 | 31.350               | -24.792         | 74.000         | 17.857      | PK   |

|                                                                   |                          |
|-------------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                                 | Page No.: 445            |
| Engineer: Simon                                                   |                          |
| Site: AC5                                                         | Time: 2019/07/18 - 04:35 |
| Limit: FCC_Part15.209_RE(3m)                                      | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                | Polarity: Horizontal     |
| EUT: Wireless Access Point                                        | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5755MHz by 802.11n ( 40MHz ) Beamforming |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 42.631                 | 29.297               | -31.369         | 74.000         | 13.334      | PK   |
| 2  | *    | 17265.000       | 51.651                 | 28.621               | -22.349         | 74.000         | 23.030      | PK   |

|                                                                   |                          |
|-------------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                                 | Page No.: 446            |
| Engineer: Simon                                                   |                          |
| Site: AC5                                                         | Time: 2019/07/18 - 04:35 |
| Limit: FCC_Part15.209_RE(3m)                                      | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                | Polarity: Vertical       |
| EUT: Wireless Access Point                                        | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5755MHz by 802.11n ( 40MHz ) Beamforming |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 42.635                 | 29.301               | -31.365         | 74.000         | 13.334      | PK   |
| 2  | *    | 17265.000       | 51.950                 | 28.920               | -22.050         | 74.000         | 23.030      | PK   |

|                                                                   |                          |
|-------------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                                 | Page No.: 447            |
| Engineer: Simon                                                   |                          |
| Site: AC5                                                         | Time: 2019/07/18 - 04:36 |
| Limit: FCC_Part15.209_RE(3m)                                      | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                | Polarity: Horizontal     |
| EUT: Wireless Access Point                                        | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5795MHz by 802.11n ( 40MHz ) Beamforming |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 43.120                 | 29.210               | -30.880         | 74.000         | 13.909      | PK   |
| 2  | *    | 17385.000       | 52.604                 | 30.828               | -21.396         | 74.000         | 21.775      | PK   |

|                                                                   |                          |
|-------------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                                 | Page No.: 448            |
| Engineer: Simon                                                   |                          |
| Site: AC5                                                         | Time: 2019/07/18 - 04:36 |
| Limit: FCC_Part15.209_RE(3m)                                      | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                                | Polarity: Vertical       |
| EUT: Wireless Access Point                                        | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5795MHz by 802.11n ( 40MHz ) Beamforming |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 42.794                 | 28.884               | -31.206         | 74.000         | 13.909      | PK   |
| 2  | *    | 17385.000       | 51.959                 | 30.183               | -22.041         | 74.000         | 21.775      | PK   |

|                                                              |                          |
|--------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                            | Page No.: 449            |
| Engineer: Simon                                              |                          |
| Site: AC5                                                    | Time: 2019/07/18 - 04:36 |
| Limit: FCC_Part15.209_RE(3m)                                 | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                           | Polarity: Horizontal     |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5180MHz by 802.11ac ( 20MHz ) ANT 0 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 41.174                 | 29.655               | -32.826         | 74.000         | 11.519      | PK   |
| 2  | *    | 15540.000       | 49.118                 | 31.261               | -24.882         | 74.000         | 17.857      | PK   |

|                                                              |                          |
|--------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                            | Page No.: 450            |
| Engineer: Simon                                              |                          |
| Site: AC5                                                    | Time: 2019/07/18 - 04:36 |
| Limit: FCC_Part15.209_RE(3m)                                 | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                           | Polarity: Vertical       |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5180MHz by 802.11ac ( 20MHz ) ANT 0 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 41.343                 | 29.824               | -32.657         | 74.000         | 11.519      | PK   |
| 2  | *    | 15540.000       | 48.897                 | 31.040               | -25.103         | 74.000         | 17.857      | PK   |

|                                                              |                          |
|--------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                            | Page No.: 451            |
| Engineer: Simon                                              |                          |
| Site: AC5                                                    | Time: 2019/07/18 - 04:36 |
| Limit: FCC_Part15.209_RE(3m)                                 | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                           | Polarity: Horizontal     |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5220MHz by 802.11ac ( 20MHz ) ANT 0 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 42.101                 | 30.032               | -31.899         | 74.000         | 12.070      | PK   |
| 2  | *    | 15660.000       | 48.055                 | 30.450               | -25.945         | 74.000         | 17.605      | PK   |

|                                                              |                          |
|--------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                            | Page No.: 452            |
| Engineer: Simon                                              |                          |
| Site: AC5                                                    | Time: 2019/07/18 - 04:36 |
| Limit: FCC_Part15.209_RE(3m)                                 | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                           | Polarity: Vertical       |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5220MHz by 802.11ac ( 20MHz ) ANT 0 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 42.032                 | 29.963               | -31.968         | 74.000         | 12.070      | PK   |
| 2  | *    | 15660.000       | 47.644                 | 30.039               | -26.356         | 74.000         | 17.605      | PK   |

|                                                              |                          |
|--------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                            | Page No.: 453            |
| Engineer: Simon                                              |                          |
| Site: AC5                                                    | Time: 2019/07/18 - 04:36 |
| Limit: FCC_Part15.209_RE(3m)                                 | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                           | Polarity: Horizontal     |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5240MHz by 802.11ac ( 20MHz ) ANT 0 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 41.738                 | 29.466               | -32.262         | 74.000         | 12.272      | PK   |
| 2  | *    | 15720.000       | 48.569                 | 30.532               | -25.431         | 74.000         | 18.038      | PK   |

|                                                              |                          |
|--------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                            | Page No.: 454            |
| Engineer: Simon                                              |                          |
| Site: AC5                                                    | Time: 2019/07/18 - 04:36 |
| Limit: FCC_Part15.209_RE(3m)                                 | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                           | Polarity: Vertical       |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5240MHz by 802.11ac ( 20MHz ) ANT 0 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 42.138                 | 29.866               | -31.862         | 74.000         | 12.272      | PK   |
| 2  | *    | 15720.000       | 48.940                 | 30.903               | -25.060         | 74.000         | 18.038      | PK   |

|                                                              |                          |
|--------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                            | Page No.: 455            |
| Engineer: Simon                                              |                          |
| Site: AC5                                                    | Time: 2019/07/18 - 04:36 |
| Limit: FCC_Part15.209_RE(3m)                                 | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                           | Polarity: Horizontal     |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5745MHz by 802.11ac ( 20MHz ) ANT 0 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 43.336                 | 29.898               | -30.664         | 74.000         | 13.438      | PK   |
| 2  | *    | 17235.000       | 52.129                 | 30.191               | -21.871         | 74.000         | 21.938      | PK   |

|                                                              |                          |
|--------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                            | Page No.: 456            |
| Engineer: Simon                                              |                          |
| Site: AC5                                                    | Time: 2019/07/18 - 04:36 |
| Limit: FCC_Part15.209_RE(3m)                                 | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                           | Polarity: Vertical       |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5745MHz by 802.11ac ( 20MHz ) ANT 0 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 43.750                 | 30.312               | -30.250         | 74.000         | 13.438      | PK   |
| 2  | *    | 17235.000       | 51.693                 | 29.755               | -22.307         | 74.000         | 21.938      | PK   |

|                                                              |                          |
|--------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                            | Page No.: 457            |
| Engineer: Simon                                              |                          |
| Site: AC5                                                    | Time: 2019/07/18 - 04:36 |
| Limit: FCC_Part15.209_RE(3m)                                 | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                           | Polarity: Horizontal     |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5785MHz by 802.11ac ( 20MHz ) ANT 0 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 43.192                 | 29.556               | -30.808         | 74.000         | 13.637      | PK   |
| 2  | *    | 17355.000       | 51.529                 | 28.488               | -22.471         | 74.000         | 23.041      | PK   |

|                                                              |                          |
|--------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                            | Page No.: 458            |
| Engineer: Simon                                              |                          |
| Site: AC5                                                    | Time: 2019/07/18 - 04:37 |
| Limit: FCC_Part15.209_RE(3m)                                 | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                           | Polarity: Vertical       |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5785MHz by 802.11ac ( 20MHz ) ANT 0 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 42.703                 | 29.067               | -31.297         | 74.000         | 13.637      | PK   |
| 2  | *    | 17355.000       | 51.731                 | 28.690               | -22.269         | 74.000         | 23.041      | PK   |

|                                                              |                          |
|--------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                            | Page No.: 459            |
| Engineer: Simon                                              |                          |
| Site: AC5                                                    | Time: 2019/07/18 - 04:37 |
| Limit: FCC_Part15.209_RE(3m)                                 | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                           | Polarity: Horizontal     |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5825MHz by 802.11ac ( 20MHz ) ANT 0 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 43.978                 | 29.799               | -30.022         | 74.000         | 14.179      | PK   |
| 2  | *    | 17475.000       | 49.969                 | 30.617               | -24.031         | 74.000         | 19.352      | PK   |

|                                                              |                          |
|--------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                            | Page No.: 460            |
| Engineer: Simon                                              |                          |
| Site: AC5                                                    | Time: 2019/07/18 - 04:37 |
| Limit: FCC_Part15.209_RE(3m)                                 | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                           | Polarity: Vertical       |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5825MHz by 802.11ac ( 20MHz ) ANT 0 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 43.550                 | 29.371               | -30.450         | 74.000         | 14.179      | PK   |
| 2  | *    | 17475.000       | 50.105                 | 30.753               | -23.895         | 74.000         | 19.352      | PK   |

|                                                              |                          |
|--------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                            | Page No.: 461            |
| Engineer: Simon                                              |                          |
| Site: AC5                                                    | Time: 2019/07/18 - 04:37 |
| Limit: FCC_Part15.209_RE(3m)                                 | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                           | Polarity: Horizontal     |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5180MHz by 802.11ac ( 20MHz ) ANT 1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 43.700                 | 32.181               | -30.300         | 74.000         | 11.519      | PK   |
| 2  | *    | 15540.000       | 51.361                 | 33.504               | -22.639         | 74.000         | 17.857      | PK   |

|                                                              |                          |
|--------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                            | Page No.: 462            |
| Engineer: Simon                                              |                          |
| Site: AC5                                                    | Time: 2019/07/18 - 04:37 |
| Limit: FCC_Part15.209_RE(3m)                                 | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                           | Polarity: Vertical       |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5180MHz by 802.11ac ( 20MHz ) ANT 1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 43.048                 | 31.529               | -30.952         | 74.000         | 11.519      | PK   |
| 2  | *    | 15540.000       | 50.309                 | 32.452               | -23.691         | 74.000         | 17.857      | PK   |

|                                                              |                          |
|--------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                            | Page No.: 463            |
| Engineer: Simon                                              |                          |
| Site: AC5                                                    | Time: 2019/07/18 - 04:37 |
| Limit: FCC_Part15.209_RE(3m)                                 | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                           | Polarity: Horizontal     |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5220MHz by 802.11ac ( 20MHz ) ANT 1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 41.412                 | 29.343               | -32.588         | 74.000         | 12.070      | PK   |
| 2  | *    | 15660.000       | 48.184                 | 30.579               | -25.816         | 74.000         | 17.605      | PK   |

|                                                              |                          |
|--------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                            | Page No.: 464            |
| Engineer: Simon                                              |                          |
| Site: AC5                                                    | Time: 2019/07/18 - 04:37 |
| Limit: FCC_Part15.209_RE(3m)                                 | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                           | Polarity: Vertical       |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5220MHz by 802.11ac ( 20MHz ) ANT 1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 41.505                 | 29.436               | -32.495         | 74.000         | 12.070      | PK   |
| 2  | *    | 15660.000       | 48.681                 | 31.076               | -25.319         | 74.000         | 17.605      | PK   |

|                                                              |                          |
|--------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                            | Page No.: 465            |
| Engineer: Simon                                              |                          |
| Site: AC5                                                    | Time: 2019/07/18 - 04:37 |
| Limit: FCC_Part15.209_RE(3m)                                 | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                           | Polarity: Horizontal     |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5240MHz by 802.11ac ( 20MHz ) ANT 1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 41.448                 | 29.176               | -32.552         | 74.000         | 12.272      | PK   |
| 2  | *    | 15720.000       | 48.375                 | 30.338               | -25.625         | 74.000         | 18.038      | PK   |

|                                                              |                          |
|--------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                            | Page No.: 466            |
| Engineer: Simon                                              |                          |
| Site: AC5                                                    | Time: 2019/07/18 - 04:37 |
| Limit: FCC_Part15.209_RE(3m)                                 | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                           | Polarity: Vertical       |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5240MHz by 802.11ac ( 20MHz ) ANT 1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 43.031                 | 30.759               | -30.969         | 74.000         | 12.272      | PK   |
| 2  | *    | 15720.000       | 48.194                 | 30.157               | -25.806         | 74.000         | 18.038      | PK   |

|                                                              |                          |
|--------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                            | Page No.: 467            |
| Engineer: Simon                                              |                          |
| Site: AC5                                                    | Time: 2019/07/18 - 04:37 |
| Limit: FCC_Part15.209_RE(3m)                                 | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                           | Polarity: Horizontal     |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5745MHz by 802.11ac ( 20MHz ) ANT 1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 42.360                 | 28.922               | -31.640         | 74.000         | 13.438      | PK   |
| 2  | *    | 17235.000       | 51.727                 | 29.789               | -22.273         | 74.000         | 21.938      | PK   |

|                                                              |                          |
|--------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                            | Page No.: 468            |
| Engineer: Simon                                              |                          |
| Site: AC5                                                    | Time: 2019/07/18 - 04:37 |
| Limit: FCC_Part15.209_RE(3m)                                 | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                           | Polarity: Vertical       |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5745MHz by 802.11ac ( 20MHz ) ANT 1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 43.152                 | 29.714               | -30.848         | 74.000         | 13.438      | PK   |
| 2  | *    | 17235.000       | 52.322                 | 30.384               | -21.678         | 74.000         | 21.938      | PK   |

|                                                              |                          |
|--------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                            | Page No.: 469            |
| Engineer: Simon                                              |                          |
| Site: AC5                                                    | Time: 2019/07/18 - 04:38 |
| Limit: FCC_Part15.209_RE(3m)                                 | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                           | Polarity: Horizontal     |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5785MHz by 802.11ac ( 20MHz ) ANT 1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 42.185                 | 28.549               | -31.815         | 74.000         | 13.637      | PK   |
| 2  | *    | 17355.000       | 52.326                 | 29.285               | -21.674         | 74.000         | 23.041      | PK   |

|                                                              |                          |
|--------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                            | Page No.: 470            |
| Engineer: Simon                                              |                          |
| Site: AC5                                                    | Time: 2019/07/18 - 04:38 |
| Limit: FCC_Part15.209_RE(3m)                                 | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                           | Polarity: Vertical       |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5785MHz by 802.11ac ( 20MHz ) ANT 1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 43.030                 | 29.394               | -30.970         | 74.000         | 13.637      | PK   |
| 2  | *    | 17355.000       | 53.103                 | 30.062               | -20.897         | 74.000         | 23.041      | PK   |

|                                                              |                          |
|--------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                            | Page No.: 471            |
| Engineer: Simon                                              |                          |
| Site: AC5                                                    | Time: 2019/07/18 - 04:38 |
| Limit: FCC_Part15.209_RE(3m)                                 | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                           | Polarity: Horizontal     |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5825MHz by 802.11ac ( 20MHz ) ANT 1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 44.230                 | 30.051               | -29.770         | 74.000         | 14.179      | PK   |
| 2  | *    | 17475.000       | 49.257                 | 29.905               | -24.743         | 74.000         | 19.352      | PK   |

|                                                              |                          |
|--------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                            | Page No.: 472            |
| Engineer: Simon                                              |                          |
| Site: AC5                                                    | Time: 2019/07/18 - 04:38 |
| Limit: FCC_Part15.209_RE(3m)                                 | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                           | Polarity: Vertical       |
| EUT: Wireless Access Point                                   | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5825MHz by 802.11ac ( 20MHz ) ANT 1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 43.340                 | 29.161               | -30.660         | 74.000         | 14.179      | PK   |
| 2  | *    | 17475.000       | 50.143                 | 30.791               | -23.857         | 74.000         | 19.352      | PK   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                          | Page No.: 473            |
| Engineer: Simon                                            |                          |
| Site: AC5                                                  | Time: 2019/07/18 - 04:38 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                         | Polarity: Horizontal     |
| EUT: Wireless Access Point                                 | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5180MHz by 802.11ac ( 20MHz ) CDD |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 42.715                 | 31.196               | -31.285         | 74.000         | 11.519      | PK   |
| 2  | *    | 15540.000       | 49.701                 | 31.844               | -24.299         | 74.000         | 17.857      | PK   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                          | Page No.: 474            |
| Engineer: Simon                                            |                          |
| Site: AC5                                                  | Time: 2019/07/18 - 04:38 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                         | Polarity: Vertical       |
| EUT: Wireless Access Point                                 | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5180MHz by 802.11ac ( 20MHz ) CDD |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 42.235                 | 30.716               | -31.765         | 74.000         | 11.519      | PK   |
| 2  | *    | 15540.000       | 49.435                 | 31.578               | -24.565         | 74.000         | 17.857      | PK   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                          | Page No.: 475            |
| Engineer: Simon                                            |                          |
| Site: AC5                                                  | Time: 2019/07/18 - 04:38 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                         | Polarity: Horizontal     |
| EUT: Wireless Access Point                                 | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5220MHz by 802.11ac ( 20MHz ) CDD |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 41.501                 | 29.432               | -32.499         | 74.000         | 12.070      | PK   |
| 2  | *    | 15660.000       | 47.773                 | 30.168               | -26.227         | 74.000         | 17.605      | PK   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                          | Page No.: 476            |
| Engineer: Simon                                            |                          |
| Site: AC5                                                  | Time: 2019/07/18 - 04:38 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                         | Polarity: Vertical       |
| EUT: Wireless Access Point                                 | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5220MHz by 802.11ac ( 20MHz ) CDD |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 41.835                 | 29.766               | -32.165         | 74.000         | 12.070      | PK   |
| 2  | *    | 15660.000       | 48.198                 | 30.593               | -25.802         | 74.000         | 17.605      | PK   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                          | Page No.: 477            |
| Engineer: Simon                                            |                          |
| Site: AC5                                                  | Time: 2019/07/18 - 04:38 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                         | Polarity: Horizontal     |
| EUT: Wireless Access Point                                 | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5240MHz by 802.11ac ( 20MHz ) CDD |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 42.274                 | 30.002               | -31.726         | 74.000         | 12.272      | PK   |
| 2  | *    | 15720.000       | 48.420                 | 30.383               | -25.580         | 74.000         | 18.038      | PK   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                          | Page No.: 478            |
| Engineer: Simon                                            |                          |
| Site: AC5                                                  | Time: 2019/07/18 - 04:38 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                         | Polarity: Vertical       |
| EUT: Wireless Access Point                                 | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5240MHz by 802.11ac ( 20MHz ) CDD |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 41.506                 | 29.234               | -32.494         | 74.000         | 12.272      | PK   |
| 2  | *    | 15720.000       | 48.670                 | 30.633               | -25.330         | 74.000         | 18.038      | PK   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                          | Page No.: 479            |
| Engineer: Simon                                            |                          |
| Site: AC5                                                  | Time: 2019/07/18 - 04:38 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                         | Polarity: Horizontal     |
| EUT: Wireless Access Point                                 | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5745MHz by 802.11ac ( 20MHz ) CDD |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 43.647                 | 30.209               | -30.353         | 74.000         | 13.438      | PK   |
| 2  | *    | 17235.000       | 52.614                 | 30.676               | -21.386         | 74.000         | 21.938      | PK   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                          | Page No.: 480            |
| Engineer: Simon                                            |                          |
| Site: AC5                                                  | Time: 2019/07/18 - 04:38 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                         | Polarity: Vertical       |
| EUT: Wireless Access Point                                 | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5745MHz by 802.11ac ( 20MHz ) CDD |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 42.422                 | 28.984               | -31.578         | 74.000         | 13.438      | PK   |
| 2  | *    | 17235.000       | 51.353                 | 29.415               | -22.647         | 74.000         | 21.938      | PK   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                          | Page No.: 481            |
| Engineer: Simon                                            |                          |
| Site: AC5                                                  | Time: 2019/07/18 - 04:39 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                         | Polarity: Horizontal     |
| EUT: Wireless Access Point                                 | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5785MHz by 802.11ac ( 20MHz ) CDD |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 43.317                 | 29.681               | -30.683         | 74.000         | 13.637      | PK   |
| 2  | *    | 17355.000       | 52.711                 | 29.670               | -21.289         | 74.000         | 23.041      | PK   |

|                                                            |                          |
|------------------------------------------------------------|--------------------------|
| Profile: 1962097R                                          | Page No.: 482            |
| Engineer: Simon                                            |                          |
| Site: AC5                                                  | Time: 2019/07/18 - 04:39 |
| Limit: FCC_Part15.209_RE(3m)                               | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                         | Polarity: Vertical       |
| EUT: Wireless Access Point                                 | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5785MHz by 802.11ac ( 20MHz ) CDD |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 43.174                 | 29.538               | -30.826         | 74.000         | 13.637      | PK   |
| 2  | *    | 17355.000       | 52.038                 | 28.997               | -21.962         | 74.000         | 23.041      | PK   |