



Profile: 1962097R	Page No.: 483
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	42.600	28.421	-31.400	74.000	14.179	PK
2	*	17475.000	50.003	30.651	-23.997	74.000	19.352	PK

Profile: 1962097R	Page No.: 484
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	42.379	28.200	-31.621	74.000	14.179	PK
2	*	17475.000	49.058	29.706	-24.942	74.000	19.352	PK

Profile: 1962097R	Page No.: 485
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.808	31.289	-31.192	74.000	11.519	PK
2	*	15540.000	48.757	30.900	-25.243	74.000	17.857	PK

Profile: 1962097R	Page No.: 486
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.385	30.866	-31.615	74.000	11.519	PK
2	*	15540.000	49.376	31.519	-24.624	74.000	17.857	PK

Profile: 1962097R	Page No.: 487
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	41.492	29.423	-32.508	74.000	12.070	PK
2	*	15660.000	48.247	30.642	-25.753	74.000	17.605	PK

Profile: 1962097R	Page No.: 488
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.480	30.411	-31.520	74.000	12.070	PK
2	*	15660.000	47.753	30.148	-26.247	74.000	17.605	PK

Profile: 1962097R	Page No.: 489
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.221	29.949	-31.779	74.000	12.272	PK
2	*	15720.000	48.686	30.649	-25.314	74.000	18.038	PK

Profile: 1962097R	Page No.: 490
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	43.191	30.919	-30.809	74.000	12.272	PK
2	*	15720.000	49.166	31.129	-24.834	74.000	18.038	PK

Profile: 1962097R	Page No.: 491
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.376	29.938	-30.624	74.000	13.438	PK
2	*	17235.000	50.932	28.994	-23.068	74.000	21.938	PK

Profile: 1962097R	Page No.: 492
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.277	29.839	-30.723	74.000	13.438	PK
2	*	17235.000	51.628	29.690	-22.372	74.000	21.938	PK

Profile: 1962097R	Page No.: 493
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.378	28.742	-31.622	74.000	13.637	PK
2	*	17355.000	52.175	29.134	-21.825	74.000	23.041	PK

Profile: 1962097R	Page No.: 494
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.426	28.790	-31.574	74.000	13.637	PK
2	*	17355.000	52.661	29.620	-21.339	74.000	23.041	PK

Profile: 1962097R	Page No.: 495
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.237	29.058	-30.763	74.000	14.179	PK
2	*	17475.000	49.429	30.077	-24.571	74.000	19.352	PK

Profile: 1962097R	Page No.: 496
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.898	29.719	-30.102	74.000	14.179	PK
2	*	17475.000	50.566	31.214	-23.434	74.000	19.352	PK

Profile: 1962097R	Page No.: 497
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	43.836	32.186	-30.164	74.000	11.650	PK
2	*	15570.000	50.167	32.293	-23.833	74.000	17.874	PK

Profile: 1962097R	Page No.: 498
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.367	30.717	-31.633	74.000	11.650	PK
2	*	15570.000	49.503	31.629	-24.497	74.000	17.874	PK

Profile: 1962097R	Page No.: 499
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	42.590	30.526	-31.410	74.000	12.064	PK
2	*	15690.000	48.592	30.734	-25.408	74.000	17.857	PK

Profile: 1962097R	Page No.: 500
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.822	28.758	-33.178	74.000	12.064	PK
2	*	15690.000	49.024	31.166	-24.976	74.000	17.857	PK

Profile: 1962097R	Page No.: 501
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	42.649	29.315	-31.351	74.000	13.334	PK
2	*	17265.000	51.979	28.949	-22.021	74.000	23.030	PK

Profile: 1962097R	Page No.: 502
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	42.495	29.161	-31.505	74.000	13.334	PK
2	*	17265.000	52.281	29.251	-21.719	74.000	23.030	PK

Profile: 1962097R	Page No.: 503
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	42.540	28.630	-31.460	74.000	13.909	PK
2	*	17385.000	52.647	30.871	-21.353	74.000	21.775	PK

Profile: 1962097R	Page No.: 504
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	43.189	29.279	-30.811	74.000	13.909	PK
2	*	17385.000	52.014	30.238	-21.986	74.000	21.775	PK

Profile: 1962097R	Page No.: 505
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.471	30.821	-31.529	74.000	11.650	PK
2	*	15570.000	48.250	30.376	-25.750	74.000	17.874	PK

Profile: 1962097R	Page No.: 506
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.803	31.153	-31.197	74.000	11.650	PK
2	*	15570.000	49.102	31.228	-24.898	74.000	17.874	PK

Profile: 1962097R	Page No.: 507
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	41.620	29.556	-32.380	74.000	12.064	PK
2	*	15690.000	48.719	30.861	-25.281	74.000	17.857	PK

Profile: 1962097R	Page No.: 508
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	41.379	29.315	-32.621	74.000	12.064	PK
2	*	15690.000	49.114	31.256	-24.886	74.000	17.857	PK

Profile: 1962097R	Page No.: 509
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	42.871	29.537	-31.129	74.000	13.334	PK
2	*	17265.000	52.098	29.068	-21.902	74.000	23.030	PK

Profile: 1962097R	Page No.: 510
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	42.628	29.294	-31.372	74.000	13.334	PK
2	*	17265.000	52.559	29.529	-21.441	74.000	23.030	PK

Profile: 1962097R	Page No.: 511
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	43.068	29.158	-30.932	74.000	13.909	PK
2	*	17385.000	52.328	30.552	-21.672	74.000	21.775	PK

Profile: 1962097R	Page No.: 512
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	43.239	29.329	-30.761	74.000	13.909	PK
2	*	17385.000	53.450	31.674	-20.550	74.000	21.775	PK

Profile: 1962097R	Page No.: 513
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.001	30.351	-31.999	74.000	11.650	PK
2	*	15570.000	48.667	30.793	-25.333	74.000	17.874	PK

Profile: 1962097R	Page No.: 514
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.946	31.296	-31.054	74.000	11.650	PK
2	*	15570.000	50.705	32.831	-23.295	74.000	17.874	PK

Profile: 1962097R	Page No.: 515
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	41.643	29.579	-32.357	74.000	12.064	PK
2	*	15690.000	47.919	30.061	-26.081	74.000	17.857	PK

Profile: 1962097R	Page No.: 516
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	41.128	29.064	-32.872	74.000	12.064	PK
2	*	15690.000	49.244	31.386	-24.756	74.000	17.857	PK

Profile: 1962097R	Page No.: 517
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	42.560	29.226	-31.440	74.000	13.334	PK
2	*	17265.000	52.054	29.024	-21.946	74.000	23.030	PK

Profile: 1962097R	Page No.: 518
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	43.174	29.840	-30.826	74.000	13.334	PK
2	*	17265.000	52.638	29.608	-21.362	74.000	23.030	PK

Profile: 1962097R	Page No.: 519
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	42.960	29.050	-31.040	74.000	13.909	PK
2	*	17385.000	52.248	30.472	-21.752	74.000	21.775	PK

Profile: 1962097R	Page No.: 520
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	43.380	29.470	-30.620	74.000	13.909	PK
2	*	17385.000	52.530	30.754	-21.470	74.000	21.775	PK

Profile: 1962097R	Page No.: 521
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	43.092	31.442	-30.908	74.000	11.650	PK
2	*	15570.000	49.935	32.061	-24.065	74.000	17.874	PK

Profile: 1962097R	Page No.: 522
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.747	31.097	-31.253	74.000	11.650	PK
2	*	15570.000	49.053	31.179	-24.947	74.000	17.874	PK

Profile: 1962097R	Page No.: 523
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	42.270	30.206	-31.730	74.000	12.064	PK
2	*	15690.000	48.155	30.297	-25.845	74.000	17.857	PK

Profile: 1962097R	Page No.: 524
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	41.162	29.098	-32.838	74.000	12.064	PK
2	*	15690.000	47.619	29.761	-26.381	74.000	17.857	PK

Profile: 1962097R	Page No.: 525
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	42.640	29.306	-31.360	74.000	13.334	PK
2	*	17265.000	51.758	28.728	-22.242	74.000	23.030	PK

Profile: 1962097R	Page No.: 526
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	43.505	30.171	-30.495	74.000	13.334	PK
2	*	17265.000	52.304	29.274	-21.696	74.000	23.030	PK

Profile: 1962097R	Page No.: 527
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	43.575	29.665	-30.425	74.000	13.909	PK
2	*	17385.000	52.294	30.518	-21.706	74.000	21.775	PK

Profile: 1962097R	Page No.: 528
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	43.729	29.819	-30.271	74.000	13.909	PK
2	*	17385.000	52.686	30.910	-21.314	74.000	21.775	PK

Profile: 1962097R	Page No.: 529
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac (80MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	42.206	30.124	-31.794	74.000	12.083	PK
2	*	15630.000	48.330	30.590	-25.670	74.000	17.740	PK

Profile: 1962097R	Page No.: 530
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac (80MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	43.346	31.264	-30.654	74.000	12.083	PK
2	*	15630.000	49.004	31.264	-24.996	74.000	17.740	PK

Profile: 1962097R	Page No.: 531
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac (80MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	43.411	29.721	-30.589	74.000	13.689	PK
2	*	17325.000	52.168	26.992	-21.832	74.000	25.176	PK

Profile: 1962097R	Page No.: 532
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac (80MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	42.464	28.774	-31.536	74.000	13.689	PK
2	*	17325.000	52.905	27.729	-21.095	74.000	25.176	PK

Profile: 1962097R	Page No.: 533
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac (80MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	42.150	30.068	-31.850	74.000	12.083	PK
2	*	15630.000	50.007	32.267	-23.993	74.000	17.740	PK

Profile: 1962097R	Page No.: 534
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac (80MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	42.773	30.691	-31.227	74.000	12.083	PK
2	*	15630.000	48.699	30.959	-25.301	74.000	17.740	PK

Profile: 1962097R	Page No.: 535
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac (80MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	43.754	30.064	-30.246	74.000	13.689	PK
2	*	17325.000	52.810	27.634	-21.190	74.000	25.176	PK

Profile: 1962097R	Page No.: 536
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac (80MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	42.267	28.577	-31.733	74.000	13.689	PK
2	*	17325.000	53.339	28.163	-20.661	74.000	25.176	PK

Profile: 1962097R	Page No.: 537
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac (80MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	44.340	32.258	-29.660	74.000	12.083	PK
2	*	15630.000	49.504	31.764	-24.496	74.000	17.740	PK

Profile: 1962097R	Page No.: 538
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac (80MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	42.011	29.929	-31.989	74.000	12.083	PK
2	*	15630.000	47.860	30.120	-26.140	74.000	17.740	PK

Profile: 1962097R	Page No.: 539
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5755MHz by 802.11ac (80MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	42.099	28.409	-31.901	74.000	13.689	PK
2	*	17325.000	51.423	26.247	-22.577	74.000	25.176	PK

Profile: 1962097R	Page No.: 540
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5755MHz by 802.11ac (80MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	41.823	28.133	-32.177	74.000	13.689	PK
2	*	17325.000	53.094	27.918	-20.906	74.000	25.176	PK

Profile: 1962097R	Page No.: 541
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac (80MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	43.010	30.928	-30.990	74.000	12.083	PK
2	*	15630.000	48.801	31.061	-25.199	74.000	17.740	PK

Profile: 1962097R	Page No.: 542
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac (80MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	42.687	30.605	-31.313	74.000	12.083	PK
2	*	15630.000	48.369	30.629	-25.631	74.000	17.740	PK

Profile: 1962097R	Page No.: 543
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac (80MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	42.462	28.772	-31.538	74.000	13.689	PK
2	*	17325.000	53.067	27.891	-20.933	74.000	25.176	PK

Profile: 1962097R	Page No.: 544
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac (80MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	42.694	29.004	-31.306	74.000	13.689	PK
2	*	17325.000	52.441	27.265	-21.559	74.000	25.176	PK

Profile: 1962097R	Page No.: 545
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.256	30.737	-31.744	74.000	11.519	PK
2	*	15540.000	48.845	30.988	-25.155	74.000	17.857	PK

Profile: 1962097R	Page No.: 546
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.111	30.592	-31.889	74.000	11.519	PK
2	*	15540.000	48.557	30.700	-25.443	74.000	17.857	PK

Profile: 1962097R	Page No.: 547
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.273	30.204	-31.727	74.000	12.070	PK
2	*	15660.000	47.769	30.164	-26.231	74.000	17.605	PK

Profile: 1962097R	Page No.: 548
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	41.427	29.358	-32.573	74.000	12.070	PK
2	*	15660.000	48.539	30.934	-25.461	74.000	17.605	PK

Profile: 1962097R	Page No.: 549
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.679	30.407	-31.321	74.000	12.272	PK
2	*	15720.000	47.828	29.791	-26.172	74.000	18.038	PK

Profile: 1962097R	Page No.: 550
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	43.527	31.255	-30.473	74.000	12.272	PK
2	*	15720.000	49.883	31.846	-24.117	74.000	18.038	PK

Profile: 1962097R	Page No.: 551
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	42.001	28.563	-31.999	74.000	13.438	PK
2	*	17235.000	51.706	29.768	-22.294	74.000	21.938	PK

Profile: 1962097R	Page No.: 552
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	42.949	29.511	-31.051	74.000	13.438	PK
2	*	17235.000	51.287	29.349	-22.713	74.000	21.938	PK

Profile: 1962097R	Page No.: 553
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	43.228	29.592	-30.772	74.000	13.637	PK
2	*	17355.000	53.147	30.106	-20.853	74.000	23.041	PK

Profile: 1962097R	Page No.: 554
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.080	28.444	-31.920	74.000	13.637	PK
2	*	17355.000	51.523	28.482	-22.477	74.000	23.041	PK

Profile: 1962097R	Page No.: 555
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.065	28.886	-30.935	74.000	14.179	PK
2	*	17475.000	50.528	31.176	-23.472	74.000	19.352	PK

Profile: 1962097R	Page No.: 556
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	42.970	28.791	-31.030	74.000	14.179	PK
2	*	17475.000	49.622	30.270	-24.378	74.000	19.352	PK

Profile: 1962097R	Page No.: 557
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.363	30.844	-31.637	74.000	11.519	PK
2	*	15540.000	48.432	30.575	-25.568	74.000	17.857	PK

Profile: 1962097R	Page No.: 558
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	43.959	32.440	-30.041	74.000	11.519	PK
2	*	15540.000	50.101	32.244	-23.899	74.000	17.857	PK

Profile: 1962097R	Page No.: 559
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	41.622	29.553	-32.378	74.000	12.070	PK
2	*	15660.000	47.681	30.076	-26.319	74.000	17.605	PK

Profile: 1962097R	Page No.: 560
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	41.263	29.194	-32.737	74.000	12.070	PK
2	*	15660.000	47.639	30.034	-26.361	74.000	17.605	PK

Profile: 1962097R	Page No.: 561
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.947	30.675	-31.053	74.000	12.272	PK
2	*	15720.000	47.870	29.833	-26.130	74.000	18.038	PK

Profile: 1962097R	Page No.: 562
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.137	29.865	-31.863	74.000	12.272	PK
2	*	15720.000	47.682	29.645	-26.318	74.000	18.038	PK

Profile: 1962097R	Page No.: 563
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.684	30.246	-30.316	74.000	13.438	PK
2	*	17235.000	51.888	29.950	-22.112	74.000	21.938	PK

Profile: 1962097R	Page No.: 564
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	41.841	28.403	-32.159	74.000	13.438	PK
2	*	17235.000	51.807	29.869	-22.193	74.000	21.938	PK

Profile: 1962097R	Page No.: 565
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	41.746	28.110	-32.254	74.000	13.637	PK
2	*	17355.000	52.395	29.354	-21.605	74.000	23.041	PK

Profile: 1962097R	Page No.: 566
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	41.654	28.018	-32.346	74.000	13.637	PK
2	*	17355.000	52.789	29.748	-21.211	74.000	23.041	PK

Profile: 1962097R	Page No.: 567
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	42.848	28.669	-31.152	74.000	14.179	PK
2	*	17475.000	49.297	29.945	-24.703	74.000	19.352	PK

Profile: 1962097R	Page No.: 568
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.170	29.991	-29.830	74.000	14.179	PK
2	*	17475.000	50.189	30.837	-23.811	74.000	19.352	PK

Profile: 1962097R	Page No.: 569
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.299	30.780	-31.701	74.000	11.519	PK
2	*	15540.000	49.211	31.354	-24.789	74.000	17.857	PK

Profile: 1962097R	Page No.: 570
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	43.118	31.599	-30.882	74.000	11.519	PK
2	*	15540.000	49.276	31.419	-24.724	74.000	17.857	PK

Profile: 1962097R	Page No.: 571
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.281	30.212	-31.719	74.000	12.070	PK
2	*	15660.000	48.894	31.289	-25.106	74.000	17.605	PK

Profile: 1962097R	Page No.: 572
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	43.607	31.538	-30.393	74.000	12.070	PK
2	*	15660.000	48.406	30.801	-25.594	74.000	17.605	PK

Profile: 1962097R	Page No.: 573
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	41.608	29.336	-32.392	74.000	12.272	PK
2	*	15720.000	48.342	30.305	-25.658	74.000	18.038	PK

Profile: 1962097R	Page No.: 574
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	43.329	31.057	-30.671	74.000	12.272	PK
2	*	15720.000	48.838	30.801	-25.162	74.000	18.038	PK

Profile: 1962097R	Page No.: 575
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.126	29.688	-30.874	74.000	13.438	PK
2	*	17235.000	50.484	28.546	-23.516	74.000	21.938	PK

Profile: 1962097R	Page No.: 576
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	42.728	29.290	-31.272	74.000	13.438	PK
2	*	17235.000	51.069	29.131	-22.931	74.000	21.938	PK

Profile: 1962097R	Page No.: 577
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.673	29.037	-31.327	74.000	13.637	PK
2	*	17355.000	52.741	29.700	-21.259	74.000	23.041	PK

Profile: 1962097R	Page No.: 578
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.453	28.817	-31.547	74.000	13.637	PK
2	*	17355.000	53.574	30.533	-20.426	74.000	23.041	PK

Profile: 1962097R	Page No.: 579
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.341	29.162	-30.659	74.000	14.179	PK
2	*	17475.000	50.540	31.188	-23.460	74.000	19.352	PK

Profile: 1962097R	Page No.: 580
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	42.913	28.734	-31.087	74.000	14.179	PK
2	*	17475.000	49.945	30.593	-24.055	74.000	19.352	PK

Profile: 1962097R	Page No.: 581
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.563	31.044	-31.437	74.000	11.519	PK
2	*	15540.000	48.472	30.615	-25.528	74.000	17.857	PK

Profile: 1962097R	Page No.: 582
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.359	30.840	-31.641	74.000	11.519	PK
2	*	15540.000	49.029	31.172	-24.971	74.000	17.857	PK

Profile: 1962097R	Page No.: 583
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.005	29.936	-31.995	74.000	12.070	PK
2	*	15660.000	47.737	30.132	-26.263	74.000	17.605	PK

Profile: 1962097R	Page No.: 584
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	43.753	31.684	-30.247	74.000	12.070	PK
2	*	15660.000	48.475	30.870	-25.525	74.000	17.605	PK

Profile: 1962097R	Page No.: 585
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.151	29.879	-31.849	74.000	12.272	PK
2	*	15720.000	48.484	30.447	-25.516	74.000	18.038	PK

Profile: 1962097R	Page No.: 586
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.615	30.343	-31.385	74.000	12.272	PK
2	*	15720.000	49.416	31.379	-24.584	74.000	18.038	PK

Profile: 1962097R	Page No.: 587
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	42.844	29.406	-31.156	74.000	13.438	PK
2	*	17235.000	51.180	29.242	-22.820	74.000	21.938	PK

Profile: 1962097R	Page No.: 588
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.136	29.698	-30.864	74.000	13.438	PK
2	*	17235.000	51.341	29.403	-22.659	74.000	21.938	PK

Profile: 1962097R	Page No.: 589
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.616	28.980	-31.384	74.000	13.637	PK
2	*	17355.000	51.645	28.604	-22.355	74.000	23.041	PK

Profile: 1962097R	Page No.: 590
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.362	28.726	-31.638	74.000	13.637	PK
2	*	17355.000	53.415	30.374	-20.585	74.000	23.041	PK

Profile: 1962097R	Page No.: 591
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.779	29.600	-30.221	74.000	14.179	PK
2	*	17475.000	49.511	30.159	-24.489	74.000	19.352	PK

Profile: 1962097R	Page No.: 592
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.163	28.984	-30.837	74.000	14.179	PK
2	*	17475.000	49.378	30.026	-24.622	74.000	19.352	PK

Profile: 1962097R	Page No.: 593
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.308	30.658	-31.692	74.000	11.650	PK
2	*	15570.000	48.654	30.780	-25.346	74.000	17.874	PK

Profile: 1962097R	Page No.: 594
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	41.771	30.121	-32.229	74.000	11.650	PK
2	*	15570.000	49.186	31.312	-24.814	74.000	17.874	PK

Profile: 1962097R	Page No.: 595
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	41.134	29.070	-32.866	74.000	12.064	PK
2	*	15690.000	47.877	30.019	-26.123	74.000	17.857	PK

Profile: 1962097R	Page No.: 596
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.223	28.159	-33.777	74.000	12.064	PK
2	*	15690.000	49.093	31.235	-24.907	74.000	17.857	PK

Profile: 1962097R	Page No.: 597
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	42.058	28.724	-31.942	74.000	13.334	PK
2	*	17265.000	52.014	28.984	-21.986	74.000	23.030	PK

Profile: 1962097R	Page No.: 598
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	42.821	29.487	-31.179	74.000	13.334	PK
2	*	17265.000	52.330	29.300	-21.670	74.000	23.030	PK

Profile: 1962097R	Page No.: 599
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	43.667	29.757	-30.333	74.000	13.909	PK
2	*	17385.000	52.206	30.430	-21.794	74.000	21.775	PK

Profile: 1962097R	Page No.: 600
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	42.849	28.939	-31.151	74.000	13.909	PK
2	*	17385.000	51.642	29.866	-22.358	74.000	21.775	PK

Profile: 1962097R	Page No.: 601
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	40.552	28.902	-33.448	74.000	11.650	PK
2	*	15570.000	48.878	31.004	-25.122	74.000	17.874	PK

Profile: 1962097R	Page No.: 602
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.341	30.691	-31.659	74.000	11.650	PK
2	*	15570.000	48.376	30.502	-25.624	74.000	17.874	PK

Profile: 1962097R	Page No.: 603
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	41.213	29.149	-32.787	74.000	12.064	PK
2	*	15690.000	47.656	29.798	-26.344	74.000	17.857	PK

Profile: 1962097R	Page No.: 604
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	41.210	29.146	-32.790	74.000	12.064	PK
2	*	15690.000	47.907	30.049	-26.093	74.000	17.857	PK

Profile: 1962097R	Page No.: 605
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	42.717	29.383	-31.283	74.000	13.334	PK
2	*	17265.000	52.510	29.480	-21.490	74.000	23.030	PK

Profile: 1962097R	Page No.: 606
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	42.324	28.990	-31.676	74.000	13.334	PK
2	*	17265.000	52.995	29.965	-21.005	74.000	23.030	PK

Profile: 1962097R	Page No.: 607
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	43.869	29.959	-30.131	74.000	13.909	PK
2	*	17385.000	52.961	31.185	-21.039	74.000	21.775	PK

Profile: 1962097R	Page No.: 608
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	43.184	29.274	-30.816	74.000	13.909	PK
2	*	17385.000	51.736	29.960	-22.264	74.000	21.775	PK

Profile: 1962097R	Page No.: 609
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	41.812	30.162	-32.188	74.000	11.650	PK
2	*	15570.000	50.322	32.448	-23.678	74.000	17.874	PK

Profile: 1962097R	Page No.: 610
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	41.261	29.611	-32.739	74.000	11.650	PK
2	*	15570.000	48.653	30.779	-25.347	74.000	17.874	PK

Profile: 1962097R	Page No.: 611
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.885	28.821	-33.115	74.000	12.064	PK
2	*	15690.000	49.654	31.796	-24.346	74.000	17.857	PK

Profile: 1962097R	Page No.: 612
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.763	28.699	-33.237	74.000	12.064	PK
2	*	15690.000	48.901	31.043	-25.099	74.000	17.857	PK

Profile: 1962097R	Page No.: 613
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	43.060	29.726	-30.940	74.000	13.334	PK
2	*	17265.000	52.265	29.235	-21.735	74.000	23.030	PK

Profile: 1962097R	Page No.: 614
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	43.189	29.855	-30.811	74.000	13.334	PK
2	*	17265.000	51.616	28.586	-22.384	74.000	23.030	PK

Profile: 1962097R	Page No.: 615
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	42.715	28.805	-31.285	74.000	13.909	PK
2	*	17385.000	52.099	30.323	-21.901	74.000	21.775	PK

Profile: 1962097R	Page No.: 616
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	42.714	28.804	-31.286	74.000	13.909	PK
2	*	17385.000	52.044	30.268	-21.956	74.000	21.775	PK

Profile: 1962097R	Page No.: 617
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	41.656	30.006	-32.344	74.000	11.650	PK
2	*	15570.000	48.363	30.489	-25.637	74.000	17.874	PK

Profile: 1962097R	Page No.: 618
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	41.848	30.198	-32.152	74.000	11.650	PK
2	*	15570.000	48.788	30.914	-25.212	74.000	17.874	PK

Profile: 1962097R	Page No.: 619
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.140	28.076	-33.860	74.000	12.064	PK
2	*	15690.000	48.420	30.562	-25.580	74.000	17.857	PK

Profile: 1962097R	Page No.: 620
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.766	28.702	-33.234	74.000	12.064	PK
2	*	15690.000	47.142	29.284	-26.858	74.000	17.857	PK

Profile: 1962097R	Page No.: 621
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	42.108	28.774	-31.892	74.000	13.334	PK
2	*	17265.000	52.090	29.060	-21.910	74.000	23.030	PK

Profile: 1962097R	Page No.: 622
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	43.010	29.676	-30.990	74.000	13.334	PK
2	*	17265.000	53.009	29.979	-20.991	74.000	23.030	PK

Profile: 1962097R	Page No.: 623
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	43.511	29.601	-30.489	74.000	13.909	PK
2	*	17385.000	52.553	30.777	-21.447	74.000	21.775	PK

Profile: 1962097R	Page No.: 624
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	42.568	28.658	-31.432	74.000	13.909	PK
2	*	17385.000	52.044	30.268	-21.956	74.000	21.775	PK

Profile: 1962097R	Page No.: 625
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax (80MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	43.107	31.025	-30.893	74.000	12.083	PK
2	*	15630.000	49.400	31.660	-24.600	74.000	17.740	PK

Profile: 1962097R	Page No.: 626
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax (80MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	43.467	31.385	-30.533	74.000	12.083	PK
2	*	15630.000	48.878	31.138	-25.122	74.000	17.740	PK

Profile: 1962097R	Page No.: 627
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5755MHz by 802.11ax (80MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	42.400	28.710	-31.600	74.000	13.689	PK
2	*	17325.000	52.609	27.433	-21.391	74.000	25.176	PK

Profile: 1962097R	Page No.: 628
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5755MHz by 802.11ax (80MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	43.335	29.645	-30.665	74.000	13.689	PK
2	*	17325.000	53.342	28.166	-20.658	74.000	25.176	PK

Profile: 1962097R	Page No.: 629
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax (80MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	41.734	29.652	-32.266	74.000	12.083	PK
2	*	15630.000	47.941	30.201	-26.059	74.000	17.740	PK

Profile: 1962097R	Page No.: 630
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax (80MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	43.414	31.332	-30.586	74.000	12.083	PK
2	*	15630.000	48.950	31.210	-25.050	74.000	17.740	PK

Profile: 1962097R	Page No.: 631
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax (80MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	42.905	29.215	-31.095	74.000	13.689	PK
2	*	17325.000	53.368	28.192	-20.632	74.000	25.176	PK

Profile: 1962097R	Page No.: 632
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax (80MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	42.958	29.268	-31.042	74.000	13.689	PK
2	*	17325.000	52.747	27.571	-21.253	74.000	25.176	PK

Profile: 1962097R	Page No.: 633
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax (80MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	42.949	30.867	-31.051	74.000	12.083	PK
2	*	15630.000	48.345	30.605	-25.655	74.000	17.740	PK

Profile: 1962097R	Page No.: 634
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax (80MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	42.428	30.346	-31.572	74.000	12.083	PK
2	*	15630.000	47.342	29.602	-26.658	74.000	17.740	PK

Profile: 1962097R	Page No.: 635
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax (80MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	42.935	29.245	-31.065	74.000	13.689	PK
2	*	17325.000	52.853	27.677	-21.147	74.000	25.176	PK

Profile: 1962097R	Page No.: 636
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax (80MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	41.375	27.685	-32.625	74.000	13.689	PK
2	*	17325.000	51.555	26.379	-22.445	74.000	25.176	PK

Profile: 1962097R	Page No.: 637
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax (80MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	40.855	28.773	-33.145	74.000	12.083	PK
2	*	15630.000	47.531	29.791	-26.469	74.000	17.740	PK

Profile: 1962097R	Page No.: 638
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax (80MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	42.002	29.920	-31.998	74.000	12.083	PK
2	*	15630.000	48.223	30.483	-25.777	74.000	17.740	PK

Profile: 1962097R	Page No.: 639
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax (80MHz) Beamforming	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	42.925	29.235	-31.075	74.000	13.689	PK
2	*	17325.000	53.457	28.281	-20.543	74.000	25.176	PK

Profile: 1962097R	Page No.: 640
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax (80MHz) Beamforming	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	41.585	27.895	-32.415	74.000	13.689	PK
2	*	17325.000	52.566	27.390	-21.434	74.000	25.176	PK