



Profile: 1962097R	Page No.: 533
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac (80MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	42.150	30.068	-31.850	74.000	12.083	PK
2	*	15630.000	50.007	32.267	-23.993	74.000	17.740	PK

Profile: 1962097R	Page No.: 534
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac (80MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	42.773	30.691	-31.227	74.000	12.083	PK
2	*	15630.000	48.699	30.959	-25.301	74.000	17.740	PK

Profile: 1962097R	Page No.: 535
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac (80MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	43.754	30.064	-30.246	74.000	13.689	PK
2	*	17325.000	52.810	27.634	-21.190	74.000	25.176	PK

Profile: 1962097R	Page No.: 536
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac (80MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	42.267	28.577	-31.733	74.000	13.689	PK
2	*	17325.000	53.339	28.163	-20.661	74.000	25.176	PK

Profile: 1962097R	Page No.: 537
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac (80MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	44.340	32.258	-29.660	74.000	12.083	PK
2	*	15630.000	49.504	31.764	-24.496	74.000	17.740	PK

Profile: 1962097R	Page No.: 538
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac (80MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	42.011	29.929	-31.989	74.000	12.083	PK
2	*	15630.000	47.860	30.120	-26.140	74.000	17.740	PK

Profile: 1962097R	Page No.: 539
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5755MHz by 802.11ac (80MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	42.099	28.409	-31.901	74.000	13.689	PK
2	*	17325.000	51.423	26.247	-22.577	74.000	25.176	PK

Profile: 1962097R	Page No.: 540
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5755MHz by 802.11ac (80MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	41.823	28.133	-32.177	74.000	13.689	PK
2	*	17325.000	53.094	27.918	-20.906	74.000	25.176	PK

Profile: 1962097R	Page No.: 541
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac (80MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	43.010	30.928	-30.990	74.000	12.083	PK
2	*	15630.000	48.801	31.061	-25.199	74.000	17.740	PK

Profile: 1962097R	Page No.: 542
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac (80MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	42.687	30.605	-31.313	74.000	12.083	PK
2	*	15630.000	48.369	30.629	-25.631	74.000	17.740	PK

Profile: 1962097R	Page No.: 543
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac (80MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	42.462	28.772	-31.538	74.000	13.689	PK
2	*	17325.000	53.067	27.891	-20.933	74.000	25.176	PK

Profile: 1962097R	Page No.: 544
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac (80MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	42.694	29.004	-31.306	74.000	13.689	PK
2	*	17325.000	52.441	27.265	-21.559	74.000	25.176	PK

Profile: 1962097R	Page No.: 545
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.256	30.737	-31.744	74.000	11.519	PK
2	*	15540.000	48.845	30.988	-25.155	74.000	17.857	PK

Profile: 1962097R	Page No.: 546
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.111	30.592	-31.889	74.000	11.519	PK
2	*	15540.000	48.557	30.700	-25.443	74.000	17.857	PK

Profile: 1962097R	Page No.: 547
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.273	30.204	-31.727	74.000	12.070	PK
2	*	15660.000	47.769	30.164	-26.231	74.000	17.605	PK

Profile: 1962097R	Page No.: 548
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	41.427	29.358	-32.573	74.000	12.070	PK
2	*	15660.000	48.539	30.934	-25.461	74.000	17.605	PK

Profile: 1962097R	Page No.: 549
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.679	30.407	-31.321	74.000	12.272	PK
2	*	15720.000	47.828	29.791	-26.172	74.000	18.038	PK

Profile: 1962097R	Page No.: 550
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	43.527	31.255	-30.473	74.000	12.272	PK
2	*	15720.000	49.883	31.846	-24.117	74.000	18.038	PK

Profile: 1962097R	Page No.: 551
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	42.001	28.563	-31.999	74.000	13.438	PK
2	*	17235.000	51.706	29.768	-22.294	74.000	21.938	PK

Profile: 1962097R	Page No.: 552
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	42.949	29.511	-31.051	74.000	13.438	PK
2	*	17235.000	51.287	29.349	-22.713	74.000	21.938	PK

Profile: 1962097R	Page No.: 553
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	43.228	29.592	-30.772	74.000	13.637	PK
2	*	17355.000	53.147	30.106	-20.853	74.000	23.041	PK

Profile: 1962097R	Page No.: 554
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.080	28.444	-31.920	74.000	13.637	PK
2	*	17355.000	51.523	28.482	-22.477	74.000	23.041	PK

Profile: 1962097R	Page No.: 555
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.065	28.886	-30.935	74.000	14.179	PK
2	*	17475.000	50.528	31.176	-23.472	74.000	19.352	PK

Profile: 1962097R	Page No.: 556
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	42.970	28.791	-31.030	74.000	14.179	PK
2	*	17475.000	49.622	30.270	-24.378	74.000	19.352	PK

Profile: 1962097R	Page No.: 557
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.363	30.844	-31.637	74.000	11.519	PK
2	*	15540.000	48.432	30.575	-25.568	74.000	17.857	PK

Profile: 1962097R	Page No.: 558
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	43.959	32.440	-30.041	74.000	11.519	PK
2	*	15540.000	50.101	32.244	-23.899	74.000	17.857	PK

Profile: 1962097R	Page No.: 559
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	41.622	29.553	-32.378	74.000	12.070	PK
2	*	15660.000	47.681	30.076	-26.319	74.000	17.605	PK

Profile: 1962097R	Page No.: 560
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	41.263	29.194	-32.737	74.000	12.070	PK
2	*	15660.000	47.639	30.034	-26.361	74.000	17.605	PK

Profile: 1962097R	Page No.: 561
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.947	30.675	-31.053	74.000	12.272	PK
2	*	15720.000	47.870	29.833	-26.130	74.000	18.038	PK

Profile: 1962097R	Page No.: 562
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.137	29.865	-31.863	74.000	12.272	PK
2	*	15720.000	47.682	29.645	-26.318	74.000	18.038	PK

Profile: 1962097R	Page No.: 563
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.684	30.246	-30.316	74.000	13.438	PK
2	*	17235.000	51.888	29.950	-22.112	74.000	21.938	PK

Profile: 1962097R	Page No.: 564
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	41.841	28.403	-32.159	74.000	13.438	PK
2	*	17235.000	51.807	29.869	-22.193	74.000	21.938	PK

Profile: 1962097R	Page No.: 565
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	41.746	28.110	-32.254	74.000	13.637	PK
2	*	17355.000	52.395	29.354	-21.605	74.000	23.041	PK

Profile: 1962097R	Page No.: 566
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	41.654	28.018	-32.346	74.000	13.637	PK
2	*	17355.000	52.789	29.748	-21.211	74.000	23.041	PK

Profile: 1962097R	Page No.: 567
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	42.848	28.669	-31.152	74.000	14.179	PK
2	*	17475.000	49.297	29.945	-24.703	74.000	19.352	PK

Profile: 1962097R	Page No.: 568
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.170	29.991	-29.830	74.000	14.179	PK
2	*	17475.000	50.189	30.837	-23.811	74.000	19.352	PK

Profile: 1962097R	Page No.: 569
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.299	30.780	-31.701	74.000	11.519	PK
2	*	15540.000	49.211	31.354	-24.789	74.000	17.857	PK

Profile: 1962097R	Page No.: 570
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	43.118	31.599	-30.882	74.000	11.519	PK
2	*	15540.000	49.276	31.419	-24.724	74.000	17.857	PK

Profile: 1962097R	Page No.: 571
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.281	30.212	-31.719	74.000	12.070	PK
2	*	15660.000	48.894	31.289	-25.106	74.000	17.605	PK

Profile: 1962097R	Page No.: 572
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	43.607	31.538	-30.393	74.000	12.070	PK
2	*	15660.000	48.406	30.801	-25.594	74.000	17.605	PK

Profile: 1962097R	Page No.: 573
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	41.608	29.336	-32.392	74.000	12.272	PK
2	*	15720.000	48.342	30.305	-25.658	74.000	18.038	PK

Profile: 1962097R	Page No.: 574
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	43.329	31.057	-30.671	74.000	12.272	PK
2	*	15720.000	48.838	30.801	-25.162	74.000	18.038	PK

Profile: 1962097R	Page No.: 575
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.126	29.688	-30.874	74.000	13.438	PK
2	*	17235.000	50.484	28.546	-23.516	74.000	21.938	PK

Profile: 1962097R	Page No.: 576
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	42.728	29.290	-31.272	74.000	13.438	PK
2	*	17235.000	51.069	29.131	-22.931	74.000	21.938	PK

Profile: 1962097R	Page No.: 577
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.673	29.037	-31.327	74.000	13.637	PK
2	*	17355.000	52.741	29.700	-21.259	74.000	23.041	PK

Profile: 1962097R	Page No.: 578
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.453	28.817	-31.547	74.000	13.637	PK
2	*	17355.000	53.574	30.533	-20.426	74.000	23.041	PK

Profile: 1962097R	Page No.: 579
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.341	29.162	-30.659	74.000	14.179	PK
2	*	17475.000	50.540	31.188	-23.460	74.000	19.352	PK

Profile: 1962097R	Page No.: 580
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	42.913	28.734	-31.087	74.000	14.179	PK
2	*	17475.000	49.945	30.593	-24.055	74.000	19.352	PK

Profile: 1962097R	Page No.: 581
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.563	31.044	-31.437	74.000	11.519	PK
2	*	15540.000	48.472	30.615	-25.528	74.000	17.857	PK

Profile: 1962097R	Page No.: 582
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.359	30.840	-31.641	74.000	11.519	PK
2	*	15540.000	49.029	31.172	-24.971	74.000	17.857	PK

Profile: 1962097R	Page No.: 583
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.005	29.936	-31.995	74.000	12.070	PK
2	*	15660.000	47.737	30.132	-26.263	74.000	17.605	PK

Profile: 1962097R	Page No.: 584
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	43.753	31.684	-30.247	74.000	12.070	PK
2	*	15660.000	48.475	30.870	-25.525	74.000	17.605	PK

Profile: 1962097R	Page No.: 585
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.151	29.879	-31.849	74.000	12.272	PK
2	*	15720.000	48.484	30.447	-25.516	74.000	18.038	PK

Profile: 1962097R	Page No.: 586
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.615	30.343	-31.385	74.000	12.272	PK
2	*	15720.000	49.416	31.379	-24.584	74.000	18.038	PK

Profile: 1962097R	Page No.: 587
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	42.844	29.406	-31.156	74.000	13.438	PK
2	*	17235.000	51.180	29.242	-22.820	74.000	21.938	PK

Profile: 1962097R	Page No.: 588
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.136	29.698	-30.864	74.000	13.438	PK
2	*	17235.000	51.341	29.403	-22.659	74.000	21.938	PK

Profile: 1962097R	Page No.: 589
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.616	28.980	-31.384	74.000	13.637	PK
2	*	17355.000	51.645	28.604	-22.355	74.000	23.041	PK

Profile: 1962097R	Page No.: 590
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.362	28.726	-31.638	74.000	13.637	PK
2	*	17355.000	53.415	30.374	-20.585	74.000	23.041	PK

Profile: 1962097R	Page No.: 591
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.779	29.600	-30.221	74.000	14.179	PK
2	*	17475.000	49.511	30.159	-24.489	74.000	19.352	PK

Profile: 1962097R	Page No.: 592
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.163	28.984	-30.837	74.000	14.179	PK
2	*	17475.000	49.378	30.026	-24.622	74.000	19.352	PK

Profile: 1962097R	Page No.: 593
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.308	30.658	-31.692	74.000	11.650	PK
2	*	15570.000	48.654	30.780	-25.346	74.000	17.874	PK

Profile: 1962097R	Page No.: 594
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	41.771	30.121	-32.229	74.000	11.650	PK
2	*	15570.000	49.186	31.312	-24.814	74.000	17.874	PK

Profile: 1962097R	Page No.: 595
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	41.134	29.070	-32.866	74.000	12.064	PK
2	*	15690.000	47.877	30.019	-26.123	74.000	17.857	PK

Profile: 1962097R	Page No.: 596
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.223	28.159	-33.777	74.000	12.064	PK
2	*	15690.000	49.093	31.235	-24.907	74.000	17.857	PK

Profile: 1962097R	Page No.: 597
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	42.058	28.724	-31.942	74.000	13.334	PK
2	*	17265.000	52.014	28.984	-21.986	74.000	23.030	PK

Profile: 1962097R	Page No.: 598
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	42.821	29.487	-31.179	74.000	13.334	PK
2	*	17265.000	52.330	29.300	-21.670	74.000	23.030	PK

Profile: 1962097R	Page No.: 599
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	43.667	29.757	-30.333	74.000	13.909	PK
2	*	17385.000	52.206	30.430	-21.794	74.000	21.775	PK

Profile: 1962097R	Page No.: 600
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	42.849	28.939	-31.151	74.000	13.909	PK
2	*	17385.000	51.642	29.866	-22.358	74.000	21.775	PK

Profile: 1962097R	Page No.: 601
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	40.552	28.902	-33.448	74.000	11.650	PK
2	*	15570.000	48.878	31.004	-25.122	74.000	17.874	PK

Profile: 1962097R	Page No.: 602
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.341	30.691	-31.659	74.000	11.650	PK
2	*	15570.000	48.376	30.502	-25.624	74.000	17.874	PK

Profile: 1962097R	Page No.: 603
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	41.213	29.149	-32.787	74.000	12.064	PK
2	*	15690.000	47.656	29.798	-26.344	74.000	17.857	PK

Profile: 1962097R	Page No.: 604
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	41.210	29.146	-32.790	74.000	12.064	PK
2	*	15690.000	47.907	30.049	-26.093	74.000	17.857	PK

Profile: 1962097R	Page No.: 605
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	42.717	29.383	-31.283	74.000	13.334	PK
2	*	17265.000	52.510	29.480	-21.490	74.000	23.030	PK

Profile: 1962097R	Page No.: 606
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	42.324	28.990	-31.676	74.000	13.334	PK
2	*	17265.000	52.995	29.965	-21.005	74.000	23.030	PK

Profile: 1962097R	Page No.: 607
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	43.869	29.959	-30.131	74.000	13.909	PK
2	*	17385.000	52.961	31.185	-21.039	74.000	21.775	PK

Profile: 1962097R	Page No.: 608
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	43.184	29.274	-30.816	74.000	13.909	PK
2	*	17385.000	51.736	29.960	-22.264	74.000	21.775	PK

Profile: 1962097R	Page No.: 609
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	41.812	30.162	-32.188	74.000	11.650	PK
2	*	15570.000	50.322	32.448	-23.678	74.000	17.874	PK

Profile: 1962097R	Page No.: 610
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	41.261	29.611	-32.739	74.000	11.650	PK
2	*	15570.000	48.653	30.779	-25.347	74.000	17.874	PK

Profile: 1962097R	Page No.: 611
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.885	28.821	-33.115	74.000	12.064	PK
2	*	15690.000	49.654	31.796	-24.346	74.000	17.857	PK

Profile: 1962097R	Page No.: 612
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.763	28.699	-33.237	74.000	12.064	PK
2	*	15690.000	48.901	31.043	-25.099	74.000	17.857	PK

Profile: 1962097R	Page No.: 613
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	43.060	29.726	-30.940	74.000	13.334	PK
2	*	17265.000	52.265	29.235	-21.735	74.000	23.030	PK

Profile: 1962097R	Page No.: 614
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	43.189	29.855	-30.811	74.000	13.334	PK
2	*	17265.000	51.616	28.586	-22.384	74.000	23.030	PK

Profile: 1962097R	Page No.: 615
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	42.715	28.805	-31.285	74.000	13.909	PK
2	*	17385.000	52.099	30.323	-21.901	74.000	21.775	PK

Profile: 1962097R	Page No.: 616
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	42.714	28.804	-31.286	74.000	13.909	PK
2	*	17385.000	52.044	30.268	-21.956	74.000	21.775	PK

Profile: 1962097R	Page No.: 617
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	41.656	30.006	-32.344	74.000	11.650	PK
2	*	15570.000	48.363	30.489	-25.637	74.000	17.874	PK

Profile: 1962097R	Page No.: 618
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	41.848	30.198	-32.152	74.000	11.650	PK
2	*	15570.000	48.788	30.914	-25.212	74.000	17.874	PK

Profile: 1962097R	Page No.: 619
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.140	28.076	-33.860	74.000	12.064	PK
2	*	15690.000	48.420	30.562	-25.580	74.000	17.857	PK

Profile: 1962097R	Page No.: 620
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.766	28.702	-33.234	74.000	12.064	PK
2	*	15690.000	47.142	29.284	-26.858	74.000	17.857	PK

Profile: 1962097R	Page No.: 621
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	42.108	28.774	-31.892	74.000	13.334	PK
2	*	17265.000	52.090	29.060	-21.910	74.000	23.030	PK

Profile: 1962097R	Page No.: 622
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	43.010	29.676	-30.990	74.000	13.334	PK
2	*	17265.000	53.009	29.979	-20.991	74.000	23.030	PK

Profile: 1962097R	Page No.: 623
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	43.511	29.601	-30.489	74.000	13.909	PK
2	*	17385.000	52.553	30.777	-21.447	74.000	21.775	PK

Profile: 1962097R	Page No.: 624
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	42.568	28.658	-31.432	74.000	13.909	PK
2	*	17385.000	52.044	30.268	-21.956	74.000	21.775	PK

Profile: 1962097R	Page No.: 625
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax (80MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	43.107	31.025	-30.893	74.000	12.083	PK
2	*	15630.000	49.400	31.660	-24.600	74.000	17.740	PK

Profile: 1962097R	Page No.: 626
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax (80MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	43.467	31.385	-30.533	74.000	12.083	PK
2	*	15630.000	48.878	31.138	-25.122	74.000	17.740	PK

Profile: 1962097R	Page No.: 627
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5755MHz by 802.11ax (80MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	42.400	28.710	-31.600	74.000	13.689	PK
2	*	17325.000	52.609	27.433	-21.391	74.000	25.176	PK

Profile: 1962097R	Page No.: 628
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5755MHz by 802.11ax (80MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	43.335	29.645	-30.665	74.000	13.689	PK
2	*	17325.000	53.342	28.166	-20.658	74.000	25.176	PK

Profile: 1962097R	Page No.: 629
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax (80MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	41.734	29.652	-32.266	74.000	12.083	PK
2	*	15630.000	47.941	30.201	-26.059	74.000	17.740	PK

Profile: 1962097R	Page No.: 630
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax (80MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	43.414	31.332	-30.586	74.000	12.083	PK
2	*	15630.000	48.950	31.210	-25.050	74.000	17.740	PK

Profile: 1962097R	Page No.: 631
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax (80MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	42.905	29.215	-31.095	74.000	13.689	PK
2	*	17325.000	53.368	28.192	-20.632	74.000	25.176	PK

Profile: 1962097R	Page No.: 632
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax (80MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	42.958	29.268	-31.042	74.000	13.689	PK
2	*	17325.000	52.747	27.571	-21.253	74.000	25.176	PK

Profile: 1962097R	Page No.: 633
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax (80MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	42.949	30.867	-31.051	74.000	12.083	PK
2	*	15630.000	48.345	30.605	-25.655	74.000	17.740	PK

Profile: 1962097R	Page No.: 634
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax (80MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	42.428	30.346	-31.572	74.000	12.083	PK
2	*	15630.000	47.342	29.602	-26.658	74.000	17.740	PK

Profile: 1962097R	Page No.: 635
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax (80MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	42.935	29.245	-31.065	74.000	13.689	PK
2	*	17325.000	52.853	27.677	-21.147	74.000	25.176	PK

Profile: 1962097R	Page No.: 636
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax (80MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	41.375	27.685	-32.625	74.000	13.689	PK
2	*	17325.000	51.555	26.379	-22.445	74.000	25.176	PK

Profile: 1962097R	Page No.: 637
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax (80MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	40.855	28.773	-33.145	74.000	12.083	PK
2	*	15630.000	47.531	29.791	-26.469	74.000	17.740	PK

Profile: 1962097R	Page No.: 638
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax (80MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	42.002	29.920	-31.998	74.000	12.083	PK
2	*	15630.000	48.223	30.483	-25.777	74.000	17.740	PK

Profile: 1962097R	Page No.: 639
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax (80MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	42.925	29.235	-31.075	74.000	13.689	PK
2	*	17325.000	53.457	28.281	-20.543	74.000	25.176	PK

Profile: 1962097R	Page No.: 640
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax (80MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	41.585	27.895	-32.415	74.000	13.689	PK
2	*	17325.000	52.566	27.390	-21.434	74.000	25.176	PK

Profile: 1962097R	Page No.: 454
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.028	29.959	-30.972	74.000	13.069	PK
2	*	17100.000	50.779	30.929	-23.221	74.000	19.850	PK

Profile: 1962097R	Page No.: 455
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5720MHz by 802.11n (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	42.339	28.879	-31.661	74.000	13.460	PK
2	*	17160.000	50.003	30.109	-23.997	74.000	19.894	PK

Profile: 1962097R	Page No.: 456
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5720MHz by 802.11n (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	43.212	29.752	-30.788	74.000	13.460	PK
2	*	17160.000	50.537	30.643	-23.463	74.000	19.894	PK

Profile: 1962097R	Page No.: 457
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.525	32.622	-28.475	74.000	12.903	PK
2	*	15780.000	49.777	31.948	-24.223	74.000	17.829	PK

Profile: 1962097R	Page No.: 458
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	46.891	33.988	-27.109	74.000	12.903	PK
2	*	15780.000	49.920	32.091	-24.080	74.000	17.829	PK

Profile: 1962097R	Page No.: 459
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	43.537	31.378	-30.463	74.000	12.159	PK
2	*	15900.000	49.241	31.998	-24.759	74.000	17.243	PK

Profile: 1962097R	Page No.: 460
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	42.472	30.313	-31.528	74.000	12.159	PK
2	*	15900.000	48.256	31.013	-25.744	74.000	17.243	PK

Profile: 1962097R	Page No.: 461
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.177	31.182	-30.823	74.000	11.995	PK
2	*	15960.000	49.405	31.095	-24.595	74.000	18.310	PK

Profile: 1962097R	Page No.: 462
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	42.100	30.105	-31.900	74.000	11.995	PK
2	*	15960.000	48.746	30.436	-25.254	74.000	18.310	PK

Profile: 1962097R	Page No.: 463
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	43.672	30.332	-30.328	74.000	13.339	PK
2	*	16500.000	52.678	33.147	-21.322	74.000	19.532	PK

Profile: 1962097R	Page No.: 464
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	43.415	30.075	-30.585	74.000	13.339	PK
2	*	16500.000	51.996	32.465	-22.004	74.000	19.532	PK

Profile: 1962097R	Page No.: 465
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	42.595	29.131	-31.405	74.000	13.464	PK
2	*	16740.000	50.094	31.199	-23.906	74.000	18.896	PK

Profile: 1962097R	Page No.: 466
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.228	30.764	-29.772	74.000	13.464	PK
2	*	16740.000	51.932	33.037	-22.068	74.000	18.896	PK

Profile: 1962097R	Page No.: 467
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.166	29.097	-31.834	74.000	13.069	PK
2	*	17100.000	51.751	31.901	-22.249	74.000	19.850	PK

Profile: 1962097R	Page No.: 468
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.690	29.621	-31.310	74.000	13.069	PK
2	*	17100.000	50.901	31.051	-23.099	74.000	19.850	PK

Profile: 1962097R	Page No.: 469
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5720MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	43.370	29.910	-30.630	74.000	13.460	PK
2	*	17160.000	50.840	30.946	-23.160	74.000	19.894	PK

Profile: 1962097R	Page No.: 470
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5720MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	42.640	29.180	-31.360	74.000	13.460	PK
2	*	17160.000	51.036	31.142	-22.964	74.000	19.894	PK

Profile: 1962097R	Page No.: 471
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.579	32.676	-28.421	74.000	12.903	PK
2	*	15780.000	50.634	32.805	-23.366	74.000	17.829	PK

Profile: 1962097R	Page No.: 472
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	48.791	35.888	-25.209	74.000	12.903	PK
2	*	15780.000	49.868	32.039	-24.132	74.000	17.829	PK

Profile: 1962097R	Page No.: 473
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.220	32.061	-29.780	74.000	12.159	PK
2	*	15900.000	49.611	32.368	-24.389	74.000	17.243	PK

Profile: 1962097R	Page No.: 474
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.671	32.512	-29.329	74.000	12.159	PK
2	*	15900.000	49.245	32.002	-24.755	74.000	17.243	PK

Profile: 1962097R	Page No.: 475
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	42.651	30.656	-31.349	74.000	11.995	PK
2	*	15960.000	49.655	31.345	-24.345	74.000	18.310	PK

Profile: 1962097R	Page No.: 476
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.422	31.427	-30.578	74.000	11.995	PK
2	*	15960.000	51.528	33.218	-22.472	74.000	18.310	PK

Profile: 1962097R	Page No.: 477
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	43.874	30.534	-30.126	74.000	13.339	PK
2	*	16500.000	52.430	32.899	-21.570	74.000	19.532	PK

Profile: 1962097R	Page No.: 478
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.089	30.749	-29.911	74.000	13.339	PK
2	*	16500.000	52.436	32.905	-21.564	74.000	19.532	PK

Profile: 1962097R	Page No.: 479
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	42.307	28.843	-31.693	74.000	13.464	PK
2	*	16740.000	50.549	31.654	-23.451	74.000	18.896	PK

Profile: 1962097R	Page No.: 480
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	43.870	30.406	-30.130	74.000	13.464	PK
2	*	16740.000	51.145	32.250	-22.855	74.000	18.896	PK

Profile: 1962097R	Page No.: 481
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	41.505	28.436	-32.495	74.000	13.069	PK
2	*	17100.000	50.467	30.617	-23.533	74.000	19.850	PK

Profile: 1962097R	Page No.: 482
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.459	29.390	-31.541	74.000	13.069	PK
2	*	17100.000	52.636	32.786	-21.364	74.000	19.850	PK

Profile: 1962097R	Page No.: 483
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5720MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	42.989	29.529	-31.011	74.000	13.460	PK
2	*	17160.000	51.102	31.208	-22.898	74.000	19.894	PK

Profile: 1962097R	Page No.: 484
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5720MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	42.623	29.163	-31.377	74.000	13.460	PK
2	*	17160.000	51.115	31.221	-22.885	74.000	19.894	PK

Profile: 1962097R	Page No.: 485
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	46.115	33.212	-27.885	74.000	12.903	PK
2	*	15780.000	50.097	32.268	-23.903	74.000	17.829	PK

Profile: 1962097R	Page No.: 486
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	46.752	33.849	-27.248	74.000	12.903	PK
2	*	15780.000	50.227	32.398	-23.773	74.000	17.829	PK

Profile: 1962097R	Page No.: 487
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.884	32.725	-29.116	74.000	12.159	PK
2	*	15900.000	48.865	31.622	-25.135	74.000	17.243	PK

Profile: 1962097R	Page No.: 488
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	43.179	31.020	-30.821	74.000	12.159	PK
2	*	15900.000	48.787	31.544	-25.213	74.000	17.243	PK

Profile: 1962097R	Page No.: 489
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	42.284	30.289	-31.716	74.000	11.995	PK
2	*	15960.000	48.600	30.290	-25.400	74.000	18.310	PK

Profile: 1962097R	Page No.: 490
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	42.755	30.760	-31.245	74.000	11.995	PK
2	*	15960.000	49.823	31.513	-24.177	74.000	18.310	PK

Profile: 1962097R	Page No.: 491
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	43.602	30.262	-30.398	74.000	13.339	PK
2	*	16500.000	52.057	32.526	-21.943	74.000	19.532	PK

Profile: 1962097R	Page No.: 492
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	42.992	29.652	-31.008	74.000	13.339	PK
2	*	16500.000	51.600	32.069	-22.400	74.000	19.532	PK

Profile: 1962097R	Page No.: 493
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	42.111	28.647	-31.889	74.000	13.464	PK
2	*	16740.000	50.228	31.333	-23.772	74.000	18.896	PK

Profile: 1962097R	Page No.: 494
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	43.908	30.444	-30.092	74.000	13.464	PK
2	*	16740.000	51.128	32.233	-22.872	74.000	18.896	PK

Profile: 1962097R	Page No.: 495
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	41.904	28.835	-32.096	74.000	13.069	PK
2	*	17100.000	50.522	30.672	-23.478	74.000	19.850	PK

Profile: 1962097R	Page No.: 496
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.489	29.420	-31.511	74.000	13.069	PK
2	*	17100.000	50.751	30.901	-23.249	74.000	19.850	PK

Profile: 1962097R	Page No.: 497
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5720MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	43.799	30.339	-30.201	74.000	13.460	PK
2	*	17160.000	50.778	30.884	-23.222	74.000	19.894	PK

Profile: 1962097R	Page No.: 498
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5720MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	43.437	29.977	-30.563	74.000	13.460	PK
2	*	17160.000	50.575	30.681	-23.425	74.000	19.894	PK

Profile: 1962097R	Page No.: 499
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.371	31.526	-29.629	74.000	12.845	PK
2	*	15810.000	50.003	32.353	-23.997	74.000	17.651	PK

Profile: 1962097R	Page No.: 500
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.857	32.012	-29.143	74.000	12.845	PK
2	*	15810.000	50.305	32.655	-23.695	74.000	17.651	PK

Profile: 1962097R	Page No.: 501
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.217	31.109	-29.783	74.000	13.109	PK
2	*	15930.000	51.237	32.759	-22.763	74.000	18.478	PK

Profile: 1962097R	Page No.: 502
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	43.464	30.356	-30.536	74.000	13.109	PK
2	*	15930.000	50.087	31.609	-23.913	74.000	18.478	PK

Profile: 1962097R	Page No.: 503
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	42.690	29.592	-31.310	74.000	13.097	PK
2	*	16530.000	50.596	31.262	-23.404	74.000	19.334	PK

Profile: 1962097R	Page No.: 504
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	42.993	29.895	-31.007	74.000	13.097	PK
2	*	16530.000	51.629	32.295	-22.371	74.000	19.334	PK

Profile: 1962097R	Page No.: 505
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.430	30.553	-30.570	74.000	12.877	PK
2	*	16650.000	51.948	32.037	-22.052	74.000	19.912	PK

Profile: 1962097R	Page No.: 506
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.830	30.953	-30.170	74.000	12.877	PK
2	*	16650.000	51.678	31.767	-22.322	74.000	19.912	PK

Profile: 1962097R	Page No.: 507
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	40.850	27.622	-33.150	74.000	13.228	PK
2	*	17010.000	52.459	28.542	-21.541	74.000	23.917	PK

Profile: 1962097R	Page No.: 508
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	42.240	29.363	-31.760	74.000	12.877	PK
2	*	17010.000	53.245	29.328	-20.755	74.000	23.917	PK

Profile: 1962097R	Page No.: 509
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5710MHz by 802.11n (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	42.985	29.551	-31.015	74.000	13.433	PK
2	*	17130.000	50.824	30.738	-23.176	74.000	20.086	PK

Profile: 1962097R	Page No.: 510
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5710MHz by 802.11n (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	42.335	28.901	-31.665	74.000	13.433	PK
2	*	17130.000	50.598	30.512	-23.402	74.000	20.086	PK

Profile: 1962097R	Page No.: 511
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.944	32.099	-29.056	74.000	12.845	PK
2	*	15810.000	49.313	31.663	-24.687	74.000	17.651	PK

Profile: 1962097R	Page No.: 512
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.482	32.637	-28.518	74.000	12.845	PK
2	*	15810.000	48.696	31.046	-25.304	74.000	17.651	PK

Profile: 1962097R	Page No.: 513
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.914	31.806	-29.086	74.000	13.109	PK
2	*	15930.000	50.507	32.029	-23.493	74.000	18.478	PK

Profile: 1962097R	Page No.: 514
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.216	31.108	-29.784	74.000	13.109	PK
2	*	15930.000	49.664	31.186	-24.336	74.000	18.478	PK

Profile: 1962097R	Page No.: 515
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.222	31.124	-29.778	74.000	13.097	PK
2	*	16530.000	51.779	32.445	-22.221	74.000	19.334	PK

Profile: 1962097R	Page No.: 516
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	43.243	30.145	-30.757	74.000	13.097	PK
2	*	16530.000	51.338	32.004	-22.662	74.000	19.334	PK

Profile: 1962097R	Page No.: 517
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	42.953	30.076	-31.047	74.000	12.877	PK
2	*	16650.000	52.136	32.225	-21.864	74.000	19.912	PK

Profile: 1962097R	Page No.: 518
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.676	30.799	-30.324	74.000	12.877	PK
2	*	16650.000	52.324	32.413	-21.676	74.000	19.912	PK

Profile: 1962097R	Page No.: 519
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	42.502	29.274	-31.498	74.000	13.228	PK
2	*	17010.000	52.518	28.601	-21.482	74.000	23.917	PK

Profile: 1962097R	Page No.: 520
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	42.555	29.327	-31.445	74.000	13.228	PK
2	*	17010.000	53.500	29.583	-20.500	74.000	23.917	PK

Profile: 1962097R	Page No.: 521
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5710MHz by 802.11n (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	42.706	29.272	-31.294	74.000	13.433	PK
2	*	17130.000	50.984	30.898	-23.016	74.000	20.086	PK

Profile: 1962097R	Page No.: 522
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5710MHz by 802.11n (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	43.362	29.928	-30.638	74.000	13.433	PK
2	*	17130.000	51.253	31.167	-22.747	74.000	20.086	PK

Profile: 1962097R	Page No.: 523
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.682	31.837	-29.318	74.000	12.845	PK
2	*	15810.000	49.742	32.092	-24.258	74.000	17.651	PK

Profile: 1962097R	Page No.: 524
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.867	33.022	-28.133	74.000	12.845	PK
2	*	15810.000	50.102	32.452	-23.898	74.000	17.651	PK

Profile: 1962097R	Page No.: 525
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.324	31.216	-29.676	74.000	13.109	PK
2	*	15930.000	50.557	32.079	-23.443	74.000	18.478	PK

Profile: 1962097R	Page No.: 526
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.595	31.487	-29.405	74.000	13.109	PK
2	*	15930.000	50.580	32.102	-23.420	74.000	18.478	PK

Profile: 1962097R	Page No.: 527
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	43.524	30.426	-30.476	74.000	13.097	PK
2	*	16530.000	52.026	32.692	-21.974	74.000	19.334	PK

Profile: 1962097R	Page No.: 528
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	43.763	30.665	-30.237	74.000	13.097	PK
2	*	16530.000	52.105	32.771	-21.895	74.000	19.334	PK

Profile: 1962097R	Page No.: 529
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.273	31.396	-29.727	74.000	12.877	PK
2	*	16650.000	52.243	32.332	-21.757	74.000	19.912	PK

Profile: 1962097R	Page No.: 530
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	42.670	29.793	-31.330	74.000	12.877	PK
2	*	16650.000	50.785	30.874	-23.215	74.000	19.912	PK

Profile: 1962097R	Page No.: 531
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	42.658	29.430	-31.342	74.000	13.228	PK
2	*	17010.000	52.478	28.561	-21.522	74.000	23.917	PK

Profile: 1962097R	Page No.: 532
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	41.734	28.506	-32.266	74.000	13.228	PK
2	*	17010.000	53.258	29.341	-20.742	74.000	23.917	PK

Profile: 1962097R	Page No.: 533
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	42.861	30.016	-31.139	74.000	12.845	PK
2	*	15810.000	47.979	30.329	-26.021	74.000	17.651	PK

Profile: 1962097R	Page No.: 534
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.193	31.348	-29.807	74.000	12.845	PK
2	*	15810.000	49.235	31.585	-24.765	74.000	17.651	PK

Profile: 1962097R	Page No.: 535
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	43.776	30.668	-30.224	74.000	13.109	PK
2	*	15930.000	50.086	31.608	-23.914	74.000	18.478	PK

Profile: 1962097R	Page No.: 536
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.176	31.068	-29.824	74.000	13.109	PK
2	*	15930.000	50.660	32.182	-23.340	74.000	18.478	PK

Profile: 1962097R	Page No.: 537
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	43.633	30.535	-30.367	74.000	13.097	PK
2	*	16530.000	52.234	32.900	-21.766	74.000	19.334	PK

Profile: 1962097R	Page No.: 538
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	43.014	29.916	-30.986	74.000	13.097	PK
2	*	16530.000	50.402	31.068	-23.598	74.000	19.334	PK

Profile: 1962097R	Page No.: 539
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.182	30.305	-30.818	74.000	12.877	PK
2	*	16650.000	52.152	32.241	-21.848	74.000	19.912	PK

Profile: 1962097R	Page No.: 540
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.692	31.815	-29.308	74.000	12.877	PK
2	*	16650.000	51.887	31.976	-22.113	74.000	19.912	PK

Profile: 1962097R	Page No.: 541
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	42.325	29.097	-31.675	74.000	13.228	PK
2	*	17010.000	52.419	28.502	-21.581	74.000	23.917	PK

Profile: 1962097R	Page No.: 542
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	42.677	29.449	-31.323	74.000	13.228	PK
2	*	17010.000	53.398	29.481	-20.602	74.000	23.917	PK

Profile: 1962097R	Page No.: 543
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5710MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	43.047	29.613	-30.953	74.000	13.433	PK
2	*	17130.000	50.761	30.675	-23.239	74.000	20.086	PK

Profile: 1962097R	Page No.: 544
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5710MHz by 802.11n (40MHz) Beamforming	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	43.658	30.224	-30.342	74.000	13.433	PK
2	*	17130.000	51.405	31.319	-22.595	74.000	20.086	PK

Profile: 1962097R	Page No.: 545
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac (20MHz) ANT 0	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.880	31.977	-29.120	74.000	12.903	PK
2	*	15780.000	50.094	32.265	-23.906	74.000	17.829	PK