



Profile: 1962097R	Page No.: 319
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax (80MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	43.820	31.738	-30.180	74.000	12.083	PK
2	*	15630.000	49.781	32.041	-24.219	74.000	17.740	PK

Profile: 1962097R	Page No.: 320
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 04:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax (80MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	43.049	30.967	-30.951	74.000	12.083	PK
2	*	15630.000	48.315	30.575	-25.685	74.000	17.740	PK

Profile: 1962097R	Page No.: 159
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 04:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax (80MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	43.461	31.379	-30.539	74.000	12.083	PK
2	*	15630.000	49.561	31.821	-24.439	74.000	17.740	PK

Profile: 1962097R	Page No.: 160
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 04:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax (80MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	42.676	30.594	-31.324	74.000	12.083	PK
2	*	15630.000	50.034	32.294	-23.966	74.000	17.740	PK

Profile: 1962097R	Page No.: 155
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 802.11a ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.739	32.916	-28.261	74.000	12.823	PK
2	*	15780.000	50.792	31.916	-23.208	74.000	18.876	PK

Profile: 1962097R	Page No.: 156
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 802.11a ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.644	32.821	-28.356	74.000	12.823	PK
2	*	15780.000	51.619	32.743	-22.381	74.000	18.876	PK

Profile: 1962097R	Page No.: 157
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 802.11a ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	43.758	31.380	-30.242	74.000	12.378	PK
2	*	15900.000	49.954	31.516	-24.046	74.000	18.438	PK

Profile: 1962097R	Page No.: 158
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 802.11a ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.188	31.810	-29.812	74.000	12.378	PK
2	*	15900.000	50.943	32.505	-23.057	74.000	18.438	PK

Profile: 1962097R	Page No.: 159
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11a ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	45.314	33.080	-28.686	74.000	12.233	PK
2	*	15960.000	50.334	31.573	-23.666	74.000	18.761	PK

Profile: 1962097R	Page No.: 160
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11a ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.312	32.078	-29.688	74.000	12.233	PK
2	*	15960.000	50.525	31.764	-23.475	74.000	18.761	PK

Profile: 1962097R	Page No.: 161
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 802.11a ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.496	31.673	-29.504	74.000	12.823	PK
2	*	15780.000	50.699	31.823	-23.301	74.000	18.876	PK

Profile: 1962097R	Page No.: 162
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 802.11a ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.491	32.668	-28.509	74.000	12.823	PK
2	*	15780.000	49.899	31.023	-24.101	74.000	18.876	PK

Profile: 1962097R	Page No.: 163
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 802.11a ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	43.872	31.494	-30.128	74.000	12.378	PK
2	*	15900.000	48.623	30.185	-25.377	74.000	18.438	PK

Profile: 1962097R	Page No.: 164
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 802.11a ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.306	31.928	-29.694	74.000	12.378	PK
2	*	15900.000	50.168	31.730	-23.832	74.000	18.438	PK

Profile: 1962097R	Page No.: 165
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11a ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.972	31.738	-30.028	74.000	12.233	PK
2	*	15960.000	51.459	32.698	-22.541	74.000	18.761	PK

Profile: 1962097R	Page No.: 166
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11a ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	45.594	33.360	-28.406	74.000	12.233	PK
2	*	15960.000	50.228	31.467	-23.772	74.000	18.761	PK

Profile: 1962097R	Page No.: 167
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	46.714	33.891	-27.286	74.000	12.823	PK
2	*	15780.000	50.256	31.380	-23.744	74.000	18.876	PK

Profile: 1962097R	Page No.: 168
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.221	31.398	-29.779	74.000	12.823	PK
2	*	15780.000	49.969	31.093	-24.031	74.000	18.876	PK

Profile: 1962097R	Page No.: 169
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.916	32.538	-29.084	74.000	12.378	PK
2	*	15900.000	50.802	32.364	-23.198	74.000	18.438	PK

Profile: 1962097R	Page No.: 170
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.230	31.852	-29.770	74.000	12.378	PK
2	*	15900.000	51.032	32.594	-22.968	74.000	18.438	PK

Profile: 1962097R	Page No.: 171
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.271	32.037	-29.729	74.000	12.233	PK
2	*	15960.000	51.023	32.262	-22.977	74.000	18.761	PK

Profile: 1962097R	Page No.: 172
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.397	31.163	-30.603	74.000	12.233	PK
2	*	15960.000	51.189	32.428	-22.811	74.000	18.761	PK

Profile: 1962097R	Page No.: 173
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	46.993	34.170	-27.007	74.000	12.823	PK
2	*	15780.000	52.410	33.534	-21.590	74.000	18.876	PK

Profile: 1962097R	Page No.: 174
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.530	31.707	-29.470	74.000	12.823	PK
2	*	15780.000	49.692	30.816	-24.308	74.000	18.876	PK

Profile: 1962097R	Page No.: 175
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.660	32.282	-29.340	74.000	12.378	PK
2	*	15900.000	51.065	32.627	-22.935	74.000	18.438	PK

Profile: 1962097R	Page No.: 176
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	43.988	31.610	-30.012	74.000	12.378	PK
2	*	15900.000	50.281	31.843	-23.719	74.000	18.438	PK

Profile: 1962097R	Page No.: 177
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	45.080	32.846	-28.920	74.000	12.233	PK
2	*	15960.000	49.824	31.063	-24.176	74.000	18.761	PK

Profile: 1962097R	Page No.: 178
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.637	31.403	-30.363	74.000	12.233	PK
2	*	15960.000	50.270	31.509	-23.730	74.000	18.761	PK

Profile: 1962097R	Page No.: 179
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.948	33.125	-28.052	74.000	12.823	PK
2	*	15780.000	51.108	32.232	-22.892	74.000	18.876	PK

Profile: 1962097R	Page No.: 180
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.905	33.082	-28.095	74.000	12.823	PK
2	*	15780.000	50.800	31.924	-23.200	74.000	18.876	PK

Profile: 1962097R	Page No.: 181
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.096	31.718	-29.904	74.000	12.378	PK
2	*	15900.000	49.787	31.349	-24.213	74.000	18.438	PK

Profile: 1962097R	Page No.: 182
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.068	32.690	-28.932	74.000	12.378	PK
2	*	15900.000	50.860	32.422	-23.140	74.000	18.438	PK

Profile: 1962097R	Page No.: 183
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.507	31.273	-30.493	74.000	12.233	PK
2	*	15960.000	50.801	32.040	-23.199	74.000	18.761	PK

Profile: 1962097R	Page No.: 184
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.605	31.371	-30.395	74.000	12.233	PK
2	*	15960.000	50.624	31.863	-23.376	74.000	18.761	PK

Profile: 1962097R	Page No.: 185
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.225	32.402	-28.775	74.000	12.823	PK
2	*	15780.000	51.928	33.052	-22.072	74.000	18.876	PK

Profile: 1962097R	Page No.: 186
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.517	31.694	-29.483	74.000	12.823	PK
2	*	15780.000	51.553	32.677	-22.447	74.000	18.876	PK

Profile: 1962097R	Page No.: 187
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.180	31.802	-29.820	74.000	12.378	PK
2	*	15900.000	50.184	31.746	-23.816	74.000	18.438	PK

Profile: 1962097R	Page No.: 188
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.908	32.530	-29.092	74.000	12.378	PK
2	*	15900.000	51.088	32.650	-22.912	74.000	18.438	PK

Profile: 1962097R	Page No.: 189
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	45.245	33.011	-28.755	74.000	12.233	PK
2	*	15960.000	51.019	32.258	-22.981	74.000	18.761	PK

Profile: 1962097R	Page No.: 190
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.998	31.764	-30.002	74.000	12.233	PK
2	*	15960.000	50.536	31.775	-23.464	74.000	18.761	PK

Profile: 1962097R	Page No.: 191
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	46.236	33.413	-27.764	74.000	12.823	PK
2	*	15780.000	52.201	33.325	-21.799	74.000	18.876	PK

Profile: 1962097R	Page No.: 192
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.314	32.491	-28.686	74.000	12.823	PK
2	*	15780.000	50.478	31.602	-23.522	74.000	18.876	PK

Profile: 1962097R	Page No.: 193
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.144	31.766	-29.856	74.000	12.378	PK
2	*	15900.000	51.405	32.967	-22.595	74.000	18.438	PK

Profile: 1962097R	Page No.: 194
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	43.707	31.329	-30.293	74.000	12.378	PK
2	*	15900.000	50.176	31.738	-23.824	74.000	18.438	PK

Profile: 1962097R	Page No.: 195
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.804	32.570	-29.196	74.000	12.233	PK
2	*	15960.000	50.807	32.046	-23.193	74.000	18.761	PK

Profile: 1962097R	Page No.: 196
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.762	32.528	-29.238	74.000	12.233	PK
2	*	15960.000	51.023	32.262	-22.977	74.000	18.761	PK

Profile: 1962097R	Page No.: 197
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	46.607	33.766	-27.393	74.000	12.840	PK
2	*	15810.000	52.357	33.511	-21.643	74.000	18.846	PK

Profile: 1962097R	Page No.: 198
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.971	32.130	-29.029	74.000	12.840	PK
2	*	15810.000	51.015	32.169	-22.985	74.000	18.846	PK

Profile: 1962097R	Page No.: 199
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	46.388	33.042	-27.612	74.000	13.346	PK
2	*	15930.000	51.486	32.185	-22.514	74.000	19.302	PK

Profile: 1962097R	Page No.: 200
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	46.070	32.724	-27.930	74.000	13.346	PK
2	*	15930.000	51.871	32.570	-22.129	74.000	19.302	PK

Profile: 1962097R	Page No.: 201
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.561	32.720	-28.439	74.000	12.840	PK
2	*	15810.000	50.163	31.317	-23.837	74.000	18.846	PK

Profile: 1962097R	Page No.: 202
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.395	31.554	-29.605	74.000	12.840	PK
2	*	15810.000	50.666	31.820	-23.334	74.000	18.846	PK

Profile: 1962097R	Page No.: 203
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.526	32.180	-28.474	74.000	13.346	PK
2	*	15930.000	50.873	31.572	-23.127	74.000	19.302	PK

Profile: 1962097R	Page No.: 204
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.652	31.306	-29.348	74.000	13.346	PK
2	*	15930.000	51.280	31.979	-22.720	74.000	19.302	PK

Profile: 1962097R	Page No.: 205
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.176	32.335	-28.824	74.000	12.840	PK
2	*	15810.000	50.470	31.624	-23.530	74.000	18.846	PK

Profile: 1962097R	Page No.: 206
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.769	31.928	-29.231	74.000	12.840	PK
2	*	15810.000	50.107	31.261	-23.893	74.000	18.846	PK

Profile: 1962097R	Page No.: 207
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.172	31.826	-28.828	74.000	13.346	PK
2	*	15930.000	50.951	31.650	-23.049	74.000	19.302	PK

Profile: 1962097R	Page No.: 208
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.798	31.452	-29.202	74.000	13.346	PK
2	*	15930.000	50.922	31.621	-23.078	74.000	19.302	PK

Profile: 1962097R	Page No.: 209
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.656	32.815	-28.344	74.000	12.840	PK
2	*	15810.000	51.262	32.416	-22.738	74.000	18.846	PK

Profile: 1962097R	Page No.: 210
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.575	32.734	-28.425	74.000	12.840	PK
2	*	15810.000	51.541	32.695	-22.459	74.000	18.846	PK

Profile: 1962097R	Page No.: 211
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.556	32.210	-28.444	74.000	13.346	PK
2	*	15930.000	51.214	31.913	-22.786	74.000	19.302	PK

Profile: 1962097R	Page No.: 212
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.976	31.630	-29.024	74.000	13.346	PK
2	*	15930.000	50.180	30.879	-23.820	74.000	19.302	PK

Profile: 1962097R	Page No.: 213
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	46.290	33.467	-27.710	74.000	12.823	PK
2	*	15780.000	51.665	32.789	-22.335	74.000	18.876	PK

Profile: 1962097R	Page No.: 214
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.287	32.464	-28.713	74.000	12.823	PK
2	*	15780.000	50.687	31.811	-23.313	74.000	18.876	PK

Profile: 1962097R	Page No.: 215
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.682	32.304	-29.318	74.000	12.378	PK
2	*	15900.000	49.649	31.211	-24.351	74.000	18.438	PK

Profile: 1962097R	Page No.: 216
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	43.865	31.487	-30.135	74.000	12.378	PK
2	*	15900.000	49.328	30.890	-24.672	74.000	18.438	PK

Profile: 1962097R	Page No.: 217
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.466	31.232	-30.534	74.000	12.233	PK
2	*	15960.000	49.522	30.761	-24.478	74.000	18.761	PK

Profile: 1962097R	Page No.: 218
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.135	31.901	-29.865	74.000	12.233	PK
2	*	15960.000	49.784	31.023	-24.216	74.000	18.761	PK

Profile: 1962097R	Page No.: 219
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.021	32.198	-28.979	74.000	12.823	PK
2	*	15780.000	50.572	31.696	-23.428	74.000	18.876	PK

Profile: 1962097R	Page No.: 220
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.914	32.091	-29.086	74.000	12.823	PK
2	*	15780.000	50.401	31.525	-23.599	74.000	18.876	PK

Profile: 1962097R	Page No.: 221
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	43.891	31.513	-30.109	74.000	12.378	PK
2	*	15900.000	51.170	32.732	-22.830	74.000	18.438	PK

Profile: 1962097R	Page No.: 222
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.697	32.319	-29.303	74.000	12.378	PK
2	*	15900.000	50.540	32.102	-23.460	74.000	18.438	PK

Profile: 1962097R	Page No.: 223
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.201	31.967	-29.799	74.000	12.233	PK
2	*	15960.000	50.486	31.725	-23.514	74.000	18.761	PK

Profile: 1962097R	Page No.: 224
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.685	32.451	-29.315	74.000	12.233	PK
2	*	15960.000	51.479	32.718	-22.521	74.000	18.761	PK

Profile: 1962097R	Page No.: 225
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.766	31.943	-29.234	74.000	12.823	PK
2	*	15780.000	50.812	31.936	-23.188	74.000	18.876	PK

Profile: 1962097R	Page No.: 226
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	46.034	33.211	-27.966	74.000	12.823	PK
2	*	15780.000	50.568	31.692	-23.432	74.000	18.876	PK

Profile: 1962097R	Page No.: 227
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.267	31.889	-29.733	74.000	12.378	PK
2	*	15900.000	50.512	32.074	-23.488	74.000	18.438	PK

Profile: 1962097R	Page No.: 228
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	43.652	31.274	-30.348	74.000	12.378	PK
2	*	15900.000	50.796	32.358	-23.204	74.000	18.438	PK

Profile: 1962097R	Page No.: 229
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.316	32.082	-29.684	74.000	12.233	PK
2	*	15960.000	52.167	33.406	-21.833	74.000	18.761	PK

Profile: 1962097R	Page No.: 230
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	45.094	32.860	-28.906	74.000	12.233	PK
2	*	15960.000	50.390	31.629	-23.610	74.000	18.761	PK

Profile: 1962097R	Page No.: 231
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.283	32.460	-28.717	74.000	12.823	PK
2	*	15780.000	51.791	32.915	-22.209	74.000	18.876	PK

Profile: 1962097R	Page No.: 232
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.726	32.903	-28.274	74.000	12.823	PK
2	*	15780.000	49.999	31.123	-24.001	74.000	18.876	PK

Profile: 1962097R	Page No.: 233
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.137	31.759	-29.863	74.000	12.378	PK
2	*	15900.000	50.009	31.571	-23.991	74.000	18.438	PK

Profile: 1962097R	Page No.: 234
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.767	32.389	-29.233	74.000	12.378	PK
2	*	15900.000	50.377	31.939	-23.623	74.000	18.438	PK

Profile: 1962097R	Page No.: 235
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.830	32.596	-29.170	74.000	12.233	PK
2	*	15960.000	51.208	32.447	-22.792	74.000	18.761	PK

Profile: 1962097R	Page No.: 236
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	45.489	33.255	-28.511	74.000	12.233	PK
2	*	15960.000	50.898	32.137	-23.102	74.000	18.761	PK

Profile: 1962097R	Page No.: 237
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.466	32.625	-28.534	74.000	12.840	PK
2	*	15810.000	50.620	31.774	-23.380	74.000	18.846	PK

Profile: 1962097R	Page No.: 238
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.528	31.687	-29.472	74.000	12.840	PK
2	*	15810.000	50.481	31.635	-23.519	74.000	18.846	PK

Profile: 1962097R	Page No.: 239
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.364	32.018	-28.636	74.000	13.346	PK
2	*	15930.000	51.852	32.551	-22.148	74.000	19.302	PK

Profile: 1962097R	Page No.: 240
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	46.978	33.632	-27.022	74.000	13.346	PK
2	*	15930.000	51.573	32.272	-22.427	74.000	19.302	PK

Profile: 1962097R	Page No.: 241
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.788	31.947	-29.212	74.000	12.840	PK
2	*	15810.000	50.480	31.634	-23.520	74.000	18.846	PK

Profile: 1962097R	Page No.: 242
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.655	31.814	-29.345	74.000	12.840	PK
2	*	15810.000	49.764	30.918	-24.236	74.000	18.846	PK

Profile: 1962097R	Page No.: 243
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.960	31.614	-29.040	74.000	13.346	PK
2	*	15930.000	51.068	31.767	-22.932	74.000	19.302	PK

Profile: 1962097R	Page No.: 244
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.810	32.464	-28.190	74.000	13.346	PK
2	*	15930.000	51.896	32.595	-22.104	74.000	19.302	PK

Profile: 1962097R	Page No.: 245
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.012	32.171	-28.988	74.000	12.840	PK
2	*	15810.000	49.967	31.121	-24.033	74.000	18.846	PK

Profile: 1962097R	Page No.: 246
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.678	32.837	-28.322	74.000	12.840	PK
2	*	15810.000	50.726	31.880	-23.274	74.000	18.846	PK

Profile: 1962097R	Page No.: 247
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.641	32.295	-28.359	74.000	13.346	PK
2	*	15930.000	51.670	32.369	-22.330	74.000	19.302	PK

Profile: 1962097R	Page No.: 248
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	46.482	33.136	-27.518	74.000	13.346	PK
2	*	15930.000	51.733	32.432	-22.267	74.000	19.302	PK

Profile: 1962097R	Page No.: 249
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.331	32.490	-28.669	74.000	12.840	PK
2	*	15810.000	50.986	32.140	-23.014	74.000	18.846	PK

Profile: 1962097R	Page No.: 250
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.171	31.330	-29.829	74.000	12.840	PK
2	*	15810.000	50.213	31.367	-23.787	74.000	18.846	PK

Profile: 1962097R	Page No.: 251
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.459	32.113	-28.541	74.000	13.346	PK
2	*	15930.000	51.764	32.463	-22.236	74.000	19.302	PK

Profile: 1962097R	Page No.: 252
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.874	31.528	-29.126	74.000	13.346	PK
2	*	15930.000	50.630	31.329	-23.370	74.000	19.302	PK

Profile: 1962097R	Page No.: 253
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac (80MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	45.457	33.097	-28.543	74.000	12.360	PK
2	*	15870.000	50.860	31.967	-23.140	74.000	18.893	PK

Profile: 1962097R	Page No.: 254
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac (80MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	43.253	30.893	-30.747	74.000	12.360	PK
2	*	15870.000	51.741	32.848	-22.259	74.000	18.893	PK

Profile: 1962097R	Page No.: 255
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac (80MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	43.651	31.291	-30.349	74.000	12.360	PK
2	*	15870.000	51.081	32.188	-22.919	74.000	18.893	PK

Profile: 1962097R	Page No.: 256
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac (80MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.651	32.291	-29.349	74.000	12.360	PK
2	*	15870.000	51.730	32.837	-22.270	74.000	18.893	PK

Profile: 1962097R	Page No.: 257
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac (80MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.443	32.083	-29.557	74.000	12.360	PK
2	*	15870.000	51.658	32.765	-22.342	74.000	18.893	PK

Profile: 1962097R	Page No.: 258
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac (80MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.764	32.404	-29.236	74.000	12.360	PK
2	*	15870.000	50.365	31.472	-23.635	74.000	18.893	PK

Profile: 1962097R	Page No.: 259
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac (80MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.891	32.531	-29.109	74.000	12.360	PK
2	*	15870.000	51.139	32.246	-22.861	74.000	18.893	PK

Profile: 1962097R	Page No.: 260
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac (80MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.697	32.337	-29.303	74.000	12.360	PK
2	*	15870.000	52.072	33.179	-21.928	74.000	18.893	PK

Profile: 1962097R	Page No.: 261
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.662	32.839	-28.338	74.000	12.823	PK
2	*	15780.000	51.722	32.846	-22.278	74.000	18.876	PK

Profile: 1962097R	Page No.: 262
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.375	31.552	-29.625	74.000	12.823	PK
2	*	15780.000	51.154	32.278	-22.846	74.000	18.876	PK

Profile: 1962097R	Page No.: 263
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.885	32.507	-29.115	74.000	12.378	PK
2	*	15900.000	51.063	32.625	-22.937	74.000	18.438	PK

Profile: 1962097R	Page No.: 264
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	43.437	31.059	-30.563	74.000	12.378	PK
2	*	15900.000	50.977	32.539	-23.023	74.000	18.438	PK

Profile: 1962097R	Page No.: 265
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.434	32.200	-29.566	74.000	12.233	PK
2	*	15960.000	51.247	32.486	-22.753	74.000	18.761	PK

Profile: 1962097R	Page No.: 266
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.491	32.257	-29.509	74.000	12.233	PK
2	*	15960.000	50.441	31.680	-23.559	74.000	18.761	PK

Profile: 1962097R	Page No.: 267
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.251	32.428	-28.749	74.000	12.823	PK
2	*	15780.000	50.667	31.791	-23.333	74.000	18.876	PK

Profile: 1962097R	Page No.: 268
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.751	32.928	-28.249	74.000	12.823	PK
2	*	15780.000	50.199	31.323	-23.801	74.000	18.876	PK

Profile: 1962097R	Page No.: 269
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.706	32.328	-29.294	74.000	12.378	PK
2	*	15900.000	49.298	30.860	-24.702	74.000	18.438	PK

Profile: 1962097R	Page No.: 270
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.732	32.354	-29.268	74.000	12.378	PK
2	*	15900.000	50.335	31.897	-23.665	74.000	18.438	PK

Profile: 1962097R	Page No.: 271
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.142	31.908	-29.858	74.000	12.233	PK
2	*	15960.000	51.125	32.364	-22.875	74.000	18.761	PK

Profile: 1962097R	Page No.: 272
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.198	30.964	-30.802	74.000	12.233	PK
2	*	15960.000	50.623	31.862	-23.377	74.000	18.761	PK

Profile: 1962097R	Page No.: 273
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.599	32.776	-28.401	74.000	12.823	PK
2	*	15780.000	50.490	31.614	-23.510	74.000	18.876	PK

Profile: 1962097R	Page No.: 274
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.338	31.515	-29.662	74.000	12.823	PK
2	*	15780.000	50.052	31.176	-23.948	74.000	18.876	PK

Profile: 1962097R	Page No.: 275
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.918	32.540	-29.082	74.000	12.378	PK
2	*	15900.000	50.522	32.084	-23.478	74.000	18.438	PK

Profile: 1962097R	Page No.: 276
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.579	32.201	-29.421	74.000	12.378	PK
2	*	15900.000	50.126	31.688	-23.874	74.000	18.438	PK

Profile: 1962097R	Page No.: 277
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	45.573	33.339	-28.427	74.000	12.233	PK
2	*	15960.000	51.572	32.811	-22.428	74.000	18.761	PK

Profile: 1962097R	Page No.: 278
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.981	31.747	-30.019	74.000	12.233	PK
2	*	15960.000	50.892	32.131	-23.108	74.000	18.761	PK

Profile: 1962097R	Page No.: 279
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.756	32.933	-28.244	74.000	12.823	PK
2	*	15780.000	51.496	32.620	-22.504	74.000	18.876	PK

Profile: 1962097R	Page No.: 280
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.565	32.742	-28.435	74.000	12.823	PK
2	*	15780.000	52.003	33.127	-21.997	74.000	18.876	PK

Profile: 1962097R	Page No.: 281
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.898	32.520	-29.102	74.000	12.378	PK
2	*	15900.000	50.832	32.394	-23.168	74.000	18.438	PK

Profile: 1962097R	Page No.: 282
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.813	32.435	-29.187	74.000	12.378	PK
2	*	15900.000	50.674	32.236	-23.326	74.000	18.438	PK

Profile: 1962097R	Page No.: 283
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.933	32.699	-29.067	74.000	12.233	PK
2	*	15960.000	51.271	32.510	-22.729	74.000	18.761	PK

Profile: 1962097R	Page No.: 284
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.293	32.059	-29.707	74.000	12.233	PK
2	*	15960.000	50.621	31.860	-23.379	74.000	18.761	PK

Profile: 1962097R	Page No.: 285
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.685	32.844	-28.315	74.000	12.840	PK
2	*	15810.000	51.449	32.603	-22.551	74.000	18.846	PK

Profile: 1962097R	Page No.: 286
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.507	32.666	-28.493	74.000	12.840	PK
2	*	15810.000	50.854	32.008	-23.146	74.000	18.846	PK

Profile: 1962097R	Page No.: 287
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.245	31.899	-28.755	74.000	13.346	PK
2	*	15930.000	50.822	31.521	-23.178	74.000	19.302	PK

Profile: 1962097R	Page No.: 288
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.102	31.756	-28.898	74.000	13.346	PK
2	*	15930.000	51.237	31.936	-22.763	74.000	19.302	PK

Profile: 1962097R	Page No.: 289
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.819	31.978	-29.181	74.000	12.840	PK
2	*	15810.000	50.758	31.912	-23.242	74.000	18.846	PK

Profile: 1962097R	Page No.: 290
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.420	32.579	-28.580	74.000	12.840	PK
2	*	15810.000	50.462	31.616	-23.538	74.000	18.846	PK

Profile: 1962097R	Page No.: 291
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	46.528	33.182	-27.472	74.000	13.346	PK
2	*	15930.000	52.068	32.767	-21.932	74.000	19.302	PK

Profile: 1962097R	Page No.: 292
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.890	32.544	-28.110	74.000	13.346	PK
2	*	15930.000	51.556	32.255	-22.444	74.000	19.302	PK

Profile: 1962097R	Page No.: 293
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.809	32.968	-28.191	74.000	12.840	PK
2	*	15810.000	51.490	32.644	-22.510	74.000	18.846	PK

Profile: 1962097R	Page No.: 294
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.091	32.250	-28.909	74.000	12.840	PK
2	*	15810.000	51.543	32.697	-22.457	74.000	18.846	PK

Profile: 1962097R	Page No.: 295
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	46.119	32.773	-27.881	74.000	13.346	PK
2	*	15930.000	51.643	32.342	-22.357	74.000	19.302	PK

Profile: 1962097R	Page No.: 296
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.644	32.298	-28.356	74.000	13.346	PK
2	*	15930.000	51.447	32.146	-22.553	74.000	19.302	PK

Profile: 1962097R	Page No.: 297
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.651	32.810	-28.349	74.000	12.840	PK
2	*	15810.000	50.308	31.462	-23.692	74.000	18.846	PK

Profile: 1962097R	Page No.: 298
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.539	32.698	-28.461	74.000	12.840	PK
2	*	15810.000	49.946	31.100	-24.054	74.000	18.846	PK

Profile: 1962097R	Page No.: 299
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.615	32.269	-28.385	74.000	13.346	PK
2	*	15930.000	50.872	31.571	-23.128	74.000	19.302	PK

Profile: 1962097R	Page No.: 300
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.893	31.547	-29.107	74.000	13.346	PK
2	*	15930.000	51.307	32.006	-22.693	74.000	19.302	PK

Profile: 1962097R	Page No.: 301
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax (80MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.004	31.644	-29.996	74.000	12.360	PK
2	*	15870.000	50.371	31.478	-23.629	74.000	18.893	PK

Profile: 1962097R	Page No.: 302
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax (80MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.364	32.004	-29.636	74.000	12.360	PK
2	*	15870.000	50.148	31.255	-23.852	74.000	18.893	PK

Profile: 1962097R	Page No.: 303
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax (80MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.839	32.479	-29.161	74.000	12.360	PK
2	*	15870.000	50.948	32.055	-23.052	74.000	18.893	PK

Profile: 1962097R	Page No.: 304
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax (80MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	45.485	33.125	-28.515	74.000	12.360	PK
2	*	15870.000	51.938	33.045	-22.062	74.000	18.893	PK

Profile: 1962097R	Page No.: 305
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax (80MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.951	32.591	-29.049	74.000	12.360	PK
2	*	15870.000	51.500	32.607	-22.500	74.000	18.893	PK

Profile: 1962097R	Page No.: 306
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax (80MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	45.902	33.542	-28.098	74.000	12.360	PK
2	*	15870.000	51.155	32.262	-22.845	74.000	18.893	PK

Profile: 1962097R	Page No.: 307
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax (80MHz) Beamforming	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.389	32.029	-29.611	74.000	12.360	PK
2	*	15870.000	50.936	32.043	-23.064	74.000	18.893	PK

Profile: 1962097R	Page No.: 308
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 19:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax (80MHz) Beamforming	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	45.175	32.815	-28.825	74.000	12.360	PK
2	*	15870.000	51.454	32.561	-22.546	74.000	18.893	PK