



Profile: 1962097R	Page No.: 563
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.261	29.823	-30.739	74.000	13.438	PK
2	*	17235.000	52.722	30.784	-21.278	74.000	21.938	PK

Profile: 1962097R	Page No.: 564
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	41.776	28.338	-32.224	74.000	13.438	PK
2	*	17235.000	51.704	29.766	-22.296	74.000	21.938	PK

Profile: 1962097R	Page No.: 565
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.966	29.330	-31.034	74.000	13.637	PK
2	*	17355.000	53.168	30.127	-20.832	74.000	23.041	PK

Profile: 1962097R	Page No.: 566
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	43.283	29.647	-30.717	74.000	13.637	PK
2	*	17355.000	53.209	30.168	-20.791	74.000	23.041	PK

Profile: 1962097R	Page No.: 567
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.265	29.086	-30.735	74.000	14.179	PK
2	*	17475.000	50.153	30.801	-23.847	74.000	19.352	PK

Profile: 1962097R	Page No.: 568
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.544	29.365	-30.456	74.000	14.179	PK
2	*	17475.000	50.294	30.942	-23.706	74.000	19.352	PK

Profile: 1962097R	Page No.: 569
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.202	30.683	-31.798	74.000	11.519	PK
2	*	15540.000	49.421	31.564	-24.579	74.000	17.857	PK

Profile: 1962097R	Page No.: 570
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.582	31.063	-31.418	74.000	11.519	PK
2	*	15540.000	49.167	31.310	-24.833	74.000	17.857	PK

Profile: 1962097R	Page No.: 571
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.592	30.523	-31.408	74.000	12.070	PK
2	*	15660.000	48.085	30.480	-25.915	74.000	17.605	PK

Profile: 1962097R	Page No.: 572
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	41.861	29.792	-32.139	74.000	12.070	PK
2	*	15660.000	47.696	30.091	-26.304	74.000	17.605	PK

Profile: 1962097R	Page No.: 573
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	43.560	31.288	-30.440	74.000	12.272	PK
2	*	15720.000	47.853	29.816	-26.147	74.000	18.038	PK

Profile: 1962097R	Page No.: 574
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.446	30.174	-31.554	74.000	12.272	PK
2	*	15720.000	48.084	30.047	-25.916	74.000	18.038	PK

Profile: 1962097R	Page No.: 575
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	41.825	28.387	-32.175	74.000	13.438	PK
2	*	17235.000	52.129	30.191	-21.871	74.000	21.938	PK

Profile: 1962097R	Page No.: 576
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	42.787	29.349	-31.213	74.000	13.438	PK
2	*	17235.000	52.509	30.571	-21.491	74.000	21.938	PK

Profile: 1962097R	Page No.: 577
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	43.341	29.705	-30.659	74.000	13.637	PK
2	*	17355.000	53.438	30.397	-20.562	74.000	23.041	PK

Profile: 1962097R	Page No.: 578
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.789	29.153	-31.211	74.000	13.637	PK
2	*	17355.000	53.214	30.173	-20.786	74.000	23.041	PK

Profile: 1962097R	Page No.: 579
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	42.906	28.727	-31.094	74.000	14.179	PK
2	*	17475.000	49.797	30.445	-24.203	74.000	19.352	PK

Profile: 1962097R	Page No.: 580
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.271	30.092	-29.729	74.000	14.179	PK
2	*	17475.000	50.709	31.357	-23.291	74.000	19.352	PK

Profile: 1962097R	Page No.: 581
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.201	30.682	-31.799	74.000	11.519	PK
2	*	15540.000	48.773	30.916	-25.227	74.000	17.857	PK

Profile: 1962097R	Page No.: 582
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	41.622	30.103	-32.378	74.000	11.519	PK
2	*	15540.000	48.832	30.975	-25.168	74.000	17.857	PK

Profile: 1962097R	Page No.: 583
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.058	29.989	-31.942	74.000	12.070	PK
2	*	15660.000	47.908	30.303	-26.092	74.000	17.605	PK

Profile: 1962097R	Page No.: 584
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.452	30.383	-31.548	74.000	12.070	PK
2	*	15660.000	48.190	30.585	-25.810	74.000	17.605	PK

Profile: 1962097R	Page No.: 585
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.277	30.005	-31.723	74.000	12.272	PK
2	*	15720.000	48.221	30.184	-25.779	74.000	18.038	PK

Profile: 1962097R	Page No.: 586
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.001	29.729	-31.999	74.000	12.272	PK
2	*	15720.000	48.159	30.122	-25.841	74.000	18.038	PK

Profile: 1962097R	Page No.: 587
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.290	29.852	-30.710	74.000	13.438	PK
2	*	17235.000	51.718	29.780	-22.282	74.000	21.938	PK

Profile: 1962097R	Page No.: 588
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	42.239	28.801	-31.761	74.000	13.438	PK
2	*	17235.000	52.197	30.259	-21.803	74.000	21.938	PK

Profile: 1962097R	Page No.: 589
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.662	29.026	-31.338	74.000	13.637	PK
2	*	17355.000	52.697	29.656	-21.303	74.000	23.041	PK

Profile: 1962097R	Page No.: 590
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.808	29.172	-31.192	74.000	13.637	PK
2	*	17355.000	52.769	29.728	-21.231	74.000	23.041	PK

Profile: 1962097R	Page No.: 591
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.405	29.226	-30.595	74.000	14.179	PK
2	*	17475.000	50.718	31.366	-23.282	74.000	19.352	PK

Profile: 1962097R	Page No.: 592
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.361	30.182	-29.639	74.000	14.179	PK
2	*	17475.000	48.741	29.389	-25.259	74.000	19.352	PK

Profile: 1962097R	Page No.: 593
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	43.795	32.145	-30.205	74.000	11.650	PK
2	*	15570.000	50.407	32.533	-23.593	74.000	17.874	PK

Profile: 1962097R	Page No.: 594
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.380	30.730	-31.620	74.000	11.650	PK
2	*	15570.000	49.844	31.970	-24.156	74.000	17.874	PK

Profile: 1962097R	Page No.: 595
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	41.426	29.362	-32.574	74.000	12.064	PK
2	*	15690.000	49.014	31.156	-24.986	74.000	17.857	PK

Profile: 1962097R	Page No.: 596
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.805	28.741	-33.195	74.000	12.064	PK
2	*	15690.000	48.902	31.044	-25.098	74.000	17.857	PK

Profile: 1962097R	Page No.: 597
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	43.682	30.348	-30.318	74.000	13.334	PK
2	*	17265.000	52.388	29.358	-21.612	74.000	23.030	PK

Profile: 1962097R	Page No.: 598
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	42.593	29.259	-31.407	74.000	13.334	PK
2	*	17265.000	52.766	29.736	-21.234	74.000	23.030	PK

Profile: 1962097R	Page No.: 599
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	43.902	29.992	-30.098	74.000	13.909	PK
2	*	17385.000	52.698	30.922	-21.302	74.000	21.775	PK

Profile: 1962097R	Page No.: 600
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	44.167	30.257	-29.833	74.000	13.909	PK
2	*	17385.000	53.308	31.532	-20.692	74.000	21.775	PK

Profile: 1962097R	Page No.: 601
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	43.875	32.225	-30.125	74.000	11.650	PK
2	*	15570.000	50.180	32.306	-23.820	74.000	17.874	PK

Profile: 1962097R	Page No.: 602
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	43.585	31.935	-30.415	74.000	11.650	PK
2	*	15570.000	48.848	30.974	-25.152	74.000	17.874	PK

Profile: 1962097R	Page No.: 603
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	42.689	30.625	-31.311	74.000	12.064	PK
2	*	15690.000	50.256	32.398	-23.744	74.000	17.857	PK

Profile: 1962097R	Page No.: 604
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	41.471	29.407	-32.529	74.000	12.064	PK
2	*	15690.000	47.678	29.820	-26.322	74.000	17.857	PK

Profile: 1962097R	Page No.: 605
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	42.696	29.362	-31.304	74.000	13.334	PK
2	*	17265.000	52.584	29.554	-21.416	74.000	23.030	PK

Profile: 1962097R	Page No.: 606
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	43.119	29.785	-30.881	74.000	13.334	PK
2	*	17265.000	51.706	28.676	-22.294	74.000	23.030	PK

Profile: 1962097R	Page No.: 607
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	42.222	28.312	-31.778	74.000	13.909	PK
2	*	17385.000	52.085	30.309	-21.915	74.000	21.775	PK

Profile: 1962097R	Page No.: 608
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	42.574	28.664	-31.426	74.000	13.909	PK
2	*	17385.000	52.144	30.368	-21.856	74.000	21.775	PK

Profile: 1962097R	Page No.: 609
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	41.522	29.872	-32.478	74.000	11.650	PK
2	*	15570.000	48.973	31.099	-25.027	74.000	17.874	PK

Profile: 1962097R	Page No.: 610
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	43.174	31.524	-30.826	74.000	11.650	PK
2	*	15570.000	49.928	32.054	-24.072	74.000	17.874	PK

Profile: 1962097R	Page No.: 611
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.293	28.229	-33.707	74.000	12.064	PK
2	*	15690.000	48.424	30.566	-25.576	74.000	17.857	PK

Profile: 1962097R	Page No.: 612
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	42.942	30.878	-31.058	74.000	12.064	PK
2	*	15690.000	47.781	29.923	-26.219	74.000	17.857	PK

Profile: 1962097R	Page No.: 613
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	43.498	30.164	-30.502	74.000	13.334	PK
2	*	17265.000	52.085	29.055	-21.915	74.000	23.030	PK

Profile: 1962097R	Page No.: 614
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	43.182	29.848	-30.818	74.000	13.334	PK
2	*	17265.000	52.183	29.153	-21.817	74.000	23.030	PK

Profile: 1962097R	Page No.: 615
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	43.158	29.248	-30.842	74.000	13.909	PK
2	*	17385.000	53.417	31.641	-20.583	74.000	21.775	PK

Profile: 1962097R	Page No.: 616
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	43.420	29.510	-30.580	74.000	13.909	PK
2	*	17385.000	52.313	30.537	-21.687	74.000	21.775	PK

Profile: 1962097R	Page No.: 617
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	45.343	33.693	-28.657	74.000	11.650	PK
2	*	15570.000	50.985	33.111	-23.015	74.000	17.874	PK

Profile: 1962097R	Page No.: 618
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.909	31.259	-31.091	74.000	11.650	PK
2	*	15570.000	48.717	30.843	-25.283	74.000	17.874	PK

Profile: 1962097R	Page No.: 619
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.892	28.828	-33.108	74.000	12.064	PK
2	*	15690.000	48.968	31.110	-25.032	74.000	17.857	PK

Profile: 1962097R	Page No.: 620
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.858	28.794	-33.142	74.000	12.064	PK
2	*	15690.000	48.281	30.423	-25.719	74.000	17.857	PK

Profile: 1962097R	Page No.: 621
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	43.151	29.817	-30.849	74.000	13.334	PK
2	*	17265.000	52.287	29.257	-21.713	74.000	23.030	PK

Profile: 1962097R	Page No.: 622
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	42.387	29.053	-31.613	74.000	13.334	PK
2	*	17265.000	51.859	28.829	-22.141	74.000	23.030	PK

Profile: 1962097R	Page No.: 623
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	42.329	28.419	-31.671	74.000	13.909	PK
2	*	17385.000	52.640	30.864	-21.360	74.000	21.775	PK

Profile: 1962097R	Page No.: 624
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	42.821	28.911	-31.179	74.000	13.909	PK
2	*	17385.000	51.726	29.950	-22.274	74.000	21.775	PK

Profile: 1962097R	Page No.: 625
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax (80MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	42.359	30.277	-31.641	74.000	12.083	PK
2	*	15630.000	48.863	31.123	-25.137	74.000	17.740	PK

Profile: 1962097R	Page No.: 626
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax (80MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	41.706	29.624	-32.294	74.000	12.083	PK
2	*	15630.000	48.123	30.383	-25.877	74.000	17.740	PK

Profile: 1962097R	Page No.: 627
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax (80MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	42.674	28.984	-31.326	74.000	13.689	PK
2	*	17325.000	53.250	28.074	-20.750	74.000	25.176	PK

Profile: 1962097R	Page No.: 628
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax (80MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	42.000	28.310	-32.000	74.000	13.689	PK
2	*	17325.000	53.103	27.927	-20.897	74.000	25.176	PK

Profile: 1962097R	Page No.: 629
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax (80MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	42.304	30.222	-31.696	74.000	12.083	PK
2	*	15630.000	47.913	30.173	-26.087	74.000	17.740	PK

Profile: 1962097R	Page No.: 630
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax (80MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	42.917	30.835	-31.083	74.000	12.083	PK
2	*	15630.000	48.811	31.071	-25.189	74.000	17.740	PK

Profile: 1962097R	Page No.: 631
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax (80MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	42.719	29.029	-31.281	74.000	13.689	PK
2	*	17325.000	53.607	28.431	-20.393	74.000	25.176	PK

Profile: 1962097R	Page No.: 632
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax (80MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	43.634	29.944	-30.366	74.000	13.689	PK
2	*	17325.000	51.951	26.775	-22.049	74.000	25.176	PK

Profile: 1962097R	Page No.: 633
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax (80MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	42.080	29.998	-31.920	74.000	12.083	PK
2	*	15630.000	48.835	31.095	-25.165	74.000	17.740	PK

Profile: 1962097R	Page No.: 634
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax (80MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	41.845	29.763	-32.155	74.000	12.083	PK
2	*	15630.000	49.670	31.930	-24.330	74.000	17.740	PK

Profile: 1962097R	Page No.: 635
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax (80MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	42.523	28.833	-31.477	74.000	13.689	PK
2	*	17325.000	52.608	27.432	-21.392	74.000	25.176	PK

Profile: 1962097R	Page No.: 636
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax (80MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	43.105	29.415	-30.895	74.000	13.689	PK
2	*	17325.000	53.151	27.975	-20.849	74.000	25.176	PK

Profile: 1962097R	Page No.: 637
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax (80MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	41.360	29.278	-32.640	74.000	12.083	PK
2	*	15630.000	48.170	30.430	-25.830	74.000	17.740	PK

Profile: 1962097R	Page No.: 638
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax (80MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	41.727	29.645	-32.273	74.000	12.083	PK
2	*	15630.000	49.154	31.414	-24.846	74.000	17.740	PK

Profile: 1962097R	Page No.: 639
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax (80MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	42.257	28.567	-31.743	74.000	13.689	PK
2	*	17325.000	52.576	27.400	-21.424	74.000	25.176	PK

Profile: 1962097R	Page No.: 640
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 01:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax (80MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	43.585	29.895	-30.415	74.000	13.689	PK
2	*	17325.000	53.637	28.461	-20.363	74.000	25.176	PK

Profile: 1962097R	Page No.: 423
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 802.11a ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	42.698	29.795	-31.302	74.000	12.903	PK
2	*	15780.000	48.875	31.046	-25.125	74.000	17.829	PK

Profile: 1962097R	Page No.: 424
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 802.11a ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	43.894	30.991	-30.106	74.000	12.903	PK
2	*	15780.000	48.737	30.908	-25.263	74.000	17.829	PK

Profile: 1962097R	Page No.: 425
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 802.11a ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	43.463	31.304	-30.537	74.000	12.159	PK
2	*	15900.000	48.436	31.193	-25.564	74.000	17.243	PK

Profile: 1962097R	Page No.: 426
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 802.11a ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	42.596	30.437	-31.404	74.000	12.159	PK
2	*	15900.000	48.822	31.579	-25.178	74.000	17.243	PK

Profile: 1962097R	Page No.: 427
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11a ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	42.458	30.463	-31.542	74.000	11.995	PK
2	*	15960.000	49.522	31.212	-24.478	74.000	18.310	PK

Profile: 1962097R	Page No.: 428
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11a ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	42.334	30.339	-31.666	74.000	11.995	PK
2	*	15960.000	49.676	31.366	-24.324	74.000	18.310	PK

Profile: 1962097R	Page No.: 429
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 802.11a ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	43.316	29.976	-30.684	74.000	13.339	PK
2	*	16500.000	51.420	31.889	-22.580	74.000	19.532	PK

Profile: 1962097R	Page No.: 430
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 802.11a ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	43.053	29.713	-30.947	74.000	13.339	PK
2	*	16500.000	51.409	31.878	-22.591	74.000	19.532	PK

Profile: 1962097R	Page No.: 839
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5520MHz by 802.11a (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.667	31.464	-29.333	74.000	13.204	PK
2	*	16560.000	51.908	31.968	-22.092	74.000	19.940	PK

Profile: 1962097R	Page No.: 840
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5520MHz by 802.11a (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	43.949	30.746	-30.051	74.000	13.204	PK
2	*	16560.000	52.616	32.676	-21.384	74.000	19.940	PK

Profile: 1962097R	Page No.: 431
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5580MHz by 802.11a ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	43.007	29.543	-30.993	74.000	13.464	PK
2	*	16740.000	50.130	31.235	-23.870	74.000	18.896	PK

Profile: 1962097R	Page No.: 432
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5580MHz by 802.11a ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	42.726	29.262	-31.274	74.000	13.464	PK
2	*	16740.000	50.476	31.581	-23.524	74.000	18.896	PK

Profile: 1962097R	Page No.: 433
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5700MHz by 802.11a ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	41.866	28.797	-32.134	74.000	13.069	PK
2	*	17100.000	50.070	30.220	-23.930	74.000	19.850	PK

Profile: 1962097R	Page No.: 434
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5700MHz by 802.11a ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	41.508	28.439	-32.492	74.000	13.069	PK
2	*	17100.000	51.068	31.218	-22.932	74.000	19.850	PK

Profile: 1962097R	Page No.: 435
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5720MHz by 802.11a ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	43.015	29.555	-30.985	74.000	13.460	PK
2	*	17160.000	49.535	29.641	-24.465	74.000	19.894	PK

Profile: 1962097R	Page No.: 436
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5720MHz by 802.11a ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	42.209	28.749	-31.791	74.000	13.460	PK
2	*	17160.000	50.932	31.038	-23.068	74.000	19.894	PK

Profile: 1962097R	Page No.: 437
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 802.11a ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.486	32.583	-28.514	74.000	12.903	PK
2	*	15780.000	49.029	31.200	-24.971	74.000	17.829	PK

Profile: 1962097R	Page No.: 438
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 802.11a ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.137	32.234	-28.863	74.000	12.903	PK
2	*	15780.000	49.511	31.682	-24.489	74.000	17.829	PK

Profile: 1962097R	Page No.: 439
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 802.11a ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.107	31.948	-29.893	74.000	12.159	PK
2	*	15900.000	47.820	30.577	-26.180	74.000	17.243	PK

Profile: 1962097R	Page No.: 440
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 802.11a ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	43.794	31.635	-30.206	74.000	12.159	PK
2	*	15900.000	48.237	30.994	-25.763	74.000	17.243	PK

Profile: 1962097R	Page No.: 441
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11a ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.447	32.452	-29.553	74.000	11.995	PK
2	*	15960.000	49.096	30.786	-24.904	74.000	18.310	PK

Profile: 1962097R	Page No.: 442
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11a ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.704	31.709	-30.296	74.000	11.995	PK
2	*	15960.000	50.112	31.802	-23.888	74.000	18.310	PK

Profile: 1962097R	Page No.: 443
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 802.11a ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	43.070	29.730	-30.930	74.000	13.339	PK
2	*	16500.000	51.446	31.915	-22.554	74.000	19.532	PK

Profile: 1962097R	Page No.: 444
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 802.11a ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	42.865	29.525	-31.135	74.000	13.339	PK
2	*	16500.000	51.422	31.891	-22.578	74.000	19.532	PK

Profile: 1962097R	Page No.: 841
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5520MHz by 802.11a (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	43.659	30.456	-30.341	74.000	13.204	PK
2	*	16560.000	51.765	31.825	-22.235	74.000	19.940	PK

Profile: 1962097R	Page No.: 842
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5520MHz by 802.11a (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.815	31.612	-29.185	74.000	13.204	PK
2	*	16560.000	52.468	32.528	-21.532	74.000	19.940	PK

Profile: 1962097R	Page No.: 445
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5580MHz by 802.11a ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	43.423	29.959	-30.577	74.000	13.464	PK
2	*	16740.000	50.533	31.638	-23.467	74.000	18.896	PK

Profile: 1962097R	Page No.: 446
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5580MHz by 802.11a ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	43.093	29.629	-30.907	74.000	13.464	PK
2	*	16740.000	49.826	30.931	-24.174	74.000	18.896	PK

Profile: 1962097R	Page No.: 447
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5700MHz by 802.11a ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	41.672	28.603	-32.328	74.000	13.069	PK
2	*	17100.000	50.022	30.172	-23.978	74.000	19.850	PK

Profile: 1962097R	Page No.: 448
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5700MHz by 802.11a ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	41.775	28.706	-32.225	74.000	13.069	PK
2	*	17100.000	50.845	30.995	-23.155	74.000	19.850	PK

Profile: 1962097R	Page No.: 449
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5720MHz by 802.11a ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	42.179	28.719	-31.821	74.000	13.460	PK
2	*	17160.000	49.178	29.284	-24.822	74.000	19.894	PK

Profile: 1962097R	Page No.: 450
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5720MHz by 802.11a ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	42.005	28.545	-31.995	74.000	13.460	PK
2	*	17160.000	49.799	29.905	-24.201	74.000	19.894	PK

Profile: 1962097R	Page No.: 451
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.652	32.749	-28.348	74.000	12.903	PK
2	*	15780.000	48.909	31.080	-25.091	74.000	17.829	PK

Profile: 1962097R	Page No.: 452
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.617	31.714	-29.383	74.000	12.903	PK
2	*	15780.000	48.973	31.144	-25.027	74.000	17.829	PK

Profile: 1962097R	Page No.: 453
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	43.463	31.304	-30.537	74.000	12.159	PK
2	*	15900.000	48.599	31.356	-25.401	74.000	17.243	PK

Profile: 1962097R	Page No.: 454
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	43.334	31.175	-30.666	74.000	12.159	PK
2	*	15900.000	48.848	31.605	-25.152	74.000	17.243	PK

Profile: 1962097R	Page No.: 455
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	45.233	33.238	-28.767	74.000	11.995	PK
2	*	15960.000	49.643	31.333	-24.357	74.000	18.310	PK

Profile: 1962097R	Page No.: 456
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.727	31.732	-30.273	74.000	11.995	PK
2	*	15960.000	49.813	31.503	-24.187	74.000	18.310	PK

Profile: 1962097R	Page No.: 457
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	43.137	29.797	-30.863	74.000	13.339	PK
2	*	16500.000	51.381	31.850	-22.619	74.000	19.532	PK

Profile: 1962097R	Page No.: 458
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	42.881	29.541	-31.119	74.000	13.339	PK
2	*	16500.000	50.828	31.297	-23.172	74.000	19.532	PK

Profile: 1962097R	Page No.: 843
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5520MHz by 802.11a (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	42.735	29.532	-31.265	74.000	13.204	PK
2	*	16560.000	52.371	32.431	-21.629	74.000	19.940	PK

Profile: 1962097R	Page No.: 844
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5520MHz by 802.11a (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.741	31.538	-29.259	74.000	13.204	PK
2	*	16560.000	52.871	32.931	-21.129	74.000	19.940	PK

Profile: 1962097R	Page No.: 459
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5580MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	43.809	30.345	-30.191	74.000	13.464	PK
2	*	16740.000	50.062	31.167	-23.938	74.000	18.896	PK

Profile: 1962097R	Page No.: 460
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5580MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	43.119	29.655	-30.881	74.000	13.464	PK
2	*	16740.000	51.185	32.290	-22.815	74.000	18.896	PK

Profile: 1962097R	Page No.: 461
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5700MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	41.529	28.460	-32.471	74.000	13.069	PK
2	*	17100.000	50.379	30.529	-23.621	74.000	19.850	PK

Profile: 1962097R	Page No.: 462
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5700MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.168	29.099	-31.832	74.000	13.069	PK
2	*	17100.000	50.959	31.109	-23.041	74.000	19.850	PK

Profile: 1962097R	Page No.: 463
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5720MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	42.032	28.572	-31.968	74.000	13.460	PK
2	*	17160.000	50.380	30.486	-23.620	74.000	19.894	PK

Profile: 1962097R	Page No.: 464
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5720MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	42.465	29.005	-31.535	74.000	13.460	PK
2	*	17160.000	49.826	29.932	-24.174	74.000	19.894	PK

Profile: 1962097R	Page No.: 465
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.733	32.830	-28.267	74.000	12.903	PK
2	*	15780.000	51.860	34.031	-22.140	74.000	17.829	PK

Profile: 1962097R	Page No.: 466
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.985	33.082	-28.015	74.000	12.903	PK
2	*	15780.000	51.465	33.636	-22.535	74.000	17.829	PK

Profile: 1962097R	Page No.: 467
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.001	32.842	-28.999	74.000	12.159	PK
2	*	15900.000	51.518	34.275	-22.482	74.000	17.243	PK

Profile: 1962097R	Page No.: 468
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.564	32.405	-29.436	74.000	12.159	PK
2	*	15900.000	50.020	32.777	-23.980	74.000	17.243	PK

Profile: 1962097R	Page No.: 469
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.173	32.178	-29.827	74.000	11.995	PK
2	*	15960.000	51.529	33.219	-22.471	74.000	18.310	PK

Profile: 1962097R	Page No.: 470
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.944	32.949	-29.056	74.000	11.995	PK
2	*	15960.000	50.286	31.976	-23.714	74.000	18.310	PK

Profile: 1962097R	Page No.: 471
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.168	31.828	-28.832	74.000	13.339	PK
2	*	16500.000	52.555	33.024	-21.445	74.000	19.532	PK

Profile: 1962097R	Page No.: 472
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.658	31.318	-29.342	74.000	13.339	PK
2	*	16500.000	53.264	33.733	-20.736	74.000	19.532	PK

Profile: 1962097R	Page No.: 473
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.027	31.563	-28.973	74.000	13.464	PK
2	*	16740.000	51.884	32.989	-22.116	74.000	18.896	PK

Profile: 1962097R	Page No.: 474
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.055	31.591	-28.945	74.000	13.464	PK
2	*	16740.000	53.209	34.314	-20.791	74.000	18.896	PK

Profile: 1962097R	Page No.: 475
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.699	31.630	-29.301	74.000	13.069	PK
2	*	17100.000	52.623	32.773	-21.377	74.000	19.850	PK

Profile: 1962097R	Page No.: 476
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.708	30.639	-30.292	74.000	13.069	PK
2	*	17100.000	52.441	32.591	-21.559	74.000	19.850	PK

Profile: 1962097R	Page No.: 477
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5720MHz by 802.11n (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	44.234	30.774	-29.766	74.000	13.460	PK
2	*	17160.000	52.008	32.114	-21.992	74.000	19.894	PK

Profile: 1962097R	Page No.: 478
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5720MHz by 802.11n (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	44.670	31.210	-29.330	74.000	13.460	PK
2	*	17160.000	51.537	31.643	-22.463	74.000	19.894	PK

Profile: 1962097R	Page No.: 479
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	46.765	33.862	-27.235	74.000	12.903	PK
2	*	15780.000	52.046	34.217	-21.954	74.000	17.829	PK

Profile: 1962097R	Page No.: 480
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	49.432	36.529	-24.568	74.000	12.903	PK
2	*	15780.000	50.921	33.092	-23.079	74.000	17.829	PK

Profile: 1962097R	Page No.: 481
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.993	32.834	-29.007	74.000	12.159	PK
2	*	15900.000	50.309	33.066	-23.691	74.000	17.243	PK

Profile: 1962097R	Page No.: 482
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.850	32.691	-29.150	74.000	12.159	PK
2	*	15900.000	50.871	33.628	-23.129	74.000	17.243	PK

Profile: 1962097R	Page No.: 483
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	45.227	33.232	-28.773	74.000	11.995	PK
2	*	15960.000	51.526	33.216	-22.474	74.000	18.310	PK

Profile: 1962097R	Page No.: 484
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.143	32.148	-29.857	74.000	11.995	PK
2	*	15960.000	51.634	33.324	-22.366	74.000	18.310	PK

Profile: 1962097R	Page No.: 485
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.016	30.676	-29.984	74.000	13.339	PK
2	*	16500.000	52.185	32.654	-21.815	74.000	19.532	PK

Profile: 1962097R	Page No.: 486
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	43.620	30.280	-30.380	74.000	13.339	PK
2	*	16500.000	51.623	32.092	-22.377	74.000	19.532	PK

Profile: 1962097R	Page No.: 487
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	42.949	29.485	-31.051	74.000	13.464	PK
2	*	16740.000	50.940	32.045	-23.060	74.000	18.896	PK

Profile: 1962097R	Page No.: 488
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.270	30.806	-29.730	74.000	13.464	PK
2	*	16740.000	51.263	32.368	-22.737	74.000	18.896	PK

Profile: 1962097R	Page No.: 489
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.117	29.048	-31.883	74.000	13.069	PK
2	*	17100.000	51.511	31.661	-22.489	74.000	19.850	PK

Profile: 1962097R	Page No.: 490
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	41.927	28.858	-32.073	74.000	13.069	PK
2	*	17100.000	51.227	31.377	-22.773	74.000	19.850	PK

Profile: 1962097R	Page No.: 491
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5720MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	44.077	30.617	-29.923	74.000	13.460	PK
2	*	17160.000	50.200	30.306	-23.800	74.000	19.894	PK

Profile: 1962097R	Page No.: 492
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5720MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	42.861	29.401	-31.139	74.000	13.460	PK
2	*	17160.000	50.360	30.466	-23.640	74.000	19.894	PK

Profile: 1962097R	Page No.: 493
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.602	32.699	-28.398	74.000	12.903	PK
2	*	15780.000	49.867	32.038	-24.133	74.000	17.829	PK

Profile: 1962097R	Page No.: 494
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	46.215	33.312	-27.785	74.000	12.903	PK
2	*	15780.000	49.520	31.691	-24.480	74.000	17.829	PK

Profile: 1962097R	Page No.: 495
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.040	31.881	-29.960	74.000	12.159	PK
2	*	15900.000	49.493	32.250	-24.507	74.000	17.243	PK

Profile: 1962097R	Page No.: 496
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.310	33.151	-28.690	74.000	12.159	PK
2	*	15900.000	49.571	32.328	-24.429	74.000	17.243	PK

Profile: 1962097R	Page No.: 497
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.304	31.309	-30.696	74.000	11.995	PK
2	*	15960.000	50.503	32.193	-23.497	74.000	18.310	PK

Profile: 1962097R	Page No.: 498
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	42.807	30.812	-31.193	74.000	11.995	PK
2	*	15960.000	49.582	31.272	-24.418	74.000	18.310	PK

Profile: 1962097R	Page No.: 499
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	43.291	29.951	-30.709	74.000	13.339	PK
2	*	16500.000	51.202	31.671	-22.798	74.000	19.532	PK

Profile: 1962097R	Page No.: 500
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	43.151	29.811	-30.849	74.000	13.339	PK
2	*	16500.000	52.355	32.824	-21.645	74.000	19.532	PK

Profile: 1962097R	Page No.: 501
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	43.408	29.944	-30.592	74.000	13.464	PK
2	*	16740.000	50.922	32.027	-23.078	74.000	18.896	PK

Profile: 1962097R	Page No.: 502
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	43.238	29.774	-30.762	74.000	13.464	PK
2	*	16740.000	51.918	33.023	-22.082	74.000	18.896	PK

Profile: 1962097R	Page No.: 503
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.612	29.543	-31.388	74.000	13.069	PK
2	*	17100.000	51.613	31.763	-22.387	74.000	19.850	PK

Profile: 1962097R	Page No.: 504
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.983	30.914	-30.017	74.000	13.069	PK
2	*	17100.000	53.165	33.315	-20.835	74.000	19.850	PK

Profile: 1962097R	Page No.: 505
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5720MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	43.732	30.272	-30.268	74.000	13.460	PK
2	*	17160.000	50.808	30.914	-23.192	74.000	19.894	PK

Profile: 1962097R	Page No.: 506
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5720MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	43.391	29.931	-30.609	74.000	13.460	PK
2	*	17160.000	51.119	31.225	-22.881	74.000	19.894	PK

Profile: 1962097R	Page No.: 507
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.871	31.968	-29.129	74.000	12.903	PK
2	*	15780.000	49.628	31.799	-24.372	74.000	17.829	PK

Profile: 1962097R	Page No.: 508
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	46.200	33.297	-27.800	74.000	12.903	PK
2	*	15780.000	50.750	32.921	-23.250	74.000	17.829	PK

Profile: 1962097R	Page No.: 509
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	42.964	30.805	-31.036	74.000	12.159	PK
2	*	15900.000	49.480	32.237	-24.520	74.000	17.243	PK

Profile: 1962097R	Page No.: 510
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	42.604	30.445	-31.396	74.000	12.159	PK
2	*	15900.000	49.500	32.257	-24.500	74.000	17.243	PK

Profile: 1962097R	Page No.: 511
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	42.795	30.800	-31.205	74.000	11.995	PK
2	*	15960.000	49.345	31.035	-24.655	74.000	18.310	PK

Profile: 1962097R	Page No.: 512
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	42.303	30.308	-31.697	74.000	11.995	PK
2	*	15960.000	49.534	31.224	-24.466	74.000	18.310	PK

Profile: 1962097R	Page No.: 513
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	43.758	30.418	-30.242	74.000	13.339	PK
2	*	16500.000	51.838	32.307	-22.162	74.000	19.532	PK

Profile: 1962097R	Page No.: 514
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.863	31.523	-29.137	74.000	13.339	PK
2	*	16500.000	51.938	32.407	-22.062	74.000	19.532	PK

Profile: 1962097R	Page No.: 515
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	43.154	29.690	-30.846	74.000	13.464	PK
2	*	16740.000	50.851	31.956	-23.149	74.000	18.896	PK

Profile: 1962097R	Page No.: 516
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	42.825	29.361	-31.175	74.000	13.464	PK
2	*	16740.000	51.020	32.125	-22.980	74.000	18.896	PK

Profile: 1962097R	Page No.: 517
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.981	29.912	-31.019	74.000	13.069	PK
2	*	17100.000	50.978	31.128	-23.022	74.000	19.850	PK

Profile: 1962097R	Page No.: 518
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	41.999	28.930	-32.001	74.000	13.069	PK
2	*	17100.000	51.720	31.870	-22.280	74.000	19.850	PK

Profile: 1962097R	Page No.: 519
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5720MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	43.062	29.602	-30.938	74.000	13.460	PK
2	*	17160.000	50.002	30.108	-23.998	74.000	19.894	PK

Profile: 1962097R	Page No.: 520
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5720MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	44.215	30.755	-29.785	74.000	13.460	PK
2	*	17160.000	51.084	31.190	-22.916	74.000	19.894	PK

Profile: 1962097R	Page No.: 521
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	43.888	31.043	-30.112	74.000	12.845	PK
2	*	15810.000	49.339	31.689	-24.661	74.000	17.651	PK

Profile: 1962097R	Page No.: 522
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.357	31.512	-29.643	74.000	12.845	PK
2	*	15810.000	49.647	31.997	-24.353	74.000	17.651	PK

Profile: 1962097R	Page No.: 523
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	43.978	30.870	-30.022	74.000	13.109	PK
2	*	15930.000	50.163	31.685	-23.837	74.000	18.478	PK

Profile: 1962097R	Page No.: 524
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.134	31.026	-29.866	74.000	13.109	PK
2	*	15930.000	50.706	32.228	-23.294	74.000	18.478	PK

Profile: 1962097R	Page No.: 525
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 16:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	43.229	30.131	-30.771	74.000	13.097	PK
2	*	16530.000	51.509	32.175	-22.491	74.000	19.334	PK

Profile: 1962097R	Page No.: 526
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	43.828	30.730	-30.172	74.000	13.097	PK
2	*	16530.000	51.897	32.563	-22.103	74.000	19.334	PK

Profile: 1962097R	Page No.: 527
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.592	30.715	-30.408	74.000	12.877	PK
2	*	16650.000	51.308	31.397	-22.692	74.000	19.912	PK

Profile: 1962097R	Page No.: 528
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.917	31.040	-30.083	74.000	12.877	PK
2	*	16650.000	51.954	32.043	-22.046	74.000	19.912	PK

Profile: 1962097R	Page No.: 529
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	42.582	29.354	-31.418	74.000	13.228	PK
2	*	17010.000	52.484	28.567	-21.516	74.000	23.917	PK

Profile: 1962097R	Page No.: 530
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	42.613	29.385	-31.387	74.000	13.228	PK
2	*	17010.000	53.370	29.453	-20.630	74.000	23.917	PK

Profile: 1962097R	Page No.: 531
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5710MHz by 802.11n (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	43.503	30.069	-30.497	74.000	13.433	PK
2	*	17130.000	51.519	31.433	-22.481	74.000	20.086	PK

Profile: 1962097R	Page No.: 532
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5710MHz by 802.11n (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	45.113	31.679	-28.887	74.000	13.433	PK
2	*	17130.000	51.711	31.625	-22.289	74.000	20.086	PK

Profile: 1962097R	Page No.: 533
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.720	31.875	-29.280	74.000	12.845	PK
2	*	15810.000	49.290	31.640	-24.710	74.000	17.651	PK

Profile: 1962097R	Page No.: 534
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.732	31.887	-29.268	74.000	12.845	PK
2	*	15810.000	49.415	31.765	-24.585	74.000	17.651	PK

Profile: 1962097R	Page No.: 535
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.262	31.154	-29.738	74.000	13.109	PK
2	*	15930.000	50.184	31.706	-23.816	74.000	18.478	PK

Profile: 1962097R	Page No.: 536
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n (40MHz) ANT 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	43.049	29.941	-30.951	74.000	13.109	PK
2	*	15930.000	50.067	31.589	-23.933	74.000	18.478	PK

Profile: 1962097R	Page No.: 537
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n (40MHz) ANT 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	43.350	30.252	-30.650	74.000	13.097	PK
2	*	16530.000	51.877	32.543	-22.123	74.000	19.334	PK