



Profile: 1962097R	Page No.: 538
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	43.083	29.985	-30.917	74.000	13.097	PK
2	*	16530.000	53.143	33.809	-20.857	74.000	19.334	PK

Profile: 1962097R	Page No.: 539
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.416	30.539	-30.584	74.000	12.877	PK
2	*	16650.000	51.545	31.634	-22.455	74.000	19.912	PK

Profile: 1962097R	Page No.: 540
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	42.896	30.019	-31.104	74.000	12.877	PK
2	*	16650.000	51.513	31.602	-22.487	74.000	19.912	PK

Profile: 1962097R	Page No.: 541
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	42.660	29.432	-31.340	74.000	13.228	PK
2	*	17010.000	52.001	28.084	-21.999	74.000	23.917	PK

Profile: 1962097R	Page No.: 542
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	43.026	29.798	-30.974	74.000	13.228	PK
2	*	17010.000	53.041	29.124	-20.959	74.000	23.917	PK

Profile: 1962097R	Page No.: 543
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5710MHz by 802.11n (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	42.980	29.546	-31.020	74.000	13.433	PK
2	*	17130.000	51.758	31.672	-22.242	74.000	20.086	PK

Profile: 1962097R	Page No.: 544
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5710MHz by 802.11n (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	43.206	29.772	-30.794	74.000	13.433	PK
2	*	17130.000	51.307	31.221	-22.693	74.000	20.086	PK

Profile: 1962097R	Page No.: 545
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	47.544	34.699	-26.456	74.000	12.845	PK
2	*	15810.000	50.365	32.715	-23.635	74.000	17.651	PK

Profile: 1962097R	Page No.: 546
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	46.737	33.892	-27.263	74.000	12.845	PK
2	*	15810.000	48.283	30.633	-25.717	74.000	17.651	PK

Profile: 1962097R	Page No.: 547
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.440	31.332	-29.560	74.000	13.109	PK
2	*	15930.000	49.044	30.566	-24.956	74.000	18.478	PK

Profile: 1962097R	Page No.: 548
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.685	31.577	-29.315	74.000	13.109	PK
2	*	15930.000	49.919	31.441	-24.081	74.000	18.478	PK

Profile: 1962097R	Page No.: 549
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.101	31.003	-29.899	74.000	13.097	PK
2	*	16530.000	51.971	32.637	-22.029	74.000	19.334	PK

Profile: 1962097R	Page No.: 550
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	43.156	30.058	-30.844	74.000	13.097	PK
2	*	16530.000	50.889	31.555	-23.111	74.000	19.334	PK

Profile: 1962097R	Page No.: 551
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.441	31.564	-29.559	74.000	12.877	PK
2	*	16650.000	52.137	32.226	-21.863	74.000	19.912	PK

Profile: 1962097R	Page No.: 552
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.626	30.749	-30.374	74.000	12.877	PK
2	*	16650.000	51.907	31.996	-22.093	74.000	19.912	PK

Profile: 1962097R	Page No.: 553
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	43.844	30.616	-30.156	74.000	13.228	PK
2	*	17010.000	53.191	29.274	-20.809	74.000	23.917	PK

Profile: 1962097R	Page No.: 554
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	42.017	28.789	-31.983	74.000	13.228	PK
2	*	17010.000	52.008	28.091	-21.992	74.000	23.917	PK

Profile: 1962097R	Page No.: 555
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5710MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	43.303	29.869	-30.697	74.000	13.433	PK
2	*	17130.000	51.321	31.235	-22.679	74.000	20.086	PK

Profile: 1962097R	Page No.: 556
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5710MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	43.985	30.551	-30.015	74.000	13.433	PK
2	*	17130.000	51.745	31.659	-22.255	74.000	20.086	PK

Profile: 1962097R	Page No.: 557
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.629	32.784	-28.371	74.000	12.845	PK
2	*	15810.000	49.280	31.630	-24.720	74.000	17.651	PK

Profile: 1962097R	Page No.: 558
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	46.445	33.600	-27.555	74.000	12.845	PK
2	*	15810.000	49.947	32.297	-24.053	74.000	17.651	PK

Profile: 1962097R	Page No.: 559
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.740	32.632	-28.260	74.000	13.109	PK
2	*	15930.000	49.801	31.323	-24.199	74.000	18.478	PK

Profile: 1962097R	Page No.: 560
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.290	32.182	-28.710	74.000	13.109	PK
2	*	15930.000	50.075	31.597	-23.925	74.000	18.478	PK

Profile: 1962097R	Page No.: 561
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	45.107	32.009	-28.893	74.000	13.097	PK
2	*	16530.000	51.717	32.383	-22.283	74.000	19.334	PK

Profile: 1962097R	Page No.: 562
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	43.805	30.707	-30.195	74.000	13.097	PK
2	*	16530.000	52.077	32.743	-21.923	74.000	19.334	PK

Profile: 1962097R	Page No.: 563
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.780	31.903	-29.220	74.000	12.877	PK
2	*	16650.000	52.572	32.661	-21.428	74.000	19.912	PK

Profile: 1962097R	Page No.: 564
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.676	30.799	-30.324	74.000	12.877	PK
2	*	16650.000	51.617	31.706	-22.383	74.000	19.912	PK

Profile: 1962097R	Page No.: 565
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	43.288	30.060	-30.712	74.000	13.228	PK
2	*	17010.000	52.871	28.954	-21.129	74.000	23.917	PK

Profile: 1962097R	Page No.: 566
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.014	30.786	-29.986	74.000	13.228	PK
2	*	17010.000	53.134	29.217	-20.866	74.000	23.917	PK

Profile: 1962097R	Page No.: 567
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5710MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	44.150	30.716	-29.850	74.000	13.433	PK
2	*	17130.000	52.334	32.248	-21.666	74.000	20.086	PK

Profile: 1962097R	Page No.: 568
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5710MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	43.074	29.640	-30.926	74.000	13.433	PK
2	*	17130.000	51.926	31.840	-22.074	74.000	20.086	PK

Profile: 1962097R	Page No.: 569
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.975	32.072	-29.025	74.000	12.903	PK
2	*	15780.000	49.691	31.862	-24.309	74.000	17.829	PK

Profile: 1962097R	Page No.: 570
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.046	32.143	-28.954	74.000	12.903	PK
2	*	15780.000	49.742	31.913	-24.258	74.000	17.829	PK

Profile: 1962097R	Page No.: 571
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.445	32.286	-29.555	74.000	12.159	PK
2	*	15900.000	48.925	31.682	-25.075	74.000	17.243	PK

Profile: 1962097R	Page No.: 572
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.910	32.751	-29.090	74.000	12.159	PK
2	*	15900.000	49.751	32.508	-24.249	74.000	17.243	PK

Profile: 1962097R	Page No.: 573
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.701	32.706	-29.299	74.000	11.995	PK
2	*	15960.000	50.927	32.617	-23.073	74.000	18.310	PK

Profile: 1962097R	Page No.: 574
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.118	32.123	-29.882	74.000	11.995	PK
2	*	15960.000	50.253	31.943	-23.747	74.000	18.310	PK

Profile: 1962097R	Page No.: 575
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	43.897	30.557	-30.103	74.000	13.339	PK
2	*	16500.000	51.125	31.594	-22.875	74.000	19.532	PK

Profile: 1962097R	Page No.: 576
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.241	30.901	-29.759	74.000	13.339	PK
2	*	16500.000	52.165	32.634	-21.835	74.000	19.532	PK

Profile: 1962097R	Page No.: 577
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	43.483	30.019	-30.517	74.000	13.464	PK
2	*	16740.000	50.827	31.932	-23.173	74.000	18.896	PK

Profile: 1962097R	Page No.: 578
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.130	31.666	-28.870	74.000	13.464	PK
2	*	16740.000	52.618	33.723	-21.382	74.000	18.896	PK

Profile: 1962097R	Page No.: 579
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.981	29.912	-31.019	74.000	13.069	PK
2	*	17100.000	51.460	31.610	-22.540	74.000	19.850	PK

Profile: 1962097R	Page No.: 580
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.005	30.936	-29.995	74.000	13.069	PK
2	*	17100.000	52.038	32.188	-21.962	74.000	19.850	PK

Profile: 1962097R	Page No.: 581
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5720MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	44.702	31.242	-29.298	74.000	13.460	PK
2	*	17160.000	52.410	32.516	-21.590	74.000	19.894	PK

Profile: 1962097R	Page No.: 582
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5720MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	43.583	30.123	-30.417	74.000	13.460	PK
2	*	17160.000	50.782	30.888	-23.218	74.000	19.894	PK

Profile: 1962097R	Page No.: 583
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	46.114	33.211	-27.886	74.000	12.903	PK
2	*	15780.000	50.108	32.279	-23.892	74.000	17.829	PK

Profile: 1962097R	Page No.: 584
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.511	31.608	-29.489	74.000	12.903	PK
2	*	15780.000	49.258	31.429	-24.742	74.000	17.829	PK

Profile: 1962097R	Page No.: 585
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.430	32.271	-29.570	74.000	12.159	PK
2	*	15900.000	50.042	32.799	-23.958	74.000	17.243	PK

Profile: 1962097R	Page No.: 586
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	43.973	31.814	-30.027	74.000	12.159	PK
2	*	15900.000	48.208	30.965	-25.792	74.000	17.243	PK

Profile: 1962097R	Page No.: 587
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.317	32.322	-29.683	74.000	11.995	PK
2	*	15960.000	49.980	31.670	-24.020	74.000	18.310	PK

Profile: 1962097R	Page No.: 588
Engineer: Simon	
Site: AC5	Time: 2019/08/10 - 17:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	47.539	35.544	-26.461	74.000	11.995	PK
2	*	15960.000	49.966	31.656	-24.034	74.000	18.310	PK

Profile: 1962097R	Page No.: 589
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.560	31.220	-29.440	74.000	13.339	PK
2	*	16500.000	51.796	32.265	-22.204	74.000	19.532	PK

Profile: 1962097R	Page No.: 590
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.610	31.270	-29.390	74.000	13.339	PK
2	*	16500.000	52.651	33.120	-21.349	74.000	19.532	PK

Profile: 1962097R	Page No.: 591
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	43.886	30.683	-30.114	74.000	13.204	PK
2	*	16560.000	52.925	32.985	-21.075	74.000	19.940	PK

Profile: 1962097R	Page No.: 592
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.097	30.894	-29.903	74.000	13.204	PK
2	*	16560.000	52.026	32.086	-21.974	74.000	19.940	PK

Profile: 1962097R	Page No.: 593
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	43.515	30.051	-30.485	74.000	13.464	PK
2	*	16740.000	50.468	31.573	-23.532	74.000	18.896	PK

Profile: 1962097R	Page No.: 594
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	43.776	30.312	-30.224	74.000	13.464	PK
2	*	16740.000	51.249	32.354	-22.751	74.000	18.896	PK

Profile: 1962097R	Page No.: 595
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.399	29.330	-31.601	74.000	13.069	PK
2	*	17100.000	51.061	31.211	-22.939	74.000	19.850	PK

Profile: 1962097R	Page No.: 596
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.606	29.537	-31.394	74.000	13.069	PK
2	*	17100.000	50.501	30.651	-23.499	74.000	19.850	PK

Profile: 1962097R	Page No.: 597
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5720MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.640	29.571	-31.360	74.000	13.069	PK
2	*	17160.000	50.109	30.215	-23.891	74.000	19.894	PK

Profile: 1962097R	Page No.: 598
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5720MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	44.081	30.621	-29.919	74.000	13.460	PK
2	*	17160.000	52.230	32.336	-21.770	74.000	19.894	PK

Profile: 1962097R	Page No.: 599
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	46.044	33.141	-27.956	74.000	12.903	PK
2	*	15780.000	51.011	33.182	-22.989	74.000	17.829	PK

Profile: 1962097R	Page No.: 600
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10520.000	49.324	36.421	-24.676	74.000	12.903	PK
2		15780.000	48.627	30.798	-25.373	74.000	17.829	PK

Profile: 1962097R	Page No.: 601
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	46.014	33.855	-27.986	74.000	12.159	PK
2	*	15900.000	48.777	31.534	-25.223	74.000	17.243	PK

Profile: 1962097R	Page No.: 602
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	47.108	34.949	-26.892	74.000	12.159	PK
2	*	15900.000	48.309	31.066	-25.691	74.000	17.243	PK

Profile: 1962097R	Page No.: 603
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.346	32.351	-29.654	74.000	11.995	PK
2	*	15960.000	48.721	30.411	-25.279	74.000	18.310	PK

Profile: 1962097R	Page No.: 604
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	45.502	33.507	-28.498	74.000	11.995	PK
2	*	15960.000	50.208	31.898	-23.792	74.000	18.310	PK

Profile: 1962097R	Page No.: 605
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.614	32.274	-28.386	74.000	13.339	PK
2	*	16500.000	52.618	33.087	-21.382	74.000	19.532	PK

Profile: 1962097R	Page No.: 606
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.860	31.520	-29.140	74.000	13.339	PK
2	*	16500.000	51.972	32.441	-22.028	74.000	19.532	PK

Profile: 1962097R	Page No.: 607
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	43.287	30.084	-30.713	74.000	13.204	PK
2	*	16560.000	51.820	31.880	-22.180	74.000	19.940	PK

Profile: 1962097R	Page No.: 608
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	45.329	32.126	-28.671	74.000	13.204	PK
2	*	16560.000	53.398	33.458	-20.602	74.000	19.940	PK

Profile: 1962097R	Page No.: 609
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.848	31.384	-29.152	74.000	13.464	PK
2	*	16740.000	51.904	33.009	-22.096	74.000	18.896	PK

Profile: 1962097R	Page No.: 610
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.550	31.086	-29.450	74.000	13.464	PK
2	*	16740.000	51.703	32.808	-22.297	74.000	18.896	PK

Profile: 1962097R	Page No.: 611
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.859	30.790	-30.141	74.000	13.069	PK
2	*	17100.000	51.787	31.937	-22.213	74.000	19.850	PK

Profile: 1962097R	Page No.: 612
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.494	30.425	-30.506	74.000	13.069	PK
2	*	17100.000	51.707	31.857	-22.293	74.000	19.850	PK

Profile: 1962097R	Page No.: 613
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5720MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	44.110	30.650	-29.890	74.000	13.460	PK
2	*	17160.000	51.158	31.264	-22.842	74.000	19.894	PK

Profile: 1962097R	Page No.: 614
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5720MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	43.715	30.255	-30.285	74.000	13.460	PK
2	*	17160.000	50.438	30.544	-23.562	74.000	19.894	PK

Profile: 1962097R	Page No.: 615
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.183	32.280	-28.817	74.000	12.903	PK
2	*	15780.000	49.226	31.397	-24.774	74.000	17.829	PK

Profile: 1962097R	Page No.: 616
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.640	32.737	-28.360	74.000	12.903	PK
2	*	15780.000	50.415	32.586	-23.585	74.000	17.829	PK

Profile: 1962097R	Page No.: 617
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	43.725	31.566	-30.275	74.000	12.159	PK
2	*	15900.000	47.066	29.823	-26.934	74.000	17.243	PK

Profile: 1962097R	Page No.: 618
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.214	32.055	-29.786	74.000	12.159	PK
2	*	15900.000	48.250	31.007	-25.750	74.000	17.243	PK

Profile: 1962097R	Page No.: 619
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.467	32.472	-29.533	74.000	11.995	PK
2	*	15960.000	49.351	31.041	-24.649	74.000	18.310	PK

Profile: 1962097R	Page No.: 620
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.197	31.202	-30.803	74.000	11.995	PK
2	*	15960.000	50.852	32.542	-23.148	74.000	18.310	PK

Profile: 1962097R	Page No.: 621
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.737	31.397	-29.263	74.000	13.339	PK
2	*	16500.000	52.416	32.885	-21.584	74.000	19.532	PK

Profile: 1962097R	Page No.: 622
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	43.817	30.477	-30.183	74.000	13.339	PK
2	*	16500.000	51.662	32.131	-22.338	74.000	19.532	PK

Profile: 1962097R	Page No.: 623
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	43.639	30.436	-30.361	74.000	13.204	PK
2	*	16560.000	52.094	32.154	-21.906	74.000	19.940	PK

Profile: 1962097R	Page No.: 624
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	45.078	31.875	-28.922	74.000	13.204	PK
2	*	16560.000	51.681	31.741	-22.319	74.000	19.940	PK

Profile: 1962097R	Page No.: 625
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.307	30.843	-29.693	74.000	13.464	PK
2	*	16740.000	51.253	32.358	-22.747	74.000	18.896	PK

Profile: 1962097R	Page No.: 626
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	46.020	32.556	-27.980	74.000	13.464	PK
2	*	16740.000	51.778	32.883	-22.222	74.000	18.896	PK

Profile: 1962097R	Page No.: 627
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.063	29.994	-30.937	74.000	13.069	PK
2	*	17100.000	51.115	31.265	-22.885	74.000	19.850	PK

Profile: 1962097R	Page No.: 628
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.942	29.873	-31.058	74.000	13.069	PK
2	*	17100.000	51.837	31.987	-22.163	74.000	19.850	PK

Profile: 1962097R	Page No.: 629
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5720MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	44.707	31.247	-29.293	74.000	13.460	PK
2	*	17160.000	50.380	30.486	-23.620	74.000	19.894	PK

Profile: 1962097R	Page No.: 630
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5720MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	44.441	30.981	-29.559	74.000	13.460	PK
2	*	17160.000	50.861	30.967	-23.139	74.000	19.894	PK

Profile: 1962097R	Page No.: 631
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	46.291	33.446	-27.709	74.000	12.845	PK
2	*	15810.000	49.798	32.148	-24.202	74.000	17.651	PK

Profile: 1962097R	Page No.: 632
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.923	32.078	-29.077	74.000	12.845	PK
2	*	15810.000	48.885	31.235	-25.115	74.000	17.651	PK

Profile: 1962097R	Page No.: 633
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.650	32.542	-28.350	74.000	13.109	PK
2	*	15930.000	50.469	31.991	-23.531	74.000	18.478	PK

Profile: 1962097R	Page No.: 634
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.679	31.571	-29.321	74.000	13.109	PK
2	*	15930.000	49.165	30.687	-24.835	74.000	18.478	PK

Profile: 1962097R	Page No.: 635
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	45.539	32.441	-28.461	74.000	13.097	PK
2	*	16530.000	53.440	34.106	-20.560	74.000	19.334	PK

Profile: 1962097R	Page No.: 636
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	43.788	30.690	-30.212	74.000	13.097	PK
2	*	16530.000	50.824	31.490	-23.176	74.000	19.334	PK

Profile: 1962097R	Page No.: 637
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	46.019	33.142	-27.981	74.000	12.877	PK
2	*	16650.000	52.415	32.504	-21.585	74.000	19.912	PK

Profile: 1962097R	Page No.: 638
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.664	30.787	-30.336	74.000	12.877	PK
2	*	16650.000	52.834	32.923	-21.166	74.000	19.912	PK

Profile: 1962097R	Page No.: 639
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	43.304	30.076	-30.696	74.000	13.228	PK
2	*	17010.000	53.258	29.341	-20.742	74.000	23.917	PK

Profile: 1962097R	Page No.: 640
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	43.982	30.754	-30.018	74.000	13.228	PK
2	*	17010.000	52.879	28.962	-21.121	74.000	23.917	PK

Profile: 1962097R	Page No.: 641
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5710MHz by 802.11ac (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	44.212	30.778	-29.788	74.000	13.433	PK
2	*	17130.000	52.195	32.109	-21.805	74.000	20.086	PK

Profile: 1962097R	Page No.: 642
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5710MHz by 802.11ac (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	44.234	30.800	-29.766	74.000	13.433	PK
2	*	17130.000	51.476	31.390	-22.524	74.000	20.086	PK

Profile: 1962097R	Page No.: 643
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.626	31.781	-29.374	74.000	12.845	PK
2	*	15810.000	49.640	31.990	-24.360	74.000	17.651	PK

Profile: 1962097R	Page No.: 644
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.594	31.749	-29.406	74.000	12.845	PK
2	*	15810.000	50.085	32.435	-23.915	74.000	17.651	PK

Profile: 1962097R	Page No.: 645
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.837	31.729	-29.163	74.000	13.109	PK
2	*	15930.000	50.160	31.682	-23.840	74.000	18.478	PK

Profile: 1962097R	Page No.: 646
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	46.023	32.915	-27.977	74.000	13.109	PK
2	*	15930.000	50.433	31.955	-23.567	74.000	18.478	PK

Profile: 1962097R	Page No.: 647
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	45.388	32.290	-28.612	74.000	13.097	PK
2	*	16530.000	51.936	32.602	-22.064	74.000	19.334	PK

Profile: 1962097R	Page No.: 648
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.869	31.771	-29.131	74.000	13.097	PK
2	*	16530.000	52.426	33.092	-21.574	74.000	19.334	PK

Profile: 1962097R	Page No.: 649
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.418	30.541	-30.582	74.000	12.877	PK
2	*	16650.000	51.867	31.956	-22.133	74.000	19.912	PK

Profile: 1962097R	Page No.: 650
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.812	30.935	-30.188	74.000	12.877	PK
2	*	16650.000	51.411	31.500	-22.589	74.000	19.912	PK

Profile: 1962097R	Page No.: 651
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	43.876	30.648	-30.124	74.000	13.228	PK
2	*	17010.000	52.851	28.934	-21.149	74.000	23.917	PK

Profile: 1962097R	Page No.: 652
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.804	31.576	-29.196	74.000	13.228	PK
2	*	17010.000	53.259	29.342	-20.741	74.000	23.917	PK

Profile: 1962097R	Page No.: 653
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5710MHz by 802.11ac (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	44.858	31.424	-29.142	74.000	13.433	PK
2	*	17130.000	52.317	32.231	-21.683	74.000	20.086	PK

Profile: 1962097R	Page No.: 654
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5710MHz by 802.11ac (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	42.915	29.481	-31.085	74.000	13.433	PK
2	*	17130.000	51.587	31.501	-22.413	74.000	20.086	PK

Profile: 1962097R	Page No.: 655
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.770	31.925	-29.230	74.000	12.845	PK
2	*	15810.000	48.707	31.057	-25.293	74.000	17.651	PK

Profile: 1962097R	Page No.: 656
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.971	32.126	-29.029	74.000	12.845	PK
2	*	15810.000	48.935	31.285	-25.065	74.000	17.651	PK

Profile: 1962097R	Page No.: 657
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	43.327	30.219	-30.673	74.000	13.109	PK
2	*	15930.000	49.791	31.313	-24.209	74.000	18.478	PK

Profile: 1962097R	Page No.: 658
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.589	31.481	-29.411	74.000	13.109	PK
2	*	15930.000	49.577	31.099	-24.423	74.000	18.478	PK

Profile: 1962097R	Page No.: 659
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	45.247	32.149	-28.753	74.000	13.097	PK
2	*	16530.000	51.683	32.349	-22.317	74.000	19.334	PK

Profile: 1962097R	Page No.: 660
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.114	31.016	-29.886	74.000	13.097	PK
2	*	16530.000	51.371	32.037	-22.629	74.000	19.334	PK

Profile: 1962097R	Page No.: 661
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	45.575	32.698	-28.425	74.000	12.877	PK
2	*	16650.000	53.562	33.651	-20.438	74.000	19.912	PK

Profile: 1962097R	Page No.: 662
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.137	31.260	-29.863	74.000	12.877	PK
2	*	16650.000	52.854	32.943	-21.146	74.000	19.912	PK

Profile: 1962097R	Page No.: 663
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	43.951	30.723	-30.049	74.000	13.228	PK
2	*	17010.000	52.648	28.731	-21.352	74.000	23.917	PK

Profile: 1962097R	Page No.: 664
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	43.830	30.602	-30.170	74.000	13.228	PK
2	*	17010.000	52.008	28.091	-21.992	74.000	23.917	PK

Profile: 1962097R	Page No.: 665
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5710MHz by 802.11ac (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	43.957	30.523	-30.043	74.000	13.433	PK
2	*	17130.000	51.255	31.169	-22.745	74.000	20.086	PK

Profile: 1962097R	Page No.: 666
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5710MHz by 802.11ac (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	44.951	31.517	-29.049	74.000	13.433	PK
2	*	17130.000	50.749	30.663	-23.251	74.000	20.086	PK

Profile: 1962097R	Page No.: 667
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac (40MHz) Beamforming	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.572	32.727	-28.428	74.000	12.845	PK
2	*	15810.000	48.650	31.000	-25.350	74.000	17.651	PK

Profile: 1962097R	Page No.: 668
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac (40MHz) Beamforming	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.431	32.586	-28.569	74.000	12.845	PK
2	*	15810.000	50.233	32.583	-23.767	74.000	17.651	PK