



Profile: 1962097R	Page No.: 669
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.503	32.395	-28.497	74.000	13.109	PK
2	*	15930.000	50.393	31.915	-23.607	74.000	18.478	PK

Profile: 1962097R	Page No.: 670
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.053	31.945	-28.947	74.000	13.109	PK
2	*	15930.000	49.792	31.314	-24.208	74.000	18.478	PK

Profile: 1962097R	Page No.: 671
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.974	31.876	-29.026	74.000	13.097	PK
2	*	16530.000	51.534	32.200	-22.466	74.000	19.334	PK

Profile: 1962097R	Page No.: 672
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	45.112	32.014	-28.888	74.000	13.097	PK
2	*	16530.000	52.055	32.721	-21.945	74.000	19.334	PK

Profile: 1962097R	Page No.: 673
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.661	31.784	-29.339	74.000	12.877	PK
2	*	16650.000	52.120	32.209	-21.880	74.000	19.912	PK

Profile: 1962097R	Page No.: 674
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.613	31.736	-29.387	74.000	12.877	PK
2	*	16650.000	51.772	31.861	-22.228	74.000	19.912	PK

Profile: 1962097R	Page No.: 675
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	43.749	30.521	-30.251	74.000	13.228	PK
2	*	17010.000	53.469	29.552	-20.531	74.000	23.917	PK

Profile: 1962097R	Page No.: 676
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	43.140	29.912	-30.860	74.000	13.228	PK
2	*	17010.000	52.571	28.654	-21.429	74.000	23.917	PK

Profile: 1962097R	Page No.: 677
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5710MHz by 802.11ac (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	42.886	29.452	-31.114	74.000	13.433	PK
2	*	17130.000	51.316	31.230	-22.684	74.000	20.086	PK

Profile: 1962097R	Page No.: 678
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5710MHz by 802.11ac (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	44.103	30.669	-29.897	74.000	13.433	PK
2	*	17130.000	52.059	31.973	-21.941	74.000	20.086	PK

Profile: 1962097R	Page No.: 679
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac (80MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	45.634	33.418	-28.366	74.000	12.216	PK
2	*	15870.000	49.626	32.214	-24.374	74.000	17.412	PK

Profile: 1962097R	Page No.: 680
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac (80MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.760	32.544	-29.240	74.000	12.216	PK
2	*	15870.000	48.992	31.580	-25.008	74.000	17.412	PK

Profile: 1962097R	Page No.: 681
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac (80MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	43.830	30.973	-30.170	74.000	12.858	PK
2	*	16590.000	51.242	31.720	-22.758	74.000	19.521	PK

Profile: 1962097R	Page No.: 682
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac (80MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.123	31.266	-29.877	74.000	12.858	PK
2	*	16590.000	51.307	31.785	-22.693	74.000	19.521	PK

Profile: 1962097R	Page No.: 683
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5690MHz by 802.11ac (80MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11380.000	45.243	31.915	-28.757	74.000	13.328	PK
2	*	17070.000	53.057	33.473	-20.943	74.000	19.584	PK

Profile: 1962097R	Page No.: 684
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5690MHz by 802.11ac (80MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11380.000	44.238	30.910	-29.762	74.000	13.328	PK
2	*	17070.000	51.124	31.540	-22.876	74.000	19.584	PK

Profile: 1962097R	Page No.: 685
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac (80MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	45.647	33.431	-28.353	74.000	12.216	PK
2	*	15870.000	49.656	32.244	-24.344	74.000	17.412	PK

Profile: 1962097R	Page No.: 686
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac (80MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	46.258	34.042	-27.742	74.000	12.216	PK
2	*	15870.000	49.033	31.621	-24.967	74.000	17.412	PK

Profile: 1962097R	Page No.: 687
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac (80MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.765	31.908	-29.235	74.000	12.858	PK
2	*	16590.000	52.359	32.837	-21.641	74.000	19.521	PK

Profile: 1962097R	Page No.: 688
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac (80MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	43.481	30.624	-30.519	74.000	12.858	PK
2	*	16590.000	51.992	32.470	-22.008	74.000	19.521	PK

Profile: 1962097R	Page No.: 689
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5690MHz by 802.11ac (80MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11380.000	43.390	30.062	-30.610	74.000	13.328	PK
2	*	17070.000	50.744	31.160	-23.256	74.000	19.584	PK

Profile: 1962097R	Page No.: 690
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5690MHz by 802.11ac (80MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11380.000	44.740	31.412	-29.260	74.000	13.328	PK
2	*	17070.000	51.195	31.611	-22.805	74.000	19.584	PK

Profile: 1962097R	Page No.: 691
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac (80MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	45.717	33.501	-28.283	74.000	12.216	PK
2	*	15870.000	49.391	31.979	-24.609	74.000	17.412	PK

Profile: 1962097R	Page No.: 692
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac (80MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.869	32.653	-29.131	74.000	12.216	PK
2	*	15870.000	49.837	32.425	-24.163	74.000	17.412	PK

Profile: 1962097R	Page No.: 693
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac (80MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.767	31.910	-29.233	74.000	12.858	PK
2	*	16590.000	52.007	32.485	-21.993	74.000	19.521	PK

Profile: 1962097R	Page No.: 694
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac (80MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.246	31.389	-29.754	74.000	12.858	PK
2	*	16590.000	52.511	32.989	-21.489	74.000	19.521	PK

Profile: 1962097R	Page No.: 695
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5690MHz by 802.11ac (80MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11380.000	44.275	30.947	-29.725	74.000	13.328	PK
2	*	17070.000	53.328	33.744	-20.672	74.000	19.584	PK

Profile: 1962097R	Page No.: 696
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5690MHz by 802.11ac (80MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11380.000	44.294	30.966	-29.706	74.000	13.328	PK
2	*	17070.000	52.454	32.870	-21.546	74.000	19.584	PK

Profile: 1962097R	Page No.: 697
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac (80MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	45.648	33.432	-28.352	74.000	12.216	PK
2	*	15870.000	50.533	33.121	-23.467	74.000	17.412	PK

Profile: 1962097R	Page No.: 698
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac (80MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.315	32.099	-29.685	74.000	12.216	PK
2	*	15870.000	49.110	31.698	-24.890	74.000	17.412	PK

Profile: 1962097R	Page No.: 699
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac (80MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.359	31.502	-29.641	74.000	12.858	PK
2	*	16590.000	52.027	32.505	-21.973	74.000	19.521	PK

Profile: 1962097R	Page No.: 700
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac (80MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.853	31.996	-29.147	74.000	12.858	PK
2	*	16590.000	52.838	33.316	-21.162	74.000	19.521	PK

Profile: 1962097R	Page No.: 701
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5690MHz by 802.11ac (80MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11380.000	44.144	30.816	-29.856	74.000	13.328	PK
2	*	17070.000	51.934	32.350	-22.066	74.000	19.584	PK

Profile: 1962097R	Page No.: 702
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5690MHz by 802.11ac (80MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11380.000	42.893	29.565	-31.107	74.000	13.328	PK
2	*	17070.000	51.438	31.854	-22.562	74.000	19.584	PK

Profile: 1962097R	Page No.: 703
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.552	32.649	-28.448	74.000	12.903	PK
2	*	15780.000	49.652	31.823	-24.348	74.000	17.829	PK

Profile: 1962097R	Page No.: 704
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.695	32.792	-28.305	74.000	12.903	PK
2	*	15780.000	50.397	32.568	-23.603	74.000	17.829	PK

Profile: 1962097R	Page No.: 705
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.039	32.880	-28.961	74.000	12.159	PK
2	*	15900.000	49.387	32.144	-24.613	74.000	17.243	PK

Profile: 1962097R	Page No.: 706
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.767	32.608	-29.233	74.000	12.159	PK
2	*	15900.000	48.223	30.980	-25.777	74.000	17.243	PK

Profile: 1962097R	Page No.: 707
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.802	32.807	-29.198	74.000	11.995	PK
2	*	15960.000	50.207	31.897	-23.793	74.000	18.310	PK

Profile: 1962097R	Page No.: 708
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.115	31.120	-30.885	74.000	11.995	PK
2	*	15960.000	49.975	31.665	-24.025	74.000	18.310	PK

Profile: 1962097R	Page No.: 709
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.968	31.628	-29.032	74.000	13.339	PK
2	*	16500.000	52.761	33.230	-21.239	74.000	19.532	PK

Profile: 1962097R	Page No.: 710
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.256	31.916	-28.744	74.000	13.339	PK
2	*	16500.000	52.448	32.917	-21.552	74.000	19.532	PK

Profile: 1962097R	Page No.: 711
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5520MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	43.631	30.428	-30.369	74.000	13.204	PK
2	*	16560.000	52.407	32.467	-21.593	74.000	19.940	PK

Profile: 1962097R	Page No.: 712
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5520MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	43.656	30.453	-30.344	74.000	13.204	PK
2	*	16560.000	52.095	32.155	-21.905	74.000	19.940	PK

Profile: 1962097R	Page No.: 713
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.317	31.853	-28.683	74.000	13.464	PK
2	*	16740.000	51.755	32.860	-22.245	74.000	18.896	PK

Profile: 1962097R	Page No.: 714
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.036	31.572	-28.964	74.000	13.464	PK
2	*	16740.000	52.385	33.490	-21.615	74.000	18.896	PK

Profile: 1962097R	Page No.: 715
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.841	29.772	-31.159	74.000	13.069	PK
2	*	17100.000	52.258	32.408	-21.742	74.000	19.850	PK

Profile: 1962097R	Page No.: 716
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.098	30.029	-30.902	74.000	13.069	PK
2	*	17100.000	51.776	31.926	-22.224	74.000	19.850	PK

Profile: 1962097R	Page No.: 717
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5720MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	43.954	30.494	-30.046	74.000	13.460	PK
2	*	17160.000	51.270	31.376	-22.730	74.000	19.894	PK

Profile: 1962097R	Page No.: 718
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5720MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	43.712	30.252	-30.288	74.000	13.460	PK
2	*	17160.000	50.593	30.699	-23.407	74.000	19.894	PK

Profile: 1962097R	Page No.: 719
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	48.856	35.953	-25.144	74.000	12.903	PK
2	*	15780.000	50.881	33.052	-23.119	74.000	17.829	PK

Profile: 1962097R	Page No.: 720
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.915	32.012	-29.085	74.000	12.903	PK
2	*	15780.000	49.033	31.204	-24.967	74.000	17.829	PK

Profile: 1962097R	Page No.: 721
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	46.746	34.587	-27.254	74.000	12.159	PK
2	*	15900.000	49.424	32.181	-24.576	74.000	17.243	PK

Profile: 1962097R	Page No.: 722
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	48.260	36.101	-25.740	74.000	12.159	PK
2	*	15900.000	49.779	32.536	-24.221	74.000	17.243	PK

Profile: 1962097R	Page No.: 723
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.022	32.027	-29.978	74.000	11.995	PK
2	*	15960.000	51.329	33.019	-22.671	74.000	18.310	PK

Profile: 1962097R	Page No.: 724
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.553	31.558	-30.447	74.000	11.995	PK
2	*	15960.000	50.043	31.733	-23.957	74.000	18.310	PK

Profile: 1962097R	Page No.: 725
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.337	31.997	-28.663	74.000	13.339	PK
2	*	16500.000	51.702	32.171	-22.298	74.000	19.532	PK

Profile: 1962097R	Page No.: 726
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.856	31.516	-29.144	74.000	13.339	PK
2	*	16500.000	52.019	32.488	-21.981	74.000	19.532	PK

Profile: 1962097R	Page No.: 727
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5520MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	43.637	30.434	-30.363	74.000	13.204	PK
2	*	16560.000	51.660	31.720	-22.340	74.000	19.940	PK

Profile: 1962097R	Page No.: 728
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5520MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.474	31.271	-29.526	74.000	13.204	PK
2	*	16560.000	51.828	31.888	-22.172	74.000	19.940	PK

Profile: 1962097R	Page No.: 729
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.845	31.381	-29.155	74.000	13.464	PK
2	*	16740.000	51.752	32.857	-22.248	74.000	18.896	PK

Profile: 1962097R	Page No.: 730
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	43.884	30.420	-30.116	74.000	13.464	PK
2	*	16740.000	51.651	32.756	-22.349	74.000	18.896	PK

Profile: 1962097R	Page No.: 731
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.489	30.420	-30.511	74.000	13.069	PK
2	*	17100.000	51.613	31.763	-22.387	74.000	19.850	PK

Profile: 1962097R	Page No.: 732
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.585	30.516	-30.415	74.000	13.069	PK
2	*	17100.000	51.150	31.300	-22.850	74.000	19.850	PK

Profile: 1962097R	Page No.: 733
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5720MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	43.623	30.163	-30.377	74.000	13.460	PK
2	*	17160.000	50.634	30.740	-23.366	74.000	19.894	PK

Profile: 1962097R	Page No.: 734
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5720MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	44.856	31.396	-29.144	74.000	13.460	PK
2	*	17160.000	51.927	32.033	-22.073	74.000	19.894	PK

Profile: 1962097R	Page No.: 735
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	48.179	35.276	-25.821	74.000	12.903	PK
2	*	15780.000	50.535	32.706	-23.465	74.000	17.829	PK

Profile: 1962097R	Page No.: 736
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	49.188	36.285	-24.812	74.000	12.903	PK
2	*	15780.000	50.552	32.723	-23.448	74.000	17.829	PK

Profile: 1962097R	Page No.: 737
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.834	33.675	-28.166	74.000	12.159	PK
2	*	15900.000	49.257	32.014	-24.743	74.000	17.243	PK

Profile: 1962097R	Page No.: 738
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.292	33.133	-28.708	74.000	12.159	PK
2	*	15900.000	48.213	30.970	-25.787	74.000	17.243	PK

Profile: 1962097R	Page No.: 739
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.693	32.698	-29.307	74.000	11.995	PK
2	*	15960.000	50.130	31.820	-23.870	74.000	18.310	PK

Profile: 1962097R	Page No.: 740
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.632	32.637	-29.368	74.000	11.995	PK
2	*	15960.000	50.167	31.857	-23.833	74.000	18.310	PK

Profile: 1962097R	Page No.: 741
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.690	31.350	-29.310	74.000	13.339	PK
2	*	16500.000	52.500	32.969	-21.500	74.000	19.532	PK

Profile: 1962097R	Page No.: 742
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.577	32.237	-28.423	74.000	13.339	PK
2	*	16500.000	52.241	32.710	-21.759	74.000	19.532	PK

Profile: 1962097R	Page No.: 743
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5520MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.657	31.454	-29.343	74.000	13.204	PK
2	*	16560.000	51.894	31.954	-22.106	74.000	19.940	PK

Profile: 1962097R	Page No.: 744
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5520MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.518	31.315	-29.482	74.000	13.204	PK
2	*	16560.000	53.089	33.149	-20.911	74.000	19.940	PK

Profile: 1962097R	Page No.: 745
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.157	30.693	-29.843	74.000	13.464	PK
2	*	16740.000	51.980	33.085	-22.020	74.000	18.896	PK

Profile: 1962097R	Page No.: 746
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.655	31.191	-29.345	74.000	13.464	PK
2	*	16740.000	52.490	33.595	-21.510	74.000	18.896	PK

Profile: 1962097R	Page No.: 747
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.753	30.684	-30.247	74.000	13.069	PK
2	*	17100.000	52.351	32.501	-21.649	74.000	19.850	PK

Profile: 1962097R	Page No.: 748
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.201	31.132	-29.799	74.000	13.069	PK
2	*	17100.000	52.102	32.252	-21.898	74.000	19.850	PK

Profile: 1962097R	Page No.: 749
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5720MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	44.500	31.040	-29.500	74.000	13.460	PK
2	*	17160.000	51.947	32.053	-22.053	74.000	19.894	PK

Profile: 1962097R	Page No.: 750
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5720MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	44.452	30.992	-29.548	74.000	13.460	PK
2	*	17160.000	52.601	32.707	-21.399	74.000	19.894	PK

Profile: 1962097R	Page No.: 751
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.990	33.087	-28.010	74.000	12.903	PK
2	*	15780.000	50.217	32.388	-23.783	74.000	17.829	PK

Profile: 1962097R	Page No.: 752
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.786	31.883	-29.214	74.000	12.903	PK
2	*	15780.000	49.617	31.788	-24.383	74.000	17.829	PK

Profile: 1962097R	Page No.: 753
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.615	33.456	-28.385	74.000	12.159	PK
2	*	15900.000	49.343	32.100	-24.657	74.000	17.243	PK

Profile: 1962097R	Page No.: 754
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	46.761	34.602	-27.239	74.000	12.159	PK
2	*	15900.000	49.242	31.999	-24.758	74.000	17.243	PK

Profile: 1962097R	Page No.: 755
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	45.512	33.517	-28.488	74.000	11.995	PK
2	*	15960.000	50.852	32.542	-23.148	74.000	18.310	PK

Profile: 1962097R	Page No.: 756
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.761	31.766	-30.239	74.000	11.995	PK
2	*	15960.000	49.879	31.569	-24.121	74.000	18.310	PK

Profile: 1962097R	Page No.: 757
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.421	31.081	-29.579	74.000	13.339	PK
2	*	16500.000	52.099	32.568	-21.901	74.000	19.532	PK

Profile: 1962097R	Page No.: 758
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	46.097	32.757	-27.903	74.000	13.339	PK
2	*	16500.000	53.433	33.902	-20.567	74.000	19.532	PK

Profile: 1962097R	Page No.: 759
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5520MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.829	31.626	-29.171	74.000	13.204	PK
2	*	16560.000	53.259	33.319	-20.741	74.000	19.940	PK

Profile: 1962097R	Page No.: 760
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5520MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.583	31.380	-29.417	74.000	13.204	PK
2	*	16560.000	52.498	32.558	-21.502	74.000	19.940	PK

Profile: 1962097R	Page No.: 761
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.810	31.346	-29.190	74.000	13.464	PK
2	*	16740.000	50.949	32.054	-23.051	74.000	18.896	PK

Profile: 1962097R	Page No.: 762
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.732	32.268	-28.268	74.000	13.464	PK
2	*	16740.000	51.173	32.278	-22.827	74.000	18.896	PK

Profile: 1962097R	Page No.: 763
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.402	30.333	-30.598	74.000	13.069	PK
2	*	17100.000	51.917	32.067	-22.083	74.000	19.850	PK

Profile: 1962097R	Page No.: 764
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.029	30.960	-29.971	74.000	13.069	PK
2	*	17100.000	52.731	32.881	-21.269	74.000	19.850	PK

Profile: 1962097R	Page No.: 765
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5720MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	44.655	31.195	-29.345	74.000	13.460	PK
2	*	17160.000	51.238	31.344	-22.762	74.000	19.894	PK

Profile: 1962097R	Page No.: 766
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5720MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	45.040	31.580	-28.960	74.000	13.460	PK
2	*	17160.000	52.115	32.221	-21.885	74.000	19.894	PK

Profile: 1962097R	Page No.: 767
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	46.156	33.311	-27.844	74.000	12.845	PK
2	*	15810.000	50.498	32.848	-23.502	74.000	17.651	PK

Profile: 1962097R	Page No.: 768
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.394	32.549	-28.606	74.000	12.845	PK
2	*	15810.000	50.754	33.104	-23.246	74.000	17.651	PK

Profile: 1962097R	Page No.: 769
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.791	31.683	-29.209	74.000	13.109	PK
2	*	15930.000	49.719	31.241	-24.281	74.000	18.478	PK

Profile: 1962097R	Page No.: 770
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.992	31.884	-29.008	74.000	13.109	PK
2	*	15930.000	50.727	32.249	-23.273	74.000	18.478	PK

Profile: 1962097R	Page No.: 771
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.818	31.720	-29.182	74.000	13.097	PK
2	*	16530.000	52.495	33.161	-21.505	74.000	19.334	PK

Profile: 1962097R	Page No.: 772
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.991	31.893	-29.009	74.000	13.097	PK
2	*	16530.000	51.589	32.255	-22.411	74.000	19.334	PK

Profile: 1962097R	Page No.: 773
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	46.038	33.161	-27.962	74.000	12.877	PK
2	*	16650.000	53.429	33.518	-20.571	74.000	19.912	PK

Profile: 1962097R	Page No.: 774
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.832	31.955	-29.168	74.000	12.877	PK
2	*	16650.000	52.556	32.645	-21.444	74.000	19.912	PK

Profile: 1962097R	Page No.: 775
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	43.796	30.568	-30.204	74.000	13.228	PK
2	*	17010.000	52.559	28.642	-21.441	74.000	23.917	PK

Profile: 1962097R	Page No.: 776
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	43.487	30.259	-30.513	74.000	13.228	PK
2	*	17010.000	53.260	29.343	-20.740	74.000	23.917	PK

Profile: 1962097R	Page No.: 777
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5710MHz by 802.11ax (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	44.858	31.424	-29.142	74.000	13.433	PK
2	*	17130.000	51.983	31.897	-22.017	74.000	20.086	PK

Profile: 1962097R	Page No.: 778
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5710MHz by 802.11ax (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	42.941	29.507	-31.059	74.000	13.433	PK
2	*	17130.000	52.190	32.104	-21.810	74.000	20.086	PK

Profile: 1962097R	Page No.: 779
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	46.795	33.950	-27.205	74.000	12.845	PK
2	*	15810.000	50.354	32.704	-23.646	74.000	17.651	PK

Profile: 1962097R	Page No.: 780
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	46.226	33.381	-27.774	74.000	12.845	PK
2	*	15810.000	49.326	31.676	-24.674	74.000	17.651	PK

Profile: 1962097R	Page No.: 781
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.546	32.438	-28.454	74.000	13.109	PK
2	*	15930.000	50.685	32.207	-23.315	74.000	18.478	PK

Profile: 1962097R	Page No.: 782
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.173	31.065	-29.827	74.000	13.109	PK
2	*	15930.000	49.668	31.190	-24.332	74.000	18.478	PK

Profile: 1962097R	Page No.: 783
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.655	31.557	-29.345	74.000	13.097	PK
2	*	16530.000	52.218	32.884	-21.782	74.000	19.334	PK

Profile: 1962097R	Page No.: 784
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	45.044	31.946	-28.956	74.000	13.097	PK
2	*	16530.000	51.458	32.124	-22.542	74.000	19.334	PK

Profile: 1962097R	Page No.: 785
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.852	31.975	-29.148	74.000	12.877	PK
2	*	16650.000	53.476	33.565	-20.524	74.000	19.912	PK

Profile: 1962097R	Page No.: 786
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	45.509	32.632	-28.491	74.000	12.877	PK
2	*	16650.000	52.351	32.440	-21.649	74.000	19.912	PK

Profile: 1962097R	Page No.: 787
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	43.511	30.283	-30.489	74.000	13.228	PK
2	*	17010.000	52.525	28.608	-21.475	74.000	23.917	PK

Profile: 1962097R	Page No.: 788
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.395	31.167	-29.605	74.000	13.228	PK
2	*	17010.000	53.208	29.291	-20.792	74.000	23.917	PK

Profile: 1962097R	Page No.: 789
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5710MHz by 802.11ax (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	43.902	30.468	-30.098	74.000	13.433	PK
2	*	17130.000	52.337	32.251	-21.663	74.000	20.086	PK

Profile: 1962097R	Page No.: 790
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5710MHz by 802.11ax (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	43.874	30.440	-30.126	74.000	13.433	PK
2	*	17130.000	52.430	32.344	-21.570	74.000	20.086	PK

Profile: 1962097R	Page No.: 791
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	46.604	33.759	-27.396	74.000	12.845	PK
2	*	15810.000	49.036	31.386	-24.964	74.000	17.651	PK

Profile: 1962097R	Page No.: 792
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	48.200	35.355	-25.800	74.000	12.845	PK
2	*	15810.000	50.593	32.943	-23.407	74.000	17.651	PK

Profile: 1962097R	Page No.: 793
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.695	32.587	-28.305	74.000	13.109	PK
2	*	15930.000	50.308	31.830	-23.692	74.000	18.478	PK

Profile: 1962097R	Page No.: 794
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	47.420	34.312	-26.580	74.000	13.109	PK
2	*	15930.000	50.669	32.191	-23.331	74.000	18.478	PK

Profile: 1962097R	Page No.: 795
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.308	31.210	-29.692	74.000	13.097	PK
2	*	16530.000	51.718	32.384	-22.282	74.000	19.334	PK

Profile: 1962097R	Page No.: 796
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.836	31.738	-29.164	74.000	13.097	PK
2	*	16530.000	52.203	32.869	-21.797	74.000	19.334	PK

Profile: 1962097R	Page No.: 797
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.611	31.734	-29.389	74.000	12.877	PK
2	*	16650.000	52.825	32.914	-21.175	74.000	19.912	PK

Profile: 1962097R	Page No.: 798
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.822	31.945	-29.178	74.000	12.877	PK
2	*	16650.000	53.690	33.779	-20.310	74.000	19.912	PK

Profile: 1962097R	Page No.: 799
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	43.751	30.523	-30.249	74.000	13.228	PK
2	*	17010.000	52.640	28.723	-21.360	74.000	23.917	PK

Profile: 1962097R	Page No.: 800
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.676	31.448	-29.324	74.000	13.228	PK
2	*	17010.000	53.788	29.871	-20.212	74.000	23.917	PK

Profile: 1962097R	Page No.: 801
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5710MHz by 802.11ax (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	44.123	30.689	-29.877	74.000	13.433	PK
2	*	17130.000	52.048	31.962	-21.952	74.000	20.086	PK

Profile: 1962097R	Page No.: 802
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5710MHz by 802.11ax (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	44.761	31.327	-29.239	74.000	13.433	PK
2	*	17130.000	51.666	31.580	-22.334	74.000	20.086	PK

Profile: 1962097R	Page No.: 803
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.495	31.650	-29.505	74.000	12.845	PK
2	*	15810.000	48.535	30.885	-25.465	74.000	17.651	PK

Profile: 1962097R	Page No.: 804
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.565	32.720	-28.435	74.000	12.845	PK
2	*	15810.000	49.757	32.107	-24.243	74.000	17.651	PK

Profile: 1962097R	Page No.: 805
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.665	32.557	-28.335	74.000	13.109	PK
2	*	15930.000	50.447	31.969	-23.553	74.000	18.478	PK

Profile: 1962097R	Page No.: 806
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	46.181	33.073	-27.819	74.000	13.109	PK
2	*	15930.000	50.968	32.490	-23.032	74.000	18.478	PK

Profile: 1962097R	Page No.: 807
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	45.764	32.666	-28.236	74.000	13.097	PK
2	*	16530.000	52.267	32.933	-21.733	74.000	19.334	PK

Profile: 1962097R	Page No.: 808
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.251	31.153	-29.749	74.000	13.097	PK
2	*	16530.000	51.065	31.731	-22.935	74.000	19.334	PK

Profile: 1962097R	Page No.: 809
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.813	30.936	-30.187	74.000	12.877	PK
2	*	16650.000	51.594	31.683	-22.406	74.000	19.912	PK

Profile: 1962097R	Page No.: 810
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.844	30.967	-30.156	74.000	12.877	PK
2	*	16650.000	52.060	32.149	-21.940	74.000	19.912	PK

Profile: 1962097R	Page No.: 811
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	43.509	30.281	-30.491	74.000	13.228	PK
2	*	17010.000	52.358	28.441	-21.642	74.000	23.917	PK

Profile: 1962097R	Page No.: 812
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	42.909	29.681	-31.091	74.000	13.228	PK
2	*	17010.000	52.951	29.034	-21.049	74.000	23.917	PK

Profile: 1962097R	Page No.: 813
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5710MHz by 802.11ax (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	44.267	30.833	-29.733	74.000	13.433	PK
2	*	17130.000	51.994	31.908	-22.006	74.000	20.086	PK

Profile: 1962097R	Page No.: 814
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5710MHz by 802.11ax (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	44.221	30.787	-29.779	74.000	13.433	PK
2	*	17130.000	52.204	32.118	-21.796	74.000	20.086	PK

Profile: 1962097R	Page No.: 815
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax (80MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	46.045	33.829	-27.955	74.000	12.216	PK
2	*	15870.000	49.779	32.367	-24.221	74.000	17.412	PK

Profile: 1962097R	Page No.: 816
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax (80MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	45.133	32.917	-28.867	74.000	12.216	PK
2	*	15870.000	49.886	32.474	-24.114	74.000	17.412	PK

Profile: 1962097R	Page No.: 817
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax (80MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	43.894	31.037	-30.106	74.000	12.858	PK
2	*	16590.000	50.760	31.238	-23.240	74.000	19.521	PK

Profile: 1962097R	Page No.: 818
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax (80MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	43.471	30.614	-30.529	74.000	12.858	PK
2	*	16590.000	51.713	32.191	-22.287	74.000	19.521	PK

Profile: 1962097R	Page No.: 819
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5690MHz by 802.11ax (80MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11380.000	44.497	31.169	-29.503	74.000	13.328	PK
2	*	17070.000	50.648	31.064	-23.352	74.000	19.584	PK

Profile: 1962097R	Page No.: 820
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5690MHz by 802.11ax (80MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11380.000	43.582	30.254	-30.418	74.000	13.328	PK
2	*	17070.000	52.177	32.593	-21.823	74.000	19.584	PK

Profile: 1962097R	Page No.: 821
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax (80MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	45.007	32.791	-28.993	74.000	12.216	PK
2	*	15870.000	50.198	32.786	-23.802	74.000	17.412	PK

Profile: 1962097R	Page No.: 822
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax (80MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	45.934	33.718	-28.066	74.000	12.216	PK
2	*	15870.000	49.913	32.501	-24.087	74.000	17.412	PK

Profile: 1962097R	Page No.: 823
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax (80MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.206	31.349	-29.794	74.000	12.858	PK
2	*	16590.000	51.655	32.133	-22.345	74.000	19.521	PK

Profile: 1962097R	Page No.: 824
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax (80MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.648	31.791	-29.352	74.000	12.858	PK
2	*	16590.000	52.473	32.951	-21.527	74.000	19.521	PK

Profile: 1962097R	Page No.: 825
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5690MHz by 802.11ax (80MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11380.000	42.436	29.108	-31.564	74.000	13.328	PK
2	*	17070.000	51.604	32.020	-22.396	74.000	19.584	PK

Profile: 1962097R	Page No.: 826
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5690MHz by 802.11ax (80MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11380.000	43.947	30.619	-30.053	74.000	13.328	PK
2	*	17070.000	52.003	32.419	-21.997	74.000	19.584	PK

Profile: 1962097R	Page No.: 827
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax (80MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	45.421	33.205	-28.579	74.000	12.216	PK
2	*	15870.000	49.694	32.282	-24.306	74.000	17.412	PK

Profile: 1962097R	Page No.: 828
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax (80MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.851	32.635	-29.149	74.000	12.216	PK
2	*	15870.000	48.761	31.349	-25.239	74.000	17.412	PK

Profile: 1962097R	Page No.: 829
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax (80MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.836	31.979	-29.164	74.000	12.858	PK
2	*	16590.000	53.349	33.827	-20.651	74.000	19.521	PK

Profile: 1962097R	Page No.: 830
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax (80MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.479	31.622	-29.521	74.000	12.858	PK
2	*	16590.000	52.619	33.097	-21.381	74.000	19.521	PK

Profile: 1962097R	Page No.: 831
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5690MHz by 802.11ax (80MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11380.000	43.345	30.017	-30.655	74.000	13.328	PK
2	*	17070.000	50.105	30.521	-23.895	74.000	19.584	PK

Profile: 1962097R	Page No.: 832
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5690MHz by 802.11ax (80MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11380.000	43.593	30.265	-30.407	74.000	13.328	PK
2	*	17070.000	52.554	32.970	-21.446	74.000	19.584	PK

Profile: 1962097R	Page No.: 833
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax (80MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	46.163	33.947	-27.837	74.000	12.216	PK
2	*	15870.000	49.707	32.295	-24.293	74.000	17.412	PK

Profile: 1962097R	Page No.: 834
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax (80MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.027	31.811	-29.973	74.000	12.216	PK
2	*	15870.000	50.205	32.793	-23.795	74.000	17.412	PK

Profile: 1962097R	Page No.: 835
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax (80MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.297	31.440	-29.703	74.000	12.858	PK
2	*	16590.000	51.909	32.387	-22.091	74.000	19.521	PK

Profile: 1962097R	Page No.: 836
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax (80MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.072	31.215	-29.928	74.000	12.858	PK
2	*	16590.000	52.428	32.906	-21.572	74.000	19.521	PK

Profile: 1962097R	Page No.: 837
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5690MHz by 802.11ax (80MHz) Beamforming	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11380.000	43.984	30.656	-30.016	74.000	13.328	PK
2	*	17070.000	51.839	32.255	-22.161	74.000	19.584	PK

Profile: 1962097R	Page No.: 838
Engineer: Simon	
Site: AC5	Time: 2019/08/12 - 09:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5690MHz by 802.11ax (80MHz) Beamforming	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11380.000	44.754	31.426	-29.246	74.000	13.328	PK
2	*	17070.000	52.500	32.916	-21.500	74.000	19.584	PK