



# SISO

|                                                  |                          |
|--------------------------------------------------|--------------------------|
| Profile: 20A0241R                                | Page No.: 167            |
| Engineer: Simon                                  |                          |
| Site: AC5                                        | Time: 2020/11/28 - 13:52 |
| Limit: FCC_Part15.209_RE(3m)                     | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)               | Polarity: Horizontal     |
| EUT: Wireless Access Point                       | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5180MHz by 802.11a ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 42.227                 | 41.366               | -31.773         | 74.000         | 0.860       | PK   |
| 2  | *    | 15540.000       | 45.711                 | 39.073               | -28.289         | 74.000         | 6.637       | PK   |

|                                                  |                          |
|--------------------------------------------------|--------------------------|
| Profile: 20A0241R                                | Page No.: 168            |
| Engineer: Simon                                  |                          |
| Site: AC5                                        | Time: 2020/11/28 - 13:52 |
| Limit: FCC_Part15.209_RE(3m)                     | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)               | Polarity: Vertical       |
| EUT: Wireless Access Point                       | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5180MHz by 802.11a ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 40.763                 | 39.902               | -33.237         | 74.000         | 0.860       | PK   |
| 2  | *    | 15540.000       | 45.189                 | 38.551               | -28.811         | 74.000         | 6.637       | PK   |

|                                                  |                          |
|--------------------------------------------------|--------------------------|
| Profile: 20A0241R                                | Page No.: 169            |
| Engineer: Simon                                  |                          |
| Site: AC5                                        | Time: 2020/11/28 - 13:52 |
| Limit: FCC_Part15.209_RE(3m)                     | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)               | Polarity: Horizontal     |
| EUT: Wireless Access Point                       | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5220MHz by 802.11a ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 41.091                 | 39.865               | -32.909         | 74.000         | 1.226       | PK   |
| 2  | *    | 15660.000       | 44.341                 | 36.367               | -29.659         | 74.000         | 7.974       | PK   |

|                                                  |                          |
|--------------------------------------------------|--------------------------|
| Profile: 20A0241R                                | Page No.: 170            |
| Engineer: Simon                                  |                          |
| Site: AC5                                        | Time: 2020/11/28 - 13:52 |
| Limit: FCC_Part15.209_RE(3m)                     | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)               | Polarity: Vertical       |
| EUT: Wireless Access Point                       | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5220MHz by 802.11a ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 39.844                 | 38.618               | -34.156         | 74.000         | 1.226       | PK   |
| 2  | *    | 15660.000       | 45.157                 | 37.183               | -28.843         | 74.000         | 7.974       | PK   |

|                                                  |                          |
|--------------------------------------------------|--------------------------|
| Profile: 20A0241R                                | Page No.: 171            |
| Engineer: Simon                                  |                          |
| Site: AC5                                        | Time: 2020/11/28 - 13:52 |
| Limit: FCC_Part15.209_RE(3m)                     | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)               | Polarity: Horizontal     |
| EUT: Wireless Access Point                       | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5240MHz by 802.11a ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 40.833                 | 39.720               | -33.167         | 74.000         | 1.114       | PK   |
| 2  | *    | 15720.000       | 45.214                 | 36.654               | -28.786         | 74.000         | 8.561       | PK   |

|                                                  |                          |
|--------------------------------------------------|--------------------------|
| Profile: 20A0241R                                | Page No.: 172            |
| Engineer: Simon                                  |                          |
| Site: AC5                                        | Time: 2020/11/28 - 13:52 |
| Limit: FCC_Part15.209_RE(3m)                     | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)               | Polarity: Vertical       |
| EUT: Wireless Access Point                       | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5240MHz by 802.11a ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 41.306                 | 40.193               | -32.694         | 74.000         | 1.114       | PK   |
| 2  | *    | 15720.000       | 45.896                 | 37.336               | -28.104         | 74.000         | 8.561       | PK   |

|                                                  |                          |
|--------------------------------------------------|--------------------------|
| Profile: 20A0241R                                | Page No.: 173            |
| Engineer: Simon                                  |                          |
| Site: AC5                                        | Time: 2020/11/28 - 13:52 |
| Limit: FCC_Part15.209_RE(3m)                     | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)               | Polarity: Horizontal     |
| EUT: Wireless Access Point                       | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5260MHz by 802.11a ant1 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10520.000       | 42.498                 | 40.764               | -31.502         | 74.000         | 1.735       | PK   |
| 2  | *    | 15780.000       | 45.616                 | 36.776               | -28.384         | 74.000         | 8.840       | PK   |


|                                                  |                          |
|--------------------------------------------------|--------------------------|
| Profile: 20A0241R                                | Page No.: 174            |
| Engineer: Simon                                  |                          |
| Site: AC5                                        | Time: 2020/11/28 - 13:53 |
| Limit: FCC_Part15.209_RE(3m)                     | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)               | Polarity: Vertical       |
| EUT: Wireless Access Point                       | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5260MHz by 802.11a ant1 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10520.000       | 41.600                 | 39.866               | -32.400         | 74.000         | 1.735       | PK   |
| 2  | *    | 15780.000       | 44.719                 | 35.879               | -29.281         | 74.000         | 8.840       | PK   |




|                                                  |                          |
|--------------------------------------------------|--------------------------|
| Profile: 20A0241R                                | Page No.: 175            |
| Engineer: Simon                                  |                          |
| Site: AC5                                        | Time: 2020/11/28 - 13:53 |
| Limit: FCC_Part15.209_RE(3m)                     | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)               | Polarity: Horizontal     |
| EUT: Wireless Access Point                       | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5300MHz by 802.11a ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10600.000       | 42.505                 | 40.857               | -31.495         | 74.000         | 1.648       | PK   |
| 2  | *    | 15900.000       | 46.135                 | 37.281               | -27.865         | 74.000         | 8.853       | PK   |

|                                                  |                          |
|--------------------------------------------------|--------------------------|
| Profile: 20A0241R                                | Page No.: 176            |
| Engineer: Simon                                  |                          |
| Site: AC5                                        | Time: 2020/11/28 - 13:53 |
| Limit: FCC_Part15.209_RE(3m)                     | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)               | Polarity: Vertical       |
| EUT: Wireless Access Point                       | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5300MHz by 802.11a ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10600.000       | 42.017                 | 40.369               | -31.983         | 74.000         | 1.648       | PK   |
| 2  | *    | 15900.000       | 46.231                 | 37.377               | -27.769         | 74.000         | 8.853       | PK   |

|                                                  |                          |
|--------------------------------------------------|--------------------------|
| Profile: 20A0241R                                | Page No.: 177            |
| Engineer: Simon                                  |                          |
| Site: AC5                                        | Time: 2020/11/28 - 13:53 |
| Limit: FCC_Part15.209_RE(3m)                     | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)               | Polarity: Horizontal     |
| EUT: Wireless Access Point                       | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5320MHz by 802.11a ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10640.000       | 40.027                 | 38.193               | -33.973         | 74.000         | 1.834       | PK   |
| 2  | *    | 15960.000       | 45.039                 | 36.827               | -28.961         | 74.000         | 8.212       | PK   |

|                                                  |                          |
|--------------------------------------------------|--------------------------|
| Profile: 20A0241R                                | Page No.: 178            |
| Engineer: Simon                                  |                          |
| Site: AC5                                        | Time: 2020/11/28 - 13:53 |
| Limit: FCC_Part15.209_RE(3m)                     | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)               | Polarity: Vertical       |
| EUT: Wireless Access Point                       | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5320MHz by 802.11a ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10640.000       | 40.919                 | 39.085               | -33.081         | 74.000         | 1.834       | PK   |
| 2  | *    | 15960.000       | 46.100                 | 37.888               | -27.900         | 74.000         | 8.212       | PK   |

|                                                  |                          |
|--------------------------------------------------|--------------------------|
| Profile: 20A0241R                                | Page No.: 179            |
| Engineer: Simon                                  |                          |
| Site: AC5                                        | Time: 2020/11/28 - 13:53 |
| Limit: FCC_Part15.209_RE(3m)                     | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)               | Polarity: Horizontal     |
| EUT: Wireless Access Point                       | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5500MHz by 802.11a ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11000.000       | 41.143                 | 39.109               | -32.857         | 74.000         | 2.033       | PK   |
| 2  | *    | 16500.000       | 45.224                 | 36.485               | -28.776         | 74.000         | 8.739       | PK   |

|                                                  |                          |
|--------------------------------------------------|--------------------------|
| Profile: 20A0241R                                | Page No.: 180            |
| Engineer: Simon                                  |                          |
| Site: AC5                                        | Time: 2020/11/28 - 13:53 |
| Limit: FCC_Part15.209_RE(3m)                     | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)               | Polarity: Vertical       |
| EUT: Wireless Access Point                       | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5500MHz by 802.11a ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11000.000       | 40.556                 | 38.522               | -33.444         | 74.000         | 2.033       | PK   |
| 2  | *    | 16500.000       | 46.085                 | 37.346               | -27.915         | 74.000         | 8.739       | PK   |

|                                                  |                          |
|--------------------------------------------------|--------------------------|
| Profile: 20A0241R                                | Page No.: 181            |
| Engineer: Simon                                  |                          |
| Site: AC5                                        | Time: 2020/11/28 - 13:53 |
| Limit: FCC_Part15.209_RE(3m)                     | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)               | Polarity: Horizontal     |
| EUT: Wireless Access Point                       | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5580MHz by 802.11a ant1 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11160.000       | 40.962                 | 38.746               | -33.038         | 74.000         | 2.216       | PK   |
| 2  | *    | 16740.000       | 44.462                 | 36.106               | -29.538         | 74.000         | 8.356       | PK   |


|                                                  |                          |
|--------------------------------------------------|--------------------------|
| Profile: 20A0241R                                | Page No.: 182            |
| Engineer: Simon                                  |                          |
| Site: AC5                                        | Time: 2020/11/28 - 13:53 |
| Limit: FCC_Part15.209_RE(3m)                     | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)               | Polarity: Vertical       |
| EUT: Wireless Access Point                       | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5580MHz by 802.11a ant1 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11160.000       | 41.368                 | 39.152               | -32.632         | 74.000         | 2.216       | PK   |
| 2  | *    | 16740.000       | 43.489                 | 35.133               | -30.511         | 74.000         | 8.356       | PK   |




|                                                  |                          |
|--------------------------------------------------|--------------------------|
| Profile: 20A0241R                                | Page No.: 183            |
| Engineer: Simon                                  |                          |
| Site: AC5                                        | Time: 2020/11/28 - 13:53 |
| Limit: FCC_Part15.209_RE(3m)                     | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)               | Polarity: Horizontal     |
| EUT: Wireless Access Point                       | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5700MHz by 802.11a ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11400.000       | 41.091                 | 37.907               | -32.909         | 74.000         | 3.184       | PK   |
| 2  | *    | 17100.000       | 44.703                 | 37.613               | -29.297         | 74.000         | 7.090       | PK   |

|                                                  |                          |
|--------------------------------------------------|--------------------------|
| Profile: 20A0241R                                | Page No.: 184            |
| Engineer: Simon                                  |                          |
| Site: AC5                                        | Time: 2020/11/28 - 13:53 |
| Limit: FCC_Part15.209_RE(3m)                     | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)               | Polarity: Vertical       |
| EUT: Wireless Access Point                       | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5700MHz by 802.11a ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11400.000       | 40.643                 | 37.459               | -33.357         | 74.000         | 3.184       | PK   |
| 2  | *    | 17100.000       | 43.294                 | 36.204               | -30.706         | 74.000         | 7.090       | PK   |

|                                                  |                          |
|--------------------------------------------------|--------------------------|
| Profile: 20A0241R                                | Page No.: 185            |
| Engineer: Simon                                  |                          |
| Site: AC5                                        | Time: 2020/11/28 - 13:53 |
| Limit: FCC_Part15.209_RE(3m)                     | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)               | Polarity: Horizontal     |
| EUT: Wireless Access Point                       | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5745MHz by 802.11a ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 42.260                 | 39.435               | -31.740         | 74.000         | 2.825       | PK   |
| 2  | *    | 17235.000       | 45.069                 | 37.239               | -28.931         | 74.000         | 7.830       | PK   |

|                                                  |                          |
|--------------------------------------------------|--------------------------|
| Profile: 20A0241R                                | Page No.: 186            |
| Engineer: Simon                                  |                          |
| Site: AC5                                        | Time: 2020/11/28 - 13:53 |
| Limit: FCC_Part15.209_RE(3m)                     | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)               | Polarity: Vertical       |
| EUT: Wireless Access Point                       | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5745MHz by 802.11a ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 42.686                 | 39.861               | -31.314         | 74.000         | 2.825       | PK   |
| 2  | *    | 17235.000       | 45.592                 | 37.762               | -28.408         | 74.000         | 7.830       | PK   |

|                                                  |                          |
|--------------------------------------------------|--------------------------|
| Profile: 20A0241R                                | Page No.: 187            |
| Engineer: Simon                                  |                          |
| Site: AC5                                        | Time: 2020/11/28 - 13:54 |
| Limit: FCC_Part15.209_RE(3m)                     | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)               | Polarity: Horizontal     |
| EUT: Wireless Access Point                       | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5785MHz by 802.11a ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 41.843                 | 38.526               | -32.157         | 74.000         | 3.317       | PK   |
| 2  | *    | 17355.000       | 44.585                 | 36.561               | -29.415         | 74.000         | 8.023       | PK   |

|                                                  |                          |
|--------------------------------------------------|--------------------------|
| Profile: 20A0241R                                | Page No.: 188            |
| Engineer: Simon                                  |                          |
| Site: AC5                                        | Time: 2020/11/28 - 13:54 |
| Limit: FCC_Part15.209_RE(3m)                     | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)               | Polarity: Vertical       |
| EUT: Wireless Access Point                       | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5785MHz by 802.11a ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 42.499                 | 39.182               | -31.501         | 74.000         | 3.317       | PK   |
| 2  | *    | 17355.000       | 45.300                 | 37.276               | -28.700         | 74.000         | 8.023       | PK   |

|                                                  |                          |
|--------------------------------------------------|--------------------------|
| Profile: 20A0241R                                | Page No.: 189            |
| Engineer: Simon                                  |                          |
| Site: AC5                                        | Time: 2020/11/28 - 13:54 |
| Limit: FCC_Part15.209_RE(3m)                     | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)               | Polarity: Horizontal     |
| EUT: Wireless Access Point                       | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5825MHz by 802.11a ant1 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 43.078                 | 39.764               | -30.922         | 74.000         | 3.314       | PK   |
| 2  | *    | 17475.000       | 45.094                 | 37.008               | -28.906         | 74.000         | 8.086       | PK   |


|                                                  |                          |
|--------------------------------------------------|--------------------------|
| Profile: 20A0241R                                | Page No.: 190            |
| Engineer: Simon                                  |                          |
| Site: AC5                                        | Time: 2020/11/28 - 13:54 |
| Limit: FCC_Part15.209_RE(3m)                     | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)               | Polarity: Vertical       |
| EUT: Wireless Access Point                       | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5825MHz by 802.11a ant1 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 43.288                 | 39.974               | -30.712         | 74.000         | 3.314       | PK   |
| 2  | *    | 17475.000       | 44.851                 | 36.765               | -29.149         | 74.000         | 8.086       | PK   |




|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                  | Page No.: 191            |
| Engineer: Simon                                    |                          |
| Site: AC5                                          | Time: 2020/11/28 - 13:54 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: Wireless Access Point                         | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5180MHz by 802.11n20 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 40.816                 | 39.955               | -33.184         | 74.000         | 0.860       | PK   |
| 2  | *    | 15540.000       | 44.101                 | 37.463               | -29.899         | 74.000         | 6.637       | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                  | Page No.: 192            |
| Engineer: Simon                                    |                          |
| Site: AC5                                          | Time: 2020/11/28 - 13:54 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Vertical       |
| EUT: Wireless Access Point                         | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5180MHz by 802.11n20 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 40.935                 | 40.074               | -33.065         | 74.000         | 0.860       | PK   |
| 2  | *    | 15540.000       | 45.069                 | 38.431               | -28.931         | 74.000         | 6.637       | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                  | Page No.: 193            |
| Engineer: Simon                                    |                          |
| Site: AC5                                          | Time: 2020/11/28 - 13:54 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: Wireless Access Point                         | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5220MHz by 802.11n20 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 40.306                 | 39.080               | -33.694         | 74.000         | 1.226       | PK   |
| 2  | *    | 15660.000       | 45.084                 | 37.110               | -28.916         | 74.000         | 7.974       | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                  | Page No.: 194            |
| Engineer: Simon                                    |                          |
| Site: AC5                                          | Time: 2020/11/28 - 13:54 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Vertical       |
| EUT: Wireless Access Point                         | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5220MHz by 802.11n20 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 40.160                 | 38.934               | -33.840         | 74.000         | 1.226       | PK   |
| 2  | *    | 15660.000       | 45.463                 | 37.489               | -28.537         | 74.000         | 7.974       | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                  | Page No.: 195            |
| Engineer: Simon                                    |                          |
| Site: AC5                                          | Time: 2020/11/28 - 13:54 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: Wireless Access Point                         | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5240MHz by 802.11n20 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 41.010                 | 39.897               | -32.990         | 74.000         | 1.114       | PK   |
| 2  | *    | 15720.000       | 46.682                 | 38.122               | -27.318         | 74.000         | 8.561       | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 196            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 13:54 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmint at 5240MHz by 802.11n20 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 41.536                 | 40.423               | -32.464         | 74.000         | 1.114       | PK   |
| 2  | *    | 15720.000       | 46.976                 | 38.416               | -27.024         | 74.000         | 8.561       | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                  | Page No.: 197            |
| Engineer: Simon                                    |                          |
| Site: AC5                                          | Time: 2020/11/28 - 13:54 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: Wireless Access Point                         | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5260MHz by 802.11n20 ant1 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10520.000       | 41.988                 | 40.254               | -32.012         | 74.000         | 1.735       | PK   |
| 2  | *    | 15780.000       | 45.693                 | 36.853               | -28.307         | 74.000         | 8.840       | PK   |


|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 198            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 13:54 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmint at 5260MHz by 802.11n20 ant1 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10520.000       | 41.984                 | 40.250               | -32.016         | 74.000         | 1.735       | PK   |
| 2  | *    | 15780.000       | 44.931                 | 36.091               | -29.069         | 74.000         | 8.840       | PK   |




|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                  | Page No.: 199            |
| Engineer: Simon                                    |                          |
| Site: AC5                                          | Time: 2020/11/28 - 13:55 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: Wireless Access Point                         | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5300MHz by 802.11n20 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10600.000       | 40.736                 | 39.088               | -33.264         | 74.000         | 1.648       | PK   |
| 2  | *    | 15900.000       | 46.513                 | 37.659               | -27.487         | 74.000         | 8.853       | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                  | Page No.: 200            |
| Engineer: Simon                                    |                          |
| Site: AC5                                          | Time: 2020/11/28 - 13:55 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Vertical       |
| EUT: Wireless Access Point                         | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5300MHz by 802.11n20 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10600.000       | 40.800                 | 39.152               | -33.200         | 74.000         | 1.648       | PK   |
| 2  | *    | 15900.000       | 46.132                 | 37.278               | -27.868         | 74.000         | 8.853       | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                  | Page No.: 201            |
| Engineer: Simon                                    |                          |
| Site: AC5                                          | Time: 2020/11/28 - 13:55 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: Wireless Access Point                         | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5320MHz by 802.11n20 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10640.000       | 40.862                 | 39.028               | -33.138         | 74.000         | 1.834       | PK   |
| 2  | *    | 15960.000       | 47.092                 | 38.880               | -26.908         | 74.000         | 8.212       | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                  | Page No.: 202            |
| Engineer: Simon                                    |                          |
| Site: AC5                                          | Time: 2020/11/28 - 13:55 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Vertical       |
| EUT: Wireless Access Point                         | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5320MHz by 802.11n20 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10640.000       | 41.489                 | 39.655               | -32.511         | 74.000         | 1.834       | PK   |
| 2  | *    | 15960.000       | 46.244                 | 38.032               | -27.756         | 74.000         | 8.212       | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                  | Page No.: 203            |
| Engineer: Simon                                    |                          |
| Site: AC5                                          | Time: 2020/11/28 - 13:55 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: Wireless Access Point                         | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5500MHz by 802.11n20 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11000.000       | 41.398                 | 39.364               | -32.602         | 74.000         | 2.033       | PK   |
| 2  | *    | 16500.000       | 45.725                 | 36.986               | -28.275         | 74.000         | 8.739       | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 204            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 13:55 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmint at 5500MHz by 802.11n20 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11000.000       | 40.473                 | 38.439               | -33.527         | 74.000         | 2.033       | PK   |
| 2  | *    | 16500.000       | 44.148                 | 35.409               | -29.852         | 74.000         | 8.739       | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 205            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 13:55 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmint at 5580MHz by 802.11n20 ant1 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11160.000       | 42.226                 | 40.010               | -31.774         | 74.000         | 2.216       | PK   |
| 2  | *    | 16740.000       | 44.297                 | 35.941               | -29.703         | 74.000         | 8.356       | PK   |


|                                                  |                          |
|--------------------------------------------------|--------------------------|
| Profile: 20A0241R                                | Page No.: 206            |
| Engineer: Simon                                  |                          |
| Site: AC5                                        | Time: 2020/11/28 - 13:55 |
| Limit: FCC_Part15.209_RE(3m)                     | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)               | Polarity: Vertical       |
| EUT: Wireless Access Point                       | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5300MHz by 802.11a ant1 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10600.000       | 42.017                 | 40.369               | -31.983         | 74.000         | 1.648       | PK   |
| 2  | *    | 15900.000       | 46.231                 | 37.377               | -27.769         | 74.000         | 8.853       | PK   |




|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                  | Page No.: 207            |
| Engineer: Simon                                    |                          |
| Site: AC5                                          | Time: 2020/11/28 - 13:55 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: Wireless Access Point                         | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5700MHz by 802.11n20 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11400.000       | 42.359                 | 39.175               | -31.641         | 74.000         | 3.184       | PK   |
| 2  | *    | 17100.000       | 45.299                 | 38.209               | -28.701         | 74.000         | 7.090       | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                  | Page No.: 208            |
| Engineer: Simon                                    |                          |
| Site: AC5                                          | Time: 2020/11/28 - 13:55 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Vertical       |
| EUT: Wireless Access Point                         | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5700MHz by 802.11n20 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11400.000       | 41.495                 | 38.311               | -32.505         | 74.000         | 3.184       | PK   |
| 2  | *    | 17100.000       | 45.098                 | 38.008               | -28.902         | 74.000         | 7.090       | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 209            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 13:55 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmint at 5745MHz by 802.11n20 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 41.916                 | 39.091               | -32.084         | 74.000         | 2.825       | PK   |
| 2  | *    | 17235.000       | 45.496                 | 37.666               | -28.504         | 74.000         | 7.830       | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 210            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 13:55 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmint at 5745MHz by 802.11n20 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 41.352                 | 38.527               | -32.648         | 74.000         | 2.825       | PK   |
| 2  | *    | 17235.000       | 44.046                 | 36.216               | -29.954         | 74.000         | 7.830       | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                  | Page No.: 211            |
| Engineer: Simon                                    |                          |
| Site: AC5                                          | Time: 2020/11/28 - 13:55 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: Wireless Access Point                         | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5785MHz by 802.11n20 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 43.124                 | 39.807               | -30.876         | 74.000         | 3.317       | PK   |
| 2  | *    | 17355.000       | 44.756                 | 36.732               | -29.244         | 74.000         | 8.023       | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                  | Page No.: 212            |
| Engineer: Simon                                    |                          |
| Site: AC5                                          | Time: 2020/11/28 - 13:56 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Vertical       |
| EUT: Wireless Access Point                         | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5785MHz by 802.11n20 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 43.046                 | 39.729               | -30.954         | 74.000         | 3.317       | PK   |
| 2  | *    | 17355.000       | 43.873                 | 35.849               | -30.127         | 74.000         | 8.023       | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                  | Page No.: 213            |
| Engineer: Simon                                    |                          |
| Site: AC5                                          | Time: 2020/11/28 - 13:56 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: Wireless Access Point                         | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5825MHz by 802.11n20 ant1 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 41.855                 | 38.541               | -32.145         | 74.000         | 3.314       | PK   |
| 2  | *    | 17475.000       | 44.072                 | 35.986               | -29.928         | 74.000         | 8.086       | PK   |


|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                  | Page No.: 214            |
| Engineer: Simon                                    |                          |
| Site: AC5                                          | Time: 2020/11/28 - 13:56 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Vertical       |
| EUT: Wireless Access Point                         | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5825MHz by 802.11n20 ant1 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 44.117                 | 40.803               | -29.883         | 74.000         | 3.314       | PK   |
| 2  | *    | 17475.000       | 46.902                 | 38.816               | -27.098         | 74.000         | 8.086       | PK   |




|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                  | Page No.: 215            |
| Engineer: Simon                                    |                          |
| Site: AC5                                          | Time: 2020/11/28 - 13:56 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: Wireless Access Point                         | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5190MHz by 802.11n40 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 41.565                 | 40.911               | -32.435         | 74.000         | 0.654       | PK   |
| 2  | *    | 15570.000       | 45.001                 | 37.284               | -28.999         | 74.000         | 7.716       | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                  | Page No.: 216            |
| Engineer: Simon                                    |                          |
| Site: AC5                                          | Time: 2020/11/28 - 13:56 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Vertical       |
| EUT: Wireless Access Point                         | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5190MHz by 802.11n40 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 41.357                 | 40.703               | -32.643         | 74.000         | 0.654       | PK   |
| 2  | *    | 15570.000       | 44.308                 | 36.591               | -29.692         | 74.000         | 7.716       | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                  | Page No.: 217            |
| Engineer: Simon                                    |                          |
| Site: AC5                                          | Time: 2020/11/28 - 13:56 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: Wireless Access Point                         | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5230MHz by 802.11n40 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 41.195                 | 40.390               | -32.805         | 74.000         | 0.805       | PK   |
| 2  | *    | 15690.000       | 45.733                 | 36.673               | -28.267         | 74.000         | 9.060       | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                  | Page No.: 218            |
| Engineer: Simon                                    |                          |
| Site: AC5                                          | Time: 2020/11/28 - 13:56 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Vertical       |
| EUT: Wireless Access Point                         | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5230MHz by 802.11n40 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 40.647                 | 39.842               | -33.353         | 74.000         | 0.805       | PK   |
| 2  | *    | 15690.000       | 46.899                 | 37.839               | -27.101         | 74.000         | 9.060       | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                  | Page No.: 219            |
| Engineer: Simon                                    |                          |
| Site: AC5                                          | Time: 2020/11/28 - 13:56 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: Wireless Access Point                         | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5270MHz by 802.11n40 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10540.000       | 42.121                 | 40.769               | -31.879         | 74.000         | 1.351       | PK   |
| 2  | *    | 15810.000       | 45.294                 | 36.355               | -28.706         | 74.000         | 8.939       | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                  | Page No.: 220            |
| Engineer: Simon                                    |                          |
| Site: AC5                                          | Time: 2020/11/28 - 13:56 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Vertical       |
| EUT: Wireless Access Point                         | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5270MHz by 802.11n40 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10540.000       | 40.928                 | 39.576               | -33.072         | 74.000         | 1.351       | PK   |
| 2  | *    | 15810.000       | 46.177                 | 37.238               | -27.823         | 74.000         | 8.939       | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                  | Page No.: 221            |
| Engineer: Simon                                    |                          |
| Site: AC5                                          | Time: 2020/11/28 - 13:56 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: Wireless Access Point                         | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5310MHz by 802.11n40 ant1 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10620.000       | 40.864                 | 39.645               | -33.136         | 74.000         | 1.219       | PK   |
| 2  | *    | 15930.000       | 45.698                 | 36.770               | -28.302         | 74.000         | 8.928       | PK   |


|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                  | Page No.: 222            |
| Engineer: Simon                                    |                          |
| Site: AC5                                          | Time: 2020/11/28 - 13:56 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Vertical       |
| EUT: Wireless Access Point                         | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5310MHz by 802.11n40 ant1 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10620.000       | 41.073                 | 39.854               | -32.927         | 74.000         | 1.219       | PK   |
| 2  | *    | 15930.000       | 46.551                 | 37.623               | -27.449         | 74.000         | 8.928       | PK   |




|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                  | Page No.: 223            |
| Engineer: Simon                                    |                          |
| Site: AC5                                          | Time: 2020/11/28 - 13:57 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: Wireless Access Point                         | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5510MHz by 802.11n40 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11020.000       | 42.431                 | 40.204               | -31.569         | 74.000         | 2.226       | PK   |
| 2  | *    | 16530.000       | 45.062                 | 36.239               | -28.938         | 74.000         | 8.823       | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                  | Page No.: 224            |
| Engineer: Simon                                    |                          |
| Site: AC5                                          | Time: 2020/11/28 - 13:57 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Vertical       |
| EUT: Wireless Access Point                         | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5510MHz by 802.11n40 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11020.000       | 41.463                 | 39.236               | -32.537         | 74.000         | 2.226       | PK   |
| 2  | *    | 16530.000       | 46.161                 | 37.338               | -27.839         | 74.000         | 8.823       | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                  | Page No.: 225            |
| Engineer: Simon                                    |                          |
| Site: AC5                                          | Time: 2020/11/28 - 13:57 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: Wireless Access Point                         | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5590MHz by 802.11n40 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11180.000       | 41.063                 | 38.679               | -32.937         | 74.000         | 2.383       | PK   |
| 2  | *    | 16770.000       | 44.696                 | 36.869               | -29.304         | 74.000         | 7.827       | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                  | Page No.: 226            |
| Engineer: Simon                                    |                          |
| Site: AC5                                          | Time: 2020/11/28 - 13:57 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Vertical       |
| EUT: Wireless Access Point                         | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5590MHz by 802.11n40 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11180.000       | 40.407                 | 38.023               | -33.593         | 74.000         | 2.383       | PK   |
| 2  | *    | 16770.000       | 44.316                 | 36.489               | -29.684         | 74.000         | 7.827       | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                  | Page No.: 227            |
| Engineer: Simon                                    |                          |
| Site: AC5                                          | Time: 2020/11/28 - 13:57 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: Wireless Access Point                         | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5670MHz by 802.11n40 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11340.000       | 41.376                 | 38.348               | -32.624         | 74.000         | 3.028       | PK   |
| 2  | *    | 17010.000       | 45.242                 | 37.662               | -28.758         | 74.000         | 7.581       | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                  | Page No.: 228            |
| Engineer: Simon                                    |                          |
| Site: AC5                                          | Time: 2020/11/28 - 13:57 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Vertical       |
| EUT: Wireless Access Point                         | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5670MHz by 802.11n40 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11340.000       | 42.913                 | 39.885               | -31.087         | 74.000         | 3.028       | PK   |
| 2  | *    | 17010.000       | 49.475                 | 41.895               | -24.525         | 74.000         | 7.581       | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                  | Page No.: 229            |
| Engineer: Simon                                    |                          |
| Site: AC5                                          | Time: 2020/11/28 - 13:57 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: Wireless Access Point                         | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5755MHz by 802.11n40 ant1 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 42.985                 | 39.301               | -31.015         | 74.000         | 3.684       | PK   |
| 2  | *    | 17265.000       | 45.078                 | 36.094               | -28.922         | 74.000         | 8.984       | PK   |


|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 230            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 13:57 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmint at 5755MHz by 802.11n40 ant1 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 43.667                 | 39.983               | -30.333         | 74.000         | 3.684       | PK   |
| 2  | *    | 17265.000       | 45.149                 | 36.165               | -28.851         | 74.000         | 8.984       | PK   |




|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                  | Page No.: 231            |
| Engineer: Simon                                    |                          |
| Site: AC5                                          | Time: 2020/11/28 - 13:57 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: Wireless Access Point                         | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5795MHz by 802.11n40 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 43.099                 | 39.177               | -30.901         | 74.000         | 3.922       | PK   |
| 2  | *    | 17385.000       | 44.515                 | 36.794               | -29.485         | 74.000         | 7.721       | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                  | Page No.: 232            |
| Engineer: Simon                                    |                          |
| Site: AC5                                          | Time: 2020/11/28 - 13:57 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Vertical       |
| EUT: Wireless Access Point                         | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5795MHz by 802.11n40 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 41.726                 | 37.804               | -32.274         | 74.000         | 3.922       | PK   |
| 2  | *    | 17385.000       | 45.567                 | 37.846               | -28.433         | 74.000         | 7.721       | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20A0241R                                    | Page No.: 233            |
| Engineer: Simon                                      |                          |
| Site: AC5                                            | Time: 2020/11/28 - 13:57 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Horizontal     |
| EUT: Wireless Access Point                           | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmint at 5180MHz by 802.11ac20 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 41.239                 | 40.378               | -32.761         | 74.000         | 0.860       | PK   |
| 2  | *    | 15540.000       | 43.786                 | 37.148               | -30.214         | 74.000         | 6.637       | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 234            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 13:57 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5180MHz by 802.11ac20 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 41.113                 | 40.252               | -32.887         | 74.000         | 0.860       | PK   |
| 2  | *    | 15540.000       | 43.627                 | 36.989               | -30.373         | 74.000         | 6.637       | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 235            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 13:58 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5220MHz by 802.11ac20 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 39.038                 | 37.812               | -34.962         | 74.000         | 1.226       | PK   |
| 2  | *    | 15660.000       | 45.199                 | 37.225               | -28.801         | 74.000         | 7.974       | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 236            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 13:58 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5220MHz by 802.11ac20 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 40.026                 | 38.800               | -33.974         | 74.000         | 1.226       | PK   |
| 2  | *    | 15660.000       | 44.462                 | 36.488               | -29.538         | 74.000         | 7.974       | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20A0241R                                    | Page No.: 237            |
| Engineer: Simon                                      |                          |
| Site: AC5                                            | Time: 2020/11/28 - 13:58 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Horizontal     |
| EUT: Wireless Access Point                           | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmint at 5240MHz by 802.11ac20 ant1 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 40.997                 | 39.884               | -33.003         | 74.000         | 1.114       | PK   |
| 2  | *    | 15720.000       | 45.843                 | 37.283               | -28.157         | 74.000         | 8.561       | PK   |


|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20A0241R                                    | Page No.: 238            |
| Engineer: Simon                                      |                          |
| Site: AC5                                            | Time: 2020/11/28 - 13:58 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: Wireless Access Point                           | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmint at 5240MHz by 802.11ac20 ant1 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 41.642                 | 40.529               | -32.358         | 74.000         | 1.114       | PK   |
| 2  | *    | 15720.000       | 45.711                 | 37.151               | -28.289         | 74.000         | 8.561       | PK   |




|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 239            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 13:58 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5260MHz by 802.11ac20 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10520.000       | 42.742                 | 41.008               | -31.258         | 74.000         | 1.735       | PK   |
| 2  | *    | 15780.000       | 46.391                 | 37.551               | -27.609         | 74.000         | 8.840       | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 240            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 13:58 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5260MHz by 802.11ac20 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10520.000       | 41.832                 | 40.098               | -32.168         | 74.000         | 1.735       | PK   |
| 2  | *    | 15780.000       | 45.682                 | 36.842               | -28.318         | 74.000         | 8.840       | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 241            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 13:58 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5300MHz by 802.11ac20 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10600.000       | 40.969                 | 39.321               | -33.031         | 74.000         | 1.648       | PK   |
| 2  | *    | 15900.000       | 45.843                 | 36.989               | -28.157         | 74.000         | 8.853       | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 242            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 13:58 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5300MHz by 802.11ac20 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10600.000       | 42.050                 | 40.402               | -31.950         | 74.000         | 1.648       | PK   |
| 2  | *    | 15900.000       | 45.843                 | 36.989               | -28.157         | 74.000         | 8.853       | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 243            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 13:58 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5320MHz by 802.11ac20 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10640.000       | 42.190                 | 40.356               | -31.810         | 74.000         | 1.834       | PK   |
| 2  | *    | 15960.000       | 46.256                 | 38.044               | -27.744         | 74.000         | 8.212       | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 244            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 13:58 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5320MHz by 802.11ac20 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 40.551                 | 39.746               | -33.449         | 74.000         | 0.805       | PK   |
| 2  | *    | 15960.000       | 45.483                 | 37.271               | -28.517         | 74.000         | 8.212       | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20A0241R                                    | Page No.: 245            |
| Engineer: Simon                                      |                          |
| Site: AC5                                            | Time: 2020/11/28 - 13:58 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Horizontal     |
| EUT: Wireless Access Point                           | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmint at 5500MHz by 802.11ac20 ant1 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11000.000       | 40.559                 | 38.525               | -33.441         | 74.000         | 2.033       | PK   |
| 2  | *    | 16500.000       | 46.213                 | 37.474               | -27.787         | 74.000         | 8.739       | PK   |


|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20A0241R                                    | Page No.: 246            |
| Engineer: Simon                                      |                          |
| Site: AC5                                            | Time: 2020/11/28 - 13:58 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: Wireless Access Point                           | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmint at 5500MHz by 802.11ac20 ant1 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11000.000       | 40.666                 | 38.632               | -33.334         | 74.000         | 2.033       | PK   |
| 2  | *    | 16500.000       | 45.468                 | 36.729               | -28.532         | 74.000         | 8.739       | PK   |




|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20A0241R                                    | Page No.: 247            |
| Engineer: Simon                                      |                          |
| Site: AC5                                            | Time: 2020/11/28 - 13:59 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Horizontal     |
| EUT: Wireless Access Point                           | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmint at 5580MHz by 802.11ac20 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11160.000       | 41.430                 | 39.214               | -32.570         | 74.000         | 2.216       | PK   |
| 2  | *    | 16740.000       | 44.067                 | 35.711               | -29.933         | 74.000         | 8.356       | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20A0241R                                    | Page No.: 248            |
| Engineer: Simon                                      |                          |
| Site: AC5                                            | Time: 2020/11/28 - 13:59 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: Wireless Access Point                           | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmint at 5580MHz by 802.11ac20 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11160.000       | 40.710                 | 38.494               | -33.290         | 74.000         | 2.216       | PK   |
| 2  | *    | 16740.000       | 43.957                 | 35.601               | -30.043         | 74.000         | 8.356       | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 249            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 13:59 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5700MHz by 802.11ac20 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11400.000       | 40.711                 | 37.527               | -33.289         | 74.000         | 3.184       | PK   |
| 2  | *    | 17100.000       | 44.484                 | 37.394               | -29.516         | 74.000         | 7.090       | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 250            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 13:59 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5700MHz by 802.11ac20 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11400.000       | 41.186                 | 38.002               | -32.814         | 74.000         | 3.184       | PK   |
| 2  | *    | 17100.000       | 43.921                 | 36.831               | -30.079         | 74.000         | 7.090       | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 251            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 13:59 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5745MHz by 802.11ac20 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 41.940                 | 39.115               | -32.060         | 74.000         | 2.825       | PK   |
| 2  | *    | 17235.000       | 46.381                 | 38.551               | -27.619         | 74.000         | 7.830       | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20A0241R                                    | Page No.: 252            |
| Engineer: Simon                                      |                          |
| Site: AC5                                            | Time: 2020/11/28 - 13:59 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: Wireless Access Point                           | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmint at 5745MHz by 802.11ac20 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 41.825                 | 39.000               | -32.175         | 74.000         | 2.825       | PK   |
| 2  | *    | 17235.000       | 45.246                 | 37.416               | -28.754         | 74.000         | 7.830       | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 253            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 13:59 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5785MHz by 802.11ac20 ant1 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 44.060                 | 40.743               | -29.940         | 74.000         | 3.317       | PK   |
| 2  | *    | 17355.000       | 44.709                 | 36.685               | -29.291         | 74.000         | 8.023       | PK   |


|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20A0241R                                    | Page No.: 254            |
| Engineer: Simon                                      |                          |
| Site: AC5                                            | Time: 2020/11/28 - 13:59 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: Wireless Access Point                           | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmint at 5785MHz by 802.11ac20 ant1 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 42.650                 | 39.333               | -31.350         | 74.000         | 3.317       | PK   |
| 2  | *    | 17355.000       | 44.412                 | 36.388               | -29.588         | 74.000         | 8.023       | PK   |




|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 255            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 13:59 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5825MHz by 802.11ac20 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 43.238                 | 39.924               | -30.762         | 74.000         | 3.314       | PK   |
| 2  | *    | 17475.000       | 45.623                 | 37.537               | -28.377         | 74.000         | 8.086       | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20A0241R                                    | Page No.: 256            |
| Engineer: Simon                                      |                          |
| Site: AC5                                            | Time: 2020/11/28 - 13:59 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: Wireless Access Point                           | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmint at 5825MHz by 802.11ac20 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 42.632                 | 39.318               | -31.368         | 74.000         | 3.314       | PK   |
| 2  | *    | 17475.000       | 46.387                 | 38.301               | -27.613         | 74.000         | 8.086       | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 257            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 13:59 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5190MHz by 802.11ac40 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 40.636                 | 39.982               | -33.364         | 74.000         | 0.654       | PK   |
| 2  | *    | 15570.000       | 45.856                 | 38.139               | -28.144         | 74.000         | 7.716       | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20A0241R                                    | Page No.: 258            |
| Engineer: Simon                                      |                          |
| Site: AC5                                            | Time: 2020/11/28 - 13:59 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: Wireless Access Point                           | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmint at 5190MHz by 802.11ac40 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 40.818                 | 40.164               | -33.182         | 74.000         | 0.654       | PK   |
| 2  | *    | 15570.000       | 45.789                 | 38.072               | -28.211         | 74.000         | 7.716       | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 259            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 14:00 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5230MHz by 802.11ac40 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 39.842                 | 39.037               | -34.158         | 74.000         | 0.805       | PK   |
| 2  | *    | 15690.000       | 46.782                 | 37.722               | -27.218         | 74.000         | 9.060       | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 260            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 14:00 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5230MHz by 802.11ac40 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 39.599                 | 38.794               | -34.401         | 74.000         | 0.805       | PK   |
| 2  | *    | 15690.000       | 46.355                 | 37.295               | -27.645         | 74.000         | 9.060       | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 261            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 14:00 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5270MHz by 802.11ac40 ant1 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10540.000       | 42.758                 | 41.406               | -31.242         | 74.000         | 1.351       | PK   |
| 2  | *    | 15810.000       | 47.170                 | 38.231               | -26.830         | 74.000         | 8.939       | PK   |


|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20A0241R                                    | Page No.: 262            |
| Engineer: Simon                                      |                          |
| Site: AC5                                            | Time: 2020/11/28 - 14:00 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: Wireless Access Point                           | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmint at 5270MHz by 802.11ac40 ant1 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10540.000       | 41.974                 | 40.622               | -32.026         | 74.000         | 1.351       | PK   |
| 2  | *    | 15810.000       | 45.847                 | 36.908               | -28.153         | 74.000         | 8.939       | PK   |




|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 263            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 14:00 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5310MHz by 802.11ac40 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10620.000       | 41.334                 | 40.115               | -32.666         | 74.000         | 1.219       | PK   |
| 2  | *    | 15930.000       | 46.665                 | 37.737               | -27.335         | 74.000         | 8.928       | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 264            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 14:00 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5310MHz by 802.11ac40 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10620.000       | 41.322                 | 40.103               | -32.678         | 74.000         | 1.219       | PK   |
| 2  | *    | 15930.000       | 47.201                 | 38.273               | -26.799         | 74.000         | 8.928       | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 265            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 14:00 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5510MHz by 802.11ac40 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11020.000       | 42.526                 | 40.299               | -31.474         | 74.000         | 2.226       | PK   |
| 2  | *    | 16530.000       | 45.493                 | 36.670               | -28.507         | 74.000         | 8.823       | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 266            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 14:00 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5510MHz by 802.11ac40 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11020.000       | 41.776                 | 39.549               | -32.224         | 74.000         | 2.226       | PK   |
| 2  | *    | 16530.000       | 45.080                 | 36.257               | -28.920         | 74.000         | 8.823       | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 267            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 14:00 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5590MHz by 802.11ac40 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11180.000       | 41.542                 | 39.158               | -32.458         | 74.000         | 2.383       | PK   |
| 2  | *    | 16770.000       | 44.229                 | 36.402               | -29.771         | 74.000         | 7.827       | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 268            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 14:00 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5590MHz by 802.11ac40 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11180.000       | 40.842                 | 38.458               | -33.158         | 74.000         | 2.383       | PK   |
| 2  | *    | 16770.000       | 45.113                 | 37.286               | -28.887         | 74.000         | 7.827       | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20A0241R                                    | Page No.: 269            |
| Engineer: Simon                                      |                          |
| Site: AC5                                            | Time: 2020/11/28 - 14:00 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Horizontal     |
| EUT: Wireless Access Point                           | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmint at 5670MHz by 802.11ac40 ant1 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11340.000       | 41.444                 | 38.416               | -32.556         | 74.000         | 3.028       | PK   |
| 2  | *    | 17010.000       | 46.108                 | 38.528               | -27.892         | 74.000         | 7.581       | PK   |


|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20A0241R                                    | Page No.: 270            |
| Engineer: Simon                                      |                          |
| Site: AC5                                            | Time: 2020/11/28 - 14:00 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: Wireless Access Point                           | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmint at 5670MHz by 802.11ac40 ant1 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11340.000       | 41.263                 | 38.235               | -32.737         | 74.000         | 3.028       | PK   |
| 2  | *    | 17010.000       | 45.389                 | 37.809               | -28.611         | 74.000         | 7.581       | PK   |




|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20A0241R                                    | Page No.: 271            |
| Engineer: Simon                                      |                          |
| Site: AC5                                            | Time: 2020/11/28 - 14:00 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Horizontal     |
| EUT: Wireless Access Point                           | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmint at 5755MHz by 802.11ac40 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 41.754                 | 38.070               | -32.246         | 74.000         | 3.684       | PK   |
| 2  | *    | 17265.000       | 45.352                 | 36.368               | -28.648         | 74.000         | 8.984       | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20A0241R                                    | Page No.: 272            |
| Engineer: Simon                                      |                          |
| Site: AC5                                            | Time: 2020/11/28 - 14:01 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: Wireless Access Point                           | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmint at 5755MHz by 802.11ac40 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 43.290                 | 39.606               | -30.710         | 74.000         | 3.684       | PK   |
| 2  | *    | 17265.000       | 45.616                 | 36.632               | -28.384         | 74.000         | 8.984       | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20A0241R                                    | Page No.: 273            |
| Engineer: Simon                                      |                          |
| Site: AC5                                            | Time: 2020/11/28 - 14:01 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Horizontal     |
| EUT: Wireless Access Point                           | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmint at 5795MHz by 802.11ac40 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 43.231                 | 39.309               | -30.769         | 74.000         | 3.922       | PK   |
| 2  | *    | 17385.000       | 44.432                 | 36.711               | -29.568         | 74.000         | 7.721       | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 274            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 14:01 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5795MHz by 802.11ac40 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 42.728                 | 38.806               | -31.272         | 74.000         | 3.922       | PK   |
| 2  | *    | 17385.000       | 44.303                 | 36.582               | -29.697         | 74.000         | 7.721       | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20A0241R                                    | Page No.: 275            |
| Engineer: Simon                                      |                          |
| Site: AC5                                            | Time: 2020/11/28 - 14:01 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Horizontal     |
| EUT: Wireless Access Point                           | Power: AC 120V/60Hz      |
| Note: Mode 6:Transmint at 5210MHz by 802.11ac80 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10420.000       | 42.271                 | 41.417               | -31.729         | 74.000         | 0.855       | PK   |
| 2  | *    | 15630.000       | 45.956                 | 37.927               | -28.044         | 74.000         | 8.028       | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20A0241R                                    | Page No.: 276            |
| Engineer: Simon                                      |                          |
| Site: AC5                                            | Time: 2020/11/28 - 14:01 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: Wireless Access Point                           | Power: AC 120V/60Hz      |
| Note: Mode 6:Transmint at 5210MHz by 802.11ac80 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10420.000       | 40.237                 | 39.383               | -33.763         | 74.000         | 0.855       | PK   |
| 2  | *    | 15630.000       | 44.810                 | 36.781               | -29.190         | 74.000         | 8.028       | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20A0241R                                    | Page No.: 277            |
| Engineer: Simon                                      |                          |
| Site: AC5                                            | Time: 2020/11/28 - 14:01 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Horizontal     |
| EUT: Wireless Access Point                           | Power: AC 120V/60Hz      |
| Note: Mode 6:Transmint at 5290MHz by 802.11ac80 ant1 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10580.000       | 41.084                 | 39.641               | -32.916         | 74.000         | 1.444       | PK   |
| 2  | *    | 15870.000       | 46.475                 | 37.722               | -27.525         | 74.000         | 8.753       | PK   |


|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20A0241R                                    | Page No.: 278            |
| Engineer: Simon                                      |                          |
| Site: AC5                                            | Time: 2020/11/28 - 14:01 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: Wireless Access Point                           | Power: AC 120V/60Hz      |
| Note: Mode 6:Transmint at 5290MHz by 802.11ac80 ant1 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10580.000       | 40.985                 | 39.542               | -33.015         | 74.000         | 1.444       | PK   |
| 2  | *    | 15870.000       | 45.838                 | 37.085               | -28.162         | 74.000         | 8.753       | PK   |




|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20A0241R                                    | Page No.: 279            |
| Engineer: Simon                                      |                          |
| Site: AC5                                            | Time: 2020/11/28 - 14:01 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Horizontal     |
| EUT: Wireless Access Point                           | Power: AC 120V/60Hz      |
| Note: Mode 6:Transmint at 5530MHz by 802.11ac80 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11060.000       | 43.064                 | 41.007               | -30.936         | 74.000         | 2.057       | PK   |
| 2  | *    | 16590.000       | 46.122                 | 36.697               | -27.878         | 74.000         | 9.426       | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20A0241R                                    | Page No.: 280            |
| Engineer: Simon                                      |                          |
| Site: AC5                                            | Time: 2020/11/28 - 14:01 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: Wireless Access Point                           | Power: AC 120V/60Hz      |
| Note: Mode 6:Transmint at 5530MHz by 802.11ac80 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11060.000       | 40.943                 | 38.886               | -33.057         | 74.000         | 2.057       | PK   |
| 2  | *    | 16590.000       | 46.445                 | 37.020               | -27.555         | 74.000         | 9.426       | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20A0241R                                     | Page No.: 281            |
| Engineer: Simon                                       |                          |
| Site: AC5                                             | Time: 2020/11/28 - 14:01 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: Wireless Access Point                            | Power: AC 120V/60Hz      |
| Note: Mode 6:Transmint at 57750MHz by 802.11ac80 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11550.000       | 42.762                 | 39.470               | -31.238         | 74.000         | 3.291       | PK   |
| 2  | *    | 17325.000       | 44.470                 | 36.237               | -29.530         | 74.000         | 8.233       | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20A0241R                                     | Page No.: 282            |
| Engineer: Simon                                       |                          |
| Site: AC5                                             | Time: 2020/11/28 - 14:02 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: Wireless Access Point                            | Power: AC 120V/60Hz      |
| Note: Mode 6:Transmint at 57750MHz by 802.11ac80 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 11550.000       | 42.310                 | 39.018               | -31.690         | 74.000         | 3.291       | PK   |
| 2  |      | 17325.000       | -884.777               | -893.010             | -958.777        | 74.000         | 8.233       | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 283            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 14:02 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5180MHz by 802.11ax20 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 42.743                 | 41.882               | -31.257         | 74.000         | 0.860       | PK   |
| 2  | *    | 15540.000       | 45.582                 | 38.944               | -28.418         | 74.000         | 6.637       | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 284            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 14:02 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5180MHz by 802.11ax20 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 41.483                 | 40.622               | -32.517         | 74.000         | 0.860       | PK   |
| 2  | *    | 15540.000       | 44.016                 | 37.378               | -29.984         | 74.000         | 6.637       | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 285            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 14:02 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5220MHz by 802.11ax20 ant1 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 39.680                 | 38.454               | -34.320         | 74.000         | 1.226       | PK   |
| 2  | *    | 15660.000       | 44.671                 | 36.697               | -29.329         | 74.000         | 7.974       | PK   |


|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 286            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 14:02 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5220MHz by 802.11ax20 ant1 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 40.145                 | 38.919               | -33.855         | 74.000         | 1.226       | PK   |
| 2  | *    | 15660.000       | 44.257                 | 36.283               | -29.743         | 74.000         | 7.974       | PK   |




|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 287            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 14:02 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5240MHz by 802.11ax20 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 41.452                 | 40.339               | -32.548         | 74.000         | 1.114       | PK   |
| 2  | *    | 15720.000       | 45.287                 | 36.727               | -28.713         | 74.000         | 8.561       | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 288            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 14:02 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5240MHz by 802.11ax20 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 40.934                 | 39.821               | -33.066         | 74.000         | 1.114       | PK   |
| 2  | *    | 15720.000       | 45.218                 | 36.658               | -28.782         | 74.000         | 8.561       | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20A0241R                                    | Page No.: 289            |
| Engineer: Simon                                      |                          |
| Site: AC5                                            | Time: 2020/11/28 - 14:02 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Horizontal     |
| EUT: Wireless Access Point                           | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmint at 5260MHz by 802.11ax20 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10520.000       | 41.965                 | 40.231               | -32.035         | 74.000         | 1.735       | PK   |
| 2  | *    | 15780.000       | 44.828                 | 35.988               | -29.172         | 74.000         | 8.840       | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 290            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 14:02 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5260MHz by 802.11ax20 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10520.000       | 41.932                 | 40.198               | -32.068         | 74.000         | 1.735       | PK   |
| 2  | *    | 15780.000       | 45.320                 | 36.480               | -28.680         | 74.000         | 8.840       | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 291            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 14:02 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5300MHz by 802.11ax20 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10600.000       | 41.769                 | 40.121               | -32.231         | 74.000         | 1.648       | PK   |
| 2  | *    | 15900.000       | 47.399                 | 38.545               | -26.601         | 74.000         | 8.853       | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 292            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 14:02 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5300MHz by 802.11ax20 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10600.000       | 41.266                 | 39.618               | -32.734         | 74.000         | 1.648       | PK   |
| 2  | *    | 15900.000       | 46.278                 | 37.424               | -27.722         | 74.000         | 8.853       | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 293            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 14:03 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5320MHz by 802.11ax20 ant1 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10640.000       | 40.738                 | 38.904               | -33.262         | 74.000         | 1.834       | PK   |
| 2  | *    | 15960.000       | 46.677                 | 38.465               | -27.323         | 74.000         | 8.212       | PK   |


|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 294            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 14:03 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5320MHz by 802.11ax20 ant1 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10640.000       | 41.811                 | 39.977               | -32.189         | 74.000         | 1.834       | PK   |
| 2  | *    | 15960.000       | 45.357                 | 37.145               | -28.643         | 74.000         | 8.212       | PK   |




|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 295            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 14:03 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5500MHz by 802.11ax20 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11000.000       | 41.902                 | 39.868               | -32.098         | 74.000         | 2.033       | PK   |
| 2  | *    | 16500.000       | 46.153                 | 37.414               | -27.847         | 74.000         | 8.739       | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 296            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 14:03 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5500MHz by 802.11ax20 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11000.000       | 40.876                 | 38.842               | -33.124         | 74.000         | 2.033       | PK   |
| 2  | *    | 16500.000       | 45.490                 | 36.751               | -28.510         | 74.000         | 8.739       | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 297            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 14:03 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5580MHz by 802.11ax20 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11160.000       | 40.411                 | 38.195               | -33.589         | 74.000         | 2.216       | PK   |
| 2  | *    | 16740.000       | 44.091                 | 35.735               | -29.909         | 74.000         | 8.356       | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20A0241R                                    | Page No.: 298            |
| Engineer: Simon                                      |                          |
| Site: AC5                                            | Time: 2020/11/28 - 14:03 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: Wireless Access Point                           | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmint at 5580MHz by 802.11ax20 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11160.000       | 40.638                 | 38.422               | -33.362         | 74.000         | 2.216       | PK   |
| 2  | *    | 16740.000       | 43.930                 | 35.574               | -30.070         | 74.000         | 8.356       | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 299            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 14:03 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5700MHz by 802.11ax20 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11400.000       | 40.753                 | 37.569               | -33.247         | 74.000         | 3.184       | PK   |
| 2  | *    | 17100.000       | 44.390                 | 37.300               | -29.610         | 74.000         | 7.090       | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 300            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 14:03 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5700MHz by 802.11ax20 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11400.000       | 41.418                 | 38.234               | -32.582         | 74.000         | 3.184       | PK   |
| 2  | *    | 17100.000       | 43.255                 | 36.165               | -30.745         | 74.000         | 7.090       | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 301            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 14:03 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5745MHz by 802.11ax20 ant1 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 41.035                 | 38.210               | -32.965         | 74.000         | 2.825       | PK   |
| 2  | *    | 17235.000       | 44.978                 | 37.148               | -29.022         | 74.000         | 7.830       | PK   |


|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 302            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 14:03 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5745MHz by 802.11ax20 ant1 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 40.618                 | 37.793               | -33.382         | 74.000         | 2.825       | PK   |
| 2  | *    | 17235.000       | 45.632                 | 37.802               | -28.368         | 74.000         | 7.830       | PK   |




|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 303            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 14:03 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5785MHz by 802.11ax20 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 41.771                 | 38.454               | -32.229         | 74.000         | 3.317       | PK   |
| 2  | *    | 17355.000       | 43.579                 | 35.555               | -30.421         | 74.000         | 8.023       | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20A0241R                                    | Page No.: 304            |
| Engineer: Simon                                      |                          |
| Site: AC5                                            | Time: 2020/11/28 - 14:04 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: Wireless Access Point                           | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmint at 5785MHz by 802.11ax20 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 42.306                 | 38.989               | -31.694         | 74.000         | 3.317       | PK   |
| 2  | *    | 17355.000       | 45.538                 | 37.514               | -28.462         | 74.000         | 8.023       | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 305            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 14:04 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5825MHz by 802.11ax20 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 42.475                 | 39.161               | -31.525         | 74.000         | 3.314       | PK   |
| 2  | *    | 17475.000       | 44.855                 | 36.769               | -29.145         | 74.000         | 8.086       | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 306            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 14:04 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5825MHz by 802.11ax20 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 43.010                 | 39.696               | -30.990         | 74.000         | 3.314       | PK   |
| 2  | *    | 17475.000       | 45.244                 | 37.158               | -28.756         | 74.000         | 8.086       | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 307            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 14:04 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5190MHz by 802.11ax40 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 41.119                 | 40.465               | -32.881         | 74.000         | 0.654       | PK   |
| 2  | *    | 15570.000       | 44.723                 | 37.006               | -29.277         | 74.000         | 7.716       | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20A0241R                                    | Page No.: 308            |
| Engineer: Simon                                      |                          |
| Site: AC5                                            | Time: 2020/11/28 - 14:04 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: Wireless Access Point                           | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmint at 5190MHz by 802.11ax40 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 40.670                 | 40.016               | -33.330         | 74.000         | 0.654       | PK   |
| 2  | *    | 15570.000       | 43.846                 | 36.129               | -30.154         | 74.000         | 7.716       | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 309            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 14:04 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5230MHz by 802.11ax40 ant1 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 40.844                 | 40.039               | -33.156         | 74.000         | 0.805       | PK   |
| 2  | *    | 15690.000       | 46.025                 | 36.965               | -27.975         | 74.000         | 9.060       | PK   |


|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20A0241R                                    | Page No.: 310            |
| Engineer: Simon                                      |                          |
| Site: AC5                                            | Time: 2020/11/28 - 14:04 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: Wireless Access Point                           | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmint at 5230MHz by 802.11ax40 ant1 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 40.154                 | 39.349               | -33.846         | 74.000         | 0.805       | PK   |
| 2  | *    | 15690.000       | 47.114                 | 38.054               | -26.886         | 74.000         | 9.060       | PK   |




|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 311            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 14:04 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5270MHz by 802.11ax40 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10540.000       | 42.007                 | 40.655               | -31.993         | 74.000         | 1.351       | PK   |
| 2  | *    | 15810.000       | 46.229                 | 37.290               | -27.771         | 74.000         | 8.939       | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 312            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 14:04 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5270MHz by 802.11ax40 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10540.000       | 41.668                 | 40.316               | -32.332         | 74.000         | 1.351       | PK   |
| 2  | *    | 15810.000       | 45.004                 | 36.065               | -28.996         | 74.000         | 8.939       | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20A0241R                                    | Page No.: 313            |
| Engineer: Simon                                      |                          |
| Site: AC5                                            | Time: 2020/11/28 - 14:04 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Horizontal     |
| EUT: Wireless Access Point                           | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmint at 5310MHz by 802.11ax40 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10620.000       | 40.364                 | 39.145               | -33.636         | 74.000         | 1.219       | PK   |
| 2  | *    | 15930.000       | 45.686                 | 36.758               | -28.314         | 74.000         | 8.928       | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 314            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 14:04 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5310MHz by 802.11ax40 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10620.000       | 41.937                 | 40.718               | -32.063         | 74.000         | 1.219       | PK   |
| 2  | *    | 15930.000       | 47.851                 | 38.923               | -26.149         | 74.000         | 8.928       | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20A0241R                                    | Page No.: 315            |
| Engineer: Simon                                      |                          |
| Site: AC5                                            | Time: 2020/11/28 - 14:05 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Horizontal     |
| EUT: Wireless Access Point                           | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmint at 5510MHz by 802.11ax40 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11020.000       | 41.849                 | 39.622               | -32.151         | 74.000         | 2.226       | PK   |
| 2  | *    | 16530.000       | 45.552                 | 36.729               | -28.448         | 74.000         | 8.823       | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20A0241R                                    | Page No.: 316            |
| Engineer: Simon                                      |                          |
| Site: AC5                                            | Time: 2020/11/28 - 14:05 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: Wireless Access Point                           | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmint at 5510MHz by 802.11ax40 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11020.000       | 40.947                 | 38.720               | -33.053         | 74.000         | 2.226       | PK   |
| 2  | *    | 16530.000       | 46.061                 | 37.238               | -27.939         | 74.000         | 8.823       | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20A0241R                                    | Page No.: 317            |
| Engineer: Simon                                      |                          |
| Site: AC5                                            | Time: 2020/11/28 - 14:05 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Horizontal     |
| EUT: Wireless Access Point                           | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmint at 5590MHz by 802.11ax40 ant1 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11180.000       | 42.953                 | 40.569               | -31.047         | 74.000         | 2.383       | PK   |
| 2  | *    | 16770.000       | 45.487                 | 37.660               | -28.513         | 74.000         | 7.827       | PK   |


|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20A0241R                                    | Page No.: 318            |
| Engineer: Simon                                      |                          |
| Site: AC5                                            | Time: 2020/11/28 - 14:05 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: Wireless Access Point                           | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmint at 5590MHz by 802.11ax40 ant1 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11180.000       | 41.250                 | 38.866               | -32.750         | 74.000         | 2.383       | PK   |
| 2  | *    | 16770.000       | 45.147                 | 37.320               | -28.853         | 74.000         | 7.827       | PK   |




|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 319            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 14:05 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5670MHz by 802.11ax40 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11340.000       | 41.914                 | 38.886               | -32.086         | 74.000         | 3.028       | PK   |
| 2  | *    | 17010.000       | 46.487                 | 38.907               | -27.513         | 74.000         | 7.581       | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20A0241R                                    | Page No.: 320            |
| Engineer: Simon                                      |                          |
| Site: AC5                                            | Time: 2020/11/28 - 14:05 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: Wireless Access Point                           | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmint at 5670MHz by 802.11ax40 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11340.000       | 41.423                 | 38.395               | -32.577         | 74.000         | 3.028       | PK   |
| 2  | *    | 17010.000       | 46.500                 | 38.920               | -27.500         | 74.000         | 7.581       | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20A0241R                                    | Page No.: 321            |
| Engineer: Simon                                      |                          |
| Site: AC5                                            | Time: 2020/11/28 - 14:05 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Horizontal     |
| EUT: Wireless Access Point                           | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmint at 5755MHz by 802.11ax40 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 41.968                 | 38.284               | -32.032         | 74.000         | 3.684       | PK   |
| 2  | *    | 17265.000       | 44.748                 | 35.764               | -29.252         | 74.000         | 8.984       | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 322            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 14:05 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5755MHz by 802.11ax40 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 42.446                 | 38.762               | -31.554         | 74.000         | 3.684       | PK   |
| 2  | *    | 17265.000       | 46.315                 | 37.331               | -27.685         | 74.000         | 8.984       | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20A0241R                                    | Page No.: 323            |
| Engineer: Simon                                      |                          |
| Site: AC5                                            | Time: 2020/11/28 - 14:05 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Horizontal     |
| EUT: Wireless Access Point                           | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmint at 5795MHz by 802.11ax40 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 42.826                 | 38.904               | -31.174         | 74.000         | 3.922       | PK   |
| 2  | *    | 17385.000       | 43.373                 | 35.652               | -30.627         | 74.000         | 7.721       | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20A0241R                                    | Page No.: 324            |
| Engineer: Simon                                      |                          |
| Site: AC5                                            | Time: 2020/11/28 - 14:05 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: Wireless Access Point                           | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmint at 5795MHz by 802.11ax40 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 44.016                 | 40.094               | -29.984         | 74.000         | 3.922       | PK   |
| 2  | *    | 17385.000       | 44.190                 | 36.469               | -29.810         | 74.000         | 7.721       | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 325            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 14:06 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5210MHz by 802.11ax80 ant1 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10420.000       | 40.189                 | 39.335               | -33.811         | 74.000         | 0.855       | PK   |
| 2  | *    | 15630.000       | 45.915                 | 37.886               | -28.085         | 74.000         | 8.028       | PK   |


|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 326            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 14:06 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5210MHz by 802.11ax80 ant1 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10420.000       | 40.189                 | 39.335               | -33.811         | 74.000         | 0.855       | PK   |
| 2  | *    | 15630.000       | 45.915                 | 37.886               | -28.085         | 74.000         | 8.028       | PK   |




|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 327            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 14:06 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5290MHz by 802.11ax80 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10580.000       | 41.406                 | 39.963               | -32.594         | 74.000         | 1.444       | PK   |
| 2  | *    | 15870.000       | 45.513                 | 36.760               | -28.487         | 74.000         | 8.753       | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 328            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 14:06 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5290MHz by 802.11ax80 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10580.000       | 41.502                 | 40.059               | -32.498         | 74.000         | 1.444       | PK   |
| 2  | *    | 15870.000       | 45.352                 | 36.599               | -28.648         | 74.000         | 8.753       | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 329            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 14:06 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5530MHz by 802.11ax80 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11060.000       | 42.951                 | 40.894               | -31.049         | 74.000         | 2.057       | PK   |
| 2  | *    | 16590.000       | 46.276                 | 36.851               | -27.724         | 74.000         | 9.426       | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 330            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 14:06 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5530MHz by 802.11ax80 ant1 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11060.000       | 41.142                 | 39.085               | -32.858         | 74.000         | 2.057       | PK   |
| 2  | *    | 16590.000       | 47.055                 | 37.630               | -26.945         | 74.000         | 9.426       | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 331            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 14:06 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5775MHz by 802.11ax80 ant1 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11550.000       | 41.549                 | 38.257               | -32.451         | 74.000         | 3.291       | PK   |
| 2  | *    | 17325.000       | 46.338                 | 38.105               | -27.662         | 74.000         | 8.233       | PK   |


|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 20A0241R                                   | Page No.: 332            |
| Engineer: Simon                                     |                          |
| Site: AC5                                           | Time: 2020/11/28 - 14:06 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: Wireless Access Point                          | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5775MHz by 802.11ax80 ant1 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11550.000       | 42.435                 | 39.143               | -31.565         | 74.000         | 3.291       | PK   |
| 2  | *    | 17325.000       | 45.715                 | 37.482               | -28.285         | 74.000         | 8.233       | PK   |


CDD

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Profile: 20A0241R                               | Page No.: 167            |
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2020/11/28 - 14:11 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access Point                      | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5180MHz by 802.11a CDD |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 41.526                 | 40.665               | -32.474         | 74.000         | 0.860       | PK   |
| 2  | *    | 15540.000       | 43.996                 | 37.358               | -30.004         | 74.000         | 6.637       | PK   |


|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Profile: 20A0241R                               | Page No.: 168            |
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2020/11/28 - 14:12 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access Point                      | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5180MHz by 802.11a CDD |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 41.162                 | 40.301               | -32.838         | 74.000         | 0.860       | PK   |
| 2  | *    | 15540.000       | 44.083                 | 37.445               | -29.917         | 74.000         | 6.637       | PK   |




|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Profile: 20A0241R                               | Page No.: 169            |
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2020/11/28 - 14:12 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access Point                      | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5220MHz by 802.11a CDD |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 40.045                 | 38.819               | -33.955         | 74.000         | 1.226       | PK   |
| 2  | *    | 15660.000       | 45.647                 | 37.673               | -28.353         | 74.000         | 7.974       | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Profile: 20A0241R                               | Page No.: 170            |
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2020/11/28 - 14:12 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access Point                      | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5220MHz by 802.11a CDD |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 40.288                 | 39.062               | -33.712         | 74.000         | 1.226       | PK   |
| 2  | *    | 15660.000       | 45.302                 | 37.328               | -28.698         | 74.000         | 7.974       | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Profile: 20A0241R                               | Page No.: 171            |
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2020/11/28 - 14:12 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access Point                      | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5240MHz by 802.11a CDD |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 42.009                 | 40.896               | -31.991         | 74.000         | 1.114       | PK   |
| 2  | *    | 15720.000       | 44.940                 | 36.380               | -29.060         | 74.000         | 8.561       | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Profile: 20A0241R                               | Page No.: 172            |
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2020/11/28 - 14:12 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access Point                      | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5240MHz by 802.11a CDD |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 40.767                 | 39.654               | -33.233         | 74.000         | 1.114       | PK   |
| 2  | *    | 15720.000       | 46.186                 | 37.626               | -27.814         | 74.000         | 8.561       | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Profile: 20A0241R                               | Page No.: 173            |
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2020/11/28 - 14:12 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access Point                      | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5260MHz by 802.11a CDD |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10520.000       | 40.911                 | 39.177               | -33.089         | 74.000         | 1.735       | PK   |
| 2  | *    | 15780.000       | 46.032                 | 37.192               | -27.968         | 74.000         | 8.840       | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Profile: 20A0241R                               | Page No.: 174            |
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2020/11/28 - 14:12 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access Point                      | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5260MHz by 802.11a CDD |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10520.000       | 42.269                 | 40.535               | -31.731         | 74.000         | 1.735       | PK   |
| 2  | *    | 15780.000       | 45.279                 | 36.439               | -28.721         | 74.000         | 8.840       | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Profile: 20A0241R                               | Page No.: 175            |
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2020/11/28 - 14:12 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access Point                      | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5300MHz by 802.11a CDD |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10600.000       | 41.117                 | 39.469               | -32.883         | 74.000         | 1.648       | PK   |
| 2  | *    | 15900.000       | 45.712                 | 36.858               | -28.288         | 74.000         | 8.853       | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Profile: 20A0241R                               | Page No.: 176            |
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2020/11/28 - 14:12 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access Point                      | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5300MHz by 802.11a CDD |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10600.000       | 40.729                 | 39.081               | -33.271         | 74.000         | 1.648       | PK   |
| 2  | *    | 15900.000       | 46.094                 | 37.240               | -27.906         | 74.000         | 8.853       | PK   |