



Profile: 20A0241R	Page No.: 177
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	41.107	39.273	-32.893	74.000	1.834	PK
2	*	15960.000	47.117	38.905	-26.883	74.000	8.212	PK

Profile: 20A0241R	Page No.: 178
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	42.327	40.493	-31.673	74.000	1.834	PK
2	*	15960.000	45.847	37.635	-28.153	74.000	8.212	PK

Profile: 20A0241R	Page No.: 179
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	42.085	40.051	-31.915	74.000	2.033	PK
2	*	16500.000	45.518	36.779	-28.482	74.000	8.739	PK

Profile: 20A0241R	Page No.: 180
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	40.485	38.451	-33.515	74.000	2.033	PK
2	*	16500.000	46.435	37.696	-27.565	74.000	8.739	PK

Profile: 20A0241R	Page No.: 181
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5580MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	41.055	38.839	-32.945	74.000	2.216	PK
2	*	16740.000	43.516	35.160	-30.484	74.000	8.356	PK

Profile: 20A0241R	Page No.: 182
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5580MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	41.162	38.946	-32.838	74.000	2.216	PK
2	*	16740.000	45.648	37.292	-28.352	74.000	8.356	PK

Profile: 20A0241R	Page No.: 183
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5700MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	41.380	38.196	-32.620	74.000	3.184	PK
2	*	17100.000	44.066	36.976	-29.934	74.000	7.090	PK

Profile: 20A0241R	Page No.: 184
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5700MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.256	39.072	-31.744	74.000	3.184	PK
2	*	17100.000	45.561	38.471	-28.439	74.000	7.090	PK

Profile: 20A0241R	Page No.: 185
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	42.370	39.545	-31.630	74.000	2.825	PK
2	*	17235.000	45.652	37.822	-28.348	74.000	7.830	PK

Profile: 20A0241R	Page No.: 186
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	42.087	39.262	-31.913	74.000	2.825	PK
2	*	17235.000	45.179	37.349	-28.821	74.000	7.830	PK

Profile: 20A0241R	Page No.: 187
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.250	38.933	-31.750	74.000	3.317	PK
2	*	17355.000	45.078	37.054	-28.922	74.000	8.023	PK

Profile: 20A0241R	Page No.: 188
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	41.799	38.482	-32.201	74.000	3.317	PK
2	*	17355.000	45.240	37.216	-28.760	74.000	8.023	PK

Profile: 20A0241R	Page No.: 189
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	42.620	39.306	-31.380	74.000	3.314	PK
2	*	17475.000	45.070	36.984	-28.930	74.000	8.086	PK

Profile: 20A0241R	Page No.: 190
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	42.156	38.842	-31.844	74.000	3.314	PK
2	*	17475.000	44.790	36.704	-29.210	74.000	8.086	PK

Profile: 20A0241R	Page No.: 191
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.583	41.722	-31.417	74.000	0.860	PK
2	*	15540.000	45.299	38.661	-28.701	74.000	6.637	PK

Profile: 20A0241R	Page No.: 192
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	41.840	40.979	-32.160	74.000	0.860	PK
2	*	15540.000	44.592	37.954	-29.408	74.000	6.637	PK

Profile: 20A0241R	Page No.: 193
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11n20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.777	39.551	-33.223	74.000	1.226	PK
2	*	15660.000	44.595	36.621	-29.405	74.000	7.974	PK

Profile: 20A0241R	Page No.: 194
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11n20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	39.700	38.474	-34.300	74.000	1.226	PK
2	*	15660.000	44.800	36.826	-29.200	74.000	7.974	PK

Profile: 20A0241R	Page No.: 195
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	41.232	40.119	-32.768	74.000	1.114	PK
2	*	15720.000	45.162	36.602	-28.838	74.000	8.561	PK

Profile: 20A0241R	Page No.: 196
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.156	41.043	-31.844	74.000	1.114	PK
2	*	15720.000	45.825	37.265	-28.175	74.000	8.561	PK

Profile: 20A0241R	Page No.: 197
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	42.409	40.675	-31.591	74.000	1.735	PK
2	*	15780.000	45.358	36.518	-28.642	74.000	8.840	PK

Profile: 20A0241R	Page No.: 198
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	42.573	40.839	-31.427	74.000	1.735	PK
2	*	15780.000	45.838	36.998	-28.162	74.000	8.840	PK

Profile: 20A0241R	Page No.: 199
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	42.288	40.640	-31.712	74.000	1.648	PK
2	*	15900.000	46.202	37.348	-27.798	74.000	8.853	PK

Profile: 20A0241R	Page No.: 200
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	41.935	40.287	-32.065	74.000	1.648	PK
2	*	15900.000	45.890	37.036	-28.110	74.000	8.853	PK

Profile: 20A0241R	Page No.: 201
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	41.887	40.053	-32.113	74.000	1.834	PK
2	*	15960.000	45.532	37.320	-28.468	74.000	8.212	PK

Profile: 20A0241R	Page No.: 202
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	41.571	39.737	-32.429	74.000	1.834	PK
2	*	15960.000	45.443	37.231	-28.557	74.000	8.212	PK

Profile: 20A0241R	Page No.: 203
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmint at 5500MHz by 802.11n20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	41.464	39.430	-32.536	74.000	2.033	PK
2	*	16500.000	45.114	36.375	-28.886	74.000	8.739	PK

Profile: 20A0241R	Page No.: 204
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	40.365	38.331	-33.635	74.000	2.033	PK
2	*	16500.000	45.213	36.474	-28.787	74.000	8.739	PK

Profile: 20A0241R	Page No.: 205
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	42.383	40.167	-31.617	74.000	2.216	PK
2	*	16740.000	44.767	36.411	-29.233	74.000	8.356	PK

Profile: 20A0241R	Page No.: 206
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	41.215	38.999	-32.785	74.000	2.216	PK
2	*	16740.000	46.366	38.010	-27.634	74.000	8.356	PK

Profile: 20A0241R	Page No.: 207
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	41.304	38.120	-32.696	74.000	3.184	PK
2	*	17100.000	45.000	37.910	-29.000	74.000	7.090	PK

Profile: 20A0241R	Page No.: 208
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.406	39.222	-31.594	74.000	3.184	PK
2	*	17100.000	44.382	37.292	-29.618	74.000	7.090	PK

Profile: 20A0241R	Page No.: 209
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11n20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	41.672	38.847	-32.328	74.000	2.825	PK
2	*	17235.000	44.062	36.232	-29.938	74.000	7.830	PK

Profile: 20A0241R	Page No.: 210
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11n20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	41.082	38.257	-32.918	74.000	2.825	PK
2	*	17235.000	43.795	35.965	-30.205	74.000	7.830	PK

Profile: 20A0241R	Page No.: 211
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 802.11n20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	41.495	38.178	-32.505	74.000	3.317	PK
2	*	17355.000	45.249	37.225	-28.751	74.000	8.023	PK

Profile: 20A0241R	Page No.: 212
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 802.11n20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.023	38.706	-31.977	74.000	3.317	PK
2	*	17355.000	44.463	36.439	-29.537	74.000	8.023	PK

Profile: 20A0241R	Page No.: 213
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	42.161	38.847	-31.839	74.000	3.314	PK
2	*	17475.000	45.680	37.594	-28.320	74.000	8.086	PK

Profile: 20A0241R	Page No.: 214
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmint at 5825MHz by 802.11n20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	42.298	38.984	-31.702	74.000	3.314	PK
2	*	17475.000	44.556	36.470	-29.444	74.000	8.086	PK

Profile: 20A0241R	Page No.: 215
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	40.944	40.290	-33.056	74.000	0.654	PK
2	*	15570.000	45.037	37.320	-28.963	74.000	7.716	PK

Profile: 20A0241R	Page No.: 216
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	41.838	41.184	-32.162	74.000	0.654	PK
2	*	15570.000	45.876	38.159	-28.124	74.000	7.716	PK

Profile: 20A0241R	Page No.: 217
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.016	39.211	-33.984	74.000	0.805	PK
2	*	15690.000	46.214	37.154	-27.786	74.000	9.060	PK

Profile: 20A0241R	Page No.: 218
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.361	39.556	-33.639	74.000	0.805	PK
2	*	15690.000	45.935	36.875	-28.065	74.000	9.060	PK

Profile: 20A0241R	Page No.: 219
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	41.653	40.301	-32.347	74.000	1.351	PK
2	*	15810.000	46.318	37.379	-27.682	74.000	8.939	PK

Profile: 20A0241R	Page No.: 220
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmint at 5270MHz by 802.11n40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	42.318	40.966	-31.682	74.000	1.351	PK
2	*	15810.000	46.591	37.652	-27.409	74.000	8.939	PK

Profile: 20A0241R	Page No.: 221
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	42.605	41.386	-31.395	74.000	1.219	PK
2	*	15930.000	47.192	38.264	-26.808	74.000	8.928	PK

Profile: 20A0241R	Page No.: 222
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	41.796	40.577	-32.204	74.000	1.219	PK
2	*	15930.000	46.178	37.250	-27.822	74.000	8.928	PK

Profile: 20A0241R	Page No.: 223
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	40.351	38.124	-33.649	74.000	2.226	PK
2	*	16530.000	45.473	36.650	-28.527	74.000	8.823	PK

Profile: 20A0241R	Page No.: 224
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	41.511	39.284	-32.489	74.000	2.226	PK
2	*	16530.000	47.323	38.500	-26.677	74.000	8.823	PK

Profile: 20A0241R	Page No.: 225
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5590MHz by 802.11n40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	41.594	39.210	-32.406	74.000	2.383	PK
2	*	16770.000	44.678	36.851	-29.322	74.000	7.827	PK

Profile: 20A0241R	Page No.: 226
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5590MHz by 802.11n40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	41.674	39.290	-32.326	74.000	2.383	PK
2	*	16770.000	45.411	37.584	-28.589	74.000	7.827	PK

Profile: 20A0241R	Page No.: 227
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	42.334	39.306	-31.666	74.000	3.028	PK
2	*	17010.000	46.511	38.931	-27.489	74.000	7.581	PK

Profile: 20A0241R	Page No.: 228
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	41.077	38.049	-32.923	74.000	3.028	PK
2	*	17010.000	46.608	39.028	-27.392	74.000	7.581	PK

Profile: 20A0241R	Page No.: 229
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	42.676	38.992	-31.324	74.000	3.684	PK
2	*	17265.000	46.651	37.667	-27.349	74.000	8.984	PK

Profile: 20A0241R	Page No.: 230
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	42.377	38.693	-31.623	74.000	3.684	PK
2	*	17265.000	46.123	37.139	-27.877	74.000	8.984	PK

Profile: 20A0241R	Page No.: 231
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	41.907	37.985	-32.093	74.000	3.922	PK
2	*	17385.000	44.408	36.687	-29.592	74.000	7.721	PK

Profile: 20A0241R	Page No.: 232
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	42.338	38.416	-31.662	74.000	3.922	PK
2	*	17385.000	44.960	37.239	-29.040	74.000	7.721	PK

Profile: 20A0241R	Page No.: 233
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmint at 5180MHz by 802.11ac20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	41.396	40.535	-32.604	74.000	0.860	PK
2	*	15540.000	45.398	38.760	-28.602	74.000	6.637	PK

Profile: 20A0241R	Page No.: 234
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	41.314	40.453	-32.686	74.000	0.860	PK
2	*	15540.000	44.466	37.828	-29.534	74.000	6.637	PK

Profile: 20A0241R	Page No.: 235
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.163	38.937	-33.837	74.000	1.226	PK
2	*	15660.000	45.351	37.377	-28.649	74.000	7.974	PK

Profile: 20A0241R	Page No.: 236
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	39.704	38.478	-34.296	74.000	1.226	PK
2	*	15660.000	45.333	37.359	-28.667	74.000	7.974	PK

Profile: 20A0241R	Page No.: 237
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmint at 5240MHz by 802.11ac20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	40.815	39.702	-33.185	74.000	1.114	PK
2	*	15720.000	45.720	37.160	-28.280	74.000	8.561	PK

Profile: 20A0241R	Page No.: 238
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	41.013	39.900	-32.987	74.000	1.114	PK
2	*	15720.000	45.632	37.072	-28.368	74.000	8.561	PK

Profile: 20A0241R	Page No.: 239
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmint at 5260MHz by 802.11ac20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	41.743	40.009	-32.257	74.000	1.735	PK
2	*	15780.000	45.735	36.895	-28.265	74.000	8.840	PK

Profile: 20A0241R	Page No.: 240
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmint at 5260MHz by 802.11ac20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	41.866	40.132	-32.134	74.000	1.735	PK
2	*	15780.000	45.204	36.364	-28.796	74.000	8.840	PK

Profile: 20A0241R	Page No.: 241
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	41.065	39.417	-32.935	74.000	1.648	PK
2	*	15900.000	46.162	37.308	-27.838	74.000	8.853	PK

Profile: 20A0241R	Page No.: 242
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmint at 5300MHz by 802.11ac20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	41.000	39.352	-33.000	74.000	1.648	PK
2	*	15900.000	46.224	37.370	-27.776	74.000	8.853	PK

Profile: 20A0241R	Page No.: 243
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	39.923	38.089	-34.077	74.000	1.834	PK
2	*	15960.000	45.540	37.328	-28.460	74.000	8.212	PK

Profile: 20A0241R	Page No.: 244
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.125	41.291	-30.875	74.000	1.834	PK
2	*	15960.000	46.330	38.118	-27.670	74.000	8.212	PK

Profile: 20A0241R	Page No.: 245
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	40.742	38.708	-33.258	74.000	2.033	PK
2	*	16500.000	45.189	36.450	-28.811	74.000	8.739	PK

Profile: 20A0241R	Page No.: 246
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmint at 5500MHz by 802.11ac20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	41.641	39.607	-32.359	74.000	2.033	PK
2	*	16500.000	46.876	38.137	-27.124	74.000	8.739	PK

Profile: 20A0241R	Page No.: 247
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmint at 5580MHz by 802.11ac20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	40.926	38.710	-33.074	74.000	2.216	PK
2	*	16740.000	45.441	37.085	-28.559	74.000	8.356	PK

Profile: 20A0241R	Page No.: 248
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmint at 5580MHz by 802.11ac20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	41.778	39.562	-32.222	74.000	2.216	PK
2	*	16740.000	44.486	36.130	-29.514	74.000	8.356	PK

Profile: 20A0241R	Page No.: 249
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	41.021	37.837	-32.979	74.000	3.184	PK
2	*	17100.000	44.666	37.576	-29.334	74.000	7.090	PK

Profile: 20A0241R	Page No.: 250
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	41.316	38.132	-32.684	74.000	3.184	PK
2	*	17100.000	44.304	37.214	-29.696	74.000	7.090	PK

Profile: 20A0241R	Page No.: 251
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmint at 5745MHz by 802.11ac20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	42.507	39.682	-31.493	74.000	2.825	PK
2	*	17235.000	44.404	36.574	-29.596	74.000	7.830	PK

Profile: 20A0241R	Page No.: 252
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmint at 5745MHz by 802.11ac20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	41.390	38.565	-32.610	74.000	2.825	PK
2	*	17235.000	44.861	37.031	-29.139	74.000	7.830	PK

Profile: 20A0241R	Page No.: 253
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmint at 5785MHz by 802.11ac20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.620	39.303	-31.380	74.000	3.317	PK
2	*	17355.000	45.021	36.997	-28.979	74.000	8.023	PK

Profile: 20A0241R	Page No.: 254
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	41.926	38.609	-32.074	74.000	3.317	PK
2	*	17355.000	45.140	37.116	-28.860	74.000	8.023	PK

Profile: 20A0241R	Page No.: 255
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.037	39.723	-30.963	74.000	3.314	PK
2	*	17475.000	45.931	37.845	-28.069	74.000	8.086	PK

Profile: 20A0241R	Page No.: 256
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	42.531	39.217	-31.469	74.000	3.314	PK
2	*	17475.000	46.671	38.585	-27.329	74.000	8.086	PK

Profile: 20A0241R	Page No.: 257
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	40.558	39.904	-33.442	74.000	0.654	PK
2	*	15570.000	44.170	36.453	-29.830	74.000	7.716	PK

Profile: 20A0241R	Page No.: 258
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	41.276	40.622	-32.724	74.000	0.654	PK
2	*	15570.000	44.819	37.102	-29.181	74.000	7.716	PK

Profile: 20A0241R	Page No.: 259
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.710	39.905	-33.290	74.000	0.805	PK
2	*	15690.000	46.505	37.445	-27.495	74.000	9.060	PK

Profile: 20A0241R	Page No.: 260
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmint at 5230MHz by 802.11ac40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	39.969	39.164	-34.031	74.000	0.805	PK
2	*	15690.000	46.307	37.247	-27.693	74.000	9.060	PK

Profile: 20A0241R	Page No.: 261
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	42.008	40.656	-31.992	74.000	1.351	PK
2	*	15810.000	45.921	36.982	-28.079	74.000	8.939	PK

Profile: 20A0241R	Page No.: 262
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	42.124	40.772	-31.876	74.000	1.351	PK
2	*	15810.000	47.134	38.195	-26.866	74.000	8.939	PK

Profile: 20A0241R	Page No.: 263
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmint at 5310MHz by 802.11ac40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	41.348	40.129	-32.652	74.000	1.219	PK
2	*	15930.000	46.799	37.871	-27.201	74.000	8.928	PK

Profile: 20A0241R	Page No.: 264
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	43.802	42.583	-30.198	74.000	1.219	PK
2	*	15930.000	45.946	37.018	-28.054	74.000	8.928	PK

Profile: 20A0241R	Page No.: 265
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmint at 5510MHz by 802.11ac40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	41.005	38.778	-32.995	74.000	2.226	PK
2	*	16530.000	45.668	36.845	-28.332	74.000	8.823	PK

Profile: 20A0241R	Page No.: 266
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	41.214	38.987	-32.786	74.000	2.226	PK
2	*	16530.000	45.785	36.962	-28.215	74.000	8.823	PK

Profile: 20A0241R	Page No.: 267
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5590MHz by 802.11ac40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	41.795	39.411	-32.205	74.000	2.383	PK
2	*	16770.000	44.330	36.503	-29.670	74.000	7.827	PK

Profile: 20A0241R	Page No.: 268
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5590MHz by 802.11ac40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	42.355	39.971	-31.645	74.000	2.383	PK
2	*	16770.000	44.668	36.841	-29.332	74.000	7.827	PK

Profile: 20A0241R	Page No.: 269
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	41.918	38.890	-32.082	74.000	3.028	PK
2	*	17010.000	44.974	37.394	-29.026	74.000	7.581	PK

Profile: 20A0241R	Page No.: 270
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmint at 5670MHz by 802.11ac40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	41.627	38.599	-32.373	74.000	3.028	PK
2	*	17010.000	44.951	37.371	-29.049	74.000	7.581	PK

Profile: 20A0241R	Page No.: 271
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmint at 5755MHz by 802.11ac40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	41.790	38.106	-32.210	74.000	3.684	PK
2	*	17265.000	46.494	37.510	-27.506	74.000	8.984	PK

Profile: 20A0241R	Page No.: 272
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmint at 5755MHz by 802.11ac40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	42.630	38.946	-31.370	74.000	3.684	PK
2	*	17265.000	45.644	36.660	-28.356	74.000	8.984	PK

Profile: 20A0241R	Page No.: 273
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmint at 5795MHz by 802.11ac40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	41.835	37.913	-32.165	74.000	3.922	PK
2	*	17385.000	44.569	36.848	-29.431	74.000	7.721	PK

Profile: 20A0241R	Page No.: 274
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	42.303	38.381	-31.697	74.000	3.922	PK
2	*	17385.000	45.621	37.900	-28.379	74.000	7.721	PK

Profile: 20A0241R	Page No.: 275
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmint at 5210MHz by 802.11ac80 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	41.145	40.291	-32.855	74.000	0.855	PK
2	*	15630.000	44.976	36.947	-29.024	74.000	8.028	PK

Profile: 20A0241R	Page No.: 276
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac80 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	40.097	39.243	-33.903	74.000	0.855	PK
2	*	15630.000	45.488	37.459	-28.512	74.000	8.028	PK

Profile: 20A0241R	Page No.: 277
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmint at 5290MHz by 802.11ac80 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	41.012	39.569	-32.988	74.000	1.444	PK
2	*	15870.000	45.042	36.289	-28.958	74.000	8.753	PK

Profile: 20A0241R	Page No.: 278
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmint at 5290MHz by 802.11ac80 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	41.043	39.600	-32.957	74.000	1.444	PK
2	*	15870.000	45.808	37.055	-28.192	74.000	8.753	PK

Profile: 20A0241R	Page No.: 279
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmint at 5530MHz by 802.11ac80 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	41.724	39.667	-32.276	74.000	2.057	PK
2	*	16590.000	46.991	37.566	-27.009	74.000	9.426	PK

Profile: 20A0241R	Page No.: 280
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmint at 5530MHz by 802.11ac80 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	40.656	38.599	-33.344	74.000	2.057	PK
2	*	16590.000	47.158	37.733	-26.842	74.000	9.426	PK

Profile: 20A0241R	Page No.: 281
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmint at 5775MHz by 802.11ac80 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	42.553	39.261	-31.447	74.000	3.291	PK
2	*	17325.000	45.240	37.007	-28.760	74.000	8.233	PK

Profile: 20A0241R	Page No.: 282
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmint at 5775MHz by 802.11ac80 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	42.464	39.172	-31.536	74.000	3.291	PK
2	*	17325.000	45.676	37.443	-28.324	74.000	8.233	PK

Profile: 20A0241R	Page No.: 283
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	41.939	41.078	-32.061	74.000	0.860	PK
2	*	15540.000	44.766	38.128	-29.234	74.000	6.637	PK

Profile: 20A0241R	Page No.: 284
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	41.743	40.882	-32.257	74.000	0.860	PK
2	*	15540.000	43.825	37.187	-30.175	74.000	6.637	PK

Profile: 20A0241R	Page No.: 285
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	39.697	38.471	-34.303	74.000	1.226	PK
2	*	15660.000	45.096	37.122	-28.904	74.000	7.974	PK

Profile: 20A0241R	Page No.: 286
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.691	39.465	-33.309	74.000	1.226	PK
2	*	15660.000	46.317	38.343	-27.683	74.000	7.974	PK

Profile: 20A0241R	Page No.: 287
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	41.292	40.179	-32.708	74.000	1.114	PK
2	*	15720.000	44.344	35.784	-29.656	74.000	8.561	PK

Profile: 20A0241R	Page No.: 288
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmint at 5240MHz by 802.11ax20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	40.496	39.383	-33.504	74.000	1.114	PK
2	*	15720.000	46.328	37.768	-27.672	74.000	8.561	PK

Profile: 20A0241R	Page No.: 289
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.717	38.983	-33.283	74.000	1.735	PK
2	*	15780.000	46.461	37.621	-27.539	74.000	8.840	PK

Profile: 20A0241R	Page No.: 290
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmint at 5260MHz by 802.11ax20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	42.589	40.855	-31.411	74.000	1.735	PK
2	*	15780.000	46.027	37.187	-27.973	74.000	8.840	PK

Profile: 20A0241R	Page No.: 291
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	41.746	40.098	-32.254	74.000	1.648	PK
2	*	15900.000	45.893	37.039	-28.107	74.000	8.853	PK

Profile: 20A0241R	Page No.: 292
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	40.942	39.294	-33.058	74.000	1.648	PK
2	*	15900.000	45.943	37.089	-28.057	74.000	8.853	PK

Profile: 20A0241R	Page No.: 293
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	41.298	39.464	-32.702	74.000	1.834	PK
2	*	15960.000	45.160	36.948	-28.840	74.000	8.212	PK

Profile: 20A0241R	Page No.: 294
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	42.643	40.809	-31.357	74.000	1.834	PK
2	*	15960.000	45.764	37.552	-28.236	74.000	8.212	PK

Profile: 20A0241R	Page No.: 295
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	41.200	39.166	-32.800	74.000	2.033	PK
2	*	16500.000	46.698	37.959	-27.302	74.000	8.739	PK

Profile: 20A0241R	Page No.: 296
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	40.945	38.911	-33.055	74.000	2.033	PK
2	*	16500.000	45.502	36.763	-28.498	74.000	8.739	PK

Profile: 20A0241R	Page No.: 297
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	40.659	38.443	-33.341	74.000	2.216	PK
2	*	16740.000	44.607	36.251	-29.393	74.000	8.356	PK

Profile: 20A0241R	Page No.: 298
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmint at 5580MHz by 802.11ax20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	41.037	38.821	-32.963	74.000	2.216	PK
2	*	16740.000	43.836	35.480	-30.164	74.000	8.356	PK

Profile: 20A0241R	Page No.: 299
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	40.798	37.614	-33.202	74.000	3.184	PK
2	*	17100.000	43.885	36.795	-30.115	74.000	7.090	PK

Profile: 20A0241R	Page No.: 300
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	41.417	38.233	-32.583	74.000	3.184	PK
2	*	17100.000	44.718	37.628	-29.282	74.000	7.090	PK

Profile: 20A0241R	Page No.: 301
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	42.669	39.844	-31.331	74.000	2.825	PK
2	*	17235.000	44.702	36.872	-29.298	74.000	7.830	PK

Profile: 20A0241R	Page No.: 302
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	41.160	38.335	-32.840	74.000	2.825	PK
2	*	17235.000	45.133	37.303	-28.867	74.000	7.830	PK

Profile: 20A0241R	Page No.: 303
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmint at 5785MHz by 802.11ax20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.706	39.389	-31.294	74.000	3.317	PK
2	*	17355.000	45.095	37.071	-28.905	74.000	8.023	PK

Profile: 20A0241R	Page No.: 304
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.683	39.366	-31.317	74.000	3.317	PK
2	*	17355.000	46.102	38.078	-27.898	74.000	8.023	PK

Profile: 20A0241R	Page No.: 305
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.192	39.878	-30.808	74.000	3.314	PK
2	*	17475.000	45.173	37.087	-28.827	74.000	8.086	PK

Profile: 20A0241R	Page No.: 306
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	41.779	38.465	-32.221	74.000	3.314	PK
2	*	17475.000	46.130	38.044	-27.870	74.000	8.086	PK

Profile: 20A0241R	Page No.: 307
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmint at 5190MHz by 802.11ax40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	41.471	40.817	-32.529	74.000	0.654	PK
2	*	15570.000	44.448	36.731	-29.552	74.000	7.716	PK

Profile: 20A0241R	Page No.: 308
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmint at 5190MHz by 802.11ax40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	40.293	39.639	-33.707	74.000	0.654	PK
2	*	15570.000	45.270	37.553	-28.730	74.000	7.716	PK

Profile: 20A0241R	Page No.: 309
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	39.645	38.840	-34.355	74.000	0.805	PK
2	*	15690.000	45.482	36.422	-28.518	74.000	9.060	PK

Profile: 20A0241R	Page No.: 310
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmint at 5230MHz by 802.11ax40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.064	39.259	-33.936	74.000	0.805	PK
2	*	15690.000	46.335	37.275	-27.665	74.000	9.060	PK

Profile: 20A0241R	Page No.: 311
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmint at 5270MHz by 802.11ax40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	41.847	40.495	-32.153	74.000	1.351	PK
2	*	15810.000	45.144	36.205	-28.856	74.000	8.939	PK

Profile: 20A0241R	Page No.: 312
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	41.856	40.504	-32.144	74.000	1.351	PK
2	*	15810.000	44.392	35.453	-29.608	74.000	8.939	PK

Profile: 20A0241R	Page No.: 313
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	40.513	39.294	-33.487	74.000	1.219	PK
2	*	15930.000	46.736	37.808	-27.264	74.000	8.928	PK

Profile: 20A0241R	Page No.: 314
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	42.387	41.168	-31.613	74.000	1.219	PK
2	*	15930.000	47.168	38.240	-26.832	74.000	8.928	PK

Profile: 20A0241R	Page No.: 315
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmint at 5510MHz by 802.11ax40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	42.193	39.966	-31.807	74.000	2.226	PK
2	*	16530.000	47.131	38.308	-26.869	74.000	8.823	PK

Profile: 20A0241R	Page No.: 316
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmint at 5510MHz by 802.11ax40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	41.089	38.862	-32.911	74.000	2.226	PK
2	*	16530.000	46.159	37.336	-27.841	74.000	8.823	PK

Profile: 20A0241R	Page No.: 317
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5590MHz by 802.11ax40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	41.971	39.587	-32.029	74.000	2.383	PK
2	*	16770.000	45.142	37.315	-28.858	74.000	7.827	PK

Profile: 20A0241R	Page No.: 318
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5590MHz by 802.11ax40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	41.418	39.034	-32.582	74.000	2.383	PK
2	*	16770.000	45.040	37.213	-28.960	74.000	7.827	PK

Profile: 20A0241R	Page No.: 319
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	43.188	40.160	-30.812	74.000	3.028	PK
2	*	17010.000	45.747	38.167	-28.253	74.000	7.581	PK

Profile: 20A0241R	Page No.: 320
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmint at 5670MHz by 802.11ax40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	40.993	37.965	-33.007	74.000	3.028	PK
2	*	17010.000	45.330	37.750	-28.670	74.000	7.581	PK

Profile: 20A0241R	Page No.: 321
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	43.132	39.448	-30.868	74.000	3.684	PK
2	*	17265.000	46.336	37.352	-27.664	74.000	8.984	PK

Profile: 20A0241R	Page No.: 322
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	42.563	38.879	-31.437	74.000	3.684	PK
2	*	17265.000	45.925	36.941	-28.075	74.000	8.984	PK

Profile: 20A0241R	Page No.: 323
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	42.963	39.041	-31.037	74.000	3.922	PK
2	*	17385.000	44.215	36.494	-29.785	74.000	7.721	PK

Profile: 20A0241R	Page No.: 324
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	43.482	39.560	-30.518	74.000	3.922	PK
2	*	17385.000	45.316	37.595	-28.684	74.000	7.721	PK

Profile: 20A0241R	Page No.: 325
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmint at 5210MHz by 802.11ax80 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	40.443	39.589	-33.557	74.000	0.855	PK
2	*	15630.000	46.578	38.549	-27.422	74.000	8.028	PK

Profile: 20A0241R	Page No.: 326
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax80 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	40.471	39.617	-33.529	74.000	0.855	PK
2	*	15630.000	46.093	38.064	-27.907	74.000	8.028	PK

Profile: 20A0241R	Page No.: 327
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmint at 5290MHz by 802.11ax80 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	41.386	39.943	-32.614	74.000	1.444	PK
2	*	15870.000	46.040	37.287	-27.960	74.000	8.753	PK

Profile: 20A0241R	Page No.: 328
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmint at 5290MHz by 802.11ax80 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	41.678	40.235	-32.322	74.000	1.444	PK
2	*	15870.000	45.322	36.569	-28.678	74.000	8.753	PK

Profile: 20A0241R	Page No.: 329
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax80 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	43.365	41.308	-30.635	74.000	2.057	PK
2	*	16590.000	46.196	36.771	-27.804	74.000	9.426	PK

Profile: 20A0241R	Page No.: 330
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax80 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	41.876	39.819	-32.124	74.000	2.057	PK
2	*	16590.000	47.250	37.825	-26.750	74.000	9.426	PK

Profile: 20A0241R	Page No.: 331
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax80 CDD	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	43.071	39.779	-30.929	74.000	3.291	PK
2	*	17325.000	45.784	37.551	-28.216	74.000	8.233	PK

Profile: 20A0241R	Page No.: 332
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax80 CDD	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	41.617	38.325	-32.383	74.000	3.291	PK
2	*	17325.000	45.657	37.424	-28.343	74.000	8.233	PK