



Profile: 20A0241R	Page No.: 174
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	41.577	39.843	-32.423	74.000	1.735	PK
2	*	15780.000	46.928	38.088	-27.072	74.000	8.840	PK

Profile: 20A0241R	Page No.: 175
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	39.728	38.080	-34.272	74.000	1.648	PK
2	*	15900.000	46.786	37.932	-27.214	74.000	8.853	PK

Profile: 20A0241R	Page No.: 176
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	40.089	38.441	-33.911	74.000	1.648	PK
2	*	15900.000	46.704	37.850	-27.296	74.000	8.853	PK

Profile: 20A0241R	Page No.: 177
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	41.394	39.560	-32.606	74.000	1.834	PK
2	*	15960.000	46.055	37.843	-27.945	74.000	8.212	PK

Profile: 20A0241R	Page No.: 178
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	40.309	38.475	-33.691	74.000	1.834	PK
2	*	15960.000	45.553	37.341	-28.447	74.000	8.212	PK

Profile: 20A0241R	Page No.: 179
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	41.162	39.128	-32.838	74.000	2.033	PK
2	*	16500.000	45.542	36.803	-28.458	74.000	8.739	PK

Profile: 20A0241R	Page No.: 180
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	41.383	39.349	-32.617	74.000	2.033	PK
2	*	16500.000	45.243	36.504	-28.757	74.000	8.739	PK

Profile: 20A0241R	Page No.: 181
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5580MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	39.296	37.080	-34.704	74.000	2.216	PK
2	*	16740.000	42.622	34.266	-31.378	74.000	8.356	PK

Profile: 20A0241R	Page No.: 182
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5580MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	39.563	37.347	-34.437	74.000	2.216	PK
2	*	16740.000	42.969	34.613	-31.031	74.000	8.356	PK

Profile: 20A0241R	Page No.: 183
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5700MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	41.810	38.626	-32.190	74.000	3.184	PK
2	*	17100.000	42.676	35.586	-31.324	74.000	7.090	PK

Profile: 20A0241R	Page No.: 184
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5700MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	41.643	38.459	-32.357	74.000	3.184	PK
2	*	17100.000	44.750	37.660	-29.250	74.000	7.090	PK

Profile: 20A0241R	Page No.: 185
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	41.907	39.082	-32.093	74.000	2.825	PK
2	*	17235.000	43.408	35.578	-30.592	74.000	7.830	PK

Profile: 20A0241R	Page No.: 186
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	42.817	39.992	-31.183	74.000	2.825	PK
2	*	17235.000	43.367	35.537	-30.633	74.000	7.830	PK

Profile: 20A0241R	Page No.: 187
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	43.508	40.191	-30.492	74.000	3.317	PK
2	*	17355.000	45.276	37.252	-28.724	74.000	8.023	PK

Profile: 20A0241R	Page No.: 188
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	43.261	39.944	-30.739	74.000	3.317	PK
2	*	17355.000	44.923	36.899	-29.077	74.000	8.023	PK

Profile: 20A0241R	Page No.: 189
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	41.510	38.196	-32.490	74.000	3.314	PK
2	*	17475.000	43.418	35.332	-30.582	74.000	8.086	PK

Profile: 20A0241R	Page No.: 190
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	42.426	39.112	-31.574	74.000	3.314	PK
2	*	17475.000	44.756	36.670	-29.244	74.000	8.086	PK

Profile: 20A0241R	Page No.: 191
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	41.446	40.585	-32.554	74.000	0.860	PK
2	*	15540.000	44.900	38.262	-29.100	74.000	6.637	PK

Profile: 20A0241R	Page No.: 192
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	40.358	39.497	-33.642	74.000	0.860	PK
2	*	15540.000	43.341	36.703	-30.659	74.000	6.637	PK

Profile: 20A0241R	Page No.: 193
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5200MHz by 802.11n20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	39.751	38.525	-34.249	74.000	1.226	PK
2	*	15660.000	45.235	37.261	-28.765	74.000	7.974	PK

Profile: 20A0241R	Page No.: 194
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5200MHz by 802.11n20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.299	39.073	-33.701	74.000	1.226	PK
2	*	15660.000	44.665	36.691	-29.335	74.000	7.974	PK

Profile: 20A0241R	Page No.: 195
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmint at 5240MHz by 802.11n20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	40.037	38.924	-33.963	74.000	1.114	PK
2	*	15720.000	45.227	36.667	-28.773	74.000	8.561	PK

Profile: 20A0241R	Page No.: 196
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	40.134	39.021	-33.866	74.000	1.114	PK
2	*	15720.000	44.997	36.437	-29.003	74.000	8.561	PK

Profile: 20A0241R	Page No.: 197
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.177	38.443	-33.823	74.000	1.735	PK
2	*	15780.000	46.227	37.387	-27.773	74.000	8.840	PK

Profile: 20A0241R	Page No.: 198
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmint at 5260MHz by 802.11n20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.642	38.908	-33.358	74.000	1.735	PK
2	*	15780.000	45.691	36.851	-28.309	74.000	8.840	PK

Profile: 20A0241R	Page No.: 199
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	39.825	38.177	-34.175	74.000	1.648	PK
2	*	15900.000	46.078	37.224	-27.922	74.000	8.853	PK

Profile: 20A0241R	Page No.: 200
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	39.917	38.269	-34.083	74.000	1.648	PK
2	*	15900.000	46.588	37.734	-27.412	74.000	8.853	PK

Profile: 20A0241R	Page No.: 201
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	40.679	38.845	-33.321	74.000	1.834	PK
2	*	15960.000	46.046	37.834	-27.954	74.000	8.212	PK

Profile: 20A0241R	Page No.: 202
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	41.149	39.315	-32.851	74.000	1.834	PK
2	*	15960.000	45.700	37.488	-28.300	74.000	8.212	PK

Profile: 20A0241R	Page No.: 203
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	40.432	38.398	-33.568	74.000	2.033	PK
2	*	16500.000	45.802	37.063	-28.198	74.000	8.739	PK

Profile: 20A0241R	Page No.: 204
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	41.185	39.151	-32.815	74.000	2.033	PK
2	*	16500.000	44.699	35.960	-29.301	74.000	8.739	PK

Profile: 20A0241R	Page No.: 205
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	39.545	37.329	-34.455	74.000	2.216	PK
2	*	16740.000	44.606	36.250	-29.394	74.000	8.356	PK

Profile: 20A0241R	Page No.: 206
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	40.368	38.152	-33.632	74.000	2.216	PK
2	*	16740.000	43.130	34.774	-30.870	74.000	8.356	PK

Profile: 20A0241R	Page No.: 207
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	41.471	38.287	-32.529	74.000	3.184	PK
2	*	17100.000	43.666	36.576	-30.334	74.000	7.090	PK

Profile: 20A0241R	Page No.: 208
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	41.533	38.349	-32.467	74.000	3.184	PK
2	*	17100.000	44.308	37.218	-29.692	74.000	7.090	PK

Profile: 20A0241R	Page No.: 209
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmint at 5745MHz by 802.11n20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	41.985	39.160	-32.015	74.000	2.825	PK
2	*	17235.000	44.193	36.363	-29.807	74.000	7.830	PK

Profile: 20A0241R	Page No.: 210
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11n20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.606	40.781	-30.394	74.000	2.825	PK
2	*	17235.000	45.487	37.657	-28.513	74.000	7.830	PK

Profile: 20A0241R	Page No.: 211
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 802.11n20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.537	39.220	-31.463	74.000	3.317	PK
2	*	17355.000	44.504	36.480	-29.496	74.000	8.023	PK

Profile: 20A0241R	Page No.: 212
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 802.11n20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.832	39.515	-31.168	74.000	3.317	PK
2	*	17355.000	45.361	37.337	-28.639	74.000	8.023	PK

Profile: 20A0241R	Page No.: 213
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	42.384	39.070	-31.616	74.000	3.314	PK
2	*	17475.000	44.951	36.865	-29.049	74.000	8.086	PK

Profile: 20A0241R	Page No.: 214
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	41.639	38.325	-32.361	74.000	3.314	PK
2	*	17475.000	44.393	36.307	-29.607	74.000	8.086	PK

Profile: 20A0241R	Page No.: 215
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	41.473	40.819	-32.527	74.000	0.654	PK
2	*	15570.000	45.278	37.561	-28.722	74.000	7.716	PK

Profile: 20A0241R	Page No.: 216
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	40.080	39.426	-33.920	74.000	0.654	PK
2	*	15570.000	45.274	37.557	-28.726	74.000	7.716	PK

Profile: 20A0241R	Page No.: 217
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	38.689	37.884	-35.311	74.000	0.805	PK
2	*	15690.000	45.224	36.164	-28.776	74.000	9.060	PK

Profile: 20A0241R	Page No.: 218
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.144	39.339	-33.856	74.000	0.805	PK
2	*	15690.000	46.772	37.712	-27.228	74.000	9.060	PK

Profile: 20A0241R	Page No.: 219
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	41.101	39.749	-32.899	74.000	1.351	PK
2	*	15810.000	46.060	37.121	-27.940	74.000	8.939	PK

Profile: 20A0241R	Page No.: 220
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmint at 5270MHz by 802.11n40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	40.401	39.049	-33.599	74.000	1.351	PK
2	*	15810.000	46.068	37.129	-27.932	74.000	8.939	PK

Profile: 20A0241R	Page No.: 221
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	39.703	38.484	-34.297	74.000	1.219	PK
2	*	15930.000	47.454	38.526	-26.546	74.000	8.928	PK

Profile: 20A0241R	Page No.: 222
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	40.100	38.881	-33.900	74.000	1.219	PK
2	*	15930.000	46.002	37.074	-27.998	74.000	8.928	PK

Profile: 20A0241R	Page No.: 223
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	41.147	38.920	-32.853	74.000	2.226	PK
2	*	16530.000	45.826	37.003	-28.174	74.000	8.823	PK

Profile: 20A0241R	Page No.: 224
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	42.932	40.705	-31.068	74.000	2.226	PK
2	*	16530.000	46.682	37.859	-27.318	74.000	8.823	PK

Profile: 20A0241R	Page No.: 225
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5590MHz by 802.11n40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	41.014	38.630	-32.986	74.000	2.383	PK
2	*	16770.000	44.932	37.105	-29.068	74.000	7.827	PK

Profile: 20A0241R	Page No.: 226
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5590MHz by 802.11n40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	40.573	38.189	-33.427	74.000	2.383	PK
2	*	16770.000	44.317	36.490	-29.683	74.000	7.827	PK

Profile: 20A0241R	Page No.: 227
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	40.352	37.324	-33.648	74.000	3.028	PK
2	*	17010.000	45.106	37.526	-28.894	74.000	7.581	PK

Profile: 20A0241R	Page No.: 228
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	41.187	38.159	-32.813	74.000	3.028	PK
2	*	17010.000	45.043	37.463	-28.957	74.000	7.581	PK

Profile: 20A0241R	Page No.: 229
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	41.908	38.224	-32.092	74.000	3.684	PK
2	*	17265.000	45.461	36.477	-28.539	74.000	8.984	PK

Profile: 20A0241R	Page No.: 230
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	42.485	38.801	-31.515	74.000	3.684	PK
2	*	17265.000	45.158	36.174	-28.842	74.000	8.984	PK

Profile: 20A0241R	Page No.: 231
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	42.071	38.149	-31.929	74.000	3.922	PK
2	*	17385.000	42.573	34.852	-31.427	74.000	7.721	PK

Profile: 20A0241R	Page No.: 232
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	11590.000	45.159	41.237	-28.841	74.000	3.922	PK
2		17385.000	44.013	36.292	-29.987	74.000	7.721	PK

Profile: 20A0241R	Page No.: 233
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	41.234	40.373	-32.766	74.000	0.860	PK
2	*	15540.000	43.267	36.629	-30.733	74.000	6.637	PK

Profile: 20A0241R	Page No.: 234
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	40.977	40.116	-33.023	74.000	0.860	PK
2	*	15540.000	43.791	37.153	-30.209	74.000	6.637	PK

Profile: 20A0241R	Page No.: 235
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5200MHz by 802.11ac20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.727	39.501	-33.273	74.000	1.226	PK
2	*	15660.000	45.172	37.198	-28.828	74.000	7.974	PK

Profile: 20A0241R	Page No.: 236
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmint at 5200MHz by 802.11ac20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	39.368	38.142	-34.632	74.000	1.226	PK
2	*	15660.000	44.661	36.687	-29.339	74.000	7.974	PK

Profile: 20A0241R	Page No.: 237
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmint at 5240MHz by 802.11ac20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	41.264	40.151	-32.736	74.000	1.114	PK
2	*	15720.000	45.973	37.413	-28.027	74.000	8.561	PK

Profile: 20A0241R	Page No.: 238
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	40.354	39.241	-33.646	74.000	1.114	PK
2	*	15720.000	45.979	37.419	-28.021	74.000	8.561	PK

Profile: 20A0241R	Page No.: 239
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmint at 5260MHz by 802.11ac20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	41.910	40.176	-32.090	74.000	1.735	PK
2	*	15780.000	46.407	37.567	-27.593	74.000	8.840	PK

Profile: 20A0241R	Page No.: 240
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	41.181	39.447	-32.819	74.000	1.735	PK
2	*	15780.000	45.780	36.940	-28.220	74.000	8.840	PK

Profile: 20A0241R	Page No.: 241
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmint at 5300MHz by 802.11ac20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	40.404	38.756	-33.596	74.000	1.648	PK
2	*	15900.000	46.567	37.713	-27.433	74.000	8.853	PK

Profile: 20A0241R	Page No.: 242
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmint at 5300MHz by 802.11ac20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	41.049	39.401	-32.951	74.000	1.648	PK
2	*	15900.000	46.192	37.338	-27.808	74.000	8.853	PK

Profile: 20A0241R	Page No.: 243
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmint at 5320MHz by 802.11ac20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	41.498	39.664	-32.502	74.000	1.834	PK
2	*	15960.000	45.086	36.874	-28.914	74.000	8.212	PK

Profile: 20A0241R	Page No.: 244
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	41.029	39.195	-32.971	74.000	1.834	PK
2	*	15960.000	45.721	37.509	-28.279	74.000	8.212	PK

Profile: 20A0241R	Page No.: 245
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmint at 5500MHz by 802.11ac20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	41.977	39.943	-32.023	74.000	2.033	PK
2	*	16500.000	46.396	37.657	-27.604	74.000	8.739	PK

Profile: 20A0241R	Page No.: 246
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	41.158	39.124	-32.842	74.000	2.033	PK
2	*	16500.000	45.190	36.451	-28.810	74.000	8.739	PK

Profile: 20A0241R	Page No.: 247
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	39.007	36.791	-34.993	74.000	2.216	PK
2	*	16740.000	42.703	34.347	-31.297	74.000	8.356	PK

Profile: 20A0241R	Page No.: 248
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmint at 5580MHz by 802.11ac20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	40.020	37.804	-33.980	74.000	2.216	PK
2	*	16740.000	43.416	35.060	-30.584	74.000	8.356	PK

Profile: 20A0241R	Page No.: 249
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	41.174	37.990	-32.826	74.000	3.184	PK
2	*	17100.000	45.016	37.926	-28.984	74.000	7.090	PK

Profile: 20A0241R	Page No.: 250
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmint at 5700MHz by 802.11ac20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	41.869	38.685	-32.131	74.000	3.184	PK
2	*	17100.000	44.648	37.558	-29.352	74.000	7.090	PK

Profile: 20A0241R	Page No.: 251
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmint at 5745MHz by 802.11ac20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	42.360	39.535	-31.640	74.000	2.825	PK
2	*	17235.000	44.397	36.567	-29.603	74.000	7.830	PK

Profile: 20A0241R	Page No.: 252
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmint at 5745MHz by 802.11ac20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	41.726	38.901	-32.274	74.000	2.825	PK
2	*	17235.000	44.363	36.533	-29.637	74.000	7.830	PK

Profile: 20A0241R	Page No.: 253
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmint at 5785MHz by 802.11ac20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.914	39.597	-31.086	74.000	3.317	PK
2	*	17355.000	44.122	36.098	-29.878	74.000	8.023	PK

Profile: 20A0241R	Page No.: 254
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmint at 5785MHz by 802.11ac20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.311	38.994	-31.689	74.000	3.317	PK
2	*	17355.000	44.914	36.890	-29.086	74.000	8.023	PK

Profile: 20A0241R	Page No.: 255
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	41.575	38.261	-32.425	74.000	3.314	PK
2	*	17475.000	44.095	36.009	-29.905	74.000	8.086	PK

Profile: 20A0241R	Page No.: 256
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	42.388	39.074	-31.612	74.000	3.314	PK
2	*	17475.000	44.367	36.281	-29.633	74.000	8.086	PK

Profile: 20A0241R	Page No.: 257
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmint at 5190MHz by 802.11ac40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	39.814	39.160	-34.186	74.000	0.654	PK
2	*	15570.000	43.533	35.816	-30.467	74.000	7.716	PK

Profile: 20A0241R	Page No.: 258
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	39.333	38.679	-34.667	74.000	0.654	PK
2	*	15570.000	43.239	35.522	-30.761	74.000	7.716	PK

Profile: 20A0241R	Page No.: 259
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.334	39.529	-33.666	74.000	0.805	PK
2	*	15690.000	46.563	37.503	-27.437	74.000	9.060	PK

Profile: 20A0241R	Page No.: 260
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmint at 5230MHz by 802.11ac40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.737	39.932	-33.263	74.000	0.805	PK
2	*	15690.000	46.420	37.360	-27.580	74.000	9.060	PK

Profile: 20A0241R	Page No.: 261
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmint at 5270MHz by 802.11ac40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	43.031	41.679	-30.969	74.000	1.351	PK
2	*	15810.000	46.048	37.109	-27.952	74.000	8.939	PK

Profile: 20A0241R	Page No.: 262
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	42.420	41.068	-31.580	74.000	1.351	PK
2	*	15810.000	45.882	36.943	-28.118	74.000	8.939	PK

Profile: 20A0241R	Page No.: 263
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	41.557	40.338	-32.443	74.000	1.219	PK
2	*	15930.000	45.821	36.893	-28.179	74.000	8.928	PK

Profile: 20A0241R	Page No.: 264
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	41.545	40.326	-32.455	74.000	1.219	PK
2	*	15930.000	46.294	37.366	-27.706	74.000	8.928	PK

Profile: 20A0241R	Page No.: 265
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	41.033	38.806	-32.967	74.000	2.226	PK
2	*	16530.000	45.683	36.860	-28.317	74.000	8.823	PK

Profile: 20A0241R	Page No.: 266
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	42.267	40.040	-31.733	74.000	2.226	PK
2	*	16530.000	45.929	37.106	-28.071	74.000	8.823	PK

Profile: 20A0241R	Page No.: 267
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5590MHz by 802.11ac40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	40.157	37.773	-33.843	74.000	2.383	PK
2	*	16770.000	45.555	37.728	-28.445	74.000	7.827	PK

Profile: 20A0241R	Page No.: 268
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5590MHz by 802.11ac40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	40.351	37.967	-33.649	74.000	2.383	PK
2	*	16770.000	43.927	36.100	-30.073	74.000	7.827	PK

Profile: 20A0241R	Page No.: 269
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	41.361	38.333	-32.639	74.000	3.028	PK
2	*	17010.000	44.744	37.164	-29.256	74.000	7.581	PK

Profile: 20A0241R	Page No.: 270
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmint at 5670MHz by 802.11ac40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	41.939	38.911	-32.061	74.000	3.028	PK
2	*	17010.000	44.770	37.190	-29.230	74.000	7.581	PK

Profile: 20A0241R	Page No.: 271
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	42.063	38.379	-31.937	74.000	3.684	PK
2	*	17265.000	46.252	37.268	-27.748	74.000	8.984	PK

Profile: 20A0241R	Page No.: 272
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmint at 5755MHz by 802.11ac40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	42.244	38.560	-31.756	74.000	3.684	PK
2	*	17265.000	45.796	36.812	-28.204	74.000	8.984	PK

Profile: 20A0241R	Page No.: 273
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	42.132	38.210	-31.868	74.000	3.922	PK
2	*	17385.000	43.139	35.418	-30.861	74.000	7.721	PK

Profile: 20A0241R	Page No.: 274
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	43.083	39.161	-30.917	74.000	3.922	PK
2	*	17385.000	43.738	36.017	-30.262	74.000	7.721	PK

Profile: 20A0241R	Page No.: 275
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmint at 5210MHz by 802.11ac80 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	39.407	38.553	-34.593	74.000	0.855	PK
2	*	15630.000	45.860	37.831	-28.140	74.000	8.028	PK

Profile: 20A0241R	Page No.: 276
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmint at 5210MHz by 802.11ac80 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	39.805	38.951	-34.195	74.000	0.855	PK
2	*	15630.000	45.006	36.977	-28.994	74.000	8.028	PK

Profile: 20A0241R	Page No.: 277
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac80 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	40.941	39.498	-33.059	74.000	1.444	PK
2	*	15870.000	47.153	38.400	-26.847	74.000	8.753	PK

Profile: 20A0241R	Page No.: 278
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac80 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	40.065	38.622	-33.935	74.000	1.444	PK
2	*	15870.000	46.351	37.598	-27.649	74.000	8.753	PK

Profile: 20A0241R	Page No.: 279
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac80 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	40.755	38.698	-33.245	74.000	2.057	PK
2	*	16590.000	45.942	36.517	-28.058	74.000	9.426	PK

Profile: 20A0241R	Page No.: 280
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmint at 5530MHz by 802.11ac80 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	40.449	38.392	-33.551	74.000	2.057	PK
2	*	16590.000	45.669	36.244	-28.331	74.000	9.426	PK

Profile: 20A0241R	Page No.: 281
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmint at 5775MHz by 802.11ac80 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	42.215	38.923	-31.785	74.000	3.291	PK
2	*	17325.000	46.260	38.027	-27.740	74.000	8.233	PK

Profile: 20A0241R	Page No.: 282
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmint at 5775MHz by 802.11ac80 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	41.551	38.259	-32.449	74.000	3.291	PK
2	*	17325.000	44.623	36.390	-29.377	74.000	8.233	PK

Profile: 20A0241R	Page No.: 283
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.473	41.612	-31.527	74.000	0.860	PK
2	*	15540.000	43.530	36.892	-30.470	74.000	6.637	PK

Profile: 20A0241R	Page No.: 284
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	41.685	40.824	-32.315	74.000	0.860	PK
2	*	15540.000	42.951	36.313	-31.049	74.000	6.637	PK

Profile: 20A0241R	Page No.: 285
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5200MHz by 802.11ax20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	39.932	38.706	-34.068	74.000	1.226	PK
2	*	15660.000	45.757	37.783	-28.243	74.000	7.974	PK

Profile: 20A0241R	Page No.: 286
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5200MHz by 802.11ax20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.108	38.882	-33.892	74.000	1.226	PK
2	*	15660.000	46.622	38.648	-27.378	74.000	7.974	PK

Profile: 20A0241R	Page No.: 287
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmint at 5240MHz by 802.11ax20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	40.423	39.310	-33.577	74.000	1.114	PK
2	*	15720.000	45.738	37.178	-28.262	74.000	8.561	PK

Profile: 20A0241R	Page No.: 288
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	40.188	39.075	-33.812	74.000	1.114	PK
2	*	15720.000	45.624	37.064	-28.376	74.000	8.561	PK

Profile: 20A0241R	Page No.: 289
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	41.813	40.079	-32.187	74.000	1.735	PK
2	*	15780.000	47.061	38.221	-26.939	74.000	8.840	PK

Profile: 20A0241R	Page No.: 290
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmint at 5260MHz by 802.11ax20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.647	38.913	-33.353	74.000	1.735	PK
2	*	15780.000	46.102	37.262	-27.898	74.000	8.840	PK

Profile: 20A0241R	Page No.: 291
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmint at 5300MHz by 802.11ax20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	39.474	37.826	-34.526	74.000	1.648	PK
2	*	15900.000	47.973	39.119	-26.027	74.000	8.853	PK

Profile: 20A0241R	Page No.: 292
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	40.619	38.971	-33.381	74.000	1.648	PK
2	*	15900.000	47.353	38.499	-26.647	74.000	8.853	PK

Profile: 20A0241R	Page No.: 293
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	40.671	38.837	-33.329	74.000	1.834	PK
2	*	15960.000	45.955	37.743	-28.045	74.000	8.212	PK

Profile: 20A0241R	Page No.: 294
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	42.105	40.271	-31.895	74.000	1.834	PK
2	*	15960.000	45.087	36.875	-28.913	74.000	8.212	PK

Profile: 20A0241R	Page No.: 295
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	40.693	38.659	-33.307	74.000	2.033	PK
2	*	16500.000	46.348	37.609	-27.652	74.000	8.739	PK

Profile: 20A0241R	Page No.: 296
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmint at 5500MHz by 802.11ax20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	41.587	39.553	-32.413	74.000	2.033	PK
2	*	16500.000	45.212	36.473	-28.788	74.000	8.739	PK

Profile: 20A0241R	Page No.: 297
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	39.423	37.207	-34.577	74.000	2.216	PK
2	*	16740.000	43.037	34.681	-30.963	74.000	8.356	PK

Profile: 20A0241R	Page No.: 298
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	39.517	37.301	-34.483	74.000	2.216	PK
2	*	16740.000	42.505	34.149	-31.495	74.000	8.356	PK

Profile: 20A0241R	Page No.: 299
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	41.348	38.164	-32.652	74.000	3.184	PK
2	*	17100.000	43.637	36.547	-30.363	74.000	7.090	PK

Profile: 20A0241R	Page No.: 300
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmint at 5700MHz by 802.11ax20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.072	38.888	-31.928	74.000	3.184	PK
2	*	17100.000	43.947	36.857	-30.053	74.000	7.090	PK

Profile: 20A0241R	Page No.: 301
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	42.941	40.116	-31.059	74.000	2.825	PK
2	*	17235.000	44.551	36.721	-29.449	74.000	7.830	PK

Profile: 20A0241R	Page No.: 302
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	41.846	39.021	-32.154	74.000	2.825	PK
2	*	17235.000	44.531	36.701	-29.469	74.000	7.830	PK

Profile: 20A0241R	Page No.: 303
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.941	39.624	-31.059	74.000	3.317	PK
2	*	17355.000	45.027	37.003	-28.973	74.000	8.023	PK

Profile: 20A0241R	Page No.: 304
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.201	38.884	-31.799	74.000	3.317	PK
2	*	17355.000	44.934	36.910	-29.066	74.000	8.023	PK

Profile: 20A0241R	Page No.: 305
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	41.826	38.512	-32.174	74.000	3.314	PK
2	*	17475.000	44.220	36.134	-29.780	74.000	8.086	PK

Profile: 20A0241R	Page No.: 306
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax20 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	41.768	38.454	-32.232	74.000	3.314	PK
2	*	17475.000	44.427	36.341	-29.573	74.000	8.086	PK

Profile: 20A0241R	Page No.: 307
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	40.099	39.445	-33.901	74.000	0.654	PK
2	*	15570.000	44.142	36.425	-29.858	74.000	7.716	PK

Profile: 20A0241R	Page No.: 308
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	39.437	38.783	-34.563	74.000	0.654	PK
2	*	15570.000	44.172	36.455	-29.828	74.000	7.716	PK

Profile: 20A0241R	Page No.: 309
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	39.559	38.754	-34.441	74.000	0.805	PK
2	*	15960.000	44.825	36.613	-29.175	74.000	8.212	PK

Profile: 20A0241R	Page No.: 310
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.129	39.324	-33.871	74.000	0.805	PK
2	*	15690.000	46.591	37.531	-27.409	74.000	9.060	PK

Profile: 20A0241R	Page No.: 311
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmint at 5270MHz by 802.11ax40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	41.255	39.903	-32.745	74.000	1.351	PK
2	*	15810.000	46.200	37.261	-27.800	74.000	8.939	PK

Profile: 20A0241R	Page No.: 312
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	41.042	39.690	-32.958	74.000	1.351	PK
2	*	15810.000	46.234	37.295	-27.766	74.000	8.939	PK

Profile: 20A0241R	Page No.: 313
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmint at 5310MHz by 802.11ax40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	41.531	40.312	-32.469	74.000	1.219	PK
2	*	15930.000	46.249	37.321	-27.751	74.000	8.928	PK

Profile: 20A0241R	Page No.: 314
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmint at 5310MHz by 802.11ax40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	39.882	38.663	-34.118	74.000	1.219	PK
2	*	15930.000	46.443	37.515	-27.557	74.000	8.928	PK

Profile: 20A0241R	Page No.: 315
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmint at 5510MHz by 802.11ax40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	41.882	39.655	-32.118	74.000	2.226	PK
2	*	16530.000	45.933	37.110	-28.067	74.000	8.823	PK

Profile: 20A0241R	Page No.: 316
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	41.352	39.125	-32.648	74.000	2.226	PK
2	*	16530.000	44.973	36.150	-29.027	74.000	8.823	PK

Profile: 20A0241R	Page No.: 317
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5590MHz by 802.11ax40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	39.867	37.483	-34.133	74.000	2.383	PK
2	*	16770.000	43.997	36.170	-30.003	74.000	7.827	PK

Profile: 20A0241R	Page No.: 318
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5590MHz by 802.11ax40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	40.635	38.251	-33.365	74.000	2.383	PK
2	*	16770.000	45.412	37.585	-28.588	74.000	7.827	PK

Profile: 20A0241R	Page No.: 319
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5570MHz by 802.11ax40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	41.033	38.005	-32.967	74.000	3.028	PK
2	*	17010.000	44.484	36.904	-29.516	74.000	7.581	PK

Profile: 20A0241R	Page No.: 320
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5570MHz by 802.11ax40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	40.733	37.705	-33.267	74.000	3.028	PK
2	*	17010.000	44.430	36.850	-29.570	74.000	7.581	PK

Profile: 20A0241R	Page No.: 321
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmint at 5755MHz by 802.11ax40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	41.779	38.095	-32.221	74.000	3.684	PK
2	*	17265.000	45.878	36.894	-28.122	74.000	8.984	PK

Profile: 20A0241R	Page No.: 322
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	42.093	38.409	-31.907	74.000	3.684	PK
2	*	17265.000	45.658	36.674	-28.342	74.000	8.984	PK

Profile: 20A0241R	Page No.: 323
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmint at 5795MHz by 802.11ax40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	42.249	38.327	-31.751	74.000	3.922	PK
2	*	17385.000	44.388	36.667	-29.612	74.000	7.721	PK

Profile: 20A0241R	Page No.: 324
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmint at 5795MHz by 802.11ax40 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	42.571	38.649	-31.429	74.000	3.922	PK
2	*	17385.000	44.459	36.738	-29.541	74.000	7.721	PK

Profile: 20A0241R	Page No.: 325
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax80 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	39.238	38.384	-34.762	74.000	0.855	PK
2	*	15630.000	45.148	37.119	-28.852	74.000	8.028	PK

Profile: 20A0241R	Page No.: 326
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax80 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	40.125	39.271	-33.875	74.000	0.855	PK
2	*	15630.000	45.441	37.412	-28.559	74.000	8.028	PK

Profile: 20A0241R	Page No.: 327
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax80 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	40.271	38.828	-33.729	74.000	1.444	PK
2	*	15870.000	46.449	37.696	-27.551	74.000	8.753	PK

Profile: 20A0241R	Page No.: 328
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax80 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	40.652	39.209	-33.348	74.000	1.444	PK
2	*	15870.000	45.928	37.175	-28.072	74.000	8.753	PK

Profile: 20A0241R	Page No.: 329
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax80 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	40.553	38.496	-33.447	74.000	2.057	PK
2	*	16590.000	45.816	36.391	-28.184	74.000	9.426	PK

Profile: 20A0241R	Page No.: 330
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax80 CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	41.607	39.550	-32.393	74.000	2.057	PK
2	*	16590.000	47.103	37.678	-26.897	74.000	9.426	PK

Profile: 20A0241R	Page No.: 331
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmint at 5755MHz by 802.11ax80 CDD	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	42.013	38.721	-31.987	74.000	3.291	PK
2	*	17325.000	45.665	37.432	-28.335	74.000	8.233	PK

Profile: 20A0241R	Page No.: 332
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5755MHz by 802.11ax80 CDD	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	41.178	37.886	-32.822	74.000	3.291	PK
2	*	17325.000	44.602	36.369	-29.398	74.000	8.233	PK