


802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TX




EUT_Z_1TX
Setting 54
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0918G	110.92	Inf	-Inf	100.57	3	Vertical	176	2.36	-	36.77	6.75	33.17	
RMS	7.0938G	99.70	Inf	-Inf	89.34	3	Vertical	176	2.36	-	36.78	6.75	33.17	
PK	7.1262G	67.92	88.20	-20.28	57.46	3	Vertical	176	2.36	-	36.90	6.76	33.20	
RMS	7.125G	52.78	68.20	-15.42	42.32	3	Vertical	176	2.36	-	36.90	6.76	33.20	

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TX




EUT_Z_1TX
Setting 54
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0882G	105.03	Inf	-Inf	94.71	3	Horizontal	161	2.37	-	36.75	6.74	33.17
RMS	7.0886G	93.81	Inf	-Inf	83.49	3	Horizontal	161	2.37	-	36.75	6.74	33.17
PK	7.1254G	64.34	88.20	-23.86	53.88	3	Horizontal	161	2.37	-	36.90	6.76	33.20
RMS	7.1934G	52.50	68.20	-15.70	41.78	3	Horizontal	161	2.37	-	37.17	6.80	33.25

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TX




EUT_Z_1TX
Setting 54
04-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18104G	61.24	88.20	-26.96	44.20	3	Vertical	47	2.71	-	40.64	10.74	34.34
RMS	14.18724G	48.36	68.20	-19.84	31.33	3	Vertical	47	2.71	-	40.63	10.74	34.34

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TX




EUT_Z_1TX
Setting 54
04-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18588G	61.61	88.20	-26.59	44.58	3	Horizontal	237	1.87	-	40.63	10.74	34.34
RMS	14.19508G	48.36	68.20	-19.84	31.33	3	Horizontal	237	1.87	-	40.61	10.75	34.33

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TX




EUT_Z_1TX
Setting 54
04-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2778G	58.47	83.54	-25.07	55.30	1	Vertical	65	2.18	-	38.09	14.98	49.90
AV	21.27944G	44.70	63.54	-18.84	41.53	1	Vertical	65	2.18	-	38.09	14.98	49.90

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TX




EUT_Z_1TX
Setting 54
04-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2834G	58.01	83.54	-25.53	54.84	1	Horizontal	332	2.52	-	38.09	14.98	49.90
AV	21.2896G	44.74	63.54	-18.80	41.58	1	Horizontal	332	2.52	-	38.08	14.98	49.90

802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Z_1TX
Setting 75
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9238G	75.43	88.20	-12.77	67.22	3	Vertical	151	2.48	-	34.90	6.12	32.81
RMS	5.925G	61.43	68.20	-6.77	53.22	3	Vertical	151	2.48	-	34.90	6.12	32.81
PK	5.9618G	111.34	Inf	-Inf	102.95	3	Vertical	151	2.48	-	35.05	6.16	32.82
RMS	5.9702G	100.24	Inf	-Inf	91.81	3	Vertical	151	2.48	-	35.08	6.17	32.82

802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Z_1TX
Setting 75
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9178G	67.69	88.20	-20.51	59.50	3	Horizontal	163	2.78	-	34.87	6.12	32.80
RMS	5.925G	54.34	68.20	-13.86	46.13	3	Horizontal	163	2.78	-	34.90	6.12	32.81
PK	5.9618G	103.94	Inf	-Inf	95.55	3	Horizontal	163	2.78	-	35.05	6.16	32.82
RMS	5.9578G	92.86	Inf	-Inf	84.49	3	Horizontal	163	2.78	-	35.03	6.16	32.82

802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Z_1TX
Setting 75
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.9124G	57.77	74.00	-16.23	43.65	3	Vertical	202	1.41	-	38.89	9.56	34.33	
AV	11.9316G	45.26	54.00	-8.74	31.16	3	Vertical	202	1.41	-	38.87	9.57	34.34	
PK	17.8947G	63.97	74.00	-10.03	43.16	3	Vertical	309	1.78	-	41.69	13.62	34.50	
AV	17.872G	51.69	54.00	-2.31	30.95	3	Vertical	309	1.78	-	41.64	13.60	34.50	

802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Z_1TX
Setting 75
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.9086G	56.54	74.00	-17.46	42.42	3	Horizontal	79	1.73	-	38.89	9.55	34.32	
AV	11.9146G	45.09	54.00	-8.91	30.97	3	Horizontal	79	1.73	-	38.89	9.56	34.33	
PK	17.895G	63.26	74.00	-10.74	42.45	3	Horizontal	128	1.27	-	41.69	13.62	34.50	
AV	17.9059G	51.62	54.00	-2.38	30.79	3	Horizontal	128	1.27	-	41.71	13.62	34.50	

802.11ax HEW40_Nss1,(MCS0)_1TX

6165MHz_TX




EUT Z_1TX
Setting 80
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9142G	61.00	88.20	-27.20	52.83	3	Vertical	130	2.70	-	34.86	6.11	32.80	
RMS	5.9214G	49.64	68.20	-18.56	41.43	3	Vertical	130	2.70	-	34.89	6.12	32.80	
PK	6.1698G	111.02	Inf	-Inf	102.33	3	Vertical	130	2.70	-	35.38	6.20	32.89	
RMS	6.171G	100.20	Inf	-Inf	91.51	3	Vertical	130	2.70	-	35.38	6.20	32.89	

802.11ax HEW40_Nss1,(MCS0)_1TX

6165MHz_TX




EUT_Z_1TX
Setting 80
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9226G	60.34	88.20	-27.86	52.14	3	Horizontal	241	1.00	-	34.89	6.12	32.81	
RMS	5.8866G	49.57	68.20	-18.63	41.55	3	Horizontal	241	1.00	-	34.72	6.09	32.79	
PK	6.1614G	104.09	Inf	-Inf	95.43	3	Horizontal	241	1.00	-	35.35	6.20	32.89	
RMS	6.1626G	92.75	Inf	-Inf	84.09	3	Horizontal	241	1.00	-	35.35	6.20	32.89	

802.11ax HEW40_Nss1,(MCS0)_1TX

6165MHz_TX




EUT_Z_1TX
Setting 80
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3364G	57.79	74.00	-16.21	43.53	3	Vertical	283	2.38	-	38.70	9.77	34.21
AV	12.3127G	45.00	54.00	-9.00	30.76	3	Vertical	283	2.38	-	38.70	9.76	34.22

802.11ax HEW40_Nss1,(MCS0)_1TX

6165MHz_TX




EUT_Z_1TX
Setting 80
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3078G	57.44	74.00	-16.56	43.22	3	Horizontal	119	2.77	-	38.70	9.75	34.23
AV	12.3434G	45.19	54.00	-8.81	30.93	3	Horizontal	119	2.77	-	38.70	9.77	34.21

802.11ax HEW40_Nss1,(MCS0)_1TX

6165MHz_TX




EUT_Z_1TX
Setting 80
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.49884G	56.01	83.54	-27.53	54.36	1	Vertical	289	1.53	-	37.70	14.25	50.30
AV	18.49994G	44.01	63.54	-19.53	42.36	1	Vertical	289	1.53	-	37.70	14.25	50.30

802.11ax HEW40_Nss1,(MCS0)_1TX

6165MHz_TX




EUT_Z_1TX
Setting 80
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.49844G	56.35	83.54	-27.19	54.70	1	Horizontal	122	1.57	-	37.70	14.25	50.30
AV	18.49724G	43.85	63.54	-19.69	42.20	1	Horizontal	122	1.57	-	37.70	14.25	50.30

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_Z_1TX
Setting 71
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9226G	60.57	88.20	-27.63	52.37	3	Vertical	180	2.36	-	34.89	6.12	32.81	
RMS	5.889G	49.62	68.20	-18.58	41.59	3	Vertical	180	2.36	-	34.73	6.09	32.79	
PK	6.4098G	111.65	Inf	-Inf	102.81	3	Vertical	180	2.36	-	35.42	6.40	32.98	
RMS	6.4002G	100.73	Inf	-Inf	91.90	3	Vertical	180	2.36	-	35.40	6.40	32.97	

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_Z_1TX
Setting 71
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9058G	60.45	88.20	-27.75	52.32	3	Horizontal	162	2.73	-	34.82	6.11	32.80	
RMS	5.889G	49.53	68.20	-18.67	41.50	3	Horizontal	162	2.73	-	34.73	6.09	32.79	
PK	6.4098G	104.32	Inf	-Inf	95.48	3	Horizontal	162	2.73	-	35.42	6.40	32.98	
RMS	6.4122G	93.14	Inf	-Inf	84.30	3	Horizontal	162	2.73	-	35.42	6.40	32.98	

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_Z_1TX
Setting 71
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.8141G	58.43	88.20	-29.77	43.27	3	Vertical	112	1.37	-	39.23	10.01	34.08	
RMS	12.8239G	45.86	68.20	-22.34	30.68	3	Vertical	112	1.37	-	39.25	10.01	34.08	

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_Z_1TX
Setting 71
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8014G	58.00	88.20	-30.20	42.88	3	Horizontal	22	2.43	-	39.20	10.00	34.08
RMS	12.8032G	45.88	68.20	-22.32	30.75	3	Horizontal	22	2.43	-	39.21	10.00	34.08

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT Z_1TX
Setting 71
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.21114G	56.66	83.54	-26.88	54.35	1	Vertical	299	1.57	-	38.15	14.32	50.16	
AV	19.21778G	43.52	63.54	-20.02	41.22	1	Vertical	299	1.57	-	38.14	14.32	50.16	

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_Z_1TX
Setting 71
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21386G	56.31	83.54	-27.23	54.01	1	Horizontal	158	1.53	-	38.14	14.32	50.16
AV	19.21896G	43.54	63.54	-20.00	41.24	1	Horizontal	158	1.53	-	38.14	14.32	50.16

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TX




EUT_Z_1TX
Setting 69
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8756G	61.76	88.20	-26.44	53.82	3	Vertical	181	2.63	-	34.65	6.08	32.79	
RMS	5.9172G	49.54	68.20	-18.66	41.35	3	Vertical	181	2.63	-	34.87	6.12	32.80	
PK	6.4424G	110.89	Inf	-Inf	102.00	3	Vertical	181	2.63	-	35.48	6.40	32.99	
RMS	6.4502G	100.29	Inf	-Inf	91.38	3	Vertical	181	2.63	-	35.50	6.40	32.99	

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TX




EUT_Z_1TX
Setting 69
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8392G	60.53	88.20	-27.67	52.83	3	Horizontal	161	2.64	-	34.44	6.04	32.78
RMS	5.8886G	49.58	68.20	-18.62	41.55	3	Horizontal	161	2.64	-	34.73	6.09	32.79
PK	6.4424G	104.50	Inf	-Inf	95.61	3	Horizontal	161	2.64	-	35.48	6.40	32.99
RMS	6.4502G	93.49	Inf	-Inf	84.58	3	Horizontal	161	2.64	-	35.50	6.40	32.99

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TX




EUT_Z_1TX
Setting 69
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9124G	57.85	88.20	-30.35	42.43	3	Vertical	166	1.81	-	39.42	10.06	34.06
RMS	12.9119G	46.14	68.20	-22.06	30.72	3	Vertical	166	1.81	-	39.42	10.06	34.06

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TX




EUT_Z_1TX
Setting 69
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8922G	58.05	88.20	-30.15	42.69	3	Horizontal	44	1.55	-	39.38	10.05	34.07
RMS	12.915G	46.04	68.20	-22.16	30.61	3	Horizontal	44	1.55	-	39.43	10.06	34.06

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TX




EUT_Z_1TX
Setting 69
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33984G	55.83	83.54	-27.71	53.64	1	Vertical	178	1.58	-	37.99	14.33	50.13
AV	19.33688G	43.43	63.54	-20.11	41.23	1	Vertical	178	1.58	-	38.00	14.33	50.13

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TX




EUT_Z_1TX
Setting 69
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3367G	55.51	83.54	-28.03	53.31	1	Horizontal	257	2.39	-	38.00	14.33	50.13
AV	19.33676G	43.30	63.54	-20.24	41.10	1	Horizontal	257	2.39	-	38.00	14.33	50.13

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TX




EUT_Z_1TX
Setting 69
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.855G	60.16	88.20	-28.04	52.36	3	Vertical	178	2.49	-	34.53	6.05	32.78
RMS	5.8662G	49.57	68.20	-18.63	41.69	3	Vertical	178	2.49	-	34.60	6.07	32.79
PK	6.4738G	110.50	Inf	-Inf	101.55	3	Vertical	178	2.49	-	35.55	6.40	33.00
RMS	6.4794G	100.29	Inf	-Inf	91.33	3	Vertical	178	2.49	-	35.56	6.40	33.00
PK	7.1514G	62.96	88.20	-25.24	52.39	3	Vertical	178	2.49	-	37.01	6.78	33.22
RMS	7.185G	52.78	68.20	-15.42	42.09	3	Vertical	178	2.49	-	37.14	6.79	33.24

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TX




EUT_Z_1TX
Setting 69
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8634G	60.51	88.20	-27.69	52.66	3	Horizontal	162	2.55	-	34.58	6.06	32.79
RMS	5.8718G	49.58	68.20	-18.62	41.67	3	Horizontal	162	2.55	-	34.63	6.07	32.79
PK	6.4822G	104.27	Inf	-Inf	95.31	3	Horizontal	162	2.55	-	35.56	6.40	33.00
RMS	6.4794G	93.31	Inf	-Inf	84.35	3	Horizontal	162	2.55	-	35.56	6.40	33.00
PK	7.157G	64.25	88.20	-23.95	53.66	3	Horizontal	162	2.55	-	37.03	6.78	33.22
RMS	7.185G	52.76	68.20	-15.44	42.07	3	Horizontal	162	2.55	-	37.14	6.79	33.24

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TX




EUT_Z_1TX
Setting 69
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.956G	58.79	88.20	-29.41	43.26	3	Vertical	54	1.50	-	39.51	10.08	34.06
RMS	12.9677G	46.48	68.20	-21.72	30.92	3	Vertical	54	1.50	-	39.54	10.08	34.06

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TX




EUT_Z_1TX
Setting 69
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9837G	58.61	88.20	-29.59	43.00	3	Horizontal	70	2.89	-	39.57	10.09	34.05
RMS	12.9868G	46.63	68.20	-21.57	31.02	3	Horizontal	70	2.89	-	39.57	10.09	34.05

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TX




EUT_Z_1TX
Setting 69
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45686G	55.86	83.54	-27.68	53.77	1	Vertical	172	1.58	-	37.85	14.35	50.11
AV	19.45526G	43.32	63.54	-20.22	41.23	1	Vertical	172	1.58	-	37.85	14.35	50.11

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TX




EUT_Z_1TX
Setting 69
04-F-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.45422G	55.78	83.54	-27.76	53.69	1	Horizontal	234	1.57	-	37.85	14.35	50.11	
AV	19.4598G	43.75	63.54	-19.79	41.66	1	Horizontal	234	1.57	-	37.85	14.35	50.11	

802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_1TX
Setting 66
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8866G	60.98	88.20	-27.22	52.96	3	Vertical	134	2.67	-	34.72	6.09	32.79
RMS	5.8754G	49.59	68.20	-18.61	41.65	3	Vertical	134	2.67	-	34.65	6.08	32.79
PK	6.5306G	110.85	Inf	-Inf	101.63	3	Vertical	134	2.67	-	35.84	6.40	33.02
RMS	6.5306G	99.76	Inf	-Inf	90.54	3	Vertical	134	2.67	-	35.84	6.40	33.02
PK	7.1746G	63.64	88.20	-24.56	52.98	3	Vertical	134	2.67	-	37.10	6.79	33.23
RMS	7.2082G	53.03	68.20	-15.17	42.29	3	Vertical	134	2.67	-	37.20	6.80	33.26

802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_1TX
Setting 66
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.895G	59.97	88.20	-28.23	51.90	3	Horizontal	160	2.54	-	34.77	6.10	32.80
RMS	5.8782G	49.62	68.20	-18.58	41.66	3	Horizontal	160	2.54	-	34.67	6.08	32.79
PK	6.525G	101.83	Inf	-Inf	92.64	3	Horizontal	160	2.54	-	35.80	6.40	33.01
RMS	6.5194G	92.10	Inf	-Inf	82.95	3	Horizontal	160	2.54	-	35.76	6.40	33.01
PK	7.2222G	63.57	88.20	-24.63	52.83	3	Horizontal	160	2.54	-	37.20	6.81	33.27
RMS	7.2138G	53.08	68.20	-15.12	42.33	3	Horizontal	160	2.54	-	37.20	6.81	33.26

802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_1TX
Setting 66
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0506G	58.10	88.20	-30.10	42.42	3	Vertical	69	1.32	-	39.60	10.13	34.05
RMS	13.0656G	46.60	68.20	-21.60	30.92	3	Vertical	69	1.32	-	39.60	10.13	34.05

802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_1TX
Setting 66
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0699G	59.04	88.20	-29.16	43.36	3	Horizontal	42	1.39	-	39.60	10.13	34.05
RMS	13.0416G	46.75	68.20	-21.45	31.08	3	Horizontal	42	1.39	-	39.60	10.12	34.05

802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_1TX
Setting 66
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5794G	56.32	83.54	-27.22	54.29	1	Vertical	76	1.56	-	37.74	14.36	50.07
AV	19.57448G	43.65	63.54	-19.89	41.62	1	Vertical	76	1.56	-	37.74	14.36	50.07

802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_1TX
Setting 66
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57418G	56.17	83.54	-27.37	54.14	1	Horizontal	168	1.54	-	37.74	14.36	50.07
AV	19.57956G	43.51	63.54	-20.03	41.48	1	Horizontal	168	1.54	-	37.74	14.36	50.07

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_Z_1TX
Setting 69
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.565G	109.88	Inf	-Inf	100.47	3	Vertical	177	2.57	-	36.03	6.40	33.02	
RMS	6.5602G	100.30	Inf	-Inf	90.90	3	Vertical	177	2.57	-	36.02	6.40	33.02	
PK	7.1362G	62.96	88.20	-25.24	52.45	3	Vertical	177	2.57	-	36.94	6.77	33.20	
RMS	7.1314G	52.56	68.20	-15.64	42.06	3	Vertical	177	2.57	-	36.93	6.77	33.20	

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT Z_1TX
Setting 69
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.5626G	104.11	Inf	-Inf	94.70	3	Horizontal	163	2.58	-	36.03	6.40	33.02	
RMS	6.5602G	94.06	Inf	-Inf	84.66	3	Horizontal	163	2.58	-	36.02	6.40	33.02	
PK	7.1506G	63.91	88.20	-24.29	53.34	3	Horizontal	163	2.58	-	37.00	6.78	33.21	
RMS	7.1338G	52.53	68.20	-15.67	42.02	3	Horizontal	163	2.58	-	36.94	6.77	33.20	

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_Z_1TX
Setting 69
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.1365G	59.47	88.20	-28.73	43.67	3	Vertical	216	2.42	-	39.67	10.17	34.04	
RMS	13.1274G	47.01	68.20	-21.19	31.24	3	Vertical	216	2.42	-	39.65	10.16	34.04	

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_Z_1TX
Setting 69
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.1384G	58.93	88.20	-29.27	43.12	3	Horizontal	97	2.39	-	39.68	10.17	34.04
RMS	13.1494G	47.14	68.20	-21.06	31.31	3	Horizontal	97	2.39	-	39.70	10.17	34.04

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_Z_1TX
Setting 69
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.69204G	55.14	83.54	-28.40	53.14	1	Vertical	175	1.53	-	37.65	14.37	50.02	
AV	19.69824G	42.63	63.54	-20.91	40.64	1	Vertical	175	1.53	-	37.64	14.37	50.02	

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_Z_1TX
Setting 69
04-F-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.69766G	55.23	83.54	-28.31	53.24	1	Horizontal	271	1.52	-	37.64	14.37	50.02
AV	19.69492G	42.83	63.54	-20.71	40.84	1	Horizontal	271	1.52	-	37.64	14.37	50.02

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_Z_1TX
Setting 74
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.691G	110.68	Inf	-Inf	101.19	3	Vertical	176	2.34	-	36.08	6.45	33.04	
RMS	6.681G	100.19	Inf	-Inf	90.73	3	Vertical	176	2.34	-	36.06	6.44	33.04	
PK	7.173G	63.74	88.20	-24.46	53.09	3	Vertical	176	2.34	-	37.09	6.79	33.23	
RMS	7.185G	52.87	68.20	-15.33	42.18	3	Vertical	176	2.34	-	37.14	6.79	33.24	

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_Z_1TX
Setting 74
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.683G	104.13	Inf	-Inf	94.66	3	Horizontal	162	2.48	-	36.07	6.44	33.04	
RMS	6.677G	93.21	Inf	-Inf	83.76	3	Horizontal	162	2.48	-	36.05	6.44	33.04	
PK	7.171G	63.77	88.20	-24.43	53.13	3	Horizontal	162	2.48	-	37.08	6.79	33.23	
RMS	7.185G	52.81	68.20	-15.39	42.12	3	Horizontal	162	2.48	-	37.14	6.79	33.24	

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_Z_1TX
Setting 74
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3625G	59.08	74.00	-14.92	42.83	3	Vertical	158	1.92	-	40.00	10.28	34.03
AV	13.3549G	47.19	54.00	-6.81	30.94	3	Vertical	158	1.92	-	40.00	10.28	34.03

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_Z_1TX
Setting 74
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3905G	59.07	74.00	-14.93	42.80	3	Horizontal	270	2.45	-	40.00	10.30	34.03
AV	13.3808G	47.33	54.00	-6.67	31.07	3	Horizontal	270	2.45	-	40.00	10.29	34.03

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT Z_1TX
Setting 74
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.051G	56.38	83.54	-27.16	54.44	1	Vertical	26	1.50	-	37.43	14.42	49.91
AV	20.0571G	43.88	63.54	-19.66	41.93	1	Vertical	26	1.50	-	37.43	14.43	49.91

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_Z_1TX
Setting 74
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05044G	56.21	83.54	-27.33	54.27	1	Horizontal	260	1.61	-	37.43	14.42	49.91
AV	20.05056G	43.91	63.54	-19.63	41.97	1	Horizontal	260	1.61	-	37.43	14.42	49.91

802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT Z_1TX
Setting 78
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8498G	110.74	Inf	-Inf	100.76	3	Vertical	178	2.31	-	36.50	6.55	33.07	
RMS	6.8402G	99.86	Inf	-Inf	89.89	3	Vertical	178	2.31	-	36.50	6.54	33.07	
PK	7.2018G	64.26	88.20	-23.94	53.51	3	Vertical	178	2.31	-	37.20	6.80	33.25	
RMS	7.2002G	52.98	68.20	-15.22	42.23	3	Vertical	178	2.31	-	37.20	6.80	33.25	

802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT Z_1TX
Setting 78
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8418G	104.15	Inf	-Inf	94.18	3	Horizontal	161	2.30	-	36.50	6.54	33.07
RMS	6.8418G	93.20	Inf	-Inf	83.23	3	Horizontal	161	2.30	-	36.50	6.54	33.07
PK	7.2082G	64.63	88.20	-23.57	53.89	3	Horizontal	161	2.30	-	37.20	6.80	33.26
RMS	7.2002G	52.97	68.20	-15.23	42.22	3	Horizontal	161	2.30	-	37.20	6.80	33.25

802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT_Z_1TX
Setting 78
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7037G	60.43	88.20	-27.77	43.86	3	Vertical	189	1.92	-	40.31	10.45	34.19
RMS	13.6728G	48.70	68.20	-19.50	32.15	3	Vertical	189	1.92	-	40.27	10.44	34.16

802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT_Z_1TX
Setting 78
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6818G	60.73	88.20	-27.47	44.18	3	Horizontal	289	2.93	-	40.28	10.44	34.17
RMS	13.7115G	48.67	68.20	-19.53	32.08	3	Horizontal	289	2.93	-	40.32	10.46	34.19

802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT_Z_1TX
Setting 78
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53152G	56.97	83.54	-26.57	54.59	1	Vertical	61	1.53	-	37.73	14.64	49.99
AV	20.53612G	44.35	63.54	-19.19	41.96	1	Vertical	61	1.53	-	37.74	14.64	49.99

802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT_Z_1TX
Setting 78
04-F-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.53132G	57.32	83.54	-26.22	54.94	1	Horizontal	120	1.53	-	37.73	14.64	49.99
AV	20.53696G	44.35	63.54	-19.19	41.96	1	Horizontal	120	1.53	-	37.74	14.64	49.99

802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT Z_1TX
Setting 79
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8822G	111.69	Inf	-Inf	101.69	3	Vertical	177	2.29	-	36.50	6.58	33.08
RMS	6.8822G	100.34	Inf	-Inf	90.34	3	Vertical	177	2.29	-	36.50	6.58	33.08
PK	7.1958G	64.17	88.20	-24.03	53.44	3	Vertical	177	2.29	-	37.18	6.80	33.25
RMS	7.2014G	52.99	68.20	-15.21	42.24	3	Vertical	177	2.29	-	37.20	6.80	33.25

802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_1TX
Setting 79
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8822G	104.95	Inf	-Inf	94.95	3	Horizontal	162	2.43	-	36.50	6.58	33.08
RMS	6.878G	93.76	Inf	-Inf	83.76	3	Horizontal	162	2.43	-	36.50	6.58	33.08
PK	7.1356G	65.28	88.20	-22.92	54.77	3	Horizontal	162	2.43	-	36.94	6.77	33.20
RMS	7.2112G	52.95	68.20	-15.25	42.20	3	Horizontal	162	2.43	-	37.20	6.81	33.26

802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_1TX
Setting 79
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7653G	60.77	88.20	-27.43	44.10	3	Vertical	271	2.42	-	40.43	10.48	34.24
RMS	13.7527G	49.21	68.20	-18.99	32.55	3	Vertical	271	2.42	-	40.41	10.48	34.23

802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_1TX
Setting 79
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7861G	61.33	88.20	-26.87	44.62	3	Horizontal	30	2.97	-	40.47	10.49	34.25
RMS	13.7736G	48.92	68.20	-19.28	32.22	3	Horizontal	30	2.97	-	40.45	10.49	34.24

802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_1TX
Setting 79
04-R-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65988G	56.51	83.54	-27.03	53.92	1	Vertical	357	1.59	-	37.86	14.70	49.97
AV	20.65834G	44.23	63.54	-19.31	41.64	1	Vertical	357	1.59	-	37.86	14.70	49.97

802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_1TX
Setting 79
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65282G	56.92	83.54	-26.62	54.35	1	Horizontal	163	1.58	-	37.85	14.69	49.97
AV	20.65334G	44.18	63.54	-19.36	41.61	1	Horizontal	163	1.58	-	37.85	14.69	49.97

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TX




EUT_Z_1TX
Setting 79
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9226G	110.94	Inf	-Inf	100.86	3	Vertical	178	2.36	-	36.55	6.62	33.09
RMS	6.9118G	100.02	Inf	-Inf	89.97	3	Vertical	178	2.36	-	36.52	6.61	33.08
PK	7.1974G	64.05	88.20	-24.15	53.31	3	Vertical	178	2.36	-	37.19	6.80	33.25
RMS	7.201G	53.00	68.20	-15.20	42.25	3	Vertical	178	2.36	-	37.20	6.80	33.25

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TX




EUT Z_1TX
Setting 79
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9214G	104.78	Inf	-Inf	94.71	3	Horizontal	162	2.39	-	36.54	6.62	33.09	
RMS	6.9226G	93.47	Inf	-Inf	83.39	3	Horizontal	162	2.39	-	36.55	6.62	33.09	
PK	7.2178G	63.97	88.20	-24.23	53.23	3	Horizontal	162	2.39	-	37.20	6.81	33.27	
RMS	7.207G	53.02	68.20	-15.18	42.28	3	Horizontal	162	2.39	-	37.20	6.80	33.26	

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TX




EUT_Z_1TX
Setting 79
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8283G	61.70	88.20	-26.50	44.95	3	Vertical	19	1.96	-	40.53	10.51	34.29
RMS	13.8598G	48.92	68.20	-19.28	32.15	3	Vertical	19	1.96	-	40.56	10.53	34.32

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TX




EUT_Z_1TX
Setting 79
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8368G	61.26	88.20	-26.94	44.50	3	Horizontal	110	2.96	-	40.54	10.52	34.30
RMS	13.8534G	48.87	68.20	-19.33	32.10	3	Horizontal	110	2.96	-	40.55	10.53	34.31

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TX




EUT_Z_1TX
Setting 79
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77374G	56.94	83.54	-26.60	54.17	1	Vertical	152	1.52	-	37.97	14.75	49.95
AV	20.77902G	44.60	63.54	-18.94	41.81	1	Vertical	152	1.52	-	37.98	14.75	49.94

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TX




EUT_Z_1TX
Setting 79
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77958G	57.38	83.54	-26.16	54.59	1	Horizontal	174	1.46	-	37.98	14.75	49.94
AV	20.77708G	44.29	63.54	-19.25	41.50	1	Horizontal	174	1.46	-	37.98	14.75	49.94

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TX




EUT_Z_1TX
Setting 74
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0018G	111.55	Inf	-Inf	101.35	3	Vertical	177	2.33	-	36.60	6.70	33.10
RMS	7.0114G	100.79	Inf	-Inf	90.59	3	Vertical	177	2.33	-	36.60	6.71	33.11
PK	7.1722G	64.09	88.20	-24.11	53.44	3	Vertical	177	2.33	-	37.09	6.79	33.23
RMS	7.1258G	53.08	68.20	-15.12	42.62	3	Vertical	177	2.33	-	36.90	6.76	33.20

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TX




EUT_Z_1TX
Setting 74
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0106G	105.90	Inf	-Inf	95.70	3	Horizontal	162	2.33	-	36.60	6.71	33.11	
RMS	7.0114G	94.61	Inf	-Inf	84.41	3	Horizontal	162	2.33	-	36.60	6.71	33.11	
PK	7.1754G	65.30	88.20	-22.90	54.64	3	Horizontal	162	2.33	-	37.10	6.79	33.23	
RMS	7.2002G	52.93	68.20	-15.27	42.18	3	Horizontal	162	2.33	-	37.20	6.80	33.25	

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TX




EUT_Z_1TX
Setting 74
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.0121G	61.29	88.20	-26.91	44.30	3	Vertical	3	2.34	-	40.80	10.61	34.42	
RMS	13.9861G	49.38	68.20	-18.82	32.44	3	Vertical	3	2.34	-	40.77	10.59	34.42	

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TX




EUT_Z_1TX
Setting 74
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.0349G	61.67	88.20	-26.53	44.65	3	Horizontal	278	2.23	-	40.80	10.63	34.41	
RMS	14.0289G	49.23	68.20	-18.97	32.23	3	Horizontal	278	2.23	-	40.80	10.62	34.42	

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TX




EUT_Z_1TX
Setting 74
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01238G	56.76	83.54	-26.78	53.60	1	Vertical	145	1.55	-	38.20	14.86	49.90
AV	21.01774G	43.93	63.54	-19.61	40.78	1	Vertical	145	1.55	-	38.19	14.86	49.90

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TX




EUT_Z_1TX
Setting 74
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01142G	56.67	83.54	-26.87	53.51	1	Horizontal	265	1.45	-	38.20	14.86	49.90
AV	21.01366G	44.40	63.54	-19.14	41.25	1	Horizontal	265	1.45	-	38.19	14.86	49.90

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TX




EUT_Z_1TX
Setting 69
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0902G	112.05	Inf	-Inf	101.71	3	Vertical	178	2.36	-	36.76	6.75	33.17	
RMS	7.0902G	100.75	Inf	-Inf	90.41	3	Vertical	178	2.36	-	36.76	6.75	33.17	
PK	7.1278G	75.68	88.20	-12.52	65.21	3	Vertical	178	2.36	-	36.91	6.76	33.20	
RMS	7.1262G	59.40	68.20	-8.80	48.94	3	Vertical	178	2.36	-	36.90	6.76	33.20	

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TX




EUT_Z_1TX
Setting 69
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0818G	106.26	Inf	-Inf	95.95	3	Horizontal	162	2.36	-	36.73	6.74	33.16
RMS	7.081G	95.12	Inf	-Inf	84.82	3	Horizontal	162	2.36	-	36.72	6.74	33.16
PK	7.1278G	70.43	88.20	-17.77	59.96	3	Horizontal	162	2.36	-	36.91	6.76	33.20
RMS	7.1274G	55.65	68.20	-12.55	45.18	3	Horizontal	162	2.36	-	36.91	6.76	33.20

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TX




EUT_Z_1TX
Setting 69
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.164G	61.76	88.20	-26.44	44.72	3	Vertical	72	1.80	-	40.67	10.72	34.35
RMS	14.1511G	49.39	68.20	-18.81	32.33	3	Vertical	72	1.80	-	40.70	10.71	34.35

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TX




EUT_Z_1TX
Setting 69
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1604G	61.38	88.20	-26.82	44.33	3	Horizontal	307	2.92	-	40.68	10.72	34.35
RMS	14.1519G	49.37	68.20	-18.83	32.31	3	Horizontal	307	2.92	-	40.70	10.71	34.35

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TX




EUT_Z_1TX
Setting 69
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25316G	55.80	83.54	-27.74	52.64	1	Vertical	54	1.52	-	38.10	14.96	49.90
AV	21.25566G	43.87	63.54	-19.67	40.70	1	Vertical	54	1.52	-	38.10	14.97	49.90

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TX




EUT_Z_1TX
Setting 69
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25522G	56.68	83.54	-26.86	53.52	1	Horizontal	36	1.58	-	38.10	14.96	49.90
AV	21.25572G	44.10	63.54	-19.44	40.93	1	Horizontal	36	1.58	-	38.10	14.97	49.90

802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Z_1TX
Setting 85
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.925G	79.66	88.20	-8.54	71.45	3	Vertical	180	2.43	-	34.90	6.12	32.81	
RMS	5.925G	67.96	68.20	-0.24	59.75	3	Vertical	180	2.43	-	34.90	6.12	32.81	
PK	5.982G	109.92	Inf	-Inf	101.43	3	Vertical	180	2.43	-	35.13	6.18	32.82	
RMS	5.973G	99.59	Inf	-Inf	91.15	3	Vertical	180	2.43	-	35.09	6.17	32.82	

802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Z_1TX
Setting 85
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.918G	69.42	88.20	-18.78	61.23	3	Horizontal	33	2.56	-	34.87	6.12	32.80
RMS	5.921G	57.78	68.20	-10.42	49.58	3	Horizontal	33	2.56	-	34.88	6.12	32.80
PK	6.002G	99.84	Inf	-Inf	91.26	3	Horizontal	33	2.56	-	35.21	6.20	32.83
RMS	6.003G	89.39	Inf	-Inf	80.81	3	Horizontal	33	2.56	-	35.21	6.20	32.83

802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Z_1TX
Setting 85
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.9696G	57.77	74.00	-16.23	43.72	3	Vertical	132	1.33	-	38.83	9.58	34.36	
AV	11.9666G	45.06	54.00	-8.94	31.01	3	Vertical	132	1.33	-	38.83	9.58	34.36	
PK	17.9411G	64.52	74.00	-9.48	43.64	3	Vertical	268	2.49	-	41.74	13.65	34.51	
AV	17.9749G	52.12	54.00	-1.88	31.19	3	Vertical	268	2.49	-	41.77	13.68	34.52	

802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Z_1TX
Setting 85
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9712G	57.10	74.00	-16.90	43.04	3	Horizontal	7	2.96	-	38.83	9.59	34.36
AV	11.9584G	44.98	54.00	-9.02	30.91	3	Horizontal	7	2.96	-	38.84	9.58	34.35
PK	17.9514G	63.72	74.00	-10.28	42.82	3	Horizontal	1	2.65	-	41.75	13.66	34.51
AV	17.9662G	52.04	54.00	-1.96	31.11	3	Horizontal	1	2.65	-	41.77	13.67	34.51

802.11ax HEW80_Nss1,(MCS0)_1TX

6145MHz_TX




EUT_Z_1TX
Setting 94
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9226G	63.19	88.20	-25.01	54.99	3	Vertical	177	2.61	-	34.89	6.12	32.81	
RMS	5.9242G	53.52	68.20	-14.68	45.31	3	Vertical	177	2.61	-	34.90	6.12	32.81	
PK	6.1626G	110.05	Inf	-Inf	101.39	3	Vertical	177	2.61	-	35.35	6.20	32.89	
RMS	6.1306G	99.92	Inf	-Inf	91.26	3	Vertical	177	2.61	-	35.34	6.20	32.88	

802.11ax HEW80_Nss1,(MCS0)_1TX

6145MHz_TX




EUT_Z_1TX
Setting 94
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.7866G	60.75	88.20	-27.45	53.32	3	Horizontal	242	1.00	-	34.20	5.99	32.76	
RMS	5.9194G	50.90	68.20	-17.30	42.70	3	Horizontal	242	1.00	-	34.88	6.12	32.80	
PK	6.1674G	102.85	Inf	-Inf	94.17	3	Horizontal	242	1.00	-	35.37	6.20	32.89	
RMS	6.1322G	92.68	Inf	-Inf	84.02	3	Horizontal	242	1.00	-	35.34	6.20	32.88	

802.11ax HEW80_Nss1,(MCS0)_1TX

6145MHz_TX




EUT_Z_1TX
Setting 94
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2945G	56.86	74.00	-17.14	42.65	3	Vertical	168	2.88	-	38.69	9.75	34.23
AV	12.3128G	44.72	54.00	-9.28	30.48	3	Vertical	168	2.88	-	38.70	9.76	34.22

802.11ax HEW80_Nss1,(MCS0)_1TX

6145MHz_TX




EUT_Z_1TX
Setting 94
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.279G	56.56	74.00	-17.44	42.40	3	Horizontal	312	2.93	-	38.66	9.74	34.24
AV	12.3104G	44.86	54.00	-9.14	30.62	3	Horizontal	312	2.93	-	38.70	9.76	34.22

802.11ax HEW80_Nss1,(MCS0)_1TX

6145MHz_TX




EUT_Z_1TX
Setting 94
04-F-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.25296G	56.01	83.54	-27.53	52.85	1	Vertical	65	1.56	-	38.10	14.96	49.90
AV	21.25664G	43.80	63.54	-19.74	40.63	1	Vertical	65	1.56	-	38.10	14.97	49.90

802.11ax HEW80_Nss1,(MCS0)_1TX

6145MHz_TX




EUT_Z_1TX
Setting 94
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2536G	55.92	83.54	-27.62	52.76	1	Horizontal	280	1.51	-	38.10	14.96	49.90
AV	21.2558G	43.56	63.54	-19.98	40.39	1	Horizontal	280	1.51	-	38.10	14.97	49.90

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT Z_1TX
Setting 83
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9142G	60.06	88.20	-28.14	51.89	3	Vertical	181	2.67	-	34.86	6.11	32.80	
RMS	5.923G	49.80	68.20	-18.40	41.60	3	Vertical	181	2.67	-	34.89	6.12	32.81	
PK	6.3828G	111.22	Inf	-Inf	102.41	3	Vertical	181	2.67	-	35.40	6.38	32.97	
RMS	6.3916G	100.24	Inf	-Inf	91.42	3	Vertical	181	2.67	-	35.40	6.39	32.97	

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_Z_1TX
Setting 83
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8878G	60.19	88.20	-28.01	52.16	3	Horizontal	161	2.59	-	34.73	6.09	32.79	
RMS	5.879G	49.73	68.20	-18.47	41.77	3	Horizontal	161	2.59	-	34.67	6.08	32.79	
PK	6.3872G	103.23	Inf	-Inf	94.41	3	Horizontal	161	2.59	-	35.40	6.39	32.97	
RMS	6.4004G	92.90	Inf	-Inf	84.07	3	Horizontal	161	2.59	-	35.40	6.40	32.97	

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_Z_1TX
Setting 83
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7558G	57.55	88.20	-30.65	42.55	3	Vertical	61	1.36	-	39.11	9.98	34.09
RMS	12.7836G	45.81	68.20	-22.39	30.73	3	Vertical	61	1.36	-	39.17	9.99	34.08

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_Z_1TX
Setting 83
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7561G	57.51	88.20	-30.69	42.51	3	Horizontal	250	2.98	-	39.11	9.98	34.09
RMS	12.7868G	45.72	68.20	-22.48	30.64	3	Horizontal	250	2.98	-	39.17	9.99	34.08

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_Z_1TX
Setting 83
04-F-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.15482G	56.39	83.54	-27.15	54.03	1	Vertical	133	1.55	-	38.21	14.32	50.17	
AV	19.1544G	44.40	63.54	-19.14	42.04	1	Vertical	133	1.55	-	38.21	14.32	50.17	

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_Z_1TX
Setting 83
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1562G	56.81	83.54	-26.73	54.45	1	Horizontal	41	1.51	-	38.21	14.32	50.17
AV	19.15576G	44.20	63.54	-19.34	41.84	1	Horizontal	41	1.51	-	38.21	14.32	50.17

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TX




EUT_Z_1TX
Setting 79
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9082G	59.36	88.20	-28.84	51.22	3	Vertical	180	2.45	-	34.83	6.11	32.80	
RMS	5.9178G	49.80	68.20	-18.40	41.61	3	Vertical	180	2.45	-	34.87	6.12	32.80	
PK	6.4674G	110.57	Inf	-Inf	101.64	3	Vertical	180	2.45	-	35.53	6.40	33.00	
RMS	6.477G	100.07	Inf	-Inf	91.12	3	Vertical	180	2.45	-	35.55	6.40	33.00	

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TX




EUT_Z_1TX
Setting 79
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9154G	60.06	88.20	-28.14	51.88	3	Horizontal	163	2.58	-	34.86	6.12	32.80	
RMS	5.8746G	49.77	68.20	-18.43	41.84	3	Horizontal	163	2.58	-	34.65	6.07	32.79	
PK	6.4818G	102.89	Inf	-Inf	93.93	3	Horizontal	163	2.58	-	35.56	6.40	33.00	
RMS	6.477G	92.74	Inf	-Inf	83.79	3	Horizontal	163	2.58	-	35.55	6.40	33.00	

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TX




EUT_Z_1TX
Setting 79
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93G	58.24	88.20	-29.96	42.77	3	Vertical	6	1.26	-	39.46	10.07	34.06
RMS	12.9536G	46.22	68.20	-21.98	30.69	3	Vertical	6	1.26	-	39.51	10.08	34.06

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TX




EUT_Z_1TX
Setting 79
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9309G	58.41	88.20	-29.79	42.94	3	Horizontal	257	2.06	-	39.46	10.07	34.06
RMS	12.914G	46.70	68.20	-21.50	31.27	3	Horizontal	257	2.06	-	39.43	10.06	34.06

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TX




EUT_Z_1TX
Setting 79
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39956G	54.79	83.54	-28.75	52.65	1	Vertical	222	1.50	-	37.92	14.34	50.12
AV	19.39542G	42.56	63.54	-20.98	40.41	1	Vertical	222	1.50	-	37.93	14.34	50.12

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TX




EUT_Z_1TX
Setting 79
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39596G	54.88	83.54	-28.66	52.74	1	Horizontal	231	1.51	-	37.92	14.34	50.12
AV	19.39548G	42.71	63.54	-20.83	40.56	1	Horizontal	231	1.51	-	37.93	14.34	50.12

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_1TX
Setting 81
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9236G	58.81	88.20	-29.39	50.61	3	Vertical	178	2.44	-	34.89	6.12	32.81
RMS	5.908G	49.73	68.20	-18.47	41.59	3	Vertical	178	2.44	-	34.83	6.11	32.80
PK	6.5632G	110.60	Inf	-Inf	101.19	3	Vertical	178	2.44	-	36.03	6.40	33.02
RMS	6.5346G	100.35	Inf	-Inf	91.09	3	Vertical	178	2.44	-	35.88	6.40	33.02
PK	7.1378G	63.17	88.20	-25.03	52.65	3	Vertical	178	2.44	-	36.95	6.77	33.20
RMS	7.195G	53.06	68.20	-15.14	42.33	3	Vertical	178	2.44	-	37.18	6.80	33.25

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_1TX
Setting 81
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9054G	59.42	88.20	-28.78	51.29	3	Horizontal	161	2.59	-	34.82	6.11	32.80
RMS	5.8976G	49.69	68.20	-18.51	41.60	3	Horizontal	161	2.59	-	34.79	6.10	32.80
PK	6.5424G	104.07	Inf	-Inf	94.75	3	Horizontal	161	2.59	-	35.94	6.40	33.02
RMS	6.5424G	92.94	Inf	-Inf	83.62	3	Horizontal	161	2.59	-	35.94	6.40	33.02
PK	7.182G	62.97	88.20	-25.23	52.29	3	Horizontal	161	2.59	-	37.13	6.79	33.24
RMS	7.195G	53.06	68.20	-15.14	42.33	3	Horizontal	161	2.59	-	37.18	6.80	33.25

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_1TX
Setting 81
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.094G	58.69	88.20	-29.51	42.98	3	Vertical	161	1.01	-	39.60	10.15	34.04
RMS	13.1076G	46.93	68.20	-21.27	31.20	3	Vertical	161	1.01	-	39.62	10.15	34.04

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_1TX
Setting 81
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0827G	59.04	88.20	-29.16	43.35	3	Horizontal	221	1.78	-	39.60	10.14	34.05
RMS	13.081G	46.58	68.20	-21.62	30.89	3	Horizontal	221	1.78	-	39.60	10.14	34.05

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_1TX
Setting 81
04-R-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6345G	57.04	83.54	-26.50	55.04	1	Vertical	46	1.52	-	37.69	14.36	50.05
AV	19.63804G	44.62	63.54	-18.92	42.61	1	Vertical	46	1.52	-	37.69	14.36	50.04

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_1TX
Setting 81
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63714G	56.77	83.54	-26.77	54.77	1	Horizontal	351	1.52	-	37.69	14.36	50.05
AV	19.6346G	44.76	63.54	-18.78	42.76	1	Horizontal	351	1.52	-	37.69	14.36	50.05

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_Z_1TX
Setting 81
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6226G	111.01	Inf	-Inf	101.58	3	Vertical	178	2.35	-	36.05	6.41	33.03
RMS	6.6154G	100.11	Inf	-Inf	90.66	3	Vertical	178	2.35	-	36.07	6.41	33.03
PK	7.201G	62.79	88.20	-25.41	52.04	3	Vertical	178	2.35	-	37.20	6.80	33.25
RMS	7.2154G	53.20	68.20	-15.00	42.45	3	Vertical	178	2.35	-	37.20	6.81	33.26

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_Z_1TX
Setting 81
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6082G	103.46	Inf	-Inf	94.01	3	Horizontal	160	2.54	-	36.08	6.40	33.03
RMS	6.613G	93.43	Inf	-Inf	83.98	3	Horizontal	160	2.54	-	36.07	6.41	33.03
PK	7.2082G	62.96	88.20	-25.24	52.22	3	Horizontal	160	2.54	-	37.20	6.80	33.26
RMS	7.2082G	53.19	68.20	-15.01	42.45	3	Horizontal	160	2.54	-	37.20	6.80	33.26

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_Z_1TX
Setting 81
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2456G	58.79	88.20	-29.41	42.72	3	Vertical	313	1.91	-	39.89	10.22	34.04
RMS	13.2468G	46.67	68.20	-21.53	30.60	3	Vertical	313	1.91	-	39.89	10.22	34.04

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_Z_1TX
Setting 81
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.23944G	59.32	88.20	-28.88	43.26	3	Horizontal	354	2.79	-	39.88	10.22	34.04
RMS	13.24704G	46.64	68.20	-21.56	30.57	3	Horizontal	354	2.79	-	39.89	10.22	34.04

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_Z_1TX
Setting 81
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87632G	56.30	83.54	-27.24	54.36	1	Vertical	58	1.51	-	37.50	14.39	49.95
AV	19.87814G	43.41	63.54	-20.13	41.47	1	Vertical	58	1.51	-	37.50	14.39	49.95

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_Z_1TX
Setting 81
04-F-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.87958G	57.13	83.54	-26.41	55.19	1	Horizontal	29	1.50	-	37.50	14.39	49.95
AV	19.879G	43.85	63.54	-19.69	41.91	1	Horizontal	29	1.50	-	37.50	14.39	49.95

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_Z_1TX
Setting 86
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.703G	111.14	Inf	-Inf	101.63	3	Vertical	177	2.40	-	36.11	6.45	33.05
RMS	6.677G	100.24	Inf	-Inf	90.79	3	Vertical	177	2.40	-	36.05	6.44	33.04
PK	7.141G	64.35	88.20	-23.85	53.83	3	Vertical	177	2.40	-	36.96	6.77	33.21
RMS	7.197G	53.17	68.20	-15.03	42.43	3	Vertical	177	2.40	-	37.19	6.80	33.25

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_Z_1TX
Setting 86
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.709G	102.70	Inf	-Inf	93.16	3	Horizontal	163	2.41	-	36.14	6.45	33.05	
RMS	6.693G	93.09	Inf	-Inf	83.59	3	Horizontal	163	2.41	-	36.09	6.45	33.04	
PK	7.205G	63.35	88.20	-24.85	52.61	3	Horizontal	163	2.41	-	37.20	6.80	33.26	
RMS	7.205G	53.21	68.20	-14.99	42.47	3	Horizontal	163	2.41	-	37.20	6.80	33.26	

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_Z_1TX
Setting 86
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41738G	59.24	88.20	-28.96	42.92	3	Vertical	214	1.02	-	40.03	10.31	34.02
RMS	13.40568G	46.73	68.20	-21.47	30.45	3	Vertical	214	1.02	-	40.01	10.30	34.03

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_Z_1TX
Setting 86
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.40526G	58.78	88.20	-29.42	42.50	3	Horizontal	320	1.44	-	40.01	10.30	34.03	
RMS	13.4154G	46.78	68.20	-21.42	30.47	3	Horizontal	320	1.44	-	40.03	10.31	34.03	

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_Z_1TX
Setting 86
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11492G	56.11	83.54	-27.43	54.11	1	Vertical	46	1.56	-	37.47	14.45	49.92
AV	20.11804G	44.10	63.54	-19.44	42.10	1	Vertical	46	1.56	-	37.47	14.45	49.92

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_Z_1TX
Setting 86
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11994G	56.63	83.54	-26.91	54.63	1	Horizontal	220	1.56	-	37.47	14.45	49.92
AV	20.11788G	43.46	63.54	-20.08	41.46	1	Horizontal	220	1.56	-	37.47	14.45	49.92

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_Z_1TX
Setting 89
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.758G	110.50	Inf	-Inf	100.75	3	Vertical	178	2.46	-	36.33	6.48	33.06	
RMS	6.7742G	100.46	Inf	-Inf	90.63	3	Vertical	178	2.46	-	36.40	6.49	33.06	
PK	7.2116G	63.66	88.20	-24.54	52.91	3	Vertical	178	2.46	-	37.20	6.81	33.26	
RMS	7.1972G	53.27	68.20	-14.93	42.53	3	Vertical	178	2.46	-	37.19	6.80	33.25	

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT Z_1TX
Setting 89
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.7958G	100.97	Inf	-Inf	91.05	3	Horizontal	199	2.97	-	36.48	6.50	33.06	
RMS	6.7724G	91.08	Inf	-Inf	81.26	3	Horizontal	199	2.97	-	36.39	6.49	33.06	
PK	7.2008G	64.66	88.20	-23.54	53.91	3	Horizontal	199	2.97	-	37.20	6.80	33.25	
RMS	7.2098G	53.20	68.20	-15.00	42.46	3	Horizontal	199	2.97	-	37.20	6.80	33.26	

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_Z_1TX
Setting 89
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57048G	59.03	88.20	-29.17	42.52	3	Vertical	83	1.15	-	40.20	10.39	34.08
RMS	13.56964G	47.33	68.20	-20.87	30.83	3	Vertical	83	1.15	-	40.20	10.38	34.08

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_Z_1TX
Setting 89
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56574G	60.06	88.20	-28.14	43.55	3	Horizontal	340	2.17	-	40.20	10.38	34.07
RMS	13.57342G	47.19	68.20	-21.01	30.68	3	Horizontal	340	2.17	-	40.20	10.39	34.08

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_Z_1TX
Setting 89
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35566G	57.07	83.54	-26.47	54.87	1	Vertical	318	1.58	-	37.61	14.56	49.97
AV	20.35648G	44.74	63.54	-18.80	42.54	1	Vertical	318	1.58	-	37.61	14.56	49.97

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_Z_1TX
Setting 89
04-F-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.3533G	57.26	83.54	-26.28	55.06	1	Horizontal	67	1.56	-	37.61	14.56	49.97
AV	20.35882G	44.64	63.54	-18.90	42.43	1	Horizontal	67	1.56	-	37.62	14.56	49.97

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_1TX
Setting 88
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8468G	110.70	Inf	-Inf	100.72	3	Vertical	179	2.34	-	36.50	6.55	33.07
RMS	6.8342G	100.16	Inf	-Inf	90.20	3	Vertical	179	2.34	-	36.50	6.53	33.07
PK	7.1422G	64.66	88.20	-23.54	54.13	3	Vertical	179	2.34	-	36.97	6.77	33.21
RMS	7.1268G	54.90	68.20	-13.30	44.43	3	Vertical	179	2.34	-	36.91	6.76	33.20

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_1TX
Setting 88
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8622G	104.02	Inf	-Inf	94.04	3	Horizontal	163	2.46	-	36.50	6.56	33.08
RMS	6.8538G	93.69	Inf	-Inf	83.71	3	Horizontal	163	2.46	-	36.50	6.55	33.07
PK	7.1422G	64.25	88.20	-23.95	53.72	3	Horizontal	163	2.46	-	36.97	6.77	33.21
RMS	7.2122G	53.26	68.20	-14.94	42.51	3	Horizontal	163	2.46	-	37.20	6.81	33.26

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_1TX
Setting 88
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74212G	60.60	88.20	-27.60	43.97	3	Vertical	97	2.90	-	40.38	10.47	34.22
RMS	13.72736G	48.23	68.20	-19.97	31.63	3	Vertical	97	2.90	-	40.35	10.46	34.21

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_1TX
Setting 88
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73294G	60.38	88.20	-27.82	43.75	3	Horizontal	176	1.49	-	40.37	10.47	34.21
RMS	13.73912G	48.38	68.20	-19.82	31.75	3	Horizontal	176	1.49	-	40.38	10.47	34.22

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_1TX
Setting 88
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59404G	56.57	83.54	-26.97	54.09	1	Vertical	263	1.57	-	37.79	14.67	49.98
AV	20.59964G	43.59	63.54	-19.95	41.10	1	Vertical	263	1.57	-	37.80	14.67	49.98

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_1TX
Setting 88
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59554G	55.35	83.54	-28.19	52.86	1	Horizontal	119	1.58	-	37.80	14.67	49.98
AV	20.59884G	43.63	63.54	-19.91	41.14	1	Horizontal	119	1.58	-	37.80	14.67	49.98

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TX




EUT_Z_1TX
Setting 86
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9558G	110.86	Inf	-Inf	100.69	3	Vertical	177	2.46	-	36.60	6.66	33.09	
RMS	6.9318G	100.40	Inf	-Inf	90.30	3	Vertical	177	2.46	-	36.56	6.63	33.09	
PK	7.1262G	71.65	88.20	-16.55	61.19	3	Vertical	177	2.46	-	36.90	6.76	33.20	
RMS	7.125G	60.46	68.20	-7.74	50.00	3	Vertical	177	2.46	-	36.90	6.76	33.20	

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TX




EUT_Z_1TX
Setting 86
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.957G	104.47	Inf	-Inf	94.30	3	Horizontal	163	2.39	-	36.60	6.66	33.09
RMS	6.9606G	94.23	Inf	-Inf	84.06	3	Horizontal	163	2.39	-	36.60	6.66	33.09
PK	7.1322G	67.04	88.20	-21.16	56.54	3	Horizontal	163	2.39	-	36.93	6.77	33.20
RMS	7.125G	56.38	68.20	-11.82	45.92	3	Horizontal	163	2.39	-	36.90	6.76	33.20

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TX




EUT_Z_1TX
Setting 86
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89942G	60.71	88.20	-27.49	43.91	3	Vertical	7	1.98	-	40.60	10.55	34.35
RMS	13.88862G	48.05	68.20	-20.15	31.26	3	Vertical	7	1.98	-	40.59	10.54	34.34

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TX




EUT_Z_1TX
Setting 86
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.89336G	59.75	88.20	-28.45	42.95	3	Horizontal	107	1.56	-	40.59	10.55	34.34	
RMS	13.88502G	48.35	68.20	-19.85	31.56	3	Horizontal	107	1.56	-	40.59	10.54	34.34	

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TX




EUT_Z_1TX
Setting 86
04-F-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.83462G	57.16	83.54	-26.38	54.28	1	Vertical	314	1.57	-	38.03	14.78	49.93
AV	20.83584G	44.60	63.54	-18.94	41.71	1	Vertical	314	1.57	-	38.04	14.78	49.93

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TX




EUT_Z_1TX
Setting 86
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83542G	56.78	83.54	-26.76	53.89	1	Horizontal	335	1.52	-	38.04	14.78	49.93
AV	20.83616G	44.54	63.54	-19.00	41.65	1	Horizontal	335	1.52	-	38.04	14.78	49.93

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TX




EUT_Z_1TX
Setting 88
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0074G	111.92	Inf	-Inf	101.73	3	Vertical	178	2.24	-	36.60	6.70	33.11
RMS	7.013G	101.77	Inf	-Inf	91.57	3	Vertical	178	2.24	-	36.60	6.71	33.11
PK	7.133G	79.23	88.20	-8.97	68.73	3	Vertical	178	2.24	-	36.93	6.77	33.20
RMS	7.1266G	67.96	68.20	-0.24	57.49	3	Vertical	178	2.24	-	36.91	6.76	33.20

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TX




EUT_Z_1TX
Setting 88
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0074G	105.11	Inf	-Inf	94.92	3	Horizontal	162	2.38	-	36.60	6.70	33.11
RMS	7.0138G	94.81	Inf	-Inf	84.61	3	Horizontal	162	2.38	-	36.60	6.71	33.11
PK	7.129G	73.41	88.20	-14.79	62.93	3	Horizontal	162	2.38	-	36.92	6.76	33.20
RMS	7.1266G	62.33	68.20	-5.87	51.86	3	Horizontal	162	2.38	-	36.91	6.76	33.20

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TX




EUT_Z_1TX
Setting 88
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0572G	60.96	88.20	-27.24	43.92	3	Vertical	42	2.66	-	40.80	10.64	34.40
RMS	14.0545G	49.26	68.20	-18.94	32.22	3	Vertical	42	2.66	-	40.80	10.64	34.40

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TX




EUT_Z_1TX
Setting 88
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.06338G	61.64	88.20	-26.56	44.59	3	Horizontal	119	2.93	-	40.80	10.65	34.40
RMS	14.05252G	49.38	68.20	-18.82	32.34	3	Horizontal	119	2.93	-	40.80	10.64	34.40

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TX




EUT_Z_1TX
Setting 88
04-F-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.07184G	56.00	83.54	-27.54	52.85	1	Vertical	261	1.57	-	38.17	14.88	49.90
AV	21.07478G	43.79	63.54	-19.75	40.64	1	Vertical	261	1.57	-	38.17	14.88	49.90

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TX




EUT_Z_1TX
Setting 88
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07644G	56.03	83.54	-27.51	52.88	1	Horizontal	173	1.54	-	38.17	14.88	49.90
AV	21.07976G	43.67	63.54	-19.87	40.51	1	Horizontal	173	1.54	-	38.17	14.89	49.90

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Z_1TX
Setting 83
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.921G	78.68	88.20	-9.52	70.48	3	Vertical	180	2.39	-	34.88	6.12	32.80
RMS	5.9226G	68.10	68.20	-0.10	59.90	3	Vertical	180	2.39	-	34.89	6.12	32.81
PK	6.0634G	106.80	Inf	-Inf	98.05	3	Vertical	180	2.39	-	35.40	6.20	32.85
RMS	6.0282G	96.97	Inf	-Inf	88.30	3	Vertical	180	2.39	-	35.31	6.20	32.84

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Z_1TX
Setting 83
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9114G	72.21	88.20	-15.99	64.05	3	Horizontal	164	2.72	-	34.85	6.11	32.80
RMS	5.9226G	59.68	68.20	-8.52	51.48	3	Horizontal	164	2.72	-	34.89	6.12	32.81
PK	6.049G	98.37	Inf	-Inf	89.62	3	Horizontal	164	2.72	-	35.40	6.20	32.85
RMS	6.0426G	89.19	Inf	-Inf	80.47	3	Horizontal	164	2.72	-	35.37	6.20	32.85

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Z_1TX
Setting 83
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.03878G	57.01	74.00	-16.99	42.95	3	Vertical	171	1.51	-	38.80	9.62	34.36
AV	12.03956G	46.17	54.00	-7.83	32.11	3	Vertical	171	1.51	-	38.80	9.62	34.36

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Z_1TX
Setting 83
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.0626G	56.89	74.00	-17.11	42.81	3	Horizontal	38	2.67	-	38.80	9.63	34.35
AV	12.04778G	46.09	54.00	-7.91	32.03	3	Horizontal	38	2.67	-	38.80	9.62	34.36

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Z_1TX
Setting 83
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07266G	55.94	83.54	-27.60	54.58	1	Vertical	311	1.58	-	37.36	14.21	50.21
AV	18.07266G	44.86	63.54	-18.68	43.51	1	Vertical	311	1.58	-	37.36	14.21	50.22

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Z_1TX
Setting 83
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07682G	56.53	83.54	-27.01	55.18	1	Horizontal	292	1.58	-	37.36	14.21	50.22
AV	18.07922G	44.94	63.54	-18.60	43.59	1	Horizontal	292	1.58	-	37.36	14.21	50.22

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_Z_1TX
Setting 95
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.919G	77.14	88.20	-11.06	68.94	3	Vertical	178	2.59	-	34.88	6.12	32.80	
RMS	5.925G	67.24	68.20	-0.96	59.03	3	Vertical	178	2.59	-	34.90	6.12	32.81	
PK	6.197G	109.77	Inf	-Inf	100.98	3	Vertical	178	2.59	-	35.49	6.20	32.90	
RMS	6.189G	99.81	Inf	-Inf	91.05	3	Vertical	178	2.59	-	35.46	6.20	32.90	

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_Z_1TX
Setting 95
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	70.11	88.20	-18.09	61.91	3	Horizontal	243	1.04	-	34.89	6.12	32.81
RMS	5.921G	59.96	68.20	-8.24	51.76	3	Horizontal	243	1.04	-	34.88	6.12	32.80
PK	6.197G	101.10	Inf	-Inf	92.31	3	Horizontal	243	1.04	-	35.49	6.20	32.90
RMS	6.197G	91.15	Inf	-Inf	82.36	3	Horizontal	243	1.04	-	35.49	6.20	32.90

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_Z_1TX
Setting 95
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37558G	56.93	74.00	-17.07	42.63	3	Vertical	238	2.02	-	38.70	9.79	34.19
AV	12.37084G	46.50	54.00	-7.50	32.20	3	Vertical	238	2.02	-	38.70	9.79	34.19

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_Z_1TX
Setting 95
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36646G	56.60	74.00	-17.40	42.32	3	Horizontal	42	2.37	-	38.70	9.78	34.20
AV	12.36496G	46.20	54.00	-7.80	31.92	3	Horizontal	42	2.37	-	38.70	9.78	34.20

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_Z_1TX
Setting 95
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55204G	56.74	83.54	-26.80	55.00	1	Vertical	35	1.51	-	37.77	14.26	50.29
AV	18.55778G	45.16	63.54	-18.38	43.41	1	Vertical	35	1.51	-	37.78	14.26	50.29

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_Z_1TX
Setting 95
04-F-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	18.55848G	57.42	83.54	-26.12	55.67	1	Horizontal	340	1.55	-	37.78	14.26	50.29
AV	18.5567G	45.72	63.54	-17.82	43.97	1	Horizontal	340	1.55	-	37.78	14.26	50.29

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_Z_1TX
Setting 91
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.919G	61.02	88.20	-27.18	52.82	3	Vertical	136	2.66	-	34.88	6.12	32.80	
RMS	5.923G	51.39	68.20	-16.81	43.19	3	Vertical	136	2.66	-	34.89	6.12	32.81	
PK	6.383G	109.99	Inf	-Inf	101.18	3	Vertical	136	2.66	-	35.40	6.38	32.97	
RMS	6.361G	100.04	Inf	-Inf	91.24	3	Vertical	136	2.66	-	35.40	6.36	32.96	

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_Z_1TX
Setting 91
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.903G	61.44	88.20	-26.76	53.33	3	Horizontal	161	2.73	-	34.81	6.10	32.80	
RMS	5.915G	50.24	68.20	-17.96	42.06	3	Horizontal	161	2.73	-	34.86	6.12	32.80	
PK	6.395G	100.08	Inf	-Inf	91.25	3	Horizontal	161	2.73	-	35.40	6.40	32.97	
RMS	6.367G	90.58	Inf	-Inf	81.77	3	Horizontal	161	2.73	-	35.40	6.37	32.96	

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_Z_1TX
Setting 91
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.6771G	57.43	74.00	-16.57	42.61	3	Vertical	342	2.01	-	38.98	9.94	34.10
AV	12.68772G	46.58	54.00	-7.42	31.75	3	Vertical	342	2.01	-	38.99	9.94	34.10

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_Z_1TX
Setting 91
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.68736G	57.32	74.00	-16.68	42.49	3	Horizontal	214	2.49	-	38.99	9.94	34.10	
AV	12.69G	46.55	54.00	-7.45	31.72	3	Horizontal	214	2.49	-	38.99	9.94	34.10	

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_Z_1TX
Setting 91
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03814G	56.33	83.54	-27.21	53.87	1	Vertical	329	1.57	-	38.35	14.30	50.19
AV	19.03002G	45.33	63.54	-18.21	42.86	1	Vertical	329	1.57	-	38.36	14.30	50.19

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_Z_1TX
Setting 91
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03524G	57.33	83.54	-26.21	54.86	1	Horizontal	328	1.56	-	38.36	14.30	50.19
AV	19.03602G	45.35	63.54	-18.19	42.88	1	Horizontal	328	1.56	-	38.36	14.30	50.19

802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT Z_1TX
Setting 93
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.903G	60.24	88.20	-27.96	52.13	3	Vertical	176	2.34	-	34.81	6.10	32.80
RMS	5.925G	50.28	68.20	-17.92	42.07	3	Vertical	176	2.34	-	34.90	6.12	32.81
PK	6.4854G	109.19	Inf	-Inf	100.22	3	Vertical	176	2.34	-	35.57	6.40	33.00
RMS	6.477G	99.73	Inf	-Inf	90.78	3	Vertical	176	2.34	-	35.55	6.40	33.00
PK	7.1938G	62.68	88.20	-25.52	51.95	3	Vertical	176	2.34	-	37.18	6.80	33.25
RMS	7.205G	53.40	68.20	-14.80	42.66	3	Vertical	176	2.34	-	37.20	6.80	33.26

802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_1TX
Setting 93
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9114G	60.43	88.20	-27.77	52.27	3	Horizontal	161	2.60	-	34.85	6.11	32.80
RMS	5.8666G	49.95	68.20	-18.25	42.07	3	Horizontal	161	2.60	-	34.60	6.07	32.79
PK	6.5442G	102.36	Inf	-Inf	93.03	3	Horizontal	161	2.60	-	35.95	6.40	33.02
RMS	6.5386G	92.51	Inf	-Inf	83.22	3	Horizontal	161	2.60	-	35.91	6.40	33.02
PK	7.1714G	62.96	88.20	-25.24	52.31	3	Horizontal	161	2.60	-	37.09	6.79	33.23
RMS	7.1994G	53.33	68.20	-14.87	42.58	3	Horizontal	161	2.60	-	37.20	6.80	33.25

802.11ax HEW160_Nss1,(MCS0)_1TX


6505MHz Straddle 6.425-6.525GHz_TX



EUT_Z_1TX
Setting 93
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.004G	58.00	88.20	-30.20	42.35	3	Vertical	45	2.73	-	39.60	10.10	34.05
RMS	13.0428G	47.85	68.20	-20.35	32.18	3	Vertical	45	2.73	-	39.60	10.12	34.05


802.11ax HEW160_Nss1,(MCS0)_1TX 6505MHz Straddle 6.425-6.525GHz_TX



EUT_Z_1TX
Setting 93
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0398G	58.36	88.20	-29.84	42.69	3	Horizontal	126	2.51	-	39.60	10.12	34.05
RMS	13.0112G	47.84	68.20	-20.36	32.18	3	Horizontal	126	2.51	-	39.60	10.11	34.05


802.11ax HEW160_Nss1,(MCS0)_1TX 6505MHz Straddle 6.425-6.525GHz_TX



EUT_Z_1TX
Setting 93
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51384G	56.21	83.54	-27.33	54.16	1	Vertical	68	1.52	-	37.79	14.35	50.09
AV	19.5163G	45.11	63.54	-18.43	43.06	1	Vertical	68	1.52	-	37.79	14.35	50.09

802.11ax HEW160_Nss1,(MCS0)_1TX 6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_1TX
Setting 93
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51664G	56.37	83.54	-27.17	54.32	1	Horizontal	89	1.54	-	37.79	14.35	50.09
AV	19.5171G	45.02	63.54	-18.52	42.97	1	Horizontal	89	1.54	-	37.79	14.35	50.09

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_Z_1TX
Setting 95
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6342G	110.45	Inf	-Inf	101.03	3	Vertical	177	2.30	-	36.03	6.42	33.03	
RMS	6.6408G	100.47	Inf	-Inf	91.07	3	Vertical	177	2.30	-	36.02	6.42	33.04	
PK	7.1402G	64.62	88.20	-23.58	54.10	3	Vertical	177	2.30	-	36.96	6.77	33.21	
RMS	7.1314G	54.33	68.20	-13.87	43.83	3	Vertical	177	2.30	-	36.93	6.77	33.20	

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_Z_1TX
Setting 95
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6342G	102.97	Inf	-Inf	93.55	3	Horizontal	160	2.53	-	36.03	6.42	33.03	
RMS	6.6496G	93.43	Inf	-Inf	84.05	3	Horizontal	160	2.53	-	36.00	6.42	33.04	
PK	7.1842G	63.74	88.20	-24.46	53.05	3	Horizontal	160	2.53	-	37.14	6.79	33.24	
RMS	7.2128G	53.51	68.20	-14.69	42.76	3	Horizontal	160	2.53	-	37.20	6.81	33.26	

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_Z_1TX
Setting 95
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3238G	59.48	74.00	-14.52	43.25	3	Vertical	202	1.80	-	40.00	10.26	34.03
AV	13.364G	48.35	54.00	-5.65	32.10	3	Vertical	202	1.80	-	40.00	10.28	34.03

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_Z_1TX
Setting 95
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3486G	59.76	74.00	-14.24	43.52	3	Horizontal	0	2.70	-	40.00	10.27	34.03
AV	13.3282G	48.10	54.00	-5.90	31.87	3	Horizontal	0	2.70	-	40.00	10.26	34.03

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_Z_1TX
Setting 95
04-F-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.99706G	56.05	83.54	-27.49	54.15	1	Vertical	307	1.58	-	37.40	14.40	49.90	
AV	19.99796G	44.66	63.54	-18.88	42.76	1	Vertical	307	1.58	-	37.40	14.40	49.90	

802.11ax HEW160_Nss1,(MCS0)_1TX


6665MHz_TX



EUT_Z_1TX
Setting 95
04-F-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.99118G	54.99	83.54	-28.55	53.08	1	Horizontal	343	1.58	-	37.41	14.40	49.90	
AV	19.99064G	44.05	63.54	-19.49	42.14	1	Horizontal	343	1.58	-	37.41	14.40	49.90	

802.11ax HEW160_Nss1,(MCS0)_1TX 6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_1TX
Setting 99
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7746G	109.61	Inf	-Inf	99.78	3	Vertical	179	2.40	-	36.40	6.49	33.06
RMS	6.7794G	99.30	Inf	-Inf	89.45	3	Vertical	179	2.40	-	36.42	6.49	33.06
PK	7.125G	74.70	88.20	-13.50	64.24	3	Vertical	179	2.40	-	36.90	6.76	33.20
RMS	7.125G	63.62	68.20	-4.58	53.16	3	Vertical	179	2.40	-	36.90	6.76	33.20
PK	7.2762G	66.15	74.00	-7.85	55.32	3	Vertical	179	2.40	-	37.30	6.84	33.31
AV	7.25G	53.98	54.00	-0.02	43.24	3	Vertical	179	2.40	-	37.20	6.83	33.29

802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_1TX
Setting 99
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.789G	101.43	Inf	-Inf	91.54	3	Horizontal	163	2.49	-	36.46	6.49	33.06
RMS	6.777G	91.84	Inf	-Inf	82.00	3	Horizontal	163	2.49	-	36.41	6.49	33.06
PK	7.125G	67.93	88.20	-20.27	57.47	3	Horizontal	163	2.49	-	36.90	6.76	33.20
RMS	7.125G	56.94	68.20	-11.26	46.48	3	Horizontal	163	2.49	-	36.90	6.76	33.20
PK	7.2618G	59.21	74.00	-14.79	48.43	3	Horizontal	163	2.49	-	37.25	6.83	33.30
AV	7.2642G	48.64	54.00	-5.36	37.85	3	Horizontal	163	2.49	-	37.26	6.83	33.30

802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_1TX
Setting 99
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6212G	60.41	88.20	-27.79	43.90	3	Vertical	57	2.04	-	40.22	10.41	34.12
RMS	13.631G	49.51	68.20	-18.69	32.99	3	Vertical	57	2.04	-	40.23	10.42	34.13

802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_1TX
Setting 99
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.625G	60.82	88.20	-27.38	44.30	3	Horizontal	250	2.26	-	40.23	10.41	34.12
RMS	13.635G	49.78	68.20	-18.42	33.26	3	Horizontal	250	2.26	-	40.23	10.42	34.13

802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_1TX
Setting 99
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47606G	55.92	83.54	-27.62	53.62	1	Vertical	336	1.53	-	37.69	14.61	50.00
AV	20.4761G	45.30	63.54	-18.24	43.00	1	Vertical	336	1.53	-	37.69	14.61	50.00

802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_1TX
Setting 99
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47264G	55.43	83.54	-28.11	53.13	1	Horizontal	328	1.55	-	37.68	14.61	49.99
AV	20.4725G	45.36	63.54	-18.18	43.06	1	Horizontal	328	1.55	-	37.68	14.61	49.99

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TX




EUT_Z_1TX
Setting 81
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.961G	106.43	Inf	-Inf	96.26	3	Vertical	178	2.44	-	36.60	6.66	33.09
RMS	6.961G	96.29	Inf	-Inf	86.12	3	Vertical	178	2.44	-	36.60	6.66	33.09
PK	7.1322G	81.99	88.20	-6.21	71.49	3	Vertical	178	2.44	-	36.93	6.77	33.20
RMS	7.1274G	67.91	68.20	-0.29	57.44	3	Vertical	178	2.44	-	36.91	6.76	33.20
PK	7.2586G	64.57	74.00	-9.43	53.81	3	Vertical	178	2.44	-	37.23	6.83	33.30
AV	7.2522G	52.33	54.00	-1.67	41.58	3	Vertical	178	2.44	-	37.21	6.83	33.29

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TX




EUT_Z_1TX
Setting 81
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.953G	99.60	Inf	-Inf	89.44	3	Horizontal	162	2.36	-	36.60	6.65	33.09
RMS	6.9994G	89.65	Inf	-Inf	79.45	3	Horizontal	162	2.36	-	36.60	6.70	33.10
PK	7.1258G	76.03	88.20	-12.17	65.57	3	Horizontal	162	2.36	-	36.90	6.76	33.20
RMS	7.1274G	61.90	68.20	-6.30	51.43	3	Horizontal	162	2.36	-	36.91	6.76	33.20
PK	7.2522G	59.61	74.00	-14.39	48.86	3	Horizontal	162	2.36	-	37.21	6.83	33.29
AV	7.25G	47.44	54.00	-6.56	36.70	3	Horizontal	162	2.36	-	37.20	6.83	33.29

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TX




EUT_Z_1TX
Setting 81
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.9712G	60.59	88.20	-27.61	43.67	3	Vertical	350	1.80	-	40.74	10.59	34.41	
RMS	13.9871G	50.25	68.20	-17.95	33.31	3	Vertical	350	1.80	-	40.77	10.59	34.42	

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TX




EUT_Z_1TX
Setting 81
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9884G	61.48	88.20	-26.72	44.53	3	Horizontal	70	1.80	-	40.78	10.59	34.42
RMS	13.9924G	50.56	68.20	-17.64	33.60	3	Horizontal	70	1.80	-	40.78	10.60	34.42

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TX




EUT_Z_1TX
Setting 81
04-F-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.95506G	55.68	83.54	-27.86	52.60	1	Vertical	45	1.54	-	38.16	14.83	49.91
AV	20.9591G	45.29	63.54	-18.25	42.21	1	Vertical	45	1.54	-	38.16	14.83	49.91

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TX



EUT_Z_1TX
Setting 81
04-F-G-2


Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.95146G	56.63	83.54	-26.91	53.56	1	Horizontal	197	1.52	-	38.15	14.83	49.91
AV	20.95468G	45.14	63.54	-18.40	42.07	1	Horizontal	197	1.52	-	38.15	14.83	49.91

For 2T1S beamforming mode
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	Pass	RMS	7.1258G	67.90	68.20	-0.30	3	Vertical	132	2.36	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT_Z_2TX
Setting 37
04-C-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9206G	64.07	88.20	-24.13	55.87	3	Vertical	329	2.30	-	34.88	6.12	32.80
RMS	5.9242G	52.37	68.20	-15.83	44.16	3	Vertical	329	2.30	-	34.90	6.12	32.81
PK	5.951G	115.66	Inf	-Inf	107.32	3	Vertical	329	2.30	-	35.00	6.15	32.81
RMS	5.9526G	104.41	Inf	-Inf	96.06	3	Vertical	329	2.30	-	35.01	6.15	32.81

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT_Z_2TX
Setting 37
04-C-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9198G	64.17	88.20	-24.03	55.97	3	Horizontal	248	1.00	-	34.88	6.12	32.80
RMS	5.9246G	51.58	68.20	-16.62	43.37	3	Horizontal	248	1.00	-	34.90	6.12	32.81
PK	5.9526G	109.12	Inf	-Inf	100.77	3	Horizontal	248	1.00	-	35.01	6.15	32.81
RMS	5.9498G	98.85	Inf	-Inf	90.51	3	Horizontal	248	1.00	-	35.00	6.15	32.81

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT_Z_2TX
Setting 37
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.90972G	59.95	74.00	-14.05	45.83	3	Vertical	6	1.14	-	38.89	9.55	34.32	
AV	11.91104G	46.77	54.00	-7.23	32.64	3	Vertical	6	1.14	-	38.89	9.56	34.32	
PK	17.86258G	67.30	74.00	-6.70	46.58	3	Vertical	120	1.62	-	41.63	13.59	34.50	
AV	17.86998G	51.75	54.00	-2.25	31.01	3	Vertical	120	1.62	-	41.64	13.60	34.50	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT_Z_2TX
Setting 37
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91102G	59.98	74.00	-14.02	45.85	3	Horizontal	100	1.60	-	38.89	9.56	34.32
AV	11.90716G	46.75	54.00	-7.25	32.63	3	Horizontal	100	1.60	-	38.89	9.55	34.32
PK	17.8694G	66.93	74.00	-7.07	46.19	3	Horizontal	34	2.67	-	41.64	13.60	34.50
AV	17.86536G	51.78	54.00	-2.22	31.06	3	Horizontal	34	2.67	-	41.63	13.59	34.50

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6175MHz_TnomVnom




EUT_Z_2TX
Setting 36
04-C-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.863G	62.10	88.20	-26.10	54.25	3	Vertical	127	2.17	-	34.58	6.06	32.79
RMS	5.9238G	51.25	68.20	-16.95	43.04	3	Vertical	127	2.17	-	34.90	6.12	32.81
PK	6.1718G	107.22	Inf	-Inf	98.52	3	Vertical	127	2.17	-	35.39	6.20	32.89
RMS	6.1686G	98.47	Inf	-Inf	89.79	3	Vertical	127	2.17	-	35.37	6.20	32.89

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6175MHz_TnomVnom




EUT_Z_2TX
Setting 36
04-C-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8358G	62.75	88.20	-25.45	55.08	3	Horizontal	248	1.06	-	34.41	6.04	32.78
RMS	5.9238G	51.24	68.20	-16.96	43.03	3	Horizontal	248	1.06	-	34.90	6.12	32.81
PK	6.1782G	101.15	Inf	-Inf	92.43	3	Horizontal	248	1.06	-	35.41	6.20	32.89
RMS	6.1798G	91.67	Inf	-Inf	82.94	3	Horizontal	248	1.06	-	35.42	6.20	32.89

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6175MHz_TnomVnom




EUT_Z_2TX
Setting 36
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.35084G	60.16	74.00	-13.84	45.88	3	Vertical	330	2.03	-	38.70	9.78	34.20
AV	12.35484G	46.55	54.00	-7.45	32.27	3	Vertical	330	2.03	-	38.70	9.78	34.20

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6175MHz_TnomVnom




EUT_Z_2TX
Setting 36
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.35354G	59.79	74.00	-14.21	45.51	3	Horizontal	245	1.74	-	38.70	9.78	34.20	
AV	12.35478G	46.46	54.00	-7.54	32.18	3	Horizontal	245	1.74	-	38.70	9.78	34.20	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6175MHz_TnomVnom




EUT_Z_2TX
Setting 36
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.53G	59.61	83.54	-23.93	57.91	1	Vertical	68	1.53	-	37.74	14.25	50.29
AV	18.52996G	46.13	63.54	-17.41	44.43	1	Vertical	68	1.53	-	37.74	14.25	50.29

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6175MHz_TnomVnom




EUT_Z_2TX
Setting 36
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.52042G	59.64	83.54	-23.90	57.96	1	Horizontal	337	1.51	-	37.73	14.25	50.30
AV	18.5251G	46.08	63.54	-17.46	44.38	1	Horizontal	337	1.51	-	37.74	14.25	50.29

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_Z_2TX
Setting 37
04-C-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9046G	62.55	88.20	-25.65	54.43	3	Vertical	143	2.21	-	34.82	6.10	32.80	
RMS	5.9244G	51.26	68.20	-16.94	43.05	3	Vertical	143	2.21	-	34.90	6.12	32.81	
PK	6.4106G	108.94	Inf	-Inf	100.10	3	Vertical	143	2.21	-	35.42	6.40	32.98	
RMS	6.4194G	99.85	Inf	-Inf	90.99	3	Vertical	143	2.21	-	35.44	6.40	32.98	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_Z_2TX
Setting 37
04-C-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9156G	62.00	88.20	-26.20	53.82	3	Horizontal	247	2.55	-	34.86	6.12	32.80	
RMS	5.92G	51.20	68.20	-17.00	43.00	3	Horizontal	247	2.55	-	34.88	6.12	32.80	
PK	6.4194G	100.54	Inf	-Inf	91.68	3	Horizontal	247	2.55	-	35.44	6.40	32.98	
RMS	6.4128G	90.66	Inf	-Inf	81.81	3	Horizontal	247	2.55	-	35.43	6.40	32.98	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_Z_2TX
Setting 37
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.8323G	60.27	88.20	-27.93	45.07	3	Vertical	114	1.00	-	39.26	10.02	34.08	
RMS	12.83104G	47.14	68.20	-21.06	31.94	3	Vertical	114	1.00	-	39.26	10.02	34.08	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_Z_2TX
Setting 37
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82676G	60.86	88.20	-27.34	45.68	3	Horizontal	318	1.18	-	39.25	10.01	34.08
RMS	12.83492G	46.92	68.20	-21.28	31.71	3	Horizontal	318	1.18	-	39.27	10.02	34.08

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_Z_2TX
Setting 37
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24364G	58.03	83.54	-25.51	55.75	1	Vertical	107	1.50	-	38.11	14.32	50.15
AV	19.2406G	43.84	63.54	-19.70	41.56	1	Vertical	107	1.50	-	38.11	14.32	50.15

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_Z_2TX
Setting 37
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24382G	57.41	83.54	-26.13	55.13	1	Horizontal	200	1.52	-	38.11	14.32	50.15
AV	19.24008G	43.80	63.54	-19.74	41.52	1	Horizontal	200	1.52	-	38.11	14.32	50.15

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT_Z_2TX
Setting 41
04-C-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9214G	61.51	88.20	-26.69	53.30	3	Vertical	356	2.11	-	34.89	6.12	32.80	
RMS	5.9238G	51.25	68.20	-16.95	43.04	3	Vertical	356	2.11	-	34.90	6.12	32.81	
PK	6.4446G	110.06	Inf	-Inf	101.16	3	Vertical	356	2.11	-	35.49	6.40	32.99	
RMS	6.4398G	100.17	Inf	-Inf	91.28	3	Vertical	356	2.11	-	35.48	6.40	32.99	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT_Z_2TX
Setting 41
04-C-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9118G	61.50	88.20	-26.70	53.34	3	Horizontal	266	1.02	-	34.85	6.11	32.80	
RMS	5.919G	51.22	68.20	-16.98	43.02	3	Horizontal	266	1.02	-	34.88	6.12	32.80	
PK	6.4326G	101.56	Inf	-Inf	92.68	3	Horizontal	266	1.02	-	35.47	6.40	32.99	
RMS	6.4302G	91.24	Inf	-Inf	82.36	3	Horizontal	266	1.02	-	35.46	6.40	32.98	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT_Z_2TX
Setting 41
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.8732G	60.86	88.20	-27.34	45.54	3	Vertical	117	1.32	-	39.35	10.04	34.07	
RMS	12.87306G	47.67	68.20	-20.53	32.35	3	Vertical	117	1.32	-	39.35	10.04	34.07	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT_Z_2TX
Setting 41
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86976G	61.26	88.20	-26.94	45.96	3	Horizontal	304	2.83	-	39.34	10.03	34.07
RMS	12.87058G	47.61	68.20	-20.59	32.30	3	Horizontal	304	2.83	-	39.34	10.04	34.07

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT_Z_2TX
Setting 41
04-C-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.30694G	57.34	83.54	-26.20	55.12	1	Vertical	317	1.57	-	38.03	14.33	50.14
AV	19.30768G	43.33	63.54	-20.21	41.11	1	Vertical	317	1.57	-	38.03	14.33	50.14

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT_Z_2TX
Setting 41
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30174G	56.70	83.54	-26.84	54.47	1	Horizontal	24	1.56	-	38.04	14.33	50.14
AV	19.30762G	43.25	63.54	-20.29	41.03	1	Horizontal	24	1.56	-	38.03	14.33	50.14

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_Z_2TX
Setting 39
04-C-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9212G	62.05	88.20	-26.15	53.85	3	Vertical	359	2.07	-	34.88	6.12	32.80
RMS	5.9238G	51.15	68.20	-17.05	42.94	3	Vertical	359	2.07	-	34.90	6.12	32.81
PK	6.475G	106.79	Inf	-Inf	97.84	3	Vertical	359	2.07	-	35.55	6.40	33.00
RMS	6.4802G	98.16	Inf	-Inf	89.20	3	Vertical	359	2.07	-	35.56	6.40	33.00

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_Z_2TX
Setting 39
04-C-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8978G	61.37	88.20	-26.83	53.28	3	Horizontal	246	1.05	-	34.79	6.10	32.80
RMS	5.9238G	51.23	68.20	-16.97	43.02	3	Horizontal	246	1.05	-	34.90	6.12	32.81
PK	6.4802G	100.52	Inf	-Inf	91.56	3	Horizontal	246	1.05	-	35.56	6.40	33.00
RMS	6.4828G	90.69	Inf	-Inf	81.72	3	Horizontal	246	1.05	-	35.57	6.40	33.00

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_Z_2TX
Setting 39
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.94796G	61.98	88.20	-26.22	46.47	3	Vertical	4	1.82	-	39.50	10.07	34.06	
RMS	12.9549G	48.14	68.20	-20.06	32.61	3	Vertical	4	1.82	-	39.51	10.08	34.06	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_Z_2TX
Setting 39
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9535G	61.63	88.20	-26.57	46.10	3	Horizontal	124	2.38	-	39.51	10.08	34.06
RMS	12.95404G	48.14	68.20	-20.06	32.61	3	Horizontal	124	2.38	-	39.51	10.08	34.06

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_Z_2TX
Setting 39
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42894G	56.55	83.54	-26.99	54.43	1	Vertical	183	1.51	-	37.89	14.34	50.11
AV	19.42626G	43.22	63.54	-20.32	41.10	1	Vertical	183	1.51	-	37.89	14.34	50.11

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_Z_2TX
Setting 39
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42356G	57.15	83.54	-26.39	55.04	1	Horizontal	345	1.52	-	37.89	14.34	50.12
AV	19.42664G	43.11	63.54	-20.43	40.99	1	Horizontal	345	1.52	-	37.89	14.34	50.11

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT_Z_2TX
Setting 40
04-C-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8934G	61.89	88.20	-26.31	53.84	3	Vertical	154	2.18	-	34.76	6.09	32.80
RMS	5.9242G	51.21	68.20	-16.99	43.00	3	Vertical	154	2.18	-	34.90	6.12	32.81
PK	6.5122G	109.93	Inf	-Inf	100.84	3	Vertical	154	2.18	-	35.70	6.40	33.01
RMS	6.5094G	98.53	Inf	-Inf	89.46	3	Vertical	154	2.18	-	35.68	6.40	33.01
PK	7.1422G	65.15	88.20	-23.05	54.62	3	Vertical	154	2.18	-	36.97	6.77	33.21
RMS	7.2066G	54.66	68.20	-13.54	43.92	3	Vertical	154	2.18	-	37.20	6.80	33.26

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT_Z_2TX
Setting 40
04-C-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.913G	61.68	88.20	-26.52	53.52	3	Horizontal	246	1.36	-	34.85	6.11	32.80
RMS	5.9242G	51.13	68.20	-17.07	42.92	3	Horizontal	246	1.36	-	34.90	6.12	32.81
PK	6.515G	99.65	Inf	-Inf	90.54	3	Horizontal	246	1.36	-	35.72	6.40	33.01
RMS	6.5122G	89.15	Inf	-Inf	80.06	3	Horizontal	246	1.36	-	35.70	6.40	33.01
PK	7.2122G	64.74	88.20	-23.46	53.99	3	Horizontal	246	1.36	-	37.20	6.81	33.26
RMS	7.2122G	54.62	68.20	-13.58	43.87	3	Horizontal	246	1.36	-	37.20	6.81	33.26

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT_Z_2TX
Setting 40
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0333G	61.43	88.20	-26.77	45.76	3	Vertical	274	1.62	-	39.60	10.12	34.05
RMS	13.02866G	48.21	68.20	-19.99	32.55	3	Vertical	274	1.62	-	39.60	10.11	34.05

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT_Z_2TX
Setting 40
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03324G	61.96	88.20	-26.24	46.29	3	Horizontal	227	2.37	-	39.60	10.12	34.05
RMS	13.03306G	48.27	68.20	-19.93	32.60	3	Horizontal	227	2.37	-	39.60	10.12	34.05

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT_Z_2TX
Setting 40
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54522G	58.36	83.54	-25.18	56.33	1	Vertical	195	1.56	-	37.76	14.35	50.08
AV	19.54862G	44.24	63.54	-19.30	42.21	1	Vertical	195	1.56	-	37.76	14.35	50.08

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT_Z_2TX
Setting 40
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54332G	57.98	83.54	-25.56	55.94	1	Horizontal	115	1.53	-	37.77	14.35	50.08
AV	19.54332G	44.35	63.54	-19.19	42.31	1	Horizontal	115	1.53	-	37.77	14.35	50.08

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_Z_2TX
Setting 39
04-C-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9246G	61.83	88.20	-26.37	53.62	3	Vertical	0	2.27	-	34.90	6.12	32.81
RMS	5.9218G	51.25	68.20	-16.95	43.04	3	Vertical	0	2.27	-	34.89	6.12	32.80
PK	6.5378G	108.92	Inf	-Inf	99.64	3	Vertical	0	2.27	-	35.90	6.40	33.02
RMS	6.5378G	99.46	Inf	-Inf	90.18	3	Vertical	0	2.27	-	35.90	6.40	33.02
PK	7.165G	65.24	88.20	-22.96	54.63	3	Vertical	0	2.27	-	37.06	6.78	33.23
RMS	7.221G	54.68	68.20	-13.52	43.94	3	Vertical	0	2.27	-	37.20	6.81	33.27

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_Z_2TX
Setting 39
04-C-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8882G	61.24	88.20	-26.96	53.21	3	Horizontal	167	2.31	-	34.73	6.09	32.79
RMS	5.9218G	51.18	68.20	-17.02	42.97	3	Horizontal	167	2.31	-	34.89	6.12	32.80
PK	6.5406G	100.87	Inf	-Inf	91.57	3	Horizontal	167	2.31	-	35.92	6.40	33.02
RMS	6.5378G	91.16	Inf	-Inf	81.88	3	Horizontal	167	2.31	-	35.90	6.40	33.02
PK	7.193G	64.86	88.20	-23.34	54.14	3	Horizontal	167	2.31	-	37.17	6.80	33.25
RMS	7.2238G	54.69	68.20	-13.51	43.95	3	Horizontal	167	2.31	-	37.20	6.81	33.27

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_Z_2TX
Setting 39
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06904G	61.89	88.20	-26.31	46.21	3	Vertical	82	1.10	-	39.60	10.13	34.05
RMS	13.07014G	48.27	68.20	-19.93	32.58	3	Vertical	82	1.10	-	39.60	10.14	34.05

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_Z_2TX
Setting 39
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07458G	62.01	88.20	-26.19	46.32	3	Horizontal	94	2.34	-	39.60	10.14	34.05
RMS	13.07148G	48.33	68.20	-19.87	32.64	3	Horizontal	94	2.34	-	39.60	10.14	34.05

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_Z_2TX
Setting 39
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60352G	58.04	83.54	-25.50	56.02	1	Vertical	15	1.58	-	37.72	14.36	50.06
AV	19.60102G	44.79	63.54	-18.75	42.77	1	Vertical	15	1.58	-	37.72	14.36	50.06

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_Z_2TX
Setting 39
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60902G	58.37	83.54	-25.17	56.36	1	Horizontal	330	1.53	-	37.71	14.36	50.06
AV	19.60594G	44.83	63.54	-18.71	42.81	1	Horizontal	330	1.53	-	37.72	14.36	50.06

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_Z_2TX
Setting 43
04-C-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6994G	107.31	Inf	-Inf	97.81	3	Vertical	180	2.35	-	36.10	6.45	33.05	
RMS	6.7016G	97.12	Inf	-Inf	87.61	3	Vertical	180	2.35	-	36.11	6.45	33.05	
PK	7.1878G	65.32	88.20	-22.88	54.62	3	Vertical	180	2.35	-	37.15	6.79	33.24	
RMS	7.1988G	54.61	68.20	-13.59	43.86	3	Vertical	180	2.35	-	37.20	6.80	33.25	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_Z_2TX
Setting 43
04-C-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6906G	101.30	Inf	-Inf	91.81	3	Horizontal	164	2.49	-	36.08	6.45	33.04	
RMS	6.6928G	91.06	Inf	-Inf	81.56	3	Horizontal	164	2.49	-	36.09	6.45	33.04	
PK	7.2274G	65.58	88.20	-22.62	54.84	3	Horizontal	164	2.49	-	37.20	6.81	33.27	
RMS	7.2032G	54.63	68.20	-13.57	43.88	3	Horizontal	164	2.49	-	37.20	6.80	33.25	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_Z_2TX
Setting 43
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39312G	61.10	74.00	-12.90	44.83	3	Vertical	333	2.40	-	40.00	10.30	34.03
AV	13.39102G	48.09	54.00	-5.91	31.82	3	Vertical	333	2.40	-	40.00	10.30	34.03

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_Z_2TX
Setting 43
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38778G	62.64	74.00	-11.36	46.38	3	Horizontal	277	2.28	-	40.00	10.29	34.03
AV	13.3873G	48.10	54.00	-5.90	31.84	3	Horizontal	277	2.28	-	40.00	10.29	34.03

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_Z_2TX
Setting 43
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08762G	58.57	83.54	-24.97	56.60	1	Vertical	16	1.53	-	37.45	14.44	49.92
AV	20.08992G	45.13	63.54	-18.41	43.16	1	Vertical	16	1.53	-	37.45	14.44	49.92

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_Z_2TX
Setting 43
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08648G	58.49	83.54	-25.05	56.52	1	Horizontal	2	1.58	-	37.45	14.44	49.92
AV	20.08948G	45.30	63.54	-18.24	43.33	1	Horizontal	2	1.58	-	37.45	14.44	49.92

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_Z_2TX
Setting 43
04-C-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8466G	107.80	Inf	-Inf	97.82	3	Vertical	1	2.23	-	36.50	6.55	33.07
RMS	6.8466G	98.47	Inf	-Inf	88.49	3	Vertical	1	2.23	-	36.50	6.55	33.07
PK	7.1896G	64.62	88.20	-23.58	53.91	3	Vertical	1	2.23	-	37.16	6.79	33.24
RMS	7.2008G	54.46	68.20	-13.74	43.71	3	Vertical	1	2.23	-	37.20	6.80	33.25

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_Z_2TX
Setting 43
04-C-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8466G	99.84	Inf	-Inf	89.86	3	Horizontal	200	2.36	-	36.50	6.55	33.07
RMS	6.8508G	89.79	Inf	-Inf	79.81	3	Horizontal	200	2.36	-	36.50	6.55	33.07
PK	7.17G	64.95	88.20	-23.25	54.31	3	Horizontal	200	2.36	-	37.08	6.79	33.23
RMS	7.1994G	54.44	68.20	-13.76	43.69	3	Horizontal	200	2.36	-	37.20	6.80	33.25

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_Z_2TX
Setting 43
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70806G	63.33	88.20	-24.87	46.75	3	Vertical	94	2.05	-	40.32	10.45	34.19
RMS	13.71024G	49.73	68.20	-18.47	33.14	3	Vertical	94	2.05	-	40.32	10.46	34.19

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_Z_2TX
Setting 43
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70774G	62.95	88.20	-25.25	46.37	3	Horizontal	209	2.60	-	40.32	10.45	34.19
RMS	13.7138G	49.70	68.20	-18.50	33.11	3	Horizontal	209	2.60	-	40.33	10.46	34.20

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_Z_2TX
Setting 43
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56676G	59.11	83.54	-24.43	56.67	1	Vertical	360	1.58	-	37.77	14.66	49.99
AV	20.56796G	44.93	63.54	-18.61	42.49	1	Vertical	360	1.58	-	37.77	14.66	49.99

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_Z_2TX
Setting 43
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5631G	58.50	83.54	-25.04	56.08	1	Horizontal	142	1.53	-	37.76	14.65	49.99
AV	20.56882G	45.01	63.54	-18.53	42.57	1	Horizontal	142	1.53	-	37.77	14.66	49.99

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 41
04-C-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8702G	109.75	Inf	-Inf	99.76	3	Vertical	324	2.33	-	36.50	6.57	33.08
RMS	6.869G	99.52	Inf	-Inf	89.53	3	Vertical	324	2.33	-	36.50	6.57	33.08
PK	7.1486G	64.58	88.20	-23.62	54.03	3	Vertical	324	2.33	-	36.99	6.77	33.21
RMS	7.1666G	54.03	68.20	-14.17	43.41	3	Vertical	324	2.33	-	37.07	6.78	33.23

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 41
04-C-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8666G	100.90	Inf	-Inf	90.91	3	Horizontal	163	2.32	-	36.50	6.57	33.08
RMS	6.8666G	91.17	Inf	-Inf	81.18	3	Horizontal	163	2.32	-	36.50	6.57	33.08
PK	7.1462G	65.66	88.20	-22.54	55.12	3	Horizontal	163	2.32	-	36.98	6.77	33.21
RMS	7.1738G	54.01	68.20	-14.19	43.35	3	Horizontal	163	2.32	-	37.10	6.79	33.23

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 41
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75038G	62.92	88.20	-25.28	46.27	3	Vertical	98	1.47	-	40.40	10.48	34.23
RMS	13.75494G	49.69	68.20	-18.51	33.03	3	Vertical	98	1.47	-	40.41	10.48	34.23

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 41
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75178G	62.99	88.20	-25.21	46.34	3	Horizontal	319	2.39	-	40.40	10.48	34.23
RMS	13.7526G	49.62	68.20	-18.58	32.96	3	Horizontal	319	2.39	-	40.41	10.48	34.23

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 41
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62299G	59.06	83.54	-24.48	56.52	1	Vertical	45	1.56	-	37.83	14.68	49.97
AV	20.62286G	45.64	63.54	-17.90	43.12	1	Vertical	45	1.56	-	37.82	14.68	49.98

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 41
04-C-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.62598G	59.12	83.54	-24.42	56.58	1	Horizontal	9	1.57	-	37.83	14.68	49.97
AV	20.6271G	45.64	63.54	-17.90	43.10	1	Horizontal	9	1.57	-	37.83	14.68	49.97

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT_Z_2TX
Setting 42
04-C-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.89G	107.57	Inf	-Inf	97.56	3	Vertical	335	2.70	-	36.50	6.59	33.08	
RMS	6.887G	97.73	Inf	-Inf	87.72	3	Vertical	335	2.70	-	36.50	6.59	33.08	
PK	7.126G	64.98	88.20	-23.22	54.52	3	Vertical	335	2.70	-	36.90	6.76	33.20	
RMS	7.142G	54.15	68.20	-14.05	43.62	3	Vertical	335	2.70	-	36.97	6.77	33.21	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT_Z_2TX
Setting 42
04-C-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9G	101.94	Inf	-Inf	91.92	3	Horizontal	77	1.04	-	36.50	6.60	33.08	
RMS	6.9G	91.91	Inf	-Inf	81.89	3	Horizontal	77	1.04	-	36.50	6.60	33.08	
PK	7.139G	64.62	88.20	-23.58	54.10	3	Horizontal	77	1.04	-	36.96	6.77	33.21	
RMS	7.14G	54.16	68.20	-14.04	43.64	3	Horizontal	77	1.04	-	36.96	6.77	33.21	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT_Z_2TX
Setting 42
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78552G	63.00	88.20	-25.20	46.29	3	Vertical	27	2.39	-	40.47	10.49	34.25
RMS	13.78786G	49.48	68.20	-18.72	32.77	3	Vertical	27	2.39	-	40.48	10.49	34.26

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT_Z_2TX
Setting 42
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79414G	63.26	88.20	-24.94	46.53	3	Horizontal	108	2.75	-	40.49	10.50	34.26
RMS	13.78538G	49.69	68.20	-18.51	32.98	3	Horizontal	108	2.75	-	40.47	10.49	34.25

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT_Z_2TX
Setting 42
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6854G	59.86	83.54	-23.68	57.22	1	Vertical	99	1.56	-	37.89	14.71	49.96
AV	20.68758G	45.56	63.54	-17.98	42.92	1	Vertical	99	1.56	-	37.89	14.71	49.96

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT_Z_2TX
Setting 42
04-C-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.68736G	59.51	83.54	-24.03	56.87	1	Horizontal	183	1.51	-	37.89	14.71	49.96
AV	20.68838G	45.59	63.54	-17.95	42.95	1	Horizontal	183	1.51	-	37.89	14.71	49.96

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT_Z_2TX
Setting 40
04-C-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9982G	107.94	Inf	-Inf	97.74	3	Vertical	357	2.24	-	36.60	6.70	33.10	
RMS	6.9966G	98.52	Inf	-Inf	88.32	3	Vertical	357	2.24	-	36.60	6.70	33.10	
PK	7.1662G	65.28	88.20	-22.92	54.67	3	Vertical	357	2.24	-	37.06	6.78	33.23	
RMS	7.1926G	54.50	68.20	-13.70	43.78	3	Vertical	357	2.24	-	37.17	6.80	33.25	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT_Z_2TX
Setting 40
04-C-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9998G	98.44	Inf	-Inf	88.24	3	Horizontal	167	2.38	-	36.60	6.70	33.10
RMS	6.9974G	87.76	Inf	-Inf	77.56	3	Horizontal	167	2.38	-	36.60	6.70	33.10
PK	7.1782G	66.18	88.20	-22.02	55.52	3	Horizontal	167	2.38	-	37.11	6.79	33.24
RMS	7.1918G	54.49	68.20	-13.71	43.77	3	Horizontal	167	2.38	-	37.17	6.80	33.25

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT_Z_2TX
Setting 40
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98658G	63.90	88.20	-24.30	46.96	3	Vertical	347	2.98	-	40.77	10.59	34.42
RMS	13.99496G	50.38	68.20	-17.82	33.42	3	Vertical	347	2.98	-	40.79	10.60	34.43

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT_Z_2TX
Setting 40
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98642G	63.42	88.20	-24.78	46.48	3	Horizontal	139	2.70	-	40.77	10.59	34.42
RMS	13.98938G	50.37	68.20	-17.83	33.42	3	Horizontal	139	2.70	-	40.78	10.59	34.42

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT_Z_2TX
Setting 40
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98468G	57.75	83.54	-25.79	54.63	1	Vertical	178	1.54	-	38.18	14.84	49.90
AV	20.98468G	43.24	63.54	-20.30	40.12	1	Vertical	178	1.54	-	38.18	14.84	49.90

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT_Z_2TX
Setting 40
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98196G	57.42	83.54	-26.12	54.30	1	Horizontal	100	1.50	-	38.18	14.84	49.90
AV	20.98364G	43.14	63.54	-20.40	40.02	1	Horizontal	100	1.50	-	38.18	14.84	49.90

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_Z_2TX
Setting 40
04-C-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.091G	110.56	Inf	-Inf	100.22	3	Vertical	178	2.21	-	36.76	6.75	33.17
RMS	7.0994G	99.91	Inf	-Inf	89.54	3	Vertical	178	2.21	-	36.80	6.75	33.18
PK	7.1542G	65.36	88.20	-22.84	54.78	3	Vertical	178	2.21	-	37.02	6.78	33.22
RMS	7.1914G	54.70	68.20	-13.50	43.98	3	Vertical	178	2.21	-	37.17	6.80	33.25

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_Z_2TX
Setting 40
04-C-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.091G	101.30	Inf	-Inf	90.96	3	Horizontal	163	2.37	-	36.76	6.75	33.17
RMS	7.0926G	90.55	Inf	-Inf	80.20	3	Horizontal	163	2.37	-	36.77	6.75	33.17
PK	7.1694G	65.69	88.20	-22.51	55.06	3	Horizontal	163	2.37	-	37.08	6.78	33.23
RMS	7.1946G	54.69	68.20	-13.51	43.96	3	Horizontal	163	2.37	-	37.18	6.80	33.25

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_Z_2TX
Setting 40
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1863G	63.29	88.20	-24.91	46.26	3	Vertical	181	1.49	-	40.63	10.74	34.34
RMS	14.19088G	50.26	68.20	-17.94	33.23	3	Vertical	181	1.49	-	40.62	10.74	34.33

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_Z_2TX
Setting 40
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19186G	64.19	88.20	-24.01	47.16	3	Horizontal	221	2.74	-	40.62	10.74	34.33
RMS	14.19018G	50.24	68.20	-17.96	33.21	3	Horizontal	221	2.74	-	40.62	10.74	34.33

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_Z_2TX
Setting 40
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28932G	57.32	83.54	-26.22	54.16	1	Vertical	30	1.54	-	38.08	14.98	49.90
AV	21.28654G	44.20	63.54	-19.34	41.03	1	Vertical	30	1.54	-	38.09	14.98	49.90

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_Z_2TX
Setting 40
04-C-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.28604G	57.72	83.54	-25.82	54.55	1	Horizontal	120	1.50	-	38.09	14.98	49.90
AV	21.28608G	44.13	63.54	-19.41	40.96	1	Horizontal	120	1.50	-	38.09	14.98	49.90

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TnomVnom




EUT_Z_2TX
Setting 53
04-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.924G	62.67	88.20	-25.53	54.46	3	Vertical	328	2.31	-	34.90	6.12	32.81
RMS	5.925G	53.00	68.20	-15.20	44.79	3	Vertical	328	2.31	-	34.90	6.12	32.81
PK	5.97G	111.44	Inf	-Inf	103.01	3	Vertical	328	2.31	-	35.08	6.17	32.82
RMS	5.959G	100.01	Inf	-Inf	91.63	3	Vertical	328	2.31	-	35.04	6.16	32.82

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TnomVnom




EUT_Z_2TX
Setting 53
04-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.91G	60.86	88.20	-27.34	52.71	3	Horizontal	248.6	1.29	-	34.84	6.11	32.80
RMS	5.921G	50.41	68.20	-17.79	42.21	3	Horizontal	248.6	1.29	-	34.88	6.12	32.80
PK	5.949G	101.42	Inf	-Inf	93.08	3	Horizontal	248.6	1.29	-	35.00	6.15	32.81
RMS	5.948G	92.05	Inf	-Inf	83.72	3	Horizontal	248.6	1.29	-	34.99	6.15	32.81

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TnomVnom




EUT_Z_2TX
Setting 53
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93032G	57.23	74.00	-16.77	43.13	3	Vertical	313	2.17	-	38.87	9.57	34.34
AV	11.93292G	43.82	54.00	-10.18	29.72	3	Vertical	313	2.17	-	38.87	9.57	34.34
PK	17.89006G	65.35	74.00	-8.65	44.56	3	Vertical	213	2.98	-	41.68	13.61	34.50
AV	17.89892G	51.52	54.00	-2.48	30.70	3	Vertical	213	2.98	-	41.70	13.62	34.50

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TnomVnom




EUT_Z_2TX
Setting 53
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92942G	57.40	74.00	-16.60	43.31	3	Horizontal	298	2.55	-	38.87	9.56	34.34
AV	11.9254G	43.88	54.00	-10.12	29.78	3	Horizontal	298	2.55	-	38.87	9.56	34.33
PK	17.89678G	65.79	74.00	-8.21	44.98	3	Horizontal	332	2.70	-	41.69	13.62	34.50
AV	17.89154G	51.53	54.00	-2.47	30.74	3	Horizontal	332	2.70	-	41.68	13.61	34.50

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6165MHz_TnomVnom




EUT_Z_2TX
Setting 51
04-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9118G	60.09	88.20	-28.11	51.93	3	Vertical	320	2.49	-	34.85	6.11	32.80	
RMS	5.919G	49.92	68.20	-18.28	41.72	3	Vertical	320	2.49	-	34.88	6.12	32.80	
PK	6.1794G	108.66	Inf	-Inf	99.93	3	Vertical	320	2.49	-	35.42	6.20	32.89	
RMS	6.1602G	98.01	Inf	-Inf	89.36	3	Vertical	320	2.49	-	35.34	6.20	32.89	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6165MHz_TnomVnom




EUT_Z_2TX
Setting 51
04-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9214G	60.85	88.20	-27.35	52.64	3	Horizontal	246	1.00	-	34.89	6.12	32.80	
RMS	5.9238G	49.89	68.20	-18.31	41.68	3	Horizontal	246	1.00	-	34.90	6.12	32.81	
PK	6.1794G	101.93	Inf	-Inf	93.20	3	Horizontal	246	1.00	-	35.42	6.20	32.89	
RMS	6.171G	90.86	Inf	-Inf	82.17	3	Horizontal	246	1.00	-	35.38	6.20	32.89	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6165MHz_TnomVnom




EUT_Z_2TX
Setting 51
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3344G	57.29	74.00	-16.71	43.03	3	Vertical	46	1.96	-	38.70	9.77	34.21
AV	12.33142G	43.53	54.00	-10.47	29.27	3	Vertical	46	1.96	-	38.70	9.77	34.21

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6165MHz_TnomVnom




EUT_Z_2TX
Setting 51
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.32544G	57.44	74.00	-16.56	43.20	3	Horizontal	271	2.07	-	38.70	9.76	34.22
AV	12.3311G	43.54	54.00	-10.46	29.28	3	Horizontal	271	2.07	-	38.70	9.77	34.21

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6165MHz_TnomVnom




EUT_Z_2TX
Setting 51
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.49388G	56.15	83.54	-27.39	54.50	1	Vertical	280	1.54	-	37.70	14.25	50.30
AV	18.49672G	42.94	63.54	-20.60	41.29	1	Vertical	280	1.54	-	37.70	14.25	50.30

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6165MHz_TnomVnom




EUT_Z_2TX
Setting 51
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.49738G	56.47	83.54	-27.07	54.82	1	Horizontal	309	1.52	-	37.70	14.25	50.30
AV	18.4961G	42.81	63.54	-20.73	41.16	1	Horizontal	309	1.52	-	37.70	14.25	50.30

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT_Z_2TX
Setting 53
04-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.901G	60.03	88.20	-28.17	51.93	3	Vertical	137	2.39	-	34.80	6.10	32.80
RMS	5.9202G	49.82	68.20	-18.38	41.62	3	Vertical	137	2.39	-	34.88	6.12	32.80
PK	6.4098G	110.59	Inf	-Inf	101.75	3	Vertical	137	2.39	-	35.42	6.40	32.98
RMS	6.4074G	99.85	Inf	-Inf	91.02	3	Vertical	137	2.39	-	35.41	6.40	32.98

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT_Z_2TX
Setting 53
04-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.901G	60.01	88.20	-28.19	51.91	3	Horizontal	266.7	1.01	-	34.80	6.10	32.80
RMS	5.9202G	49.79	68.20	-18.41	41.59	3	Horizontal	266.7	1.01	-	34.88	6.12	32.80
PK	6.3978G	100.59	Inf	-Inf	91.76	3	Horizontal	266.7	1.01	-	35.40	6.40	32.97
RMS	6.4002G	91.59	Inf	-Inf	82.76	3	Horizontal	266.7	1.01	-	35.40	6.40	32.97

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT_Z_2TX
Setting 53
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.81118G	57.87	88.20	-30.33	42.72	3	Vertical	310	2.10	-	39.22	10.01	34.08	
RMS	12.81368G	44.30	68.20	-23.90	29.14	3	Vertical	310	2.10	-	39.23	10.01	34.08	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT_Z_2TX
Setting 53
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.81168G	57.36	88.20	-30.84	42.21	3	Horizontal	353	2.60	-	39.22	10.01	34.08	
RMS	12.81152G	44.25	68.20	-23.95	29.10	3	Horizontal	353	2.60	-	39.22	10.01	34.08	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT_Z_2TX
Setting 53
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21466G	55.23	83.54	-28.31	52.93	1	Vertical	131	1.54	-	38.14	14.32	50.16
AV	19.21194G	41.56	63.54	-21.98	39.25	1	Vertical	131	1.54	-	38.15	14.32	50.16

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT_Z_2TX
Setting 53
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2193G	55.26	83.54	-28.28	52.96	1	Horizontal	175	1.53	-	38.14	14.32	50.16
AV	19.21486G	41.46	63.54	-22.08	39.16	1	Horizontal	175	1.53	-	38.14	14.32	50.16

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TnomVnom




EUT_Z_2TX
Setting 57
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8886G	62.33	88.20	-25.87	54.30	3	Vertical	-0	2.05	-	34.73	6.09	32.79	
RMS	5.9198G	51.43	68.20	-16.77	43.23	3	Vertical	-0	2.05	-	34.88	6.12	32.80	
PK	6.4268G	106.99	Inf	-Inf	98.12	3	Vertical	-0	2.05	-	35.45	6.40	32.98	
RMS	6.4398G	98.26	Inf	-Inf	89.37	3	Vertical	-0	2.05	-	35.48	6.40	32.99	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TnomVnom




EUT_Z_2TX
Setting 57
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8704G	61.79	88.20	-26.41	53.89	3	Horizontal	170	2.81	-	34.62	6.07	32.79
RMS	5.9094G	51.39	68.20	-16.81	43.24	3	Horizontal	170	2.81	-	34.84	6.11	32.80
PK	6.458G	101.78	Inf	-Inf	92.85	3	Horizontal	170	2.81	-	35.52	6.40	32.99
RMS	6.4528G	91.64	Inf	-Inf	82.72	3	Horizontal	170	2.81	-	35.51	6.40	32.99

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TnomVnom




EUT_Z_2TX
Setting 57
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.8857G	58.76	88.20	-29.44	43.42	3	Vertical	343	1.18	-	39.37	10.04	34.07	
RMS	12.89196G	45.13	68.20	-23.07	29.77	3	Vertical	343	1.18	-	39.38	10.05	34.07	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TnomVnom




EUT_Z_2TX
Setting 57
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.88914G	59.62	88.20	-28.58	44.27	3	Horizontal	308	2.10	-	39.38	10.04	34.07	
RMS	12.89266G	45.21	68.20	-22.99	29.84	3	Horizontal	308	2.10	-	39.39	10.05	34.07	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TnomVnom




EUT_Z_2TX
Setting 57
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33548G	53.79	83.54	-29.75	51.59	1	Vertical	243	1.51	-	38.00	14.33	50.13
AV	19.33266G	40.54	63.54	-23.00	38.34	1	Vertical	243	1.51	-	38.00	14.33	50.13

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TnomVnom




EUT_Z_2TX
Setting 57
04-C-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.33548G	53.77	83.54	-29.77	51.57	1	Horizontal	96	1.50	-	38.00	14.33	50.13	
AV	19.3355G	40.51	63.54	-23.03	38.31	1	Horizontal	96	1.50	-	38.00	14.33	50.13	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TnomVnom




EUT_Z_2TX
Setting 54
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9026G	61.97	88.20	-26.23	53.86	3	Vertical	141	2.20	-	34.81	6.10	32.80
RMS	5.8998G	51.32	68.20	-16.88	43.22	3	Vertical	141	2.20	-	34.80	6.10	32.80
PK	6.485G	109.21	Inf	-Inf	100.24	3	Vertical	141	2.20	-	35.57	6.40	33.00
RMS	6.4794G	98.90	Inf	-Inf	89.94	3	Vertical	141	2.20	-	35.56	6.40	33.00
PK	7.1514G	63.13	88.20	-25.07	52.56	3	Vertical	141	2.20	-	37.01	6.78	33.22
RMS	7.185G	51.72	68.20	-16.48	41.03	3	Vertical	141	2.20	-	37.14	6.79	33.24

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TnomVnom




EUT_Z_2TX
Setting 54
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8914G	62.50	88.20	-25.70	54.46	3	Horizontal	246	1.04	-	34.75	6.09	32.80
RMS	5.9054G	51.38	68.20	-16.82	43.25	3	Horizontal	246	1.04	-	34.82	6.11	32.80
PK	6.4878G	101.19	Inf	-Inf	92.22	3	Horizontal	246	1.04	-	35.58	6.40	33.01
RMS	6.4822G	90.81	Inf	-Inf	81.85	3	Horizontal	246	1.04	-	35.56	6.40	33.00
PK	7.1514G	62.68	88.20	-25.52	52.11	3	Horizontal	246	1.04	-	37.01	6.78	33.22
RMS	7.185G	51.72	68.20	-16.48	41.03	3	Horizontal	246	1.04	-	37.14	6.79	33.24

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TnomVnom




EUT_Z_2TX
Setting 54
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.97058G	59.85	88.20	-28.35	44.27	3	Vertical	300	1.84	-	39.54	10.09	34.05	
RMS	12.97298G	45.69	68.20	-22.51	30.10	3	Vertical	300	1.84	-	39.55	10.09	34.05	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TnomVnom




EUT_Z_2TX
Setting 54
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96884G	59.77	88.20	-28.43	44.20	3	Horizontal	320	2.98	-	39.54	10.08	34.05
RMS	12.96706G	45.70	68.20	-22.50	30.15	3	Horizontal	320	2.98	-	39.53	10.08	34.06

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TnomVnom




EUT_Z_2TX
Setting 54
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4512G	54.47	83.54	-29.07	52.37	1	Vertical	33	1.57	-	37.86	14.35	50.11
AV	19.45352G	40.57	63.54	-22.97	38.47	1	Vertical	33	1.57	-	37.86	14.35	50.11

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TnomVnom




EUT_Z_2TX
Setting 54
04-C-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.45362G	54.58	83.54	-28.96	52.48	1	Horizontal	113	1.53	-	37.86	14.35	50.11
AV	19.45522G	40.56	63.54	-22.98	38.47	1	Horizontal	113	1.53	-	37.85	14.35	50.11

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
Setting 55
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9006G	61.91	88.20	-26.29	53.81	3	Vertical	143	2.37	-	34.80	6.10	32.80
RMS	5.9034G	51.36	68.20	-16.84	43.25	3	Vertical	143	2.37	-	34.81	6.10	32.80
PK	6.525G	109.17	Inf	-Inf	99.98	3	Vertical	143	2.37	-	35.80	6.40	33.01
RMS	6.5194G	98.80	Inf	-Inf	89.65	3	Vertical	143	2.37	-	35.76	6.40	33.01
PK	7.1886G	62.69	88.20	-25.51	51.99	3	Vertical	143	2.37	-	37.15	6.79	33.24
RMS	7.225G	52.05	68.20	-16.15	41.31	3	Vertical	143	2.37	-	37.20	6.81	33.27

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
Setting 55
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8586G	61.90	88.20	-26.30	54.07	3	Horizontal	167	2.94	-	34.55	6.06	32.78
RMS	5.9118G	51.34	68.20	-16.86	43.18	3	Horizontal	167	2.94	-	34.85	6.11	32.80
PK	6.5222G	100.06	Inf	-Inf	90.89	3	Horizontal	167	2.94	-	35.78	6.40	33.01
RMS	6.5138G	89.73	Inf	-Inf	80.63	3	Horizontal	167	2.94	-	35.71	6.40	33.01
PK	7.1466G	62.02	88.20	-26.18	51.47	3	Horizontal	167	2.94	-	36.99	6.77	33.21
RMS	7.2222G	51.98	68.20	-16.22	41.24	3	Horizontal	167	2.94	-	37.20	6.81	33.27

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
Setting 55
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04584G	59.51	88.20	-28.69	43.84	3	Vertical	186	1.92	-	39.60	10.12	34.05
RMS	13.05186G	45.98	68.20	-22.22	30.30	3	Vertical	186	1.92	-	39.60	10.13	34.05

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
Setting 55
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04816G	59.19	88.20	-29.01	43.52	3	Horizontal	271	1.72	-	39.60	10.12	34.05
RMS	13.05278G	45.88	68.20	-22.32	30.20	3	Horizontal	271	1.72	-	39.60	10.13	34.05

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz_TnomVnom




EUT_Z_2TX
Setting 55
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5734G	55.51	83.54	-28.03	53.48	1	Vertical	248	1.56	-	37.74	14.36	50.07
AV	19.5744G	41.96	63.54	-21.58	39.93	1	Vertical	248	1.56	-	37.74	14.36	50.07

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz_TnomVnom




EUT_Z_2TX
Setting 55
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57732G	55.36	83.54	-28.18	53.33	1	Horizontal	106	1.53	-	37.74	14.36	50.07
AV	19.57846G	42.04	63.54	-21.50	40.01	1	Horizontal	106	1.53	-	37.74	14.36	50.07

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT Z_2TX
Setting 54
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.5626G	107.61	Inf	-Inf	98.20	3	Vertical	-0	2.13	-	36.03	6.40	33.02	
RMS	6.5602G	97.98	Inf	-Inf	88.58	3	Vertical	-0	2.13	-	36.02	6.40	33.02	
PK	7.1482G	61.61	88.20	-26.59	51.06	3	Vertical	-0	2.13	-	36.99	6.77	33.21	
RMS	7.1626G	51.57	68.20	-16.63	40.96	3	Vertical	-0	2.13	-	37.05	6.78	33.22	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT_Z_2TX
Setting 54
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.5674G	101.62	Inf	-Inf	92.21	3	Horizontal	166	2.44	-	36.03	6.40	33.02	
RMS	6.5674G	91.03	Inf	-Inf	81.62	3	Horizontal	166	2.44	-	36.03	6.40	33.02	
PK	7.1458G	62.40	88.20	-25.80	51.86	3	Horizontal	166	2.44	-	36.98	6.77	33.21	
RMS	7.1602G	51.50	68.20	-16.70	40.90	3	Horizontal	166	2.44	-	37.04	6.78	33.22	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT_Z_2TX
Setting 54
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13464G	59.27	88.20	-28.93	43.47	3	Vertical	254	2.91	-	39.67	10.17	34.04
RMS	13.1328G	45.83	68.20	-22.37	30.03	3	Vertical	254	2.91	-	39.67	10.17	34.04

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT_Z_2TX
Setting 54
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.13326G	59.13	88.20	-29.07	43.33	3	Horizontal	158	1.74	-	39.67	10.17	34.04	
RMS	13.1326G	45.70	68.20	-22.50	29.90	3	Horizontal	158	1.74	-	39.67	10.17	34.04	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT_Z_2TX
Setting 54
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.69904G	55.88	83.54	-27.66	53.89	1	Vertical	239	1.53	-	37.64	14.37	50.02	
AV	19.69256G	42.70	63.54	-20.84	40.70	1	Vertical	239	1.53	-	37.65	14.37	50.02	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT_Z_2TX
Setting 54
04-C-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.69194G	56.14	83.54	-27.40	54.14	1	Horizontal	3	1.54	-	37.65	14.37	50.02	
AV	19.6923G	42.81	63.54	-20.73	40.81	1	Horizontal	3	1.54	-	37.65	14.37	50.02	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT_Z_2TX
Setting 58
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.693G	108.30	Inf	-Inf	98.80	3	Vertical	0	2.44	-	36.09	6.45	33.04	
RMS	6.691G	97.51	Inf	-Inf	88.02	3	Vertical	0	2.44	-	36.08	6.45	33.04	
PK	7.149G	62.03	88.20	-26.17	51.47	3	Vertical	0	2.44	-	37.00	6.77	33.21	
RMS	7.185G	51.75	68.20	-16.45	41.06	3	Vertical	0	2.44	-	37.14	6.79	33.24	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom



EUT_Z_2TX
Setting 58
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.701G	100.72	Inf	-Inf	91.22	3	Horizontal	167	2.46	-	36.10	6.45	33.05	
RMS	6.699G	91.62	Inf	-Inf	82.12	3	Horizontal	167	2.46	-	36.10	6.45	33.05	
PK	7.173G	62.54	88.20	-25.66	51.89	3	Horizontal	167	2.46	-	37.09	6.79	33.23	
RMS	7.175G	51.65	68.20	-16.55	40.99	3	Horizontal	167	2.46	-	37.10	6.79	33.23	