


802.11ax HEW40_Nss2,(MCS0)_2TX

PSD

5795MHz

15/06/2021




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.21	10.21	7.53	6.85

802.11ax HEW80_Nss2,(MCS0)_2TX

PSD

5210MHz

15/06/2021




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.59	2.59	-0.26	-0.26

802.11ax HEW80_Nss2,(MCS0)_2TX

PSD

5775MHz

15/06/2021



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.35	3.35	0.59	0.15

**For Radio 2 / 2T2S
Summary**

Mode	PD (dBm/RBW)
5.25-5.35GHz	-
802.11ax HEW20_Nss2,(MCS0)_2TX	10.93
802.11ax HEW40_Nss2,(MCS0)_2TX	9.01
802.11ax HEW80_Nss2,(MCS0)_2TX	2.21
5.47-5.725GHz	-
802.11ax HEW20_Nss2,(MCS0)_2TX	10.86
802.11ax HEW40_Nss2,(MCS0)_2TX	8.42
802.11ax HEW80_Nss2,(MCS0)_2TX	5.52
5.725-5.85GHz	-
802.11ax HEW20_Nss2,(MCS0)_2TX	9.04
802.11ax HEW40_Nss2,(MCS0)_2TX	5.84
802.11ax HEW80_Nss2,(MCS0)_2TX	2.37

RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5260MHz	Pass	2.37	8.18	7.76	10.93	11.00
5300MHz	Pass	2.37	8.11	7.85	10.90	11.00
5320MHz	Pass	2.37	7.89	7.55	10.68	11.00
5500MHz	Pass	2.15	7.49	6.86	10.13	11.00
5580MHz	Pass	2.15	8.03	7.59	10.79	11.00
5700MHz	Pass	2.15	6.49	5.78	9.14	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	2.15	8.32	7.35	10.86	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	1.81	6.45	5.66	9.04	30.00
802.11ax HEW40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5270MHz	Pass	2.37	6.24	5.82	9.01	11.00
5310MHz	Pass	2.37	2.38	2.39	5.35	11.00
5510MHz	Pass	2.15	0.72	0.86	3.74	11.00
5550MHz	Pass	2.15	5.67	5.36	8.42	11.00
5670MHz	Pass	2.15	5.29	4.33	7.73	11.00
5710MHz Straddle 5.47-5.725GHz	Pass	2.15	5.50	4.55	7.97	11.00
5710MHz Straddle 5.725-5.85GHz	Pass	1.81	3.43	2.20	5.84	30.00
802.11ax HEW80_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5290MHz	Pass	2.37	-0.37	-1.00	2.21	11.00
5530MHz	Pass	2.15	-1.44	-1.76	1.32	11.00
5610MHz	Pass	2.15	3.16	1.97	5.52	11.00
5690MHz Straddle 5.47-5.725GHz	Pass	2.15	2.53	1.40	4.92	11.00
5690MHz Straddle 5.725-5.85GHz	Pass	1.81	0.05	-1.17	2.37	30.00

DG = Directional Gain; **RBW** = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;


PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; **Port X** = Port X power density;

802.11ax HEW20_Nss2,(MCS0)_2TX

PSD

5260MHz

15/06/2021




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.93	10.93	8.18	7.76

802.11ax HEW20_Nss2,(MCS0)_2TX

PSD

5300MHz

15/06/2021




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.90	10.90	8.11	7.85

802.11ax HEW20_Nss2,(MCS0)_2TX

PSD

5320MHz

15/06/2021




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.68	10.68	7.89	7.55

802.11ax HEW20_Nss2,(MCS0)_2TX

PSD

5500MHz

15/06/2021




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.13	10.13	7.49	6.86

802.11ax HEW20_Nss2,(MCS0)_2TX

PSD

5580MHz

15/06/2021




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.79	10.79	8.03	7.59

802.11ax HEW20_Nss2,(MCS0)_2TX

PSD

5700MHz

15/06/2021




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.14	9.14	6.49	5.78

802.11ax HEW20_Nss2,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz

PSD

15/06/2021



Sum	PD	Port 1	Port 2
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
10.86	10.86	8.32	7.35




802.11ax HEW20_Nss2,(MCS0)_2TX


5720MHz Straddle 5.725-5.85GHz

PSD

15/06/2021



Sum	PD	Port 1	Port 2
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
9.04	9.04	6.45	5.66




802.11ax HEW40_Nss2,(MCS0)_2TX


5270MHz

PSD

15/06/2021



Sum	PD	Port 1	Port 2
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
9.01	9.01	6.24	5.82




802.11ax HEW40_Nss2,(MCS0)_2TX


PSD

5310MHz

15/06/2021



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.35	5.35	2.38	2.39




802.11ax HEW40_Nss2,(MCS0)_2TX


PSD

5510MHz

15/06/2021



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.74	3.74	0.72	0.86




802.11ax HEW40_Nss2,(MCS0)_2TX


PSD

5550MHz

15/06/2021



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.42	8.42	5.67	5.36




802.11ax HEW40_Nss2,(MCS0)_2TX

PSD

5670MHz

15/06/2021




802.11ax HEW40_Nss2,(MCS0)_2TX

PSD

5710MHz Straddle 5.47-5.725GHz

15/06/2021




802.11ax HEW40_Nss2,(MCS0)_2TX

PSD

5710MHz Straddle 5.725-5.85GHz

15/06/2021




802.11ax HEW80_Nss2,(MCS0)_2TX

PSD

5290MHz

15/06/2021




802.11ax HEW80_Nss2,(MCS0)_2TX

PSD

5530MHz

15/06/2021




802.11ax HEW80_Nss2,(MCS0)_2TX

PSD

5610MHz

15/06/2021




802.11ax HEW80_Nss2,(MCS0)_2TX

PSD

5690MHz Straddle 5.47-5.725GHz

15/06/2021




802.11ax HEW80_Nss2,(MCS0)_2TX

PSD

5690MHz Straddle 5.725-5.85GHz

15/06/2021



For Scanning radio 3 / 2T1S

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11a_Nss1,(6Mbps)_2TX	14.42
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_2TX	14.88

RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
5180MHz	Pass	8.53	8.18	8.74	11.42	14.47
5200MHz	Pass	8.53	11.07	11.77	14.42	14.47
5240MHz	Pass	8.53	9.94	10.61	13.28	14.47
5745MHz	Pass	8.72	10.71	10.33	13.47	27.28
5785MHz	Pass	8.72	11.95	12.05	14.88	27.28
5825MHz	Pass	8.72	11.77	11.03	14.36	27.28

DG = Directional Gain; **RBW** = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;


PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; **Port X** = Port X power density;

802.11a_Nss1,(6Mbps)_2TX

PSD

5180MHz

16/06/2021




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.42	11.42	8.18	8.74

802.11a_Nss1,(6Mbps)_2TX

PSD

5200MHz

16/06/2021




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
14.42	14.42	11.07	11.77

802.11a_Nss1,(6Mbps)_2TX

PSD

5240MHz

16/06/2021




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
13.28	13.28	9.94	10.61

802.11a_Nss1,(6Mbps)_2TX

5745MHz

PSD

16/06/2021




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
13.47	13.47	10.71	10.33

802.11a_Nss1,(6Mbps)_2TX

5785MHz

PSD

16/06/2021




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
14.88	14.88	11.95	12.05

802.11a_Nss1,(6Mbps)_2TX

5825MHz

PSD

16/06/2021



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
14.36	14.36	11.77	11.03

**For Scanning radio 3 / 2T1S
Summary**

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	8.46	16.99
5.47-5.725GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	8.67	16.93
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	6.91	15.63

RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5260MHz	Pass	8.53	5.37	5.60	8.46	8.47	16.99	17.00
5300MHz	Pass	8.53	5.33	5.56	8.43	8.47	16.96	17.00
5320MHz	Pass	8.53	5.29	5.56	8.40	8.47	16.93	17.00
5500MHz	Pass	8.26	4.18	4.47	7.30	8.74	15.56	17.00
5580MHz	Pass	8.26	5.54	5.78	8.67	8.74	16.93	17.00
5700MHz	Pass	8.26	4.11	4.16	7.11	8.74	15.37	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	8.26	5.44	5.81	8.62	8.74	16.88	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	8.72	3.67	4.25	6.91	27.28	15.63	36.00


DG = Directional Gain; **RBW** = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;

PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; **Port X** = Port X power density;

802.11a_Nss1,(6Mbps)_2TX

5260MHz

CF
5.26GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



PSD

16/06/2021


Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.46	8.46	5.37	5.60

802.11a_Nss1,(6Mbps)_2TX

5300MHz

CF
5.3GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



PSD

16/06/2021


Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.43	8.43	5.33	5.56

802.11a_Nss1,(6Mbps)_2TX

5320MHz

CF
5.32GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



PSD

16/06/2021

Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.40	8.40	5.29	5.56

802.11a_Nss1,(6Mbps)_2TX

PSD

5500MHz

16/06/2021




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.30	7.30	4.18	4.47

802.11a_Nss1,(6Mbps)_2TX

PSD

5580MHz

16/06/2021




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.67	8.67	5.54	5.78

802.11a_Nss1,(6Mbps)_2TX

PSD

5700MHz

16/06/2021




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.11	7.11	4.11	4.16

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz

PSD

16/06/2021




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.62	8.62	5.44	5.81

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.725-5.85GHz

PSD

16/06/2021



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.91	6.91	3.67	4.25

For Scanning radio 3 / 2T2S

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11ax HEW20_Nss2,(MCS0)_2TX	13.73
802.11ax HEW40_Nss2,(MCS0)_2TX	9.89
802.11ax HEW80_Nss2,(MCS0)_2TX	2.57
5.725-5.85GHz	-
802.11ax HEW20_Nss2,(MCS0)_2TX	14.87
802.11ax HEW40_Nss2,(MCS0)_2TX	10.77
802.11ax HEW80_Nss2,(MCS0)_2TX	5.59

RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	5.53	7.12	7.51	10.29	17.00
5200MHz	Pass	5.53	10.52	11.00	13.73	17.00
5240MHz	Pass	5.53	9.74	10.27	12.98	17.00
5745MHz	Pass	5.71	10.71	10.37	13.43	30.00
5785MHz	Pass	5.71	11.87	11.94	14.87	30.00
5825MHz	Pass	5.71	11.72	11.43	14.46	30.00
802.11ax HEW40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	5.53	1.39	1.28	4.31	17.00
5230MHz	Pass	5.53	6.79	7.19	9.89	17.00
5755MHz	Pass	5.71	7.26	7.45	10.24	30.00
5795MHz	Pass	5.71	7.96	7.87	10.77	30.00
802.11ax HEW80_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	5.53	-0.25	-0.47	2.57	17.00
5775MHz	Pass	5.71	2.53	2.82	5.59	30.00

DG = Directional Gain; **RBW** = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;


PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; **Port X** = Port X power density;

802.11ax HEW20_Nss2,(MCS0)_2TX

PSD

5180MHz

16/06/2021




802.11ax HEW20_Nss2,(MCS0)_2TX

PSD

5200MHz

16/06/2021




802.11ax HEW20_Nss2,(MCS0)_2TX

PSD

5240MHz

16/06/2021




802.11ax HEW20_Nss2,(MCS0)_2TX

PSD

5745MHz

16/06/2021




802.11ax HEW20_Nss2,(MCS0)_2TX

PSD

5785MHz

16/06/2021




802.11ax HEW20_Nss2,(MCS0)_2TX

PSD

5825MHz

16/06/2021




802.11ax HEW40_Nss2,(MCS0)_2TX

PSD

5190MHz

16/06/2021




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.31	4.31	1.39	1.28

802.11ax HEW40_Nss2,(MCS0)_2TX

PSD

5230MHz

16/06/2021




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.89	9.89	6.79	7.19

802.11ax HEW40_Nss2,(MCS0)_2TX

PSD

5755MHz

16/06/2021




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.24	10.24	7.26	7.45

802.11ax HEW40_Nss2,(MCS0)_2TX

PSD

5795MHz

16/06/2021




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.77	10.77	7.96	7.87

802.11ax HEW80_Nss2,(MCS0)_2TX

PSD

5210MHz

16/06/2021




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.57	2.57	-0.25	-0.47

802.11ax HEW80_Nss2,(MCS0)_2TX

PSD

5775MHz

16/06/2021



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.59	5.59	2.53	2.82

**For Scanning radio 3 / 2T2S
Summary**

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11ax HEW160_Nss2,(MCS0)_2TX	-1.48
5.25-5.35GHz	-
802.11ax HEW20_Nss2,(MCS0)_2TX	10.92
802.11ax HEW40_Nss2,(MCS0)_2TX	8.78
802.11ax HEW80_Nss2,(MCS0)_2TX	2.21
802.11ax HEW160_Nss2,(MCS0)_2TX	-1.11
5.47-5.725GHz	-
802.11ax HEW20_Nss2,(MCS0)_2TX	10.85
802.11ax HEW40_Nss2,(MCS0)_2TX	8.19
802.11ax HEW80_Nss2,(MCS0)_2TX	5.66
802.11ax HEW160_Nss2,(MCS0)_2TX	-1.38
5.725-5.85GHz	-
802.11ax HEW20_Nss2,(MCS0)_2TX	9.21
802.11ax HEW40_Nss2,(MCS0)_2TX	6.06
802.11ax HEW80_Nss2,(MCS0)_2TX	2.65

RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5260MHz	Pass	5.53	7.80	8.07	10.92	11.00
5300MHz	Pass	5.53	7.67	7.94	10.79	11.00
5320MHz	Pass	5.53	6.50	6.75	9.57	11.00
5500MHz	Pass	5.25	6.51	6.60	9.53	11.00
5580MHz	Pass	5.25	7.61	7.93	10.78	11.00
5700MHz	Pass	5.25	4.28	4.74	7.46	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.25	7.60	8.07	10.85	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	5.71	5.93	6.46	9.21	30.00
802.11ax HEW40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5270MHz	Pass	5.53	5.43	6.10	8.73	11.00
5310MHz	Pass	5.53	5.50	6.08	8.78	11.00
5510MHz	Pass	5.25	0.46	0.49	3.47	11.00
5550MHz	Pass	5.25	5.10	5.30	8.19	11.00
5670MHz	Pass	5.25	2.01	2.42	5.20	11.00
5710MHz Straddle 5.47-5.725GHz	Pass	5.25	4.79	5.14	7.91	11.00
5710MHz Straddle 5.725-5.85GHz	Pass	5.71	3.02	3.20	6.06	30.00
802.11ax HEW80_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5290MHz	Pass	5.53	-0.85	-0.57	2.21	11.00
5530MHz	Pass	5.25	-0.16	-0.34	2.70	11.00
5610MHz	Pass	5.25	2.36	2.97	5.66	11.00
5690MHz Straddle 5.47-5.725GHz	Pass	5.25	1.76	2.24	5.00	11.00
5690MHz Straddle 5.725-5.85GHz	Pass	5.71	-0.61	0.03	2.65	30.00
802.11ax HEW160_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	5.53	-4.34	-4.37	-1.48	17.00
5250MHz Straddle 5.25-5.35GHz	Pass	5.53	-4.22	-3.97	-1.11	11.00
5570MHz	Pass	5.25	-4.71	-4.00	-1.38	11.00

DG = Directional Gain; **RBW** = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;


PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; **Port X** = Port X power density;

802.11ax HEW20_Nss2,(MCS0)_2TX


PSD

5260MHz

16/06/2021



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.92	10.92	7.80	8.07




802.11ax HEW20_Nss2,(MCS0)_2TX


PSD

5300MHz

16/06/2021



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.79	10.79	7.67	7.94




802.11ax HEW20_Nss2,(MCS0)_2TX


PSD

5320MHz

16/06/2021



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.57	9.57	6.50	6.75




802.11ax HEW20_Nss2,(MCS0)_2TX


PSD

5500MHz

16/06/2021



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.53	9.53	6.51	6.60




802.11ax HEW20_Nss2,(MCS0)_2TX


PSD

5580MHz

16/06/2021



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.78	10.78	7.61	7.93




802.11ax HEW20_Nss2,(MCS0)_2TX


PSD

5700MHz

16/06/2021



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.46	7.46	4.28	4.74




802.11ax HEW20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz

PSD

16/06/2021




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.85	10.85	7.60	8.07

802.11ax HEW20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.725-5.85GHz

PSD

16/06/2021




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.21	9.21	5.93	6.46

802.11ax HEW40_Nss2,(MCS0)_2TX

5270MHz

PSD

16/06/2021




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.73	8.73	5.43	6.10

802.11ax HEW40_Nss2,(MCS0)_2TX

PSD

5310MHz

16/06/2021




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.78	8.78	5.50	6.08

802.11ax HEW40_Nss2,(MCS0)_2TX

PSD

5510MHz

16/06/2021




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.47	3.47	0.46	0.49

802.11ax HEW40_Nss2,(MCS0)_2TX

PSD

5550MHz

16/06/2021




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.19	8.19	5.10	5.30

802.11ax HEW40_Nss2,(MCS0)_2TX

PSD

5670MHz

16/06/2021




802.11ax HEW40_Nss2,(MCS0)_2TX

PSD

5710MHz Straddle 5.47-5.725GHz

16/06/2021




802.11ax HEW40_Nss2,(MCS0)_2TX

PSD

5710MHz Straddle 5.725-5.85GHz

16/06/2021




802.11ax HEW80_Nss2,(MCS0)_2TX

PSD

5290MHz

16/06/2021




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.21	2.21	-0.85	-0.57

802.11ax HEW80_Nss2,(MCS0)_2TX

PSD

5530MHz

16/06/2021




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.70	2.70	-0.16	-0.34

802.11ax HEW80_Nss2,(MCS0)_2TX

PSD

5610MHz

16/06/2021




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.66	5.66	2.36	2.97

802.11ax HEW80_Nss2,(MCS0)_2TX

PSD

5690MHz Straddle 5.47-5.725GHz

16/06/2021




802.11ax HEW80_Nss2,(MCS0)_2TX

PSD

5690MHz Straddle 5.725-5.85GHz

16/06/2021




802.11ax HEW160_Nss2,(MCS0)_2TX

PSD

5250MHz Straddle 5.15-5.25GHz

16/06/2021




802.11ax HEW160_Nss2,(MCS0)_2TX

PSD

5250MHz Straddle 5.25-5.35GHz

16/06/2021




802.11ax HEW160_Nss2,(MCS0)_2TX

PSD

5570MHz

16/06/2021






Radiated Emissions below 1GHz

Appendix E.1

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 4	Pass	QP	99.84M	40.43	43.50	-3.07	Horizontal

Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	35.82M	34.99	40.00	-5.01	-5.66	3	Vertical	135	3.00	"Worst"	40.65	21.50	1.30	28.46
PK	49.4M	33.80	40.00	-6.20	-12.65	3	Vertical	272	1.00	-	46.45	14.52	1.31	28.48
PK	75.59M	30.57	40.00	-9.43	-14.32	3	Vertical	133	1.25	-	44.89	12.73	1.49	28.54
PK	98.87M	37.49	43.50	-6.01	-10.61	3	Vertical	320	1.00	-	48.10	16.23	1.60	28.44
PK	935.98M	33.84	46.00	-12.16	2.06	3	Vertical	296	3.00	-	31.78	26.59	4.07	28.60
PK	958.29M	33.40	46.00	-12.60	2.43	3	Vertical	321	1.50	-	30.97	26.83	4.12	28.52

Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	30M	29.35	40.00	-10.65	-2.07	3	Horizontal	104	1.00	-	31.42	25.20	1.20	28.47
QP	99.84M	40.43	43.50	-3.07	-10.45	3	Horizontal	0	1.50	"Worst"	50.88	16.38	1.60	28.43
PK	908.82M	33.94	46.00	-12.06	1.84	3	Horizontal	293	1.25	-	32.10	26.45	4.02	28.63
PK	924.34M	33.59	46.00	-12.41	1.88	3	Horizontal	113	1.50	-	31.71	26.44	4.05	28.61
PK	951.5M	33.50	46.00	-12.50	2.27	3	Horizontal	112	1.25	-	31.23	26.74	4.10	28.57
PK	953.44M	33.37	46.00	-12.63	2.33	3	Horizontal	236	1.25	-	31.04	26.78	4.11	28.56




For Radio 2 / 1T1S
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.15G	53.99	54.00	-0.01	3	Vertical	75	2.22	-

802.11a_Nss1,(6Mbps)_1TX

27/05/2021

5180MHz_TX




EUT Z_1TX
Setting 87
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	73.85	74.00	-0.15	67.08	3	Vertical	72	2.70	-	33.50	5.00	31.73
AV	5.1498G	52.76	54.00	-1.24	45.99	3	Vertical	72	2.70	-	33.50	5.00	31.73
PK	5.1816G	111.55	Inf	-Inf	104.70	3	Vertical	72	2.70	-	33.50	5.06	31.71
AV	5.1818G	101.33	Inf	-Inf	94.48	3	Vertical	72	2.70	-	33.50	5.06	31.71

802.11a_Nss1,(6Mbps)_1TX

27/05/2021

5180MHz_TX




EUT Z_1TX
Setting 87
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	66.89	74.00	-7.11	60.12	3	Horizontal	293	2.97	-	33.50	5.00	31.73
AV	5.1496G	48.11	54.00	-5.89	41.34	3	Horizontal	293	2.97	-	33.50	5.00	31.73
PK	5.1816G	105.78	Inf	-Inf	98.93	3	Horizontal	293	2.97	-	33.50	5.06	31.71
AV	5.1826G	95.65	Inf	-Inf	88.78	3	Horizontal	293	2.97	-	33.50	5.07	31.70

802.11a_Nss1,(6Mbps)_1TX

27/05/2021

5180MHz_TX




EUT Z_1TX
Setting 87
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54756G	53.57	74.00	-20.43	39.61	3	Vertical	356	1.40	-	37.76	9.04	32.84
AV	15.55062G	39.30	54.00	-14.70	25.35	3	Vertical	356	1.40	-	37.75	9.04	32.84

802.11a_Nss1,(6Mbps)_1TX

27/05/2021

5180MHz_TX




EUT Z_1TX
Setting 87
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.55428G	53.27	74.00	-20.73	39.33	3	Horizontal	153	2.61	-	37.74	9.04	32.84
AV	15.53106G	39.33	54.00	-14.67	25.32	3	Horizontal	153	2.61	-	37.81	9.04	32.84

802.11a_Nss1,(6Mbps)_1TX

27/05/2021

5200MHz_TX




EUT Z_1TX
Setting 101
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1456G	69.90	74.00	-4.10	63.14	3	Vertical	75	2.22	-	33.50	4.99	31.73
AV	5.15G	53.99	54.00	-0.01	47.22	3	Vertical	75	2.22	-	33.50	5.00	31.73
PK	5.2048G	113.88	Inf	-Inf	106.96	3	Vertical	75	2.22	-	33.51	5.10	31.69
AV	5.2024G	103.81	Inf	-Inf	96.90	3	Vertical	75	2.22	-	33.50	5.10	31.69

802.11a_Nss1,(6Mbps)_1TX

27/05/2021

5200MHz_TX




EUT Z_1TX
Setting 101
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	63.16	74.00	-10.84	56.39	3	Horizontal	293	2.97	-	33.50	5.00	31.73
AV	5.15G	48.59	54.00	-5.41	41.82	3	Horizontal	293	2.97	-	33.50	5.00	31.73
PK	5.1952G	108.07	Inf	-Inf	101.18	3	Horizontal	293	2.97	-	33.50	5.09	31.70
AV	5.1924G	97.78	Inf	-Inf	90.90	3	Horizontal	293	2.97	-	33.50	5.08	31.70

802.11a_Nss1,(6Mbps)_1TX

27/05/2021

5200MHz_TX




EUT Z_1TX
Setting 101
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59718G	52.89	74.00	-21.11	39.07	3	Vertical	343	1.80	-	37.61	9.06	32.85
AV	15.60054G	39.31	54.00	-14.69	25.50	3	Vertical	343	1.80	-	37.60	9.06	32.85

802.11a_Nss1,(6Mbps)_1TX

27/05/2021

5200MHz_TX




EUT Z_1TX
Setting 101
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59274G	52.85	74.00	-21.15	39.02	3	Horizontal	111	1.02	-	37.62	9.06	32.85
AV	15.59934G	39.20	54.00	-14.80	25.39	3	Horizontal	111	1.02	-	37.60	9.06	32.85

802.11a_Nss1,(6Mbps)_1TX

27/05/2021

5240MHz_TX




EUT Z_1TX
Setting 104
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	69.81	74.00	-4.19	63.04	3	Vertical	209	2.68	-	33.50	5.00	31.73
AV	5.1488G	50.98	54.00	-3.02	44.21	3	Vertical	209	2.68	-	33.50	5.00	31.73
PK	5.2436G	116.74	Inf	-Inf	109.73	3	Vertical	209	2.68	-	33.59	5.08	31.66
AV	5.2424G	105.44	Inf	-Inf	98.44	3	Vertical	209	2.68	-	33.58	5.08	31.66
PK	5.3546G	64.87	74.00	-9.13	57.72	3	Vertical	209	2.68	-	33.71	5.02	31.58
AV	5.3528G	48.04	54.00	-5.96	40.89	3	Vertical	209	2.68	-	33.71	5.02	31.58

802.11a_Nss1,(6Mbps)_1TX

27/05/2021

5240MHz_TX




EUT Z_1TX
Setting 104
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	63.71	74.00	-10.29	56.94	3	Horizontal	296	2.92	-	33.50	5.00	31.73
AV	5.1482G	46.66	54.00	-7.34	39.89	3	Horizontal	296	2.92	-	33.50	5.00	31.73
PK	5.2436G	110.88	Inf	-Inf	103.87	3	Horizontal	296	2.92	-	33.59	5.08	31.66
AV	5.2424G	99.59	Inf	-Inf	92.59	3	Horizontal	296	2.92	-	33.58	5.08	31.66
PK	5.3546G	62.70	74.00	-11.30	55.55	3	Horizontal	296	2.92	-	33.71	5.02	31.58
AV	5.35G	46.60	54.00	-7.40	39.46	3	Horizontal	296	2.92	-	33.70	5.02	31.58

802.11a_Nss1,(6Mbps)_1TX

27/05/2021

5240MHz_TX




EUT Z_1TX
Setting 104
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.73164G	52.46	74.00	-21.54	38.81	3	Vertical	3	1.80	-	37.40	9.11	32.86
AV	15.70944G	38.81	54.00	-15.19	25.17	3	Vertical	3	1.80	-	37.40	9.10	32.86

802.11a_Nss1,(6Mbps)_1TX

27/05/2021

5240MHz_TX




EUT Z_1TX
Setting 104
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.70872G	52.31	74.00	-21.69	38.67	3	Horizontal	79	1.80	-	37.40	9.10	32.86
AV	15.71298G	38.76	54.00	-15.24	25.12	3	Horizontal	79	1.80	-	37.40	9.10	32.86

802.11a_Nss1,(6Mbps)_1TX

27/05/2021

5745MHz_TX




EUT Z_1TX
Setting 104
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	63.70	68.94	-5.24	56.21	3	Vertical	307	2.64	-	33.80	5.15	31.46
PK	5.748G	114.13	Inf	-Inf	106.74	3	Vertical	307	2.64	-	33.80	5.05	31.46
AV	5.747G	103.36	Inf	-Inf	95.98	3	Vertical	307	2.64	-	33.79	5.05	31.46
PK	5.971G	58.80	68.20	-9.40	50.64	3	Vertical	307	2.64	-	34.10	5.51	31.45

802.11a_Nss1,(6Mbps)_1TX

27/05/2021

5745MHz_TX




EUT Z_1TX
Setting 104
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	59.06	68.20	-9.14	51.55	3	Horizontal	108	2.58	-	33.81	5.16	31.46
PK	5.748G	109.71	Inf	-Inf	102.32	3	Horizontal	108	2.58	-	33.80	5.05	31.46
AV	5.748G	98.74	Inf	-Inf	91.35	3	Horizontal	108	2.58	-	33.80	5.05	31.46
PK	5.99G	58.91	68.20	-9.29	50.69	3	Horizontal	108	2.58	-	34.10	5.57	31.45

802.11a_Nss1,(6Mbps)_1TX

27/05/2021

5745MHz_TX




EUT Z_1TX
Setting 104
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47668G	52.02	74.00	-21.98	38.37	3	Vertical	33	1.61	-	38.95	7.62	32.92
AV	11.48544G	39.43	54.00	-14.57	25.77	3	Vertical	33	1.61	-	38.97	7.62	32.93

802.11a_Nss1,(6Mbps)_1TX

27/05/2021

5745MHz_TX




EUT Z_1TX
Setting 104
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48244G	51.99	74.00	-22.01	38.33	3	Horizontal	224	2.61	-	38.96	7.62	32.92
AV	11.4824G	39.20	54.00	-14.80	25.53	3	Horizontal	224	2.61	-	38.97	7.62	32.92

802.11a_Nss1,(6Mbps)_1TX

27/05/2021

5785MHz_TX




EUT Z_1TX
Setting 104
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	59.57	68.20	-8.63	52.07	3	Vertical	63	2.17	-	33.81	5.15	31.46
PK	5.789G	113.93	Inf	-Inf	106.66	3	Vertical	63	2.17	-	33.72	5.01	31.46
AV	5.788G	103.40	Inf	-Inf	96.13	3	Vertical	63	2.17	-	33.72	5.01	31.46
PK	5.95G	57.80	68.20	-10.40	49.70	3	Vertical	63	2.17	-	34.10	5.45	31.45

802.11a_Nss1,(6Mbps)_1TX

27/05/2021

5785MHz_TX




EUT Z_1TX
Setting 104
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.548G	57.41	68.20	-10.79	49.83	3	Horizontal	124	2.66	-	33.90	5.15	31.47
PK	5.791G	109.79	Inf	-Inf	102.52	3	Horizontal	124	2.66	-	33.72	5.01	31.46
AV	5.787G	98.95	Inf	-Inf	91.67	3	Horizontal	124	2.66	-	33.73	5.01	31.46
PK	5.981G	58.37	68.20	-9.83	50.18	3	Horizontal	124	2.66	-	34.10	5.54	31.45

802.11a_Nss1,(6Mbps)_1TX

27/05/2021

5785MHz_TX




EUT Z_1TX
Setting 104
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57762G	52.94	74.00	-21.06	38.99	3	Vertical	28	2.26	-	39.23	7.65	32.93
AV	11.56886G	39.40	54.00	-14.60	25.47	3	Vertical	28	2.26	-	39.21	7.65	32.93

802.11a_Nss1,(6Mbps)_1TX

27/05/2021

5785MHz_TX




EUT Z_1TX
Setting 104
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56712G	52.42	74.00	-21.58	38.50	3	Horizontal	125	2.41	-	39.20	7.65	32.93
AV	11.57132G	39.30	54.00	-14.70	25.37	3	Horizontal	125	2.41	-	39.21	7.65	32.93

802.11a_Nss1,(6Mbps)_1TX

27/05/2021

5825MHz_TX




EUT Z_1TX
Setting 104
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.633G	58.74	68.20	-9.46	51.20	3	Vertical	62	2.34	-	33.83	5.17	31.46
PK	5.819G	112.24	Inf	-Inf	104.90	3	Vertical	62	2.34	-	33.74	5.06	31.46
AV	5.823G	101.59	Inf	-Inf	94.23	3	Vertical	62	2.34	-	33.75	5.07	31.46
PK	5.975G	58.23	68.20	-9.97	50.06	3	Vertical	62	2.34	-	34.10	5.52	31.45

802.11a_Nss1,(6Mbps)_1TX

27/05/2021

5825MHz_TX




EUT Z_1TX
Setting 104
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.611G	57.57	68.20	-10.63	49.97	3	Horizontal	109	2.45	-	33.88	5.19	31.47
PK	5.819G	109.35	Inf	-Inf	102.01	3	Horizontal	109	2.45	-	33.74	5.06	31.46
AV	5.823G	98.88	Inf	-Inf	91.52	3	Horizontal	109	2.45	-	33.75	5.07	31.46
PK	5.958G	58.20	68.20	-10.00	50.08	3	Horizontal	109	2.45	-	34.10	5.47	31.45

802.11a_Nss1,(6Mbps)_1TX

27/05/2021

5825MHz_TX




EUT Z_1TX
Setting 104
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66152G	53.30	74.00	-20.70	39.19	3	Vertical	38	3.00	-	39.36	7.68	32.93
AV	11.65918G	39.52	54.00	-14.48	25.41	3	Vertical	38	3.00	-	39.36	7.68	32.93

802.11a_Nss1,(6Mbps)_1TX

27/05/2021

5825MHz_TX




EUT Z_1TX
Setting 104
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64958G	52.47	74.00	-21.53	38.37	3	Horizontal	64	2.43	-	39.35	7.68	32.93
AV	11.6599G	39.50	54.00	-14.50	25.39	3	Horizontal	64	2.43	-	39.36	7.68	32.93

802.11ax HEW20_Nss1,(MCS0)_1TX

27/05/2021

5180MHz_TX




EUT Z_1TX
Setting 83
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	70.52	74.00	-3.48	63.75	3	Vertical	75	2.46	-	33.50	5.00	31.73
AV	5.15G	53.89	54.00	-0.11	47.12	3	Vertical	75	2.46	-	33.50	5.00	31.73
PK	5.177G	113.66	Inf	-Inf	106.82	3	Vertical	75	2.46	-	33.50	5.05	31.71
AV	5.1784G	98.89	Inf	-Inf	92.04	3	Vertical	75	2.46	-	33.50	5.06	31.71

802.11ax HEW20_Nss1,(MCS0)_1TX

27/05/2021

5180MHz_TX




EUT Z_1TX
Setting 83
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	65.30	74.00	-8.70	58.53	3	Horizontal	291	2.84	-	33.50	5.00	31.73
AV	5.15G	50.56	54.00	-3.44	43.79	3	Horizontal	291	2.84	-	33.50	5.00	31.73
PK	5.177G	107.10	Inf	-Inf	100.26	3	Horizontal	291	2.84	-	33.50	5.05	31.71
AV	5.1848G	94.96	Inf	-Inf	88.09	3	Horizontal	291	2.84	-	33.50	5.07	31.70

802.11ax HEW20_Nss1,(MCS0)_1TX

27/05/2021

5180MHz_TX




EUT Z_1TX
Setting 83
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54176G	52.33	74.00	-21.67	38.36	3	Vertical	293	2.63	-	37.77	9.04	32.84
AV	15.54528G	39.66	54.00	-14.34	25.70	3	Vertical	293	2.63	-	37.76	9.04	32.84

802.11ax HEW20_Nss1,(MCS0)_1TX

27/05/2021

5180MHz_TX




EUT Z_1TX
Setting 83
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54428G	53.00	74.00	-21.00	39.03	3	Horizontal	321	1.21	-	37.77	9.04	32.84
AV	15.5312G	39.50	54.00	-14.50	25.49	3	Horizontal	321	1.21	-	37.81	9.04	32.84

802.11ax HEW20_Nss1,(MCS0)_1TX

27/05/2021

5200MHz_TX




EUT Z_1TX
Setting 98
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	68.87	74.00	-5.13	62.11	3	Vertical	72	2.22	-	33.50	4.99	31.73
AV	5.15G	53.79	54.00	-0.21	47.02	3	Vertical	72	2.22	-	33.50	5.00	31.73
PK	5.1968G	115.76	Inf	-Inf	108.86	3	Vertical	72	2.22	-	33.50	5.09	31.69
AV	5.2028G	102.78	Inf	-Inf	95.86	3	Vertical	72	2.22	-	33.51	5.10	31.69

802.11ax HEW20_Nss1,(MCS0)_1TX

27/05/2021

5200MHz_TX




EUT Z_1TX
Setting 98
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	63.47	74.00	-10.53	56.70	3	Horizontal	294	2.96	-	33.50	5.00	31.73
AV	5.1496G	47.91	54.00	-6.09	41.14	3	Horizontal	294	2.96	-	33.50	5.00	31.73
PK	5.1968G	110.18	Inf	-Inf	103.28	3	Horizontal	294	2.96	-	33.50	5.09	31.69
AV	5.1932G	97.09	Inf	-Inf	90.20	3	Horizontal	294	2.96	-	33.50	5.09	31.70

802.11ax HEW20_Nss1,(MCS0)_1TX

27/05/2021

5200MHz_TX




EUT Z_1TX
Setting 98
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60408G	52.79	74.00	-21.21	38.99	3	Vertical	87	1.29	-	37.59	9.06	32.85
AV	15.60236G	39.48	54.00	-14.52	25.67	3	Vertical	87	1.29	-	37.60	9.06	32.85

802.11ax HEW20_Nss1,(MCS0)_1TX

27/05/2021

5200MHz_TX




EUT Z_1TX
Setting 98
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6074G	52.44	74.00	-21.56	38.64	3	Horizontal	104	2.76	-	37.59	9.06	32.85
AV	15.60564G	39.46	54.00	-14.54	25.66	3	Horizontal	104	2.76	-	37.59	9.06	32.85

802.11ax HEW20_Nss1,(MCS0)_1TX

27/05/2021

5240MHz_TX




EUT Z_1TX
Setting 102
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	69.93	74.00	-4.07	63.16	3	Vertical	212	2.55	-	33.50	5.00	31.73
AV	5.1496G	53.86	54.00	-0.14	47.09	3	Vertical	212	2.55	-	33.50	5.00	31.73
PK	5.2368G	117.70	Inf	-Inf	110.71	3	Vertical	212	2.55	-	33.57	5.08	31.66
AV	5.2384G	105.16	Inf	-Inf	98.16	3	Vertical	212	2.55	-	33.58	5.08	31.66
PK	5.3504G	64.85	74.00	-9.15	57.71	3	Vertical	212	2.55	-	33.70	5.02	31.58
AV	5.35G	50.30	54.00	-3.70	43.16	3	Vertical	212	2.55	-	33.70	5.02	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

27/05/2021

5240MHz_TX



EUT Z_1TX
Setting 102
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	63.51	74.00	-10.49	56.74	3	Horizontal	293	2.92	-	33.50	5.00	31.73
AV	5.1496G	48.55	54.00	-5.45	41.78	3	Horizontal	293	2.92	-	33.50	5.00	31.73
PK	5.2368G	112.07	Inf	-Inf	105.08	3	Horizontal	293	2.92	-	33.57	5.08	31.66
AV	5.2384G	99.20	Inf	-Inf	92.20	3	Horizontal	293	2.92	-	33.58	5.08	31.66
PK	5.35G	61.66	74.00	-12.34	54.52	3	Horizontal	293	2.92	-	33.70	5.02	31.58
AV	5.35G	48.06	54.00	-5.94	40.92	3	Horizontal	293	2.92	-	33.70	5.02	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

27/05/2021

5240MHz_TX




EUT Z_1TX
Setting 102
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71364G	52.23	74.00	-21.77	38.59	3	Vertical	70	1.18	-	37.40	9.10	32.86
AV	15.72744G	39.24	54.00	-14.76	25.60	3	Vertical	70	1.18	-	37.40	9.10	32.86

802.11ax HEW20_Nss1,(MCS0)_1TX

27/05/2021

5240MHz_TX




EUT Z_1TX
Setting 102
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71552G	52.44	74.00	-21.56	38.80	3	Horizontal	52	2.25	-	37.40	9.10	32.86
AV	15.71988G	39.20	54.00	-14.80	25.56	3	Horizontal	52	2.25	-	37.40	9.10	32.86

802.11ax HEW20_Nss1,(MCS0)_1TX

27/05/2021

5745MHz_TX




EUT Z_1TX
Setting 104
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.638G	65.11	68.20	-3.09	57.59	3	Vertical	309	2.63	-	33.82	5.16	31.46
PK	5.742G	116.38	Inf	-Inf	109.00	3	Vertical	309	2.63	-	33.78	5.06	31.46
AV	5.743G	102.20	Inf	-Inf	94.81	3	Vertical	309	2.63	-	33.79	5.06	31.46
PK	5.98G	58.19	68.20	-10.01	50.00	3	Vertical	309	2.63	-	34.10	5.54	31.45

802.11ax HEW20_Nss1,(MCS0)_1TX

27/05/2021

5745MHz_TX




EUT Z_1TX
Setting 104
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	61.15	68.20	-7.05	53.66	3	Horizontal	108	2.57	-	33.80	5.15	31.46
PK	5.75G	111.59	Inf	-Inf	104.20	3	Horizontal	108	2.57	-	33.80	5.05	31.46
AV	5.749G	97.17	Inf	-Inf	89.78	3	Horizontal	108	2.57	-	33.80	5.05	31.46
PK	5.946G	57.80	68.20	-10.40	49.72	3	Horizontal	108	2.57	-	34.09	5.44	31.45

802.11ax HEW20_Nss1,(MCS0)_1TX

27/05/2021

5745MHz_TX




EUT Z_1TX
Setting 104
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4986G	53.02	74.00	-20.98	39.33	3	Vertical	64	2.60	-	39.00	7.62	32.93
AV	11.48224G	38.89	54.00	-15.11	25.23	3	Vertical	64	2.60	-	38.96	7.62	32.92

802.11ax HEW20_Nss1,(MCS0)_1TX

27/05/2021

5745MHz_TX




EUT Z_1TX
Setting 104
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48492G	53.45	74.00	-20.55	39.78	3	Horizontal	250	2.32	-	38.97	7.62	32.92
AV	11.48412G	39.05	54.00	-14.95	25.38	3	Horizontal	250	2.32	-	38.97	7.62	32.92

802.11ax HEW20_Nss1,(MCS0)_1TX

27/05/2021

5785MHz_TX




EUT Z_1TX
Setting 104
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.592G	59.50	68.20	-8.70	51.88	3	Vertical	61	2.37	-	33.90	5.19	31.47
PK	5.782G	115.50	Inf	-Inf	108.20	3	Vertical	61	2.37	-	33.74	5.02	31.46
AV	5.787G	101.53	Inf	-Inf	94.25	3	Vertical	61	2.37	-	33.73	5.01	31.46
PK	5.933G	57.77	68.20	-10.43	49.75	3	Vertical	61	2.37	-	34.07	5.40	31.45

802.11ax HEW20_Nss1,(MCS0)_1TX

27/05/2021

5785MHz_TX




EUT Z_1TX
Setting 104
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	58.33	68.20	-9.87	50.83	3	Horizontal	109	2.66	-	33.81	5.15	31.46
PK	5.782G	111.84	Inf	-Inf	104.54	3	Horizontal	109	2.66	-	33.74	5.02	31.46
AV	5.782G	97.47	Inf	-Inf	90.17	3	Horizontal	109	2.66	-	33.74	5.02	31.46
PK	5.931G	57.92	68.20	-10.28	49.92	3	Horizontal	109	2.66	-	34.06	5.39	31.45

802.11ax HEW20_Nss1,(MCS0)_1TX

27/05/2021

5785MHz_TX




EUT Z_1TX
Setting 104
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57304G	52.79	74.00	-21.21	38.85	3	Vertical	180	2.30	-	39.22	7.65	32.93
AV	11.57936G	38.96	54.00	-15.04	25.00	3	Vertical	180	2.30	-	39.24	7.65	32.93

802.11ax HEW20_Nss1,(MCS0)_1TX

27/05/2021

5785MHz_TX




EUT Z_1TX
Setting 104
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57624G	52.79	74.00	-21.21	38.84	3	Horizontal	29	2.02	-	39.23	7.65	32.93
AV	11.56808G	39.00	54.00	-15.00	25.08	3	Horizontal	29	2.02	-	39.20	7.65	32.93

802.11ax HEW20_Nss1,(MCS0)_1TX

27/05/2021

5825MHz_TX




EUT Z_1TX
Setting 104
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	58.66	68.20	-9.54	51.16	3	Vertical	307	2.71	-	33.81	5.15	31.46
PK	5.822G	115.16	Inf	-Inf	107.81	3	Vertical	307	2.71	-	33.74	5.07	31.46
AV	5.823G	100.91	Inf	-Inf	93.55	3	Vertical	307	2.71	-	33.75	5.07	31.46
PK	5.977G	57.72	68.20	-10.48	49.54	3	Vertical	307	2.71	-	34.10	5.53	31.45

802.11ax HEW20_Nss1,(MCS0)_1TX

27/05/2021

5825MHz_TX




EUT Z_1TX
Setting 104
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.632G	57.53	68.20	-10.67	49.98	3	Horizontal	107	2.56	-	33.84	5.17	31.46
PK	5.822G	110.83	Inf	-Inf	103.48	3	Horizontal	107	2.56	-	33.74	5.07	31.46
AV	5.826G	97.18	Inf	-Inf	89.81	3	Horizontal	107	2.56	-	33.75	5.08	31.46
PK	5.939G	57.84	68.20	-10.36	49.79	3	Horizontal	107	2.56	-	34.08	5.42	31.45

802.11ax HEW20_Nss1,(MCS0)_1TX

27/05/2021

5825MHz_TX




EUT Z_1TX
Setting 104
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6442G	52.92	74.00	-21.08	38.83	3	Vertical	64	2.02	-	39.34	7.68	32.93
AV	11.65716G	39.09	54.00	-14.91	24.98	3	Vertical	64	2.02	-	39.36	7.68	32.93

802.11ax HEW20_Nss1,(MCS0)_1TX

27/05/2021

5825MHz_TX




EUT Z_1TX
Setting 104
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65672G	52.64	74.00	-21.36	38.53	3	Horizontal	103	2.11	-	39.36	7.68	32.93
AV	11.65532G	39.13	54.00	-14.87	25.02	3	Horizontal	103	2.11	-	39.36	7.68	32.93

802.11ax HEW40_Nss1,(MCS0)_1TX

27/05/2021

5190MHz_TX




EUT Z_1TX
Setting 75
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	70.10	74.00	-3.90	63.33	3	Vertical	74	2.12	-	33.50	5.00	31.73
AV	5.15G	53.26	54.00	-0.74	46.49	3	Vertical	74	2.12	-	33.50	5.00	31.73
PK	5.188G	108.46	Inf	-Inf	101.58	3	Vertical	74	2.12	-	33.50	5.08	31.70
AV	5.1928G	96.09	Inf	-Inf	89.20	3	Vertical	74	2.12	-	33.50	5.09	31.70

802.11ax HEW40_Nss1,(MCS0)_1TX

27/05/2021

5190MHz_TX



EUT Z_1TX
Setting 75
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	64.69	74.00	-9.31	57.92	3	Horizontal	290	2.83	-	33.50	5.00	31.73
AV	5.1496G	49.52	54.00	-4.48	42.75	3	Horizontal	290	2.83	-	33.50	5.00	31.73
PK	5.1868G	103.07	Inf	-Inf	96.20	3	Horizontal	290	2.83	-	33.50	5.07	31.70
AV	5.1844G	90.55	Inf	-Inf	83.68	3	Horizontal	290	2.83	-	33.50	5.07	31.70

802.11ax HEW40_Nss1,(MCS0)_1TX

27/05/2021

5190MHz_TX




EUT Z_1TX
Setting 75
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5804G	52.60	74.00	-21.40	38.74	3	Vertical	4	1.19	-	37.66	9.05	32.85
AV	15.56936G	40.44	54.00	-13.56	26.55	3	Vertical	4	1.19	-	37.69	9.05	32.85

802.11ax HEW40_Nss1,(MCS0)_1TX

27/05/2021

5190MHz_TX




EUT Z_1TX
Setting 75
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.57048G	52.83	74.00	-21.17	38.94	3	Horizontal	167	3.00	-	37.69	9.05	32.85
AV	15.57848G	40.62	54.00	-13.38	26.76	3	Horizontal	167	3.00	-	37.66	9.05	32.85

802.11ax HEW40_Nss1,(MCS0)_1TX

27/05/2021

5230MHz_TX



EUT Z_1TX
Setting 96
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	68.29	74.00	-5.71	61.52	3	Vertical	211	2.55	-	33.50	5.00	31.73
AV	5.149G	53.41	54.00	-0.59	46.64	3	Vertical	211	2.55	-	33.50	5.00	31.73
PK	5.227G	112.87	Inf	-Inf	105.90	3	Vertical	211	2.55	-	33.55	5.09	31.67
AV	5.2378G	100.64	Inf	-Inf	93.64	3	Vertical	211	2.55	-	33.58	5.08	31.66
PK	5.3506G	60.84	74.00	-13.16	53.70	3	Vertical	211	2.55	-	33.70	5.02	31.58
AV	5.35G	47.39	54.00	-6.61	40.24	3	Vertical	211	2.55	-	33.70	5.03	31.58

802.11ax HEW40_Nss1,(MCS0)_1TX

27/05/2021

5230MHz_TX




EUT Z_1TX
Setting 96
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	60.87	74.00	-13.13	54.10	3	Horizontal	293	2.92	-	33.50	5.00	31.73
AV	5.1484G	48.47	54.00	-5.53	41.70	3	Horizontal	293	2.92	-	33.50	5.00	31.73
PK	5.227G	107.17	Inf	-Inf	100.20	3	Horizontal	293	2.92	-	33.55	5.09	31.67
AV	5.236G	95.15	Inf	-Inf	88.17	3	Horizontal	293	2.92	-	33.57	5.08	31.67
PK	5.3518G	58.53	74.00	-15.47	51.39	3	Horizontal	293	2.92	-	33.70	5.02	31.58
AV	5.3506G	46.39	54.00	-7.61	39.25	3	Horizontal	293	2.92	-	33.70	5.02	31.58

802.11ax HEW40_Nss1,(MCS0)_1TX

27/05/2021

5230MHz_TX




EUT Z_1TX
Setting 96
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6724G	52.42	74.00	-21.58	38.72	3	Vertical	81	2.72	-	37.46	9.09	32.85
AV	15.68816G	40.17	54.00	-13.83	26.52	3	Vertical	81	2.72	-	37.42	9.09	32.86

802.11ax HEW40_Nss1,(MCS0)_1TX

27/05/2021

5230MHz_TX




EUT Z_1TX
Setting 96
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6908G	52.09	74.00	-21.91	38.44	3	Horizontal	214	2.33	-	37.42	9.09	32.86
AV	15.68224G	40.12	54.00	-13.88	26.44	3	Horizontal	214	2.33	-	37.44	9.09	32.85

802.11ax HEW40_Nss1,(MCS0)_1TX

27/05/2021

5755MHz_TX




EUT Z_1TX
Setting 98
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	67.97	68.20	-0.23	60.46	3	Vertical	306	2.16	-	33.81	5.16	31.46
PK	5.752G	111.98	Inf	-Inf	104.59	3	Vertical	306	2.16	-	33.80	5.05	31.46
AV	5.761G	100.42	Inf	-Inf	93.06	3	Vertical	306	2.16	-	33.78	5.04	31.46
PK	5.975G	57.61	68.20	-10.59	49.44	3	Vertical	306	2.16	-	34.10	5.52	31.45

802.11ax HEW40_Nss1,(MCS0)_1TX

27/05/2021

5755MHz_TX




EUT Z_1TX
Setting 98
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	63.10	68.20	-5.10	55.61	3	Horizontal	122	2.35	-	33.80	5.15	31.46
PK	5.752G	108.48	Inf	-Inf	101.09	3	Horizontal	122	2.35	-	33.80	5.05	31.46
AV	5.761G	96.20	Inf	-Inf	88.84	3	Horizontal	122	2.35	-	33.78	5.04	31.46
PK	5.973G	58.02	68.20	-10.18	49.85	3	Horizontal	122	2.35	-	34.10	5.52	31.45

802.11ax HEW40_Nss1,(MCS0)_1TX

27/05/2021

5755MHz_TX




EUT Z_1TX
Setting 98
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.52664G	52.53	74.00	-21.47	38.75	3	Vertical	95	1.54	-	39.08	7.63	32.93
AV	11.52136G	40.41	54.00	-13.59	26.65	3	Vertical	95	1.54	-	39.06	7.63	32.93

802.11ax HEW40_Nss1,(MCS0)_1TX

27/05/2021

5755MHz_TX




EUT Z_1TX
Setting 98
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.5004G	52.04	74.00	-21.96	38.34	3	Horizontal	152	1.08	-	39.00	7.63	32.93	
AV	11.51232G	39.98	54.00	-14.02	26.24	3	Horizontal	152	1.08	-	39.04	7.63	32.93	

802.11ax HEW40_Nss1,(MCS0)_1TX

27/05/2021

5795MHz_TX




EUT Z_1TX
Setting 104
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.632G	66.60	68.20	-1.60	59.05	3	Vertical	63	1.82	-	33.84	5.17	31.46
PK	5.792G	112.35	Inf	-Inf	105.08	3	Vertical	63	1.82	-	33.72	5.01	31.46
AV	5.791G	100.46	Inf	-Inf	93.19	3	Vertical	63	1.82	-	33.72	5.01	31.46
PK	5.927G	57.78	68.20	-10.42	49.80	3	Vertical	63	1.82	-	34.05	5.38	31.45

802.11ax HEW40_Nss1,(MCS0)_1TX

27/05/2021

5795MHz_TX




EUT Z_1TX
Setting 104
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	63.56	68.20	-4.64	56.07	3	Horizontal	123	2.31	-	33.80	5.15	31.46
PK	5.793G	109.07	Inf	-Inf	101.81	3	Horizontal	123	2.31	-	33.71	5.01	31.46
AV	5.798G	97.10	Inf	-Inf	89.86	3	Horizontal	123	2.31	-	33.70	5.00	31.46
PK	5.951G	58.29	68.20	-9.91	50.19	3	Horizontal	123	2.31	-	34.10	5.45	31.45

802.11ax HEW40_Nss1,(MCS0)_1TX

27/05/2021

5795MHz_TX




EUT Z_1TX
Setting 104
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.59952G	52.80	74.00	-21.20	38.77	3	Vertical	206	2.80	-	39.30	7.66	32.93	
AV	11.59712G	40.32	54.00	-13.68	26.30	3	Vertical	206	2.80	-	39.29	7.66	32.93	

802.11ax HEW40_Nss1,(MCS0)_1TX

27/05/2021

5795MHz_TX




EUT Z_1TX
Setting 104
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58816G	52.64	74.00	-21.36	38.65	3	Horizontal	39	2.41	-	39.26	7.66	32.93
AV	11.5988G	40.27	54.00	-13.73	26.24	3	Horizontal	39	2.41	-	39.30	7.66	32.93

802.11ax HEW80_Nss1,(MCS0)_1TX

27/05/2021

5210MHz_TX




EUT Z_1TX
Setting 76
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	68.88	74.00	-5.12	62.12	3	Vertical	205	2.57	-	33.50	4.99	31.73
AV	5.148G	53.83	54.00	-0.17	47.06	3	Vertical	205	2.57	-	33.50	5.00	31.73
PK	5.221G	105.58	Inf	-Inf	98.63	3	Vertical	205	2.57	-	33.54	5.09	31.68
AV	5.223G	93.89	Inf	-Inf	86.92	3	Vertical	205	2.57	-	33.55	5.09	31.67
PK	5.352G	60.46	74.00	-13.54	53.32	3	Vertical	205	2.57	-	33.70	5.02	31.58
AV	5.351G	46.84	54.00	-7.16	39.70	3	Vertical	205	2.57	-	33.70	5.02	31.58

802.11ax HEW80_Nss1,(MCS0)_1TX

27/05/2021

5210MHz_TX




EUT Z_1TX
Setting 76
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	64.84	74.00	-9.16	58.08	3	Horizontal	290	2.80	-	33.50	4.99	31.73
AV	5.148G	50.55	54.00	-3.45	43.78	3	Horizontal	290	2.80	-	33.50	5.00	31.73
PK	5.192G	99.61	Inf	-Inf	92.73	3	Horizontal	290	2.80	-	33.50	5.08	31.70
AV	5.199G	87.29	Inf	-Inf	80.38	3	Horizontal	290	2.80	-	33.50	5.10	31.69
PK	5.39G	57.83	74.00	-16.17	50.60	3	Horizontal	290	2.80	-	33.78	5.00	31.55
AV	5.363G	45.40	54.00	-8.60	38.22	3	Horizontal	290	2.80	-	33.73	5.02	31.57

802.11ax HEW80_Nss1,(MCS0)_1TX

27/05/2021

5210MHz_TX




EUT Z_1TX
Setting 76
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.64912G	52.35	74.00	-21.65	38.62	3	Vertical	27	2.26	-	37.50	9.08	32.85
AV	15.61592G	39.92	54.00	-14.08	26.13	3	Vertical	27	2.26	-	37.57	9.07	32.85

802.11ax HEW80_Nss1,(MCS0)_1TX

27/05/2021

5210MHz_TX




EUT Z_1TX
Setting 76
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.648G	52.57	74.00	-21.43	38.84	3	Horizontal	216	2.90	-	37.50	9.08	32.85
AV	15.62544G	40.22	54.00	-13.78	26.45	3	Horizontal	216	2.90	-	37.55	9.07	32.85

802.11ax HEW80_Nss1,(MCS0)_1TX

27/05/2021

5775MHz_TX




EUT Z_1TX
Setting 91
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	68.14	68.20	-0.06	60.64	3	Vertical	61	2.39	-	33.81	5.15	31.46
PK	5.786G	108.49	Inf	-Inf	101.21	3	Vertical	61	2.39	-	33.73	5.01	31.46
AV	5.783G	96.58	Inf	-Inf	89.29	3	Vertical	61	2.39	-	33.73	5.02	31.46
PK	5.947G	58.04	68.20	-10.16	49.96	3	Vertical	61	2.39	-	34.09	5.44	31.45

802.11ax HEW80_Nss1,(MCS0)_1TX

27/05/2021

5775MHz_TX




EUT Z_1TX
Setting 91
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	63.59	68.20	-4.61	56.07	3	Horizontal	105	2.58	-	33.82	5.16	31.46
PK	5.757G	104.03	Inf	-Inf	96.66	3	Horizontal	105	2.58	-	33.79	5.04	31.46
AV	5.766G	92.78	Inf	-Inf	85.44	3	Horizontal	105	2.58	-	33.77	5.03	31.46
PK	5.939G	58.03	68.20	-10.17	49.98	3	Horizontal	105	2.58	-	34.08	5.42	31.45

802.11ax HEW80_Nss1,(MCS0)_1TX

27/05/2021

5775MHz_TX




EUT Z_1TX
Setting 91
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56192G	52.44	74.00	-21.56	38.53	3	Vertical	255	1.21	-	39.19	7.65	32.93
AV	11.56944G	39.99	54.00	-14.01	26.06	3	Vertical	255	1.21	-	39.21	7.65	32.93

802.11ax HEW80_Nss1,(MCS0)_1TX

27/05/2021

5775MHz_TX



EUT Z_1TX
Setting 91
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.53984G	52.60	74.00	-21.40	38.77	3	Horizontal	285	1.16	-	39.12	7.64	32.93
AV	11.53048G	40.03	54.00	-13.97	26.23	3	Horizontal	285	1.16	-	39.09	7.64	32.93




For Radio 2 / 1T1S
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	PK	5.7254G	68.18	68.20	-0.02	3	Vertical	305	2.46	-

802.11a_Nss1,(6Mbps)_1TX

27/05/2021

5260MHz_TX




EUT Z_1TX
Setting 104
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	66.31	74.00	-7.69	59.55	3	Vertical	74	2.18	-	33.50	4.99	31.73
AV	5.1496G	48.86	54.00	-5.14	42.09	3	Vertical	74	2.18	-	33.50	5.00	31.73
PK	5.254G	116.39	Inf	-Inf	109.36	3	Vertical	74	2.18	-	33.61	5.07	31.65
AV	5.2576G	105.53	Inf	-Inf	98.49	3	Vertical	74	2.18	-	33.62	5.07	31.65
PK	5.3518G	65.86	74.00	-8.14	58.72	3	Vertical	74	2.18	-	33.70	5.02	31.58
AV	5.35G	50.61	54.00	-3.39	43.46	3	Vertical	74	2.18	-	33.70	5.03	31.58

802.11a_Nss1,(6Mbps)_1TX

27/05/2021

5260MHz_TX




EUT Z_1TX
Setting 104
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	60.24	74.00	-13.76	53.47	3	Horizontal	115	2.73	-	33.50	5.00	31.73
AV	5.15G	45.37	54.00	-8.63	38.60	3	Horizontal	115	2.73	-	33.50	5.00	31.73
PK	5.2594G	110.20	Inf	-Inf	103.16	3	Horizontal	115	2.73	-	33.62	5.07	31.65
AV	5.2576G	99.59	Inf	-Inf	92.55	3	Horizontal	115	2.73	-	33.62	5.07	31.65
PK	5.356G	61.68	74.00	-12.32	54.53	3	Horizontal	115	2.73	-	33.71	5.02	31.58
AV	5.35G	47.49	54.00	-6.51	40.34	3	Horizontal	115	2.73	-	33.70	5.03	31.58

802.11a_Nss1,(6Mbps)_1TX

27/05/2021

5260MHz_TX




EUT Z_1TX
Setting 104
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.76878G	52.34	74.00	-21.66	38.68	3	Vertical	263	3.00	-	37.40	9.12	32.86
AV	15.78582G	39.24	54.00	-14.76	25.57	3	Vertical	263	3.00	-	37.40	9.13	32.86

802.11a_Nss1,(6Mbps)_1TX

27/05/2021

5260MHz_TX




EUT Z_1TX
Setting 104
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78708G	52.67	74.00	-21.33	39.00	3	Horizontal	278	1.52	-	37.40	9.13	32.86
AV	15.77784G	39.27	54.00	-14.73	25.61	3	Horizontal	278	1.52	-	37.40	9.12	32.86

802.11a_Nss1,(6Mbps)_1TX

27/05/2021

5300MHz_TX




EUT Z_1TX
Setting 99
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3048G	113.72	Inf	-Inf	106.58	3	Vertical	74	2.28	-	33.70	5.05	31.61
AV	5.3024G	103.74	Inf	-Inf	96.61	3	Vertical	74	2.28	-	33.70	5.05	31.62
PK	5.3516G	68.62	74.00	-5.38	61.48	3	Vertical	74	2.28	-	33.70	5.02	31.58
AV	5.35G	53.96	54.00	-0.04	46.81	3	Vertical	74	2.28	-	33.70	5.03	31.58

802.11a_Nss1,(6Mbps)_1TX

27/05/2021

5300MHz_TX




EUT Z_1TX
Setting 99
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3048G	109.17	Inf	-Inf	102.03	3	Horizontal	117	2.46	-	33.70	5.05	31.61
AV	5.302G	99.20	Inf	-Inf	92.07	3	Horizontal	117	2.46	-	33.70	5.05	31.62
PK	5.35G	64.74	74.00	-9.26	57.59	3	Horizontal	117	2.46	-	33.70	5.03	31.58
AV	5.35G	49.41	54.00	-4.59	42.26	3	Horizontal	117	2.46	-	33.70	5.03	31.58

802.11a_Nss1,(6Mbps)_1TX

27/05/2021

5300MHz_TX




EUT Z_1TX
Setting 99
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9108G	52.29	74.00	-21.71	38.50	3	Vertical	348	1.80	-	37.49	9.17	32.87
AV	15.89106G	38.86	54.00	-15.14	25.08	3	Vertical	348	1.80	-	37.49	9.16	32.87

802.11a_Nss1,(6Mbps)_1TX

27/05/2021

5300MHz_TX




EUT Z_1TX
Setting 99
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.891G	52.68	74.00	-21.32	38.90	3	Horizontal	244	1.80	-	37.49	9.16	32.87
AV	15.89532G	38.83	54.00	-15.17	25.04	3	Horizontal	244	1.80	-	37.50	9.16	32.87

802.11a_Nss1,(6Mbps)_1TX

27/05/2021

5320MHz_TX




EUT Z_1TX
Setting 90
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3216G	111.06	Inf	-Inf	103.92	3	Vertical	76	2.15	-	33.70	5.04	31.60
AV	5.3178G	100.99	Inf	-Inf	93.85	3	Vertical	76	2.15	-	33.70	5.04	31.60
PK	5.35G	73.76	74.00	-0.24	66.61	3	Vertical	76	2.15	-	33.70	5.03	31.58
AV	5.3502G	53.17	54.00	-0.83	46.03	3	Vertical	76	2.15	-	33.70	5.02	31.58

802.11a_Nss1,(6Mbps)_1TX

27/05/2021

5320MHz_TX




EUT Z_1TX
Setting 90
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3214G	107.56	Inf	-Inf	100.42	3	Horizontal	114	2.46	-	33.70	5.04	31.60
AV	5.3216G	97.47	Inf	-Inf	90.33	3	Horizontal	114	2.46	-	33.70	5.04	31.60
PK	5.35G	70.98	74.00	-3.02	63.83	3	Horizontal	114	2.46	-	33.70	5.03	31.58
AV	5.35G	51.15	54.00	-2.85	44.00	3	Horizontal	114	2.46	-	33.70	5.03	31.58

802.11a_Nss1,(6Mbps)_1TX

27/05/2021

5320MHz_TX




EUT Z_1TX
Setting 90
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63502G	52.01	74.00	-21.99	38.84	3	Vertical	28	1.80	-	38.46	7.32	32.61
AV	10.6316G	38.84	54.00	-15.16	25.66	3	Vertical	28	1.80	-	38.47	7.32	32.61

802.11a_Nss1,(6Mbps)_1TX

27/05/2021

5320MHz_TX




EUT Z_1TX
Setting 90
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63748G	52.39	74.00	-21.61	39.22	3	Horizontal	19	1.80	-	38.46	7.32	32.61
AV	10.64462G	38.92	54.00	-15.08	25.74	3	Horizontal	19	1.80	-	38.46	7.33	32.61

802.11a_Nss1,(6Mbps)_1TX

27/05/2021

5500MHz_TX




EUT Z_1TX
Setting 83
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	66.08	74.00	-7.92	58.62	3	Vertical	296	2.72	-	33.90	5.06	31.50
AV	5.4596G	46.60	54.00	-7.40	39.14	3	Vertical	296	2.72	-	33.90	5.06	31.50
PK	5.47G	68.14	68.20	-0.06	60.66	3	Vertical	296	2.72	-	33.90	5.07	31.49
PK	5.5016G	110.49	Inf	-Inf	102.96	3	Vertical	296	2.72	-	33.90	5.10	31.47
AV	5.504G	100.45	Inf	-Inf	92.92	3	Vertical	296	2.72	-	33.90	5.10	31.47

802.11a_Nss1,(6Mbps)_1TX

27/05/2021

5500MHz_TX




EUT Z_1TX
Setting 83
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	60.96	74.00	-13.04	53.50	3	Horizontal	286	2.96	-	33.90	5.06	31.50
AV	5.4566G	45.22	54.00	-8.78	37.76	3	Horizontal	286	2.96	-	33.90	5.06	31.50
PK	5.4686G	63.27	68.20	-4.93	55.79	3	Horizontal	286	2.96	-	33.90	5.07	31.49
PK	5.5014G	105.82	Inf	-Inf	98.29	3	Horizontal	286	2.96	-	33.90	5.10	31.47
AV	5.4978G	95.56	Inf	-Inf	88.03	3	Horizontal	286	2.96	-	33.90	5.10	31.47

802.11a_Nss1,(6Mbps)_1TX

27/05/2021

5500MHz_TX




EUT Z_1TX
Setting 83
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00528G	52.34	74.00	-21.66	39.14	3	Vertical	159	2.54	-	38.51	7.45	32.76
AV	11.01386G	38.92	54.00	-15.08	25.72	3	Vertical	159	2.54	-	38.51	7.45	32.76

802.11a_Nss1,(6Mbps)_1TX

27/05/2021

5500MHz_TX




EUT Z_1TX
Setting 83
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01416G	52.09	74.00	-21.91	38.89	3	Horizontal	121	2.71	-	38.51	7.45	32.76
AV	11.01482G	39.01	54.00	-14.99	25.81	3	Horizontal	121	2.71	-	38.51	7.46	32.77

802.11a_Nss1,(6Mbps)_1TX

27/05/2021

5580MHz_TX




EUT Z_1TX
Setting 104
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	61.31	74.00	-12.69	53.85	3	Vertical	301	2.53	-	33.90	5.06	31.50
AV	5.46G	46.80	54.00	-7.20	39.34	3	Vertical	301	2.53	-	33.90	5.06	31.50
PK	5.469G	63.26	68.20	-4.94	55.78	3	Vertical	301	2.53	-	33.90	5.07	31.49
PK	5.5836G	116.18	Inf	-Inf	108.57	3	Vertical	301	2.53	-	33.90	5.18	31.47
AV	5.5824G	105.02	Inf	-Inf	97.41	3	Vertical	301	2.53	-	33.90	5.18	31.47
PK	5.7276G	57.81	68.20	-10.39	50.44	3	Vertical	301	2.53	-	33.76	5.07	31.46

802.11a_Nss1,(6Mbps)_1TX

27/05/2021

5580MHz_TX




EUT Z_1TX
Setting 104
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4462G	57.80	74.00	-16.20	50.37	3	Horizontal	115	2.73	-	33.89	5.05	31.51
PK	5.469G	59.35	68.20	-8.85	51.87	3	Horizontal	115	2.73	-	33.90	5.07	31.49
AV	5.4594G	45.11	54.00	-8.89	37.65	3	Horizontal	115	2.73	-	33.90	5.06	31.50
PK	5.5836G	110.80	Inf	-Inf	103.19	3	Horizontal	115	2.73	-	33.90	5.18	31.47
AV	5.5776G	99.74	Inf	-Inf	92.13	3	Horizontal	115	2.73	-	33.90	5.18	31.47
PK	5.7288G	56.79	68.20	-11.41	49.42	3	Horizontal	115	2.73	-	33.76	5.07	31.46

802.11a_Nss1,(6Mbps)_1TX

27/05/2021

5580MHz_TX




EUT Z_1TX
Setting 104
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.17428G	52.67	74.00	-21.33	39.31	3	Vertical	22	2.37	-	38.67	7.51	32.82
AV	11.17122G	39.25	54.00	-14.75	25.89	3	Vertical	22	2.37	-	38.67	7.51	32.82

802.11a_Nss1,(6Mbps)_1TX

27/05/2021

5580MHz_TX




EUT Z_1TX
Setting 104
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16066G	52.69	74.00	-21.31	39.33	3	Horizontal	300	1.73	-	38.66	7.51	32.81
AV	11.16438G	39.23	54.00	-14.77	25.88	3	Horizontal	300	1.73	-	38.66	7.51	32.82

802.11a_Nss1,(6Mbps)_1TX

27/05/2021

5700MHz_TX




EUT Z_1TX
Setting 78
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7016G	111.23	Inf	-Inf	103.89	3	Vertical	307	2.55	-	33.70	5.10	31.46
AV	5.6978G	101.15	Inf	-Inf	93.81	3	Vertical	307	2.55	-	33.70	5.10	31.46
PK	5.7252G	67.97	68.20	-0.23	60.61	3	Vertical	307	2.55	-	33.75	5.07	31.46

802.11a_Nss1,(6Mbps)_1TX

27/05/2021

5700MHz_TX




EUT Z_1TX
Setting 78
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7024G	105.13	Inf	-Inf	97.79	3	Horizontal	126	2.70	-	33.70	5.10	31.46
AV	5.7038G	95.05	Inf	-Inf	87.70	3	Horizontal	126	2.70	-	33.71	5.10	31.46
PK	5.7268G	63.40	68.20	-4.80	56.04	3	Horizontal	126	2.70	-	33.75	5.07	31.46

802.11a_Nss1,(6Mbps)_1TX

27/05/2021

5700MHz_TX




EUT Z_1TX
Setting 78
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41182G	52.47	74.00	-21.53	38.96	3	Vertical	309	1.80	-	38.82	7.59	32.90
AV	11.41476G	39.61	54.00	-14.39	26.08	3	Vertical	309	1.80	-	38.83	7.60	32.90

802.11a_Nss1,(6Mbps)_1TX

27/05/2021

5700MHz_TX




EUT Z_1TX
Setting 78
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39496G	52.93	74.00	-21.07	39.44	3	Horizontal	132	1.10	-	38.79	7.59	32.89
AV	11.41176G	39.72	54.00	-14.28	26.21	3	Horizontal	132	1.10	-	38.82	7.59	32.90

802.11a_Nss1,(6Mbps)_1TX

27/05/2021

5720MHz Straddle 5.47-5.725GHz_TX




EUT Z_1TX
Setting 104
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.724G	114.72	Inf	-Inf	107.35	3	Vertical	309	2.25	-	33.75	5.08	31.46
AV	5.7224G	103.92	Inf	-Inf	96.56	3	Vertical	309	2.25	-	33.74	5.08	31.46
PK	5.9064G	57.90	68.20	-10.30	50.02	3	Vertical	309	2.25	-	34.01	5.32	31.45

802.11a_Nss1,(6Mbps)_1TX

27/05/2021

5720MHz Straddle 5.47-5.725GHz_TX




EUT Z_1TX
Setting 104
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.724G	110.30	Inf	-Inf	102.93	3	Horizontal	109	2.63	-	33.75	5.08	31.46
AV	5.7224G	99.46	Inf	-Inf	92.10	3	Horizontal	109	2.63	-	33.74	5.08	31.46
PK	5.9048G	58.26	68.20	-9.94	50.39	3	Horizontal	109	2.63	-	34.01	5.31	31.45

802.11a_Nss1,(6Mbps)_1TX

27/05/2021

5720MHz Straddle 5.47-5.725GHz_TX




EUT Z_1TX
Setting 104
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4478G	52.69	74.00	-21.31	39.09	3	Vertical	352	1.61	-	38.90	7.61	32.91
AV	11.452G	39.48	54.00	-14.52	25.88	3	Vertical	352	1.61	-	38.90	7.61	32.91

802.11a_Nss1,(6Mbps)_1TX

27/05/2021

5720MHz Straddle 5.47-5.725GHz_TX




EUT Z_1TX
Setting 104
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43154G	52.55	74.00	-21.45	39.00	3	Horizontal	274	2.41	-	38.86	7.60	32.91
AV	11.42662G	39.40	54.00	-14.60	25.86	3	Horizontal	274	2.41	-	38.85	7.60	32.91

802.11ax HEW20_Nss1,(MCS0)_1TX

27/05/2021

5260MHz_TX



EUT Z_1TX
Setting 104
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	66.40	74.00	-7.60	59.64	3	Vertical	73	2.19	-	33.50	4.99	31.73
AV	5.1496G	51.39	54.00	-2.61	44.62	3	Vertical	73	2.19	-	33.50	5.00	31.73
PK	5.2568G	117.70	Inf	-Inf	110.67	3	Vertical	73	2.19	-	33.61	5.07	31.65
AV	5.256G	104.96	Inf	-Inf	97.93	3	Vertical	73	2.19	-	33.61	5.07	31.65
PK	5.3536G	67.73	74.00	-6.27	60.58	3	Vertical	73	2.19	-	33.71	5.02	31.58
AV	5.35G	53.08	54.00	-0.92	45.94	3	Vertical	73	2.19	-	33.70	5.02	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

27/05/2021

5260MHz_TX



EUT Z_1TX
Setting 104
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	60.76	74.00	-13.24	54.00	3	Horizontal	115	2.72	-	33.50	4.99	31.73
AV	5.1496G	46.82	54.00	-7.18	40.05	3	Horizontal	115	2.72	-	33.50	5.00	31.73
PK	5.2568G	112.28	Inf	-Inf	105.25	3	Horizontal	115	2.72	-	33.61	5.07	31.65
AV	5.256G	99.21	Inf	-Inf	92.18	3	Horizontal	115	2.72	-	33.61	5.07	31.65
PK	5.35G	64.16	74.00	-9.84	57.02	3	Horizontal	115	2.72	-	33.70	5.02	31.58
AV	5.35G	49.45	54.00	-4.55	42.31	3	Horizontal	115	2.72	-	33.70	5.02	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

27/05/2021

5260MHz_TX




EUT Z_1TX
Setting 104
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77432G	53.06	74.00	-20.94	39.40	3	Vertical	341	2.90	-	37.40	9.12	32.86
AV	15.78448G	39.61	54.00	-14.39	25.95	3	Vertical	341	2.90	-	37.40	9.12	32.86

802.11ax HEW20_Nss1,(MCS0)_1TX

27/05/2021

5260MHz_TX




EUT Z_1TX
Setting 104
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78024G	52.96	74.00	-21.04	39.30	3	Horizontal	272	1.74	-	37.40	9.12	32.86
AV	15.78316G	39.57	54.00	-14.43	25.91	3	Horizontal	272	1.74	-	37.40	9.12	32.86

802.11ax HEW20_Nss1,(MCS0)_1TX

27/05/2021

5300MHz_TX




EUT Z_1TX
Setting 98
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2972G	116.49	Inf	-Inf	109.37	3	Vertical	76	2.17	-	33.69	5.05	31.62
AV	5.2984G	102.17	Inf	-Inf	95.04	3	Vertical	76	2.17	-	33.70	5.05	31.62
PK	5.35G	69.65	74.00	-4.35	62.50	3	Vertical	76	2.17	-	33.70	5.03	31.58
AV	5.351G	53.90	54.00	-0.10	46.76	3	Vertical	76	2.17	-	33.70	5.02	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

27/05/2021

5300MHz_TX




EUT Z_1TX
Setting 98
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2972G	112.07	Inf	-Inf	104.95	3	Horizontal	115	2.45	-	33.69	5.05	31.62
AV	5.3032G	98.01	Inf	-Inf	90.88	3	Horizontal	115	2.45	-	33.70	5.05	31.62
PK	5.3516G	68.54	74.00	-5.46	61.40	3	Horizontal	115	2.45	-	33.70	5.02	31.58
AV	5.35G	51.55	54.00	-2.45	44.40	3	Horizontal	115	2.45	-	33.70	5.03	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

27/05/2021

5300MHz_TX




EUT Z_1TX
Setting 98
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.901G	53.60	74.00	-20.40	39.80	3	Vertical	281	2.70	-	37.50	9.17	32.87
AV	15.90544G	39.57	54.00	-14.43	25.78	3	Vertical	281	2.70	-	37.49	9.17	32.87

802.11ax HEW20_Nss1,(MCS0)_1TX

27/05/2021

5300MHz_TX




EUT Z_1TX
Setting 98
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9098G	52.57	74.00	-21.43	38.78	3	Horizontal	259	1.27	-	37.49	9.17	32.87
AV	15.89056G	38.89	54.00	-15.11	25.11	3	Horizontal	259	1.27	-	37.49	9.16	32.87

802.11ax HEW20_Nss1,(MCS0)_1TX

27/05/2021

5320MHz_TX




EUT Z_1TX
Setting 87
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3168G	113.70	Inf	-Inf	106.57	3	Vertical	76	2.15	-	33.70	5.04	31.61
AV	5.3182G	99.44	Inf	-Inf	92.30	3	Vertical	76	2.15	-	33.70	5.04	31.60
PK	5.35G	73.39	74.00	-0.61	66.24	3	Vertical	76	2.15	-	33.70	5.03	31.58
AV	5.351G	53.80	54.00	-0.20	46.66	3	Vertical	76	2.15	-	33.70	5.02	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

27/05/2021

5320MHz_TX




EUT Z_1TX
Setting 87
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.317G	109.69	Inf	-Inf	102.56	3	Horizontal	114	2.47	-	33.70	5.04	31.61	
AV	5.3184G	95.66	Inf	-Inf	88.52	3	Horizontal	114	2.47	-	33.70	5.04	31.60	
PK	5.35G	69.93	74.00	-4.07	62.78	3	Horizontal	114	2.47	-	33.70	5.03	31.58	
AV	5.35G	51.01	54.00	-2.99	43.86	3	Horizontal	114	2.47	-	33.70	5.03	31.58	

802.11ax HEW20_Nss1,(MCS0)_1TX

27/05/2021

5320MHz_TX




EUT Z_1TX
Setting 87
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.9508G	53.45	74.00	-20.55	39.70	3	Vertical	193	2.86	-	37.45	9.18	32.88	
AV	15.95052G	39.40	54.00	-14.60	25.65	3	Vertical	193	2.86	-	37.45	9.18	32.88	

802.11ax HEW20_Nss1,(MCS0)_1TX

27/05/2021

5320MHz_TX




EUT Z_1TX
Setting 87
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95072G	51.65	74.00	-22.35	37.90	3	Horizontal	39	1.28	-	37.45	9.18	32.88
AV	15.95048G	37.25	54.00	-16.75	23.50	3	Horizontal	39	1.28	-	37.45	9.18	32.88

802.11ax HEW20_Nss1,(MCS0)_1TX

27/05/2021

5500MHz_TX




EUT Z_1TX
Setting 78
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	60.70	74.00	-13.30	53.24	3	Vertical	302	2.61	-	33.90	5.06	31.50
AV	5.46G	45.59	54.00	-8.41	38.13	3	Vertical	302	2.61	-	33.90	5.06	31.50
PK	5.47G	68.02	68.20	-0.18	60.54	3	Vertical	302	2.61	-	33.90	5.07	31.49
PK	5.497G	111.55	Inf	-Inf	104.02	3	Vertical	302	2.61	-	33.90	5.10	31.47
AV	5.4956G	97.23	Inf	-Inf	89.70	3	Vertical	302	2.61	-	33.90	5.10	31.47

802.11ax HEW20_Nss1,(MCS0)_1TX

27/05/2021

5500MHz_TX



EUT Z_1TX
Setting 78
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4598G	59.77	74.00	-14.23	52.31	3	Horizontal	128	2.78	-	33.90	5.06	31.50
AV	5.46G	44.80	54.00	-9.20	37.34	3	Horizontal	128	2.78	-	33.90	5.06	31.50
PK	5.4694G	64.84	68.20	-3.36	57.36	3	Horizontal	128	2.78	-	33.90	5.07	31.49
PK	5.497G	108.21	Inf	-Inf	100.68	3	Horizontal	128	2.78	-	33.90	5.10	31.47
AV	5.4984G	94.05	Inf	-Inf	86.52	3	Horizontal	128	2.78	-	33.90	5.10	31.47

802.11ax HEW20_Nss1,(MCS0)_1TX

27/05/2021

5500MHz_TX




EUT Z_1TX
Setting 78
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00676G	52.69	74.00	-21.31	39.49	3	Vertical	259	2.02	-	38.51	7.45	32.76
AV	11.00968G	38.44	54.00	-15.56	25.24	3	Vertical	259	2.02	-	38.51	7.45	32.76

802.11ax HEW20_Nss1,(MCS0)_1TX

27/05/2021

5500MHz_TX




EUT Z_1TX
Setting 78
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00708G	52.63	74.00	-21.37	39.43	3	Horizontal	281	1.48	-	38.51	7.45	32.76
AV	11.00948G	38.34	54.00	-15.66	25.14	3	Horizontal	281	1.48	-	38.51	7.45	32.76

802.11ax HEW20_Nss1,(MCS0)_1TX

27/05/2021

5580MHz_TX




EUT Z_1TX
Setting 104
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4552G	63.47	74.00	-10.53	56.01	3	Vertical	300	2.54	-	33.90	5.06	31.50
AV	5.46G	47.92	54.00	-6.08	40.46	3	Vertical	300	2.54	-	33.90	5.06	31.50
PK	5.469G	65.45	68.20	-2.75	57.97	3	Vertical	300	2.54	-	33.90	5.07	31.49
PK	5.577G	117.00	Inf	-Inf	109.39	3	Vertical	300	2.54	-	33.90	5.18	31.47
AV	5.583G	103.42	Inf	-Inf	95.81	3	Vertical	300	2.54	-	33.90	5.18	31.47
PK	5.7288G	60.51	68.20	-7.69	53.14	3	Vertical	300	2.54	-	33.76	5.07	31.46

802.11ax HEW20_Nss1,(MCS0)_1TX

27/05/2021

5580MHz_TX




EUT Z_1TX
Setting 104
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	59.63	74.00	-14.37	52.18	3	Horizontal	121	2.73	-	33.90	5.05	31.50
AV	5.46G	45.69	54.00	-8.31	38.23	3	Horizontal	121	2.73	-	33.90	5.06	31.50
PK	5.469G	60.69	68.20	-7.51	53.21	3	Horizontal	121	2.73	-	33.90	5.07	31.49
PK	5.577G	112.12	Inf	-Inf	104.51	3	Horizontal	121	2.73	-	33.90	5.18	31.47
AV	5.5746G	98.04	Inf	-Inf	90.44	3	Horizontal	121	2.73	-	33.90	5.17	31.47
PK	5.7258G	58.10	68.20	-10.10	50.74	3	Horizontal	121	2.73	-	33.75	5.07	31.46

802.11ax HEW20_Nss1,(MCS0)_1TX

27/05/2021

5580MHz_TX




EUT Z_1TX
Setting 104
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16248G	52.34	74.00	-21.66	38.99	3	Vertical	273	2.31	-	38.66	7.51	32.82
AV	11.1608G	38.49	54.00	-15.51	25.13	3	Vertical	273	2.31	-	38.66	7.51	32.81

802.11ax HEW20_Nss1,(MCS0)_1TX

27/05/2021

5580MHz_TX




EUT Z_1TX
Setting 104
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1628G	52.55	74.00	-21.45	39.20	3	Horizontal	126	1.66	-	38.66	7.51	32.82
AV	11.1608G	38.48	54.00	-15.52	25.12	3	Horizontal	126	1.66	-	38.66	7.51	32.81

802.11ax HEW20_Nss1,(MCS0)_1TX

27/05/2021

5700MHz_TX




EUT Z_1TX
Setting 72
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.697G	111.87	Inf	-Inf	104.52	3	Vertical	305	2.46	-	33.71	5.10	31.46
AV	5.6954G	97.63	Inf	-Inf	90.28	3	Vertical	305	2.46	-	33.71	5.10	31.46
PK	5.7254G	68.18	68.20	-0.02	60.82	3	Vertical	305	2.46	-	33.75	5.07	31.46

802.11ax HEW20_Nss1,(MCS0)_1TX

27/05/2021

5700MHz_TX




EUT Z_1TX
Setting 72
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.697G	105.87	Inf	-Inf	98.52	3	Horizontal	327	2.81	-	33.71	5.10	31.46
AV	5.6954G	91.86	Inf	-Inf	84.51	3	Horizontal	327	2.81	-	33.71	5.10	31.46
PK	5.7272G	67.20	68.20	-1.00	59.84	3	Horizontal	327	2.81	-	33.75	5.07	31.46

802.11ax HEW20_Nss1,(MCS0)_1TX

27/05/2021

5700MHz_TX




EUT Z_1TX
Setting 72
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39716G	52.18	74.00	-21.82	38.69	3	Vertical	59	2.20	-	38.80	7.59	32.90
AV	11.40896G	38.65	54.00	-15.35	25.14	3	Vertical	59	2.20	-	38.82	7.59	32.90

802.11ax HEW20_Nss1,(MCS0)_1TX

27/05/2021

5700MHz_TX




EUT Z_1TX
Setting 72
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4028G	53.26	74.00	-20.74	39.76	3	Horizontal	250	2.62	-	38.81	7.59	32.90
AV	11.39428G	38.60	54.00	-15.40	25.11	3	Horizontal	250	2.62	-	38.79	7.59	32.89

802.11ax HEW20_Nss1,(MCS0)_1TX
5720MHz Straddle 5.47-5.725GHz_TX

27/05/2021




EUT Z_1TX
 Setting 104
 02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7168G	115.86	Inf	-Inf	108.51	3	Vertical	305	2.53	-	33.73	5.08	31.46
AV	5.7152G	103.29	Inf	-Inf	95.94	3	Vertical	305	2.53	-	33.73	5.08	31.46
PK	5.8584G	58.72	68.20	-9.48	51.17	3	Vertical	305	2.53	-	33.83	5.18	31.46

802.11ax HEW20_Nss1,(MCS0)_1TX

27/05/2021

5720MHz Straddle 5.47-5.725GHz_TX




EUT Z_1TX
Setting 104
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7176G	111.65	Inf	-Inf	104.29	3	Horizontal	110	2.63	-	33.74	5.08	31.46
AV	5.7232G	99.19	Inf	-Inf	91.82	3	Horizontal	110	2.63	-	33.75	5.08	31.46
PK	5.8672G	57.76	68.20	-10.44	50.15	3	Horizontal	110	2.63	-	33.87	5.20	31.46

802.11ax HEW20_Nss1,(MCS0)_1TX
5720MHz Straddle 5.47-5.725GHz_TX

27/05/2021




EUT Z_1TX
 Setting 104
 02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.444G	52.80	74.00	-21.20	39.21	3	Vertical	196	1.18	-	38.89	7.61	32.91
AV	11.44784G	39.44	54.00	-14.56	25.84	3	Vertical	196	1.18	-	38.90	7.61	32.91

802.11ax HEW20_Nss1,(MCS0)_1TX
5720MHz Straddle 5.47-5.725GHz_TX

27/05/2021




EUT Z_1TX
 Setting 104
 02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44404G	52.50	74.00	-21.50	38.91	3	Horizontal	310	1.47	-	38.89	7.61	32.91
AV	11.44624G	39.38	54.00	-14.62	25.79	3	Horizontal	310	1.47	-	38.89	7.61	32.91

802.11ax HEW40_Nss1,(MCS0)_1TX

27/05/2021

5270MHz_TX




EUT Z_1TX
Setting 95
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	62.78	74.00	-11.22	56.02	3	Vertical	73	2.29	-	33.50	4.99	31.73
AV	5.1476G	48.41	54.00	-5.59	41.64	3	Vertical	73	2.29	-	33.50	5.00	31.73
PK	5.267G	112.94	Inf	-Inf	105.88	3	Vertical	73	2.29	-	33.63	5.07	31.64
AV	5.2754G	100.65	Inf	-Inf	93.58	3	Vertical	73	2.29	-	33.65	5.06	31.64
PK	5.3564G	66.58	74.00	-7.42	59.43	3	Vertical	73	2.29	-	33.71	5.02	31.58
AV	5.35G	53.76	54.00	-0.24	46.61	3	Vertical	73	2.29	-	33.70	5.03	31.58

802.11ax HEW40_Nss1,(MCS0)_1TX

27/05/2021

5270MHz_TX




EUT Z_1TX
Setting 95
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1398G	57.81	74.00	-16.19	51.07	3	Horizontal	115	2.47	-	33.50	4.98	31.74
AV	5.1434G	45.67	54.00	-8.33	38.91	3	Horizontal	115	2.47	-	33.50	4.99	31.73
PK	5.2754G	107.59	Inf	-Inf	100.52	3	Horizontal	115	2.47	-	33.65	5.06	31.64
AV	5.2754G	95.67	Inf	-Inf	88.60	3	Horizontal	115	2.47	-	33.65	5.06	31.64
PK	5.35G	63.28	74.00	-10.72	56.14	3	Horizontal	115	2.47	-	33.70	5.02	31.58
AV	5.3504G	50.90	54.00	-3.10	43.76	3	Horizontal	115	2.47	-	33.70	5.02	31.58

802.11ax HEW40_Nss1,(MCS0)_1TX

27/05/2021

5270MHz_TX




EUT Z_1TX
Setting 95
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80864G	52.61	74.00	-21.39	38.93	3	Vertical	309	2.68	-	37.41	9.13	32.86
AV	15.8028G	40.56	54.00	-13.44	26.89	3	Vertical	309	2.68	-	37.40	9.13	32.86

802.11ax HEW40_Nss1,(MCS0)_1TX

27/05/2021

5270MHz_TX




EUT Z_1TX
Setting 95
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81528G	53.34	74.00	-20.66	39.65	3	Horizontal	291	1.92	-	37.42	9.14	32.87
AV	15.82624G	40.73	54.00	-13.27	27.03	3	Horizontal	291	1.92	-	37.43	9.14	32.87

802.11ax HEW40_Nss1,(MCS0)_1TX

27/05/2021

5310MHz_TX




EUT Z_1TX
Setting 77
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.307G	108.73	Inf	-Inf	101.59	3	Vertical	75	2.27	-	33.70	5.05	31.61
AV	5.3058G	96.18	Inf	-Inf	89.04	3	Vertical	75	2.27	-	33.70	5.05	31.61
PK	5.3508G	71.75	74.00	-2.25	64.61	3	Vertical	75	2.27	-	33.70	5.02	31.58
AV	5.35G	53.88	54.00	-0.12	46.74	3	Vertical	75	2.27	-	33.70	5.02	31.58

802.11ax HEW40_Nss1,(MCS0)_1TX

27/05/2021

5310MHz_TX




EUT Z_1TX
Setting 77
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.307G	104.86	Inf	-Inf	97.72	3	Horizontal	114	2.45	-	33.70	5.05	31.61
AV	5.3046G	92.22	Inf	-Inf	85.08	3	Horizontal	114	2.45	-	33.70	5.05	31.61
PK	5.3532G	67.19	74.00	-6.81	60.04	3	Horizontal	114	2.45	-	33.71	5.02	31.58
AV	5.3508G	51.64	54.00	-2.36	44.50	3	Horizontal	114	2.45	-	33.70	5.02	31.58

802.11ax HEW40_Nss1,(MCS0)_1TX

27/05/2021

5310MHz_TX




EUT Z_1TX
Setting 77
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6164G	51.92	74.00	-22.08	38.72	3	Vertical	278	1.39	-	38.48	7.32	32.60
AV	10.60248G	39.62	54.00	-14.38	26.40	3	Vertical	278	1.39	-	38.50	7.31	32.59

802.11ax HEW40_Nss1,(MCS0)_1TX

27/05/2021

5310MHz_TX




EUT Z_1TX
Setting 77
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60248G	52.13	74.00	-21.87	38.91	3	Horizontal	347	1.07	-	38.50	7.31	32.59
AV	10.60328G	39.97	54.00	-14.03	26.75	3	Horizontal	347	1.07	-	38.50	7.31	32.59

802.11ax HEW40_Nss1,(MCS0)_1TX

27/05/2021

5510MHz_TX




EUT Z_1TX
Setting 72
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	62.26	74.00	-11.74	54.80	3	Vertical	299	2.82	-	33.90	5.06	31.50
AV	5.4584G	47.42	54.00	-6.58	39.96	3	Vertical	299	2.82	-	33.90	5.06	31.50
PK	5.4674G	67.95	68.20	-0.25	60.47	3	Vertical	299	2.82	-	33.90	5.07	31.49
PK	5.5154G	108.39	Inf	-Inf	100.84	3	Vertical	299	2.82	-	33.90	5.12	31.47
AV	5.5154G	95.98	Inf	-Inf	88.43	3	Vertical	299	2.82	-	33.90	5.12	31.47

802.11ax HEW40_Nss1,(MCS0)_1TX

27/05/2021

5510MHz_TX



EUT Z_1TX
Setting 72
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4566G	58.93	74.00	-15.07	51.47	3	Horizontal	343	2.86	-	33.90	5.06	31.50
AV	5.459G	46.24	54.00	-7.76	38.78	3	Horizontal	343	2.86	-	33.90	5.06	31.50
PK	5.4698G	63.50	68.20	-4.70	56.02	3	Horizontal	343	2.86	-	33.90	5.07	31.49
PK	5.507G	103.15	Inf	-Inf	95.61	3	Horizontal	343	2.86	-	33.90	5.11	31.47
AV	5.513G	90.91	Inf	-Inf	83.37	3	Horizontal	343	2.86	-	33.90	5.11	31.47

802.11ax HEW40_Nss1,(MCS0)_1TX

27/05/2021

5510MHz_TX




EUT Z_1TX
Setting 72
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01944G	52.30	74.00	-21.70	39.09	3	Vertical	132	2.95	-	38.52	7.46	32.77
AV	11.03888G	39.93	54.00	-14.07	26.70	3	Vertical	132	2.95	-	38.54	7.46	32.77

802.11ax HEW40_Nss1,(MCS0)_1TX

27/05/2021

5510MHz_TX




EUT Z_1TX
Setting 72
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02768G	51.96	74.00	-22.04	38.74	3	Horizontal	186	1.79	-	38.53	7.46	32.77
AV	11.02432G	39.87	54.00	-14.13	26.66	3	Horizontal	186	1.79	-	38.52	7.46	32.77

802.11ax HEW40_Nss1,(MCS0)_1TX

27/05/2021

5550MHz_TX




EUT Z_1TX
Setting 97
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	66.56	74.00	-7.44	59.10	3	Vertical	301	2.67	-	33.90	5.06	31.50
AV	5.46G	53.84	54.00	-0.16	46.38	3	Vertical	301	2.67	-	33.90	5.06	31.50
PK	5.4624G	67.70	68.20	-0.50	60.24	3	Vertical	301	2.67	-	33.90	5.06	31.50
PK	5.547G	113.11	Inf	-Inf	105.53	3	Vertical	301	2.67	-	33.90	5.15	31.47
AV	5.556G	100.87	Inf	-Inf	93.28	3	Vertical	301	2.67	-	33.90	5.16	31.47

802.11ax HEW40_Nss1,(MCS0)_1TX

27/05/2021

5550MHz_TX




EUT Z_1TX
Setting 97
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4582G	64.28	74.00	-9.72	56.82	3	Horizontal	284	2.91	-	33.90	5.06	31.50
AV	5.4588G	51.17	54.00	-2.83	43.71	3	Horizontal	284	2.91	-	33.90	5.06	31.50
PK	5.47G	64.85	68.20	-3.35	57.37	3	Horizontal	284	2.91	-	33.90	5.07	31.49
PK	5.547G	107.48	Inf	-Inf	99.90	3	Horizontal	284	2.91	-	33.90	5.15	31.47
AV	5.554G	95.57	Inf	-Inf	87.98	3	Horizontal	284	2.91	-	33.90	5.16	31.47

802.11ax HEW40_Nss1,(MCS0)_1TX

27/05/2021

5550MHz_TX




EUT Z_1TX
Setting 97
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.11008G	51.71	74.00	-22.29	38.41	3	Vertical	55	2.35	-	38.61	7.49	32.80
AV	11.0912G	39.84	54.00	-14.16	26.56	3	Vertical	55	2.35	-	38.59	7.48	32.79

802.11ax HEW40_Nss1,(MCS0)_1TX

27/05/2021

5550MHz_TX




EUT Z_1TX
Setting 97
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09728G	52.35	74.00	-21.65	39.06	3	Horizontal	48	1.64	-	38.60	7.48	32.79
AV	11.10168G	39.85	54.00	-14.15	26.55	3	Horizontal	48	1.64	-	38.60	7.49	32.79

802.11ax HEW40_Nss1,(MCS0)_1TX

27/05/2021

5670MHz_TX




EUT Z_1TX
Setting 87
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.667G	112.09	Inf	-Inf	104.65	3	Vertical	305	2.58	-	33.77	5.13	31.46
AV	5.6658G	99.59	Inf	-Inf	92.15	3	Vertical	305	2.58	-	33.77	5.13	31.46
PK	5.7252G	67.98	68.20	-0.22	60.62	3	Vertical	305	2.58	-	33.75	5.07	31.46

802.11ax HEW40_Nss1,(MCS0)_1TX

27/05/2021

5670MHz_TX




EUT Z_1TX
Setting 87
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.667G	107.91	Inf	-Inf	100.47	3	Horizontal	124	2.40	-	33.77	5.13	31.46
AV	5.667G	95.24	Inf	-Inf	87.80	3	Horizontal	124	2.40	-	33.77	5.13	31.46
PK	5.7264G	62.91	68.20	-5.29	55.55	3	Horizontal	124	2.40	-	33.75	5.07	31.46

802.11ax HEW40_Nss1,(MCS0)_1TX

27/05/2021

5670MHz_TX




EUT Z_1TX
Setting 87
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.3584G	51.87	74.00	-22.13	38.41	3	Vertical	266	2.18	-	38.76	7.58	32.88	
AV	11.35664G	39.45	54.00	-14.55	26.00	3	Vertical	266	2.18	-	38.76	7.57	32.88	

802.11ax HEW40_Nss1,(MCS0)_1TX

27/05/2021

5670MHz_TX




EUT Z_1TX
Setting 87
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.35112G	51.59	74.00	-22.41	38.15	3	Horizontal	184	1.49	-	38.75	7.57	32.88
AV	11.35968G	39.73	54.00	-14.27	26.27	3	Horizontal	184	1.49	-	38.76	7.58	32.88

802.11ax HEW40_Nss1,(MCS0)_1TX
5710MHz Straddle 5.47-5.725GHz_TX

27/05/2021




EUT Z_1TX
 Setting 104
 02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7068G	113.49	Inf	-Inf	106.15	3	Vertical	308	2.31	-	33.71	5.09	31.46
AV	5.702G	101.36	Inf	-Inf	94.02	3	Vertical	308	2.31	-	33.70	5.10	31.46
PK	5.8564G	62.75	68.20	-5.45	55.21	3	Vertical	308	2.31	-	33.83	5.17	31.46

802.11ax HEW40_Nss1,(MCS0)_1TX
5710MHz Straddle 5.47-5.725GHz_TX

27/05/2021




EUT Z_1TX
 Setting 104
 02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6948G	108.69	Inf	-Inf	101.33	3	Horizontal	122	2.40	-	33.71	5.11	31.46
AV	5.6956G	96.86	Inf	-Inf	89.51	3	Horizontal	122	2.40	-	33.71	5.10	31.46
PK	5.8556G	61.07	68.20	-7.13	53.54	3	Horizontal	122	2.40	-	33.82	5.17	31.46

802.11ax HEW40_Nss1,(MCS0)_1TX
5710MHz Straddle 5.47-5.725GHz_TX

27/05/2021




EUT Z_1TX
 Setting 104
 02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40016G	52.69	74.00	-21.31	39.20	3	Vertical	92	1.80	-	38.80	7.59	32.90
AV	11.43456G	40.22	54.00	-13.78	26.66	3	Vertical	92	1.80	-	38.87	7.60	32.91

802.11ax HEW40_Nss1,(MCS0)_1TX
5710MHz Straddle 5.47-5.725GHz_TX

27/05/2021




EUT Z_1TX
 Setting 104
 02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.418G	52.13	74.00	-21.87	38.59	3	Horizontal	32	2.83	-	38.84	7.60	32.90
AV	11.40816G	40.38	54.00	-13.62	26.87	3	Horizontal	32	2.83	-	38.82	7.59	32.90

802.11ax HEW80_Nss1,(MCS0)_1TX

27/05/2021

5290MHz_TX




EUT Z_1TX
Setting 75
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	59.05	74.00	-14.95	52.29	3	Vertical	74	2.29	-	33.50	4.99	31.73
AV	5.143G	47.02	54.00	-6.98	40.26	3	Vertical	74	2.29	-	33.50	4.99	31.73
PK	5.271G	106.01	Inf	-Inf	98.95	3	Vertical	74	2.29	-	33.64	5.06	31.64
AV	5.276G	94.77	Inf	-Inf	87.70	3	Vertical	74	2.29	-	33.65	5.06	31.64
PK	5.357G	68.57	74.00	-5.43	61.42	3	Vertical	74	2.29	-	33.71	5.02	31.58
AV	5.35G	53.96	54.00	-0.04	46.81	3	Vertical	74	2.29	-	33.70	5.03	31.58
PK	5.495G	57.08	68.20	-11.12	49.55	3	Vertical	74	2.29	-	33.90	5.10	31.47

802.11ax HEW80_Nss1,(MCS0)_1TX

27/05/2021

5290MHz_TX




EUT Z_1TX
Setting 75
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.137G	57.15	74.00	-16.85	50.42	3	Horizontal	293	2.90	-	33.50	4.97	31.74
AV	5.145G	45.51	54.00	-8.49	38.75	3	Horizontal	293	2.90	-	33.50	4.99	31.73
PK	5.259G	99.73	Inf	-Inf	92.69	3	Horizontal	293	2.90	-	33.62	5.07	31.65
AV	5.276G	87.02	Inf	-Inf	79.95	3	Horizontal	293	2.90	-	33.65	5.06	31.64
PK	5.357G	64.15	74.00	-9.85	57.00	3	Horizontal	293	2.90	-	33.71	5.02	31.58
AV	5.352G	49.21	54.00	-4.79	42.07	3	Horizontal	293	2.90	-	33.70	5.02	31.58
PK	5.526G	57.38	68.20	-10.82	49.82	3	Horizontal	293	2.90	-	33.90	5.13	31.47

802.11ax HEW80_Nss1,(MCS0)_1TX

27/05/2021

5290MHz_TX




EUT Z_1TX
Setting 75
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.85424G	53.20	74.00	-20.80	39.47	3	Vertical	34	1.87	-	37.45	9.15	32.87
AV	15.87664G	40.49	54.00	-13.51	26.72	3	Vertical	34	1.87	-	37.48	9.16	32.87

802.11ax HEW80_Nss1,(MCS0)_1TX

27/05/2021

5290MHz_TX




EUT Z_1TX
Setting 75
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8592G	52.44	74.00	-21.56	38.70	3	Horizontal	37	1.82	-	37.46	9.15	32.87
AV	15.85696G	40.41	54.00	-13.59	26.67	3	Horizontal	37	1.82	-	37.46	9.15	32.87

802.11ax HEW80_Nss1,(MCS0)_1TX

27/05/2021

5530MHz_TX



EUT Z_1TX
Setting 70
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.323G	57.99	68.20	-10.21	50.85	3	Vertical	300	2.83	-	33.70	5.04	31.60
PK	5.457G	63.53	74.00	-10.47	56.07	3	Vertical	300	2.83	-	33.90	5.06	31.50
AV	5.46G	49.00	54.00	-5.00	41.54	3	Vertical	300	2.83	-	33.90	5.06	31.50
PK	5.468G	68.03	68.20	-0.17	60.55	3	Vertical	300	2.83	-	33.90	5.07	31.49
PK	5.512G	104.85	Inf	-Inf	97.31	3	Vertical	300	2.83	-	33.90	5.11	31.47
AV	5.521G	92.96	Inf	-Inf	85.41	3	Vertical	300	2.83	-	33.90	5.12	31.47
PK	5.768G	61.12	68.20	-7.08	53.79	3	Vertical	300	2.83	-	33.76	5.03	31.46

802.11ax HEW80_Nss1,(MCS0)_1TX

27/05/2021

5530MHz_TX



EUT Z_1TX
Setting 70
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.342G	56.73	68.20	-11.47	49.59	3	Horizontal	342	2.84	-	33.70	5.03	31.59
PK	5.46G	60.25	74.00	-13.75	52.79	3	Horizontal	342	2.84	-	33.90	5.06	31.50
AV	5.46G	47.05	54.00	-6.95	39.59	3	Horizontal	342	2.84	-	33.90	5.06	31.50
PK	5.468G	62.85	68.20	-5.35	55.37	3	Horizontal	342	2.84	-	33.90	5.07	31.49
PK	5.542G	100.32	Inf	-Inf	92.75	3	Horizontal	342	2.84	-	33.90	5.14	31.47
AV	5.541G	88.54	Inf	-Inf	80.97	3	Horizontal	342	2.84	-	33.90	5.14	31.47
PK	5.757G	57.21	68.20	-10.99	49.84	3	Horizontal	342	2.84	-	33.79	5.04	31.46

802.11ax HEW80_Nss1,(MCS0)_1TX

27/05/2021

5530MHz_TX




EUT Z_1TX
Setting 70
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.08G	51.68	74.00	-22.32	38.41	3	Vertical	339	2.14	-	38.58	7.48	32.79
AV	11.046G	39.74	54.00	-14.26	26.50	3	Vertical	339	2.14	-	38.55	7.47	32.78

802.11ax HEW80_Nss1,(MCS0)_1TX

27/05/2021

5530MHz_TX




EUT Z_1TX
Setting 70
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06104G	51.74	74.00	-22.26	38.49	3	Horizontal	180	2.04	-	38.56	7.47	32.78
AV	11.04464G	39.62	54.00	-14.38	26.39	3	Horizontal	180	2.04	-	38.54	7.47	32.78

802.11ax HEW80_Nss1,(MCS0)_1TX

27/05/2021

5610MHz_TX




EUT Z_1TX
Setting 92
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	65.18	74.00	-8.82	57.72	3	Vertical	304	2.74	-	33.90	5.06	31.50
AV	5.46G	53.37	54.00	-0.63	45.91	3	Vertical	304	2.74	-	33.90	5.06	31.50
PK	5.47G	67.54	68.20	-0.66	60.06	3	Vertical	304	2.74	-	33.90	5.07	31.49
PK	5.622G	109.33	Inf	-Inf	101.76	3	Vertical	304	2.74	-	33.86	5.18	31.47
AV	5.621G	97.16	Inf	-Inf	89.59	3	Vertical	304	2.74	-	33.86	5.18	31.47
PK	5.737G	68.05	68.20	-0.15	60.68	3	Vertical	304	2.74	-	33.77	5.06	31.46

802.11ax HEW80_Nss1,(MCS0)_1TX

27/05/2021

5610MHz_TX




EUT Z_1TX
Setting 92
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	62.77	74.00	-11.23	55.31	3	Horizontal	345	2.90	-	33.90	5.06	31.50
AV	5.46G	50.69	54.00	-3.31	43.23	3	Horizontal	345	2.90	-	33.90	5.06	31.50
PK	5.463G	64.70	68.20	-3.50	57.24	3	Horizontal	345	2.90	-	33.90	5.06	31.50
PK	5.613G	104.61	Inf	-Inf	97.02	3	Horizontal	345	2.90	-	33.87	5.19	31.47
AV	5.618G	92.40	Inf	-Inf	84.83	3	Horizontal	345	2.90	-	33.86	5.18	31.47
PK	5.733G	62.19	68.20	-6.01	54.81	3	Horizontal	345	2.90	-	33.77	5.07	31.46

802.11ax HEW80_Nss1,(MCS0)_1TX

27/05/2021

5610MHz_TX




EUT Z_1TX
Setting 92
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22368G	52.44	74.00	-21.56	39.05	3	Vertical	110	1.19	-	38.70	7.53	32.84
AV	11.21896G	39.91	54.00	-14.09	26.51	3	Vertical	110	1.19	-	38.70	7.53	32.83

802.11ax HEW80_Nss1,(MCS0)_1TX

27/05/2021

5610MHz_TX




EUT Z_1TX
Setting 92
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.216G	52.52	74.00	-21.48	39.12	3	Horizontal	316	2.71	-	38.70	7.53	32.83
AV	11.20752G	39.87	54.00	-14.13	26.48	3	Horizontal	316	2.71	-	38.70	7.52	32.83

802.11ax HEW80_Nss1,(MCS0)_1TX

27/05/2021

5690MHz Straddle 5.47-5.725GHz_TX




EUT Z_1TX
Setting 99
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.451G	63.78	74.00	-10.22	56.34	3	Vertical	303	2.82	-	33.90	5.05	31.51
AV	5.46G	50.70	54.00	-3.30	43.24	3	Vertical	303	2.82	-	33.90	5.06	31.50
AV	5.46G	50.70	54.00	-3.30	43.24	3	Vertical	303	2.82	-	33.90	5.06	31.50
PK	5.47G	65.16	68.20	-3.04	57.68	3	Vertical	303	2.82	-	33.90	5.07	31.49
PK	5.672G	111.02	Inf	-Inf	103.59	3	Vertical	303	2.82	-	33.76	5.13	31.46
AV	5.675G	99.17	Inf	-Inf	91.76	3	Vertical	303	2.82	-	33.75	5.12	31.46
PK	5.853G	68.09	68.20	-0.11	60.58	3	Vertical	303	2.82	-	33.81	5.16	31.46

802.11ax HEW80_Nss1,(MCS0)_1TX

27/05/2021

5690MHz Straddle 5.47-5.725GHz_TX



EUT Z_1TX
Setting 99
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45G	60.67	74.00	-13.33	53.23	3	Horizontal	109	2.65	-	33.90	5.05	31.51
PK	5.466G	61.35	68.20	-6.85	53.88	3	Horizontal	109	2.65	-	33.90	5.07	31.50
AV	5.46G	49.13	54.00	-4.87	41.67	3	Horizontal	109	2.65	-	33.90	5.06	31.50
AV	5.46G	49.13	54.00	-4.87	41.67	3	Horizontal	109	2.65	-	33.90	5.06	31.50
PK	5.702G	106.07	Inf	-Inf	98.73	3	Horizontal	109	2.65	-	33.70	5.10	31.46
AV	5.698G	94.26	Inf	-Inf	86.92	3	Horizontal	109	2.65	-	33.70	5.10	31.46
PK	5.854G	65.81	68.20	-2.39	58.29	3	Horizontal	109	2.65	-	33.82	5.16	31.46

802.11ax HEW80_Nss1,(MCS0)_1TX

27/05/2021

5690MHz Straddle 5.47-5.725GHz_TX




EUT Z_1TX
Setting 99
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37224G	52.74	74.00	-21.26	39.28	3	Vertical	281	1.77	-	38.77	7.58	32.89
AV	11.37912G	40.18	54.00	-13.82	26.71	3	Vertical	281	1.77	-	38.78	7.58	32.89

802.11ax HEW80_Nss1,(MCS0)_1TX
5690MHz Straddle 5.47-5.725GHz_TX

27/05/2021



EUT Z_1TX
 Setting 99
 02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.36G	53.09	74.00	-20.91	39.63	3	Horizontal	286	2.78	-	38.76	7.58	32.88
AV	11.3776G	40.45	54.00	-13.55	26.98	3	Horizontal	286	2.78	-	38.78	7.58	32.89




**For Radio 2 / 2T1S and 2T2S
Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	PK	5.646G	68.11	68.20	-0.09	3	Vertical	61	2.39	-

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5180MHz_TX




EUT_Z_2TX
Setting 83
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	73.80	74.00	-0.20	67.03	3	Vertical	74	2.13	-	33.50	5.00	31.73
AV	5.1478G	52.67	54.00	-1.33	45.90	3	Vertical	74	2.13	-	33.50	5.00	31.73
PK	5.1814G	115.32	Inf	-Inf	108.47	3	Vertical	74	2.13	-	33.50	5.06	31.71
AV	5.1764G	105.70	Inf	-Inf	98.86	3	Vertical	74	2.13	-	33.50	5.05	31.71

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5180MHz_TX




EUT_Z_2TX
Setting 83
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	66.99	74.00	-7.01	60.22	3	Horizontal	290	1.03	-	33.50	5.00	31.73
AV	5.15G	49.13	54.00	-4.87	42.36	3	Horizontal	290	1.03	-	33.50	5.00	31.73
PK	5.1744G	107.87	Inf	-Inf	101.03	3	Horizontal	290	1.03	-	33.50	5.05	31.71
AV	5.184G	98.57	Inf	-Inf	91.70	3	Horizontal	290	1.03	-	33.50	5.07	31.70

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5180MHz_TX




EUT_Z_2TX
Setting 83
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5648G	53.33	74.00	-20.67	39.42	3	Vertical	148	2.39	-	37.71	9.05	32.85
AV	15.5158G	40.63	54.00	-13.37	26.59	3	Vertical	148	2.39	-	37.85	9.03	32.84

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5180MHz_TX




EUT_Z_2TX
Setting 83
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5575G	53.71	74.00	-20.29	39.77	3	Horizontal	1	1.14	-	37.73	9.05	32.84
AV	15.5166G	40.23	54.00	-13.77	26.19	3	Horizontal	1	1.14	-	37.85	9.03	32.84

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5200MHz_TX




EUT_Z_2TX
Setting 96
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	72.86	74.00	-1.14	66.09	3	Vertical	70	2.67	-	33.50	5.00	31.73
AV	5.1496G	53.79	54.00	-0.21	47.02	3	Vertical	70	2.67	-	33.50	5.00	31.73
PK	5.2056G	118.42	Inf	-Inf	111.50	3	Vertical	70	2.67	-	33.51	5.10	31.69
AV	5.206G	108.09	Inf	-Inf	101.17	3	Vertical	70	2.67	-	33.51	5.10	31.69

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5200MHz_TX




EUT Z_2TX
Setting 96
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	65.34	74.00	-8.66	58.57	3	Horizontal	289	1.00	-	33.50	5.00	31.73
AV	5.15G	51.11	54.00	-2.89	44.34	3	Horizontal	289	1.00	-	33.50	5.00	31.73
PK	5.1992G	110.78	Inf	-Inf	103.87	3	Horizontal	289	1.00	-	33.50	5.10	31.69
AV	5.204G	101.52	Inf	-Inf	94.60	3	Horizontal	289	1.00	-	33.51	5.10	31.69

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5200MHz_TX




EUT_Z_2TX
Setting 96
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6057G	53.33	74.00	-20.67	39.53	3	Vertical	193	1.50	-	37.59	9.06	32.85
AV	15.5897G	40.09	54.00	-13.91	26.25	3	Vertical	193	1.50	-	37.63	9.06	32.85

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5200MHz_TX




EUT_Z_2TX
Setting 96
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5828G	54.40	74.00	-19.60	40.55	3	Horizontal	137	2.69	-	37.65	9.05	32.85
AV	15.5837G	40.12	54.00	-13.88	26.27	3	Horizontal	137	2.69	-	37.65	9.05	32.85

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5240MHz_TX




EUT Z_2TX
Setting 104
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	72.87	74.00	-1.13	66.10	3	Vertical	71	2.41	-	33.50	5.00	31.73
AV	5.1488G	53.13	54.00	-0.87	46.36	3	Vertical	71	2.41	-	33.50	5.00	31.73
PK	5.2412G	120.48	Inf	-Inf	113.48	3	Vertical	71	2.41	-	33.58	5.08	31.66
AV	5.2418G	109.75	Inf	-Inf	102.75	3	Vertical	71	2.41	-	33.58	5.08	31.66
PK	5.3546G	66.34	74.00	-7.66	59.19	3	Vertical	71	2.41	-	33.71	5.02	31.58
AV	5.3516G	49.16	54.00	-4.84	42.02	3	Vertical	71	2.41	-	33.70	5.02	31.58

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5240MHz_TX




EUT_Z_2TX
Setting 104
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	64.19	74.00	-9.81	57.42	3	Horizontal	111	2.90	-	33.50	5.00	31.73
AV	5.1488G	47.70	54.00	-6.30	40.93	3	Horizontal	111	2.90	-	33.50	5.00	31.73
PK	5.2412G	114.38	Inf	-Inf	107.38	3	Horizontal	111	2.90	-	33.58	5.08	31.66
AV	5.2412G	103.82	Inf	-Inf	96.82	3	Horizontal	111	2.90	-	33.58	5.08	31.66
PK	5.35G	61.89	74.00	-12.11	54.75	3	Horizontal	111	2.90	-	33.70	5.02	31.58
AV	5.351G	47.08	54.00	-6.92	39.94	3	Horizontal	111	2.90	-	33.70	5.02	31.58

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5240MHz_TX




EUT_Z_2TX
Setting 104
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6976G	52.76	74.00	-21.24	39.13	3	Vertical	264	2.93	-	37.40	9.09	32.86
AV	15.7281G	40.00	54.00	-14.00	26.36	3	Vertical	264	2.93	-	37.40	9.10	32.86

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5240MHz_TX




EUT_Z_2TX
Setting 104
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7264G	53.03	74.00	-20.97	39.39	3	Horizontal	282	2.01	-	37.40	9.10	32.86
AV	15.745G	39.70	54.00	-14.30	26.05	3	Horizontal	282	2.01	-	37.40	9.11	32.86

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5745MHz_TX




EUT_Z_2TX
Setting 104
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	65.90	68.20	-2.30	58.39	3	Vertical	58	2.29	-	33.81	5.16	31.46
PK	5.746G	118.83	Inf	-Inf	111.45	3	Vertical	58	2.29	-	33.79	5.05	31.46
AV	5.752G	107.97	Inf	-Inf	100.58	3	Vertical	58	2.29	-	33.80	5.05	31.46
PK	5.989G	58.21	68.20	-9.99	49.99	3	Vertical	58	2.29	-	34.10	5.57	31.45

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5745MHz_TX




EUT_Z_2TX
Setting 104
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	61.61	68.20	-6.59	54.12	3	Horizontal	114	2.73	-	33.80	5.15	31.46
PK	5.74G	113.62	Inf	-Inf	106.24	3	Horizontal	114	2.73	-	33.78	5.06	31.46
AV	5.74G	103.20	Inf	-Inf	95.82	3	Horizontal	114	2.73	-	33.78	5.06	31.46
PK	5.945G	58.55	68.20	-9.65	50.47	3	Horizontal	114	2.73	-	34.09	5.44	31.45

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5745MHz_TX




EUT_Z_2TX
Setting 104
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4744G	52.60	74.00	-21.40	38.95	3	Vertical	65	1.89	-	38.95	7.62	32.92
AV	11.4837G	39.85	54.00	-14.15	26.18	3	Vertical	65	1.89	-	38.97	7.62	32.92

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5745MHz_TX




EUT_Z_2TX
Setting 104
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4878G	54.13	74.00	-19.87	40.46	3	Horizontal	238	2.12	-	38.98	7.62	32.93
AV	11.4859G	39.79	54.00	-14.21	26.13	3	Horizontal	238	2.12	-	38.97	7.62	32.93

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5785MHz_TX




EUT Z_2TX
Setting 104
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	60.75	68.20	-7.45	53.23	3	Vertical	61	2.17	-	33.82	5.16	31.46
PK	5.792G	119.52	Inf	-Inf	112.25	3	Vertical	61	2.17	-	33.72	5.01	31.46
AV	5.787G	108.49	Inf	-Inf	101.21	3	Vertical	61	2.17	-	33.73	5.01	31.46
PK	5.959G	57.85	68.20	-10.35	49.72	3	Vertical	61	2.17	-	34.10	5.48	31.45

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5785MHz_TX




EUT_Z_2TX
Setting 104
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.549G	58.70	68.20	-9.50	51.12	3	Horizontal	121	2.69	-	33.90	5.15	31.47
PK	5.79G	114.67	Inf	-Inf	107.40	3	Horizontal	121	2.69	-	33.72	5.01	31.46
AV	5.779G	103.24	Inf	-Inf	95.94	3	Horizontal	121	2.69	-	33.74	5.02	31.46
PK	5.981G	59.10	68.20	-9.10	50.91	3	Horizontal	121	2.69	-	34.10	5.54	31.45

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5785MHz_TX




EUT_Z_2TX
Setting 104
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5585G	53.64	74.00	-20.36	39.74	3	Vertical	156	1.81	-	39.18	7.65	32.93
AV	11.5749G	40.39	54.00	-13.61	26.45	3	Vertical	156	1.81	-	39.22	7.65	32.93

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5785MHz_TX




EUT_Z_2TX
Setting 104
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5788G	53.55	74.00	-20.45	39.59	3	Horizontal	295	2.75	-	39.24	7.65	32.93
AV	11.595G	39.71	54.00	-14.29	25.70	3	Horizontal	295	2.75	-	39.28	7.66	32.93

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5825MHz_TX




EUT Z_2TX
Setting 104
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.627G	59.34	68.20	-8.86	51.78	3	Vertical	61	2.14	-	33.85	5.17	31.46
PK	5.828G	117.15	Inf	-Inf	109.77	3	Vertical	61	2.14	-	33.76	5.08	31.46
AV	5.827G	107.14	Inf	-Inf	99.77	3	Vertical	61	2.14	-	33.75	5.08	31.46
PK	5.951G	58.10	68.20	-10.10	50.00	3	Vertical	61	2.14	-	34.10	5.45	31.45

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5825MHz_TX




EUT_Z_2TX
Setting 104
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.617G	58.09	68.20	-10.11	50.51	3	Horizontal	120	2.66	-	33.87	5.18	31.47
PK	5.83G	113.37	Inf	-Inf	105.98	3	Horizontal	120	2.66	-	33.76	5.09	31.46
AV	5.819G	102.25	Inf	-Inf	94.91	3	Horizontal	120	2.66	-	33.74	5.06	31.46
PK	5.976G	58.72	68.20	-9.48	50.54	3	Horizontal	120	2.66	-	34.10	5.53	31.45

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5825MHz_TX




EUT_Z_2TX
Setting 104
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6424G	54.20	74.00	-19.80	40.12	3	Vertical	177	1.01	-	39.34	7.67	32.93
AV	11.6528G	41.22	54.00	-12.78	27.12	3	Vertical	177	1.01	-	39.35	7.68	32.93

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5825MHz_TX




EUT_Z_2TX
Setting 104
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6673G	52.74	74.00	-21.26	38.62	3	Horizontal	71	2.46	-	39.37	7.68	32.93
AV	11.6694G	40.07	54.00	-13.93	25.95	3	Horizontal	71	2.46	-	39.37	7.68	32.93

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5180MHz_TX




EUT_Z_2TX
Setting 79
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	68.98	74.00	-5.02	62.21	3	Vertical	74	2.12	-	33.50	5.00	31.73
AV	5.15G	53.83	54.00	-0.17	47.06	3	Vertical	74	2.12	-	33.50	5.00	31.73
PK	5.1746G	114.76	Inf	-Inf	107.92	3	Vertical	74	2.12	-	33.50	5.05	31.71
AV	5.1782G	102.91	Inf	-Inf	96.06	3	Vertical	74	2.12	-	33.50	5.06	31.71

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5180MHz_TX




EUT_Z_2TX
Setting 79
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	63.32	74.00	-10.68	56.55	3	Horizontal	292	1.05	-	33.50	5.00	31.73
AV	5.1498G	48.91	54.00	-5.09	42.14	3	Horizontal	292	1.05	-	33.50	5.00	31.73
PK	5.1814G	107.30	Inf	-Inf	100.45	3	Horizontal	292	1.05	-	33.50	5.06	31.71
AV	5.182G	95.15	Inf	-Inf	88.30	3	Horizontal	292	1.05	-	33.50	5.06	31.71

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5180MHz_TX




EUT_Z_2TX
Setting 79
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5172G	52.95	74.00	-21.05	38.91	3	Vertical	211	1.21	-	37.85	9.03	32.84
AV	15.5217G	39.34	54.00	-14.66	25.32	3	Vertical	211	1.21	-	37.83	9.03	32.84

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5180MHz_TX




EUT_Z_2TX
Setting 79
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.532G	53.02	74.00	-20.98	39.02	3	Horizontal	284	1.79	-	37.80	9.04	32.84
AV	15.5176G	39.34	54.00	-14.66	25.30	3	Horizontal	284	1.79	-	37.85	9.03	32.84

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5200MHz_TX




EUT_Z_2TX
Setting 93
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	67.89	74.00	-6.11	61.12	3	Vertical	73	2.34	-	33.50	5.00	31.73
AV	5.1496G	53.79	54.00	-0.21	47.02	3	Vertical	73	2.34	-	33.50	5.00	31.73
PK	5.1944G	117.52	Inf	-Inf	110.63	3	Vertical	73	2.34	-	33.50	5.09	31.70
AV	5.1944G	105.46	Inf	-Inf	98.57	3	Vertical	73	2.34	-	33.50	5.09	31.70

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5200MHz_TX




EUT_Z_2TX
Setting 93
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	62.44	74.00	-11.56	55.67	3	Horizontal	300	2.54	-	33.50	5.00	31.73
AV	5.1496G	49.08	54.00	-4.92	42.31	3	Horizontal	300	2.54	-	33.50	5.00	31.73
PK	5.1944G	110.22	Inf	-Inf	103.33	3	Horizontal	300	2.54	-	33.50	5.09	31.70
AV	5.198G	98.45	Inf	-Inf	91.54	3	Horizontal	300	2.54	-	33.50	5.10	31.69

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5200MHz_TX




EUT_Z_2TX
Setting 93
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6177G	53.62	74.00	-20.38	39.84	3	Vertical	254	2.66	-	37.56	9.07	32.85
AV	15.5773G	39.27	54.00	-14.73	25.40	3	Vertical	254	2.66	-	37.67	9.05	32.85

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5200MHz_TX




EUT Z_2TX
Setting 93
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6164G	52.85	74.00	-21.15	39.06	3	Horizontal	326	2.08	-	37.57	9.07	32.85
AV	15.5802G	39.24	54.00	-14.76	25.38	3	Horizontal	326	2.08	-	37.66	9.05	32.85

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5240MHz_TX



EUT Z_2TX
Setting 100
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	64.44	74.00	-9.56	57.68	3	Vertical	71	2.20	-	33.50	4.99	31.73
AV	5.1494G	51.82	54.00	-2.18	45.05	3	Vertical	71	2.20	-	33.50	5.00	31.73
PK	5.246G	119.43	Inf	-Inf	112.42	3	Vertical	71	2.20	-	33.59	5.08	31.66
AV	5.2382G	107.48	Inf	-Inf	100.48	3	Vertical	71	2.20	-	33.58	5.08	31.66
PK	5.3516G	63.87	74.00	-10.13	56.73	3	Vertical	71	2.20	-	33.70	5.02	31.58
AV	5.35G	49.16	54.00	-4.84	42.02	3	Vertical	71	2.20	-	33.70	5.02	31.58

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5240MHz_TX



EUT Z_2TX
Setting 100
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1458G	60.36	74.00	-13.64	53.60	3	Horizontal	115	2.35	-	33.50	4.99	31.73
AV	5.1494G	48.09	54.00	-5.91	41.32	3	Horizontal	115	2.35	-	33.50	5.00	31.73
PK	5.246G	113.14	Inf	-Inf	106.13	3	Horizontal	115	2.35	-	33.59	5.08	31.66
AV	5.2382G	100.93	Inf	-Inf	93.93	3	Horizontal	115	2.35	-	33.58	5.08	31.66
PK	5.3504G	59.89	74.00	-14.11	52.75	3	Horizontal	115	2.35	-	33.70	5.02	31.58
AV	5.3504G	47.39	54.00	-6.61	40.25	3	Horizontal	115	2.35	-	33.70	5.02	31.58

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5240MHz_TX




EUT_Z_2TX
Setting 100
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7154G	52.72	74.00	-21.28	39.08	3	Vertical	355	2.81	-	37.40	9.10	32.86
AV	15.7425G	39.00	54.00	-15.00	25.35	3	Vertical	355	2.81	-	37.40	9.11	32.86

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5240MHz_TX




EUT_Z_2TX
Setting 100
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7058G	52.93	74.00	-21.07	39.29	3	Horizontal	125	1.32	-	37.40	9.10	32.86
AV	15.7291G	39.10	54.00	-14.90	25.45	3	Horizontal	125	1.32	-	37.40	9.11	32.86

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5745MHz_TX




EUT_Z_2TX
Setting 104
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.632G	62.70	68.20	-5.50	55.15	3	Vertical	111	2.72	-	33.84	5.17	31.46
PK	5.741G	113.21	Inf	-Inf	105.83	3	Vertical	111	2.72	-	33.78	5.06	31.46
AV	5.74G	100.69	Inf	-Inf	93.31	3	Vertical	111	2.72	-	33.78	5.06	31.46
PK	5.936G	58.12	68.20	-10.08	50.09	3	Vertical	111	2.72	-	34.07	5.41	31.45

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5745MHz_TX




EUT Z_2TX
Setting 104
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	61.43	68.20	-6.77	53.93	3	Horizontal	123	2.72	-	33.81	5.15	31.46
PK	5.747G	112.22	Inf	-Inf	104.84	3	Horizontal	123	2.72	-	33.79	5.05	31.46
AV	5.747G	100.74	Inf	-Inf	93.36	3	Horizontal	123	2.72	-	33.79	5.05	31.46
PK	5.948G	58.11	68.20	-10.09	50.02	3	Horizontal	123	2.72	-	34.10	5.44	31.45

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5745MHz_TX




EUT_Z_2TX
Setting 104
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4784G	52.74	74.00	-21.26	39.08	3	Vertical	68	1.10	-	38.96	7.62	32.92
AV	11.4846G	39.63	54.00	-14.37	25.96	3	Vertical	68	1.10	-	38.97	7.62	32.92

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5745MHz_TX




EUT_Z_2TX
Setting 104
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.4833G	52.79	74.00	-21.21	39.12	3	Horizontal	141	1.65	-	38.97	7.62	32.92	
AV	11.4947G	39.58	54.00	-14.42	25.90	3	Horizontal	141	1.65	-	38.99	7.62	32.93	

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5785MHz_TX




EUT_Z_2TX
Setting 104
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	61.25	68.20	-6.95	53.74	3	Vertical	61	2.39	-	33.81	5.16	31.46
PK	5.791G	117.57	Inf	-Inf	110.30	3	Vertical	61	2.39	-	33.72	5.01	31.46
AV	5.783G	105.67	Inf	-Inf	98.38	3	Vertical	61	2.39	-	33.73	5.02	31.46
PK	5.952G	58.43	68.20	-9.77	50.32	3	Vertical	61	2.39	-	34.10	5.46	31.45

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5785MHz_TX




EUT_Z_2TX
Setting 104
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	58.42	68.20	-9.78	50.90	3	Horizontal	118	2.69	-	33.82	5.16	31.46
PK	5.79G	112.79	Inf	-Inf	105.52	3	Horizontal	118	2.69	-	33.72	5.01	31.46
AV	5.787G	100.76	Inf	-Inf	93.48	3	Horizontal	118	2.69	-	33.73	5.01	31.46
PK	5.967G	58.02	68.20	-10.18	49.87	3	Horizontal	118	2.69	-	34.10	5.50	31.45

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5785MHz_TX




EUT_Z_2TX
Setting 104
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5739G	52.44	74.00	-21.56	38.50	3	Vertical	255	1.45	-	39.22	7.65	32.93
AV	11.584G	39.60	54.00	-14.40	25.63	3	Vertical	255	1.45	-	39.25	7.65	32.93

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5785MHz_TX




EUT_Z_2TX
Setting 104
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.564G	52.44	74.00	-21.56	38.53	3	Horizontal	247	1.59	-	39.19	7.65	32.93
AV	11.585G	39.70	54.00	-14.30	25.73	3	Horizontal	247	1.59	-	39.25	7.65	32.93

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5825MHz_TX




EUT_Z_2TX
Setting 104
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	58.91	68.20	-9.29	51.39	3	Vertical	61	2.15	-	33.82	5.16	31.46
PK	5.828G	116.49	Inf	-Inf	109.11	3	Vertical	61	2.15	-	33.76	5.08	31.46
AV	5.823G	104.40	Inf	-Inf	97.04	3	Vertical	61	2.15	-	33.75	5.07	31.46
PK	5.942G	58.03	68.20	-10.17	49.97	3	Vertical	61	2.15	-	34.08	5.43	31.45

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5825MHz_TX




EUT_Z_2TX
Setting 104
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.629G	57.98	68.20	-10.22	50.43	3	Horizontal	119	2.66	-	33.84	5.17	31.46
PK	5.829G	111.65	Inf	-Inf	104.26	3	Horizontal	119	2.66	-	33.76	5.09	31.46
AV	5.824G	99.84	Inf	-Inf	92.48	3	Horizontal	119	2.66	-	33.75	5.07	31.46
PK	5.973G	58.46	68.20	-9.74	50.29	3	Horizontal	119	2.66	-	34.10	5.52	31.45

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5825MHz_TX




EUT_Z_2TX
Setting 104
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6426G	53.41	74.00	-20.59	39.33	3	Vertical	349	2.95	-	39.34	7.67	32.93
AV	11.6691G	39.86	54.00	-14.14	25.74	3	Vertical	349	2.95	-	39.37	7.68	32.93

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5825MHz_TX




EUT_Z_2TX
Setting 104
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6617G	54.09	74.00	-19.91	39.98	3	Horizontal	153	1.88	-	39.36	7.68	32.93
AV	11.6622G	39.71	54.00	-14.29	25.60	3	Horizontal	153	1.88	-	39.36	7.68	32.93

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5190MHz_TX




EUT_Z_2TX
Setting 73
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	72.46	74.00	-1.54	65.69	3	Vertical	72	2.57	-	33.50	5.00	31.73
AV	5.1492G	53.89	54.00	-0.11	47.12	3	Vertical	72	2.57	-	33.50	5.00	31.73
PK	5.188G	109.88	Inf	-Inf	103.00	3	Vertical	72	2.57	-	33.50	5.08	31.70
AV	5.1864G	98.26	Inf	-Inf	91.39	3	Vertical	72	2.57	-	33.50	5.07	31.70

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5190MHz_TX




EUT_Z_2TX
Setting 73
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	67.02	74.00	-6.98	60.25	3	Horizontal	289	2.84	-	33.50	5.00	31.73
AV	5.15G	49.35	54.00	-4.65	42.58	3	Horizontal	289	2.84	-	33.50	5.00	31.73
PK	5.1824G	103.59	Inf	-Inf	96.74	3	Horizontal	289	2.84	-	33.50	5.06	31.71
AV	5.1872G	91.29	Inf	-Inf	84.42	3	Horizontal	289	2.84	-	33.50	5.07	31.70

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5190MHz_TX




EUT_Z_2TX
Setting 73
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5548G	53.10	74.00	-20.90	39.16	3	Vertical	164	2.30	-	37.74	9.04	32.84
AV	15.5524G	41.19	54.00	-12.81	27.25	3	Vertical	164	2.30	-	37.74	9.04	32.84

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5190MHz_TX




EUT_Z_2TX
Setting 73
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5636G	52.18	74.00	-21.82	38.27	3	Horizontal	12	1.01	-	37.71	9.05	32.85
AV	15.5687G	40.54	54.00	-13.46	26.65	3	Horizontal	12	1.01	-	37.69	9.05	32.85

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5230MHz_TX




EUT_Z_2TX
Setting 89
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	66.79	74.00	-7.21	60.02	3	Vertical	72	2.20	-	33.50	5.00	31.73
AV	5.15G	53.83	54.00	-0.17	47.06	3	Vertical	72	2.20	-	33.50	5.00	31.73
PK	5.244G	113.76	Inf	-Inf	106.75	3	Vertical	72	2.20	-	33.59	5.08	31.66
AV	5.2364G	102.10	Inf	-Inf	95.12	3	Vertical	72	2.20	-	33.57	5.08	31.67

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5230MHz_TX




EUT_Z_2TX
Setting 89
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	62.73	74.00	-11.27	55.96	3	Horizontal	126	2.90	-	33.50	5.00	31.73
AV	5.148G	48.06	54.00	-5.94	41.29	3	Horizontal	126	2.90	-	33.50	5.00	31.73
PK	5.2252G	108.30	Inf	-Inf	101.33	3	Horizontal	126	2.90	-	33.55	5.09	31.67
AV	5.2224G	96.35	Inf	-Inf	89.40	3	Horizontal	126	2.90	-	33.54	5.09	31.68

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5230MHz_TX




EUT_Z_2TX
Setting 89
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6763G	51.92	74.00	-22.08	38.23	3	Vertical	136	1.72	-	37.45	9.09	32.85
AV	15.6654G	40.30	54.00	-13.70	26.60	3	Vertical	136	1.72	-	37.47	9.08	32.85

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5230MHz_TX




EUT_Z_2TX
Setting 89
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6686G	52.70	74.00	-21.30	39.01	3	Horizontal	49	2.25	-	37.46	9.08	32.85
AV	15.6891G	40.24	54.00	-13.76	26.59	3	Horizontal	49	2.25	-	37.42	9.09	32.86

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5755MHz_TX




EUT_Z_2TX
Setting 95
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	68.05	68.20	-0.15	60.56	3	Vertical	61	2.30	-	33.80	5.15	31.46
PK	5.753G	114.01	Inf	-Inf	106.63	3	Vertical	61	2.30	-	33.79	5.05	31.46
AV	5.75G	102.54	Inf	-Inf	95.15	3	Vertical	61	2.30	-	33.80	5.05	31.46
PK	5.957G	58.07	68.20	-10.13	49.95	3	Vertical	61	2.30	-	34.10	5.47	31.45

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5755MHz_TX



EUT_Z_2TX
Setting 95
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	65.42	68.20	-2.78	57.92	3	Horizontal	121	2.69	-	33.81	5.15	31.46
PK	5.747G	111.16	Inf	-Inf	103.78	3	Horizontal	121	2.69	-	33.79	5.05	31.46
AV	5.751G	98.94	Inf	-Inf	91.55	3	Horizontal	121	2.69	-	33.80	5.05	31.46
PK	5.96G	58.09	68.20	-10.11	49.96	3	Horizontal	121	2.69	-	34.10	5.48	31.45