


802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

2422MHz_TX




EUT_Z_2TX
Setting 64
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.388G	68.36	74.00	-5.64	37.57	3	Vertical	282	2.49	-	28.38	2.41	-
AV	2.39G	53.99	54.00	-0.01	23.20	3	Vertical	282	2.49	-	28.38	2.41	-
PK	2.4144G	109.52	Inf	-Inf	78.71	3	Vertical	282	2.49	-	28.40	2.41	-
AV	2.4192G	97.21	Inf	-Inf	66.40	3	Vertical	282	2.49	-	28.40	2.41	-
PK	2.4844G	60.31	74.00	-13.69	29.33	3	Vertical	282	2.49	-	28.54	2.44	-
AV	2.4835G	48.39	54.00	-5.61	17.42	3	Vertical	282	2.49	-	28.53	2.44	-

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

2422MHz_TX




EUT Z_2TX
Setting 64
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	63.40	74.00	-10.60	32.61	3	Horizontal	0	1.35	-	28.38	2.41	-
AV	2.3896G	49.65	54.00	-4.35	18.86	3	Horizontal	0	1.35	-	28.38	2.41	-
PK	2.4276G	101.78	Inf	-Inf	70.97	3	Horizontal	0	1.35	-	28.40	2.41	-
AV	2.428G	90.22	Inf	-Inf	59.41	3	Horizontal	0	1.35	-	28.40	2.41	-
PK	2.4856G	59.11	74.00	-14.89	28.13	3	Horizontal	0	1.35	-	28.54	2.44	-
AV	2.4844G	47.84	54.00	-6.16	16.86	3	Horizontal	0	1.35	-	28.54	2.44	-

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

2422MHz_TX




EUT_Z_2TX
Setting 64
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.83404G	44.59	74.00	-29.41	38.83	3	Vertical	313	2.49	-	32.84	4.70	31.78
AV	4.83932G	31.95	54.00	-22.05	26.17	3	Vertical	313	2.49	-	32.86	4.70	31.78

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

2422MHz_TX




EUT_Z_2TX
Setting 64
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.83554G	44.45	74.00	-29.55	38.69	3	Horizontal	250	1.80	-	32.84	4.70	31.78
AV	4.83386G	31.11	54.00	-22.89	25.35	3	Horizontal	250	1.80	-	32.84	4.70	31.78

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

2437MHz_TX




EUT Z_2TX
Setting 72
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3874G	72.04	74.00	-1.96	41.26	3	Vertical	287	2.43	-	28.37	2.41	-
AV	2.3898G	53.54	54.00	-0.46	22.75	3	Vertical	287	2.43	-	28.38	2.41	-
PK	2.4294G	111.08	Inf	-Inf	80.27	3	Vertical	287	2.43	-	28.40	2.41	-
AV	2.4342G	99.79	Inf	-Inf	68.97	3	Vertical	287	2.43	-	28.40	2.42	-
PK	2.4846G	69.80	74.00	-4.20	38.82	3	Vertical	287	2.43	-	28.54	2.44	-
AV	2.4842G	53.87	54.00	-0.13	22.89	3	Vertical	287	2.43	-	28.54	2.44	-

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

2437MHz_TX




EUT Z_2TX
Setting 72
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3878G	64.24	74.00	-9.76	33.45	3	Horizontal	355	1.37	-	28.38	2.41	-
AV	2.3894G	49.22	54.00	-4.78	18.43	3	Horizontal	355	1.37	-	28.38	2.41	-
PK	2.435G	103.91	Inf	-Inf	73.09	3	Horizontal	355	1.37	-	28.40	2.42	-
AV	2.4278G	92.19	Inf	-Inf	61.38	3	Horizontal	355	1.37	-	28.40	2.41	-
PK	2.4918G	63.45	74.00	-10.55	32.43	3	Horizontal	355	1.37	-	28.57	2.45	-
AV	2.4835G	49.67	54.00	-4.33	18.70	3	Horizontal	355	1.37	-	28.53	2.44	-

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

2437MHz_TX




EUT_Z_2TX
Setting 72
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87076G	43.28	74.00	-30.72	37.43	3	Vertical	302	1.80	-	32.94	4.70	31.79
AV	4.86578G	31.05	54.00	-22.95	25.21	3	Vertical	302	1.80	-	32.93	4.70	31.79
PK	7.32036G	48.84	74.00	-25.16	39.07	3	Vertical	1	2.14	-	36.44	5.76	32.43
AV	7.31838G	36.29	54.00	-17.71	26.52	3	Vertical	1	2.14	-	36.44	5.76	32.43

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

2437MHz_TX




EUT_Z_2TX
Setting 72
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.86212G	43.68	74.00	-30.32	37.85	3	Horizontal	152	1.80	-	32.92	4.70	31.79
AV	4.86554G	30.79	54.00	-23.21	24.95	3	Horizontal	152	1.80	-	32.93	4.70	31.79
PK	7.31718G	49.47	74.00	-24.53	39.71	3	Horizontal	282	2.64	-	36.43	5.76	32.43
AV	7.32498G	36.26	54.00	-17.74	26.48	3	Horizontal	282	2.64	-	36.45	5.76	32.43

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

2452MHz_TX




EUT Z_2TX
Setting 66
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.356G	60.26	74.00	-13.74	29.53	3	Vertical	280	2.67	-	28.31	2.42	-
AV	2.3888G	48.48	54.00	-5.52	17.69	3	Vertical	280	2.67	-	28.38	2.41	-
PK	2.4544G	109.00	Inf	-Inf	78.15	3	Vertical	280	2.67	-	28.42	2.43	-
AV	2.4572G	97.60	Inf	-Inf	66.74	3	Vertical	280	2.67	-	28.43	2.43	-
PK	2.4848G	71.72	74.00	-2.28	40.74	3	Vertical	280	2.67	-	28.54	2.44	-
AV	2.4835G	53.44	54.00	-0.56	22.47	3	Vertical	280	2.67	-	28.53	2.44	-

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

2452MHz_TX




EUT Z_2TX
Setting 66
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3832G	59.25	74.00	-14.75	28.47	3	Horizontal	336	2.97	-	28.37	2.41	-
AV	2.3888G	47.21	54.00	-6.79	16.42	3	Horizontal	336	2.97	-	28.38	2.41	-
PK	2.4472G	104.48	Inf	-Inf	73.66	3	Horizontal	336	2.97	-	28.40	2.42	-
AV	2.446G	92.88	Inf	-Inf	62.06	3	Horizontal	336	2.97	-	28.40	2.42	-
PK	2.4864G	62.15	74.00	-11.85	31.16	3	Horizontal	336	2.97	-	28.55	2.44	-
AV	2.484G	48.71	54.00	-5.29	17.73	3	Horizontal	336	2.97	-	28.54	2.44	-

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

2452MHz_TX




EUT_Z_2TX
Setting 66
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8965G	43.39	74.00	-30.61	37.50	3	Vertical	120	1.80	-	32.99	4.70	31.80
AV	4.89842G	31.36	54.00	-22.64	25.46	3	Vertical	120	1.80	-	33.00	4.70	31.80

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

2452MHz_TX



EUT_Z_2TX
Setting 66
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.90268G	44.23	74.00	-29.77	38.31	3	Horizontal	138	2.99	-	33.02	4.70	31.80
AV	4.9154G	30.96	54.00	-23.04	24.98	3	Horizontal	138	2.99	-	33.09	4.70	31.81




**For Scanning radio 3 / 2T1S and 2T2S
Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11g_Nss1,(6Mbps)_2TX	Pass	PK	2.39G	73.99	74.00	-0.01	3	Horizontal	57	2.38	-

802.11b_Nss1,(1Mbps)_2TX

07/06/2021

2412MHz_TX




EUT Y_2TX
Setting 86
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.387G	60.25	74.00	-13.75	29.47	3	Vertical	289	2.27	-	28.37	2.41	-
AV	2.366G	52.10	54.00	-1.90	21.35	3	Vertical	289	2.27	-	28.33	2.42	-
PK	2.413G	111.02	Inf	-Inf	80.21	3	Vertical	289	2.27	-	28.40	2.41	-
AV	2.4128G	107.32	Inf	-Inf	76.51	3	Vertical	289	2.27	-	28.40	2.41	-

802.11b_Nss1,(1Mbps)_2TX

07/06/2021

2412MHz_TX




EUT Y_2TX
Setting 86
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	63.30	74.00	-10.70	32.51	3	Horizontal	62	2.37	-	28.38	2.41	-
AV	2.3892G	53.78	54.00	-0.22	22.99	3	Horizontal	62	2.37	-	28.38	2.41	-
PK	2.413G	120.56	Inf	-Inf	89.75	3	Horizontal	62	2.37	-	28.40	2.41	-
AV	2.4128G	116.62	Inf	-Inf	85.81	3	Horizontal	62	2.37	-	28.40	2.41	-

802.11b_Nss1,(1Mbps)_2TX

07/06/2021

2412MHz_TX




EUT Y_2TX
Setting 86
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82396G	46.96	74.00	-27.04	41.24	3	Vertical	353	1.73	-	32.80	4.70	31.78
AV	4.82403G	37.45	54.00	-16.55	31.73	3	Vertical	353	1.73	-	32.80	4.70	31.78

802.11b_Nss1,(1Mbps)_2TX

07/06/2021

2412MHz_TX




EUT Y_2TX
Setting 86
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82393G	46.88	74.00	-27.12	41.16	3	Horizontal	288	2.23	-	32.80	4.70	31.78
AV	4.82398G	37.58	54.00	-16.42	31.86	3	Horizontal	288	2.23	-	32.80	4.70	31.78

802.11b_Nss1,(1Mbps)_2TX

07/06/2021

2437MHz_TX




EUT Y_2TX
Setting 96
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3798G	59.25	74.00	-14.75	28.48	3	Vertical	320	2.60	-	28.36	2.41	-
AV	2.3866G	48.74	54.00	-5.26	17.96	3	Vertical	320	2.60	-	28.37	2.41	-
PK	2.4362G	116.16	Inf	-Inf	85.34	3	Vertical	320	2.60	-	28.40	2.42	-
AV	2.4362G	112.55	Inf	-Inf	81.73	3	Vertical	320	2.60	-	28.40	2.42	-
PK	2.4858G	60.41	74.00	-13.59	29.43	3	Vertical	320	2.60	-	28.54	2.44	-
AV	2.4835G	48.95	54.00	-5.05	17.98	3	Vertical	320	2.60	-	28.53	2.44	-

802.11b_Nss1,(1Mbps)_2TX

07/06/2021

2437MHz_TX




EUT Y_2TX
Setting 96
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3826G	60.73	74.00	-13.27	29.95	3	Horizontal	286	2.03	-	28.37	2.41	-
AV	2.3866G	50.83	54.00	-3.17	20.05	3	Horizontal	286	2.03	-	28.37	2.41	-
PK	2.4362G	120.17	Inf	-Inf	89.35	3	Horizontal	286	2.03	-	28.40	2.42	-
AV	2.4362G	116.54	Inf	-Inf	85.72	3	Horizontal	286	2.03	-	28.40	2.42	-
PK	2.4862G	62.71	74.00	-11.29	31.73	3	Horizontal	286	2.03	-	28.54	2.44	-
AV	2.4946G	53.80	54.00	-0.20	22.77	3	Horizontal	286	2.03	-	28.58	2.45	-

802.11b_Nss1,(1Mbps)_2TX

07/06/2021

2437MHz_TX




EUT Y_2TX
Setting 96
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87396G	48.23	74.00	-25.77	42.37	3	Vertical	336	1.81	-	32.95	4.70	31.79
AV	4.87398G	41.58	54.00	-12.42	35.72	3	Vertical	336	1.81	-	32.95	4.70	31.79
PK	7.31186G	54.61	74.00	-19.39	44.85	3	Vertical	350	1.04	-	36.42	5.76	32.42
AV	7.31172G	47.93	54.00	-6.07	38.17	3	Vertical	350	1.04	-	36.42	5.76	32.42

802.11b_Nss1,(1Mbps)_2TX

07/06/2021

2437MHz_TX




EUT Y_2TX
Setting 96
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87409G	48.95	74.00	-25.05	43.09	3	Horizontal	302	1.56	-	32.95	4.70	31.79
AV	4.87398G	43.38	54.00	-10.62	37.52	3	Horizontal	302	1.56	-	32.95	4.70	31.79
PK	7.31198G	54.49	74.00	-19.51	44.73	3	Horizontal	326	2.58	-	36.42	5.76	32.42
AV	7.31172G	47.74	54.00	-6.26	37.98	3	Horizontal	326	2.58	-	36.42	5.76	32.42

802.11b_Nss1,(1Mbps)_2TX

07/06/2021

2457MHz_TX




EUT Y_2TX
Setting 89
02-B-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.458G	116.81	Inf	-Inf	85.95	3	Vertical	26	2.05	-	28.43	2.43	-
AV	2.4562G	113.12	Inf	-Inf	82.27	3	Vertical	26	2.05	-	28.42	2.43	-
PK	2.4842G	61.89	74.00	-12.11	30.91	3	Vertical	26	2.05	-	28.54	2.44	-
AV	2.4838G	52.00	54.00	-2.00	21.02	3	Vertical	26	2.05	-	28.54	2.44	-

802.11b_Nss1,(1Mbps)_2TX

07/06/2021

2457MHz_TX




EUT Y_2TX
Setting 89
02-B-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.456G	119.43	Inf	-Inf	88.58	3	Horizontal	308	2.31	-	28.42	2.43	-
AV	2.4562G	115.78	Inf	-Inf	84.93	3	Horizontal	308	2.31	-	28.42	2.43	-
PK	2.4844G	63.27	74.00	-10.73	32.29	3	Horizontal	308	2.31	-	28.54	2.44	-
AV	2.4838G	53.91	54.00	-0.09	22.93	3	Horizontal	308	2.31	-	28.54	2.44	-

802.11b_Nss1,(1Mbps)_2TX

07/06/2021

2462MHz_TX




EUT Y_2TX
Setting 84
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.463G	112.82	Inf	-Inf	81.94	3	Vertical	320	2.59	-	28.45	2.43	-
AV	2.4612G	109.13	Inf	-Inf	78.26	3	Vertical	320	2.59	-	28.44	2.43	-
PK	2.4954G	59.91	74.00	-14.09	28.88	3	Vertical	320	2.59	-	28.58	2.45	-
AV	2.4835G	48.93	54.00	-5.07	17.96	3	Vertical	320	2.59	-	28.53	2.44	-

802.11b_Nss1,(1Mbps)_2TX

07/06/2021

2462MHz_TX




EUT Y_2TX
Setting 84
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.463G	118.15	Inf	-Inf	87.27	3	Horizontal	296	2.42	-	28.45	2.43	-
AV	2.4612G	114.44	Inf	-Inf	83.57	3	Horizontal	296	2.42	-	28.44	2.43	-
PK	2.4844G	62.48	74.00	-11.52	31.50	3	Horizontal	296	2.42	-	28.54	2.44	-
AV	2.4835G	53.87	54.00	-0.13	22.90	3	Horizontal	296	2.42	-	28.53	2.44	-

802.11b_Nss1,(1Mbps)_2TX

07/06/2021

2462MHz_TX




EUT Y_2TX
Setting 84
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92393G	45.94	74.00	-28.06	39.91	3	Vertical	337	1.86	-	33.14	4.70	31.81
AV	4.92401G	34.98	54.00	-19.02	28.95	3	Vertical	337	1.86	-	33.14	4.70	31.81

802.11b_Nss1,(1Mbps)_2TX

07/06/2021

2462MHz_TX




EUT Y_2TX
Setting 84
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92388G	46.76	74.00	-27.24	40.73	3	Horizontal	305	1.69	-	33.14	4.70	31.81
AV	4.92401G	37.93	54.00	-16.07	31.90	3	Horizontal	305	1.69	-	33.14	4.70	31.81

802.11g_Nss1,(6Mbps)_2TX

07/06/2021

2412MHz_TX




EUT Y_2TX
Setting 63
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	66.41	74.00	-7.59	35.62	3	Vertical	332	2.96	-	28.38	2.41	-
AV	2.3874G	47.92	54.00	-6.08	17.14	3	Vertical	332	2.96	-	28.37	2.41	-
PK	2.4064G	109.56	Inf	-Inf	78.76	3	Vertical	332	2.96	-	28.40	2.40	-
AV	2.4062G	98.83	Inf	-Inf	68.03	3	Vertical	332	2.96	-	28.40	2.40	-

802.11g_Nss1,(6Mbps)_2TX

07/06/2021

2412MHz_TX




EUT Y_2TX
Setting 63
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	73.99	74.00	-0.01	43.20	3	Horizontal	57	2.38	-	28.38	2.41	-
AV	2.39G	51.20	54.00	-2.80	20.41	3	Horizontal	57	2.38	-	28.38	2.41	-
PK	2.4146G	114.28	Inf	-Inf	83.47	3	Horizontal	57	2.38	-	28.40	2.41	-
AV	2.4146G	104.16	Inf	-Inf	73.35	3	Horizontal	57	2.38	-	28.40	2.41	-

802.11g_Nss1,(6Mbps)_2TX

07/06/2021

2412MHz_TX




EUT Y_2TX
Setting 63
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8245G	45.34	74.00	-28.66	39.62	3	Vertical	242	1.41	-	32.80	4.70	31.78
AV	4.8251G	30.58	54.00	-23.42	24.86	3	Vertical	242	1.41	-	32.80	4.70	31.78

802.11g_Nss1,(6Mbps)_2TX

07/06/2021

2412MHz_TX




EUT Y_2TX
Setting 63
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.81996G	44.35	74.00	-29.65	38.65	3	Horizontal	193	1.89	-	32.78	4.70	31.78
AV	4.82384G	30.64	54.00	-23.36	24.92	3	Horizontal	193	1.89	-	32.80	4.70	31.78

802.11g_Nss1,(6Mbps)_2TX

07/06/2021

2417MHz_TX




EUT Y_2TX
Setting 71
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3876G	73.76	74.00	-0.24	42.97	3	Vertical	45	2.56	-	28.38	2.41	-
AV	2.3874G	50.26	54.00	-3.74	19.48	3	Vertical	45	2.56	-	28.37	2.41	-
PK	2.4122G	113.84	Inf	-Inf	83.03	3	Vertical	45	2.56	-	28.40	2.41	-
AV	2.4124G	103.98	Inf	-Inf	73.17	3	Vertical	45	2.56	-	28.40	2.41	-

802.11g_Nss1,(6Mbps)_2TX

07/06/2021

2417MHz_TX




EUT Y_2TX
Setting 71
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3876G	73.50	74.00	-0.50	42.71	3	Horizontal	309	1.75	-	28.38	2.41	-
AV	2.3878G	50.33	54.00	-3.67	19.54	3	Horizontal	309	1.75	-	28.38	2.41	-
PK	2.4128G	113.97	Inf	-Inf	83.16	3	Horizontal	309	1.75	-	28.40	2.41	-
AV	2.4128G	103.68	Inf	-Inf	72.87	3	Horizontal	309	1.75	-	28.40	2.41	-

802.11g_Nss1,(6Mbps)_2TX

07/06/2021

2437MHz_TX




EUT Y_2TX
Setting 83
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	65.14	74.00	-8.86	34.35	3	Vertical	329	2.60	-	28.38	2.41	-
AV	2.3886G	47.58	54.00	-6.42	16.79	3	Vertical	329	2.60	-	28.38	2.41	-
PK	2.4338G	114.22	Inf	-Inf	83.40	3	Vertical	329	2.60	-	28.40	2.42	-
AV	2.4342G	103.90	Inf	-Inf	73.08	3	Vertical	329	2.60	-	28.40	2.42	-
PK	2.4846G	69.80	74.00	-4.20	38.82	3	Vertical	329	2.60	-	28.54	2.44	-
AV	2.485G	48.44	54.00	-5.56	17.46	3	Vertical	329	2.60	-	28.54	2.44	-

802.11g_Nss1,(6Mbps)_2TX

07/06/2021

2437MHz_TX




EUT Y_2TX
Setting 83
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3818G	71.52	74.00	-2.48	40.75	3	Horizontal	57	1.93	-	28.36	2.41	-
AV	2.3874G	49.96	54.00	-4.04	19.18	3	Horizontal	57	1.93	-	28.37	2.41	-
PK	2.4322G	118.73	Inf	-Inf	87.91	3	Horizontal	57	1.93	-	28.40	2.42	-
AV	2.4322G	108.52	Inf	-Inf	77.70	3	Horizontal	57	1.93	-	28.40	2.42	-
PK	2.4835G	73.80	74.00	-0.20	42.83	3	Horizontal	57	1.93	-	28.53	2.44	-
AV	2.4835G	51.16	54.00	-2.84	20.19	3	Horizontal	57	1.93	-	28.53	2.44	-

802.11g_Nss1,(6Mbps)_2TX

07/06/2021

2437MHz_TX




EUT Y_2TX
Setting 83
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87602G	43.66	74.00	-30.34	37.81	3	Vertical	342	1.69	-	32.95	4.70	31.80
AV	4.87342G	30.20	54.00	-23.80	24.34	3	Vertical	342	1.69	-	32.95	4.70	31.79

802.11g_Nss1,(6Mbps)_2TX

07/06/2021

2437MHz_TX




EUT Y_2TX
Setting 83
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87182G	44.85	74.00	-29.15	39.00	3	Horizontal	39	1.75	-	32.94	4.70	31.79
AV	4.87338G	30.57	54.00	-23.43	24.71	3	Horizontal	39	1.75	-	32.95	4.70	31.79

802.11g_Nss1,(6Mbps)_2TX

07/06/2021

2457MHz_TX




EUT Y_2TX
Setting 72
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4586G	113.12	Inf	-Inf	82.26	3	Vertical	23	1.16	-	28.43	2.43	-
AV	2.4586G	103.19	Inf	-Inf	72.33	3	Vertical	23	1.16	-	28.43	2.43	-
PK	2.4835G	73.59	74.00	-0.41	42.62	3	Vertical	23	1.16	-	28.53	2.44	-
AV	2.4835G	52.84	54.00	-1.16	21.87	3	Vertical	23	1.16	-	28.53	2.44	-

802.11g_Nss1,(6Mbps)_2TX

07/06/2021

2457MHz_TX




EUT Y_2TX
Setting 72
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.462G	114.81	Inf	-Inf	83.93	3	Horizontal	49	2.77	-	28.45	2.43	-
AV	2.4618G	104.48	Inf	-Inf	73.60	3	Horizontal	49	2.77	-	28.45	2.43	-
PK	2.4866G	73.78	74.00	-0.22	42.79	3	Horizontal	49	2.77	-	28.55	2.44	-
AV	2.486G	51.60	54.00	-2.40	20.62	3	Horizontal	49	2.77	-	28.54	2.44	-

802.11g_Nss1,(6Mbps)_2TX

07/06/2021

2462MHz_TX




EUT Y_2TX
Setting 60
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4658G	108.38	Inf	-Inf	77.49	3	Vertical	340	2.80	-	28.46	2.43	-
AV	2.4658G	97.91	Inf	-Inf	67.02	3	Vertical	340	2.80	-	28.46	2.43	-
PK	2.4848G	70.05	74.00	-3.95	39.07	3	Vertical	340	2.80	-	28.54	2.44	-
AV	2.485G	48.45	54.00	-5.55	17.47	3	Vertical	340	2.80	-	28.54	2.44	-

802.11g_Nss1,(6Mbps)_2TX

07/06/2021

2462MHz_TX




EUT Y_2TX
Setting 60
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4646G	113.24	Inf	-Inf	82.35	3	Horizontal	61	1.89	-	28.46	2.43	-
AV	2.4646G	103.13	Inf	-Inf	72.24	3	Horizontal	61	1.89	-	28.46	2.43	-
PK	2.4836G	73.79	74.00	-0.21	42.82	3	Horizontal	61	1.89	-	28.53	2.44	-
AV	2.4838G	50.31	54.00	-3.69	19.33	3	Horizontal	61	1.89	-	28.54	2.44	-

802.11g_Nss1,(6Mbps)_2TX

07/06/2021

2462MHz_TX




EUT Y_2TX
Setting 60
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.925G	44.13	74.00	-29.87	38.09	3	Vertical	114	1.88	-	33.15	4.70	31.81
AV	4.92468G	30.23	54.00	-23.77	24.19	3	Vertical	114	1.88	-	33.15	4.70	31.81

802.11g_Nss1,(6Mbps)_2TX

07/06/2021

2462MHz_TX




EUT Y_2TX
Setting 60
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92046G	44.22	74.00	-29.78	38.21	3	Horizontal	274	1.70	-	33.12	4.70	31.81
AV	4.92476G	30.61	54.00	-23.39	24.57	3	Horizontal	274	1.70	-	33.15	4.70	31.81

802.11ax HEW20_Nss2,(MCS0)_2TX

07/06/2021

2412MHz_TX




EUT Y_2TX
Setting 65
02-B-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	72.65	74.00	-1.35	41.86	3	Vertical	337	2.95	-	28.38	2.41	-
AV	2.39G	51.18	54.00	-2.82	20.39	3	Vertical	337	2.95	-	28.38	2.41	-
PK	2.415G	109.79	Inf	-Inf	78.98	3	Vertical	337	2.95	-	28.40	2.41	-
AV	2.4138G	96.39	Inf	-Inf	65.58	3	Vertical	337	2.95	-	28.40	2.41	-

802.11ax HEW20_Nss2,(MCS0)_2TX

07/06/2021

2412MHz_TX




EUT Y_2TX
Setting 65
02-B-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	72.80	74.00	-1.20	42.01	3	Horizontal	63	1.94	-	28.38	2.41	-
AV	2.39G	53.78	54.00	-0.22	23.00	3	Horizontal	63	1.94	-	28.38	2.40	-
PK	2.416G	114.51	Inf	-Inf	83.70	3	Horizontal	63	1.94	-	28.40	2.41	-
AV	2.4154G	101.20	Inf	-Inf	70.39	3	Horizontal	63	1.94	-	28.40	2.41	-

802.11ax HEW20_Nss2,(MCS0)_2TX

07/06/2021

2412MHz_TX




EUT Y_2TX
Setting 65
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82098G	44.25	74.00	-29.75	38.55	3	Vertical	120	2.25	-	32.78	4.70	31.78
AV	4.82418G	30.36	54.00	-23.64	24.64	3	Vertical	120	2.25	-	32.80	4.70	31.78

802.11ax HEW20_Nss2,(MCS0)_2TX

07/06/2021

2412MHz_TX




EUT Y_2TX
Setting 65
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82018G	43.96	74.00	-30.04	38.26	3	Horizontal	302	2.46	-	32.78	4.70	31.78
AV	4.8236G	30.38	54.00	-23.62	24.67	3	Horizontal	302	2.46	-	32.79	4.70	31.78

802.11ax HEW20_Nss2,(MCS0)_2TX

07/06/2021

2417MHz_TX




EUT Y_2TX
Setting 69
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	68.52	74.00	-5.48	37.73	3	Vertical	323	2.96	-	28.38	2.41	-
AV	2.39G	51.09	54.00	-2.91	20.30	3	Vertical	323	2.96	-	28.38	2.41	-
PK	2.4154G	110.66	Inf	-Inf	79.85	3	Vertical	323	2.96	-	28.40	2.41	-
AV	2.412G	97.14	Inf	-Inf	66.33	3	Vertical	323	2.96	-	28.40	2.41	-

802.11ax HEW20_Nss2,(MCS0)_2TX

07/06/2021

2417MHz_TX




EUT Y_2TX
Setting 69
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3888G	70.26	74.00	-3.74	39.47	3	Horizontal	57	2.38	-	28.38	2.41	-
AV	2.39G	53.88	54.00	-0.12	23.09	3	Horizontal	57	2.38	-	28.38	2.41	-
PK	2.4136G	115.59	Inf	-Inf	84.78	3	Horizontal	57	2.38	-	28.40	2.41	-
AV	2.4146G	102.44	Inf	-Inf	71.63	3	Horizontal	57	2.38	-	28.40	2.41	-

802.11ax HEW20_Nss2,(MCS0)_2TX

07/06/2021

2437MHz_TX




EUT Y_2TX
Setting 83
02-B-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	64.85	74.00	-9.15	34.06	3	Vertical	49	1.46	-	28.38	2.41	-
AV	2.3898G	48.76	54.00	-5.24	17.97	3	Vertical	49	1.46	-	28.38	2.41	-
PK	2.431G	111.06	Inf	-Inf	80.24	3	Vertical	49	1.46	-	28.40	2.42	-
AV	2.433G	99.39	Inf	-Inf	68.57	3	Vertical	49	1.46	-	28.40	2.42	-
PK	2.4838G	63.41	74.00	-10.59	32.43	3	Vertical	49	1.46	-	28.54	2.44	-
AV	2.4835G	48.64	54.00	-5.36	17.67	3	Vertical	49	1.46	-	28.53	2.44	-

802.11ax HEW20_Nss2,(MCS0)_2TX

07/06/2021

2437MHz_TX




EUT Y_2TX
Setting 83
02-B-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	71.83	74.00	-2.17	41.04	3	Horizontal	62	1.94	-	28.38	2.41	-
AV	2.3898G	53.81	54.00	-0.19	23.02	3	Horizontal	62	1.94	-	28.38	2.41	-
PK	2.4322G	118.85	Inf	-Inf	88.03	3	Horizontal	62	1.94	-	28.40	2.42	-
AV	2.4322G	106.87	Inf	-Inf	76.05	3	Horizontal	62	1.94	-	28.40	2.42	-
PK	2.4835G	71.31	74.00	-2.69	40.34	3	Horizontal	62	1.94	-	28.53	2.44	-
AV	2.4835G	53.43	54.00	-0.57	22.46	3	Horizontal	62	1.94	-	28.53	2.44	-

802.11ax HEW20_Nss2,(MCS0)_2TX

07/06/2021

2437MHz_TX




EUT Y_2TX
Setting 83
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.86942G	43.65	74.00	-30.35	37.80	3	Vertical	181	2.71	-	32.94	4.70	31.79
AV	4.87366G	30.52	54.00	-23.48	24.66	3	Vertical	181	2.71	-	32.95	4.70	31.79

802.11ax HEW20_Nss2,(MCS0)_2TX

07/06/2021

2437MHz_TX




EUT Y_2TX
Setting 83
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87106G	44.02	74.00	-29.98	38.17	3	Horizontal	306	2.41	-	32.94	4.70	31.79
AV	4.87366G	30.70	54.00	-23.30	24.84	3	Horizontal	306	2.41	-	32.95	4.70	31.79

802.11ax HEW20_Nss2,(MCS0)_2TX

07/06/2021

2457MHz_TX




EUT Y_2TX
Setting 67
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.458G	111.12	Inf	-Inf	80.26	3	Vertical	353	2.57	-	28.43	2.43	-
AV	2.456G	97.02	Inf	-Inf	66.17	3	Vertical	353	2.57	-	28.42	2.43	-
PK	2.4835G	67.30	74.00	-6.70	36.33	3	Vertical	353	2.57	-	28.53	2.44	-
AV	2.4835G	49.91	54.00	-4.09	18.94	3	Vertical	353	2.57	-	28.53	2.44	-

802.11ax HEW20_Nss2,(MCS0)_2TX

07/06/2021

2457MHz_TX




EUT Y_2TX
Setting 67
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.463G	114.99	Inf	-Inf	84.11	3	Horizontal	56	2.13	-	28.45	2.43	-
AV	2.462G	101.29	Inf	-Inf	70.41	3	Horizontal	56	2.13	-	28.45	2.43	-
PK	2.4835G	71.38	74.00	-2.62	40.41	3	Horizontal	56	2.13	-	28.53	2.44	-
AV	2.4835G	53.76	54.00	-0.24	22.79	3	Horizontal	56	2.13	-	28.53	2.44	-

802.11ax HEW20_Nss2,(MCS0)_2TX

07/06/2021

2462MHz_TX




EUT Y_2TX
Setting 60
02-B-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4574G	108.28	Inf	-Inf	77.42	3	Vertical	351	2.57	-	28.43	2.43	-
AV	2.4644G	94.72	Inf	-Inf	63.83	3	Vertical	351	2.57	-	28.46	2.43	-
PK	2.4836G	66.74	74.00	-7.26	35.77	3	Vertical	351	2.57	-	28.53	2.44	-
AV	2.4835G	48.47	54.00	-5.53	17.50	3	Vertical	351	2.57	-	28.53	2.44	-

802.11ax HEW20_Nss2,(MCS0)_2TX

07/06/2021

2462MHz_TX




EUT Y_2TX
Setting 60
02-B-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4664G	113.44	Inf	-Inf	82.54	3	Horizontal	52	2.54	-	28.47	2.43	-
AV	2.4674G	99.23	Inf	-Inf	68.33	3	Horizontal	52	2.54	-	28.47	2.43	-
PK	2.4848G	73.95	74.00	-0.05	42.97	3	Horizontal	52	2.54	-	28.54	2.44	-
AV	2.4835G	52.16	54.00	-1.84	21.19	3	Horizontal	52	2.54	-	28.53	2.44	-

802.11ax HEW20_Nss2,(MCS0)_2TX

07/06/2021

2462MHz_TX




EUT Y_2TX
Setting 60
02-B-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92712G	44.31	74.00	-29.69	38.26	3	Vertical	129	2.83	-	33.16	4.70	31.81
AV	4.9247G	30.16	54.00	-23.84	24.12	3	Vertical	129	2.83	-	33.15	4.70	31.81

802.11ax HEW20_Nss2,(MCS0)_2TX

07/06/2021

2462MHz_TX




EUT Y_2TX
Setting 60
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92408G	44.17	74.00	-29.83	38.14	3	Horizontal	77	1.53	-	33.14	4.70	31.81
AV	4.9266G	30.33	54.00	-23.67	24.28	3	Horizontal	77	1.53	-	33.16	4.70	31.81

802.11ax HEW40_Nss2,(MCS0)_2TX

07/06/2021

2422MHz_TX




EUT Y_2TX
Setting 59
02-B-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3864G	67.48	74.00	-6.52	36.70	3	Vertical	6	2.36	-	28.37	2.41	-
AV	2.39G	47.79	54.00	-6.21	17.00	3	Vertical	6	2.36	-	28.38	2.41	-
PK	2.4236G	104.50	Inf	-Inf	73.69	3	Vertical	6	2.36	-	28.40	2.41	-
AV	2.4296G	89.25	Inf	-Inf	58.44	3	Vertical	6	2.36	-	28.40	2.41	-
PK	2.4988G	59.52	74.00	-14.48	28.47	3	Vertical	6	2.36	-	28.60	2.45	-
AV	2.4844G	46.58	54.00	-7.42	15.60	3	Vertical	6	2.36	-	28.54	2.44	-

802.11ax HEW40_Nss2,(MCS0)_2TX

07/06/2021

2422MHz_TX




EUT Y_2TX
Setting 59
02-B-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3824G	73.80	74.00	-0.20	43.03	3	Horizontal	59	2.40	-	28.36	2.41	-
AV	2.3896G	50.93	54.00	-3.07	20.14	3	Horizontal	59	2.40	-	28.38	2.41	-
PK	2.4168G	109.65	Inf	-Inf	78.84	3	Horizontal	59	2.40	-	28.40	2.41	-
AV	2.4172G	94.77	Inf	-Inf	63.96	3	Horizontal	59	2.40	-	28.40	2.41	-
PK	2.4844G	59.41	74.00	-14.59	28.43	3	Horizontal	59	2.40	-	28.54	2.44	-
AV	2.4844G	46.85	54.00	-7.15	15.87	3	Horizontal	59	2.40	-	28.54	2.44	-

802.11ax HEW40_Nss2,(MCS0)_2TX

07/06/2021

2422MHz_TX




EUT Y_2TX
Setting 59
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.84368G	43.56	74.00	-30.44	37.77	3	Vertical	126	2.03	-	32.87	4.70	31.78
AV	4.84492G	30.18	54.00	-23.82	24.38	3	Vertical	126	2.03	-	32.88	4.70	31.78

802.11ax HEW40_Nss2,(MCS0)_2TX

07/06/2021

2422MHz_TX




EUT Y_2TX
Setting 59
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.84552G	44.38	74.00	-29.62	38.58	3	Horizontal	107	1.46	-	32.88	4.70	31.78
AV	4.84516G	30.11	54.00	-23.89	24.31	3	Horizontal	107	1.46	-	32.88	4.70	31.78

802.11ax HEW40_Nss2,(MCS0)_2TX

07/06/2021

2437MHz_TX




EUT Y_2TX
Setting 68
02-B-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	65.99	74.00	-8.01	35.20	3	Vertical	7	2.37	-	28.38	2.41	-
AV	2.3898G	49.56	54.00	-4.44	18.77	3	Vertical	7	2.37	-	28.38	2.41	-
PK	2.4358G	106.75	Inf	-Inf	75.93	3	Vertical	7	2.37	-	28.40	2.42	-
AV	2.4306G	92.47	Inf	-Inf	61.65	3	Vertical	7	2.37	-	28.40	2.42	-
PK	2.4854G	66.48	74.00	-7.52	35.50	3	Vertical	7	2.37	-	28.54	2.44	-
AV	2.4838G	48.74	54.00	-5.26	17.76	3	Vertical	7	2.37	-	28.54	2.44	-

802.11ax HEW40_Nss2,(MCS0)_2TX

07/06/2021

2437MHz_TX




EUT Y_2TX
Setting 68
02-B-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3866G	71.80	74.00	-2.20	41.02	3	Horizontal	60	1.94	-	28.37	2.41	-
AV	2.3894G	53.89	54.00	-0.11	23.10	3	Horizontal	60	1.94	-	28.38	2.41	-
PK	2.4338G	111.49	Inf	-Inf	80.67	3	Horizontal	60	1.94	-	28.40	2.42	-
AV	2.4326G	97.58	Inf	-Inf	66.76	3	Horizontal	60	1.94	-	28.40	2.42	-
PK	2.4862G	69.97	74.00	-4.03	38.99	3	Horizontal	60	1.94	-	28.54	2.44	-
AV	2.4835G	52.31	54.00	-1.69	21.34	3	Horizontal	60	1.94	-	28.53	2.44	-

802.11ax HEW40_Nss2,(MCS0)_2TX

07/06/2021

2437MHz_TX




EUT Y_2TX
Setting 68
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87524G	44.04	74.00	-29.96	38.19	3	Vertical	337	2.82	-	32.95	4.70	31.80
AV	4.87468G	30.06	54.00	-23.94	24.20	3	Vertical	337	2.82	-	32.95	4.70	31.79

802.11ax HEW40_Nss2,(MCS0)_2TX

07/06/2021

2437MHz_TX




EUT Y_2TX
Setting 68
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87132G	44.17	74.00	-29.83	38.32	3	Horizontal	316	1.93	-	32.94	4.70	31.79
AV	4.8735G	30.14	54.00	-23.86	24.28	3	Horizontal	316	1.93	-	32.95	4.70	31.79

802.11ax HEW40_Nss2,(MCS0)_2TX

07/06/2021

2452MHz_TX




EUT Y_2TX
Setting 57
02-B-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3804G	59.57	74.00	-14.43	28.80	3	Vertical	352	2.59	-	28.36	2.41	-
AV	2.3896G	46.26	54.00	-7.74	15.47	3	Vertical	352	2.59	-	28.38	2.41	-
PK	2.454G	104.88	Inf	-Inf	74.03	3	Vertical	352	2.59	-	28.42	2.43	-
AV	2.458G	89.50	Inf	-Inf	58.64	3	Vertical	352	2.59	-	28.43	2.43	-
PK	2.4852G	67.73	74.00	-6.27	36.75	3	Vertical	352	2.59	-	28.54	2.44	-
AV	2.4852G	47.36	54.00	-6.64	16.38	3	Vertical	352	2.59	-	28.54	2.44	-

802.11ax HEW40_Nss2,(MCS0)_2TX

07/06/2021

2452MHz_TX



EUT Y_2TX
Setting 57
02-B-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3888G	60.91	74.00	-13.09	30.12	3	Horizontal	60	2.35	-	28.38	2.41	-
AV	2.39G	46.89	54.00	-7.11	16.10	3	Horizontal	60	2.35	-	28.38	2.41	-
PK	2.446G	110.54	Inf	-Inf	79.72	3	Horizontal	60	2.35	-	28.40	2.42	-
AV	2.4456G	93.66	Inf	-Inf	62.84	3	Horizontal	60	2.35	-	28.40	2.42	-
AV	2.4844G	49.50	54.00	-4.50	18.52	3	Horizontal	60	2.35	-	28.54	2.44	-
PK	2.4852G	73.97	74.00	-0.03	42.99	3	Horizontal	60	2.35	-	28.54	2.44	-

802.11ax HEW40_Nss2,(MCS0)_2TX

07/06/2021

2452MHz_TX




EUT Y_2TX
Setting 57
02-B-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9246G	43.12	74.00	-30.88	37.08	3	Vertical	23	1.39	-	33.15	4.70	31.81
AV	4.8861G	30.13	54.00	-23.87	24.26	3	Vertical	23	1.39	-	32.97	4.70	31.80

802.11ax HEW40_Nss2,(MCS0)_2TX

07/06/2021

2452MHz_TX



EUT Y_2TX
Setting 57
02-B-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.885G	44.22	74.00	-29.78	38.35	3	Horizontal	243	1.32	-	32.97	4.70	31.80
AV	4.8845G	30.19	54.00	-23.81	24.32	3	Horizontal	243	1.32	-	32.97	4.70	31.80




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.74277G	30.32	54.00	-23.68	Vertical

Mode 1


11/06/2021



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	1.74536G	41.45	74.00	-32.55	-5.57	3	Vertical	246	1.15	-	47.02	25.30	2.65	33.52
AV	1.74277G	30.32	54.00	-23.68	-5.58	3	Vertical	246	1.15	"Worst"	35.90	25.30	2.64	33.52

Mode 1

11/06/2021



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	1.74259G	37.29	74.00	-36.71	-5.58	3	Horizontal	215	1.24	-	42.87	25.30	2.64	33.52
AV	1.7437G	24.24	54.00	-29.76	-5.58	3	Horizontal	215	1.24	"Worst"	29.82	25.30	2.64	33.52