



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	AV	4.874G	53.62	54.00	-0.38	3	Horizontal	319	1.98
a40_Nss1,(6Mbps)_1TX	Pass	AV	4.874G	53.86	54.00	-0.14	3	Horizontal	314	1.95
a80_Nss1,(6Mbps)_1TX	Pass	AV	5.144G	53.15	54.00	-0.85	3	Horizontal	314	1.88
a160_Nss1,(6Mbps)_1TX	Pass	AV	5.142G	52.84	54.00	-1.16	3	Horizontal	315	1.82
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	AV	5.352G	53.39	54.00	-0.61	3	Horizontal	317	1.90
a40_Nss1,(6Mbps)_1TX	Pass	AV	5.354G	53.69	54.00	-0.31	3	Horizontal	318	1.99
a80_Nss1,(6Mbps)_1TX	Pass	AV	5.362G	52.92	54.00	-1.08	3	Horizontal	318	1.96
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	PK	5.726G	67.42	68.20	-0.78	3	Horizontal	349	1.86
a40_Nss1,(6Mbps)_1TX	Pass	PK	5.726G	68.07	68.20	-0.13	3	Horizontal	352	1.51
a80_Nss1,(6Mbps)_1TX	Pass	PK	5.47G	67.87	68.20	-0.33	3	Horizontal	318	1.91
a160_Nss1,(6Mbps)_1TX	Pass	PK	5.462G	66.97	68.20	-1.23	3	Horizontal	354	1.50
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	AV	5.385G	47.87	54.00	-6.13	3	Horizontal	353	1.83
a40_Nss1,(6Mbps)_1TX	Pass	PK	5.647G	66.63	68.20	-1.57	3	Horizontal	350	1.70
a80_Nss1,(6Mbps)_1TX	Pass	PK	5.653G	70.01	70.42	-0.41	3	Horizontal	354	1.68

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
a20_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5180MHz_TX	Pass	AV	4.874G	53.55	54.00	-0.45	3	Horizontal	314	1.79
5180MHz_TX	Pass	AV	5.182G	98.74	Inf	-Inf	3	Horizontal	314	1.79
5180MHz_TX	Pass	AV	5.352G	47.55	54.00	-6.45	3	Horizontal	314	1.79
5180MHz_TX	Pass	PK	5.15G	62.24	74.00	-11.76	3	Horizontal	314	1.79
5180MHz_TX	Pass	PK	5.182G	108.38	Inf	-Inf	3	Horizontal	314	1.79
5180MHz_TX	Pass	PK	5.39G	58.60	74.00	-15.40	3	Horizontal	314	1.79
5180MHz_TX	Pass	PK	5.49G	64.76	68.20	-3.44	3	Horizontal	314	1.79
5180MHz_TX	Pass	PK	10.35392G	48.70	68.20	-19.50	3	Vertical	220	1.50
5180MHz_TX	Pass	PK	10.35128G	48.66	68.20	-19.54	3	Horizontal	38	2.96
5200MHz_TX	Pass	AV	4.874G	53.56	54.00	-0.44	3	Horizontal	317	1.91
5200MHz_TX	Pass	AV	5.202G	98.99	Inf	-Inf	3	Horizontal	317	1.91
5200MHz_TX	Pass	AV	5.404G	47.78	54.00	-6.22	3	Horizontal	317	1.91
5200MHz_TX	Pass	PK	4.878G	59.78	74.00	-14.22	3	Horizontal	317	1.91
5200MHz_TX	Pass	PK	5.196G	107.32	Inf	-Inf	3	Horizontal	317	1.91
5200MHz_TX	Pass	PK	5.35G	59.25	74.00	-14.75	3	Horizontal	317	1.91
5200MHz_TX	Pass	PK	5.532G	64.93	68.20	-3.27	3	Horizontal	317	1.91
5200MHz_TX	Pass	PK	10.39058G	48.68	68.20	-19.52	3	Vertical	168	2.24
5200MHz_TX	Pass	PK	10.4033G	48.91	68.20	-19.29	3	Horizontal	141	1.50
5240MHz_TX	Pass	AV	4.874G	53.62	54.00	-0.38	3	Horizontal	319	1.98
5240MHz_TX	Pass	AV	5.236G	98.92	Inf	-Inf	3	Horizontal	319	1.98
5240MHz_TX	Pass	AV	5.386G	47.73	54.00	-6.27	3	Horizontal	319	1.98
5240MHz_TX	Pass	PK	4.874G	60.26	74.00	-13.74	3	Horizontal	319	1.98
5240MHz_TX	Pass	PK	5.236G	107.43	Inf	-Inf	3	Horizontal	319	1.98
5240MHz_TX	Pass	PK	5.444G	58.14	74.00	-15.86	3	Horizontal	319	1.98
5240MHz_TX	Pass	PK	5.6G	64.60	68.20	-3.60	3	Horizontal	319	1.98
5240MHz_TX	Pass	PK	10.48984G	48.59	68.20	-19.61	3	Vertical	75	2.27
5240MHz_TX	Pass	PK	10.48788G	48.66	68.20	-19.54	3	Horizontal	44	1.50
5260MHz_TX	Pass	AV	4.824G	48.24	54.00	-5.76	3	Horizontal	318	1.88
5260MHz_TX	Pass	AV	5.258G	106.32	Inf	-Inf	3	Horizontal	318	1.88
5260MHz_TX	Pass	AV	5.35G	47.79	54.00	-6.21	3	Horizontal	318	1.88
5260MHz_TX	Pass	PK	4.824G	57.02	74.00	-16.98	3	Horizontal	318	1.88
5260MHz_TX	Pass	PK	5.258G	114.56	Inf	-Inf	3	Horizontal	318	1.88
5260MHz_TX	Pass	PK	5.35G	59.40	74.00	-14.60	3	Horizontal	318	1.88
5260MHz_TX	Pass	PK	5.698G	66.93	68.20	-1.27	3	Horizontal	318	1.88
5260MHz_TX	Pass	PK	10.5095G	49.01	68.20	-19.19	3	Vertical	292	1.50
5260MHz_TX	Pass	PK	10.52414G	48.46	68.20	-19.74	3	Horizontal	17	1.50
5300MHz_TX	Pass	AV	4.824G	47.93	54.00	-6.07	3	Horizontal	317	1.90
5300MHz_TX	Pass	AV	5.308G	103.91	Inf	-Inf	3	Horizontal	317	1.90
5300MHz_TX	Pass	AV	5.352G	53.39	54.00	-0.61	3	Horizontal	317	1.90
5300MHz_TX	Pass	PK	4.824G	55.97	74.00	-18.03	3	Horizontal	317	1.90
5300MHz_TX	Pass	PK	5.302G	112.48	Inf	-Inf	3	Horizontal	317	1.90
5300MHz_TX	Pass	PK	5.35G	68.50	74.00	-5.50	3	Horizontal	317	1.90
5300MHz_TX	Pass	PK	5.774G	65.69	68.20	-2.51	3	Horizontal	317	1.90
5300MHz_TX	Pass	PK	10.58602G	48.36	68.20	-19.84	3	Vertical	336	1.50
5300MHz_TX	Pass	PK	10.59502G	49.54	68.20	-18.66	3	Horizontal	90	3.00
5320MHz_TX	Pass	AV	4.824G	47.96	54.00	-6.04	3	Horizontal	317	2.02
5320MHz_TX	Pass	AV	5.324G	100.68	Inf	-Inf	3	Horizontal	317	2.02
5320MHz_TX	Pass	AV	5.35G	53.39	54.00	-0.61	3	Horizontal	317	2.02
5320MHz_TX	Pass	PK	4.824G	55.53	74.00	-18.47	3	Horizontal	317	2.02
5320MHz_TX	Pass	PK	5.326G	109.34	Inf	-Inf	3	Horizontal	317	2.02
5320MHz_TX	Pass	PK	5.35G	69.07	74.00	-4.93	3	Horizontal	317	2.02
5320MHz_TX	Pass	PK	5.82G	62.09	68.20	-6.11	3	Horizontal	317	2.02
5320MHz_TX	Pass	AV	10.64906G	38.92	54.00	-15.08	3	Vertical	26	1.40
5320MHz_TX	Pass	PK	10.6412G	49.52	74.00	-24.48	3	Vertical	26	1.40
5320MHz_TX	Pass	AV	10.6532G	38.68	54.00	-15.32	3	Horizontal	90	1.18
5320MHz_TX	Pass	PK	10.6409G	49.26	74.00	-24.74	3	Horizontal	90	1.18
5500MHz_TX	Pass	AV	5.35G	44.83	54.00	-9.17	3	Horizontal	321	1.95
5500MHz_TX	Pass	AV	5.46G	47.23	54.00	-6.77	3	Horizontal	321	1.95
5500MHz_TX	Pass	AV	5.504G	99.98	Inf	-Inf	3	Horizontal	321	1.95
5500MHz_TX	Pass	PK	5.26G	55.57	68.20	-12.63	3	Horizontal	321	1.95

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5500MHz_TX	Pass	PK	5.46G	62.58	74.00	-11.42	3	Horizontal	321	1.95
5500MHz_TX	Pass	PK	5.47G	66.43	68.20	-1.77	3	Horizontal	321	1.95
5500MHz_TX	Pass	PK	5.502G	107.97	Inf	-Inf	3	Horizontal	321	1.95
5500MHz_TX	Pass	PK	5.866G	55.84	68.20	-12.36	3	Horizontal	321	1.95
5500MHz_TX	Pass	AV	11.0087G	37.70	54.00	-16.30	3	Vertical	110	1.50
5500MHz_TX	Pass	PK	10.99748G	48.75	74.00	-25.25	3	Vertical	110	1.50
5500MHz_TX	Pass	AV	10.98554G	37.82	54.00	-16.18	3	Horizontal	108	1.50
5500MHz_TX	Pass	PK	11.00696G	48.32	74.00	-25.68	3	Horizontal	108	1.50
5580MHz_TX	Pass	AV	5.146G	44.38	54.00	-9.62	3	Horizontal	352	1.54
5580MHz_TX	Pass	AV	5.39G	45.40	54.00	-8.60	3	Horizontal	352	1.54
5580MHz_TX	Pass	AV	5.58G	103.65	Inf	-Inf	3	Horizontal	352	1.54
5580MHz_TX	Pass	PK	5.288G	55.66	68.20	-12.54	3	Horizontal	352	1.54
5580MHz_TX	Pass	PK	5.422G	54.19	74.00	-19.81	3	Horizontal	352	1.54
5580MHz_TX	Pass	PK	5.462G	53.14	68.20	-15.06	3	Horizontal	352	1.54
5580MHz_TX	Pass	PK	5.582G	112.12	Inf	-Inf	3	Horizontal	352	1.54
5580MHz_TX	Pass	PK	5.864G	58.00	68.20	-10.20	3	Horizontal	352	1.54
5580MHz_TX	Pass	AV	11.14992G	38.21	54.00	-15.79	3	Vertical	92	1.50
5580MHz_TX	Pass	PK	11.16414G	48.88	74.00	-25.12	3	Vertical	92	1.50
5580MHz_TX	Pass	AV	11.16552G	38.21	54.00	-15.79	3	Horizontal	99	3.00
5580MHz_TX	Pass	PK	11.16552G	48.98	74.00	-25.02	3	Horizontal	99	3.00
5700MHz_TX	Pass	AV	5.35G	44.27	54.00	-9.73	3	Horizontal	349	1.86
5700MHz_TX	Pass	AV	5.424G	44.53	54.00	-9.47	3	Horizontal	349	1.86
5700MHz_TX	Pass	AV	5.702G	100.05	Inf	-Inf	3	Horizontal	349	1.86
5700MHz_TX	Pass	PK	5.258G	55.11	68.20	-13.09	3	Horizontal	349	1.86
5700MHz_TX	Pass	PK	5.402G	55.63	74.00	-18.37	3	Horizontal	349	1.86
5700MHz_TX	Pass	PK	5.464G	52.62	68.20	-15.58	3	Horizontal	349	1.86
5700MHz_TX	Pass	PK	5.702G	108.75	Inf	-Inf	3	Horizontal	349	1.86
5700MHz_TX	Pass	PK	5.726G	67.42	68.20	-0.78	3	Horizontal	349	1.86
5700MHz_TX	Pass	AV	11.3946G	39.02	54.00	-14.98	3	Vertical	6	1.50
5700MHz_TX	Pass	PK	11.38506G	49.20	74.00	-24.80	3	Vertical	6	1.50
5700MHz_TX	Pass	AV	11.40798G	38.66	54.00	-15.34	3	Horizontal	294	1.50
5700MHz_TX	Pass	PK	11.40414G	49.69	74.00	-24.31	3	Horizontal	294	1.50
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.35G	44.03	54.00	-9.97	3	Horizontal	351	1.57
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.356G	45.08	54.00	-8.92	3	Horizontal	351	1.57
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.722G	103.44	Inf	-Inf	3	Horizontal	351	1.57
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.28G	54.64	68.20	-13.56	3	Horizontal	351	1.57
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.368G	54.92	74.00	-19.08	3	Horizontal	351	1.57
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.462G	53.11	68.20	-15.09	3	Horizontal	351	1.57
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.714G	111.92	Inf	-Inf	3	Horizontal	351	1.57
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.856G	55.85	68.20	-12.35	3	Horizontal	351	1.57
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	11.44696G	38.49	54.00	-15.51	3	Vertical	10	2.96
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	11.45014G	49.17	74.00	-24.83	3	Vertical	10	2.96
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	11.42872G	38.85	54.00	-15.15	3	Horizontal	206	1.50
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	11.4313G	49.02	74.00	-24.98	3	Horizontal	206	1.50
5745MHz_TX	Pass	AV	5.385G	47.87	54.00	-6.13	3	Horizontal	353	1.83
5745MHz_TX	Pass	AV	5.751G	104.34	Inf	-Inf	3	Horizontal	353	1.83
5745MHz_TX	Pass	PK	5.323G	57.87	68.20	-10.33	3	Horizontal	353	1.83
5745MHz_TX	Pass	PK	5.741G	112.93	Inf	-Inf	3	Horizontal	353	1.83
5745MHz_TX	Pass	PK	6.219G	60.39	68.20	-7.81	3	Horizontal	353	1.83
5745MHz_TX	Pass	AV	11.49072G	37.87	54.00	-16.13	3	Vertical	64	1.50
5745MHz_TX	Pass	PK	11.49548G	49.41	74.00	-24.59	3	Vertical	64	1.50
5745MHz_TX	Pass	AV	11.49188G	38.30	54.00	-15.70	3	Horizontal	268	1.50
5745MHz_TX	Pass	PK	11.48176G	48.45	74.00	-25.55	3	Horizontal	268	1.50
5785MHz_TX	Pass	AV	5.355G	47.01	54.00	-6.99	3	Horizontal	357	1.69
5785MHz_TX	Pass	AV	5.783G	103.68	Inf	-Inf	3	Horizontal	357	1.69
5785MHz_TX	Pass	PK	5.631G	58.02	68.20	-10.18	3	Horizontal	357	1.69
5785MHz_TX	Pass	PK	5.781G	112.47	Inf	-Inf	3	Horizontal	357	1.69
5785MHz_TX	Pass	PK	6.285G	60.17	68.20	-8.03	3	Horizontal	357	1.69
5785MHz_TX	Pass	AV	11.56412G	37.70	54.00	-16.30	3	Vertical	142	1.50
5785MHz_TX	Pass	PK	11.57764G	48.40	74.00	-25.60	3	Vertical	142	1.50
5785MHz_TX	Pass	AV	11.56628G	37.84	54.00	-16.16	3	Horizontal	60	1.05
5785MHz_TX	Pass	PK	11.57332G	48.92	74.00	-25.08	3	Horizontal	60	1.05

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5825MHz_TX	Pass	AV	5.419G	46.76	54.00	-7.24	3	Horizontal	352	1.75
5825MHz_TX	Pass	AV	5.821G	103.18	Inf	-Inf	3	Horizontal	352	1.75
5825MHz_TX	Pass	PK	5.465G	57.54	68.20	-10.66	3	Horizontal	352	1.75
5825MHz_TX	Pass	PK	5.821G	111.62	Inf	-Inf	3	Horizontal	352	1.75
5825MHz_TX	Pass	PK	6.315G	60.42	68.20	-7.78	3	Horizontal	352	1.75
5825MHz_TX	Pass	AV	11.655G	37.92	54.00	-16.08	3	Vertical	118	2.87
5825MHz_TX	Pass	PK	11.64584G	49.39	74.00	-24.61	3	Vertical	118	2.87
5825MHz_TX	Pass	AV	11.64348G	37.54	54.00	-16.46	3	Horizontal	290	1.50
5825MHz_TX	Pass	PK	11.65664G	48.30	74.00	-25.70	3	Horizontal	290	1.50
a40_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5190MHz_TX	Pass	AV	5.15G	53.55	54.00	-0.45	3	Horizontal	313	1.88
5190MHz_TX	Pass	AV	5.194G	95.69	Inf	-Inf	3	Horizontal	313	1.88
5190MHz_TX	Pass	AV	5.374G	47.55	54.00	-6.45	3	Horizontal	313	1.88
5190MHz_TX	Pass	PK	5.15G	70.85	74.00	-3.15	3	Horizontal	313	1.88
5190MHz_TX	Pass	PK	5.196G	104.49	Inf	-Inf	3	Horizontal	313	1.88
5190MHz_TX	Pass	PK	5.436G	58.16	74.00	-15.84	3	Horizontal	313	1.88
5190MHz_TX	Pass	PK	5.494G	63.22	68.20	-4.98	3	Horizontal	313	1.88
5190MHz_TX	Pass	PK	10.38832G	48.53	68.20	-19.67	3	Vertical	112	1.50
5190MHz_TX	Pass	PK	10.38596G	48.09	68.20	-20.11	3	Horizontal	144	1.31
5230MHz_TX	Pass	AV	4.874G	53.86	54.00	-0.14	3	Horizontal	314	1.95
5230MHz_TX	Pass	AV	5.226G	98.08	Inf	-Inf	3	Horizontal	314	1.95
5230MHz_TX	Pass	AV	5.352G	47.66	54.00	-6.34	3	Horizontal	314	1.95
5230MHz_TX	Pass	PK	5.148G	62.32	74.00	-11.68	3	Horizontal	314	1.95
5230MHz_TX	Pass	PK	5.222G	107.00	Inf	-Inf	3	Horizontal	314	1.95
5230MHz_TX	Pass	PK	5.352G	58.30	74.00	-15.70	3	Horizontal	314	1.95
5230MHz_TX	Pass	PK	5.582G	63.61	68.20	-4.59	3	Horizontal	314	1.95
5230MHz_TX	Pass	PK	10.46008G	48.06	68.20	-20.14	3	Vertical	157	1.50
5230MHz_TX	Pass	PK	10.45908G	48.63	68.20	-19.57	3	Horizontal	172	1.50
5270MHz_TX	Pass	AV	4.824G	47.56	54.00	-6.44	3	Horizontal	318	1.99
5270MHz_TX	Pass	AV	5.276G	98.76	Inf	-Inf	3	Horizontal	318	1.99
5270MHz_TX	Pass	AV	5.354G	53.69	54.00	-0.31	3	Horizontal	318	1.99
5270MHz_TX	Pass	PK	5.13G	57.55	74.00	-16.45	3	Horizontal	318	1.99
5270MHz_TX	Pass	PK	5.276G	107.33	Inf	-Inf	3	Horizontal	318	1.99
5270MHz_TX	Pass	PK	5.35G	65.64	74.00	-8.36	3	Horizontal	318	1.99
5270MHz_TX	Pass	PK	5.712G	61.67	68.20	-6.53	3	Horizontal	318	1.99
5270MHz_TX	Pass	PK	10.55704G	48.10	68.20	-20.10	3	Vertical	355	1.50
5270MHz_TX	Pass	PK	10.53964G	48.03	68.20	-20.17	3	Horizontal	135	1.35
5310MHz_TX	Pass	AV	4.824G	47.23	54.00	-6.77	3	Horizontal	322	1.90
5310MHz_TX	Pass	AV	5.316G	95.26	Inf	-Inf	3	Horizontal	322	1.90
5310MHz_TX	Pass	AV	5.35G	53.44	54.00	-0.56	3	Horizontal	322	1.90
5310MHz_TX	Pass	PK	4.98G	54.72	74.00	-19.28	3	Horizontal	322	1.90
5310MHz_TX	Pass	PK	5.324G	103.96	Inf	-Inf	3	Horizontal	322	1.90
5310MHz_TX	Pass	PK	5.352G	72.52	74.00	-1.48	3	Horizontal	322	1.90
5310MHz_TX	Pass	PK	5.792G	58.55	68.20	-9.65	3	Horizontal	322	1.90
5310MHz_TX	Pass	AV	10.64784G	38.55	54.00	-15.45	3	Vertical	152	1.50
5310MHz_TX	Pass	PK	10.61292G	48.99	74.00	-25.01	3	Vertical	152	1.50
5310MHz_TX	Pass	AV	10.64724G	39.30	54.00	-14.70	3	Horizontal	293	2.64
5310MHz_TX	Pass	PK	10.59612G	49.12	68.20	-19.08	3	Horizontal	293	2.64
5510MHz_TX	Pass	AV	5.148G	45.15	54.00	-8.85	3	Horizontal	317	1.95
5510MHz_TX	Pass	AV	5.46G	47.70	54.00	-6.30	3	Horizontal	317	1.95
5510MHz_TX	Pass	AV	5.504G	93.50	Inf	-Inf	3	Horizontal	317	1.95
5510MHz_TX	Pass	PK	5.276G	55.47	68.20	-12.73	3	Horizontal	317	1.95
5510MHz_TX	Pass	PK	5.458G	63.17	74.00	-10.83	3	Horizontal	317	1.95
5510MHz_TX	Pass	PK	5.466G	66.24	68.20	-1.96	3	Horizontal	317	1.95
5510MHz_TX	Pass	PK	5.502G	102.18	Inf	-Inf	3	Horizontal	317	1.95
5510MHz_TX	Pass	PK	5.772G	57.03	68.20	-11.17	3	Horizontal	317	1.95
5510MHz_TX	Pass	AV	11.00584G	37.62	54.00	-16.38	3	Vertical	38	1.22
5510MHz_TX	Pass	PK	11.04988G	48.09	74.00	-25.91	3	Vertical	38	1.22
5510MHz_TX	Pass	AV	10.99084G	37.69	54.00	-16.31	3	Horizontal	335	1.50
5510MHz_TX	Pass	PK	10.99612G	48.06	74.00	-25.94	3	Horizontal	335	1.50
5550MHz_TX	Pass	AV	5.138G	45.04	54.00	-8.96	3	Horizontal	352	1.56
5550MHz_TX	Pass	AV	5.458G	53.45	54.00	-0.55	3	Horizontal	352	1.56

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5550MHz_TX	Pass	AV	5.538G	98.15	Inf	-Inf	3	Horizontal	352	1.56
5550MHz_TX	Pass	PK	5.302G	55.26	68.20	-12.94	3	Horizontal	352	1.56
5550MHz_TX	Pass	PK	5.458G	64.75	74.00	-9.25	3	Horizontal	352	1.56
5550MHz_TX	Pass	PK	5.466G	65.22	68.20	-2.98	3	Horizontal	352	1.56
5550MHz_TX	Pass	PK	5.566G	107.60	Inf	-Inf	3	Horizontal	352	1.56
5550MHz_TX	Pass	PK	5.734G	56.87	68.20	-11.33	3	Horizontal	352	1.56
5550MHz_TX	Pass	AV	11.12832G	37.70	54.00	-16.30	3	Vertical	111	1.04
5550MHz_TX	Pass	PK	11.07924G	48.08	74.00	-25.92	3	Vertical	111	1.04
5550MHz_TX	Pass	AV	11.1048G	37.41	54.00	-16.59	3	Horizontal	173	1.50
5550MHz_TX	Pass	PK	11.1042G	48.43	74.00	-25.57	3	Horizontal	173	1.50
5670MHz_TX	Pass	AV	5.35G	44.09	54.00	-9.91	3	Horizontal	352	1.51
5670MHz_TX	Pass	AV	5.412G	45.16	54.00	-8.84	3	Horizontal	352	1.51
5670MHz_TX	Pass	AV	5.674G	97.79	Inf	-Inf	3	Horizontal	352	1.51
5670MHz_TX	Pass	PK	5.29G	55.69	68.20	-12.51	3	Horizontal	352	1.51
5670MHz_TX	Pass	PK	5.408G	54.79	74.00	-19.21	3	Horizontal	352	1.51
5670MHz_TX	Pass	PK	5.466G	53.76	68.20	-14.44	3	Horizontal	352	1.51
5670MHz_TX	Pass	PK	5.676G	106.71	Inf	-Inf	3	Horizontal	352	1.51
5670MHz_TX	Pass	PK	5.726G	68.07	68.20	-0.13	3	Horizontal	352	1.51
5670MHz_TX	Pass	AV	11.3316G	38.98	54.00	-15.02	3	Vertical	111	2.41
5670MHz_TX	Pass	PK	11.36256G	49.88	74.00	-24.12	3	Vertical	111	2.41
5670MHz_TX	Pass	AV	11.36784G	39.33	54.00	-14.67	3	Horizontal	161	1.50
5670MHz_TX	Pass	PK	11.3286G	50.19	74.00	-23.81	3	Horizontal	161	1.50
5710MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.35G	44.60	54.00	-9.40	3	Horizontal	354	1.49
5710MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.386G	44.87	54.00	-9.13	3	Horizontal	354	1.49
5710MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.706G	101.03	Inf	-Inf	3	Horizontal	354	1.49
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.228G	55.41	68.20	-12.79	3	Horizontal	354	1.49
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.362G	54.67	74.00	-19.33	3	Horizontal	354	1.49
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.466G	53.17	68.20	-15.03	3	Horizontal	354	1.49
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.708G	109.15	Inf	-Inf	3	Horizontal	354	1.49
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.854G	60.95	68.20	-7.25	3	Horizontal	354	1.49
5710MHz Straddle 5.47-5.725GHz_TX	Pass	AV	11.3906G	38.63	54.00	-15.37	3	Vertical	36	1.50
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	11.44544G	49.05	74.00	-24.95	3	Vertical	36	1.50
5710MHz Straddle 5.47-5.725GHz_TX	Pass	AV	11.42084G	38.66	54.00	-15.34	3	Horizontal	300	1.50
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	11.42012G	49.07	74.00	-24.93	3	Horizontal	300	1.50
5755MHz_TX	Pass	AV	5.367G	47.04	54.00	-6.96	3	Horizontal	350	1.70
5755MHz_TX	Pass	AV	5.747G	101.08	Inf	-Inf	3	Horizontal	350	1.70
5755MHz_TX	Pass	PK	5.647G	66.63	68.20	-1.57	3	Horizontal	350	1.70
5755MHz_TX	Pass	PK	5.751G	110.40	Inf	-Inf	3	Horizontal	350	1.70
5755MHz_TX	Pass	PK	6.015G	60.49	68.20	-7.71	3	Horizontal	350	1.70
5755MHz_TX	Pass	AV	11.50916G	37.61	54.00	-16.39	3	Vertical	335	1.95
5755MHz_TX	Pass	PK	11.50336G	49.00	74.00	-25.00	3	Vertical	335	1.95
5755MHz_TX	Pass	AV	11.51968G	38.05	54.00	-15.95	3	Horizontal	231	1.50
5755MHz_TX	Pass	PK	11.50468G	48.91	74.00	-25.09	3	Horizontal	231	1.50
5795MHz_TX	Pass	AV	5.407G	46.81	54.00	-7.19	3	Horizontal	352	1.77
5795MHz_TX	Pass	AV	5.791G	99.66	Inf	-Inf	3	Horizontal	352	1.77
5795MHz_TX	Pass	PK	5.647G	62.52	68.20	-5.68	3	Horizontal	352	1.77
5795MHz_TX	Pass	PK	5.789G	108.92	Inf	-Inf	3	Horizontal	352	1.77
5795MHz_TX	Pass	PK	5.927G	63.80	68.20	-4.40	3	Horizontal	352	1.77
5795MHz_TX	Pass	AV	11.58988G	37.37	54.00	-16.63	3	Vertical	347	1.33
5795MHz_TX	Pass	PK	11.58904G	48.31	74.00	-25.69	3	Vertical	347	1.33
5795MHz_TX	Pass	AV	11.58212G	37.28	54.00	-16.72	3	Horizontal	32	2.78
5795MHz_TX	Pass	PK	11.58884G	48.11	74.00	-25.89	3	Horizontal	32	2.78
a80_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5210MHz_TX	Pass	AV	5.144G	53.15	54.00	-0.85	3	Horizontal	314	1.88
5210MHz_TX	Pass	AV	5.202G	93.77	Inf	-Inf	3	Horizontal	314	1.88
5210MHz_TX	Pass	AV	5.364G	47.99	54.00	-6.01	3	Horizontal	314	1.88
5210MHz_TX	Pass	PK	5.148G	72.40	74.00	-1.60	3	Horizontal	314	1.88
5210MHz_TX	Pass	PK	5.222G	102.90	Inf	-Inf	3	Horizontal	314	1.88
5210MHz_TX	Pass	PK	5.368G	59.17	74.00	-14.83	3	Horizontal	314	1.88
5210MHz_TX	Pass	PK	5.628G	60.99	68.20	-7.21	3	Horizontal	314	1.88
5210MHz_TX	Pass	PK	10.42444G	48.24	68.20	-19.96	3	Vertical	225	2.05
5210MHz_TX	Pass	PK	10.42876G	48.25	68.20	-19.95	3	Horizontal	30	2.88

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5290MHz_TX	Pass	AV	4.824G	46.07	54.00	-7.93	3	Horizontal	318	1.96
5290MHz_TX	Pass	AV	5.28G	92.33	Inf	-Inf	3	Horizontal	318	1.96
5290MHz_TX	Pass	AV	5.362G	52.92	54.00	-1.08	3	Horizontal	318	1.96
5290MHz_TX	Pass	PK	5.142G	58.59	74.00	-15.41	3	Horizontal	318	1.96
5290MHz_TX	Pass	PK	5.324G	100.34	Inf	-Inf	3	Horizontal	318	1.96
5290MHz_TX	Pass	PK	5.356G	71.69	74.00	-2.31	3	Horizontal	318	1.96
5290MHz_TX	Pass	PK	5.742G	58.64	68.20	-9.56	3	Horizontal	318	1.96
5290MHz_TX	Pass	AV	10.63736G	38.34	54.00	-15.66	3	Vertical	9	1.50
5290MHz_TX	Pass	PK	10.55672G	48.68	68.20	-19.52	3	Vertical	9	1.50
5290MHz_TX	Pass	AV	10.63184G	38.43	54.00	-15.57	3	Horizontal	16	1.87
5290MHz_TX	Pass	PK	10.63088G	48.61	74.00	-25.39	3	Horizontal	16	1.87
5530MHz_TX	Pass	AV	5.35G	44.58	54.00	-9.42	3	Horizontal	318	1.91
5530MHz_TX	Pass	AV	5.46G	50.49	54.00	-3.51	3	Horizontal	318	1.91
5530MHz_TX	Pass	AV	5.544G	91.92	Inf	-Inf	3	Horizontal	318	1.91
5530MHz_TX	Pass	PK	5.276G	55.76	68.20	-12.44	3	Horizontal	318	1.91
5530MHz_TX	Pass	PK	5.458G	67.84	74.00	-6.16	3	Horizontal	318	1.91
5530MHz_TX	Pass	PK	5.47G	67.87	68.20	-0.33	3	Horizontal	318	1.91
5530MHz_TX	Pass	PK	5.516G	100.31	Inf	-Inf	3	Horizontal	318	1.91
5530MHz_TX	Pass	PK	5.79G	57.91	68.20	-10.29	3	Horizontal	318	1.91
5530MHz_TX	Pass	AV	11.0588G	37.76	54.00	-16.24	3	Vertical	244	1.50
5530MHz_TX	Pass	PK	11.0384G	48.22	74.00	-25.78	3	Vertical	244	1.50
5530MHz_TX	Pass	AV	11.10104G	37.75	54.00	-16.25	3	Horizontal	8	1.50
5530MHz_TX	Pass	PK	11.11088G	47.84	74.00	-26.16	3	Horizontal	8	1.50
5610MHz_TX	Pass	AV	5.35G	45.09	54.00	-8.91	3	Horizontal	354	1.63
5610MHz_TX	Pass	AV	5.444G	51.48	54.00	-2.52	3	Horizontal	354	1.63
5610MHz_TX	Pass	AV	5.606G	96.30	Inf	-Inf	3	Horizontal	354	1.63
5610MHz_TX	Pass	PK	5.256G	56.42	68.20	-11.78	3	Horizontal	354	1.63
5610MHz_TX	Pass	PK	5.442G	62.25	74.00	-11.75	3	Horizontal	354	1.63
5610MHz_TX	Pass	PK	5.47G	62.61	68.20	-5.59	3	Horizontal	354	1.63
5610MHz_TX	Pass	PK	5.604G	104.41	Inf	-Inf	3	Horizontal	354	1.63
5610MHz_TX	Pass	PK	5.726G	67.71	68.20	-0.49	3	Horizontal	354	1.63
5610MHz_TX	Pass	AV	11.19048G	38.51	54.00	-15.49	3	Vertical	337	1.50
5610MHz_TX	Pass	PK	11.27208G	49.00	74.00	-25.00	3	Vertical	337	1.50
5610MHz_TX	Pass	AV	11.25672G	39.27	54.00	-14.73	3	Horizontal	96	1.50
5610MHz_TX	Pass	PK	11.25072G	49.62	74.00	-24.38	3	Horizontal	96	1.50
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.35G	44.96	54.00	-9.04	3	Horizontal	351	1.61
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.46G	49.04	54.00	-4.96	3	Horizontal	351	1.61
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.684G	99.31	Inf	-Inf	3	Horizontal	351	1.61
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.306G	55.49	68.20	-12.71	3	Horizontal	351	1.61
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.46G	59.08	74.00	-14.92	3	Horizontal	351	1.61
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.462G	58.90	68.20	-9.30	3	Horizontal	351	1.61
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.684G	107.26	Inf	-Inf	3	Horizontal	351	1.61
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.854G	64.22	68.20	-3.98	3	Horizontal	351	1.61
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	11.35456G	39.16	54.00	-14.84	3	Vertical	222	1.50
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	11.3584G	49.63	74.00	-24.37	3	Vertical	222	1.50
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	11.36992G	39.03	54.00	-14.97	3	Horizontal	350	1.00
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	11.38528G	50.99	74.00	-23.01	3	Horizontal	350	1.00
5775MHz_TX	Pass	AV	5.411G	46.96	54.00	-7.04	3	Horizontal	354	1.68
5775MHz_TX	Pass	AV	5.763G	95.62	Inf	-Inf	3	Horizontal	354	1.68
5775MHz_TX	Pass	PK	5.653G	70.01	70.42	-0.41	3	Horizontal	354	1.68
5775MHz_TX	Pass	PK	5.741G	104.01	Inf	-Inf	3	Horizontal	354	1.68
5775MHz_TX	Pass	PK	5.931G	64.08	68.20	-4.12	3	Horizontal	354	1.68
5775MHz_TX	Pass	AV	11.54204G	37.21	54.00	-16.79	3	Vertical	123	2.23
5775MHz_TX	Pass	PK	11.55288G	48.34	74.00	-25.66	3	Vertical	123	2.23
5775MHz_TX	Pass	AV	11.54992G	37.45	54.00	-16.55	3	Horizontal	16	2.18
5775MHz_TX	Pass	PK	11.54064G	48.27	74.00	-25.73	3	Horizontal	16	2.18
a160_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz_TX	Pass	AV	5.142G	52.84	54.00	-1.16	3	Horizontal	315	1.82
5250MHz Straddle 5.15-5.25GHz_TX	Pass	AV	5.278G	88.88	Inf	-Inf	3	Horizontal	315	1.82
5250MHz Straddle 5.15-5.25GHz_TX	Pass	AV	5.378G	51.87	54.00	-2.13	3	Horizontal	315	1.82
5250MHz Straddle 5.15-5.25GHz_TX	Pass	PK	5.148G	68.81	74.00	-5.19	3	Horizontal	315	1.82
5250MHz Straddle 5.15-5.25GHz_TX	Pass	PK	5.274G	98.68	Inf	-Inf	3	Horizontal	315	1.82




RSE TX above 1GHz_Radio 1_Scan_1T1S

Appendix E.14

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.15-5.25GHz_TX	Pass	PK	5.378G	72.49	74.00	-1.51	3	Horizontal	315	1.82
5250MHz Straddle 5.15-5.25GHz_TX	Pass	PK	5.468G	61.62	68.20	-6.58	3	Horizontal	315	1.82
5250MHz Straddle 5.15-5.25GHz_TX	Pass	PK	10.50764G	47.59	68.20	-20.61	3	Vertical	77	2.18
5250MHz Straddle 5.15-5.25GHz_TX	Pass	PK	10.50224G	47.68	68.20	-20.52	3	Horizontal	250	1.40
5570MHz_TX	Pass	AV	5.35G	44.73	54.00	-9.27	3	Horizontal	354	1.50
5570MHz_TX	Pass	AV	5.454G	51.98	54.00	-2.02	3	Horizontal	354	1.50
5570MHz_TX	Pass	AV	5.576G	86.72	Inf	-Inf	3	Horizontal	354	1.50
5570MHz_TX	Pass	PK	5.318G	56.05	68.20	-12.15	3	Horizontal	354	1.50
5570MHz_TX	Pass	PK	5.46G	67.20	74.00	-6.80	3	Horizontal	354	1.50
5570MHz_TX	Pass	PK	5.462G	66.97	68.20	-1.23	3	Horizontal	354	1.50
5570MHz_TX	Pass	PK	5.56G	95.49	Inf	-Inf	3	Horizontal	354	1.50
5570MHz_TX	Pass	PK	5.73G	63.67	68.20	-4.53	3	Horizontal	354	1.50
5570MHz_TX	Pass	AV	11.26G	38.75	54.00	-15.25	3	Vertical	326.9	2.60
5570MHz_TX	Pass	PK	11.26G	49.03	74.00	-24.97	3	Vertical	326.9	2.60
5570MHz_TX	Pass	AV	11.25952G	38.55	54.00	-15.45	3	Horizontal	83	2.13
5570MHz_TX	Pass	PK	11.22304G	48.44	74.00	-25.56	3	Horizontal	83	2.13

5.15-5.25GHz_a20_Nss1,(6Mbps)_1TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	4.874G	53.62	54.00	-0.38	4.13	3	Horizontal	319	1.98	49.49	32.60	6.59	35.06
AV	5.236G	98.92	Inf	-Inf	4.70	3	Horizontal	319	1.98	94.22	32.93	6.84	35.07
AV	5.386G	47.73	54.00	-6.27	4.73	3	Horizontal	319	1.98	43.00	32.73	7.07	35.07
PK	4.874G	60.26	74.00	-13.74	4.13	3	Horizontal	319	1.98	56.13	32.60	6.59	35.06
PK	5.236G	107.43	Inf	-Inf	4.70	3	Horizontal	319	1.98	102.73	32.93	6.84	35.07
PK	5.444G	58.14	74.00	-15.86	4.83	3	Horizontal	319	1.98	53.31	32.79	7.11	35.07
PK	5.6G	64.60	68.20	-3.60	4.85	3	Horizontal	319	1.98	59.75	32.80	7.16	35.11

5.15-5.25GHz_a20_Nss1,(6Mbps)_1TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
PK	10.48984G	48.59	68.20	-19.61	14.28	3	Vertical	75	2.27	34.31	38.50	10.36	34.58


5.15-5.25GHz_a20_Nss1,(6Mbps)_1TX

5240MHz_TX




5.15-5.25GHz_a40_Nss1,(6Mbps)_1TX

5230MHz_TX




5.15-5.25GHz_a40_Nss1,(6Mbps)_1TX

5230MHz_TX




5.15-5.25GHz_a40_Nss1,(6Mbps)_1TX

5230MHz_TX



5.15-5.25GHz_a80_Nss1,(6Mbps)_1TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	53.15	54.00	-0.85	4.76	3	Horizontal	314	1.88	48.39	33.06	6.77	35.07
AV	5.202G	93.77	Inf	-Inf	4.72	3	Horizontal	314	1.88	89.05	33.00	6.79	35.07
AV	5.364G	47.99	54.00	-6.01	4.74	3	Horizontal	314	1.88	43.25	32.77	7.04	35.07
PK	5.148G	72.40	74.00	-1.60	4.79	3	Horizontal	314	1.88	67.61	33.09	6.77	35.07
PK	5.222G	102.90	Inf	-Inf	4.71	3	Horizontal	314	1.88	98.19	32.96	6.82	35.07
PK	5.368G	59.17	74.00	-14.83	4.73	3	Horizontal	314	1.88	54.44	32.76	7.04	35.07
PK	5.628G	60.99	68.20	-7.21	5.02	3	Horizontal	314	1.88	55.97	32.97	7.17	35.12

5.15-5.25GHz_a80_Nss1,(6Mbps)_1TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.42444G	48.24	68.20	-19.96	14.20	3	Vertical	225	2.05	34.04	38.50	10.35	34.65


5.15-5.25GHz_a80_Nss1,(6Mbps)_1TX

5210MHz_TX




5.15-5.25GHz_a160_Nss1,(6Mbps)_1TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_a160_Nss1,(6Mbps)_1TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_a160_Nss1,(6Mbps)_1TX

5250MHz Straddle 5.15-5.25GHz_TX



5.25-5.35GHz_a20_Nss1,(6Mbps)_1TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.824G	47.93	54.00	-6.07	3.88	3	Horizontal	317	1.90	44.05	32.40	6.54	35.06
AV	5.308G	103.91	Inf	-Inf	4.68	3	Horizontal	317	1.90	99.23	32.80	6.95	35.07
AV	5.352G	53.39	54.00	-0.61	4.75	3	Horizontal	317	1.90	48.64	32.80	7.02	35.07
PK	4.824G	55.97	74.00	-18.03	3.88	3	Horizontal	317	1.90	52.09	32.40	6.54	35.06
PK	5.302G	112.48	Inf	-Inf	4.67	3	Horizontal	317	1.90	107.81	32.80	6.94	35.07
PK	5.35G	68.50	74.00	-5.50	4.74	3	Horizontal	317	1.90	63.76	32.80	7.01	35.07
PK	5.774G	65.69	68.20	-2.51	5.83	3	Horizontal	317	1.90	59.86	33.80	7.22	35.19

5.25-5.35GHz_a20_Nss1,(6Mbps)_1TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.58602G	48.36	68.20	-19.84	14.72	3	Vertical	336	1.50	33.64	38.84	10.38	34.50


5.25-5.35GHz_a20_Nss1,(6Mbps)_1TX

5300MHz_TX




5.25-5.35GHz_a40_Nss1,(6Mbps)_1TX

5270MHz_TX




5.25-5.35GHz_a40_Nss1,(6Mbps)_1TX

5270MHz_TX




5.25-5.35GHz_a40_Nss1,(6Mbps)_1TX

5270MHz_TX



5.25-5.35GHz_a80_Nss1,(6Mbps)_1TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.824G	46.07	54.00	-7.93	3.88	3	Horizontal	318	1.96	42.19	32.40	6.54	35.06
AV	5.28G	92.33	Inf	-Inf	4.68	3	Horizontal	318	1.96	87.65	32.84	6.91	35.07
AV	5.362G	52.92	54.00	-1.08	4.74	3	Horizontal	318	1.96	48.18	32.78	7.03	35.07
PK	5.142G	58.59	74.00	-15.41	4.75	3	Horizontal	318	1.96	53.84	33.05	6.77	35.07
PK	5.324G	100.34	Inf	-Inf	4.71	3	Horizontal	318	1.96	95.63	32.80	6.98	35.07
PK	5.356G	71.69	74.00	-2.31	4.74	3	Horizontal	318	1.96	66.95	32.79	7.02	35.07
PK	5.742G	58.64	68.20	-9.56	5.72	3	Horizontal	318	1.96	52.92	33.68	7.21	35.17

5.25-5.35GHz_a80_Nss1,(6Mbps)_1TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63736G	38.34	54.00	-15.66	14.91	3	Vertical	9	1.50	23.43	38.97	10.40	34.46
PK	10.55672G	48.68	68.20	-19.52	14.59	3	Vertical	9	1.50	34.09	38.73	10.38	34.52


5.25-5.35GHz_a80_Nss1,(6Mbps)_1TX

5290MHz_TX




5.47-5.725GHz_a20_Nss1,(6Mbps)_1TX

5700MHz_TX




5.47-5.725GHz_a20_Nss1,(6Mbps)_1TX

5700MHz_TX




5.47-5.725GHz_a20_Nss1,(6Mbps)_1TX

5700MHz_TX



5.47-5.725GHz_a40_Nss1,(6Mbps)_1TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	44.09	54.00	-9.91	4.74	3	Horizontal	352	1.51	39.35	32.80	7.01	35.07
AV	5.412G	45.16	54.00	-8.84	4.74	3	Horizontal	352	1.51	40.42	32.72	7.09	35.07
AV	5.674G	97.79	Inf	-Inf	5.39	3	Horizontal	352	1.51	92.40	33.34	7.19	35.14
PK	5.29G	55.69	68.20	-12.51	4.67	3	Horizontal	352	1.51	51.02	32.82	6.92	35.07
PK	5.408G	54.79	74.00	-19.21	4.74	3	Horizontal	352	1.51	50.05	32.72	7.09	35.07
PK	5.466G	53.76	68.20	-14.44	4.84	3	Horizontal	352	1.51	48.92	32.80	7.11	35.07
PK	5.676G	106.71	Inf	-Inf	5.41	3	Horizontal	352	1.51	101.30	33.36	7.19	35.14
PK	5.726G	68.07	68.20	-0.13	5.69	3	Horizontal	352	1.51	62.38	33.65	7.20	35.16

5.47-5.725GHz_a40_Nss1,(6Mbps)_1TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3316G	38.98	54.00	-15.02	15.55	3	Vertical	111	2.41	23.43	39.06	10.56	34.07
PK	11.36256G	49.88	74.00	-24.12	15.57	3	Vertical	111	2.41	34.31	39.07	10.56	34.06


5.47-5.725GHz_a40_Nss1,(6Mbps)_1TX

5670MHz_TX




5.47-5.725GHz_a80_Nss1,(6Mbps)_1TX

5530MHz_TX




5.47-5.725GHz_a80_Nss1,(6Mbps)_1TX

5530MHz_TX




5.47-5.725GHz_a80_Nss1,(6Mbps)_1TX

5530MHz_TX



5.47-5.725GHz_a160_Nss1,(6Mbps)_1TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	44.73	54.00	-9.27	4.74	3	Horizontal	354	1.50	39.99	32.80	7.01	35.07
AV	5.454G	51.98	54.00	-2.02	4.84	3	Horizontal	354	1.50	47.14	32.80	7.11	35.07
AV	5.576G	86.72	Inf	-Inf	4.90	3	Horizontal	354	1.50	81.82	32.85	7.15	35.10
PK	5.318G	56.05	68.20	-12.15	4.70	3	Horizontal	354	1.50	51.35	32.80	6.97	35.07
PK	5.46G	67.20	74.00	-6.80	4.84	3	Horizontal	354	1.50	62.36	32.80	7.11	35.07
PK	5.462G	66.97	68.20	-1.23	4.84	3	Horizontal	354	1.50	62.13	32.80	7.11	35.07
PK	5.56G	95.49	Inf	-Inf	4.93	3	Horizontal	354	1.50	90.56	32.88	7.15	35.10
PK	5.73G	63.67	68.20	-4.53	5.70	3	Horizontal	354	1.50	57.97	33.66	7.21	35.17

5.47-5.725GHz_a160_Nss1,(6Mbps)_1TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.26G	38.75	54.00	-15.25	15.29	3	Vertical	326.9	2.60	23.46	38.84	10.54	34.09
PK	11.26G	49.03	74.00	-24.97	15.29	3	Vertical	326.9	2.60	33.74	38.84	10.54	34.09


5.47-5.725GHz_a160_Nss1,(6Mbps)_1TX

5570MHz_TX




5.725-5.85GHz_a20_Nss1,(6Mbps)_1TX

5745MHz_TX




5.725-5.85GHz_a20_Nss1,(6Mbps)_1TX

5745MHz_TX




5.725-5.85GHz_a20_Nss1,(6Mbps)_1TX

5745MHz_TX



5.725-5.85GHz_a40_Nss1,(6Mbps)_1TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	5.367G	47.04	54.00	-6.96	4.74	3	Horizontal	350	1.70	42.30	32.77	7.04	35.07				
AV	5.747G	101.08	Inf	-Inf	5.73	3	Horizontal	350	1.70	95.35	33.69	7.21	35.17				
PK	5.647G	66.63	68.20	-1.57	5.13	3	Horizontal	350	1.70	61.50	33.08	7.18	35.13				
PK	5.751G	110.40	Inf	-Inf	5.73	3	Horizontal	350	1.70	104.67	33.70	7.21	35.18				
PK	6.015G	60.49	68.20	-7.71	6.13	3	Horizontal	350	1.70	54.36	34.07	7.35	35.29				

5.725-5.85GHz_a40_Nss1,(6Mbps)_1TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	11.50916G	37.61	54.00	-16.39	15.46	3	Vertical	335	1.95	22.15	38.88	10.60	34.02				
PK	11.50336G	49.00	74.00	-25.00	15.47	3	Vertical	335	1.95	33.53	38.89	10.60	34.02				


5.725-5.85GHz_a40_Nss1,(6Mbps)_1TX

5755MHz_TX




5.725-5.85GHz_a80_Nss1,(6Mbps)_1TX

5775MHz_TX




5.725-5.85GHz_a80_Nss1,(6Mbps)_1TX

5775MHz_TX



5.725-5.85GHz_a80_Nss1,(6Mbps)_1TX

5775MHz_TX




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	2.36493G	46.22	54.00	-7.78	Vertical
Mode 2	Pass	AV	2.36578G	49.20	54.00	-4.80	Vertical
Mode 3	Pass	AV	2.36473G	48.12	54.00	-5.88	Vertical
Mode 4	Pass	AV	2.3659G	48.24	54.00	-5.76	Vertical

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	1.59392G	20.47	54.00	-33.53	3	Vertical	14	2.47	-
Mode 1	Pass	AV	2.36493G	46.22	54.00	-7.78	3	Vertical	128	1.55	-
Mode 1	Pass	AV	4.00327G	33.25	54.00	-20.75	3	Vertical	329	1.56	-
Mode 1	Pass	PK	1.59351G	39.02	74.00	-34.98	3	Vertical	14	2.47	-
Mode 1	Pass	PK	2.36371G	56.69	74.00	-17.31	3	Vertical	128	1.55	-
Mode 1	Pass	PK	4.00327G	41.76	74.00	-32.24	3	Vertical	329	1.56	-
Mode 1	Pass	AV	1.79004G	20.33	68.20	-47.87	3	Horizontal	84	1.26	-
Mode 1	Pass	AV	2.36568G	41.75	54.00	-12.25	3	Horizontal	123	1.39	-
Mode 1	Pass	AV	4.00324G	30.61	54.00	-23.39	3	Horizontal	244	1.61	-
Mode 1	Pass	PK	1.78804G	34.18	88.20	-54.02	3	Horizontal	84	1.26	-
Mode 1	Pass	PK	2.36422G	50.53	74.00	-23.47	3	Horizontal	123	1.39	-
Mode 1	Pass	PK	4.00337G	40.31	74.00	-33.69	3	Horizontal	244	1.61	-
Mode 2	Pass	AV	1.71096G	25.65	68.20	-42.55	3	Vertical	192	1.62	-
Mode 2	Pass	AV	2.36578G	49.20	54.00	-4.80	3	Vertical	316	2.28	-
Mode 2	Pass	AV	4.00336G	33.66	54.00	-20.34	3	Vertical	309	1.89	-
Mode 2	Pass	PK	1.71051G	36.66	88.20	-51.54	3	Vertical	235	1.56	-
Mode 2	Pass	PK	2.35901G	57.35	74.00	-16.65	3	Vertical	316	2.28	-
Mode 2	Pass	PK	4.00309G	42.09	74.00	-31.91	3	Vertical	198	1.63	-
Mode 2	Pass	AV	1.71873G	20.43	68.20	-47.77	3	Horizontal	170	1.89	-
Mode 2	Pass	AV	2.36716G	42.48	54.00	-11.52	3	Horizontal	7	1.64	-
Mode 2	Pass	AV	5.08996G	29.87	54.00	-24.13	3	Horizontal	300	1.57	-
Mode 2	Pass	PK	1.70871G	33.61	74.00	-40.39	3	Horizontal	170	1.89	-
Mode 2	Pass	PK	2.36986G	52.15	74.00	-21.85	3	Horizontal	7	1.64	-
Mode 2	Pass	PK	5.09497G	52.63	74.00	-21.37	3	Horizontal	300	1.57	-
Mode 3	Pass	AV	1.78833G	21.36	68.20	-46.84	3	Vertical	19	2.32	-
Mode 3	Pass	AV	2.36473G	48.12	54.00	-5.88	3	Vertical	270	2.22	-
Mode 3	Pass	AV	4.00337G	33.75	54.00	-20.25	3	Vertical	306	1.14	-
Mode 3	Pass	PK	1.78323G	40.57	88.20	-47.63	3	Vertical	19	2.32	-
Mode 3	Pass	PK	2.36459G	55.67	74.00	-18.33	3	Vertical	270	2.22	-
Mode 3	Pass	PK	4.00309G	41.27	74.00	-32.73	3	Vertical	306	1.14	-
Mode 3	Pass	AV	1.7879G	21.04	68.20	-47.16	3	Horizontal	350	1.66	-
Mode 3	Pass	AV	2.36498G	44.05	54.00	-9.95	3	Horizontal	211	2.29	-
Mode 3	Pass	AV	3.23599G	24.41	68.20	-43.79	3	Horizontal	35	2.25	-
Mode 3	Pass	PK	1.78617G	39.88	88.20	-48.32	3	Horizontal	350	1.66	-
Mode 3	Pass	PK	2.36475G	50.95	74.00	-23.05	3	Horizontal	211	2.29	-
Mode 3	Pass	PK	3.2444G	37.92	88.20	-50.28	3	Horizontal	35	2.25	-
Mode 4	Pass	AV	1.70568G	20.65	54.00	-33.35	3	Vertical	192	2.29	-
Mode 4	Pass	AV	2.3659G	48.24	54.00	-5.76	3	Vertical	44	2.35	-
Mode 4	Pass	AV	4.00329G	38.33	54.00	-15.67	3	Vertical	245	2.39	-
Mode 4	Pass	PK	1.70592G	33.45	74.00	-40.55	3	Vertical	192	2.29	-
Mode 4	Pass	PK	2.35862G	58.82	74.00	-15.18	3	Vertical	44	2.35	-
Mode 4	Pass	PK	4.00335G	44.60	74.00	-29.40	3	Vertical	245	2.39	-
Mode 4	Pass	AV	2.36493G	42.17	54.00	-11.83	3	Horizontal	132	1.99	-
Mode 4	Pass	AV	3.10757G	25.77	68.20	-42.43	3	Horizontal	97	2.44	-
Mode 4	Pass	AV	4.00331G	30.52	54.00	-23.48	3	Horizontal	52	2.01	-
Mode 4	Pass	PK	2.36098G	52.48	74.00	-21.52	3	Horizontal	132	1.99	-
Mode 4	Pass	PK	3.10828G	39.21	88.20	-48.99	3	Horizontal	97	2.44	-
Mode 4	Pass	PK	4.00365G	40.31	74.00	-33.69	3	Horizontal	52	2.01	-

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.59392G	20.47	54.00	-33.53	-9.33	3	Vertical	14	2.47	29.80	25.46	2.21	37.00
AV	2.36493G	46.22	54.00	-7.78	-7.60	3	Vertical	128	1.55	53.82	27.40	2.79	37.79
AV	4.00327G	33.25	54.00	-20.75	-3.08	3	Vertical	329	1.56	36.33	31.01	4.03	38.12
PK	1.59351G	39.02	74.00	-34.98	-9.33	3	Vertical	14	2.47	48.35	25.46	2.21	37.00
PK	2.36371G	56.69	74.00	-17.31	-7.60	3	Vertical	128	1.55	64.29	27.40	2.79	37.79
PK	4.00327G	41.76	74.00	-32.24	-3.08	3	Vertical	329	1.56	44.84	31.01	4.03	38.12

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.79004G	20.33	68.20	-47.87	-9.97	3	Horizontal	84	1.26	30.30	25.10	2.25	37.32
AV	2.36568G	41.75	54.00	-12.25	-7.60	3	Horizontal	123	1.39	49.35	27.40	2.79	37.79
AV	4.00324G	30.61	54.00	-23.39	-3.08	3	Horizontal	244	1.61	33.69	31.01	4.03	38.12
PK	1.78804G	34.18	88.20	-54.02	-9.99	3	Horizontal	84	1.26	44.17	25.08	2.25	37.32
PK	2.36422G	50.53	74.00	-23.47	-7.60	3	Horizontal	123	1.39	58.13	27.40	2.79	37.79
PK	4.00337G	40.31	74.00	-33.69	-3.08	3	Horizontal	244	1.61	43.39	31.01	4.03	38.12

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.71096G	25.65	68.20	-42.55	-9.85	3	Vertical	192	1.62	35.50	25.10	2.24	37.19
AV	2.36578G	49.20	54.00	-4.80	-7.60	3	Vertical	316	2.28	56.80	27.40	2.79	37.79
AV	4.00336G	33.66	54.00	-20.34	-3.08	3	Vertical	309	1.89	36.74	31.01	4.03	38.12
PK	1.71051G	36.66	88.20	-51.54	-9.85	3	Vertical	235	1.56	46.51	25.10	2.24	37.19
PK	2.35901G	57.35	74.00	-16.65	-7.61	3	Vertical	316	2.28	64.96	27.39	2.79	37.79
PK	4.00309G	42.09	74.00	-31.91	-3.08	3	Vertical	198	1.63	45.17	31.01	4.03	38.12

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.71873G	20.43	68.20	-47.77	-9.86	3	Horizontal	170	1.89	30.29	25.10	2.24	37.20
AV	2.36716G	42.48	54.00	-11.52	-7.60	3	Horizontal	7	1.64	50.08	27.40	2.79	37.79
AV	5.08996G	29.87	54.00	-24.13	-0.62	3	Horizontal	300	1.57	30.49	33.22	4.34	38.18
PK	1.70871G	33.61	74.00	-40.39	-9.85	3	Horizontal	170	1.89	43.46	25.10	2.24	37.19
PK	2.36986G	52.15	74.00	-21.85	-7.60	3	Horizontal	7	1.64	59.75	27.40	2.79	37.79
PK	5.09497G	52.63	74.00	-21.37	-0.63	3	Horizontal	300	1.57	53.26	33.21	4.34	38.18

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.78833G	21.36	68.20	-46.84	-9.99	3	Vertical	19	2.32	31.35	25.08	2.25	37.32
AV	2.36473G	48.12	54.00	-5.88	-7.60	3	Vertical	270	2.22	55.72	27.40	2.79	37.79
AV	4.00337G	33.75	54.00	-20.25	-3.08	3	Vertical	306	1.14	36.83	31.01	4.03	38.12
PK	1.78323G	40.57	88.20	-47.63	-10.03	3	Vertical	19	2.32	50.60	25.03	2.25	37.31
PK	2.36459G	55.67	74.00	-18.33	-7.60	3	Vertical	270	2.22	63.27	27.40	2.79	37.79
PK	4.00309G	41.27	74.00	-32.73	-3.08	3	Vertical	306	1.14	44.35	31.01	4.03	38.12

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.7879G	21.04	68.20	-47.16	-9.99	3	Horizontal	350	1.66	31.03	25.08	2.25	37.32
AV	2.36498G	44.05	54.00	-9.95	-7.60	3	Horizontal	211	2.29	51.65	27.40	2.79	37.79
AV	3.23599G	24.41	68.20	-43.79	-4.73	3	Horizontal	35	2.25	29.14	29.90	3.32	37.95
PK	1.78617G	39.88	88.20	-48.32	-10.00	3	Horizontal	350	1.66	49.88	25.06	2.25	37.31
PK	2.36475G	50.95	74.00	-23.05	-7.60	3	Horizontal	211	2.29	58.55	27.40	2.79	37.79
PK	3.2444G	37.92	88.20	-50.28	-4.73	3	Horizontal	35	2.25	42.65	29.90	3.32	37.95

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.70568G	20.65	54.00	-33.35	-9.84	3	Vertical	192	2.29	30.49	25.10	2.24	37.18				
AV	2.3659G	48.24	54.00	-5.76	-7.60	3	Vertical	44	2.35	55.84	27.40	2.79	37.79				
AV	4.00329G	38.33	54.00	-15.67	-3.08	3	Vertical	245	2.39	41.41	31.01	4.03	38.12				
PK	1.70592G	33.45	74.00	-40.55	-9.84	3	Vertical	192	2.29	43.29	25.10	2.24	37.18				
PK	2.35862G	58.82	74.00	-15.18	-7.61	3	Vertical	44	2.35	66.43	27.39	2.79	37.79				
PK	4.00335G	44.60	74.00	-29.40	-3.08	3	Vertical	245	2.39	47.68	31.01	4.03	38.12				

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	2.36493G	42.17	54.00	-11.83	-7.60	3	Horizontal	132	1.99	49.77	27.40	2.79	37.79				
AV	3.10757G	25.77	68.20	-42.43	-4.80	3	Horizontal	97	2.44	30.57	29.92	3.23	37.95				
AV	4.00331G	30.52	54.00	-23.48	-3.08	3	Horizontal	52	2.01	33.60	31.01	4.03	38.12				
PK	2.36098G	52.48	74.00	-21.52	-7.60	3	Horizontal	132	1.99	60.08	27.40	2.79	37.79				
PK	3.10828G	39.21	88.20	-48.99	-4.80	3	Horizontal	97	2.44	44.01	29.92	3.23	37.95				
PK	4.00365G	40.31	74.00	-33.69	-3.08	3	Horizontal	52	2.01	43.39	31.01	4.03	38.12				