



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX

7115MHz_TX




6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX

7115MHz_TX




6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX

7115MHz_TX



6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1095G	96.72	Inf	-Inf	5.49	3	Vertical	212	2.60	91.23	36.86	5.86	37.23
AV	7.1255G	67.84	68.20	-0.36	5.61	3	Vertical	212	2.60	62.23	36.95	5.87	37.21
PK	7.1095G	102.83	Inf	-Inf	5.49	3	Vertical	212	2.60	97.34	36.86	5.86	37.23
PK	7.1255G	78.81	88.20	-9.39	5.61	3	Vertical	212	2.60	73.20	36.95	5.87	37.21

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.2217G	42.40	68.20	-25.80	12.17	3	Vertical	99	2.97	30.23	40.81	9.62	38.26
PK	14.2266G	52.10	88.20	-36.10	12.15	3	Vertical	99	2.97	39.95	40.79	9.62	38.26


6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	7.016G	101.98	Inf	-Inf	4.79	3	Vertical	198	2.59	97.19	36.30	5.84	37.35
AV	7.0136G	95.11	Inf	-Inf	4.77	3	Vertical	198	2.59	90.34	36.28	5.84	37.35
PK	7.1621G	55.10	88.20	-33.10	5.86	3	Vertical	198	2.59	49.24	37.15	5.87	37.16
AV	7.1711G	46.79	68.20	-21.41	5.90	3	Vertical	198	2.59	40.89	37.18	5.87	37.15

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.04788G	42.90	68.20	-25.30	12.14	3	Vertical	57	1.18	30.76	40.90	9.54	38.30
PK	14.04434G	52.95	88.20	-35.25	12.13	3	Vertical	57	1.18	40.82	40.89	9.54	38.30


6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss2,(MCS0)_2TX	Pass	PK	61.04M	30.23	40.00	-9.77	3	Vertical	0	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT320_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6265MHz_PoE	Pass	PK	31.94M	29.74	40.00	-10.26	3	Vertical	0	1.00
6265MHz_PoE	Pass	PK	61.04M	30.23	40.00	-9.77	3	Vertical	0	1.00
6265MHz_PoE	Pass	PK	83.35M	30.17	40.00	-9.83	3	Vertical	0	1.00
6265MHz_PoE	Pass	PK	271.53M	25.75	46.00	-20.25	3	Vertical	0	1.00
6265MHz_PoE	Pass	PK	549.92M	30.17	46.00	-15.83	3	Vertical	0	1.00
6265MHz_PoE	Pass	PK	673.11M	35.72	46.00	-10.28	3	Vertical	0	1.00
6265MHz_PoE	Pass	PK	61.04M	24.16	40.00	-15.84	3	Horizontal	360	1.00
6265MHz_PoE	Pass	PK	105.66M	30.11	43.50	-13.39	3	Horizontal	360	1.00
6265MHz_PoE	Pass	PK	148.34M	24.43	43.50	-19.07	3	Horizontal	360	1.00
6265MHz_PoE	Pass	PK	201.69M	31.65	43.50	-11.85	3	Horizontal	360	1.00
6265MHz_PoE	Pass	PK	302.57M	28.07	46.00	-17.93	3	Horizontal	360	1.00
6265MHz_PoE	Pass	PK	428.67M	32.89	46.00	-13.11	3	Horizontal	360	1.00

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX


6265MHz_PoE



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
PK	31.94M	29.74	40.00	-10.26	-4.49	3	Vertical	0	1.00	34.23	22.46	0.43	27.38				
PK	61.04M	30.23	40.00	-9.77	-15.28	3	Vertical	0	1.00	45.51	11.48	0.58	27.34				
PK	83.35M	30.17	40.00	-9.83	-13.81	3	Vertical	0	1.00	43.98	12.79	0.68	27.28				
PK	271.53M	25.75	46.00	-20.25	-7.50	3	Vertical	0	1.00	33.25	17.90	1.25	26.65				
PK	549.92M	30.17	46.00	-15.83	-2.73	3	Vertical	0	1.00	32.90	23.94	1.74	28.41				
PK	673.11M	35.72	46.00	-10.28	-2.36	3	Vertical	0	1.00	38.08	24.09	1.95	28.40				

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6265MHz_PoE



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
PK	61.04M	24.16	40.00	-15.84	-15.28	3	Horizontal	360	1.00	39.44	11.48	0.58	27.34				
PK	105.66M	30.11	43.50	-13.39	-10.23	3	Horizontal	360	1.00	40.34	16.22	0.78	27.23				
PK	148.34M	24.43	43.50	-19.07	-10.40	3	Horizontal	360	1.00	34.83	15.75	0.92	27.07				
PK	201.69M	31.65	43.50	-11.85	-11.41	3	Horizontal	360	1.00	43.06	14.32	1.09	26.82				
PK	302.57M	28.07	46.00	-17.93	-7.00	3	Horizontal	360	1.00	35.07	18.37	1.32	26.69				
PK	428.67M	32.89	46.00	-13.11	-4.51	3	Horizontal	360	1.00	37.40	21.61	1.57	27.69				



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	12.38844G	39.19	54.00	-14.81	3	Vertical	180	2.95
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	12.41072G	38.52	54.00	-15.48	3	Vertical	226	1.50
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.9245G	62.09	68.20	-6.11	3	Vertical	210	2.56
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	AV	5.923G	65.33	68.20	-2.87	3	Vertical	209	2.66
802.11be EHT320_Nss2,(MCS0)_2TX	Pass	AV	5.924G	61.25	68.20	-6.95	3	Vertical	204	2.63
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	12.94994G	40.22	68.20	-27.98	3	Vertical	106	1.07
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	13.0499G	40.65	68.20	-27.55	3	Vertical	164	2.94
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	13.0983G	40.80	68.20	-27.40	3	Vertical	37	2.37
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	AV	13.01178G	40.26	68.20	-27.94	3	Horizontal	44	1.50
802.11be EHT320_Nss2,(MCS0)_2TX	Pass	AV	13.16966G	40.84	68.20	-27.36	3	Vertical	232	1.28
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	13.38942G	40.64	54.00	-13.36	3	Vertical	168	1.50
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	13.36944G	42.21	54.00	-11.79	3	Vertical	165	1.14
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	PK	13.25678G	52.89	74.00	-21.11	3	Vertical	202	1.50
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	AV	13.32032G	41.67	54.00	-12.33	3	Vertical	202	1.79
802.11be EHT320_Nss2,(MCS0)_2TX	Pass	AV	7.1255G	65.21	68.20	-2.99	3	Vertical	211	2.56
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	7.1255G	67.89	68.20	-0.31	3	Vertical	212	2.58
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	7.1252G	65.56	68.20	-2.64	3	Vertical	209	1.49
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	7.1255G	58.84	68.20	-9.36	3	Vertical	201	2.57
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	AV	7.125G	65.05	68.20	-3.15	3	Vertical	198	2.79

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9244G	43.56	68.20	-24.64	3	Vertical	210	2.54
5955MHz	Pass	AV	5.9619G	98.94	Inf	-Inf	3	Vertical	210	2.54
5955MHz	Pass	PK	5.9238G	55.98	88.20	-32.22	3	Vertical	210	2.54
5955MHz	Pass	PK	5.9625G	110.04	Inf	-Inf	3	Vertical	210	2.54
5955MHz	Pass	AV	11.91128G	38.25	54.00	-15.75	3	Vertical	346	1.44
5955MHz	Pass	PK	11.8572G	49.67	74.00	-24.33	3	Vertical	346	1.44
5955MHz	Pass	AV	11.91241G	38.31	54.00	-15.69	3	Horizontal	23	1.50
5955MHz	Pass	PK	11.91415G	50.30	74.00	-23.70	3	Horizontal	23	1.50
6195MHz	Pass	AV	12.38844G	39.19	54.00	-14.81	3	Vertical	180	2.95
6195MHz	Pass	PK	12.39224G	49.54	74.00	-24.46	3	Vertical	180	2.95
6195MHz	Pass	AV	12.38468G	38.09	54.00	-15.91	3	Horizontal	338	1.50
6195MHz	Pass	PK	12.38364G	49.28	74.00	-24.72	3	Horizontal	338	1.50
6415MHz	Pass	AV	12.8355G	39.52	68.20	-28.68	3	Vertical	163	2.41
6415MHz	Pass	PK	12.83614G	50.72	88.20	-37.48	3	Vertical	163	2.41
6415MHz	Pass	AV	12.83604G	39.46	68.20	-28.74	3	Horizontal	177	1.50
6415MHz	Pass	PK	12.83274G	50.13	88.20	-38.07	3	Horizontal	177	1.50
6435MHz	Pass	AV	12.87286G	39.46	68.20	-28.74	3	Vertical	25	1.50
6435MHz	Pass	PK	12.87092G	50.20	88.20	-38.00	3	Vertical	25	1.50
6435MHz	Pass	AV	12.86638G	39.45	68.20	-28.75	3	Horizontal	200	1.38
6435MHz	Pass	PK	12.87308G	49.96	88.20	-38.24	3	Horizontal	200	1.38
6475MHz	Pass	AV	12.94994G	40.22	68.20	-27.98	3	Vertical	106	1.07
6475MHz	Pass	PK	12.9479G	51.34	88.20	-36.86	3	Vertical	106	1.07
6475MHz	Pass	AV	12.94814G	39.40	68.20	-28.80	3	Horizontal	271	1.84
6475MHz	Pass	PK	12.94714G	49.44	88.20	-38.76	3	Horizontal	271	1.84
6515MHz	Pass	AV	13.02988G	39.69	68.20	-28.51	3	Vertical	177	1.60
6515MHz	Pass	PK	13.02474G	49.98	88.20	-38.22	3	Vertical	177	1.60
6515MHz	Pass	AV	13.0373G	39.29	68.20	-28.91	3	Horizontal	314	1.26
6515MHz	Pass	PK	13.02952G	49.69	88.20	-38.51	3	Horizontal	314	1.26
6535MHz	Pass	AV	13.0702G	40.77	68.20	-27.43	3	Vertical	156	1.04
6535MHz	Pass	PK	13.06858G	51.71	88.20	-36.49	3	Vertical	156	1.04
6535MHz	Pass	AV	13.07062G	39.37	68.20	-28.83	3	Horizontal	207	2.89
6535MHz	Pass	PK	13.0682G	49.91	88.20	-38.29	3	Horizontal	207	2.89
6695MHz	Pass	AV	13.38942G	40.64	54.00	-13.36	3	Vertical	168	1.50
6695MHz	Pass	PK	13.38332G	51.63	74.00	-22.37	3	Vertical	168	1.50
6695MHz	Pass	AV	13.3897G	40.43	54.00	-13.57	3	Horizontal	117	2.99
6695MHz	Pass	PK	13.39562G	51.90	74.00	-22.10	3	Horizontal	117	2.99
6875MHz	Pass	AV	13.75002G	40.96	68.20	-27.24	3	Vertical	21	1.28
6875MHz	Pass	PK	13.75678G	51.23	88.20	-36.97	3	Vertical	21	1.28
6875MHz	Pass	AV	13.7476G	40.84	68.20	-27.36	3	Horizontal	147	2.88
6875MHz	Pass	PK	13.7499G	52.01	88.20	-36.19	3	Horizontal	147	2.88
6895MHz	Pass	PK	13.88152G	50.89	88.20	-37.31	3	Vertical	187	1.79
6895MHz	Pass	AV	13.94872G	41.48	68.20	-26.72	3	Vertical	187	1.79
6895MHz	Pass	PK	13.91704G	50.75	88.20	-37.45	3	Horizontal	24	2.36
6895MHz	Pass	AV	13.95G	41.51	68.20	-26.69	3	Horizontal	24	2.36
6995MHz	Pass	AV	13.98044G	41.26	68.20	-26.94	3	Vertical	315	1.50
6995MHz	Pass	PK	13.98044G	51.97	88.20	-36.23	3	Vertical	315	1.50
6995MHz	Pass	AV	13.99978G	41.29	68.20	-26.91	3	Horizontal	195	1.50
6995MHz	Pass	PK	13.9869G	51.72	88.20	-36.48	3	Horizontal	195	1.50
7095MHz	Pass	AV	7.0884G	98.80	Inf	-Inf	3	Vertical	213	2.60
7095MHz	Pass	AV	7.1256G	47.51	68.20	-20.69	3	Vertical	213	2.60
7095MHz	Pass	PK	7.0866G	109.15	Inf	-Inf	3	Vertical	213	2.60
7095MHz	Pass	PK	7.1934G	58.52	88.20	-29.68	3	Vertical	213	2.60
7095MHz	Pass	AV	14.19004G	42.67	68.20	-25.53	3	Vertical	331	1.97
7095MHz	Pass	PK	14.18666G	52.62	88.20	-35.58	3	Vertical	331	1.97
7095MHz	Pass	AV	14.19156G	41.73	68.20	-26.47	3	Horizontal	281	1.50
7095MHz	Pass	PK	14.19166G	51.95	88.20	-36.25	3	Horizontal	281	1.50
7115MHz	Pass	AV	7.1195G	95.72	Inf	-Inf	3	Vertical	212	2.58
7115MHz	Pass	AV	7.1255G	67.89	68.20	-0.31	3	Vertical	212	2.58
7115MHz	Pass	PK	7.1095G	103.31	Inf	-Inf	3	Vertical	212	2.58
7115MHz	Pass	PK	7.1255G	78.88	88.20	-9.32	3	Vertical	212	2.58



RSE TX above 1GHz Non-Beamforming Radio 3 2T2S LPI

Appendix E.11

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7115MHz	Pass	AV	14.2242G	41.63	68.20	-26.57	3	Vertical	87	2.65
7115MHz	Pass	PK	14.23098G	51.38	88.20	-36.82	3	Vertical	87	2.65
7115MHz	Pass	AV	14.22254G	41.54	68.20	-26.66	3	Horizontal	40	2.27
7115MHz	Pass	PK	14.22166G	52.49	88.20	-35.71	3	Horizontal	40	2.27
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9248G	46.39	68.20	-21.81	3	Vertical	211	2.60
5965MHz	Pass	AV	5.9824G	98.98	Inf	-Inf	3	Vertical	211	2.60
5965MHz	Pass	PK	5.9212G	63.36	88.20	-24.84	3	Vertical	211	2.60
5965MHz	Pass	PK	5.9821G	109.85	Inf	-Inf	3	Vertical	211	2.60
5965MHz	Pass	AV	11.9293G	38.31	54.00	-15.69	3	Vertical	230	2.49
5965MHz	Pass	PK	11.9298G	48.10	74.00	-25.90	3	Vertical	230	2.49
5965MHz	Pass	AV	11.93024G	38.11	54.00	-15.89	3	Horizontal	0	2.46
5965MHz	Pass	PK	11.93776G	49.16	74.00	-24.84	3	Horizontal	0	2.46
6205MHz	Pass	AV	12.41072G	38.52	54.00	-15.48	3	Vertical	226	1.50
6205MHz	Pass	PK	12.41378G	50.23	74.00	-23.77	3	Vertical	226	1.50
6205MHz	Pass	AV	12.41878G	38.03	54.00	-15.97	3	Horizontal	187	1.50
6205MHz	Pass	PK	12.41538G	48.37	74.00	-25.63	3	Horizontal	187	1.50
6405MHz	Pass	AV	12.80716G	39.50	68.20	-28.70	3	Vertical	5	1.00
6405MHz	Pass	PK	12.80312G	50.02	88.20	-38.18	3	Vertical	5	1.00
6405MHz	Pass	AV	12.80632G	39.45	68.20	-28.75	3	Horizontal	341	1.66
6405MHz	Pass	PK	12.81146G	50.25	88.20	-37.95	3	Horizontal	341	1.66
6445MHz	Pass	AV	12.8893G	39.68	68.20	-28.52	3	Vertical	145	1.11
6445MHz	Pass	PK	12.8871G	50.58	88.20	-37.62	3	Vertical	145	1.11
6445MHz	Pass	AV	12.88798G	39.52	68.20	-28.68	3	Horizontal	168	3.00
6445MHz	Pass	PK	12.89576G	51.31	88.20	-36.89	3	Horizontal	168	3.00
6485MHz	Pass	AV	12.9692G	39.86	68.20	-28.34	3	Vertical	177	1.50
6485MHz	Pass	PK	12.97082G	51.07	88.20	-37.13	3	Vertical	177	1.50
6485MHz	Pass	AV	12.96052G	39.32	68.20	-28.88	3	Horizontal	217	1.38
6485MHz	Pass	PK	12.96294G	49.56	88.20	-38.64	3	Horizontal	217	1.38
6525MHz	Pass	AV	13.0499G	40.65	68.20	-27.55	3	Vertical	164	2.94
6525MHz	Pass	PK	13.04724G	51.98	88.20	-36.22	3	Vertical	164	2.94
6525MHz	Pass	AV	13.05414G	39.48	68.20	-28.72	3	Horizontal	31	1.00
6525MHz	Pass	PK	13.05884G	50.15	88.20	-38.05	3	Horizontal	31	1.00
6565MHz	Pass	AV	13.12934G	41.14	68.20	-27.06	3	Vertical	32	1.30
6565MHz	Pass	PK	13.12362G	53.78	88.20	-34.42	3	Vertical	32	1.30
6565MHz	Pass	AV	13.13952G	39.65	68.20	-28.55	3	Horizontal	236	1.46
6565MHz	Pass	PK	13.12228G	49.86	88.20	-38.34	3	Horizontal	236	1.46
6685MHz	Pass	AV	13.36944G	42.21	54.00	-11.79	3	Vertical	165	1.14
6685MHz	Pass	PK	13.37374G	52.54	74.00	-21.46	3	Vertical	165	1.14
6685MHz	Pass	AV	13.37114G	40.25	54.00	-13.75	3	Horizontal	195	1.89
6685MHz	Pass	PK	13.36346G	50.77	74.00	-23.23	3	Horizontal	195	1.89
6885MHz	Pass	AV	13.76988G	41.41	68.20	-26.79	3	Vertical	163	2.54
6885MHz	Pass	PK	13.76034G	52.06	88.20	-36.14	3	Vertical	163	2.54
6885MHz	Pass	AV	13.77396G	40.60	68.20	-27.60	3	Horizontal	66	1.50
6885MHz	Pass	PK	13.76002G	51.75	88.20	-36.45	3	Horizontal	66	1.50
6925MHz	Pass	AV	13.84394G	41.47	68.20	-26.73	3	Vertical	40	1.17
6925MHz	Pass	PK	13.8433G	52.24	88.20	-35.96	3	Vertical	40	1.17
6925MHz	Pass	AV	13.85608G	40.51	68.20	-27.69	3	Horizontal	233	1.50
6925MHz	Pass	PK	13.85558G	51.13	88.20	-37.07	3	Horizontal	233	1.50
7005MHz	Pass	AV	14.01428G	41.44	68.20	-26.76	3	Vertical	51	1.50
7005MHz	Pass	PK	14.0198G	52.56	88.20	-35.64	3	Vertical	51	1.50
7005MHz	Pass	AV	14.01444G	41.45	68.20	-26.75	3	Horizontal	346	1.50
7005MHz	Pass	PK	14.01364G	52.16	88.20	-36.04	3	Horizontal	346	1.50
7085MHz	Pass	AV	7.082G	98.68	Inf	-Inf	3	Vertical	209	1.49
7085MHz	Pass	AV	7.1252G	65.56	68.20	-2.64	3	Vertical	209	1.49
7085MHz	Pass	PK	7.0706G	109.65	Inf	-Inf	3	Vertical	209	1.49
7085MHz	Pass	PK	7.1258G	77.92	88.20	-10.28	3	Vertical	209	1.49
7085MHz	Pass	AV	14.1643G	42.92	68.20	-25.28	3	Vertical	324	3.00
7085MHz	Pass	PK	14.16882G	52.75	88.20	-35.45	3	Vertical	324	3.00
7085MHz	Pass	AV	14.1601G	41.93	68.20	-26.27	3	Horizontal	155	1.72
7085MHz	Pass	PK	14.16372G	52.75	88.20	-35.45	3	Horizontal	155	1.72
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-



RSE TX above 1GHz Non-Beamforming Radio 3 2T2S LPI


Appendix E.11

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5985MHz	Pass	AV	5.9245G	62.09	68.20	-6.11	3	Vertical	210	2.56
5985MHz	Pass	AV	5.9985G	98.83	Inf	-Inf	3	Vertical	210	2.56
5985MHz	Pass	PK	5.9195G	77.25	88.20	-10.95	3	Vertical	210	2.56
5985MHz	Pass	PK	5.996G	109.04	Inf	-Inf	3	Vertical	210	2.56
5985MHz	Pass	AV	11.96062G	38.80	54.00	-15.20	3	Vertical	244	1.50
5985MHz	Pass	PK	11.9748G	49.19	74.00	-24.81	3	Vertical	244	1.50
5985MHz	Pass	AV	11.97494G	38.93	54.00	-15.07	3	Horizontal	46	1.50
5985MHz	Pass	PK	11.9729G	49.16	74.00	-24.84	3	Horizontal	46	1.50
6225MHz	Pass	AV	12.45088G	38.41	54.00	-15.59	3	Vertical	192	1.00
6225MHz	Pass	PK	12.44942G	49.59	74.00	-24.41	3	Vertical	192	1.00
6225MHz	Pass	AV	12.4579G	38.07	54.00	-15.93	3	Horizontal	194	1.50
6225MHz	Pass	PK	12.44496G	49.07	74.00	-24.93	3	Horizontal	194	1.50
6385MHz	Pass	AV	12.77476G	39.39	68.20	-28.81	3	Vertical	19	1.96
6385MHz	Pass	PK	12.76186G	50.01	88.20	-38.19	3	Vertical	19	1.96
6385MHz	Pass	AV	12.77378G	39.40	68.20	-28.80	3	Horizontal	295	2.84
6385MHz	Pass	PK	12.77508G	50.72	88.20	-37.48	3	Horizontal	295	2.84
6465MHz	Pass	AV	12.93352G	39.73	68.20	-28.47	3	Vertical	154	1.34
6465MHz	Pass	PK	12.92994G	50.95	88.20	-37.25	3	Vertical	154	1.34
6465MHz	Pass	AV	12.92292G	39.41	68.20	-28.79	3	Horizontal	165	1.50
6465MHz	Pass	PK	12.92492G	49.75	88.20	-38.45	3	Horizontal	165	1.50
6545MHz	Pass	AV	13.0983G	40.80	68.20	-27.40	3	Vertical	37	2.37
6545MHz	Pass	PK	13.09704G	52.73	88.20	-35.47	3	Vertical	37	2.37
6545MHz	Pass	AV	13.09932G	39.55	68.20	-28.65	3	Horizontal	214	2.32
6545MHz	Pass	PK	13.09388G	50.26	88.20	-37.94	3	Horizontal	214	2.32
6625MHz	Pass	AV	13.24216G	42.47	68.20	-25.73	3	Vertical	202	1.50
6625MHz	Pass	PK	13.25678G	52.89	74.00	-21.11	3	Vertical	202	1.50
6625MHz	Pass	AV	13.24446G	39.98	68.20	-28.22	3	Horizontal	80	2.64
6625MHz	Pass	PK	13.24334G	51.28	88.20	-36.92	3	Horizontal	80	2.64
6705MHz	Pass	AV	13.41566G	42.10	68.20	-26.10	3	Vertical	109	1.14
6705MHz	Pass	PK	13.40104G	53.07	88.20	-35.13	3	Vertical	109	1.14
6705MHz	Pass	AV	13.41626G	40.14	68.20	-28.06	3	Horizontal	228	1.50
6705MHz	Pass	PK	13.41434G	50.45	88.20	-37.75	3	Horizontal	228	1.50
6785MHz	Pass	AV	13.56052G	42.13	68.20	-26.07	3	Vertical	108	1.27
6785MHz	Pass	PK	13.5696G	53.37	88.20	-34.83	3	Vertical	108	1.27
6785MHz	Pass	AV	13.56074G	41.12	68.20	-27.08	3	Horizontal	195	3.00
6785MHz	Pass	PK	13.56634G	52.66	88.20	-35.54	3	Horizontal	195	3.00
6865MHz	Pass	AV	13.72G	41.28	68.20	-26.92	3	Vertical	26	1.47
6865MHz	Pass	PK	13.72382G	53.16	88.20	-35.04	3	Vertical	26	1.47
6865MHz	Pass	AV	13.72958G	40.73	68.20	-27.47	3	Horizontal	278	2.62
6865MHz	Pass	PK	13.72842G	51.42	88.20	-36.78	3	Horizontal	278	2.62
6945MHz	Pass	AV	13.89996G	40.94	68.20	-27.26	3	Vertical	5	1.50
6945MHz	Pass	PK	13.89002G	51.34	88.20	-36.86	3	Vertical	5	1.50
6945MHz	Pass	AV	13.9G	40.99	68.20	-27.21	3	Horizontal	217	1.26
6945MHz	Pass	PK	13.89252G	51.83	88.20	-36.37	3	Horizontal	217	1.26
7025MHz	Pass	AV	7.0127G	99.12	Inf	-Inf	3	Vertical	201	2.57
7025MHz	Pass	AV	7.1255G	58.84	68.20	-9.36	3	Vertical	201	2.57
7025MHz	Pass	PK	7.0106G	107.79	Inf	-Inf	3	Vertical	201	2.57
7025MHz	Pass	PK	7.1273G	66.35	88.20	-21.85	3	Vertical	201	2.57
7025MHz	Pass	AV	14.04842G	41.68	68.20	-26.52	3	Vertical	117	1.89
7025MHz	Pass	PK	14.04598G	52.26	88.20	-35.94	3	Vertical	117	1.89
7025MHz	Pass	AV	14.04888G	41.51	68.20	-26.69	3	Horizontal	127	1.70
7025MHz	Pass	PK	14.05538G	51.76	88.20	-36.44	3	Horizontal	127	1.70
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.923G	65.33	68.20	-2.87	3	Vertical	209	2.66
6025MHz	Pass	AV	5.9995G	97.44	Inf	-Inf	3	Vertical	209	2.66
6025MHz	Pass	PK	5.9245G	78.10	88.20	-10.10	3	Vertical	209	2.66
6025MHz	Pass	PK	6.008G	105.57	Inf	-Inf	3	Vertical	209	2.66
6025MHz	Pass	AV	12.0434G	39.11	54.00	-14.89	3	Vertical	256	1.19
6025MHz	Pass	PK	12.05162G	49.15	74.00	-24.85	3	Vertical	256	1.19
6025MHz	Pass	AV	12.05858G	39.09	54.00	-14.91	3	Horizontal	355	1.50
6025MHz	Pass	PK	12.05254G	49.06	74.00	-24.94	3	Horizontal	355	1.50
6185MHz	Pass	AV	12.3732G	39.00	54.00	-15.00	3	Vertical	54	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6185MHz	Pass	PK	12.36476G	49.20	74.00	-24.80	3	Vertical	54	1.50
6185MHz	Pass	AV	12.36956G	39.01	54.00	-14.99	3	Horizontal	307	1.50
6185MHz	Pass	PK	12.3655G	48.04	74.00	-25.96	3	Horizontal	307	1.50
6345MHz	Pass	AV	12.69526G	40.07	54.00	-13.93	3	Vertical	9	1.50
6345MHz	Pass	PK	12.69278G	49.96	74.00	-24.04	3	Vertical	9	1.50
6345MHz	Pass	AV	12.69676G	40.11	54.00	-13.89	3	Horizontal	135	1.73
6345MHz	Pass	PK	12.68928G	49.95	74.00	-24.05	3	Horizontal	135	1.73
6505MHz	Pass	AV	13.0073G	40.17	68.20	-28.03	3	Vertical	329	1.50
6505MHz	Pass	PK	13.01378G	50.00	88.20	-38.20	3	Vertical	329	1.50
6505MHz	Pass	AV	13.01178G	40.26	68.20	-27.94	3	Horizontal	44	1.50
6505MHz	Pass	PK	13.01716G	50.44	88.20	-37.76	3	Horizontal	44	1.50
6665MHz	Pass	AV	13.32032G	41.67	54.00	-12.33	3	Vertical	202	1.79
6665MHz	Pass	PK	13.3302G	51.75	74.00	-22.25	3	Vertical	202	1.79
6665MHz	Pass	AV	13.33386G	40.74	54.00	-13.26	3	Horizontal	300	1.50
6665MHz	Pass	PK	13.32218G	50.67	74.00	-23.33	3	Horizontal	300	1.50
6825MHz	Pass	AV	13.65068G	42.04	68.20	-26.16	3	Vertical	353	1.96
6825MHz	Pass	PK	13.65708G	53.78	88.20	-34.42	3	Vertical	353	1.96
6825MHz	Pass	AV	13.65526G	41.77	68.20	-26.43	3	Horizontal	281	3.00
6825MHz	Pass	PK	13.6421G	52.64	88.20	-35.56	3	Horizontal	281	3.00
6985MHz	Pass	AV	6.9225G	99.22	Inf	-Inf	3	Vertical	198	2.79
6985MHz	Pass	AV	7.125G	65.05	68.20	-3.15	3	Vertical	198	2.79
6985MHz	Pass	PK	6.9215G	108.76	Inf	-Inf	3	Vertical	198	2.79
6985MHz	Pass	PK	7.1275G	74.35	88.20	-13.85	3	Vertical	198	2.79
6985MHz	Pass	AV	13.97088G	42.11	68.20	-26.09	3	Vertical	339	2.81
6985MHz	Pass	PK	13.96986G	51.66	88.20	-36.54	3	Vertical	339	2.81
6985MHz	Pass	AV	13.96942G	42.25	68.20	-25.95	3	Horizontal	48	1.50
6985MHz	Pass	PK	13.9775G	52.16	88.20	-36.04	3	Horizontal	48	1.50
802.11be EHT320_Nss2_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	PK	5.92G	74.06	88.20	-14.14	3	Vertical	204	2.63
6105MHz	Pass	AV	5.924G	61.25	68.20	-6.95	3	Vertical	204	2.63
6105MHz	Pass	PK	6.243G	104.31	Inf	-Inf	3	Vertical	204	2.63
6105MHz	Pass	AV	6.208G	94.62	Inf	-Inf	3	Vertical	204	2.63
6105MHz	Pass	AV	12.21062G	39.01	54.00	-14.99	3	Vertical	354	2.21
6105MHz	Pass	PK	12.21892G	50.32	74.00	-23.68	3	Vertical	354	2.21
6105MHz	Pass	AV	12.2002G	38.84	54.00	-15.16	3	Horizontal	37	2.35
6105MHz	Pass	PK	12.2194G	49.85	74.00	-24.15	3	Horizontal	37	2.35
6265MHz	Pass	AV	12.53286G	38.48	54.00	-15.52	3	Vertical	118	2.18
6265MHz	Pass	PK	12.52392G	48.62	74.00	-25.38	3	Vertical	118	2.18
6265MHz	Pass	AV	12.52838G	38.49	54.00	-15.51	3	Horizontal	319	1.50
6265MHz	Pass	PK	12.5272G	49.45	74.00	-24.55	3	Horizontal	319	1.50
6425MHz	Pass	AV	12.8525G	39.47	68.20	-28.73	3	Vertical	172	1.50
6425MHz	Pass	PK	12.85802G	50.63	88.20	-37.57	3	Vertical	172	1.50
6425MHz	Pass	AV	12.85274G	39.40	68.20	-28.80	3	Horizontal	37	1.76
6425MHz	Pass	PK	12.84402G	50.85	88.20	-37.35	3	Horizontal	37	1.76
6585MHz	Pass	AV	13.16966G	40.84	68.20	-27.36	3	Vertical	232	1.28
6585MHz	Pass	PK	13.16222G	51.63	88.20	-36.57	3	Vertical	232	1.28
6585MHz	Pass	AV	13.16932G	39.49	68.20	-28.71	3	Horizontal	131	1.50
6585MHz	Pass	PK	13.1703G	49.40	88.20	-38.80	3	Horizontal	131	1.50
6745MHz	Pass	AV	13.49346G	40.46	68.20	-27.74	3	Vertical	144	1.50
6745MHz	Pass	PK	13.48032G	51.18	88.20	-37.02	3	Vertical	144	1.50
6745MHz	Pass	AV	13.4926G	40.42	68.20	-27.78	3	Horizontal	45	2.17
6745MHz	Pass	PK	13.49074G	51.58	88.20	-36.62	3	Horizontal	45	2.17
6905MHz	Pass	AV	6.8025G	95.81	Inf	-Inf	3	Vertical	211	2.56
6905MHz	Pass	AV	7.1255G	65.21	68.20	-2.99	3	Vertical	211	2.56
6905MHz	Pass	PK	6.7935G	104.69	Inf	-Inf	3	Vertical	211	2.56
6905MHz	Pass	PK	7.1275G	75.54	88.20	-12.66	3	Vertical	211	2.56
6905MHz	Pass	AV	13.81958G	41.58	68.20	-26.62	3	Vertical	245	1.99
6905MHz	Pass	PK	13.80938G	51.25	88.20	-36.95	3	Vertical	245	1.99
6905MHz	Pass	AV	13.80702G	41.40	68.20	-26.80	3	Horizontal	70	2.30
6905MHz	Pass	PK	13.80962G	51.74	88.20	-36.46	3	Horizontal	70	2.30


5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6205MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6205MHz_TX



5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9245G	62.09	68.20	-6.11	1.89	3	Vertical	210	2.56	60.20	34.55	5.18	37.84
AV	5.9985G	98.83	Inf	-Inf	2.01	3	Vertical	210	2.56	96.82	34.50	5.29	37.78
PK	5.9195G	77.25	88.20	-10.95	1.88	3	Vertical	210	2.56	75.37	34.56	5.17	37.85
PK	5.996G	109.04	Inf	-Inf	2.00	3	Vertical	210	2.56	107.04	34.50	5.28	37.78

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.96062G	38.80	54.00	-15.20	9.64	3	Vertical	244	1.50	29.16	39.22	8.38	37.96
PK	11.9748G	49.19	74.00	-24.81	9.67	3	Vertical	244	1.50	39.52	39.25	8.39	37.97


5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	5.92G	74.06	88.20	-14.14	1.88	3	Vertical	204	2.63	72.18	34.56	5.17	37.85
AV	5.924G	61.25	68.20	-6.95	1.89	3	Vertical	204	2.63	59.36	34.55	5.18	37.84
PK	6.243G	104.31	Inf	-Inf	2.47	3	Vertical	204	2.63	101.84	34.69	5.41	37.63
AV	6.208G	94.62	Inf	-Inf	2.33	3	Vertical	204	2.63	92.29	34.62	5.37	37.66

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.21062G	39.01	54.00	-14.99	9.93	3	Vertical	354	2.21	29.08	39.48	8.52	38.07
PK	12.21892G	50.32	74.00	-23.68	9.91	3	Vertical	354	2.21	40.41	39.46	8.52	38.07


5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6105MHz_TX




6.425-6.525GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6475MHz_TX




6.425-6.525GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6475MHz_TX




6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6525MHz_TX




6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6525MHz_TX




6.425-6.525GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6545MHz_TX




6.425-6.525GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6545MHz_TX




6.425-6.525GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6505MHz_TX




6.425-6.525GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6505MHz_TX




6.425-6.525GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6585MHz_TX




6.425-6.525GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6585MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6905MHz_TX



6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1195G	95.72	Inf	-Inf	5.56	3	Vertical	212	2.58	90.16	36.92	5.86	37.22
AV	7.1255G	67.89	68.20	-0.31	5.61	3	Vertical	212	2.58	62.28	36.95	5.87	37.21
PK	7.1095G	103.31	Inf	-Inf	5.49	3	Vertical	212	2.58	97.82	36.86	5.86	37.23
PK	7.1255G	78.88	88.20	-9.32	5.61	3	Vertical	212	2.58	73.27	36.95	5.87	37.21

6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.2242G	41.63	68.20	-26.57	12.16	3	Vertical	87	2.65	29.47	40.80	9.62	38.26
PK	14.23098G	51.38	88.20	-36.82	12.15	3	Vertical	87	2.65	39.23	40.78	9.62	38.25


6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

7085MHz_TX



6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0127G	99.12	Inf	-Inf	4.77	3	Vertical	201	2.57	94.35	36.28	5.84	37.35
AV	7.1255G	58.84	68.20	-9.36	5.61	3	Vertical	201	2.57	53.23	36.95	5.87	37.21
PK	7.0106G	107.79	Inf	-Inf	4.74	3	Vertical	201	2.57	103.05	36.26	5.84	37.36
PK	7.1273G	66.35	88.20	-21.85	5.62	3	Vertical	201	2.57	60.73	36.96	5.87	37.21

6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.04842G	41.68	68.20	-26.52	12.14	3	Vertical	117	1.89	29.54	40.90	9.54	38.30
PK	14.04598G	52.26	88.20	-35.94	12.13	3	Vertical	117	1.89	40.13	40.89	9.54	38.30


6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6985MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6985MHz_TX



**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	11.89614G	42.41	54.00	-11.59	3	Vertical	151	1.50
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	11.93516G	42.63	54.00	-11.37	3	Vertical	197	1.50
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	11.92344G	42.61	54.00	-11.39	3	Vertical	84	1.50
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	5.925G	63.63	68.20	-4.57	3	Vertical	7	2.82
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	AV	5.914G	60.71	68.20	-7.49	3	Vertical	21	2.64
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	12.87594G	43.93	68.20	-24.27	3	Horizontal	161	2.28
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	13.03776G	44.24	68.20	-23.96	3	Vertical	341	2.04
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	12.92904G	44.06	68.20	-24.14	3	Horizontal	149	2.63
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	12.94712G	44.08	68.20	-24.12	3	Horizontal	27	1.87
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	AV	13.13368G	38.61	68.20	-29.59	3	Horizontal	225	2.23
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	13.38808G	44.78	54.00	-9.22	3	Vertical	353	1.50
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	13.34888G	47.38	54.00	-6.62	3	Vertical	195	2.10
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	13.35864G	44.66	54.00	-9.34	3	Vertical	354	1.35
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	PK	13.3228G	55.58	74.00	-18.42	3	Vertical	270	1.50
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	PK	13.39304G	56.47	74.00	-17.53	3	Horizontal	265	2.70
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	7.1255G	68.01	68.20	-0.19	3	Vertical	38	2.28
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	7.2335G	53.63	68.20	-14.57	3	Vertical	197	2.66
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	7.1252G	54.28	68.20	-13.92	3	Vertical	197	2.81
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	7.1255G	62.77	68.20	-5.43	3	Vertical	217	2.78
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	AV	7.1275G	65.42	68.20	-2.78	3	Vertical	231	2.58

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20-BF_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9244G	49.50	68.20	-18.70	3	Vertical	16	1.46
5955MHz	Pass	AV	5.964G	98.91	Inf	-Inf	3	Vertical	16	1.46
5955MHz	Pass	PK	5.9088G	60.96	88.20	-27.24	3	Vertical	16	1.46
5955MHz	Pass	PK	5.9631G	110.39	Inf	-Inf	3	Vertical	16	1.46
5955MHz	Pass	AV	11.89614G	42.41	54.00	-11.59	3	Vertical	151	1.50
5955MHz	Pass	PK	11.90298G	54.49	74.00	-19.51	3	Vertical	151	1.50
5955MHz	Pass	AV	11.92242G	42.33	54.00	-11.67	3	Horizontal	207	1.50
5955MHz	Pass	PK	11.90292G	54.13	74.00	-19.87	3	Horizontal	207	1.50
6195MHz	Pass	PK	12.39354G	53.92	74.00	-20.08	3	Vertical	113	2.01
6195MHz	Pass	AV	12.37884G	42.04	54.00	-11.96	3	Vertical	113	2.01
6195MHz	Pass	PK	12.37872G	53.76	74.00	-20.24	3	Horizontal	279	2.03
6195MHz	Pass	AV	12.38196G	42.06	54.00	-11.94	3	Horizontal	279	2.03
6415MHz	Pass	PK	12.82742G	55.04	88.20	-33.16	3	Vertical	103	2.31
6415MHz	Pass	AV	12.84488G	43.74	68.20	-24.46	3	Vertical	103	2.31
6415MHz	Pass	PK	12.84308G	55.59	88.20	-32.61	3	Horizontal	210	2.36
6415MHz	Pass	AV	12.84476G	43.71	68.20	-24.49	3	Horizontal	210	2.36
6435MHz	Pass	PK	12.87318G	55.89	88.20	-32.31	3	Vertical	115	2.75
6435MHz	Pass	AV	12.86874G	43.84	68.20	-24.36	3	Vertical	115	2.75
6435MHz	Pass	PK	12.87354G	55.59	88.20	-32.61	3	Horizontal	161	2.28
6435MHz	Pass	AV	12.87594G	43.93	68.20	-24.27	3	Horizontal	161	2.28
6475MHz	Pass	AV	12.9506G	43.84	68.20	-24.36	3	Vertical	341	2.00
6475MHz	Pass	PK	12.95324G	55.93	88.20	-32.27	3	Vertical	341	2.00
6475MHz	Pass	AV	12.94388G	43.87	68.20	-24.33	3	Horizontal	352	1.50
6475MHz	Pass	PK	12.96122G	55.12	88.20	-33.08	3	Horizontal	352	1.50
6515MHz	Pass	AV	13.01992G	43.47	68.20	-24.73	3	Vertical	352	2.97
6515MHz	Pass	PK	13.0279G	54.95	88.20	-33.25	3	Vertical	352	2.97
6515MHz	Pass	AV	13.01896G	43.43	68.20	-24.77	3	Horizontal	45	1.35
6515MHz	Pass	PK	13.0243G	55.30	88.20	-32.90	3	Horizontal	45	1.35
6535MHz	Pass	AV	13.073G	43.43	68.20	-24.77	3	Vertical	39	1.50
6535MHz	Pass	PK	13.06388G	55.46	88.20	-32.74	3	Vertical	39	1.50
6535MHz	Pass	AV	13.0769G	43.41	68.20	-24.79	3	Horizontal	199	1.50
6535MHz	Pass	PK	13.07726G	54.96	88.20	-33.24	3	Horizontal	199	1.50
6695MHz	Pass	AV	13.38808G	44.78	54.00	-9.22	3	Vertical	353	1.50
6695MHz	Pass	PK	13.378G	57.24	74.00	-16.76	3	Vertical	353	1.50
6695MHz	Pass	AV	13.4047G	44.22	68.20	-23.98	3	Horizontal	289	1.57
6695MHz	Pass	PK	13.40446G	55.86	88.20	-32.34	3	Horizontal	289	1.57
6875MHz	Pass	AV	13.7467G	44.62	68.20	-23.58	3	Vertical	180	1.93
6875MHz	Pass	PK	13.75486G	56.48	88.20	-31.72	3	Vertical	180	1.93
6875MHz	Pass	AV	13.7425G	43.87	68.20	-24.33	3	Horizontal	275	2.35
6875MHz	Pass	PK	13.73554G	56.33	88.20	-31.87	3	Horizontal	275	2.35
6895MHz	Pass	AV	13.79498G	44.14	68.20	-24.06	3	Vertical	204	1.93
6895MHz	Pass	PK	13.78472G	55.82	88.20	-32.38	3	Vertical	204	1.93
6895MHz	Pass	AV	13.77608G	43.96	68.20	-24.24	3	Horizontal	360	1.50
6895MHz	Pass	PK	13.77986G	55.93	88.20	-32.27	3	Horizontal	360	1.50
6995MHz	Pass	AV	13.9852G	44.02	68.20	-24.18	3	Vertical	148	1.50
6995MHz	Pass	PK	13.9936G	56.12	88.20	-32.08	3	Vertical	148	1.50
6995MHz	Pass	AV	13.99876G	43.96	68.20	-24.24	3	Horizontal	282	1.81
6995MHz	Pass	PK	13.98136G	55.99	88.20	-32.21	3	Horizontal	282	1.81
7095MHz	Pass	AV	7.1028G	98.75	Inf	-Inf	3	Vertical	196	2.57
7095MHz	Pass	AV	7.233G	53.70	68.20	-14.50	3	Vertical	196	2.57
7095MHz	Pass	PK	7.1031G	109.28	Inf	-Inf	3	Vertical	196	2.57
7095MHz	Pass	PK	7.2357G	65.64	88.20	-22.56	3	Vertical	196	2.57
7095MHz	Pass	AV	14.18562G	44.86	68.20	-23.34	3	Vertical	205	1.50
7095MHz	Pass	PK	14.19912G	58.16	88.20	-30.04	3	Vertical	205	1.50
7095MHz	Pass	AV	14.18736G	44.96	68.20	-23.24	3	Horizontal	220	1.50
7095MHz	Pass	PK	14.19288G	56.71	88.20	-31.49	3	Horizontal	220	1.50
7115MHz	Pass	AV	7.1065G	95.62	Inf	-Inf	3	Vertical	38	2.28
7115MHz	Pass	AV	7.1255G	68.01	68.20	-0.19	3	Vertical	38	2.28
7115MHz	Pass	PK	7.1065G	102.06	Inf	-Inf	3	Vertical	38	2.28
7115MHz	Pass	PK	7.1255G	78.47	88.20	-9.73	3	Vertical	38	2.28



RSE TX above 1GHz Beamforming Radio 3 2T1S LPI

Appendix E.12


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7115MHz	Pass	AV	14.2254G	45.19	68.20	-23.01	3	Vertical	27	3.00
7115MHz	Pass	PK	14.22652G	56.65	88.20	-31.55	3	Vertical	27	3.00
7115MHz	Pass	AV	14.22348G	44.87	68.20	-23.33	3	Horizontal	180	2.31
7115MHz	Pass	PK	14.22532G	56.83	88.20	-31.37	3	Horizontal	180	2.31
802.11be EHT40-BF_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9236G	49.89	68.20	-18.31	3	Vertical	213	2.96
5965MHz	Pass	AV	5.9593G	100.58	Inf	-Inf	3	Vertical	213	2.96
5965MHz	Pass	PK	5.9221G	64.76	88.20	-23.44	3	Vertical	213	2.96
5965MHz	Pass	PK	5.9734G	110.62	Inf	-Inf	3	Vertical	213	2.96
5965MHz	Pass	AV	11.93516G	42.63	54.00	-11.37	3	Vertical	197	1.50
5965MHz	Pass	PK	11.91992G	54.31	74.00	-19.69	3	Vertical	197	1.50
5965MHz	Pass	AV	11.92292G	42.60	54.00	-11.40	3	Horizontal	221	1.82
5965MHz	Pass	PK	11.95256G	54.35	74.00	-19.65	3	Horizontal	221	1.82
6205MHz	Pass	AV	12.4346G	42.39	54.00	-11.61	3	Vertical	48	1.42
6205MHz	Pass	PK	12.3956G	54.00	74.00	-20.00	3	Vertical	48	1.42
6205MHz	Pass	AV	12.42788G	42.29	54.00	-11.71	3	Horizontal	293	1.50
6205MHz	Pass	PK	12.43508G	53.04	74.00	-20.96	3	Horizontal	293	1.50
6405MHz	Pass	AV	12.83664G	43.85	68.20	-24.35	3	Vertical	71	2.21
6405MHz	Pass	PK	12.81768G	55.53	88.20	-32.67	3	Vertical	71	2.21
6405MHz	Pass	AV	12.83484G	43.89	68.20	-24.31	3	Horizontal	230	2.93
6405MHz	Pass	PK	12.80868G	54.89	88.20	-33.31	3	Horizontal	230	2.93
6445MHz	Pass	AV	12.8858G	44.08	68.20	-24.12	3	Vertical	147	1.30
6445MHz	Pass	PK	12.91628G	55.43	88.20	-32.77	3	Vertical	147	1.30
6445MHz	Pass	AV	12.8858G	44.06	68.20	-24.14	3	Horizontal	123	2.32
6445MHz	Pass	PK	12.91736G	54.60	88.20	-33.60	3	Horizontal	123	2.32
6485MHz	Pass	AV	12.96352G	44.03	68.20	-24.17	3	Vertical	345	1.05
6485MHz	Pass	PK	12.99424G	54.90	88.20	-33.30	3	Vertical	345	1.05
6485MHz	Pass	AV	12.96376G	44.07	68.20	-24.13	3	Horizontal	37	2.17
6485MHz	Pass	PK	12.97384G	55.10	88.20	-33.10	3	Horizontal	37	2.17
6525MHz	Pass	AV	13.03776G	44.24	68.20	-23.96	3	Vertical	341	2.04
6525MHz	Pass	PK	13.03032G	54.81	88.20	-33.39	3	Vertical	341	2.04
6525MHz	Pass	AV	13.0254G	43.84	68.20	-24.36	3	Horizontal	14	1.50
6525MHz	Pass	PK	13.04472G	55.61	88.20	-32.59	3	Horizontal	14	1.50
6565MHz	Pass	AV	13.11284G	44.88	68.20	-23.32	3	Vertical	34	1.21
6565MHz	Pass	PK	13.1324G	55.04	88.20	-33.16	3	Vertical	34	1.21
6565MHz	Pass	AV	13.1G	43.90	68.20	-24.30	3	Horizontal	261	1.91
6565MHz	Pass	PK	13.14176G	55.94	88.20	-32.26	3	Horizontal	261	1.91
6685MHz	Pass	AV	13.34888G	47.38	54.00	-6.62	3	Vertical	195	2.10
6685MHz	Pass	PK	13.38284G	55.97	74.00	-18.03	3	Vertical	195	2.10
6685MHz	Pass	AV	13.3478G	47.02	54.00	-6.98	3	Horizontal	218	2.12
6685MHz	Pass	PK	13.379G	55.27	74.00	-18.73	3	Horizontal	218	2.12
6885MHz	Pass	AV	13.74648G	46.48	68.20	-21.72	3	Vertical	179	1.73
6885MHz	Pass	PK	13.75188G	56.29	88.20	-31.91	3	Vertical	179	1.73
6885MHz	Pass	AV	13.74984G	44.58	68.20	-23.62	3	Horizontal	119	2.73
6885MHz	Pass	PK	13.78788G	56.35	88.20	-31.85	3	Horizontal	119	2.73
6925MHz	Pass	AV	13.8314G	47.92	68.20	-20.28	3	Vertical	188	2.90
6925MHz	Pass	PK	13.86764G	55.45	88.20	-32.75	3	Vertical	188	2.90
6925MHz	Pass	AV	13.83092G	44.43	68.20	-23.77	3	Horizontal	159	2.90
6925MHz	Pass	PK	13.8362G	55.80	88.20	-32.40	3	Horizontal	159	2.90
7005MHz	Pass	AV	13.99092G	44.90	68.20	-23.30	3	Vertical	236	2.49
7005MHz	Pass	PK	13.99656G	55.52	88.20	-32.68	3	Vertical	236	2.49
7005MHz	Pass	AV	14.01756G	44.44	68.20	-23.76	3	Horizontal	114	2.42
7005MHz	Pass	PK	14.03532G	55.85	88.20	-32.35	3	Horizontal	114	2.42
7085MHz	Pass	AV	7.088G	99.59	Inf	-Inf	3	Vertical	197	2.66
7085MHz	Pass	AV	7.2335G	53.63	68.20	-14.57	3	Vertical	197	2.66
7085MHz	Pass	PK	7.0793G	111.21	Inf	-Inf	3	Vertical	197	2.66
7085MHz	Pass	PK	7.2281G	66.31	88.20	-21.89	3	Vertical	197	2.66
7085MHz	Pass	AV	14.18596G	44.99	68.20	-23.21	3	Vertical	211	1.32
7085MHz	Pass	PK	14.18692G	57.38	88.20	-30.82	3	Vertical	211	1.32
7085MHz	Pass	AV	14.18248G	44.97	68.20	-23.23	3	Horizontal	68	1.50
7085MHz	Pass	PK	14.18536G	55.97	88.20	-32.23	3	Horizontal	68	1.50
802.11be EHT80-BF_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5985MHz	Pass	AV	5.9193G	53.83	68.20	-14.37	3	Vertical	200	2.89
5985MHz	Pass	AV	5.9619G	101.46	Inf	-Inf	3	Vertical	200	2.89
5985MHz	Pass	PK	5.9226G	74.28	88.20	-13.92	3	Vertical	200	2.89
5985MHz	Pass	PK	5.9616G	113.21	Inf	-Inf	3	Vertical	200	2.89
5985MHz	Pass	AV	11.92344G	42.61	54.00	-11.39	3	Vertical	84	1.50
5985MHz	Pass	PK	11.92584G	53.63	74.00	-20.37	3	Vertical	84	1.50
5985MHz	Pass	AV	11.9244G	42.52	54.00	-11.48	3	Horizontal	90	2.56
5985MHz	Pass	PK	12.01728G	53.91	74.00	-20.09	3	Horizontal	90	2.56
6225MHz	Pass	AV	12.50448G	42.45	54.00	-11.55	3	Vertical	101	1.50
6225MHz	Pass	PK	12.45864G	53.85	74.00	-20.15	3	Vertical	101	1.50
6225MHz	Pass	AV	12.4836G	42.40	54.00	-11.60	3	Horizontal	237	1.42
6225MHz	Pass	PK	12.504G	54.43	74.00	-19.57	3	Horizontal	237	1.42
6385MHz	Pass	AV	12.81992G	43.70	68.20	-24.50	3	Vertical	339	2.04
6385MHz	Pass	PK	12.78464G	55.28	88.20	-32.92	3	Vertical	339	2.04
6385MHz	Pass	AV	12.81272G	43.73	68.20	-24.47	3	Horizontal	3	2.75
6385MHz	Pass	PK	12.74024G	56.04	88.20	-32.16	3	Horizontal	3	2.75
6465MHz	Pass	AV	12.96312G	43.99	68.20	-24.21	3	Vertical	127	2.57
6465MHz	Pass	PK	12.95232G	56.12	88.20	-32.08	3	Vertical	127	2.57
6465MHz	Pass	AV	12.92904G	44.06	68.20	-24.14	3	Horizontal	149	2.63
6465MHz	Pass	PK	12.93744G	56.35	88.20	-31.85	3	Horizontal	149	2.63
6545MHz	Pass	AV	13.0384G	44.00	68.20	-24.20	3	Vertical	40	2.19
6545MHz	Pass	PK	13.14952G	55.84	88.20	-32.36	3	Vertical	40	2.19
6545MHz	Pass	AV	13.10368G	43.73	68.20	-24.47	3	Horizontal	132	3.00
6545MHz	Pass	PK	13.12048G	55.89	88.20	-32.31	3	Horizontal	132	3.00
6625MHz	Pass	AV	13.19312G	46.76	68.20	-21.44	3	Vertical	185	1.98
6625MHz	Pass	PK	13.29728G	55.15	74.00	-18.85	3	Vertical	185	1.98
6625MHz	Pass	AV	13.30544G	44.06	54.00	-9.94	3	Horizontal	163	2.15
6625MHz	Pass	PK	13.2992G	55.82	74.00	-18.18	3	Horizontal	163	2.15
6705MHz	Pass	AV	13.35864G	44.66	54.00	-9.34	3	Vertical	354	1.35
6705MHz	Pass	PK	13.38432G	56.04	74.00	-17.96	3	Vertical	354	1.35
6705MHz	Pass	AV	13.40784G	44.37	68.20	-23.83	3	Horizontal	301	1.50
6705MHz	Pass	PK	13.36392G	56.07	74.00	-17.93	3	Horizontal	301	1.50
6785MHz	Pass	AV	13.5124G	45.50	68.20	-22.70	3	Vertical	161	3.00
6785MHz	Pass	PK	13.56736G	56.28	88.20	-31.92	3	Vertical	161	3.00
6785MHz	Pass	AV	13.53496G	44.47	68.20	-23.73	3	Horizontal	284	1.58
6785MHz	Pass	PK	13.57096G	55.94	88.20	-32.26	3	Horizontal	284	1.58
6865MHz	Pass	AV	13.67264G	44.90	68.20	-23.30	3	Vertical	175	2.10
6865MHz	Pass	PK	13.76024G	55.48	88.20	-32.72	3	Vertical	175	2.10
6865MHz	Pass	AV	13.70264G	44.17	68.20	-24.03	3	Horizontal	69	1.50
6865MHz	Pass	PK	13.7492G	55.33	88.20	-32.87	3	Horizontal	69	1.50
6945MHz	Pass	AV	13.83072G	45.24	68.20	-22.96	3	Vertical	167	1.33
6945MHz	Pass	PK	13.908G	55.86	88.20	-32.34	3	Vertical	167	1.33
6945MHz	Pass	AV	13.83576G	44.36	68.20	-23.84	3	Horizontal	0	2.88
6945MHz	Pass	PK	13.91976G	54.87	88.20	-33.33	3	Horizontal	0	2.88
7025MHz	Pass	PK	6.9878G	113.83	Inf	-Inf	3	Vertical	197	2.81
7025MHz	Pass	AV	6.998G	102.10	Inf	-Inf	3	Vertical	197	2.81
7025MHz	Pass	PK	7.1282G	68.26	88.20	-19.94	3	Vertical	197	2.81
7025MHz	Pass	AV	7.1252G	54.28	68.20	-13.92	3	Vertical	197	2.81
7025MHz	Pass	AV	14.09992G	44.64	68.20	-23.56	3	Vertical	133	3.00
7025MHz	Pass	PK	14.0068G	55.99	88.20	-32.21	3	Vertical	133	3.00
7025MHz	Pass	AV	14.0992G	44.70	68.20	-23.50	3	Horizontal	32	3.00
7025MHz	Pass	PK	14.05456G	55.61	88.20	-32.59	3	Horizontal	32	3.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.925G	63.63	68.20	-4.57	3	Vertical	7	2.82
6025MHz	Pass	AV	5.9515G	100.06	Inf	-Inf	3	Vertical	7	2.82
6025MHz	Pass	PK	5.9135G	76.95	88.20	-11.25	3	Vertical	7	2.82
6025MHz	Pass	PK	5.9615G	112.16	Inf	-Inf	3	Vertical	7	2.82
6025MHz	Pass	AV	12.07208G	42.55	54.00	-11.45	3	Vertical	328	1.50
6025MHz	Pass	PK	12.02504G	54.98	74.00	-19.02	3	Vertical	328	1.50
6025MHz	Pass	AV	12.06488G	42.53	54.00	-11.47	3	Horizontal	158	2.63
6025MHz	Pass	PK	12.02216G	54.43	74.00	-19.57	3	Horizontal	158	2.63
6185MHz	Pass	AV	12.48376G	42.42	54.00	-11.58	3	Vertical	156	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6185MHz	Pass	PK	12.40264G	53.44	74.00	-20.56	3	Vertical	156	1.50
6185MHz	Pass	AV	12.4852G	42.45	54.00	-11.55	3	Horizontal	219	2.06
6185MHz	Pass	PK	12.4444G	54.18	74.00	-19.82	3	Horizontal	219	2.06
6345MHz	Pass	AV	12.80856G	43.67	68.20	-24.53	3	Vertical	9	1.38
6345MHz	Pass	PK	12.74376G	55.04	88.20	-33.16	3	Vertical	9	1.38
6345MHz	Pass	AV	12.8076G	43.69	68.20	-24.51	3	Horizontal	55	1.50
6345MHz	Pass	PK	12.60792G	54.95	74.00	-19.05	3	Horizontal	55	1.50
6505MHz	Pass	AV	12.93656G	44.03	68.20	-24.17	3	Vertical	70	2.42
6505MHz	Pass	PK	12.99416G	55.18	88.20	-33.02	3	Vertical	70	2.42
6505MHz	Pass	AV	12.94712G	44.08	68.20	-24.12	3	Horizontal	27	1.87
6505MHz	Pass	PK	12.9596G	55.71	88.20	-32.49	3	Horizontal	27	1.87
6665MHz	Pass	AV	13.4428G	44.37	68.20	-23.83	3	Vertical	270	1.50
6665MHz	Pass	PK	13.3228G	55.58	74.00	-18.42	3	Vertical	270	1.50
6665MHz	Pass	AV	13.4452G	44.39	68.20	-23.81	3	Horizontal	208	1.17
6665MHz	Pass	PK	13.41928G	56.10	88.20	-32.10	3	Horizontal	208	1.17
6825MHz	Pass	AV	13.53096G	44.50	68.20	-23.70	3	Vertical	81	2.62
6825MHz	Pass	PK	13.54104G	56.11	88.20	-32.09	3	Vertical	81	2.62
6825MHz	Pass	AV	13.53528G	44.45	68.20	-23.75	3	Horizontal	160	1.50
6825MHz	Pass	PK	13.5444G	55.56	88.20	-32.64	3	Horizontal	160	1.50
6985MHz	Pass	AV	6.918G	103.78	Inf	-Inf	3	Vertical	217	2.78
6985MHz	Pass	AV	7.1255G	62.77	68.20	-5.43	3	Vertical	217	2.78
6985MHz	Pass	PK	6.9095G	116.01	Inf	-Inf	3	Vertical	217	2.78
6985MHz	Pass	PK	7.1395G	75.69	88.20	-12.51	3	Vertical	217	2.78
6985MHz	Pass	AV	14.0588G	44.67	68.20	-23.53	3	Vertical	13	1.18
6985MHz	Pass	PK	13.98008G	56.30	88.20	-31.90	3	Vertical	13	1.18
6985MHz	Pass	AV	14.05784G	44.63	68.20	-23.57	3	Horizontal	206	1.50
6985MHz	Pass	PK	14.00648G	56.47	88.20	-31.73	3	Horizontal	206	1.50
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.914G	60.71	68.20	-7.49	3	Vertical	21	2.64
6105MHz	Pass	AV	5.95G	98.83	Inf	-Inf	3	Vertical	21	2.64
6105MHz	Pass	PK	5.919G	73.28	88.20	-14.92	3	Vertical	21	2.64
6105MHz	Pass	PK	6.263G	107.35	Inf	-Inf	3	Vertical	21	2.64
6105MHz	Pass	AV	12.06312G	42.55	54.00	-11.45	3	Vertical	248	1.76
6105MHz	Pass	PK	12.20616G	54.44	74.00	-19.56	3	Vertical	248	1.76
6105MHz	Pass	AV	12.42865G	42.51	54.00	-11.49	3	Horizontal	247	2.20
6105MHz	Pass	PK	12.42888G	54.17	74.00	-19.83	3	Horizontal	247	2.20
6265MHz	Pass	AV	12.74792G	43.64	68.20	-24.56	3	Vertical	76	2.75
6265MHz	Pass	PK	12.75656G	54.83	88.20	-33.37	3	Vertical	76	2.75
6265MHz	Pass	AV	12.69704G	43.65	54.00	-10.35	3	Horizontal	147	1.50
6265MHz	Pass	PK	12.72968G	54.78	88.20	-33.42	3	Horizontal	147	1.50
6425MHz	Pass	AV	12.94024G	44.01	68.20	-24.19	3	Vertical	141	1.50
6425MHz	Pass	PK	12.93448G	55.50	88.20	-32.70	3	Vertical	141	1.50
6425MHz	Pass	AV	12.94024G	44.04	68.20	-24.16	3	Horizontal	264	1.50
6425MHz	Pass	PK	12.874G	55.49	88.20	-32.71	3	Horizontal	264	1.50
6585MHz	Pass	PK	13.16536G	49.17	88.20	-39.03	3	Vertical	188	1.09
6585MHz	Pass	AV	13.17352G	38.57	68.20	-29.63	3	Vertical	188	1.09
6585MHz	Pass	PK	13.1428G	50.19	88.20	-38.01	3	Horizontal	225	2.23
6585MHz	Pass	AV	13.13368G	38.61	68.20	-29.59	3	Horizontal	225	2.23
6745MHz	Pass	AV	13.49384G	44.47	68.20	-23.73	3	Vertical	71	1.50
6745MHz	Pass	PK	13.43336G	56.71	88.20	-31.49	3	Vertical	71	1.50
6745MHz	Pass	AV	13.47272G	44.48	68.20	-23.72	3	Horizontal	265	2.70
6745MHz	Pass	PK	13.39304G	56.47	74.00	-17.53	3	Horizontal	265	2.70
6905MHz	Pass	AV	6.9245G	97.96	Inf	-Inf	3	Vertical	231	2.58
6905MHz	Pass	AV	7.1275G	65.42	68.20	-2.78	3	Vertical	231	2.58
6905MHz	Pass	PK	6.9225G	104.93	Inf	-Inf	3	Vertical	231	2.58
6905MHz	Pass	PK	7.1275G	75.67	88.20	-12.53	3	Vertical	231	2.58
6905MHz	Pass	AV	14.04808G	44.56	68.20	-23.64	3	Vertical	93	2.20
6905MHz	Pass	PK	14.04792G	56.11	88.20	-32.09	3	Vertical	93	2.20
6905MHz	Pass	AV	14.04904G	44.47	68.20	-23.73	3	Horizontal	28	2.14
6905MHz	Pass	PK	13.96264G	55.80	88.20	-32.40	3	Horizontal	28	2.14


5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.914G	60.71	68.20	-7.49	7.97	3	Vertical	21	2.64	52.74	34.37	8.64	35.04
AV	5.95G	98.83	Inf	-Inf	7.90	3	Vertical	21	2.64	90.93	34.30	8.64	35.04
PK	5.919G	73.28	88.20	-14.92	7.96	3	Vertical	21	2.64	65.32	34.36	8.64	35.04
PK	6.263G	107.35	Inf	-Inf	8.19	3	Vertical	21	2.64	99.16	34.53	8.79	35.13

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.06312G	42.55	54.00	-11.45	8.80	3	Vertical	248	1.76	33.75	39.20	12.37	42.77
PK	12.20616G	54.44	74.00	-19.56	8.88	3	Vertical	248	1.76	45.56	39.20	12.42	42.74


5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6435MHz_TX




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6435MHz_TX




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz_TX




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz_TX




6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz_TX




6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz_TX




6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6585MHz_TX




6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6585MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz_TX




6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz_TX




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX



6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.918G	103.78	Inf	-Inf	10.07	3	Vertical	217	2.78	93.71	36.10	9.22	35.25
AV	7.1255G	62.77	68.20	-5.43	10.90	3	Vertical	217	2.78	51.87	36.75	9.40	35.25
PK	6.9095G	116.01	Inf	-Inf	10.06	3	Vertical	217	2.78	105.95	36.10	9.21	35.25
PK	7.1395G	75.69	88.20	-12.51	11.00	3	Vertical	217	2.78	64.69	36.84	9.41	35.25

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.0588G	44.67	68.20	-23.53	10.30	3	Vertical	13	1.18	34.37	40.42	13.18	43.30
PK	13.98008G	56.30	88.20	-31.90	10.08	3	Vertical	13	1.18	46.22	40.26	13.14	43.32


6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX




6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX



6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
a160_Nss1,(6Mbps)_1TX	Pass	PK	61.04M	34.99	40.00	-5.01	3	Vertical	360	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
a160_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
6825MHz	Pass	PK	31.94M	34.96	40.00	-5.04	3	Vertical	360	1.00
6825MHz	Pass	PK	61.04M	34.99	40.00	-5.01	3	Vertical	360	1.00
6825MHz	Pass	PK	90.14M	33.49	43.50	-10.01	3	Vertical	360	1.00
6825MHz	Pass	PK	167.74M	25.73	43.50	-17.77	3	Vertical	360	1.00
6825MHz	Pass	PK	315.18M	26.78	46.00	-19.22	3	Vertical	360	1.00
6825MHz	Pass	PK	835.1M	34.23	46.00	-11.77	3	Vertical	360	1.00
6825MHz	Pass	PK	90.14M	31.21	43.50	-12.29	3	Horizontal	0	1.00
6825MHz	Pass	PK	163.86M	25.37	43.50	-18.13	3	Horizontal	0	1.00
6825MHz	Pass	PK	288.02M	30.21	46.00	-15.79	3	Horizontal	0	1.00
6825MHz	Pass	PK	315.18M	30.35	46.00	-15.65	3	Horizontal	0	1.00
6825MHz	Pass	PK	549.92M	29.16	46.00	-16.84	3	Horizontal	0	1.00
6825MHz	Pass	PK	835.1M	32.43	46.00	-13.57	3	Horizontal	0	1.00

6.525-6.875GHz_a160_Nss1,(6Mbps)_1TX


6825MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	31.94M	34.96	40.00	-5.04	-4.49	3	Vertical	360	1.00	39.45	22.46	0.43	27.38
PK	61.04M	34.99	40.00	-5.01	-15.28	3	Vertical	360	1.00	50.27	11.48	0.58	27.34
PK	90.14M	33.49	43.50	-10.01	-12.43	3	Vertical	360	1.00	45.92	14.11	0.72	27.26
PK	167.74M	25.73	43.50	-17.77	-11.08	3	Vertical	360	1.00	36.81	14.93	0.98	26.99
PK	315.18M	26.78	46.00	-19.22	-6.82	3	Vertical	360	1.00	33.60	18.61	1.35	26.78
PK	835.1M	34.23	46.00	-11.77	-0.66	3	Vertical	360	1.00	34.89	25.23	2.18	28.07

6.525-6.875GHz_a160_Nss1,(6Mbps)_1TX

6825MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	90.14M	31.21	43.50	-12.29	-12.43	3	Horizontal	0	1.00	43.64	14.11	0.72	27.26
PK	163.86M	25.37	43.50	-18.13	-11.07	3	Horizontal	0	1.00	36.44	14.96	0.97	27.00
PK	288.02M	30.21	46.00	-15.79	-7.29	3	Horizontal	0	1.00	37.50	18.08	1.29	26.66
PK	315.18M	30.35	46.00	-15.65	-6.82	3	Horizontal	0	1.00	37.17	18.61	1.35	26.78
PK	549.92M	29.16	46.00	-16.84	-2.73	3	Horizontal	0	1.00	31.89	23.94	1.74	28.41
PK	835.1M	32.43	46.00	-13.57	-0.66	3	Horizontal	0	1.00	33.09	25.23	2.18	28.07

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	AV	12.39243G	41.80	54.00	-12.20	3	Vertical	170	1.50
a40_Nss1,(6Mbps)_1TX	Pass	AV	5.9218G	67.64	68.20	-0.56	3	Horizontal	292	2.04
a80_Nss1,(6Mbps)_1TX	Pass	AV	5.9225G	68.03	68.20	-0.17	3	Horizontal	284	1.90
a160_Nss1,(6Mbps)_1TX	Pass	AV	5.9085G	67.93	68.20	-0.27	3	Horizontal	300	2.74
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	AV	12.87267G	42.90	68.20	-25.30	3	Vertical	292	1.25
a40_Nss1,(6Mbps)_1TX	Pass	AV	13.05605G	43.43	68.20	-24.77	3	Horizontal	229	1.50
a80_Nss1,(6Mbps)_1TX	Pass	AV	13.09808G	43.01	68.20	-25.19	3	Vertical	329	1.50
a160_Nss1,(6Mbps)_1TX	Pass	AV	13.00688G	42.45	68.20	-25.75	3	Vertical	258	1.50
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	AV	13.38546G	43.69	54.00	-10.31	3	Horizontal	22	1.50
a40_Nss1,(6Mbps)_1TX	Pass	AV	13.37474G	43.36	54.00	-10.64	3	Horizontal	309	2.04
a80_Nss1,(6Mbps)_1TX	Pass	AV	13.25666G	43.08	54.00	-10.92	3	Horizontal	271	1.00
a160_Nss1,(6Mbps)_1TX	Pass	AV	13.32232G	43.47	54.00	-10.53	3	Vertical	279	3.00
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	PK	7.125G	87.54	88.20	-0.66	3	Horizontal	285	2.46
a40_Nss1,(6Mbps)_1TX	Pass	AV	7.1261G	67.91	68.20	-0.29	3	Horizontal	292	2.37
a80_Nss1,(6Mbps)_1TX	Pass	AV	7.127G	66.08	68.20	-2.12	3	Horizontal	292	2.01
a160_Nss1,(6Mbps)_1TX	Pass	AV	7.128G	67.61	68.20	-0.59	3	Horizontal	295	1.96

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
a20_Nss1_(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9244G	47.53	68.20	-20.67	3	Horizontal	292	1.95
5955MHz	Pass	AV	5.958G	98.09	Inf	-Inf	3	Horizontal	292	1.95
5955MHz	Pass	PK	5.925G	57.94	88.20	-30.26	3	Horizontal	292	1.95
5955MHz	Pass	PK	5.9589G	107.01	Inf	-Inf	3	Horizontal	292	1.95
5955MHz	Pass	AV	11.913G	41.75	54.00	-12.25	3	Vertical	120	2.12
5955MHz	Pass	PK	11.91426G	52.23	74.00	-21.77	3	Vertical	120	2.12
5955MHz	Pass	AV	11.9049G	41.54	54.00	-12.46	3	Horizontal	341	1.50
5955MHz	Pass	PK	11.91786G	51.85	74.00	-22.15	3	Horizontal	341	1.50
6195MHz	Pass	AV	12.39243G	41.80	54.00	-12.20	3	Vertical	170	1.50
6195MHz	Pass	PK	12.39363G	51.53	74.00	-22.47	3	Vertical	170	1.50
6195MHz	Pass	AV	12.39198G	41.47	54.00	-12.53	3	Horizontal	234	1.63
6195MHz	Pass	PK	12.37683G	52.10	74.00	-21.90	3	Horizontal	234	1.63
6415MHz	Pass	AV	12.82829G	42.66	68.20	-25.54	3	Vertical	16	1.50
6415MHz	Pass	PK	12.84494G	52.47	88.20	-35.73	3	Vertical	16	1.50
6415MHz	Pass	AV	12.8402G	42.63	68.20	-25.57	3	Horizontal	193	1.50
6415MHz	Pass	PK	12.83135G	53.38	88.20	-34.82	3	Horizontal	193	1.50
6435MHz	Pass	AV	12.87267G	42.90	68.20	-25.30	3	Vertical	292	1.25
6435MHz	Pass	PK	12.86706G	52.91	88.20	-35.29	3	Vertical	292	1.25
6435MHz	Pass	AV	12.86436G	42.63	68.20	-25.57	3	Horizontal	207	2.74
6435MHz	Pass	PK	12.86583G	52.94	88.20	-35.26	3	Horizontal	207	2.74
6475MHz	Pass	AV	12.94742G	42.82	68.20	-25.38	3	Vertical	159	1.68
6475MHz	Pass	PK	12.94691G	53.26	88.20	-34.94	3	Vertical	159	1.68
6475MHz	Pass	AV	12.9524G	42.84	68.20	-25.36	3	Horizontal	137	1.82
6475MHz	Pass	PK	12.94019G	52.89	88.20	-35.31	3	Horizontal	137	1.82
6515MHz	Pass	AV	13.02946G	42.60	68.20	-25.60	3	Vertical	330	2.76
6515MHz	Pass	PK	13.02385G	53.03	88.20	-35.17	3	Vertical	330	2.76
6515MHz	Pass	AV	13.0333G	42.89	68.20	-25.31	3	Horizontal	0	1.50
6515MHz	Pass	PK	13.01938G	53.50	88.20	-34.70	3	Horizontal	0	1.50
6535MHz	Pass	AV	13.05998G	43.17	68.20	-25.03	3	Vertical	304	1.50
6535MHz	Pass	PK	13.08269G	53.58	88.20	-34.62	3	Vertical	304	1.50
6535MHz	Pass	AV	13.0838G	43.22	68.20	-24.98	3	Horizontal	16	1.86
6535MHz	Pass	PK	13.06685G	52.69	88.20	-35.51	3	Horizontal	16	1.86
6695MHz	Pass	AV	13.38154G	43.63	54.00	-10.37	3	Vertical	256	1.34
6695MHz	Pass	PK	13.37965G	54.28	74.00	-19.72	3	Vertical	256	1.34
6695MHz	Pass	AV	13.38546G	43.69	54.00	-10.31	3	Horizontal	22	1.50
6695MHz	Pass	PK	13.39074G	54.28	74.00	-19.72	3	Horizontal	22	1.50
6875MHz	Pass	AV	13.75234G	43.93	68.20	-24.27	3	Vertical	37	1.79
6875MHz	Pass	PK	13.74697G	54.34	88.20	-33.86	3	Vertical	37	1.79
6875MHz	Pass	AV	13.75582G	44.01	68.20	-24.19	3	Horizontal	175	1.56
6875MHz	Pass	PK	13.76152G	54.99	88.20	-33.21	3	Horizontal	175	1.56
6895MHz	Pass	AV	13.77986G	44.15	68.20	-24.05	3	Vertical	8	2.28
6895MHz	Pass	PK	13.77836G	54.61	88.20	-33.59	3	Vertical	8	2.28
6895MHz	Pass	AV	13.80179G	43.91	68.20	-24.29	3	Horizontal	30	1.50
6895MHz	Pass	PK	13.80035G	53.77	88.20	-34.43	3	Horizontal	30	1.50
6995MHz	Pass	AV	14.00188G	44.86	68.20	-23.34	3	Vertical	138	1.50
6995MHz	Pass	PK	14.00395G	54.85	88.20	-33.35	3	Vertical	138	1.50
6995MHz	Pass	AV	13.97614G	44.79	68.20	-23.41	3	Horizontal	360	2.47
6995MHz	Pass	PK	14.00281G	55.19	88.20	-33.01	3	Horizontal	360	2.47
7095MHz	Pass	AV	7.0932G	99.24	Inf	-Inf	3	Horizontal	295	1.98
7095MHz	Pass	AV	7.2438G	50.51	68.20	-17.69	3	Horizontal	295	1.98
7095MHz	Pass	PK	7.0914G	107.95	Inf	-Inf	3	Horizontal	295	1.98
7095MHz	Pass	PK	7.1271G	63.24	88.20	-24.96	3	Horizontal	295	1.98
7095MHz	Pass	AV	14.20089G	45.07	68.20	-23.13	3	Vertical	82	1.36
7095MHz	Pass	PK	14.17962G	55.41	88.20	-32.79	3	Vertical	82	1.36
7095MHz	Pass	AV	14.178G	45.18	68.20	-23.02	3	Horizontal	147	1.50
7095MHz	Pass	PK	14.20215G	55.74	88.20	-32.46	3	Horizontal	147	1.50
7115MHz	Pass	AV	7.1121G	95.38	Inf	-Inf	3	Horizontal	285	2.46
7115MHz	Pass	AV	7.1251G	61.47	68.20	-6.73	3	Horizontal	285	2.46
7115MHz	Pass	PK	7.1081G	104.46	Inf	-Inf	3	Horizontal	285	2.46
7115MHz	Pass	PK	7.125G	87.54	88.20	-0.66	3	Horizontal	285	2.46

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7115MHz	Pass	AV	14.22226G	44.93	68.20	-23.27	3	Vertical	272	1.50
7115MHz	Pass	PK	14.21524G	55.04	88.20	-33.16	3	Vertical	272	1.50
7115MHz	Pass	AV	14.21833G	45.21	68.20	-22.99	3	Horizontal	131	1.50
7115MHz	Pass	PK	14.22826G	55.96	88.20	-32.24	3	Horizontal	131	1.50
a40_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9218G	67.64	68.20	-0.56	3	Horizontal	292	2.04
5965MHz	Pass	AV	5.9677G	99.27	Inf	-Inf	3	Horizontal	292	2.04
5965MHz	Pass	PK	5.9236G	78.92	88.20	-9.28	3	Horizontal	292	2.04
5965MHz	Pass	PK	5.9698G	107.82	Inf	-Inf	3	Horizontal	292	2.04
5965MHz	Pass	AV	11.94855G	41.94	54.00	-12.06	3	Vertical	317	2.70
5965MHz	Pass	PK	11.94895G	52.01	74.00	-21.99	3	Vertical	317	2.70
5965MHz	Pass	AV	11.9216G	42.14	54.00	-11.86	3	Horizontal	52	2.80
5965MHz	Pass	PK	11.9369G	52.83	74.00	-21.17	3	Horizontal	52	2.80
6205MHz	Pass	AV	12.3864G	41.90	54.00	-12.10	3	Vertical	293	1.15
6205MHz	Pass	PK	12.4337G	52.18	74.00	-21.82	3	Vertical	293	1.15
6205MHz	Pass	AV	12.4018G	41.91	54.00	-12.09	3	Horizontal	40	1.50
6205MHz	Pass	PK	12.4147G	52.50	74.00	-21.50	3	Horizontal	40	1.50
6405MHz	Pass	AV	12.8244G	43.13	68.20	-25.07	3	Vertical	251	1.50
6405MHz	Pass	PK	12.8267G	53.46	88.20	-34.74	3	Vertical	251	1.50
6405MHz	Pass	AV	12.80605G	43.10	68.20	-25.10	3	Horizontal	355	2.65
6405MHz	Pass	PK	12.81525G	53.54	88.20	-34.66	3	Horizontal	355	2.65
6445MHz	Pass	AV	12.915G	42.67	68.20	-25.53	3	Vertical	165	1.50
6445MHz	Pass	PK	12.9126G	53.27	88.20	-34.93	3	Vertical	165	1.50
6445MHz	Pass	AV	12.89265G	42.92	68.20	-25.28	3	Horizontal	189	1.50
6445MHz	Pass	PK	12.88675G	53.12	88.20	-35.08	3	Horizontal	189	1.50
6485MHz	Pass	AV	12.94875G	42.79	68.20	-25.41	3	Vertical	92	1.50
6485MHz	Pass	PK	12.9545G	53.68	88.20	-34.52	3	Vertical	92	1.50
6485MHz	Pass	AV	12.9588G	42.92	68.20	-25.28	3	Horizontal	180	1.50
6485MHz	Pass	PK	12.9785G	52.82	88.20	-35.38	3	Horizontal	180	1.50
6525MHz	Pass	AV	13.05295G	42.98	68.20	-25.22	3	Vertical	357	2.91
6525MHz	Pass	PK	13.0592G	53.33	88.20	-34.87	3	Vertical	357	2.91
6525MHz	Pass	AV	13.05605G	43.43	68.20	-24.77	3	Horizontal	229	1.50
6525MHz	Pass	PK	13.05235G	53.17	88.20	-35.03	3	Horizontal	229	1.50
6565MHz	Pass	AV	13.12828G	43.14	68.20	-25.06	3	Vertical	96	1.50
6565MHz	Pass	PK	13.12506G	53.64	88.20	-34.56	3	Vertical	96	1.50
6565MHz	Pass	AV	13.13118G	43.35	68.20	-24.85	3	Horizontal	136	1.52
6565MHz	Pass	PK	13.1303G	52.94	88.20	-35.26	3	Horizontal	136	1.52
6685MHz	Pass	AV	13.3776G	43.04	54.00	-10.96	3	Vertical	31	1.11
6685MHz	Pass	PK	13.37658G	54.17	74.00	-19.83	3	Vertical	31	1.11
6685MHz	Pass	AV	13.37474G	43.36	54.00	-10.64	3	Horizontal	309	2.04
6685MHz	Pass	PK	13.3659G	53.71	74.00	-20.29	3	Horizontal	309	2.04
6885MHz	Pass	AV	13.7677G	43.71	68.20	-24.49	3	Vertical	81	1.50
6885MHz	Pass	PK	13.76756G	53.50	88.20	-34.70	3	Vertical	81	1.50
6885MHz	Pass	AV	13.76808G	43.95	68.20	-24.25	3	Horizontal	123	1.16
6885MHz	Pass	PK	13.76696G	53.88	88.20	-34.32	3	Horizontal	123	1.16
6925MHz	Pass	AV	13.84476G	44.03	68.20	-24.17	3	Vertical	306	1.50
6925MHz	Pass	PK	13.84564G	53.87	88.20	-34.33	3	Vertical	306	1.50
6925MHz	Pass	AV	13.84316G	43.80	68.20	-24.40	3	Horizontal	0	2.34
6925MHz	Pass	PK	13.8451G	53.72	88.20	-34.48	3	Horizontal	0	2.34
7005MHz	Pass	AV	14.0062G	44.45	68.20	-23.75	3	Vertical	261	1.50
7005MHz	Pass	PK	14.00246G	54.50	88.20	-33.70	3	Vertical	261	1.50
7005MHz	Pass	AV	14.00176G	44.64	68.20	-23.56	3	Horizontal	73	1.69
7005MHz	Pass	PK	14.01766G	54.99	88.20	-33.21	3	Horizontal	73	1.69
7085MHz	Pass	AV	7.0814G	98.51	Inf	-Inf	3	Horizontal	292	2.37
7085MHz	Pass	AV	7.1261G	67.91	68.20	-0.29	3	Horizontal	292	2.37
7085MHz	Pass	PK	7.088G	107.20	Inf	-Inf	3	Horizontal	292	2.37
7085MHz	Pass	PK	7.1264G	79.01	88.20	-9.19	3	Horizontal	292	2.37
7085MHz	Pass	AV	14.16484G	44.71	68.20	-23.49	3	Vertical	254	1.50
7085MHz	Pass	PK	14.1651G	53.90	88.20	-34.30	3	Vertical	254	1.50
7085MHz	Pass	AV	14.16428G	44.46	68.20	-23.74	3	Horizontal	256	2.06
7085MHz	Pass	PK	14.1657G	55.01	88.20	-33.19	3	Horizontal	256	2.06
a80_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5985MHz	Pass	AV	5.9225G	68.03	68.20	-0.17	3	Horizontal	284	1.90
5985MHz	Pass	AV	5.9775G	96.00	Inf	-Inf	3	Horizontal	284	1.90
5985MHz	Pass	PK	5.92G	79.43	88.20	-8.77	3	Horizontal	284	1.90
5985MHz	Pass	PK	5.988G	104.25	Inf	-Inf	3	Horizontal	284	1.90
5985MHz	Pass	AV	11.97406G	41.47	54.00	-12.53	3	Vertical	226	2.01
5985MHz	Pass	PK	11.96512G	51.54	74.00	-22.46	3	Vertical	226	2.01
5985MHz	Pass	AV	11.9669G	41.20	54.00	-12.80	3	Horizontal	257	1.50
5985MHz	Pass	PK	11.97684G	51.06	74.00	-22.94	3	Horizontal	257	1.50
6225MHz	Pass	AV	12.45642G	41.66	54.00	-12.34	3	Vertical	332	1.50
6225MHz	Pass	PK	12.44814G	52.16	74.00	-21.84	3	Vertical	332	1.50
6225MHz	Pass	AV	12.4431G	41.21	54.00	-12.79	3	Horizontal	30	1.50
6225MHz	Pass	PK	12.45702G	51.83	74.00	-22.17	3	Horizontal	30	1.50
6385MHz	Pass	AV	12.76752G	42.80	68.20	-25.40	3	Vertical	277	1.50
6385MHz	Pass	PK	12.7617G	52.74	88.20	-35.46	3	Vertical	277	1.50
6385MHz	Pass	AV	12.76318G	42.42	68.20	-25.78	3	Horizontal	10	1.50
6385MHz	Pass	PK	12.77476G	54.06	88.20	-34.14	3	Horizontal	10	1.50
6465MHz	Pass	AV	12.93674G	42.63	68.20	-25.57	3	Vertical	69	1.50
6465MHz	Pass	PK	12.9208G	52.17	88.20	-36.03	3	Vertical	69	1.50
6465MHz	Pass	AV	12.92546G	42.27	68.20	-25.93	3	Horizontal	93	1.50
6465MHz	Pass	PK	12.93334G	52.68	88.20	-35.52	3	Horizontal	93	1.50
6545MHz	Pass	AV	13.09808G	43.01	68.20	-25.19	3	Vertical	329	1.50
6545MHz	Pass	PK	13.09126G	52.79	88.20	-35.41	3	Vertical	329	1.50
6545MHz	Pass	AV	13.08712G	42.96	68.20	-25.24	3	Horizontal	354	1.50
6545MHz	Pass	PK	13.09898G	52.86	88.20	-35.34	3	Horizontal	354	1.50
6625MHz	Pass	AV	13.2477G	42.94	68.20	-25.26	3	Vertical	157	1.31
6625MHz	Pass	PK	13.24246G	53.54	88.20	-34.66	3	Vertical	157	1.31
6625MHz	Pass	AV	13.25666G	43.08	54.00	-10.92	3	Horizontal	271	1.00
6625MHz	Pass	PK	13.24518G	53.90	88.20	-34.30	3	Horizontal	271	1.00
6705MHz	Pass	AV	13.41338G	43.47	68.20	-24.73	3	Vertical	215	2.57
6705MHz	Pass	PK	13.4154G	53.99	88.20	-34.21	3	Vertical	215	2.57
6705MHz	Pass	AV	13.40568G	43.52	68.20	-24.68	3	Horizontal	142	1.97
6705MHz	Pass	PK	13.4161G	54.50	88.20	-33.70	3	Horizontal	142	1.97
6785MHz	Pass	AV	13.56356G	43.53	68.20	-24.67	3	Vertical	283	1.50
6785MHz	Pass	PK	13.57982G	53.79	88.20	-34.41	3	Vertical	283	1.50
6785MHz	Pass	AV	13.56232G	43.56	68.20	-24.64	3	Horizontal	8	2.29
6785MHz	Pass	PK	13.5697G	54.16	88.20	-34.04	3	Horizontal	8	2.29
6865MHz	Pass	AV	13.73868G	43.64	68.20	-24.56	3	Vertical	67	2.77
6865MHz	Pass	PK	13.7356G	53.43	88.20	-34.77	3	Vertical	67	2.77
6865MHz	Pass	AV	13.72774G	43.71	68.20	-24.49	3	Horizontal	97	2.99
6865MHz	Pass	PK	13.72354G	53.72	88.20	-34.48	3	Horizontal	97	2.99
6945MHz	Pass	AV	13.8889G	44.56	68.20	-23.64	3	Vertical	66	1.50
6945MHz	Pass	PK	13.89208G	53.98	88.20	-34.22	3	Vertical	66	1.50
6945MHz	Pass	AV	13.89018G	44.25	68.20	-23.95	3	Horizontal	275	1.48
6945MHz	Pass	PK	13.895G	53.70	88.20	-34.50	3	Horizontal	275	1.48
7025MHz	Pass	AV	7.0211G	99.16	Inf	-Inf	3	Horizontal	292	2.01
7025MHz	Pass	AV	7.127G	66.08	68.20	-2.12	3	Horizontal	292	2.01
7025MHz	Pass	PK	7.0208G	107.42	Inf	-Inf	3	Horizontal	292	2.01
7025MHz	Pass	PK	7.1306G	76.13	88.20	-12.07	3	Horizontal	292	2.01
7025MHz	Pass	AV	14.04452G	44.46	68.20	-23.74	3	Vertical	214	1.96
7025MHz	Pass	PK	14.0464G	54.72	88.20	-33.48	3	Vertical	214	1.96
7025MHz	Pass	AV	14.05134G	44.32	68.20	-23.88	3	Horizontal	273	1.38
7025MHz	Pass	PK	14.04266G	54.89	88.20	-33.31	3	Horizontal	273	1.38
a160_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9085G	67.93	68.20	-0.27	3	Horizontal	300	2.74
6025MHz	Pass	AV	6.0405G	93.11	Inf	-Inf	3	Horizontal	300	2.74
6025MHz	Pass	PK	5.909G	79.74	88.20	-8.46	3	Horizontal	300	2.74
6025MHz	Pass	PK	6.029G	101.96	Inf	-Inf	3	Horizontal	300	2.74
6025MHz	Pass	AV	12.0474G	41.73	54.00	-12.27	3	Vertical	52	1.16
6025MHz	Pass	PK	12.05356G	52.66	74.00	-21.34	3	Vertical	52	1.16
6025MHz	Pass	AV	12.05712G	42.30	54.00	-11.70	3	Horizontal	116	1.50
6025MHz	Pass	PK	12.05032G	51.26	74.00	-22.74	3	Horizontal	116	1.50
6185MHz	Pass	AV	12.36228G	41.71	54.00	-12.29	3	Vertical	35	1.86



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6185MHz	Pass	PK	12.36872G	51.31	74.00	-22.69	3	Vertical	35	1.86
6185MHz	Pass	AV	12.36174G	41.50	54.00	-12.50	3	Horizontal	319	1.50
6185MHz	Pass	PK	12.37816G	50.86	74.00	-23.14	3	Horizontal	319	1.50
6345MHz	Pass	AV	12.68784G	42.54	54.00	-11.46	3	Vertical	266	1.58
6345MHz	Pass	PK	12.68812G	52.55	74.00	-21.45	3	Vertical	266	1.58
6345MHz	Pass	AV	12.6944G	42.41	54.00	-11.59	3	Horizontal	109	2.39
6345MHz	Pass	PK	12.69526G	52.32	74.00	-21.68	3	Horizontal	109	2.39
6505MHz	Pass	AV	13.00688G	42.45	68.20	-25.75	3	Vertical	258	1.50
6505MHz	Pass	PK	13.01708G	53.13	88.20	-35.07	3	Vertical	258	1.50
6505MHz	Pass	AV	13.01132G	42.18	68.20	-26.02	3	Horizontal	313	1.69
6505MHz	Pass	PK	13.01808G	53.84	88.20	-34.36	3	Horizontal	313	1.69
6665MHz	Pass	AV	13.32232G	43.47	54.00	-10.53	3	Vertical	279	3.00
6665MHz	Pass	PK	13.32788G	53.10	74.00	-20.90	3	Vertical	279	3.00
6665MHz	Pass	AV	13.3291G	43.07	54.00	-10.93	3	Horizontal	60	2.55
6665MHz	Pass	PK	13.32814G	52.56	74.00	-21.44	3	Horizontal	60	2.55
6825MHz	Pass	AV	13.65316G	43.49	68.20	-24.71	3	Vertical	338	1.50
6825MHz	Pass	PK	13.65358G	53.89	88.20	-34.31	3	Vertical	338	1.50
6825MHz	Pass	AV	13.64324G	43.48	68.20	-24.72	3	Horizontal	4	2.53
6825MHz	Pass	PK	13.654G	53.31	88.20	-34.89	3	Horizontal	4	2.53
6985MHz	Pass	AV	6.9585G	93.41	Inf	-Inf	3	Horizontal	295	1.96
6985MHz	Pass	AV	7.128G	67.61	68.20	-0.59	3	Horizontal	295	1.96
6985MHz	Pass	PK	6.9705G	102.28	Inf	-Inf	3	Horizontal	295	1.96
6985MHz	Pass	PK	7.129G	81.06	88.20	-7.14	3	Horizontal	295	1.96
6985MHz	Pass	AV	13.97866G	44.55	68.20	-23.65	3	Vertical	136	1.50
6985MHz	Pass	PK	13.96938G	54.96	88.20	-33.24	3	Vertical	136	1.50
6985MHz	Pass	AV	13.9677G	44.54	68.20	-23.66	3	Horizontal	124	1.22
6985MHz	Pass	PK	13.97418G	55.36	88.20	-32.84	3	Horizontal	124	1.22


5.925-6.425GHz_a20_Nss1,(6Mbps)_1TX

6195MHz_TX




5.925-6.425GHz_a20_Nss1,(6Mbps)_1TX

6195MHz_TX



5.925-6.425GHz_a40_Nss1,(6Mbps)_1TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9218G	67.64	68.20	-0.56	1.88	3	Horizontal	292	2.04	65.76	34.56	5.17	37.85
AV	5.9677G	99.27	Inf	-Inf	1.93	3	Horizontal	292	2.04	97.34	34.50	5.24	37.81
PK	5.9236G	78.92	88.20	-9.28	1.89	3	Horizontal	292	2.04	77.03	34.55	5.18	37.84
PK	5.9698G	107.82	Inf	-Inf	1.93	3	Horizontal	292	2.04	105.89	34.50	5.24	37.81

5.925-6.425GHz_a40_Nss1,(6Mbps)_1TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.94855G	41.94	54.00	-12.06	9.62	3	Vertical	317	2.70	32.32	39.20	8.37	37.95
PK	11.94895G	52.01	74.00	-21.99	9.62	3	Vertical	317	2.70	42.39	39.20	8.37	37.95


5.925-6.425GHz_a40_Nss1,(6Mbps)_1TX

5965MHz_TX




5.925-6.425GHz_a80_Nss1,(6Mbps)_1TX

5985MHz_TX




5.925-6.425GHz_a80_Nss1,(6Mbps)_1TX

5985MHz_TX




5.925-6.425GHz_a80_Nss1,(6Mbps)_1TX

5985MHz_TX



5.925-6.425GHz_a160_Nss1,(6Mbps)_1TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9085G	67.93	68.20	-0.27	1.87	3	Horizontal	300	2.74	66.06	34.58	5.15	37.86
AV	6.0405G	93.11	Inf	-Inf	2.04	3	Horizontal	300	2.74	91.07	34.50	5.30	37.76
PK	5.909G	79.74	88.20	-8.46	1.87	3	Horizontal	300	2.74	77.87	34.58	5.15	37.86
PK	6.029G	101.96	Inf	-Inf	2.04	3	Horizontal	300	2.74	99.92	34.50	5.30	37.76

5.925-6.425GHz_a160_Nss1,(6Mbps)_1TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.0474G	41.73	54.00	-12.27	9.82	3	Vertical	52	1.16	31.91	39.39	8.43	38.00
PK	12.05356G	52.66	74.00	-21.34	9.84	3	Vertical	52	1.16	42.82	39.41	8.43	38.00


5.925-6.425GHz_a160_Nss1,(6Mbps)_1TX

6025MHz_TX




6.425-6.525GHz_a20_Nss1,(6Mbps)_1TX

6435MHz_TX




6.425-6.525GHz_a20_Nss1,(6Mbps)_1TX

6435MHz_TX




6.425-6.525GHz_a40_Nss1,(6Mbps)_1TX

6525MHz_TX




6.425-6.525GHz_a40_Nss1,(6Mbps)_1TX

6525MHz_TX




6.425-6.525GHz_a80_Nss1,(6Mbps)_1TX

6545MHz_TX




6.425-6.525GHz_a80_Nss1,(6Mbps)_1TX

6545MHz_TX




6.425-6.525GHz_a160_Nss1,(6Mbps)_1TX

6505MHz_TX




6.425-6.525GHz_a160_Nss1,(6Mbps)_1TX

6505MHz_TX




6.525-6.875GHz_a20_Nss1,(6Mbps)_1TX

6695MHz_TX




6.525-6.875GHz_a20_Nss1,(6Mbps)_1TX

6695MHz_TX




6.525-6.875GHz_a40_Nss1,(6Mbps)_1TX

6685MHz_TX




6.525-6.875GHz_a40_Nss1,(6Mbps)_1TX

6685MHz_TX




6.525-6.875GHz_a80_Nss1,(6Mbps)_1TX

6625MHz_TX




6.525-6.875GHz_a80_Nss1,(6Mbps)_1TX

6625MHz_TX




6.525-6.875GHz_a160_Nss1,(6Mbps)_1TX

6665MHz_TX




6.525-6.875GHz_a160_Nss1,(6Mbps)_1TX

6665MHz_TX




6.875-7.125GHz_a20_Nss1,(6Mbps)_1TX

7115MHz_TX




6.875-7.125GHz_a20_Nss1,(6Mbps)_1TX

7115MHz_TX




6.875-7.125GHz_a20_Nss1,(6Mbps)_1TX

7115MHz_TX



6.875-7.125GHz_a40_Nss1,(6Mbps)_1TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0814G	98.51	Inf	-Inf	5.28	3	Horizontal	292	2.37	93.23	36.69	5.86	37.27
AV	7.1261G	67.91	68.20	-0.29	5.62	3	Horizontal	292	2.37	62.29	36.96	5.87	37.21
PK	7.088G	107.20	Inf	-Inf	5.33	3	Horizontal	292	2.37	101.87	36.73	5.86	37.26
PK	7.1264G	79.01	88.20	-9.19	5.62	3	Horizontal	292	2.37	73.39	36.96	5.87	37.21

6.875-7.125GHz_a40_Nss1,(6Mbps)_1TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.16484G	44.71	68.20	-23.49	12.29	3	Vertical	254	1.50	32.42	40.97	9.59	38.27
PK	14.1651G	53.90	88.20	-34.30	12.29	3	Vertical	254	1.50	41.61	40.97	9.59	38.27


6.875-7.125GHz_a40_Nss1,(6Mbps)_1TX

7085MHz_TX




6.875-7.125GHz_a80_Nss1,(6Mbps)_1TX

7025MHz_TX




6.875-7.125GHz_a80_Nss1,(6Mbps)_1TX

7025MHz_TX




6.875-7.125GHz_a80_Nss1,(6Mbps)_1TX

7025MHz_TX



6.875-7.125GHz_a160_Nss1,(6Mbps)_1TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9585G	93.41	Inf	-Inf	4.73	3	Horizontal	295	1.96	88.68	36.28	5.83	37.38
AV	7.128G	67.61	68.20	-0.59	5.63	3	Horizontal	295	1.96	61.98	36.97	5.87	37.21
PK	6.9705G	102.28	Inf	-Inf	4.71	3	Horizontal	295	1.96	97.57	36.26	5.83	37.38
PK	7.129G	81.06	88.20	-7.14	5.64	3	Horizontal	295	1.96	75.42	36.97	5.87	37.20

6.875-7.125GHz_a160_Nss1,(6Mbps)_1TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.97866G	44.55	68.20	-23.65	11.95	3	Vertical	136	1.50	32.60	40.76	9.51	38.32
PK	13.96938G	54.96	88.20	-33.24	11.91	3	Vertical	136	1.50	43.05	40.74	9.50	38.33

6.875-7.125GHz_a160_Nss1,(6Mbps)_1TX

6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	13.9677G	44.54	68.20	-23.66	11.91	3	Horizontal	124	1.22	32.63	40.74	9.50	38.33				
PK	13.97418G	55.36	88.20	-32.84	11.93	3	Horizontal	124	1.22	43.43	40.75	9.51	38.33				

Antenna Gain(dBi)											
2.43											

Contention Based protocol (802.11be EHT20)											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-69.43	OFF	10	100	90	Pass
6	101	20	6455	Center	6455	-74.43	OFF	10	100	90	Pass
7	149	20	6695	Center	6695	-73.43	OFF	10	100	90	Pass
8	213	20	7015	Center	7015	-74.43	OFF	10	100	90	Pass

Contention Based protocol (802.11be EHT320)											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	31	320	6105	Low edge	5950	-68.43	OFF	10	100	90	Pass
				Center	6105	-62.43	OFF	10	100	90	Pass
				High edge	6260	-69.43	OFF	10	100	90	Pass
5,6,7	95	320	6425	Low edge	6270	-65.43	OFF	10	100	90	Pass
				Center	6425	-63.43	OFF	10	100	90	Pass
				High edge	6580	-63.43	OFF	10	100	90	Pass
6,7	127	320	6585	Low edge	6430	-71.43	OFF	10	100	90	Pass
				Center	6585	-66.43	OFF	10	100	90	Pass
				High edge	6740	-73.43	OFF	10	100	90	Pass
7,8	191	320	6905	Low edge	6750	-70.43	OFF	10	100	90	Pass
				Center	6905	-66.43	OFF	10	100	90	Pass
				High edge	7060	-68.43	OFF	10	100	90	Pass


Contention Based Protocol Threshold Level (802.11be EHT20)										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-67.00	2.43	-69.43	≤ -62
						Minimal	-69.00	2.43	-71.43	≤ -62
						ON	-70.00	2.43	-72.43	≤ -62
6	101	20	6455	Center	6455	OFF	-72.00	2.43	-74.43	≤ -62
						Minimal	-76.00	2.43	-78.43	≤ -62
						ON	-77.00	2.43	-79.43	≤ -62
7	149	20	6695	Center	6695	OFF	-71.00	2.43	-73.43	≤ -62
						Minimal	-74.00	2.43	-76.43	≤ -62
						ON	-75.00	2.43	-77.43	≤ -62
8	213	20	7015	Center	7015	OFF	-72.00	2.43	-74.43	≤ -62
						Minimal	-74.00	2.43	-76.43	≤ -62
						ON	-75.00	2.43	-77.43	≤ -62

Contention Based Protocol Threshold Level (802.11be EHT320)										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	31	320	6105	Low edge	5950	OFF	-66.00	2.43	-68.43	≤ -62
						Minimal	-68.00	2.43	-70.43	
						ON	-69.00	2.43	-71.43	
				Center	6105	OFF	-60.00	2.43	-62.43	≤ -62
						Minimal	-66.00	2.43	-68.43	
						ON	-67.00	2.43	-69.43	
				High edge	6260	OFF	-67.00	2.43	-69.43	≤ -62
						Minimal	-70.00	2.43	-72.43	
						ON	-71.00	2.43	-73.43	
5,6,7	95	320	6425	Low edge	6270	OFF	-63.00	2.43	-65.43	≤ -62
						Minimal	-66.00	2.43	-68.43	
						ON	-67.00	2.43	-69.43	
				Center	6425	OFF	-61.00	2.43	-63.43	≤ -62
						Minimal	-71.00	2.43	-73.43	
						ON	-72.00	2.43	-74.43	
				High edge	6580	OFF	-61.00	2.43	-63.43	≤ -62
						Minimal	-65.00	2.43	-67.43	
						ON	-66.00	2.43	-68.43	
6,7	127	320	6585	Low edge	6430	OFF	-69.00	2.43	-71.43	≤ -62
						Minimal	-71.00	2.43	-73.43	
						ON	-72.00	2.43	-74.43	
				Center	6585	OFF	-64.00	2.43	-66.43	≤ -62
						Minimal	-70.00	2.43	-72.43	
						ON	-71.00	2.43	-73.43	
				High edge	6740	OFF	-71.00	2.43	-73.43	≤ -62
						Minimal	-73.00	2.43	-75.43	
						ON	-74.00	2.43	-76.43	
7,8	191	320	6905	Low edge	6750	OFF	-68.00	2.43	-70.43	≤ -62
						Minimal	-71.00	2.43	-73.43	
						ON	-72.00	2.43	-74.43	
				Center	6905	OFF	-64.00	2.43	-66.43	≤ -62
						Minimal	-74.00	2.43	-76.43	
						ON	-75.00	2.43	-77.43	
				High edge	7060	OFF	-66.00	2.43	-68.43	≤ -62
						Minimal	-70.00	2.43	-72.43	
						ON	-71.00	2.43	-73.43	

Bandwidth 20MHz: Traffic Loading Plot - 6215MHz

Time Analysis

Main




30/12/2024
 Sample Time
 12.5us
 All TX Time
 93.9125ms
 All TX Sample
 7513
 Duty Cycle
 0.939008
 T1[s] T2[s]
 NaNs NaNs
 T3[s] T4[s]
 NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 6455MHz

Time Analysis

Main




30/12/2024
 Sample Time
 12.5us
 All TX Time
 95.3ms
 All TX Sample
 7624
 Duty Cycle
 0.952881
 T1[s] T2[s]
 NaNs NaNs
 T3[s] T4[s]
 NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 6695MHz

Time Analysis

Main




30/12/2024
 Sample Time
 12.5us
 All TX Time
 94.4875ms
 All TX Sample
 7559
 Duty Cycle
 0.944757
 T1[s] T2[s]
 NaNs NaNs
 T3[s] T4[s]
 NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 7015MHz

Time Analysis

Main




30/12/2024
 Sample Time
 12.533375us
 All TX Time
 94.188313ms
 All TX Sample
 7515
 Duty Cycle
 0.939258
 T1[s] T2[s]
 NaNs NaNs
 T3[s] T4[s]
 NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 5950MHz

Time Analysis

Main



30/12/2024

Sample Time

12.5us

All TX Time

94.9625ms

All TX Sample

7597

Duty Cycle

0.949506

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6105MHz

Time Analysis

Main



30/12/2024

Sample Time

12.5us

All TX Time

95.0125ms

All TX Sample

7601

Duty Cycle

0.950006

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6260MHz

Time Analysis

Main




30/12/2024
Sample Time
12.5us
All TX Time
95.375ms
All TX Sample
7630
Duty Cycle
0.953631
T1[s] T2[s]
NaNs NaNs
T3[s] T4[s]
NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6270MHz

Time Analysis

Main




30/12/2024
Sample Time
12.5us
All TX Time
95.1ms
All TX Sample
7608
Duty Cycle
0.950881
T1[s] T2[s]
NaNs NaNs
T3[s] T4[s]
NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6425MHz

Time Analysis

Main




30/12/2024
 Sample Time
 12.5us
 All TX Time
 95.125ms
 All TX Sample
 7610
 Duty Cycle
 0.951131
 T1[s] T2[s]
 NaNs NaNs
 T3[s] T4[s]
 NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6430MHz

Time Analysis

Main




30/12/2024
 Sample Time
 12.5us
 All TX Time
 95.3875ms
 All TX Sample
 7631
 Duty Cycle
 0.953756
 T1[s] T2[s]
 NaNs NaNs
 T3[s] T4[s]
 NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6580MHz

Time Analysis

Main



30/12/2024

Sample Time

12.5us

All TX Time

95.1125ms

All TX Sample

7609

Duty Cycle

0.951006

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6585MHz

Time Analysis

Main



30/12/2024

Sample Time

12.5us

All TX Time

95.1125ms

All TX Sample

7609

Duty Cycle

0.951006

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6740MHz

Time Analysis

Main



30/12/2024

Sample Time

12.5us

All TX Time

95.875ms

All TX Sample

7670

Duty Cycle

0.95863

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6750MHz

Time Analysis

Main



30/12/2024

Sample Time

12.5us

All TX Time

95.075ms

All TX Sample

7606

Duty Cycle

0.950631

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6905MHz

Time Analysis

Main




30/12/2024
 Sample Time
 12.5us
 All TX Time
 95.6875ms
 All TX Sample
 7655
 Duty Cycle
 0.956755
 T1[s] T2[s]
 NaNs NaNs
 T3[s] T4[s]
 NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 7060MHz


Time Analysis

Main




30/12/2024
 Sample Time
 12.5us
 All TX Time
 95.425ms
 All TX Sample
 7634
 Duty Cycle
 0.954131
 T1[s] T2[s]
 NaNs NaNs
 T3[s] T4[s]
 NaNs NaNs

1. Incumbent signal (AWGN) Plot




Frequency (MHz): 6695 MHz



Date: 29.DEC.2024 10:05:14


Frequency (MHz): 7015 MHz



Date: 29.DEC.2024 10:06:04


802.11be EHT320

Frequency (MHz): 5950 MHz




Date: 29.DEC.2024 10:07:56

Frequency (MHz): 6105 MHz




Date: 29.DEC.2024 10:08:32

Frequency (MHz): 6260 MHz




Date: 29.DEC.2024 10:09:25

Frequency (MHz): 6270 MHz




Date: 29.DEC.2024 10:10:05

Frequency (MHz): 6425 MHz




Date: 29.DEC.2024 10:10:47

Frequency (MHz): 6430 MHz




Date: 29.DEC.2024 10:15:16

Frequency (MHz): 6580 MHz




Date: 29.DEC.2024 10:11:34

Frequency (MHz): 6585 MHz




Date: 29.DEC.2024 10:14:09

Frequency (MHz): 6740 MHz



Date: 29.DEC.2024 10:16:20

Frequency (MHz): 6750 MHz



Date: 29.DEC.2024 10:17:13