


Bandwidth 20MHz: Traffic Loading Plot - 6215MHz

Time Analysis

Main



18/11/2024

Sample Time

125us

All TX Time

875us

All TX Sample

7

Duty Cycle

0.000175

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 6455MHz

Time Analysis

Main



18/11/2024

Sample Time

125us

All TX Time

1.25ms

All TX Sample

10

Duty Cycle

0.00025

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 6695MHz

Time Analysis

Main




18/11/2024
Sample Time
125us
All TX Time
1ms
All TX Sample
8
Duty Cycle
0.0002
T1[s] T2[s]
NaNs NaNs
T3[s] T4[s]
NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 7015MHz

Time Analysis

Main




18/11/2024
Sample Time
125us
All TX Time
1ms
All TX Sample
8
Duty Cycle
0.0002
T1[s] T2[s]
NaNs NaNs
T3[s] T4[s]
NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6110MHz

Time Analysis

Main



18/11/2024

Sample Time

125us

All TX Time

875us

All TX Sample

7

Duty Cycle

0.000175

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6185MHz

Time Analysis

Main



18/11/2024

Sample Time

125us

All TX Time

1.25ms

All TX Sample

10

Duty Cycle

0.00025

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6260MHz

Time Analysis

Main




18/11/2024
 Sample Time
 125us
 All TX Time
 750us
 All TX Sample
 6
 Duty Cycle
 0.00015
 T1[s] T2[s]
 NaNs NaNs
 T3[s] T4[s]
 NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6430MHz

Time Analysis

Main




18/11/2024
 Sample Time
 125us
 All TX Time
 1ms
 All TX Sample
 8
 Duty Cycle
 0.0002
 T1[s] T2[s]
 NaNs NaNs
 T3[s] T4[s]
 NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6505MHz

Time Analysis

Main



18/11/2024

Sample Time

125us

All TX Time

875us

All TX Sample

7

Duty Cycle

0.000175

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6580MHz

Time Analysis

Main



18/11/2024

Sample Time

125us

All TX Time

1ms

All TX Sample

8

Duty Cycle

0.0002

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6590MHz

Time Analysis

Main



18/11/2024

Sample Time

125us

All TX Time

1ms

All TX Sample

8

Duty Cycle

0.0002

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6665MHz

Time Analysis

Main



18/11/2024

Sample Time

125us

All TX Time

1ms

All TX Sample

8

Duty Cycle

0.0002

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6740MHz

Time Analysis

Main




18/11/2024
Sample Time
125us
All TX Time
1.125ms
All TX Sample
9
Duty Cycle
0.000225
T1[s] T2[s]
NaNs NaNs
T3[s] T4[s]
NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6910MHz

Time Analysis

Main




18/11/2024
Sample Time
125us
All TX Time
1.125ms
All TX Sample
9
Duty Cycle
0.000225
T1[s] T2[s]
NaNs NaNs
T3[s] T4[s]
NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6985MHz

Time Analysis

Main



18/11/2024

Sample Time

125us

All TX Time

1ms

All TX Sample

8

Duty Cycle

0.0002

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 7060MHz

Time Analysis

Main



18/11/2024

Sample Time

125us

All TX Time

1.25ms

All TX Sample

10

Duty Cycle

0.00025

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs


1. Incumbent signal (AWGN) Plot

a 20


Frequency (MHz): 6215 MHz




Frequency (MHz): 6455 MHz



Frequency (MHz): 6695 MHz




Frequency (MHz): 7015 MHz




a 160


Frequency (MHz): 6110 MHz




Frequency (MHz): 6185MHz




Frequency (MHz): 6260 MHz




Frequency (MHz): 6430 MHz




Frequency (MHz): 6505 MHz




Frequency (MHz): 6580 MHz




Frequency (MHz): 6590 MHz




Frequency (MHz): 6665 MHz




Frequency (MHz): 6740 MHz




Frequency (MHz): 6910 MHz




Frequency (MHz): 6985 MHz



Frequency (MHz): 7060 MHz




2. Contention-Based Protocol Plot



Test CH 149 ; Incumbent signal 6695 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 213 ; Incumbent signal 7015 MHz

Time Analysis




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

a 160

Test CH 47 ; Incumbent signal 6110 MHz

Time Analysis




18/11/2024	
Sample Time	
1us	
All TX Time	
83us	
All TX Sample	
83	
Duty Cycle	
0.000083	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 47 ; Incumbent signal 6185 MHz

Time Analysis




18/11/2024	
Sample Time	
1us	
All TX Time	
159us	
All TX Sample	
159	
Duty Cycle	
0.000159	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 47 ; Incumbent signal 6260 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 111 ; Incumbent signal 6430 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 111 ; Incumbent signal 6505 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 111 ; Incumbent signal 6580 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 143 ; Incumbent signal 6590 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 143 ; Incumbent signal 6665 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 143 ; Incumbent signal 6740 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 207 ; Incumbent signal 6910 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 207; Incumbent signal 6985 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.


Test CH 207 ; Incumbent signal 7060 MHz

Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.


3. Contention Based Protocol Threshold Level Verify Plot



Bandwidth (MHz): 160

Frequency (MHz): 6110 MHz (Threshold Level: -62dBm)


Time Analysis



18/11/2024	
Sample Time	
1us	
All TX Time	
83us	
All TX Sample	
83	
Duty Cycle	
0.000083	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6110 MHz (Threshold Level: -63dBm)


Time Analysis



18/11/2024	
Sample Time	
1us	
All TX Time	
83us	
All TX Sample	
83	
Duty Cycle	
0.000083	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs


Frequency (MHz): 6185 MHz (Threshold Level: -77.1dBm)

Time Analysis




Frequency (MHz): 6185 MHz (Threshold Level: -77dBm)

Time Analysis




Frequency (MHz): 6260 MHz (Threshold Level: -71dBm)

Time Analysis



Frequency (MHz): 6260 MHz (Threshold Level: -72dBm)

Time Analysis




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	2.40174G	49.65	68.20	-18.55	Horizontal
Mode 2	Pass	AV	2.40178G	54.52	68.20	-13.68	Vertical
Mode 3	Pass	AV	2.4018G	51.00	68.20	-17.20	Horizontal
Mode 4	Pass	AV	2.40176G	50.45	68.20	-17.75	Horizontal

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	2.34563G	26.64	54.00	-27.36	3	Vertical	352	2.00	-
Mode 1	Pass	AV	2.46109G	28.07	68.20	-40.13	3	Vertical	141	1.00	-
Mode 1	Pass	AV	5.72561G	34.17	68.20	-34.03	3	Vertical	306	1.89	-
Mode 1	Pass	PK	2.34563G	39.50	74.00	-34.50	3	Vertical	352	2.00	-
Mode 1	Pass	PK	2.46109G	44.74	88.20	-43.46	3	Vertical	141	1.00	-
Mode 1	Pass	PK	5.72561G	68.53	88.20	-19.67	3	Vertical	306	1.89	-
Mode 1	Pass	AV	1.32921G	25.25	54.00	-28.75	3	Horizontal	133	1.34	-
Mode 1	Pass	AV	1.6206G	24.82	54.00	-29.18	3	Horizontal	140	1.00	-
Mode 1	Pass	AV	2.40174G	49.65	68.20	-18.55	3	Horizontal	145	1.00	-
Mode 1	Pass	PK	1.32921G	44.13	74.00	-29.87	3	Horizontal	133	1.34	-
Mode 1	Pass	PK	1.6206G	36.82	74.00	-37.18	3	Horizontal	140	1.00	-
Mode 1	Pass	PK	2.40174G	55.95	88.20	-32.25	3	Horizontal	145	1.00	-
Mode 2	Pass	AV	1.33156G	30.64	54.00	-23.36	3	Vertical	269	1.00	-
Mode 2	Pass	AV	2.40178G	54.52	68.20	-13.68	3	Vertical	310	1.51	-
Mode 2	Pass	AV	4.00325G	37.61	54.00	-16.39	3	Vertical	90	1.99	-
Mode 2	Pass	PK	1.32875G	43.75	74.00	-30.25	3	Vertical	269	1.00	-
Mode 2	Pass	PK	2.40178G	60.22	88.20	-27.98	3	Vertical	310	1.51	-
Mode 2	Pass	PK	4.00325G	46.87	74.00	-27.13	3	Vertical	90	1.99	-
Mode 2	Pass	AV	1.78809G	26.29	68.20	-41.91	3	Horizontal	239	1.00	-
Mode 2	Pass	AV	2.3424G	26.62	54.00	-27.38	3	Horizontal	92	1.50	-
Mode 2	Pass	AV	2.46103G	44.37	68.20	-23.83	3	Horizontal	152	1.50	-
Mode 2	Pass	PK	1.78875G	41.05	88.20	-47.15	3	Horizontal	239	1.00	-
Mode 2	Pass	PK	2.3424G	51.51	74.00	-22.49	3	Horizontal	92	1.50	-
Mode 2	Pass	PK	2.46103G	72.36	88.20	-15.84	3	Horizontal	152	1.50	-
Mode 3	Pass	AV	2.38341G	27.24	54.00	-26.76	3	Vertical	310	1.50	-
Mode 3	Pass	AV	2.40947G	29.08	68.20	-39.12	3	Vertical	257	1.50	-
Mode 3	Pass	AV	5.72634G	48.95	68.20	-19.25	3	Vertical	148	1.60	-
Mode 3	Pass	PK	2.38341G	39.33	74.00	-34.67	3	Vertical	310	1.50	-
Mode 3	Pass	PK	2.40947G	49.06	88.20	-39.14	3	Vertical	257	1.50	-
Mode 3	Pass	PK	5.72634G	69.59	88.20	-18.61	3	Vertical	148	1.60	-
Mode 3	Pass	AV	1.36528G	24.79	54.00	-29.21	3	Horizontal	179	1.55	-
Mode 3	Pass	AV	1.59562G	24.89	54.00	-29.11	3	Horizontal	201	1.50	-
Mode 3	Pass	AV	2.4018G	51.00	68.20	-17.20	3	Horizontal	314	1.85	-
Mode 3	Pass	PK	1.36528G	37.53	74.00	-36.47	3	Horizontal	179	1.55	-
Mode 3	Pass	PK	1.59562G	37.02	74.00	-36.98	3	Horizontal	201	1.50	-
Mode 3	Pass	PK	2.4018G	56.68	88.20	-31.52	3	Horizontal	314	1.85	-
Mode 4	Pass	AV	2.36772G	27.16	54.00	-26.84	3	Vertical	131	2.00	-
Mode 4	Pass	AV	2.43142G	26.02	68.20	-42.18	3	Vertical	136	1.50	-
Mode 4	Pass	AV	5.20735G	38.31	68.20	-29.89	3	Vertical	5	1.50	-
Mode 4	Pass	PK	2.36772G	53.38	74.00	-20.62	3	Vertical	131	2.00	-
Mode 4	Pass	PK	2.43142G	38.42	88.20	-49.78	3	Vertical	136	1.50	-
Mode 4	Pass	PK	5.20735G	69.28	88.20	-18.92	3	Vertical	5	1.50	-
Mode 4	Pass	AV	1.5938G	24.71	54.00	-29.29	3	Horizontal	352	1.54	-
Mode 4	Pass	AV	2.40176G	50.45	68.20	-17.75	3	Horizontal	314	1.85	-
Mode 4	Pass	AV	2.78791G	28.52	54.00	-25.48	3	Horizontal	51	1.50	-
Mode 4	Pass	PK	1.5938G	37.32	74.00	-36.68	3	Horizontal	352	1.54	-
Mode 4	Pass	PK	2.40176G	56.43	88.20	-31.77	3	Horizontal	314	1.85	-
Mode 4	Pass	PK	2.78791G	41.18	74.00	-32.82	3	Horizontal	51	1.50	-

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.34563G	26.64	54.00	-27.36	-3.44	3	Vertical	352	2.00	-	30.08	27.16	4.48	35.08
AV	2.46109G	28.07	68.20	-40.13	-2.81	3	Vertical	141	1.00	-	30.88	27.70	4.61	35.12
AV	5.72561G	34.17	68.20	-34.03	5.69	3	Vertical	306	1.89	-	28.48	33.65	7.20	35.16
PK	2.34563G	39.50	74.00	-34.50	-3.44	3	Vertical	352	2.00	-	42.94	27.16	4.48	35.08
PK	2.46109G	44.74	88.20	-43.46	-2.81	3	Vertical	141	1.00	-	47.55	27.70	4.61	35.12
PK	5.72561G	68.53	88.20	-19.67	5.69	3	Vertical	306	1.89	-	62.84	33.65	7.20	35.16

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.32921G	25.25	54.00	-28.75	-6.13	3	Horizontal	133	1.34	-	31.38	25.91	3.32	35.36
AV	1.6206G	24.82	54.00	-29.18	-5.80	3	Horizontal	140	1.00	-	30.62	25.59	3.69	35.08
AV	2.40174G	49.65	68.20	-18.55	-3.14	3	Horizontal	145	1.00	-	52.79	27.42	4.54	35.10
PK	1.32921G	44.13	74.00	-29.87	-6.13	3	Horizontal	133	1.34	-	50.26	25.91	3.32	35.36
PK	1.6206G	36.82	74.00	-37.18	-5.80	3	Horizontal	140	1.00	-	42.62	25.59	3.69	35.08
PK	2.40174G	55.95	88.20	-32.25	-3.14	3	Horizontal	145	1.00	-	59.09	27.42	4.54	35.10

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.33156G	30.64	54.00	-23.36	-6.14	3	Vertical	269	1.00	-	36.78	25.90	3.32	35.36
AV	2.40178G	54.52	68.20	-13.68	-3.14	3	Vertical	310	1.51	-	57.66	27.42	4.54	35.10
AV	4.00325G	37.61	54.00	-16.39	1.81	3	Vertical	90	1.99	-	35.80	30.71	6.14	35.04
PK	1.32875G	43.75	74.00	-30.25	-6.13	3	Vertical	269	1.00	-	49.88	25.91	3.32	35.36
PK	2.40178G	60.22	88.20	-27.98	-3.14	3	Vertical	310	1.51	-	63.36	27.42	4.54	35.10
PK	4.00325G	46.87	74.00	-27.13	1.81	3	Vertical	90	1.99	-	45.06	30.71	6.14	35.04

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.78809G	26.29	68.20	-41.91	-6.19	3	Horizontal	239	1.00	-	32.48	24.98	3.87	35.04
AV	2.3424G	26.62	54.00	-27.38	-3.48	3	Horizontal	92	1.50	-	30.10	27.12	4.48	35.08
AV	2.46103G	44.37	68.20	-23.83	-2.81	3	Horizontal	152	1.50	-	47.18	27.70	4.61	35.12
PK	1.78875G	41.05	88.20	-47.15	-6.17	3	Horizontal	239	1.00	-	47.22	24.99	3.87	35.03
PK	2.3424G	51.51	74.00	-22.49	-3.48	3	Horizontal	92	1.50	-	54.99	27.12	4.48	35.08
PK	2.46103G	72.36	88.20	-15.84	-2.81	3	Horizontal	152	1.50	-	75.17	27.70	4.61	35.12

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.38341G	27.24	54.00	-26.76	-3.35	3	Vertical	310	1.50	-	30.59	27.23	4.52	35.10
AV	2.40947G	29.08	68.20	-39.12	-3.06	3	Vertical	257	1.50	-	32.14	27.49	4.55	35.10
AV	5.72634G	48.95	68.20	-19.25	5.68	3	Vertical	148	1.60	-	43.27	33.65	7.20	35.17
PK	2.38341G	39.33	74.00	-34.67	-3.35	3	Vertical	310	1.50	-	42.68	27.23	4.52	35.10
PK	2.40947G	49.06	88.20	-39.14	-3.06	3	Vertical	257	1.50	-	52.12	27.49	4.55	35.10
PK	5.72634G	69.59	88.20	-18.61	5.68	3	Vertical	148	1.60	-	63.91	33.65	7.20	35.17

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.36528G	24.79	54.00	-29.21	-6.20	3	Horizontal	179	1.55	-	30.99	25.75	3.36	35.31
AV	1.59562G	24.89	54.00	-29.11	-5.89	3	Horizontal	201	1.50	-	30.78	25.54	3.66	35.09
AV	2.4018G	51.00	68.20	-17.20	-3.14	3	Horizontal	314	1.85	-	54.14	27.42	4.54	35.10
PK	1.36528G	37.53	74.00	-36.47	-6.20	3	Horizontal	179	1.55	-	43.73	25.75	3.36	35.31
PK	1.59562G	37.02	74.00	-36.98	-5.89	3	Horizontal	201	1.50	-	42.91	25.54	3.66	35.09
PK	2.4018G	56.68	88.20	-31.52	-3.14	3	Horizontal	314	1.85	-	59.82	27.42	4.54	35.10

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.36772G	27.16	54.00	-26.84	-3.38	3	Vertical	131	2.00	-	30.54	27.20	4.51	35.09
AV	2.43142G	26.02	68.20	-42.18	-2.93	3	Vertical	136	1.50	-	28.95	27.60	4.58	35.11
AV	5.20735G	38.31	68.20	-29.89	4.72	3	Vertical	5	1.50	-	33.59	32.99	6.80	35.07
PK	2.36772G	53.38	74.00	-20.62	-3.38	3	Vertical	131	2.00	-	56.76	27.20	4.51	35.09
PK	2.43142G	38.42	88.20	-49.78	-2.93	3	Vertical	136	1.50	-	41.35	27.60	4.58	35.11
PK	5.20735G	69.28	88.20	-18.92	4.72	3	Vertical	5	1.50	-	64.56	32.99	6.80	35.07

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.5938G	24.71	54.00	-29.29	-5.87	3	Horizontal	352	1.54	-	30.58	25.56	3.66	35.09
AV	2.40176G	50.45	68.20	-17.75	-3.14	3	Horizontal	314	1.85	-	53.59	27.42	4.54	35.10
AV	2.78791G	28.52	54.00	-25.48	-1.81	3	Horizontal	51	1.50	-	30.33	28.40	4.97	35.18
PK	1.5938G	37.32	74.00	-36.68	-5.87	3	Horizontal	352	1.54	-	43.19	25.56	3.66	35.09
PK	2.40176G	56.43	88.20	-31.77	-3.14	3	Horizontal	314	1.85	-	59.57	27.42	4.54	35.10
PK	2.78791G	41.18	74.00	-32.82	-1.81	3	Horizontal	51	1.50	-	42.99	28.40	4.97	35.18




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	2.40168G	52.37	68.20	-15.83	Horizontal
Mode 2	Pass	PK	2.43603G	65.51	88.20	-22.69	Horizontal
Mode 3	Pass	AV	2.43785G	54.39	68.20	-13.81	Vertical
Mode 4	Pass	PK	2.43791G	63.17	88.20	-25.03	Vertical

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	1.19954G	24.73	54.00	-29.27	3	Vertical	360	1.00	-
Mode 1	Pass	AV	2.36435G	27.61	54.00	-26.39	3	Vertical	132	1.74	-
Mode 1	Pass	AV	2.43783G	25.03	68.20	-43.17	3	Vertical	1	1.41	-
Mode 1	Pass	PK	1.19954G	42.24	74.00	-31.76	3	Vertical	360	1.00	-
Mode 1	Pass	PK	2.36435G	40.26	74.00	-33.74	3	Vertical	132	1.74	-
Mode 1	Pass	PK	2.43783G	63.62	88.20	-24.58	3	Vertical	1	1.41	-
Mode 1	Pass	AV	1.59669G	24.91	54.00	-29.09	3	Horizontal	224	1.50	-
Mode 1	Pass	AV	2.40168G	52.37	68.20	-15.83	3	Horizontal	303	1.31	-
Mode 1	Pass	AV	5.72718G	33.97	68.20	-34.23	3	Horizontal	0	1.54	-
Mode 1	Pass	PK	1.59669G	37.38	74.00	-36.62	3	Horizontal	224	1.50	-
Mode 1	Pass	PK	2.40168G	58.84	88.20	-29.36	3	Horizontal	303	1.31	-
Mode 1	Pass	PK	5.72718G	63.56	88.20	-24.64	3	Horizontal	0	1.54	-
Mode 2	Pass	AV	1.19492G	24.92	54.00	-29.08	3	Vertical	17.1	1.68	-
Mode 2	Pass	AV	1.47924G	24.96	54.00	-29.04	3	Vertical	193	1.50	-
Mode 2	Pass	AV	2.43785G	24.95	68.20	-43.25	3	Vertical	12	1.60	-
Mode 2	Pass	PK	1.19492G	41.19	74.00	-32.81	3	Vertical	17.1	1.68	-
Mode 2	Pass	PK	1.47924G	37.55	74.00	-36.45	3	Vertical	193	1.50	-
Mode 2	Pass	PK	2.43785G	62.65	88.20	-25.55	3	Vertical	12	1.60	-
Mode 2	Pass	AV	1.33252G	25.25	54.00	-28.75	3	Horizontal	337	1.55	-
Mode 2	Pass	AV	2.43603G	25.27	68.20	-42.93	3	Horizontal	354	2.00	-
Mode 2	Pass	AV	5.84891G	34.03	68.20	-34.17	3	Horizontal	12	1.54	-
Mode 2	Pass	PK	1.33252G	43.31	74.00	-30.69	3	Horizontal	337	1.55	-
Mode 2	Pass	PK	2.43603G	65.51	88.20	-22.69	3	Horizontal	354	2.00	-
Mode 2	Pass	PK	5.84891G	47.02	88.20	-41.18	3	Horizontal	12	1.54	-
Mode 3	Pass	AV	1.19754G	25.16	54.00	-28.84	3	Vertical	181	1.00	-
Mode 3	Pass	AV	2.43785G	54.39	68.20	-13.81	3	Vertical	6	1.33	-
Mode 3	Pass	AV	5.7725G	34.20	68.20	-34.00	3	Vertical	9	1.06	-
Mode 3	Pass	PK	1.19754G	42.43	74.00	-31.57	3	Vertical	181	1.00	-
Mode 3	Pass	PK	2.43785G	63.05	88.20	-25.15	3	Vertical	6	1.33	-
Mode 3	Pass	PK	5.7725G	64.20	88.20	-24.00	3	Vertical	9	1.06	-
Mode 3	Pass	AV	1.19831G	24.98	54.00	-29.02	3	Horizontal	-0	1.50	-
Mode 3	Pass	AV	2.43627G	25.02	68.20	-43.18	3	Horizontal	171	1.50	-
Mode 3	Pass	AV	5.77237G	34.14	68.20	-34.06	3	Horizontal	15	1.37	-
Mode 3	Pass	PK	1.19831G	42.17	74.00	-31.83	3	Horizontal	-0	1.50	-
Mode 3	Pass	PK	2.43627G	38.78	88.20	-49.42	3	Horizontal	171	1.50	-
Mode 3	Pass	PK	5.77237G	65.76	88.20	-22.44	3	Horizontal	15	1.37	-
Mode 4	Pass	AV	1.2049G	26.81	54.00	-27.19	3	Vertical	223	1.00	-
Mode 4	Pass	AV	2.1868G	29.45	68.20	-38.75	3	Vertical	38	1.00	-
Mode 4	Pass	AV	2.43791G	24.86	68.20	-43.34	3	Vertical	3	1.38	-
Mode 4	Pass	PK	1.19813G	41.72	74.00	-32.28	3	Vertical	223	1.00	-
Mode 4	Pass	PK	2.19375G	46.20	88.20	-42.00	3	Vertical	38	1.00	-
Mode 4	Pass	PK	2.43791G	63.17	88.20	-25.03	3	Vertical	3	1.38	-
Mode 4	Pass	AV	1.33244G	25.60	54.00	-28.40	3	Horizontal	38	1.00	-
Mode 4	Pass	AV	1.78759G	25.78	68.20	-42.42	3	Horizontal	260	1.00	-
Mode 4	Pass	AV	2.43206G	25.87	68.20	-42.33	3	Horizontal	82	1.50	-
Mode 4	Pass	PK	1.3325G	41.64	74.00	-32.36	3	Horizontal	38	1.00	-
Mode 4	Pass	PK	1.78813G	41.10	88.20	-47.10	3	Horizontal	260	1.00	-
Mode 4	Pass	PK	2.43206G	38.20	88.20	-50.00	3	Horizontal	82	1.50	-

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.19954G	24.73	54.00	-29.27	-6.30	3	Vertical	360	1.00	-	31.03	26.10	3.15	35.55
AV	2.36435G	27.61	54.00	-26.39	-3.39	3	Vertical	132	1.74	-	31.00	27.20	4.50	35.09
AV	2.43783G	25.03	68.20	-43.17	-2.93	3	Vertical	1	1.41	-	27.96	27.60	4.58	35.11
PK	1.19954G	42.24	74.00	-31.76	-6.30	3	Vertical	360	1.00	-	48.54	26.10	3.15	35.55
PK	2.36435G	40.26	74.00	-33.74	-3.39	3	Vertical	132	1.74	-	43.65	27.20	4.50	35.09
PK	2.43783G	63.62	88.20	-24.58	-2.93	3	Vertical	1	1.41	-	66.55	27.60	4.58	35.11

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.59669G	24.91	54.00	-29.09	-5.88	3	Horizontal	224	1.50	-	30.79	25.53	3.67	35.08
AV	2.40168G	52.37	68.20	-15.83	-3.14	3	Horizontal	303	1.31	-	55.51	27.42	4.54	35.10
AV	5.72718G	33.97	68.20	-34.23	5.68	3	Horizontal	0	1.54	-	28.29	33.65	7.20	35.17
PK	1.59669G	37.38	74.00	-36.62	-5.88	3	Horizontal	224	1.50	-	43.26	25.53	3.67	35.08
PK	2.40168G	58.84	88.20	-29.36	-3.14	3	Horizontal	303	1.31	-	61.98	27.42	4.54	35.10
PK	5.72718G	63.56	88.20	-24.64	5.68	3	Horizontal	0	1.54	-	57.88	33.65	7.20	35.17


Radiated Emissions above 1GHz_Mode 2



Radiated Emissions above 1GHz_Mode 2




Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.19754G	25.16	54.00	-28.84	-6.31	3	Vertical	181	1.00	-	31.47	26.10	3.15	35.56
AV	2.43785G	54.39	68.20	-13.81	-2.93	3	Vertical	6	1.33	-	57.32	27.60	4.58	35.11
AV	5.7725G	34.20	68.20	-34.00	5.83	3	Vertical	9	1.06	-	28.37	33.79	7.22	35.18
PK	1.19754G	42.43	74.00	-31.57	-6.31	3	Vertical	181	1.00	-	48.74	26.10	3.15	35.56
PK	2.43785G	63.05	88.20	-25.15	-2.93	3	Vertical	6	1.33	-	65.98	27.60	4.58	35.11
PK	5.7725G	64.20	88.20	-24.00	5.83	3	Vertical	9	1.06	-	58.37	33.79	7.22	35.18

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.19831G	24.98	54.00	-29.02	-6.31	3	Horizontal	-0	1.50	-	31.29	26.10	3.15	35.56
AV	2.43627G	25.02	68.20	-43.18	-2.93	3	Horizontal	171	1.50	-	27.95	27.60	4.58	35.11
AV	5.77237G	34.14	68.20	-34.06	5.83	3	Horizontal	15	1.37	-	28.31	33.79	7.22	35.18
PK	1.19831G	42.17	74.00	-31.83	-6.31	3	Horizontal	-0	1.50	-	48.48	26.10	3.15	35.56
PK	2.43627G	38.78	88.20	-49.42	-2.93	3	Horizontal	171	1.50	-	41.71	27.60	4.58	35.11
PK	5.77237G	65.76	88.20	-22.44	5.83	3	Horizontal	15	1.37	-	59.93	33.79	7.22	35.18

Radiated Emissions above 1GHz_Mode 4



Radiated Emissions above 1GHz_Mode 4






Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.9995G	34.03	54.00	-19.97	Vertical
Mode 2	Pass	AV	4.95532G	33.75	54.00	-20.25	Vertical
Mode 3	Pass	AV	5.03707G	33.33	54.00	-20.67	Vertical
Mode 4	Pass	AV	5.09649G	35.14	54.00	-18.86	Horizontal

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	2.17764G	26.97	68.20	-41.23	3	Vertical	215	1.91	-
Mode 1	Pass	AV	3.76018G	30.00	54.00	-24.00	3	Vertical	8	1.50	-
Mode 1	Pass	AV	4.9995G	34.03	54.00	-19.97	3	Vertical	126	1.59	-
Mode 1	Pass	PK	2.17764G	47.68	88.20	-40.52	3	Vertical	215	1.91	-
Mode 1	Pass	PK	3.76018G	42.04	74.00	-31.96	3	Vertical	8	1.50	-
Mode 1	Pass	PK	4.9995G	46.95	74.00	-27.05	3	Vertical	126	1.59	-
Mode 1	Pass	AV	2.27815G	26.64	54.00	-27.36	3	Horizontal	110	1.50	-
Mode 1	Pass	AV	3.12545G	29.74	68.20	-38.46	3	Horizontal	206	1.00	-
Mode 1	Pass	AV	5.06971G	33.16	54.00	-20.84	3	Horizontal	3	1.99	-
Mode 1	Pass	PK	2.27815G	39.42	74.00	-34.58	3	Horizontal	110	1.50	-
Mode 1	Pass	PK	3.12545G	42.45	88.20	-45.75	3	Horizontal	206	1.00	-
Mode 1	Pass	PK	5.06971G	51.08	74.00	-22.92	3	Horizontal	3	1.99	-
Mode 2	Pass	AV	2.17636G	26.57	68.20	-41.63	3	Vertical	212	2.00	-
Mode 2	Pass	AV	3.17583G	30.06	68.20	-38.14	3	Vertical	10	1.07	-
Mode 2	Pass	AV	4.95532G	33.75	54.00	-20.25	3	Vertical	15	1.51	-
Mode 2	Pass	PK	2.17636G	49.67	88.20	-38.53	3	Vertical	212	2.00	-
Mode 2	Pass	PK	3.17583G	41.90	88.20	-46.30	3	Vertical	10	1.07	-
Mode 2	Pass	PK	4.95532G	46.00	74.00	-28.00	3	Vertical	15	1.51	-
Mode 2	Pass	AV	2.24248G	26.84	54.00	-27.16	3	Horizontal	27	1.50	-
Mode 2	Pass	AV	3.78961G	30.30	54.00	-23.70	3	Horizontal	0	1.50	-
Mode 2	Pass	AV	5.10762G	33.38	54.00	-20.62	3	Horizontal	0	1.95	-
Mode 2	Pass	PK	2.24248G	39.25	74.00	-34.75	3	Horizontal	27	1.50	-
Mode 2	Pass	PK	3.78961G	42.57	74.00	-31.43	3	Horizontal	0	1.50	-
Mode 2	Pass	PK	5.10762G	53.72	74.00	-20.28	3	Horizontal	0	1.95	-
Mode 3	Pass	AV	2.18459G	26.06	68.20	-42.14	3	Vertical	330	1.76	-
Mode 3	Pass	AV	3.26952G	29.89	68.20	-38.31	3	Vertical	258	1.50	-
Mode 3	Pass	AV	5.03707G	33.33	54.00	-20.67	3	Vertical	81	1.50	-
Mode 3	Pass	PK	2.18459G	48.41	88.20	-39.79	3	Vertical	330	1.76	-
Mode 3	Pass	PK	3.26952G	42.09	88.20	-46.11	3	Vertical	258	1.50	-
Mode 3	Pass	PK	5.03707G	45.77	74.00	-28.23	3	Vertical	81	1.50	-
Mode 3	Pass	AV	2.18378G	25.94	68.20	-42.26	3	Horizontal	163	1.74	-
Mode 3	Pass	AV	3.79813G	30.56	54.00	-23.44	3	Horizontal	320	1.50	-
Mode 3	Pass	AV	5.08993G	33.05	54.00	-20.95	3	Horizontal	4	1.96	-
Mode 3	Pass	PK	2.18378G	47.77	88.20	-40.43	3	Horizontal	163	1.74	-
Mode 3	Pass	PK	3.79813G	42.73	74.00	-31.27	3	Horizontal	320	1.50	-
Mode 3	Pass	PK	5.08993G	52.95	74.00	-21.05	3	Horizontal	4	1.96	-
Mode 4	Pass	AV	2.18749G	26.42	68.20	-41.78	3	Vertical	213	2.00	-
Mode 4	Pass	AV	3.81104G	30.45	54.00	-23.55	3	Vertical	346	1.98	-
Mode 4	Pass	AV	4.9957G	34.01	54.00	-19.99	3	Vertical	332	1.50	-
Mode 4	Pass	PK	2.18749G	50.87	88.20	-37.33	3	Vertical	213	2.00	-
Mode 4	Pass	PK	3.81104G	42.93	74.00	-31.07	3	Vertical	346	1.98	-
Mode 4	Pass	PK	4.9957G	46.56	74.00	-27.44	3	Vertical	332	1.50	-
Mode 4	Pass	AV	2.18559G	26.38	68.20	-41.82	3	Horizontal	191	1.50	-
Mode 4	Pass	AV	3.64999G	30.01	54.00	-23.99	3	Horizontal	102	1.50	-
Mode 4	Pass	AV	5.09649G	35.14	54.00	-18.86	3	Horizontal	2	1.92	-
Mode 4	Pass	PK	2.18559G	46.84	88.20	-41.36	3	Horizontal	191	1.50	-
Mode 4	Pass	PK	3.64999G	42.61	74.00	-31.39	3	Horizontal	102	1.50	-
Mode 4	Pass	PK	5.09649G	52.78	74.00	-21.22	3	Horizontal	2	1.92	-

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.17764G	26.97	68.20	-41.23	-3.42	3	Vertical	215	1.91	-	30.39	27.30	4.31	35.03
AV	3.76018G	30.00	54.00	-24.00	0.85	3	Vertical	8	1.50	-	29.15	30.16	5.83	35.14
AV	4.9995G	34.03	54.00	-19.97	4.85	3	Vertical	126	1.59	-	29.18	33.20	6.72	35.07
PK	2.17764G	47.68	88.20	-40.52	-3.42	3	Vertical	215	1.91	-	51.10	27.30	4.31	35.03
PK	3.76018G	42.04	74.00	-31.96	0.85	3	Vertical	8	1.50	-	41.19	30.16	5.83	35.14
PK	4.9995G	46.95	74.00	-27.05	4.85	3	Vertical	126	1.59	-	42.10	33.20	6.72	35.07

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.27815G	26.64	54.00	-27.36	-3.53	3	Horizontal	110	1.50	-	30.17	27.12	4.41	35.06
AV	3.12545G	29.74	68.20	-38.46	-0.31	3	Horizontal	206	1.00	-	30.05	29.65	5.27	35.23
AV	5.06971G	33.16	54.00	-20.84	4.59	3	Horizontal	3	1.99	-	28.57	32.92	6.74	35.07
PK	2.27815G	39.42	74.00	-34.58	-3.53	3	Horizontal	110	1.50	-	42.95	27.12	4.41	35.06
PK	3.12545G	42.45	88.20	-45.75	-0.31	3	Horizontal	206	1.00	-	42.76	29.65	5.27	35.23
PK	5.06971G	51.08	74.00	-22.92	4.59	3	Horizontal	3	1.99	-	46.49	32.92	6.74	35.07

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.17636G	26.57	68.20	-41.63	-3.42	3	Vertical	212	2.00	-	29.99	27.30	4.31	35.03
AV	3.17583G	30.06	68.20	-38.14	-0.22	3	Vertical	10	1.07	-	30.28	29.70	5.31	35.23
AV	4.95532G	33.75	54.00	-20.25	4.62	3	Vertical	15	1.51	-	29.13	33.02	6.67	35.07
PK	2.17636G	49.67	88.20	-38.53	-3.42	3	Vertical	212	2.00	-	53.09	27.30	4.31	35.03
PK	3.17583G	41.90	88.20	-46.30	-0.22	3	Vertical	10	1.07	-	42.12	29.70	5.31	35.23
PK	4.95532G	46.00	74.00	-28.00	4.62	3	Vertical	15	1.51	-	41.38	33.02	6.67	35.07

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.24248G	26.84	54.00	-27.16	-3.48	3	Horizontal	27	1.50	-	30.32	27.20	4.37	35.05
AV	3.78961G	30.30	54.00	-23.70	1.06	3	Horizontal	0	1.50	-	29.24	30.34	5.85	35.13
AV	5.10762G	33.38	54.00	-20.62	4.54	3	Horizontal	0	1.95	-	28.84	32.85	6.76	35.07
PK	2.24248G	39.25	74.00	-34.75	-3.48	3	Horizontal	27	1.50	-	42.73	27.20	4.37	35.05
PK	3.78961G	42.57	74.00	-31.43	1.06	3	Horizontal	0	1.50	-	41.51	30.34	5.85	35.13
PK	5.10762G	53.72	74.00	-20.28	4.54	3	Horizontal	0	1.95	-	49.18	32.85	6.76	35.07

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.18459G	26.06	68.20	-42.14	-3.48	3	Vertical	330	1.76	-	29.54	27.25	4.31	35.04
AV	3.26952G	29.89	68.20	-38.31	-0.23	3	Vertical	258	1.50	-	30.12	29.60	5.41	35.24
AV	5.03707G	33.33	54.00	-20.67	4.71	3	Vertical	81	1.50	-	28.62	33.05	6.73	35.07
PK	2.18459G	48.41	88.20	-39.79	-3.48	3	Vertical	330	1.76	-	51.89	27.25	4.31	35.04
PK	3.26952G	42.09	88.20	-46.11	-0.23	3	Vertical	258	1.50	-	42.32	29.60	5.41	35.24
PK	5.03707G	45.77	74.00	-28.23	4.71	3	Vertical	81	1.50	-	41.06	33.05	6.73	35.07

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.18378G	25.94	68.20	-42.26	-3.47	3	Horizontal	163	1.74	-	29.41	27.26	4.31	35.04
AV	3.79813G	30.56	54.00	-23.44	1.13	3	Horizontal	320	1.50	-	29.43	30.39	5.86	35.12
AV	5.08993G	33.05	54.00	-20.95	4.52	3	Horizontal	4	1.96	-	28.53	32.84	6.75	35.07
PK	2.18378G	47.77	88.20	-40.43	-3.47	3	Horizontal	163	1.74	-	51.24	27.26	4.31	35.04
PK	3.79813G	42.73	74.00	-31.27	1.13	3	Horizontal	320	1.50	-	41.60	30.39	5.86	35.12
PK	5.08993G	52.95	74.00	-21.05	4.52	3	Horizontal	4	1.96	-	48.43	32.84	6.75	35.07

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.18749G	26.42	68.20	-41.78	-3.49	3	Vertical	213	2.00	-	29.91	27.23	4.32	35.04
AV	3.81104G	30.45	54.00	-23.55	1.23	3	Vertical	346	1.98	-	29.22	30.47	5.88	35.12
AV	4.9957G	34.01	54.00	-19.99	4.83	3	Vertical	332	1.50	-	29.18	33.18	6.72	35.07
PK	2.18749G	50.87	88.20	-37.33	-3.49	3	Vertical	213	2.00	-	54.36	27.23	4.32	35.04
PK	3.81104G	42.93	74.00	-31.07	1.23	3	Vertical	346	1.98	-	41.70	30.47	5.88	35.12
PK	4.9957G	46.56	74.00	-27.44	4.83	3	Vertical	332	1.50	-	41.73	33.18	6.72	35.07

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.18559G	26.38	68.20	-41.82	-3.48	3	Horizontal	191	1.50	-	29.86	27.24	4.32	35.04
AV	3.64999G	30.01	54.00	-23.99	0.16	3	Horizontal	102	1.50	-	29.85	29.60	5.75	35.19
AV	5.09649G	35.14	54.00	-18.86	4.49	3	Horizontal	2	1.92	-	30.65	32.81	6.75	35.07
PK	2.18559G	46.84	88.20	-41.36	-3.48	3	Horizontal	191	1.50	-	50.32	27.24	4.32	35.04
PK	3.64999G	42.61	74.00	-31.39	0.16	3	Horizontal	102	1.50	-	42.45	29.60	5.75	35.19
PK	5.09649G	52.78	74.00	-21.22	4.49	3	Horizontal	2	1.92	-	48.29	32.81	6.75	35.07