



5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	PK	31.94M	35.56	40.00	-4.44	3	Vertical	0	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
a20_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5745MHz_Adapter	Pass	PK	31.94M	35.56	40.00	-4.44	3	Vertical	0	1.00
5745MHz_Adapter	Pass	PK	53.28M	33.68	40.00	-6.32	3	Vertical	0	1.00
5745MHz_Adapter	Pass	PK	171.62M	26.83	43.50	-16.67	3	Vertical	0	1.00
5745MHz_Adapter	Pass	PK	249.22M	26.68	46.00	-19.32	3	Vertical	0	1.00
5745MHz_Adapter	Pass	PK	363.68M	21.53	46.00	-24.47	3	Vertical	0	1.00
5745MHz_Adapter	Pass	PK	499.48M	27.56	46.00	-18.44	3	Vertical	0	1.00
5745MHz_Adapter	Pass	PK	31.94M	28.45	40.00	-11.55	3	Horizontal	360	1.00
5745MHz_Adapter	Pass	PK	95.96M	27.67	43.50	-15.83	3	Horizontal	360	1.00
5745MHz_Adapter	Pass	PK	152.22M	26.78	43.50	-16.72	3	Horizontal	360	1.00
5745MHz_Adapter	Pass	PK	249.22M	31.14	46.00	-14.86	3	Horizontal	360	1.00
5745MHz_Adapter	Pass	PK	303.54M	23.80	46.00	-22.20	3	Horizontal	360	1.00
5745MHz_Adapter	Pass	PK	549.92M	28.66	46.00	-17.34	3	Horizontal	360	1.00


5.725-5.85GHz_a20_Nss1,(6Mbps)_1TX

5745MHz_Adapter



5.725-5.85GHz_a20_Nss1,(6Mbps)_1TX

5745MHz_Adapter



**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	AV	5.3636G	46.12	54.00	-7.88	3	Vertical	351	2.68
a40_Nss1,(6Mbps)_1TX	Pass	AV	5.1456G	47.12	54.00	-6.88	3	Vertical	351	2.60
a80_Nss1,(6Mbps)_1TX	Pass	AV	5.15G	47.09	54.00	-6.91	3	Vertical	350	3.00
a160_Nss1,(6Mbps)_1TX	Pass	AV	5.3748G	53.11	54.00	-0.89	3	Vertical	350	2.44
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	AV	5.35G	53.80	54.00	-0.20	3	Vertical	351	2.42
a40_Nss1,(6Mbps)_1TX	Pass	AV	5.3516G	53.68	54.00	-0.32	3	Vertical	350	2.58
a80_Nss1,(6Mbps)_1TX	Pass	AV	5.351G	53.76	54.00	-0.24	3	Vertical	350	2.45
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	PK	5.7272G	67.99	68.20	-0.21	3	Vertical	54	2.27
a40_Nss1,(6Mbps)_1TX	Pass	PK	5.7276G	67.16	68.20	-1.04	3	Vertical	323	2.25
a80_Nss1,(6Mbps)_1TX	Pass	AV	5.459G	53.86	54.00	-0.14	3	Vertical	321	2.32
a160_Nss1,(6Mbps)_1TX	Pass	PK	5.4668G	66.79	68.20	-1.41	3	Vertical	320	2.31
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	AV	5.4474G	45.71	54.00	-8.29	3	Vertical	324	2.40
a40_Nss1,(6Mbps)_1TX	Pass	AV	5.4562G	45.74	54.00	-8.26	3	Vertical	323	2.21
a80_Nss1,(6Mbps)_1TX	Pass	PK	5.655G	67.47	71.90	-4.43	3	Vertical	324	2.40

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
a20_Nss1.(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1424G	45.27	54.00	-8.73	3	Vertical	350	2.60
5180MHz	Pass	AV	5.1772G	96.32	Inf	-Inf	3	Vertical	350	2.60
5180MHz	Pass	PK	5.1346G	54.65	74.00	-19.35	3	Vertical	350	2.60
5180MHz	Pass	PK	5.1862G	104.50	Inf	-Inf	3	Vertical	350	2.60
5180MHz	Pass	PK	10.34542G	48.46	68.20	-19.74	3	Vertical	274	2.86
5180MHz	Pass	PK	10.3612G	48.10	68.20	-20.10	3	Horizontal	207	1.64
5200MHz	Pass	AV	5.1384G	45.26	54.00	-8.74	3	Vertical	348	2.48
5200MHz	Pass	AV	5.1988G	96.72	Inf	-Inf	3	Vertical	348	2.48
5200MHz	Pass	PK	5.1368G	54.73	74.00	-19.27	3	Vertical	348	2.48
5200MHz	Pass	PK	5.2064G	104.22	Inf	-Inf	3	Vertical	348	2.48
5200MHz	Pass	PK	10.39658G	49.11	68.20	-19.09	3	Vertical	294	1.50
5200MHz	Pass	PK	10.39076G	48.62	68.20	-19.58	3	Horizontal	217	2.99
5240MHz	Pass	AV	5.1314G	45.48	54.00	-8.52	3	Vertical	351	2.68
5240MHz	Pass	AV	5.2418G	96.47	Inf	-Inf	3	Vertical	351	2.68
5240MHz	Pass	AV	5.3636G	46.12	54.00	-7.88	3	Vertical	351	2.68
5240MHz	Pass	PK	5.093G	54.51	74.00	-19.49	3	Vertical	351	2.68
5240MHz	Pass	PK	5.237G	104.17	Inf	-Inf	3	Vertical	351	2.68
5240MHz	Pass	PK	5.3534G	55.77	74.00	-18.23	3	Vertical	351	2.68
5240MHz	Pass	PK	10.49446G	47.99	68.20	-20.21	3	Vertical	17	1.50
5240MHz	Pass	PK	10.49422G	48.29	68.20	-19.91	3	Horizontal	201	1.33
5260MHz	Pass	AV	5.1406G	45.09	54.00	-8.91	3	Vertical	352	2.51
5260MHz	Pass	AV	5.2558G	104.67	Inf	-Inf	3	Vertical	352	2.51
5260MHz	Pass	AV	5.3902G	46.22	54.00	-7.78	3	Vertical	352	2.51
5260MHz	Pass	PK	5.128G	54.46	74.00	-19.54	3	Vertical	352	2.51
5260MHz	Pass	PK	5.2534G	112.43	Inf	-Inf	3	Vertical	352	2.51
5260MHz	Pass	PK	5.3584G	56.25	74.00	-17.75	3	Vertical	352	2.51
5260MHz	Pass	PK	10.50878G	48.50	68.20	-19.70	3	Vertical	15	1.50
5260MHz	Pass	PK	10.52612G	48.71	68.20	-19.49	3	Horizontal	60	1.50
5300MHz	Pass	AV	5.3028G	104.58	Inf	-Inf	3	Vertical	349	2.50
5300MHz	Pass	AV	5.352G	51.03	54.00	-2.97	3	Vertical	349	2.50
5300MHz	Pass	PK	5.3032G	112.34	Inf	-Inf	3	Vertical	349	2.50
5300MHz	Pass	PK	5.3508G	63.63	74.00	-10.37	3	Vertical	349	2.50
5300MHz	Pass	PK	10.59028G	48.55	68.20	-19.65	3	Vertical	210	1.21
5300MHz	Pass	PK	10.59844G	48.49	68.20	-19.71	3	Horizontal	255	1.50
5320MHz	Pass	AV	5.3184G	102.20	Inf	-Inf	3	Vertical	351	2.42
5320MHz	Pass	AV	5.35G	53.80	54.00	-0.20	3	Vertical	351	2.42
5320MHz	Pass	PK	5.3242G	110.27	Inf	-Inf	3	Vertical	351	2.42
5320MHz	Pass	PK	5.352G	71.49	74.00	-2.51	3	Vertical	351	2.42
5320MHz	Pass	AV	10.649G	39.72	54.00	-14.28	3	Vertical	310	1.50
5320MHz	Pass	PK	10.6466G	48.99	74.00	-25.01	3	Vertical	310	1.50
5320MHz	Pass	AV	10.64G	39.12	54.00	-14.88	3	Horizontal	20	1.50
5320MHz	Pass	PK	10.65332G	49.02	74.00	-24.98	3	Horizontal	20	1.50
5500MHz	Pass	AV	5.4588G	48.20	54.00	-5.80	3	Vertical	353	2.47
5500MHz	Pass	AV	5.502G	100.97	Inf	-Inf	3	Vertical	353	2.47
5500MHz	Pass	PK	5.4586G	63.00	74.00	-11.00	3	Vertical	353	2.47
5500MHz	Pass	PK	5.4694G	67.44	68.20	-0.76	3	Vertical	353	2.47
5500MHz	Pass	PK	5.5054G	109.58	Inf	-Inf	3	Vertical	353	2.47
5500MHz	Pass	AV	10.9925G	39.93	54.00	-14.07	3	Vertical	141	1.50
5500MHz	Pass	PK	10.99544G	49.59	74.00	-24.41	3	Vertical	141	1.50
5500MHz	Pass	AV	11.00176G	39.89	54.00	-14.11	3	Horizontal	343	1.49
5500MHz	Pass	PK	10.99824G	49.17	74.00	-24.83	3	Horizontal	343	1.49
5580MHz	Pass	AV	5.4492G	46.26	54.00	-7.74	3	Vertical	321	2.20
5580MHz	Pass	AV	5.583G	102.96	Inf	-Inf	3	Vertical	321	2.20
5580MHz	Pass	PK	5.4546G	55.51	74.00	-18.49	3	Vertical	321	2.20
5580MHz	Pass	PK	5.4612G	54.70	68.20	-13.50	3	Vertical	321	2.20
5580MHz	Pass	PK	5.5842G	111.15	Inf	-Inf	3	Vertical	321	2.20
5580MHz	Pass	PK	5.73G	57.45	68.20	-10.75	3	Vertical	321	2.20
5580MHz	Pass	AV	11.1572G	39.98	54.00	-14.02	3	Vertical	12	3.00
5580MHz	Pass	PK	11.15028G	49.61	74.00	-24.39	3	Vertical	12	3.00
5580MHz	Pass	AV	11.1612G	39.89	54.00	-14.11	3	Horizontal	307	1.00

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5580MHz	Pass	PK	11.1658G	50.12	74.00	-23.88	3	Horizontal	307	1.00
5700MHz	Pass	AV	5.696G	100.68	Inf	-Inf	3	Vertical	54	2.27
5700MHz	Pass	PK	5.7032G	108.85	Inf	-Inf	3	Vertical	54	2.27
5700MHz	Pass	PK	5.7272G	67.99	68.20	-0.21	3	Vertical	54	2.27
5700MHz	Pass	AV	11.3996G	40.84	54.00	-13.16	3	Vertical	184	1.50
5700MHz	Pass	PK	11.3938G	49.86	74.00	-24.14	3	Vertical	184	1.50
5700MHz	Pass	AV	11.39288G	40.30	54.00	-13.70	3	Horizontal	277	1.50
5700MHz	Pass	PK	11.40232G	50.43	74.00	-23.57	3	Horizontal	277	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4212G	44.64	54.00	-9.36	3	Vertical	328	2.43
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7212G	102.59	Inf	-Inf	3	Vertical	328	2.43
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4212G	54.36	74.00	-19.64	3	Vertical	328	2.43
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	53.20	68.20	-15.00	3	Vertical	328	2.43
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7212G	111.22	Inf	-Inf	3	Vertical	328	2.43
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9216G	56.09	68.20	-12.11	3	Vertical	328	2.43
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.45014G	37.50	54.00	-16.50	3	Vertical	182	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44318G	47.70	74.00	-26.30	3	Vertical	182	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43838G	37.37	54.00	-16.63	3	Horizontal	0	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44372G	47.51	74.00	-26.49	3	Horizontal	0	1.50
5745MHz	Pass	AV	5.4474G	45.71	54.00	-8.29	3	Vertical	324	2.40
5745MHz	Pass	AV	5.7486G	104.31	Inf	-Inf	3	Vertical	324	2.40
5745MHz	Pass	PK	5.4798G	55.77	68.20	-12.43	3	Vertical	324	2.40
5745MHz	Pass	PK	5.7474G	112.36	Inf	-Inf	3	Vertical	324	2.40
5745MHz	Pass	PK	5.9418G	56.66	68.20	-11.54	3	Vertical	324	2.40
5745MHz	Pass	AV	11.49512G	40.45	54.00	-13.55	3	Vertical	64	1.94
5745MHz	Pass	PK	11.49672G	50.49	74.00	-23.51	3	Vertical	64	1.94
5745MHz	Pass	AV	11.48092G	40.52	54.00	-13.48	3	Horizontal	251	1.50
5745MHz	Pass	PK	11.49288G	50.23	74.00	-23.77	3	Horizontal	251	1.50
5785MHz	Pass	AV	5.7814G	102.22	Inf	-Inf	3	Vertical	171	2.40
5785MHz	Pass	PK	5.5666G	55.52	68.20	-12.68	3	Vertical	171	2.40
5785MHz	Pass	PK	5.7814G	110.47	Inf	-Inf	3	Vertical	171	2.40
5785MHz	Pass	PK	5.9482G	57.31	68.20	-10.89	3	Vertical	171	2.40
5785MHz	Pass	AV	11.5666G	40.18	54.00	-13.82	3	Vertical	196	1.50
5785MHz	Pass	PK	11.56592G	50.23	74.00	-23.77	3	Vertical	196	1.50
5785MHz	Pass	AV	11.57916G	39.71	54.00	-14.29	3	Horizontal	67	1.50
5785MHz	Pass	PK	11.56724G	49.51	74.00	-24.49	3	Horizontal	67	1.50
5825MHz	Pass	AV	5.8238G	103.14	Inf	-Inf	3	Vertical	30	2.83
5825MHz	Pass	PK	5.567G	55.79	68.20	-12.41	3	Vertical	30	2.83
5825MHz	Pass	PK	5.8274G	110.50	Inf	-Inf	3	Vertical	30	2.83
5825MHz	Pass	PK	5.9858G	57.13	68.20	-11.07	3	Vertical	30	2.83
5825MHz	Pass	AV	11.6436G	39.71	54.00	-14.29	3	Vertical	124	1.50
5825MHz	Pass	PK	11.6536G	49.57	74.00	-24.43	3	Vertical	124	1.50
5825MHz	Pass	AV	11.64568G	39.79	54.00	-14.21	3	Horizontal	197	2.17
5825MHz	Pass	PK	11.65196G	49.46	74.00	-24.54	3	Horizontal	197	2.17
a40_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1456G	47.12	54.00	-6.88	3	Vertical	351	2.60
5190MHz	Pass	AV	5.1948G	92.92	Inf	-Inf	3	Vertical	351	2.60
5190MHz	Pass	PK	5.1404G	60.02	74.00	-13.98	3	Vertical	351	2.60
5190MHz	Pass	PK	5.1728G	100.76	Inf	-Inf	3	Vertical	351	2.60
5190MHz	Pass	PK	10.38204G	48.51	68.20	-19.69	3	Vertical	17	1.50
5190MHz	Pass	PK	10.38252G	48.38	68.20	-19.82	3	Horizontal	313	1.50
5230MHz	Pass	AV	5.1364G	45.69	54.00	-8.31	3	Vertical	352	2.68
5230MHz	Pass	AV	5.238G	95.27	Inf	-Inf	3	Vertical	352	2.68
5230MHz	Pass	PK	5.148G	56.44	74.00	-17.56	3	Vertical	352	2.68
5230MHz	Pass	PK	5.244G	103.17	Inf	-Inf	3	Vertical	352	2.68
5230MHz	Pass	PK	10.4542G	48.94	68.20	-19.26	3	Vertical	194	1.50
5230MHz	Pass	PK	10.46404G	48.80	68.20	-19.40	3	Horizontal	176	1.50
5270MHz	Pass	AV	5.2772G	100.10	Inf	-Inf	3	Vertical	351	2.47
5270MHz	Pass	AV	5.3508G	53.46	54.00	-0.54	3	Vertical	351	2.47
5270MHz	Pass	PK	5.2788G	107.79	Inf	-Inf	3	Vertical	351	2.47
5270MHz	Pass	PK	5.3516G	64.51	74.00	-9.49	3	Vertical	351	2.47
5270MHz	Pass	PK	10.53504G	48.40	68.20	-19.80	3	Vertical	184	2.94
5270MHz	Pass	PK	10.54364G	49.12	68.20	-19.08	3	Horizontal	251	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5310MHz	Pass	AV	5.3156G	95.66	Inf	-Inf	3	Vertical	350	2.58
5310MHz	Pass	AV	5.3516G	53.68	54.00	-0.32	3	Vertical	350	2.58
5310MHz	Pass	PK	5.304G	103.69	Inf	-Inf	3	Vertical	350	2.58
5310MHz	Pass	PK	5.3544G	68.76	74.00	-5.24	3	Vertical	350	2.58
5310MHz	Pass	AV	10.62476G	39.14	54.00	-14.86	3	Vertical	332	1.50
5310MHz	Pass	PK	10.61428G	49.17	74.00	-24.83	3	Vertical	332	1.50
5310MHz	Pass	AV	10.62664G	39.03	54.00	-14.97	3	Horizontal	252	1.50
5310MHz	Pass	PK	10.61368G	48.64	74.00	-25.36	3	Horizontal	252	1.50
5510MHz	Pass	AV	5.4584G	48.61	54.00	-5.39	3	Vertical	352	2.71
5510MHz	Pass	AV	5.514G	93.67	Inf	-Inf	3	Vertical	352	2.71
5510MHz	Pass	PK	5.46G	62.30	74.00	-11.70	3	Vertical	352	2.71
5510MHz	Pass	PK	5.4628G	66.40	68.20	-1.80	3	Vertical	352	2.71
5510MHz	Pass	PK	5.5168G	101.52	Inf	-Inf	3	Vertical	352	2.71
5510MHz	Pass	AV	11.01548G	39.30	54.00	-14.70	3	Vertical	187	1.50
5510MHz	Pass	PK	11.02772G	48.55	74.00	-25.45	3	Vertical	187	1.50
5510MHz	Pass	AV	11.01596G	39.34	54.00	-14.66	3	Horizontal	176	1.49
5510MHz	Pass	PK	11.02052G	49.16	74.00	-24.84	3	Horizontal	176	1.49
5550MHz	Pass	AV	5.46G	50.92	54.00	-3.08	3	Vertical	322	2.36
5550MHz	Pass	AV	5.5448G	99.24	Inf	-Inf	3	Vertical	322	2.36
5550MHz	Pass	PK	5.458G	64.39	74.00	-9.61	3	Vertical	322	2.36
5550MHz	Pass	PK	5.4688G	64.92	68.20	-3.28	3	Vertical	322	2.36
5550MHz	Pass	PK	5.546G	107.66	Inf	-Inf	3	Vertical	322	2.36
5550MHz	Pass	AV	11.10072G	39.75	54.00	-14.25	3	Vertical	48	1.50
5550MHz	Pass	PK	11.10864G	49.21	74.00	-24.79	3	Vertical	48	1.50
5550MHz	Pass	AV	11.106G	39.58	54.00	-14.42	3	Horizontal	215	1.00
5550MHz	Pass	PK	11.10112G	49.83	74.00	-24.17	3	Horizontal	215	1.00
5670MHz	Pass	AV	5.6772G	98.62	Inf	-Inf	3	Vertical	323	2.25
5670MHz	Pass	PK	5.6754G	106.99	Inf	-Inf	3	Vertical	323	2.25
5670MHz	Pass	PK	5.7276G	67.16	68.20	-1.04	3	Vertical	323	2.25
5670MHz	Pass	AV	11.34536G	40.28	54.00	-13.72	3	Vertical	70	1.50
5670MHz	Pass	PK	11.34424G	49.75	74.00	-24.25	3	Vertical	70	1.50
5670MHz	Pass	AV	11.34088G	40.04	54.00	-13.96	3	Horizontal	342	1.50
5670MHz	Pass	PK	11.3482G	49.82	74.00	-24.18	3	Horizontal	342	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4592G	44.18	54.00	-9.82	3	Vertical	326	2.35
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.704G	98.43	Inf	-Inf	3	Vertical	326	2.35
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4328G	54.52	74.00	-19.48	3	Vertical	326	2.35
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.47G	54.36	68.20	-13.84	3	Vertical	326	2.35
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7016G	107.20	Inf	-Inf	3	Vertical	326	2.35
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8624G	56.32	68.20	-11.88	3	Vertical	326	2.35
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.40356G	37.52	54.00	-16.48	3	Vertical	269	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4422G	48.03	74.00	-25.97	3	Vertical	269	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.39036G	37.76	54.00	-16.24	3	Horizontal	38	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4182G	49.02	74.00	-24.98	3	Horizontal	38	1.50
5755MHz	Pass	AV	5.4562G	45.74	54.00	-8.26	3	Vertical	323	2.21
5755MHz	Pass	AV	5.7598G	99.24	Inf	-Inf	3	Vertical	323	2.21
5755MHz	Pass	PK	5.6494G	58.91	68.20	-9.29	3	Vertical	323	2.21
5755MHz	Pass	PK	5.7586G	106.22	Inf	-Inf	3	Vertical	323	2.21
5755MHz	Pass	PK	5.983G	57.03	68.20	-11.17	3	Vertical	323	2.21
5755MHz	Pass	AV	11.50476G	40.07	54.00	-13.93	3	Vertical	304	1.50
5755MHz	Pass	PK	11.51388G	50.43	74.00	-23.57	3	Vertical	304	1.50
5755MHz	Pass	AV	11.50184G	40.05	54.00	-13.95	3	Horizontal	247	1.50
5755MHz	Pass	PK	11.50104G	49.49	74.00	-24.51	3	Horizontal	247	1.50
5795MHz	Pass	AV	5.801G	98.64	Inf	-Inf	3	Vertical	172	1.37
5795MHz	Pass	PK	5.5538G	55.56	68.20	-12.64	3	Vertical	172	1.37
5795MHz	Pass	PK	5.7986G	105.92	Inf	-Inf	3	Vertical	172	1.37
5795MHz	Pass	PK	5.9246G	58.17	68.50	-10.33	3	Vertical	172	1.37
5795MHz	Pass	AV	11.58176G	39.51	54.00	-14.49	3	Vertical	29	1.50
5795MHz	Pass	PK	11.59108G	49.15	74.00	-24.85	3	Vertical	29	1.50
5795MHz	Pass	AV	11.59176G	39.77	54.00	-14.23	3	Horizontal	11	1.01
5795MHz	Pass	PK	11.58844G	49.68	74.00	-24.32	3	Horizontal	11	1.01
a80_Nss1_(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	47.09	54.00	-6.91	3	Vertical	350	3.00


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5210MHz	Pass	AV	5.204G	90.78	Inf	-Inf	3	Vertical	350	3.00
5210MHz	Pass	AV	5.442G	46.46	54.00	-7.54	3	Vertical	350	3.00
5210MHz	Pass	PK	5.134G	61.15	74.00	-12.85	3	Vertical	350	3.00
5210MHz	Pass	PK	5.206G	98.44	Inf	-Inf	3	Vertical	350	3.00
5210MHz	Pass	PK	5.46G	56.38	74.00	-17.62	3	Vertical	350	3.00
5210MHz	Pass	PK	10.42112G	48.44	68.20	-19.76	3	Vertical	284	1.97
5210MHz	Pass	PK	10.42332G	48.79	68.20	-19.41	3	Horizontal	30	1.50
5290MHz	Pass	AV	5.137G	45.95	54.00	-8.05	3	Vertical	350	2.45
5290MHz	Pass	AV	5.281G	93.41	Inf	-Inf	3	Vertical	350	2.45
5290MHz	Pass	AV	5.351G	53.76	54.00	-0.24	3	Vertical	350	2.45
5290MHz	Pass	PK	5.141G	56.91	74.00	-17.09	3	Vertical	350	2.45
5290MHz	Pass	PK	5.277G	102.23	Inf	-Inf	3	Vertical	350	2.45
5290MHz	Pass	PK	5.351G	69.42	74.00	-4.58	3	Vertical	350	2.45
5290MHz	Pass	PK	5.465G	56.12	68.20	-12.08	3	Vertical	350	2.45
5290MHz	Pass	PK	10.58576G	49.19	68.20	-19.01	3	Vertical	326	1.50
5290MHz	Pass	PK	10.57088G	48.87	68.20	-19.33	3	Horizontal	79	1.49
5530MHz	Pass	AV	5.35G	44.90	54.00	-9.10	3	Vertical	350	2.70
5530MHz	Pass	AV	5.451G	50.80	54.00	-3.20	3	Vertical	350	2.70
5530MHz	Pass	AV	5.515G	91.99	Inf	-Inf	3	Vertical	350	2.70
5530MHz	Pass	PK	5.33G	55.31	68.20	-12.89	3	Vertical	350	2.70
5530MHz	Pass	PK	5.454G	65.34	74.00	-8.66	3	Vertical	350	2.70
5530MHz	Pass	PK	5.47G	66.97	68.20	-1.23	3	Vertical	350	2.70
5530MHz	Pass	PK	5.518G	100.04	Inf	-Inf	3	Vertical	350	2.70
5530MHz	Pass	PK	5.748G	56.66	68.20	-11.54	3	Vertical	350	2.70
5530MHz	Pass	AV	11.05152G	39.76	54.00	-14.24	3	Vertical	169	1.50
5530MHz	Pass	PK	11.06048G	49.47	74.00	-24.53	3	Vertical	169	1.50
5530MHz	Pass	AV	11.06368G	39.54	54.00	-14.46	3	Horizontal	179	1.76
5530MHz	Pass	PK	11.06004G	49.33	74.00	-24.67	3	Horizontal	179	1.76
5610MHz	Pass	AV	5.459G	53.86	54.00	-0.14	3	Vertical	321	2.32
5610MHz	Pass	AV	5.601G	97.93	Inf	-Inf	3	Vertical	321	2.32
5610MHz	Pass	PK	5.441G	64.07	74.00	-9.93	3	Vertical	321	2.32
5610MHz	Pass	PK	5.464G	64.20	68.20	-4.00	3	Vertical	321	2.32
5610MHz	Pass	PK	5.614G	105.29	Inf	-Inf	3	Vertical	321	2.32
5610MHz	Pass	PK	5.728G	67.63	68.20	-0.57	3	Vertical	321	2.32
5610MHz	Pass	AV	11.22096G	39.92	54.00	-14.08	3	Vertical	82	1.50
5610MHz	Pass	PK	11.22416G	50.10	74.00	-23.90	3	Vertical	82	1.50
5610MHz	Pass	AV	11.2268G	39.93	54.00	-14.07	3	Horizontal	335	1.50
5610MHz	Pass	PK	11.21804G	50.05	74.00	-23.95	3	Horizontal	335	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4584G	44.88	54.00	-9.12	3	Vertical	55	2.02
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6816G	95.89	Inf	-Inf	3	Vertical	55	2.02
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.414G	55.93	74.00	-18.07	3	Vertical	55	2.02
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	54.86	68.20	-13.34	3	Vertical	55	2.02
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6768G	104.53	Inf	-Inf	3	Vertical	55	2.02
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8616G	60.37	68.20	-7.83	3	Vertical	55	2.02
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.33104G	38.00	54.00	-16.00	3	Vertical	161	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.32672G	48.84	74.00	-25.16	3	Vertical	161	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.32048G	38.01	54.00	-15.99	3	Horizontal	143	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.32192G	48.39	74.00	-25.61	3	Horizontal	143	1.50
5775MHz	Pass	AV	5.7618G	95.50	Inf	-Inf	3	Vertical	324	2.40
5775MHz	Pass	PK	5.655G	67.47	71.90	-4.43	3	Vertical	324	2.40
5775MHz	Pass	PK	5.7426G	102.86	Inf	-Inf	3	Vertical	324	2.40
5775MHz	Pass	PK	5.9286G	58.15	68.20	-10.05	3	Vertical	324	2.40
5775MHz	Pass	AV	11.54624G	40.00	54.00	-14.00	3	Vertical	238	1.50
5775MHz	Pass	PK	11.54384G	50.20	74.00	-23.80	3	Vertical	238	1.50
5775MHz	Pass	AV	11.54G	39.96	54.00	-14.04	3	Horizontal	144	1.95
5775MHz	Pass	PK	11.55792G	50.20	74.00	-23.80	3	Horizontal	144	1.95
a160_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1396G	52.85	54.00	-1.15	3	Vertical	350	2.44
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.2788G	88.95	Inf	-Inf	3	Vertical	350	2.44
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3748G	53.11	54.00	-0.89	3	Vertical	350	2.44
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.136G	68.41	74.00	-5.59	3	Vertical	350	2.44
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.274G	96.96	Inf	-Inf	3	Vertical	350	2.44



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3796G	69.55	74.00	-4.45	3	Vertical	350	2.44
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4612G	58.71	68.20	-9.49	3	Vertical	350	2.44
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.50152G	48.98	68.20	-19.22	3	Vertical	285	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.50196G	49.37	68.20	-18.83	3	Horizontal	3	1.50
5570MHz	Pass	AV	5.456G	52.06	54.00	-1.94	3	Vertical	320	2.31
5570MHz	Pass	AV	5.5868G	88.16	Inf	-Inf	3	Vertical	320	2.31
5570MHz	Pass	PK	5.3264G	56.49	68.20	-11.71	3	Vertical	320	2.31
5570MHz	Pass	PK	5.456G	70.05	74.00	-3.95	3	Vertical	320	2.31
5570MHz	Pass	PK	5.4668G	66.79	68.20	-1.41	3	Vertical	320	2.31
5570MHz	Pass	PK	5.5952G	96.24	Inf	-Inf	3	Vertical	320	2.31
5570MHz	Pass	PK	5.7272G	64.69	68.20	-3.51	3	Vertical	320	2.31
5570MHz	Pass	AV	11.13508G	39.72	54.00	-14.28	3	Vertical	133	1.50
5570MHz	Pass	PK	11.14156G	49.47	74.00	-24.53	3	Vertical	133	1.50
5570MHz	Pass	AV	11.13292G	39.65	54.00	-14.35	3	Horizontal	225	1.50
5570MHz	Pass	PK	11.13096G	49.76	74.00	-24.24	3	Horizontal	225	1.50

5.15-5.25GHz_a20_Nss1,(6Mbps)_1TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1314G	45.48	54.00	-8.52	4.69	3	Vertical	351	2.68	40.79	32.99	6.77	35.07
AV	5.2418G	96.47	Inf	-Inf	4.70	3	Vertical	351	2.68	91.77	32.92	6.85	35.07
AV	5.3636G	46.12	54.00	-7.88	4.74	3	Vertical	351	2.68	41.38	32.77	7.04	35.07
PK	5.093G	54.51	74.00	-19.49	4.51	3	Vertical	351	2.68	50.00	32.83	6.75	35.07
PK	5.237G	104.17	Inf	-Inf	4.71	3	Vertical	351	2.68	99.46	32.93	6.85	35.07
PK	5.3534G	55.77	74.00	-18.23	4.74	3	Vertical	351	2.68	51.03	32.79	7.02	35.07

5.15-5.25GHz_a20_Nss1,(6Mbps)_1TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.49446G	47.99	68.20	-20.21	14.28	3	Vertical	17	1.50	33.71	38.50	10.36	34.58


5.15-5.25GHz_a20_Nss1,(6Mbps)_1TX

5240MHz_TX




5.15-5.25GHz_a40_Nss1,(6Mbps)_1TX

5190MHz_TX




5.15-5.25GHz_a40_Nss1,(6Mbps)_1TX

5190MHz_TX




5.15-5.25GHz_a40_Nss1,(6Mbps)_1TX

5190MHz_TX



5.15-5.25GHz_a80_Nss1,(6Mbps)_1TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.09	54.00	-6.91	4.80	3	Vertical	350	3.00	42.29	33.10	6.77	35.07
AV	5.204G	90.78	Inf	-Inf	4.72	3	Vertical	350	3.00	86.06	32.99	6.80	35.07
AV	5.442G	46.46	54.00	-7.54	4.81	3	Vertical	350	3.00	41.65	32.78	7.10	35.07
PK	5.134G	61.15	74.00	-12.85	4.70	3	Vertical	350	3.00	56.45	33.00	6.77	35.07
PK	5.206G	98.44	Inf	-Inf	4.72	3	Vertical	350	3.00	93.72	32.99	6.80	35.07
PK	5.46G	56.38	74.00	-17.62	4.84	3	Vertical	350	3.00	51.54	32.80	7.11	35.07

5.15-5.25GHz_a80_Nss1,(6Mbps)_1TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.42112G	48.44	68.20	-19.76	14.20	3	Vertical	284	1.97	34.24	38.50	10.35	34.65


5.15-5.25GHz_a80_Nss1,(6Mbps)_1TX

5210MHz_TX




5.15-5.25GHz_a160_Nss1,(6Mbps)_1TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_a160_Nss1,(6Mbps)_1TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_a160_Nss1,(6Mbps)_1TX

5250MHz Straddle 5.15-5.25GHz_TX




5.25-5.35GHz_a20_Nss1,(6Mbps)_1TX

5320MHz_TX




5.25-5.35GHz_a20_Nss1,(6Mbps)_1TX

5320MHz_TX




5.25-5.35GHz_a20_Nss1,(6Mbps)_1TX

5320MHz_TX




5.25-5.35GHz_a40_Nss1,(6Mbps)_1TX

5310MHz_TX




5.25-5.35GHz_a40_Nss1,(6Mbps)_1TX

5310MHz_TX




5.25-5.35GHz_a40_Nss1,(6Mbps)_1TX

5310MHz_TX



5.25-5.35GHz_a80_Nss1,(6Mbps)_1TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.137G	45.95	54.00	-8.05	4.72	3	Vertical	350	2.45	41.23	33.02	6.77	35.07
AV	5.281G	93.41	Inf	-Inf	4.68	3	Vertical	350	2.45	88.73	32.84	6.91	35.07
AV	5.351G	53.76	54.00	-0.24	4.75	3	Vertical	350	2.45	49.01	32.80	7.02	35.07
PK	5.141G	56.91	74.00	-17.09	4.75	3	Vertical	350	2.45	52.16	33.05	6.77	35.07
PK	5.277G	102.23	Inf	-Inf	4.69	3	Vertical	350	2.45	97.54	32.85	6.91	35.07
PK	5.351G	69.42	74.00	-4.58	4.75	3	Vertical	350	2.45	64.67	32.80	7.02	35.07
PK	5.465G	56.12	68.20	-12.08	4.84	3	Vertical	350	2.45	51.28	32.80	7.11	35.07

5.25-5.35GHz_a80_Nss1,(6Mbps)_1TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.58576G	49.19	68.20	-19.01	14.72	3	Vertical	326	1.50	34.47	38.84	10.38	34.50


5.25-5.35GHz_a80_Nss1,(6Mbps)_1TX

5290MHz_TX




5.47-5.725GHz_a20_Nss1,(6Mbps)_1TX

5700MHz_TX




5.47-5.725GHz_a20_Nss1,(6Mbps)_1TX

5700MHz_TX




5.47-5.725GHz_a20_Nss1,(6Mbps)_1TX

5700MHz_TX




5.47-5.725GHz_a40_Nss1,(6Mbps)_1TX

5670MHz_TX




5.47-5.725GHz_a40_Nss1,(6Mbps)_1TX

5670MHz_TX




5.47-5.725GHz_a40_Nss1,(6Mbps)_1TX

5670MHz_TX




5.47-5.725GHz_a80_Nss1,(6Mbps)_1TX

5610MHz_TX




5.47-5.725GHz_a80_Nss1,(6Mbps)_1TX

5610MHz_TX




5.47-5.725GHz_a80_Nss1,(6Mbps)_1TX

5610MHz_TX




5.47-5.725GHz_a160_Nss1,(6Mbps)_1TX

5570MHz_TX




5.47-5.725GHz_a160_Nss1,(6Mbps)_1TX

5570MHz_TX




5.47-5.725GHz_a160_Nss1,(6Mbps)_1TX

5570MHz_TX




5.725-5.85GHz_a20_Nss1,(6Mbps)_1TX

5745MHz_TX




5.725-5.85GHz_a20_Nss1,(6Mbps)_1TX

5745MHz_TX




5.725-5.85GHz_a20_Nss1,(6Mbps)_1TX

5745MHz_TX



5.725-5.85GHz_a40_Nss1,(6Mbps)_1TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4562G	45.74	54.00	-8.26	4.84	3	Vertical	323	2.21	40.90	32.80	7.11	35.07
AV	5.7598G	99.24	Inf	-Inf	5.78	3	Vertical	323	2.21	93.46	33.74	7.22	35.18
PK	5.6494G	58.91	68.20	-9.29	5.15	3	Vertical	323	2.21	53.76	33.10	7.18	35.13
PK	5.7586G	106.22	Inf	-Inf	5.77	3	Vertical	323	2.21	100.45	33.73	7.22	35.18
PK	5.983G	57.03	68.20	-11.17	6.13	3	Vertical	323	2.21	50.90	34.07	7.33	35.27

5.725-5.85GHz_a40_Nss1,(6Mbps)_1TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50476G	40.07	54.00	-13.93	15.47	3	Vertical	304	1.50	24.60	38.89	10.60	34.02
PK	11.51388G	50.43	74.00	-23.57	15.45	3	Vertical	304	1.50	34.98	38.87	10.60	34.02


5.725-5.85GHz_a40_Nss1,(6Mbps)_1TX

5755MHz_TX




5.725-5.85GHz_a80_Nss1,(6Mbps)_1TX

5775MHz_TX




5.725-5.85GHz_a80_Nss1,(6Mbps)_1TX

5775MHz_TX



5.725-5.85GHz_a80_Nss1,(6Mbps)_1TX

5775MHz_TX



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	2.40174G	49.65	68.20	-18.55	Horizontal
Mode 2	Pass	AV	2.40178G	54.52	68.20	-13.68	Vertical
Mode 3	Pass	AV	2.4018G	51.00	68.20	-17.20	Horizontal
Mode 4	Pass	AV	2.40176G	50.45	68.20	-17.75	Horizontal
Mode 5	Pass	PK	5.87G	69.41	88.20	-18.79	Horizontal
Mode 6	Pass	PK	5.87G	69.41	88.20	-18.79	Horizontal

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	2.34563G	26.64	54.00	-27.36	3	Vertical	352	2.00	-
Mode 1	Pass	AV	2.46109G	28.07	68.20	-40.13	3	Vertical	141	1.00	-
Mode 1	Pass	AV	5.72561G	34.17	68.20	-34.03	3	Vertical	306	1.89	-
Mode 1	Pass	PK	2.34563G	39.50	74.00	-34.50	3	Vertical	352	2.00	-
Mode 1	Pass	PK	2.46109G	44.74	88.20	-43.46	3	Vertical	141	1.00	-
Mode 1	Pass	PK	5.72561G	68.53	88.20	-19.67	3	Vertical	306	1.89	-
Mode 1	Pass	AV	1.32921G	25.25	54.00	-28.75	3	Horizontal	133	1.34	-
Mode 1	Pass	AV	1.6206G	24.82	54.00	-29.18	3	Horizontal	140	1.00	-
Mode 1	Pass	AV	2.40174G	49.65	68.20	-18.55	3	Horizontal	145	1.00	-
Mode 1	Pass	PK	1.32921G	44.13	74.00	-29.87	3	Horizontal	133	1.34	-
Mode 1	Pass	PK	1.6206G	36.82	74.00	-37.18	3	Horizontal	140	1.00	-
Mode 1	Pass	PK	2.40174G	55.95	88.20	-32.25	3	Horizontal	145	1.00	-
Mode 2	Pass	AV	1.33156G	30.64	54.00	-23.36	3	Vertical	269	1.00	-
Mode 2	Pass	AV	2.40178G	54.52	68.20	-13.68	3	Vertical	310	1.51	-
Mode 2	Pass	AV	4.00325G	37.61	54.00	-16.39	3	Vertical	90	1.99	-
Mode 2	Pass	PK	1.32875G	43.75	74.00	-30.25	3	Vertical	269	1.00	-
Mode 2	Pass	PK	2.40178G	60.22	88.20	-27.98	3	Vertical	310	1.51	-
Mode 2	Pass	PK	4.00325G	46.87	74.00	-27.13	3	Vertical	90	1.99	-
Mode 2	Pass	AV	1.78809G	26.29	68.20	-41.91	3	Horizontal	239	1.00	-
Mode 2	Pass	AV	2.3424G	26.62	54.00	-27.38	3	Horizontal	92	1.50	-
Mode 2	Pass	AV	2.46103G	44.37	68.20	-23.83	3	Horizontal	152	1.50	-
Mode 2	Pass	PK	1.78875G	41.05	88.20	-47.15	3	Horizontal	239	1.00	-
Mode 2	Pass	PK	2.3424G	51.51	74.00	-22.49	3	Horizontal	92	1.50	-
Mode 2	Pass	PK	2.46103G	72.36	88.20	-15.84	3	Horizontal	152	1.50	-
Mode 3	Pass	AV	2.38341G	27.24	54.00	-26.76	3	Vertical	310	1.50	-
Mode 3	Pass	AV	2.40947G	29.08	68.20	-39.12	3	Vertical	257	1.50	-
Mode 3	Pass	AV	5.72634G	48.95	68.20	-19.25	3	Vertical	148	1.60	-
Mode 3	Pass	PK	2.38341G	39.33	74.00	-34.67	3	Vertical	310	1.50	-
Mode 3	Pass	PK	2.40947G	49.06	88.20	-39.14	3	Vertical	257	1.50	-
Mode 3	Pass	PK	5.72634G	69.59	88.20	-18.61	3	Vertical	148	1.60	-
Mode 3	Pass	AV	1.36528G	24.79	54.00	-29.21	3	Horizontal	179	1.55	-
Mode 3	Pass	AV	1.59562G	24.89	54.00	-29.11	3	Horizontal	201	1.50	-
Mode 3	Pass	AV	2.4018G	51.00	68.20	-17.20	3	Horizontal	314	1.85	-
Mode 3	Pass	PK	1.36528G	37.53	74.00	-36.47	3	Horizontal	179	1.55	-
Mode 3	Pass	PK	1.59562G	37.02	74.00	-36.98	3	Horizontal	201	1.50	-
Mode 3	Pass	PK	2.4018G	56.68	88.20	-31.52	3	Horizontal	314	1.85	-
Mode 4	Pass	AV	2.36772G	27.16	54.00	-26.84	3	Vertical	131	2.00	-
Mode 4	Pass	AV	2.43142G	26.02	68.20	-42.18	3	Vertical	136	1.50	-
Mode 4	Pass	AV	5.20735G	38.31	68.20	-29.89	3	Vertical	5	1.50	-
Mode 4	Pass	PK	2.36772G	53.38	74.00	-20.62	3	Vertical	131	2.00	-
Mode 4	Pass	PK	2.43142G	38.42	88.20	-49.78	3	Vertical	136	1.50	-
Mode 4	Pass	PK	5.20735G	69.28	88.20	-18.92	3	Vertical	5	1.50	-
Mode 4	Pass	AV	1.5938G	24.71	54.00	-29.29	3	Horizontal	352	1.54	-
Mode 4	Pass	AV	2.40176G	50.45	68.20	-17.75	3	Horizontal	314	1.85	-
Mode 4	Pass	AV	2.78791G	28.52	54.00	-25.48	3	Horizontal	51	1.50	-
Mode 4	Pass	PK	1.5938G	37.32	74.00	-36.68	3	Horizontal	352	1.54	-
Mode 4	Pass	PK	2.40176G	56.43	88.20	-31.77	3	Horizontal	314	1.85	-
Mode 4	Pass	PK	2.78791G	41.18	74.00	-32.82	3	Horizontal	51	1.50	-
Mode 5	Pass	AV	1.79G	31.59	68.20	-36.61	3	Vertical	157	2.16	-
Mode 5	Pass	AV	2.17875G	37.62	68.20	-30.58	3	Vertical	256	1.49	-


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 5	Pass	AV	5.1775G	39.86	68.20	-28.34	3	Vertical	333	2.22	-
Mode 5	Pass	PK	1.7941G	43.94	88.20	-44.26	3	Vertical	157	2.16	-
Mode 5	Pass	PK	2.17141G	45.19	88.20	-43.01	3	Vertical	256	1.49	-
Mode 5	Pass	PK	5.1728G	48.10	88.20	-40.10	3	Vertical	333	2.22	-
Mode 5	Pass	AV	1.19523G	26.69	54.00	-27.31	3	Horizontal	116	1.49	-
Mode 5	Pass	AV	1.3375G	27.97	54.00	-26.03	3	Horizontal	228	1.57	-
Mode 5	Pass	AV	5.8522G	48.58	68.20	-19.62	3	Horizontal	197	1.00	-
Mode 5	Pass	PK	1.19688G	39.34	74.00	-34.66	3	Horizontal	116	1.49	-
Mode 5	Pass	PK	1.33G	40.47	74.00	-33.53	3	Horizontal	228	1.57	-
Mode 5	Pass	PK	5.87G	69.41	88.20	-18.79	3	Horizontal	197	1.00	-
Mode 6	Pass	AV	1.7987441G	29.54	68.20	-38.66	3	Vertical	258	1.00	-
Mode 6	Pass	AV	2.17825G	26.67	68.20	-41.53	3	Vertical	333	1.28	-
Mode 6	Pass	AV	2.49364G	29.31	54.00	-24.69	3	Vertical	357	1.93	-
Mode 6	Pass	PK	1.79G	43.94	88.20	-44.26	3	Vertical	258	1.00	-
Mode 6	Pass	PK	2.17875G	45.19	88.20	-43.01	3	Vertical	333	1.28	-
Mode 6	Pass	PK	2.49G	47.44	74.00	-26.56	3	Vertical	357	1.93	-
Mode 6	Pass	AV	1.32943G	25.72	54.00	-28.28	3	Horizontal	149	1.00	-
Mode 6	Pass	AV	2.52172G	26.91	68.20	-41.29	3	Horizontal	157	1.63	-
Mode 6	Pass	AV	5.86933G	43.60	68.20	-24.60	3	Horizontal	0	1.47	-
Mode 6	Pass	PK	1.33G	40.47	74.00	-33.53	3	Horizontal	149	1.00	-
Mode 6	Pass	PK	2.52188G	50.36	88.20	-37.84	3	Horizontal	157	1.63	-
Mode 6	Pass	PK	5.87G	69.41	88.20	-18.79	3	Horizontal	0	1.47	-

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.34563G	26.64	54.00	-27.36	-3.44	3	Vertical	352	2.00	-	30.08	27.16	4.48	35.08
AV	2.46109G	28.07	68.20	-40.13	-2.81	3	Vertical	141	1.00	-	30.88	27.70	4.61	35.12
AV	5.72561G	34.17	68.20	-34.03	5.69	3	Vertical	306	1.89	-	28.48	33.65	7.20	35.16
PK	2.34563G	39.50	74.00	-34.50	-3.44	3	Vertical	352	2.00	-	42.94	27.16	4.48	35.08
PK	2.46109G	44.74	88.20	-43.46	-2.81	3	Vertical	141	1.00	-	47.55	27.70	4.61	35.12
PK	5.72561G	68.53	88.20	-19.67	5.69	3	Vertical	306	1.89	-	62.84	33.65	7.20	35.16

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.32921G	25.25	54.00	-28.75	-6.13	3	Horizontal	133	1.34	-	31.38	25.91	3.32	35.36
AV	1.62066G	24.82	54.00	-29.18	-5.80	3	Horizontal	140	1.00	-	30.62	25.59	3.69	35.08
AV	2.40174G	49.65	68.20	-18.55	-3.14	3	Horizontal	145	1.00	-	52.79	27.42	4.54	35.10
PK	1.32921G	44.13	74.00	-29.87	-6.13	3	Horizontal	133	1.34	-	50.26	25.91	3.32	35.36
PK	1.62066G	36.82	74.00	-37.18	-5.80	3	Horizontal	140	1.00	-	42.62	25.59	3.69	35.08
PK	2.40174G	55.95	88.20	-32.25	-3.14	3	Horizontal	145	1.00	-	59.09	27.42	4.54	35.10

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.33156G	30.64	54.00	-23.36	-6.14	3	Vertical	269	1.00	-	36.78	25.90	3.32	35.36
AV	2.40178G	54.52	68.20	-13.68	-3.14	3	Vertical	310	1.51	-	57.66	27.42	4.54	35.10
AV	4.00325G	37.61	54.00	-16.39	1.81	3	Vertical	90	1.99	-	35.80	30.71	6.14	35.04
PK	1.32875G	43.75	74.00	-30.25	-6.13	3	Vertical	269	1.00	-	49.88	25.91	3.32	35.36
PK	2.40178G	60.22	88.20	-27.98	-3.14	3	Vertical	310	1.51	-	63.36	27.42	4.54	35.10
PK	4.00325G	46.87	74.00	-27.13	1.81	3	Vertical	90	1.99	-	45.06	30.71	6.14	35.04

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.78809G	26.29	68.20	-41.91	-6.19	3	Horizontal	239	1.00	-	32.48	24.98	3.87	35.04
AV	2.3424G	26.62	54.00	-27.38	-3.48	3	Horizontal	92	1.50	-	30.10	27.12	4.48	35.08
AV	2.46103G	44.37	68.20	-23.83	-2.81	3	Horizontal	152	1.50	-	47.18	27.70	4.61	35.12
PK	1.78875G	41.05	88.20	-47.15	-6.17	3	Horizontal	239	1.00	-	47.22	24.99	3.87	35.03
PK	2.3424G	51.51	74.00	-22.49	-3.48	3	Horizontal	92	1.50	-	54.99	27.12	4.48	35.08
PK	2.46103G	72.36	88.20	-15.84	-2.81	3	Horizontal	152	1.50	-	75.17	27.70	4.61	35.12

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.38341G	27.24	54.00	-26.76	-3.35	3	Vertical	310	1.50	-	30.59	27.23	4.52	35.10
AV	2.40947G	29.08	68.20	-39.12	-3.06	3	Vertical	257	1.50	-	32.14	27.49	4.55	35.10
AV	5.72634G	48.95	68.20	-19.25	5.68	3	Vertical	148	1.60	-	43.27	33.65	7.20	35.17
PK	2.38341G	39.33	74.00	-34.67	-3.35	3	Vertical	310	1.50	-	42.68	27.23	4.52	35.10
PK	2.40947G	49.06	88.20	-39.14	-3.06	3	Vertical	257	1.50	-	52.12	27.49	4.55	35.10
PK	5.72634G	69.59	88.20	-18.61	5.68	3	Vertical	148	1.60	-	63.91	33.65	7.20	35.17

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.36528G	24.79	54.00	-29.21	-6.20	3	Horizontal	179	1.55	-	30.99	25.75	3.36	35.31
AV	1.59562G	24.89	54.00	-29.11	-5.89	3	Horizontal	201	1.50	-	30.78	25.54	3.66	35.09
AV	2.4018G	51.00	68.20	-17.20	-3.14	3	Horizontal	314	1.85	-	54.14	27.42	4.54	35.10
PK	1.36528G	37.53	74.00	-36.47	-6.20	3	Horizontal	179	1.55	-	43.73	25.75	3.36	35.31
PK	1.59562G	37.02	74.00	-36.98	-5.89	3	Horizontal	201	1.50	-	42.91	25.54	3.66	35.09
PK	2.4018G	56.68	88.20	-31.52	-3.14	3	Horizontal	314	1.85	-	59.82	27.42	4.54	35.10

Radiated Emissions above 1GHz_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.36772G	27.16	54.00	-26.84	-3.38	3	Vertical	131	2.00	-	30.54	27.20	4.51	35.09
AV	2.43142G	26.02	68.20	-42.18	-2.93	3	Vertical	136	1.50	-	28.95	27.60	4.58	35.11
AV	5.20735G	38.31	68.20	-29.89	4.72	3	Vertical	5	1.50	-	33.59	32.99	6.80	35.07
PK	2.36772G	53.38	74.00	-20.62	-3.38	3	Vertical	131	2.00	-	56.76	27.20	4.51	35.09
PK	2.43142G	38.42	88.20	-49.78	-2.93	3	Vertical	136	1.50	-	41.35	27.60	4.58	35.11
PK	5.20735G	69.28	88.20	-18.92	4.72	3	Vertical	5	1.50	-	64.56	32.99	6.80	35.07

Radiated Emissions above 1GHz_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.5938G	24.71	54.00	-29.29	-5.87	3	Horizontal	352	1.54	-	30.58	25.56	3.66	35.09
AV	2.40176G	50.45	68.20	-17.75	-3.14	3	Horizontal	314	1.85	-	53.59	27.42	4.54	35.10
AV	2.78791G	28.52	54.00	-25.48	-1.81	3	Horizontal	51	1.50	-	30.33	28.40	4.97	35.18
PK	1.5938G	37.32	74.00	-36.68	-5.87	3	Horizontal	352	1.54	-	43.19	25.56	3.66	35.09
PK	2.40176G	56.43	88.20	-31.77	-3.14	3	Horizontal	314	1.85	-	59.57	27.42	4.54	35.10
PK	2.78791G	41.18	74.00	-32.82	-1.81	3	Horizontal	51	1.50	-	42.99	28.40	4.97	35.18

Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.79G	31.59	68.20	-36.61	-6.16	3	Vertical	157	2.16	-	37.75	25.00	3.87	35.03
AV	2.17875G	37.62	68.20	-30.58	-3.42	3	Vertical	256	1.49	-	41.04	27.30	4.31	35.03
AV	5.1775G	39.86	68.20	-28.34	4.76	3	Vertical	333	2.22	-	35.10	33.05	6.78	35.07
PK	1.7941G	43.94	88.20	-44.26	-6.12	3	Vertical	157	2.16	-	50.06	25.04	3.87	35.03
PK	2.17141G	45.19	88.20	-43.01	-3.43	3	Vertical	256	1.49	-	48.62	27.30	4.30	35.03
PK	5.1728G	48.10	88.20	-40.10	4.76	3	Vertical	333	2.22	-	43.34	33.05	6.78	35.07

Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.19523G	26.69	54.00	-27.31	-6.32	3	Horizontal	116	1.49	-	33.01	26.10	3.14	35.56
AV	1.3375G	27.97	54.00	-26.03	-6.12	3	Horizontal	228	1.57	-	34.09	25.90	3.33	35.35
AV	5.8522G	48.58	68.20	-19.62	6.05	3	Horizontal	197	1.00	-	42.53	34.01	7.26	35.22
PK	1.19688G	39.34	74.00	-34.66	-6.31	3	Horizontal	116	1.49	-	45.65	26.10	3.15	35.56
PK	1.33G	40.47	74.00	-33.53	-6.14	3	Horizontal	228	1.57	-	46.61	25.90	3.32	35.36
PK	5.87G	69.41	88.20	-18.79	6.12	3	Horizontal	197	1.00	-	63.29	34.08	7.27	35.23

Radiated Emissions above 1GHz_Mode 6



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.7987441G	29.54	68.20	-38.66	-6.06	3	Vertical	258	1.00	-	35.60	25.09	3.88	35.03
AV	2.17825G	26.67	68.20	-41.53	-3.42	3	Vertical	333	1.28	-	30.09	27.30	4.31	35.03
AV	2.49364G	29.31	54.00	-24.69	-2.58	3	Vertical	357	1.93	-	31.89	27.90	4.65	35.13
PK	1.79G	43.94	88.20	-44.26	-6.16	3	Vertical	258	1.00	-	50.10	25.00	3.87	35.03
PK	2.17875G	45.19	88.20	-43.01	-3.42	3	Vertical	333	1.28	-	48.61	27.30	4.31	35.03
PK	2.49G	47.44	74.00	-26.56	-2.59	3	Vertical	357	1.93	-	50.03	27.90	4.64	35.13

Radiated Emissions above 1GHz_Mode 6



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.32943G	25.72	54.00	-28.28	-6.13	3	Horizontal	149	1.00	-	31.85	25.91	3.32	35.36
AV	2.52172G	26.91	68.20	-41.29	-2.53	3	Horizontal	157	1.63	-	29.44	27.92	4.68	35.13
AV	5.86933G	43.60	68.20	-24.60	6.12	3	Horizontal	0	1.47	-	37.48	34.08	7.27	35.23
PK	1.33G	40.47	74.00	-33.53	-6.14	3	Horizontal	149	1.00	-	46.61	25.90	3.32	35.36
PK	2.52188G	50.36	88.20	-37.84	-2.53	3	Horizontal	157	1.63	-	52.89	27.92	4.68	35.13
PK	5.87G	69.41	88.20	-18.79	6.12	3	Horizontal	0	1.47	-	63.29	34.08	7.27	35.23



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	2.40168G	52.37	68.20	-15.83	Horizontal
Mode 2	Pass	PK	2.43603G	65.51	88.20	-22.69	Horizontal
Mode 3	Pass	AV	2.43785G	54.39	68.20	-13.81	Vertical
Mode 4	Pass	PK	2.43791G	63.17	88.20	-25.03	Vertical
Mode 5	Pass	AV	1.198653G	25.11	54.00	-28.89	Vertical
Mode 6	Pass	AV	5.3091G	40.85	68.20	-27.35	Vertical

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	1.19954G	24.73	54.00	-29.27	3	Vertical	360	1.00	-
Mode 1	Pass	AV	2.36435G	27.61	54.00	-26.39	3	Vertical	132	1.74	-
Mode 1	Pass	AV	2.43783G	25.03	68.20	-43.17	3	Vertical	1	1.41	-
Mode 1	Pass	PK	1.19954G	42.24	74.00	-31.76	3	Vertical	360	1.00	-
Mode 1	Pass	PK	2.36435G	40.26	74.00	-33.74	3	Vertical	132	1.74	-
Mode 1	Pass	PK	2.43783G	63.62	88.20	-24.58	3	Vertical	1	1.41	-
Mode 1	Pass	AV	1.59669G	24.91	54.00	-29.09	3	Horizontal	224	1.50	-
Mode 1	Pass	AV	2.40168G	52.37	68.20	-15.83	3	Horizontal	303	1.31	-
Mode 1	Pass	AV	5.72718G	33.97	68.20	-34.23	3	Horizontal	0	1.54	-
Mode 1	Pass	PK	1.59669G	37.38	74.00	-36.62	3	Horizontal	224	1.50	-
Mode 1	Pass	PK	2.40168G	58.84	88.20	-29.36	3	Horizontal	303	1.31	-
Mode 1	Pass	PK	5.72718G	63.56	88.20	-24.64	3	Horizontal	0	1.54	-
Mode 2	Pass	AV	1.19492G	24.92	54.00	-29.08	3	Vertical	17.1	1.68	-
Mode 2	Pass	AV	1.47924G	24.96	54.00	-29.04	3	Vertical	193	1.50	-
Mode 2	Pass	AV	2.43785G	24.95	68.20	-43.25	3	Vertical	12	1.60	-
Mode 2	Pass	PK	1.19492G	41.19	74.00	-32.81	3	Vertical	17.1	1.68	-
Mode 2	Pass	PK	1.47924G	37.55	74.00	-36.45	3	Vertical	193	1.50	-
Mode 2	Pass	PK	2.43785G	62.65	88.20	-25.55	3	Vertical	12	1.60	-
Mode 2	Pass	AV	1.33252G	25.25	54.00	-28.75	3	Horizontal	337	1.55	-
Mode 2	Pass	AV	2.43603G	25.27	68.20	-42.93	3	Horizontal	354	2.00	-
Mode 2	Pass	AV	5.84891G	34.03	68.20	-34.17	3	Horizontal	12	1.54	-
Mode 2	Pass	PK	1.33252G	43.31	74.00	-30.69	3	Horizontal	337	1.55	-
Mode 2	Pass	PK	2.43603G	65.51	88.20	-22.69	3	Horizontal	354	2.00	-
Mode 2	Pass	PK	5.84891G	47.02	88.20	-41.18	3	Horizontal	12	1.54	-
Mode 3	Pass	AV	1.19754G	25.16	54.00	-28.84	3	Vertical	181	1.00	-
Mode 3	Pass	AV	2.43785G	54.39	68.20	-13.81	3	Vertical	6	1.33	-
Mode 3	Pass	AV	5.7725G	34.20	68.20	-34.00	3	Vertical	9	1.06	-
Mode 3	Pass	PK	1.19754G	42.43	74.00	-31.57	3	Vertical	181	1.00	-
Mode 3	Pass	PK	2.43785G	63.05	88.20	-25.15	3	Vertical	6	1.33	-
Mode 3	Pass	PK	5.7725G	64.20	88.20	-24.00	3	Vertical	9	1.06	-
Mode 3	Pass	AV	1.19831G	24.98	54.00	-29.02	3	Horizontal	-0	1.50	-
Mode 3	Pass	AV	2.43627G	25.02	68.20	-43.18	3	Horizontal	171	1.50	-
Mode 3	Pass	AV	5.77237G	34.14	68.20	-34.06	3	Horizontal	15	1.37	-
Mode 3	Pass	PK	1.19831G	42.17	74.00	-31.83	3	Horizontal	-0	1.50	-
Mode 3	Pass	PK	2.43627G	38.78	88.20	-49.42	3	Horizontal	171	1.50	-
Mode 3	Pass	PK	5.77237G	65.76	88.20	-22.44	3	Horizontal	15	1.37	-
Mode 4	Pass	AV	1.2049G	26.81	54.00	-27.19	3	Vertical	223	1.00	-
Mode 4	Pass	AV	2.1868G	29.45	68.20	-38.75	3	Vertical	38	1.00	-
Mode 4	Pass	AV	2.43791G	24.86	68.20	-43.34	3	Vertical	3	1.38	-
Mode 4	Pass	PK	1.19813G	41.72	74.00	-32.28	3	Vertical	223	1.00	-
Mode 4	Pass	PK	2.19375G	46.20	88.20	-42.00	3	Vertical	38	1.00	-
Mode 4	Pass	PK	2.43791G	63.17	88.20	-25.03	3	Vertical	3	1.38	-
Mode 4	Pass	AV	1.33244G	25.60	54.00	-28.40	3	Horizontal	38	1.00	-
Mode 4	Pass	AV	1.78759G	25.78	68.20	-42.42	3	Horizontal	260	1.00	-
Mode 4	Pass	AV	2.43206G	25.87	68.20	-42.33	3	Horizontal	82	1.50	-
Mode 4	Pass	PK	1.3325G	41.64	74.00	-32.36	3	Horizontal	38	1.00	-
Mode 4	Pass	PK	1.78813G	41.10	88.20	-47.10	3	Horizontal	260	1.00	-
Mode 4	Pass	PK	2.43206G	38.20	88.20	-50.00	3	Horizontal	82	1.50	-
Mode 5	Pass	AV	1.78231G	26.67	68.20	-41.53	3	Vertical	5	1.79	-
Mode 5	Pass	AV	1.198653G	25.11	54.00	-28.89	3	Vertical	7	1.23	-


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 5	Pass	AV	5.17632G	31.55	68.20	-36.65	3	Vertical	168	1.41	-
Mode 5	Pass	PK	1.19875G	39.85	74.00	-34.15	3	Vertical	7	1.23	-
Mode 5	Pass	PK	1.78938G	40.96	88.20	-47.24	3	Vertical	5	1.79	-
Mode 5	Pass	PK	5.1725G	50.42	88.20	-37.78	3	Vertical	168	1.41	-
Mode 5	Pass	AV	1.77631G	25.63	68.20	-42.57	3	Horizontal	5	1.02	-
Mode 5	Pass	AV	2.40312G	34.66	68.20	-33.54	3	Horizontal	139	1.78	-
Mode 5	Pass	AV	5.17589G	30.97	68.20	-37.23	3	Horizontal	24	1.55	-
Mode 5	Pass	PK	1.7825G	38.57	88.20	-49.63	3	Horizontal	5	1.02	-
Mode 5	Pass	PK	2.40188G	57.58	88.20	-30.62	3	Horizontal	139	1.78	-
Mode 5	Pass	PK	5.17688G	49.02	88.20	-39.18	3	Horizontal	24	1.55	-
Mode 6	Pass	AV	1.7933G	25.27	68.20	-42.93	3	Vertical	228	1.57	-
Mode 6	Pass	AV	3.11264G	25.87	68.20	-42.33	3	Vertical	210	1.49	-
Mode 6	Pass	AV	5.3091G	40.85	68.20	-27.35	3	Vertical	9	1.23	-
Mode 6	Pass	PK	1.7925G	38.73	88.20	-49.47	3	Vertical	228	1.57	-
Mode 6	Pass	PK	3.11125G	43.16	88.20	-45.04	3	Vertical	210	1.49	-
Mode 6	Pass	PK	5.3075G	55.97	88.20	-32.23	3	Vertical	9	1.23	-
Mode 6	Pass	AV	1.1854G	25.61	54.00	-28.39	3	Horizontal	81	1.09	-
Mode 6	Pass	AV	3.23486G	25.77	68.20	-42.43	3	Horizontal	59	1.44	-
Mode 6	Pass	AV	5.1843G	25.09	68.20	-43.11	3	Horizontal	76	1.50	-
Mode 6	Pass	PK	1.19625G	41.38	74.00	-32.62	3	Horizontal	81	1.09	-
Mode 6	Pass	PK	3.23375G	42.72	88.20	-45.48	3	Horizontal	59	1.44	-
Mode 6	Pass	PK	5.17563G	47.91	88.20	-40.29	3	Horizontal	76	1.50	-

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.19954G	24.73	54.00	-29.27	-6.30	3	Vertical	360	1.00	-	31.03	26.10	3.15	35.55
AV	2.36435G	27.61	54.00	-26.39	-3.39	3	Vertical	132	1.74	-	31.00	27.20	4.50	35.09
AV	2.43783G	25.03	68.20	-43.17	-2.93	3	Vertical	1	1.41	-	27.96	27.60	4.58	35.11
PK	1.19954G	42.24	74.00	-31.76	-6.30	3	Vertical	360	1.00	-	48.54	26.10	3.15	35.55
PK	2.36435G	40.26	74.00	-33.74	-3.39	3	Vertical	132	1.74	-	43.65	27.20	4.50	35.09
PK	2.43783G	63.62	88.20	-24.58	-2.93	3	Vertical	1	1.41	-	66.55	27.60	4.58	35.11

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.59669G	24.91	54.00	-29.09	-5.88	3	Horizontal	224	1.50	-	30.79	25.53	3.67	35.08
AV	2.40168G	52.37	68.20	-15.83	-3.14	3	Horizontal	303	1.31	-	55.51	27.42	4.54	35.10
AV	5.72718G	33.97	68.20	-34.23	5.68	3	Horizontal	0	1.54	-	28.29	33.65	7.20	35.17
PK	1.59669G	37.38	74.00	-36.62	-5.88	3	Horizontal	224	1.50	-	43.26	25.53	3.67	35.08
PK	2.40168G	58.84	88.20	-29.36	-3.14	3	Horizontal	303	1.31	-	61.98	27.42	4.54	35.10
PK	5.72718G	63.56	88.20	-24.64	5.68	3	Horizontal	0	1.54	-	57.88	33.65	7.20	35.17

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.19492G	24.92	54.00	-29.08	-6.32	3	Vertical	17.1	1.68	-	31.24	26.10	3.14	35.56
AV	1.47924G	24.96	54.00	-29.04	-6.13	3	Vertical	193	1.50	-	31.09	25.50	3.51	35.14
AV	2.43785G	24.95	68.20	-43.25	-2.93	3	Vertical	12	1.60	-	27.88	27.60	4.58	35.11
PK	1.19492G	41.19	74.00	-32.81	-6.32	3	Vertical	17.1	1.68	-	47.51	26.10	3.14	35.56
PK	1.47924G	37.55	74.00	-36.45	-6.13	3	Vertical	193	1.50	-	43.68	25.50	3.51	35.14
PK	2.43785G	62.65	88.20	-25.55	-2.93	3	Vertical	12	1.60	-	65.58	27.60	4.58	35.11

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.33252G	25.25	54.00	-28.75	-6.14	3	Horizontal	337	1.55	-	31.39	25.90	3.32	35.36
AV	2.43603G	25.27	68.20	-42.93	-2.93	3	Horizontal	354	2.00	-	28.20	27.60	4.58	35.11
AV	5.84891G	34.03	68.20	-34.17	6.04	3	Horizontal	12	1.54	-	27.99	34.00	7.26	35.22
PK	1.33252G	43.31	74.00	-30.69	-6.14	3	Horizontal	337	1.55	-	49.45	25.90	3.32	35.36
PK	2.43603G	65.51	88.20	-22.69	-2.93	3	Horizontal	354	2.00	-	68.44	27.60	4.58	35.11
PK	5.84891G	47.02	88.20	-41.18	6.04	3	Horizontal	12	1.54	-	40.98	34.00	7.26	35.22

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.19754G	25.16	54.00	-28.84	-6.31	3	Vertical	181	1.00	-	31.47	26.10	3.15	35.56
AV	2.43785G	54.39	68.20	-13.81	-2.93	3	Vertical	6	1.33	-	57.32	27.60	4.58	35.11
AV	5.7725G	34.20	68.20	-34.00	5.83	3	Vertical	9	1.06	-	28.37	33.79	7.22	35.18
PK	1.19754G	42.43	74.00	-31.57	-6.31	3	Vertical	181	1.00	-	48.74	26.10	3.15	35.56
PK	2.43785G	63.05	88.20	-25.15	-2.93	3	Vertical	6	1.33	-	65.98	27.60	4.58	35.11
PK	5.7725G	64.20	88.20	-24.00	5.83	3	Vertical	9	1.06	-	58.37	33.79	7.22	35.18

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.19831G	24.98	54.00	-29.02	-6.31	3	Horizontal	-0	1.50	-	31.29	26.10	3.15	35.56
AV	2.43627G	25.02	68.20	-43.18	-2.93	3	Horizontal	171	1.50	-	27.95	27.60	4.58	35.11
AV	5.77237G	34.14	68.20	-34.06	5.83	3	Horizontal	15	1.37	-	28.31	33.79	7.22	35.18
PK	1.19831G	42.17	74.00	-31.83	-6.31	3	Horizontal	-0	1.50	-	48.48	26.10	3.15	35.56
PK	2.43627G	38.78	88.20	-49.42	-2.93	3	Horizontal	171	1.50	-	41.71	27.60	4.58	35.11
PK	5.77237G	65.76	88.20	-22.44	5.83	3	Horizontal	15	1.37	-	59.93	33.79	7.22	35.18


Radiated Emissions above 1GHz_Mode 4



Radiated Emissions above 1GHz_Mode 4




Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.78231G	26.67	68.20	-41.53	-6.26	3	Vertical	5	1.79	-	32.93	24.92	3.86	35.04
AV	1.198653G	25.11	54.00	-28.89	-6.31	3	Vertical	7	1.23	-	31.42	26.10	3.15	35.56
AV	5.17632G	31.55	68.20	-36.65	4.76	3	Vertical	168	1.41	-	26.79	33.05	6.78	35.07
PK	1.19875G	39.85	74.00	-34.15	-6.31	3	Vertical	7	1.23	-	46.16	26.10	3.15	35.56
PK	1.78938G	40.96	88.20	-47.24	-6.17	3	Vertical	5	1.79	-	47.13	24.99	3.87	35.03
PK	5.1725G	50.42	88.20	-37.78	4.76	3	Vertical	168	1.41	-	45.66	33.05	6.78	35.07

Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.77631G	25.63	68.20	-42.57	-6.28	3	Horizontal	5	1.02	-	31.91	24.90	3.86	35.04
AV	2.40312G	34.66	68.20	-33.54	-3.13	3	Horizontal	139	1.78	-	37.79	27.43	4.54	35.10
AV	5.17589G	30.97	68.20	-37.23	4.76	3	Horizontal	24	1.55	-	26.21	33.05	6.78	35.07
PK	1.7825G	38.57	88.20	-49.63	-6.26	3	Horizontal	5	1.02	-	44.83	24.92	3.86	35.04
PK	2.40188G	57.58	88.20	-30.62	-3.14	3	Horizontal	139	1.78	-	60.72	27.42	4.54	35.10
PK	5.17688G	49.02	88.20	-39.18	4.76	3	Horizontal	24	1.55	-	44.26	33.05	6.78	35.07

Radiated Emissions above 1GHz_Mode 6



Radiated Emissions above 1GHz_Mode 6





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.9995G	34.03	54.00	-19.97	Vertical
Mode 2	Pass	AV	4.95532G	33.75	54.00	-20.25	Vertical
Mode 3	Pass	AV	5.03707G	33.33	54.00	-20.67	Vertical
Mode 4	Pass	AV	5.09649G	35.14	54.00	-18.86	Horizontal
Mode 5	Pass	AV	4.1165G	32.90	54.00	-21.10	Vertical
Mode 6	Pass	PK	2.415G	63.83	88.20	-24.37	Vertical

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	2.17764G	26.97	68.20	-41.23	3	Vertical	215	1.91	-
Mode 1	Pass	AV	3.76018G	30.00	54.00	-24.00	3	Vertical	8	1.50	-
Mode 1	Pass	AV	4.9995G	34.03	54.00	-19.97	3	Vertical	126	1.59	-
Mode 1	Pass	PK	2.17764G	47.68	88.20	-40.52	3	Vertical	215	1.91	-
Mode 1	Pass	PK	3.76018G	42.04	74.00	-31.96	3	Vertical	8	1.50	-
Mode 1	Pass	PK	4.9995G	46.95	74.00	-27.05	3	Vertical	126	1.59	-
Mode 1	Pass	AV	2.27815G	26.64	54.00	-27.36	3	Horizontal	110	1.50	-
Mode 1	Pass	AV	3.12545G	29.74	68.20	-38.46	3	Horizontal	206	1.00	-
Mode 1	Pass	AV	5.06971G	33.16	54.00	-20.84	3	Horizontal	3	1.99	-
Mode 1	Pass	PK	2.27815G	39.42	74.00	-34.58	3	Horizontal	110	1.50	-
Mode 1	Pass	PK	3.12545G	42.45	88.20	-45.75	3	Horizontal	206	1.00	-
Mode 1	Pass	PK	5.06971G	51.08	74.00	-22.92	3	Horizontal	3	1.99	-
Mode 2	Pass	AV	2.17636G	26.57	68.20	-41.63	3	Vertical	212	2.00	-
Mode 2	Pass	AV	3.17583G	30.06	68.20	-38.14	3	Vertical	10	1.07	-
Mode 2	Pass	AV	4.95532G	33.75	54.00	-20.25	3	Vertical	15	1.51	-
Mode 2	Pass	PK	2.17636G	49.67	88.20	-38.53	3	Vertical	212	2.00	-
Mode 2	Pass	PK	3.17583G	41.90	88.20	-46.30	3	Vertical	10	1.07	-
Mode 2	Pass	PK	4.95532G	46.00	74.00	-28.00	3	Vertical	15	1.51	-
Mode 2	Pass	AV	2.24248G	26.84	54.00	-27.16	3	Horizontal	27	1.50	-
Mode 2	Pass	AV	3.78961G	30.30	54.00	-23.70	3	Horizontal	0	1.50	-
Mode 2	Pass	AV	5.10762G	33.38	54.00	-20.62	3	Horizontal	0	1.95	-
Mode 2	Pass	PK	2.24248G	39.25	74.00	-34.75	3	Horizontal	27	1.50	-
Mode 2	Pass	PK	3.78961G	42.57	74.00	-31.43	3	Horizontal	0	1.50	-
Mode 2	Pass	PK	5.10762G	53.72	74.00	-20.28	3	Horizontal	0	1.95	-
Mode 3	Pass	AV	2.18459G	26.06	68.20	-42.14	3	Vertical	330	1.76	-
Mode 3	Pass	AV	3.26952G	29.89	68.20	-38.31	3	Vertical	258	1.50	-
Mode 3	Pass	AV	5.03707G	33.33	54.00	-20.67	3	Vertical	81	1.50	-
Mode 3	Pass	PK	2.18459G	48.41	88.20	-39.79	3	Vertical	330	1.76	-
Mode 3	Pass	PK	3.26952G	42.09	88.20	-46.11	3	Vertical	258	1.50	-
Mode 3	Pass	PK	5.03707G	45.77	74.00	-28.23	3	Vertical	81	1.50	-
Mode 3	Pass	AV	2.18378G	25.94	68.20	-42.26	3	Horizontal	163	1.74	-
Mode 3	Pass	AV	3.79813G	30.56	54.00	-23.44	3	Horizontal	320	1.50	-
Mode 3	Pass	AV	5.08993G	33.05	54.00	-20.95	3	Horizontal	4	1.96	-
Mode 3	Pass	PK	2.18378G	47.77	88.20	-40.43	3	Horizontal	163	1.74	-
Mode 3	Pass	PK	3.79813G	42.73	74.00	-31.27	3	Horizontal	320	1.50	-
Mode 3	Pass	PK	5.08993G	52.95	74.00	-21.05	3	Horizontal	4	1.96	-
Mode 4	Pass	AV	2.18749G	26.42	68.20	-41.78	3	Vertical	213	2.00	-
Mode 4	Pass	AV	3.81104G	30.45	54.00	-23.55	3	Vertical	346	1.98	-
Mode 4	Pass	AV	4.9957G	34.01	54.00	-19.99	3	Vertical	332	1.50	-
Mode 4	Pass	PK	2.18749G	50.87	88.20	-37.33	3	Vertical	213	2.00	-
Mode 4	Pass	PK	3.81104G	42.93	74.00	-31.07	3	Vertical	346	1.98	-
Mode 4	Pass	PK	4.9957G	46.56	74.00	-27.44	3	Vertical	332	1.50	-
Mode 4	Pass	AV	2.18559G	26.38	68.20	-41.82	3	Horizontal	191	1.50	-
Mode 4	Pass	AV	3.64999G	30.01	54.00	-23.99	3	Horizontal	102	1.50	-
Mode 4	Pass	AV	5.09649G	35.14	54.00	-18.86	3	Horizontal	2	1.92	-
Mode 4	Pass	PK	2.18559G	46.84	88.20	-41.36	3	Horizontal	191	1.50	-
Mode 4	Pass	PK	3.64999G	42.61	74.00	-31.39	3	Horizontal	102	1.50	-
Mode 4	Pass	PK	5.09649G	52.78	74.00	-21.22	3	Horizontal	2	1.92	-
Mode 5	Pass	AV	1.19715G	26.63	54.00	-27.37	3	Vertical	212	1.97	-
Mode 5	Pass	AV	2.41862G	30.55	68.20	-37.65	3	Vertical	0	1.58	-


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 5	Pass	AV	4.1165G	32.90	54.00	-21.10	3	Vertical	67	1.44	-
Mode 5	Pass	PK	1.19813G	38.92	74.00	-35.08	3	Vertical	212	1.97	-
Mode 5	Pass	PK	2.41875G	54.51	88.20	-33.69	3	Vertical	0	1.58	-
Mode 5	Pass	PK	4.1175G	45.64	74.00	-28.36	3	Vertical	67	1.44	-
Mode 5	Pass	AV	1.5873G	25.63	54.00	-28.37	3	Horizontal	79	1.43	-
Mode 5	Pass	AV	1.59713G	30.36	54.00	-23.64	3	Horizontal	251	1.53	-
Mode 5	Pass	AV	2.4124G	35.57	68.20	-32.63	3	Horizontal	32	1.36	-
Mode 5	Pass	PK	1.59625G	38.31	74.00	-35.69	3	Horizontal	79	1.43	-
Mode 5	Pass	PK	2.41G	51.24	88.20	-36.96	3	Horizontal	251	1.52	-
Mode 5	Pass	PK	5.0975G	48.45	74.00	-25.55	3	Horizontal	32	1.36	-
Mode 6	Pass	AV	1.48341G	25.59	54.00	-28.41	3	Vertical	213	1.00	-
Mode 6	Pass	AV	2.417G	40.22	68.20	-27.98	3	Vertical	25	2.13	-
Mode 6	Pass	AV	5.1732G	35.69	68.20	-32.51	3	Vertical	22	2.54	-
Mode 6	Pass	PK	1.48375G	37.44	74.00	-36.56	3	Vertical	213	1.00	-
Mode 6	Pass	PK	2.415G	63.83	88.20	-24.37	3	Vertical	25	2.13	-
Mode 6	Pass	PK	5.175G	48.90	88.20	-39.30	3	Vertical	22	2.54	-
Mode 6	Pass	AV	1.58931G	25.62	54.00	-28.38	3	Horizontal	55	1.50	-
Mode 6	Pass	AV	2.41134G	30.58	68.20	-37.62	3	Horizontal	82	1.50	-
Mode 6	Pass	AV	5.81434G	36.97	68.20	-31.23	3	Horizontal	64	1.56	-
Mode 6	Pass	PK	1.59625G	37.27	74.00	-36.73	3	Horizontal	55	1.50	-
Mode 6	Pass	PK	2.41125G	51.29	88.20	-36.91	3	Horizontal	82	1.50	-
Mode 6	Pass	PK	5.81875G	58.22	88.20	-29.98	3	Horizontal	64	1.56	-

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.17764G	26.97	68.20	-41.23	-3.42	3	Vertical	215	1.91	-	30.39	27.30	4.31	35.03
AV	3.76018G	30.00	54.00	-24.00	0.85	3	Vertical	8	1.50	-	29.15	30.16	5.83	35.14
AV	4.9995G	34.03	54.00	-19.97	4.85	3	Vertical	126	1.59	-	29.18	33.20	6.72	35.07
PK	2.17764G	47.68	88.20	-40.52	-3.42	3	Vertical	215	1.91	-	51.10	27.30	4.31	35.03
PK	3.76018G	42.04	74.00	-31.96	0.85	3	Vertical	8	1.50	-	41.19	30.16	5.83	35.14
PK	4.9995G	46.95	74.00	-27.05	4.85	3	Vertical	126	1.59	-	42.10	33.20	6.72	35.07

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.27815G	26.64	54.00	-27.36	-3.53	3	Horizontal	110	1.50	-	30.17	27.12	4.41	35.06
AV	3.12545G	29.74	68.20	-38.46	-0.31	3	Horizontal	206	1.00	-	30.05	29.65	5.27	35.23
AV	5.06971G	33.16	54.00	-20.84	4.59	3	Horizontal	3	1.99	-	28.57	32.92	6.74	35.07
PK	2.27815G	39.42	74.00	-34.58	-3.53	3	Horizontal	110	1.50	-	42.95	27.12	4.41	35.06
PK	3.12545G	42.45	88.20	-45.75	-0.31	3	Horizontal	206	1.00	-	42.76	29.65	5.27	35.23
PK	5.06971G	51.08	74.00	-22.92	4.59	3	Horizontal	3	1.99	-	46.49	32.92	6.74	35.07

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.17636G	26.57	68.20	-41.63	-3.42	3	Vertical	212	2.00	-	29.99	27.30	4.31	35.03
AV	3.17583G	30.06	68.20	-38.14	-0.22	3	Vertical	10	1.07	-	30.28	29.70	5.31	35.23
AV	4.95532G	33.75	54.00	-20.25	4.62	3	Vertical	15	1.51	-	29.13	33.02	6.67	35.07
PK	2.17636G	49.67	88.20	-38.53	-3.42	3	Vertical	212	2.00	-	53.09	27.30	4.31	35.03
PK	3.17583G	41.90	88.20	-46.30	-0.22	3	Vertical	10	1.07	-	42.12	29.70	5.31	35.23
PK	4.95532G	46.00	74.00	-28.00	4.62	3	Vertical	15	1.51	-	41.38	33.02	6.67	35.07

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.24248G	26.84	54.00	-27.16	-3.48	3	Horizontal	27	1.50	-	30.32	27.20	4.37	35.05
AV	3.78961G	30.30	54.00	-23.70	1.06	3	Horizontal	0	1.50	-	29.24	30.34	5.85	35.13
AV	5.10762G	33.38	54.00	-20.62	4.54	3	Horizontal	0	1.95	-	28.84	32.85	6.76	35.07
PK	2.24248G	39.25	74.00	-34.75	-3.48	3	Horizontal	27	1.50	-	42.73	27.20	4.37	35.05
PK	3.78961G	42.57	74.00	-31.43	1.06	3	Horizontal	0	1.50	-	41.51	30.34	5.85	35.13
PK	5.10762G	53.72	74.00	-20.28	4.54	3	Horizontal	0	1.95	-	49.18	32.85	6.76	35.07

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.18459G	26.06	68.20	-42.14	-3.48	3	Vertical	330	1.76	-	29.54	27.25	4.31	35.04
AV	3.26952G	29.89	68.20	-38.31	-0.23	3	Vertical	258	1.50	-	30.12	29.60	5.41	35.24
AV	5.03707G	33.33	54.00	-20.67	4.71	3	Vertical	81	1.50	-	28.62	33.05	6.73	35.07
PK	2.18459G	48.41	88.20	-39.79	-3.48	3	Vertical	330	1.76	-	51.89	27.25	4.31	35.04
PK	3.26952G	42.09	88.20	-46.11	-0.23	3	Vertical	258	1.50	-	42.32	29.60	5.41	35.24
PK	5.03707G	45.77	74.00	-28.23	4.71	3	Vertical	81	1.50	-	41.06	33.05	6.73	35.07

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.18378G	25.94	68.20	-42.26	-3.47	3	Horizontal	163	1.74	-	29.41	27.26	4.31	35.04
AV	3.79813G	30.56	54.00	-23.44	1.13	3	Horizontal	320	1.50	-	29.43	30.39	5.86	35.12
AV	5.08993G	33.05	54.00	-20.95	4.52	3	Horizontal	4	1.96	-	28.53	32.84	6.75	35.07
PK	2.18378G	47.77	88.20	-40.43	-3.47	3	Horizontal	163	1.74	-	51.24	27.26	4.31	35.04
PK	3.79813G	42.73	74.00	-31.27	1.13	3	Horizontal	320	1.50	-	41.60	30.39	5.86	35.12
PK	5.08993G	52.95	74.00	-21.05	4.52	3	Horizontal	4	1.96	-	48.43	32.84	6.75	35.07


Radiated Emissions above 1GHz_Mode 4



Radiated Emissions above 1GHz_Mode 4




Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.19715G	26.63	54.00	-27.37	-6.31	3	Vertical	212	1.97	-	32.94	26.10	3.15	35.56
AV	2.41862G	30.55	68.20	-37.65	-2.96	3	Vertical	0	1.58	-	33.51	27.59	4.56	35.11
AV	4.1165G	32.90	54.00	-21.10	1.97	3	Vertical	67	1.44	-	30.93	30.90	6.11	35.04
PK	1.19813G	38.92	74.00	-35.08	-6.31	3	Vertical	212	1.97	-	45.23	26.10	3.15	35.56
PK	2.41875G	54.51	88.20	-33.69	-2.96	3	Vertical	0	1.58	-	57.47	27.59	4.56	35.11
PK	4.1175G	45.64	74.00	-28.36	1.97	3	Vertical	67	1.44	-	43.67	30.90	6.11	35.04

Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.5873G	25.63	54.00	-28.37	-5.84	3	Horizontal	79	1.43	-	31.47	25.60	3.65	35.09
AV	1.59713G	30.36	54.00	-23.64	-5.88	3	Horizontal	251	1.53	-	36.24	25.53	3.67	35.08
AV	2.4124G	35.57	68.20	-32.63	-3.03	3	Horizontal	32	1.36	-	38.60	27.52	4.55	35.10
PK	1.59625G	38.31	74.00	-35.69	-5.87	3	Horizontal	79	1.43	-	44.18	25.54	3.67	35.08
PK	2.41G	51.24	88.20	-36.96	-3.05	3	Horizontal	251	1.52	-	54.29	27.50	4.55	35.10
PK	5.0975G	48.45	74.00	-25.55	4.49	3	Horizontal	32	1.36	-	43.96	32.81	6.75	35.07

Radiated Emissions above 1GHz_Mode 6



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.48341G	25.59	54.00	-28.41	-6.18	3	Vertical	213	1.00	-	31.77	25.43	3.52	35.13
AV	2.417G	40.22	68.20	-27.98	-2.98	3	Vertical	25	2.13	-	43.20	27.57	4.56	35.11
AV	5.1732G	35.69	68.20	-32.51	4.76	3	Vertical	22	2.54	-	30.93	33.05	6.78	35.07
PK	1.48375G	37.44	74.00	-36.56	-6.18	3	Vertical	213	1.00	-	43.62	25.43	3.52	35.13
PK	2.415G	63.83	88.20	-24.37	-2.99	3	Vertical	25	2.13	-	66.82	27.55	4.56	35.10
PK	5.175G	48.90	88.20	-39.30	4.76	3	Vertical	22	2.54	-	44.14	33.05	6.78	35.07

Radiated Emissions above 1GHz_Mode 6



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.58931G	25.62	54.00	-28.38	-5.83	3	Horizontal	55	1.50	-	31.45	25.60	3.66	35.09
AV	2.41134G	30.58	68.20	-37.62	-3.04	3	Horizontal	82	1.50	-	33.62	27.51	4.55	35.10
AV	5.81434G	36.97	68.20	-31.23	5.97	3	Horizontal	64	1.56	-	31.00	33.93	7.24	35.20
PK	1.59625G	37.27	74.00	-36.73	-5.87	3	Horizontal	55	1.50	-	43.14	25.54	3.67	35.08
PK	2.41125G	51.29	88.20	-36.91	-3.04	3	Horizontal	82	1.50	-	54.33	27.51	4.55	35.10
PK	5.81875G	58.22	88.20	-29.98	5.98	3	Horizontal	64	1.56	-	52.24	33.94	7.24	35.20