



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX





**RSE TX below 1GHz_Non-Beamforming_Radio 3_
Dual-Polarized MIMO Panel Antenna_2T1S**

Appendix E.27

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	38.73M	35.53	40.00	-4.47	3	Vertical	360	1.00



**RSE TX below 1GHz_Non-Beamforming_Radio 3_
Dual-Polarized MIMO Panel Antenna_2T1S**


Appendix E.27

Resul

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5290MHz_Adapter	Pass	PK	38.73M	35.53	40.00	-4.47	3	Vertical	360	1.00
5290MHz_Adapter	Pass	PK	44.55M	35.38	40.00	-4.62	3	Vertical	360	1.00
5290MHz_Adapter	Pass	PK	54.25M	32.57	40.00	-7.43	3	Vertical	360	1.00
5290MHz_Adapter	Pass	PK	72.68M	26.39	40.00	-13.61	3	Vertical	360	1.00
5290MHz_Adapter	Pass	PK	97.9M	27.22	43.50	-16.28	3	Vertical	360	1.00
5290MHz_Adapter	Pass	PK	150.28M	24.01	43.50	-19.49	3	Vertical	360	1.00
5290MHz_Adapter	Pass	PK	44.55M	25.08	40.00	-14.92	3	Horizontal	0	1.00
5290MHz_Adapter	Pass	PK	71.71M	21.66	40.00	-18.34	3	Horizontal	0	1.00
5290MHz_Adapter	Pass	PK	78.5M	29.85	40.00	-10.15	3	Horizontal	0	1.00
5290MHz_Adapter	Pass	PK	99.84M	33.63	43.50	-9.87	3	Horizontal	0	1.00
5290MHz_Adapter	Pass	PK	149.31M	27.03	43.50	-16.47	3	Horizontal	0	1.00
5290MHz_Adapter	Pass	PK	208.48M	23.47	43.50	-20.03	3	Horizontal	0	1.00


5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_Adapter



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_Adapter





**RSE TX above 1GHz_Non-Beamforming_Radio 3_
Dual-Polarized MIMO Panel Antenna_2T1S**

Appendix E.28

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.15G	48.42	54.00	-5.58	3	Vertical	353	1.46
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.15G	50.02	54.00	-3.98	3	Vertical	4	2.28
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.1496G	53.67	54.00	-0.33	3	Vertical	4	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.80	54.00	-0.20	3	Vertical	357	1.00
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.36G	44.11	54.00	-9.89	3	Vertical	9	2.62
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.3602G	44.68	54.00	-9.32	3	Horizontal	360	2.35
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.3512G	51.32	54.00	-2.68	3	Vertical	10	2.47
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.35G	48.56	54.00	-5.44	3	Horizontal	360	1.50



RSE TX above 1GHz_Non-Beamforming_Radio 3_ Dual-Polarized MIMO Panel Antenna_2T1S

Appendix E.28

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1_(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	48.42	54.00	-5.58	3	Vertical	353	1.46
5180MHz	Pass	AV	5.174G	99.75	Inf	-Inf	3	Vertical	353	1.46
5180MHz	Pass	PK	5.15G	64.92	74.00	-9.08	3	Vertical	353	1.46
5180MHz	Pass	PK	5.1758G	111.63	Inf	-Inf	3	Vertical	353	1.46
5180MHz	Pass	AV	5.1484G	45.23	54.00	-8.77	3	Horizontal	0	2.07
5180MHz	Pass	AV	5.1826G	101.59	Inf	-Inf	3	Horizontal	0	2.07
5180MHz	Pass	PK	5.1402G	59.40	74.00	-14.60	3	Horizontal	0	2.07
5180MHz	Pass	PK	5.1802G	112.44	Inf	-Inf	3	Horizontal	0	2.07
5180MHz	Pass	PK	10.35224G	49.21	68.20	-18.99	3	Vertical	116	1.50
5180MHz	Pass	PK	10.36724G	50.61	68.20	-17.59	3	Horizontal	256	1.50
5200MHz	Pass	AV	5.1496G	43.75	54.00	-10.25	3	Vertical	4	1.50
5200MHz	Pass	AV	5.2044G	98.40	Inf	-Inf	3	Vertical	4	1.50
5200MHz	Pass	PK	5.1476G	57.43	74.00	-16.57	3	Vertical	4	1.50
5200MHz	Pass	PK	5.1956G	110.12	Inf	-Inf	3	Vertical	4	1.50
5200MHz	Pass	AV	5.1496G	43.70	54.00	-10.30	3	Horizontal	7	2.19
5200MHz	Pass	AV	5.1956G	100.66	Inf	-Inf	3	Horizontal	7	2.19
5200MHz	Pass	PK	5.15G	57.20	74.00	-16.80	3	Horizontal	7	2.19
5200MHz	Pass	PK	5.198G	111.47	Inf	-Inf	3	Horizontal	7	2.19
5200MHz	Pass	PK	10.403G	49.26	68.20	-18.94	3	Vertical	280	1.50
5200MHz	Pass	PK	10.40344G	49.12	68.20	-19.08	3	Horizontal	197	1.50
5240MHz	Pass	AV	5.15G	43.20	54.00	-10.80	3	Vertical	5	2.81
5240MHz	Pass	AV	5.2352G	100.12	Inf	-Inf	3	Vertical	5	2.81
5240MHz	Pass	AV	5.3624G	43.03	54.00	-10.97	3	Vertical	5	2.81
5240MHz	Pass	PK	5.1476G	56.88	74.00	-17.12	3	Vertical	5	2.81
5240MHz	Pass	PK	5.2364G	111.60	Inf	-Inf	3	Vertical	5	2.81
5240MHz	Pass	PK	5.3852G	56.98	74.00	-17.02	3	Vertical	5	2.81
5240MHz	Pass	AV	5.15G	43.22	54.00	-10.78	3	Horizontal	360	2.17
5240MHz	Pass	AV	5.2334G	99.67	Inf	-Inf	3	Horizontal	360	2.17
5240MHz	Pass	AV	5.3666G	42.92	54.00	-11.08	3	Horizontal	360	2.17
5240MHz	Pass	PK	5.1248G	56.22	74.00	-17.78	3	Horizontal	360	2.17
5240MHz	Pass	PK	5.2382G	110.74	Inf	-Inf	3	Horizontal	360	2.17
5240MHz	Pass	PK	5.3666G	56.80	74.00	-17.20	3	Horizontal	360	2.17
5240MHz	Pass	PK	10.47096G	49.26	68.20	-18.94	3	Vertical	325	1.51
5240MHz	Pass	PK	10.48044G	49.11	68.20	-19.09	3	Horizontal	287	2.69
5260MHz	Pass	AV	5.15G	42.47	54.00	-11.53	3	Vertical	12	1.50
5260MHz	Pass	AV	5.2672G	98.40	Inf	-Inf	3	Vertical	12	1.50
5260MHz	Pass	AV	5.365G	42.49	54.00	-11.51	3	Vertical	12	1.50
5260MHz	Pass	PK	5.1364G	55.85	74.00	-18.15	3	Vertical	12	1.50
5260MHz	Pass	PK	5.2678G	109.72	Inf	-Inf	3	Vertical	12	1.50
5260MHz	Pass	PK	5.3566G	55.87	74.00	-18.13	3	Vertical	12	1.50
5260MHz	Pass	AV	5.149G	43.10	54.00	-10.90	3	Horizontal	357	1.01
5260MHz	Pass	AV	5.2552G	100.26	Inf	-Inf	3	Horizontal	357	1.01
5260MHz	Pass	AV	5.362G	42.85	54.00	-11.15	3	Horizontal	357	1.01
5260MHz	Pass	PK	5.1406G	56.54	74.00	-17.46	3	Horizontal	357	1.01
5260MHz	Pass	PK	5.26G	111.70	Inf	-Inf	3	Horizontal	357	1.01
5260MHz	Pass	PK	5.389G	56.41	74.00	-17.59	3	Horizontal	357	1.01
5260MHz	Pass	PK	10.51304G	48.46	68.20	-19.74	3	Vertical	295	1.50
5260MHz	Pass	PK	10.51752G	49.19	68.20	-19.01	3	Horizontal	99	1.40
5300MHz	Pass	AV	5.296G	98.66	Inf	-Inf	3	Vertical	360	1.50
5300MHz	Pass	AV	5.3516G	42.45	54.00	-11.55	3	Vertical	360	1.50
5300MHz	Pass	PK	5.2972G	110.47	Inf	-Inf	3	Vertical	360	1.50
5300MHz	Pass	PK	5.3836G	56.37	74.00	-17.63	3	Vertical	360	1.50
5300MHz	Pass	AV	5.2952G	101.75	Inf	-Inf	3	Horizontal	0	1.01
5300MHz	Pass	AV	5.3504G	42.91	54.00	-11.09	3	Horizontal	0	1.01
5300MHz	Pass	PK	5.3056G	112.48	Inf	-Inf	3	Horizontal	0	1.01
5300MHz	Pass	PK	5.3792G	56.21	74.00	-17.79	3	Horizontal	0	1.01
5300MHz	Pass	AV	10.6098G	35.86	54.00	-18.14	3	Vertical	147	1.15
5300MHz	Pass	PK	10.605G	49.24	74.00	-24.76	3	Vertical	147	1.15
5300MHz	Pass	AV	10.6098G	35.88	54.00	-18.12	3	Horizontal	131	1.42
5300MHz	Pass	PK	10.60388G	50.13	74.00	-23.87	3	Horizontal	131	1.42



**RSE TX above 1GHz_Non-Beamforming_Radio 3_
Dual-Polarized MIMO Panel Antenna_2T1S**

Appendix E.28

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	AV	5.3164G	101.38	Inf	-Inf	3	Vertical	9	2.62
5320MHz	Pass	AV	5.36G	44.11	54.00	-9.89	3	Vertical	9	2.62
5320MHz	Pass	PK	5.3158G	112.85	Inf	-Inf	3	Vertical	9	2.62
5320MHz	Pass	PK	5.3604G	58.19	74.00	-15.81	3	Vertical	9	2.62
5320MHz	Pass	AV	5.3162G	101.54	Inf	-Inf	3	Horizontal	357	1.06
5320MHz	Pass	AV	5.361G	43.70	54.00	-10.30	3	Horizontal	357	1.06
5320MHz	Pass	PK	5.3246G	112.58	Inf	-Inf	3	Horizontal	357	1.06
5320MHz	Pass	PK	5.3518G	57.37	74.00	-16.63	3	Horizontal	357	1.06
5320MHz	Pass	AV	10.64732G	36.08	54.00	-17.92	3	Vertical	357	1.98
5320MHz	Pass	PK	10.63652G	50.52	74.00	-23.48	3	Vertical	357	1.98
5320MHz	Pass	AV	10.64992G	36.10	54.00	-17.90	3	Horizontal	241	2.31
5320MHz	Pass	PK	10.6456G	49.13	74.00	-24.87	3	Horizontal	241	2.31
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	50.02	54.00	-3.98	3	Vertical	4	2.28
5180MHz	Pass	AV	5.1752G	99.68	Inf	-Inf	3	Vertical	4	2.28
5180MHz	Pass	PK	5.148G	66.11	74.00	-7.89	3	Vertical	4	2.28
5180MHz	Pass	PK	5.1756G	114.13	Inf	-Inf	3	Vertical	4	2.28
5180MHz	Pass	AV	5.1498G	45.32	54.00	-8.68	3	Horizontal	358	1.00
5180MHz	Pass	AV	5.173G	100.46	Inf	-Inf	3	Horizontal	358	1.00
5180MHz	Pass	PK	5.1402G	61.02	74.00	-12.98	3	Horizontal	358	1.00
5180MHz	Pass	PK	5.173G	114.38	Inf	-Inf	3	Horizontal	358	1.00
5180MHz	Pass	PK	10.3608G	50.20	68.20	-18.00	3	Vertical	50	2.74
5180MHz	Pass	PK	10.36856G	48.65	68.20	-19.55	3	Horizontal	62	1.50
5200MHz	Pass	AV	5.15G	44.00	54.00	-10.00	3	Vertical	4	1.50
5200MHz	Pass	AV	5.2024G	98.45	Inf	-Inf	3	Vertical	4	1.50
5200MHz	Pass	PK	5.1476G	57.37	74.00	-16.63	3	Vertical	4	1.50
5200MHz	Pass	PK	5.2072G	111.36	Inf	-Inf	3	Vertical	4	1.50
5200MHz	Pass	AV	5.15G	43.70	54.00	-10.30	3	Horizontal	345	1.02
5200MHz	Pass	AV	5.1936G	100.07	Inf	-Inf	3	Horizontal	345	1.02
5200MHz	Pass	PK	5.1444G	57.32	74.00	-16.68	3	Horizontal	345	1.02
5200MHz	Pass	PK	5.2012G	113.81	Inf	-Inf	3	Horizontal	345	1.02
5200MHz	Pass	PK	10.405G	49.09	68.20	-19.11	3	Vertical	357	1.50
5200MHz	Pass	PK	10.4018G	49.08	68.20	-19.12	3	Horizontal	321	2.44
5240MHz	Pass	AV	5.15G	43.15	54.00	-10.85	3	Vertical	16	1.23
5240MHz	Pass	AV	5.2316G	99.77	Inf	-Inf	3	Vertical	16	1.23
5240MHz	Pass	AV	5.3576G	43.02	54.00	-10.98	3	Vertical	16	1.23
5240MHz	Pass	PK	5.144G	55.94	74.00	-18.06	3	Vertical	16	1.23
5240MHz	Pass	PK	5.2316G	112.48	Inf	-Inf	3	Vertical	16	1.23
5240MHz	Pass	PK	5.3552G	56.39	74.00	-17.61	3	Vertical	16	1.23
5240MHz	Pass	AV	5.1476G	43.25	54.00	-10.75	3	Horizontal	359	2.34
5240MHz	Pass	AV	5.2322G	99.99	Inf	-Inf	3	Horizontal	359	2.34
5240MHz	Pass	AV	5.3648G	42.98	54.00	-11.02	3	Horizontal	359	2.34
5240MHz	Pass	PK	5.1374G	57.15	74.00	-16.85	3	Horizontal	359	2.34
5240MHz	Pass	PK	5.2472G	113.61	Inf	-Inf	3	Horizontal	359	2.34
5240MHz	Pass	PK	5.3654G	56.73	74.00	-17.27	3	Horizontal	359	2.34
5240MHz	Pass	PK	10.48956G	48.47	68.20	-19.73	3	Vertical	46	1.50
5240MHz	Pass	PK	10.4778G	48.52	68.20	-19.68	3	Horizontal	15	1.50
5260MHz	Pass	AV	5.1442G	42.42	54.00	-11.58	3	Vertical	13	1.50
5260MHz	Pass	AV	5.269G	98.15	Inf	-Inf	3	Vertical	13	1.50
5260MHz	Pass	AV	5.3596G	42.43	54.00	-11.57	3	Vertical	13	1.50
5260MHz	Pass	PK	5.1406G	56.46	74.00	-17.54	3	Vertical	13	1.50
5260MHz	Pass	PK	5.2684G	110.56	Inf	-Inf	3	Vertical	13	1.50
5260MHz	Pass	PK	5.3512G	56.26	74.00	-17.74	3	Vertical	13	1.50
5260MHz	Pass	AV	5.1496G	42.96	54.00	-11.04	3	Horizontal	358	2.35
5260MHz	Pass	AV	5.2672G	100.04	Inf	-Inf	3	Horizontal	358	2.35
5260MHz	Pass	AV	5.35G	42.82	54.00	-11.18	3	Horizontal	358	2.35
5260MHz	Pass	PK	5.1394G	56.02	74.00	-17.98	3	Horizontal	358	2.35
5260MHz	Pass	PK	5.2666G	113.37	Inf	-Inf	3	Horizontal	358	2.35
5260MHz	Pass	PK	5.389G	56.24	74.00	-17.76	3	Horizontal	358	2.35
5260MHz	Pass	PK	10.51412G	48.53	68.20	-19.67	3	Vertical	227	1.50
5260MHz	Pass	PK	10.51652G	48.82	68.20	-19.38	3	Horizontal	110	1.23
5300MHz	Pass	AV	5.298G	98.72	Inf	-Inf	3	Vertical	360	1.50



**RSE TX above 1GHz_Non-Beamforming_Radio 3_
Dual-Polarized MIMO Panel Antenna_2T1S**

Appendix E.28

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5300MHz	Pass	AV	5.3512G	42.62	54.00	-11.38	3	Vertical	360	1.50
5300MHz	Pass	PK	5.3052G	111.35	Inf	-Inf	3	Vertical	360	1.50
5300MHz	Pass	PK	5.362G	56.36	74.00	-17.64	3	Vertical	360	1.50
5300MHz	Pass	AV	5.3032G	102.47	Inf	-Inf	3	Horizontal	1	2.36
5300MHz	Pass	AV	5.35G	43.39	54.00	-10.61	3	Horizontal	1	2.36
5300MHz	Pass	PK	5.3008G	115.75	Inf	-Inf	3	Horizontal	1	2.36
5300MHz	Pass	PK	5.3668G	56.77	74.00	-17.23	3	Horizontal	1	2.36
5300MHz	Pass	AV	10.60848G	35.87	54.00	-18.13	3	Vertical	333	1.50
5300MHz	Pass	PK	10.60296G	48.94	74.00	-25.06	3	Vertical	333	1.50
5300MHz	Pass	AV	10.60952G	35.87	54.00	-18.13	3	Horizontal	150	1.50
5300MHz	Pass	PK	10.60644G	49.65	74.00	-24.35	3	Horizontal	150	1.50
5320MHz	Pass	AV	5.3112G	99.20	Inf	-Inf	3	Vertical	11	1.50
5320MHz	Pass	AV	5.3602G	43.54	54.00	-10.46	3	Vertical	11	1.50
5320MHz	Pass	PK	5.3158G	111.79	Inf	-Inf	3	Vertical	11	1.50
5320MHz	Pass	PK	5.3602G	59.42	74.00	-14.58	3	Vertical	11	1.50
5320MHz	Pass	AV	5.3134G	101.57	Inf	-Inf	3	Horizontal	360	2.35
5320MHz	Pass	AV	5.3602G	44.68	54.00	-9.32	3	Horizontal	360	2.35
5320MHz	Pass	PK	5.3134G	115.52	Inf	-Inf	3	Horizontal	360	2.35
5320MHz	Pass	PK	5.3612G	61.06	74.00	-12.94	3	Horizontal	360	2.35
5320MHz	Pass	AV	10.64848G	36.08	54.00	-17.92	3	Vertical	346	1.64
5320MHz	Pass	PK	10.64708G	49.41	74.00	-24.59	3	Vertical	346	1.64
5320MHz	Pass	AV	10.64788G	36.02	54.00	-17.98	3	Horizontal	245	1.50
5320MHz	Pass	PK	10.64792G	49.69	74.00	-24.31	3	Horizontal	245	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1496G	53.67	54.00	-0.33	3	Vertical	4	1.50
5190MHz	Pass	AV	5.1724G	95.29	Inf	-Inf	3	Vertical	4	1.50
5190MHz	Pass	PK	5.1488G	71.21	74.00	-2.79	3	Vertical	4	1.50
5190MHz	Pass	PK	5.174G	108.92	Inf	-Inf	3	Vertical	4	1.50
5190MHz	Pass	AV	5.148G	49.75	54.00	-4.25	3	Horizontal	360	2.36
5190MHz	Pass	AV	5.176G	97.62	Inf	-Inf	3	Horizontal	360	2.36
5190MHz	Pass	PK	5.1452G	63.81	74.00	-10.19	3	Horizontal	360	2.36
5190MHz	Pass	PK	5.1756G	111.43	Inf	-Inf	3	Horizontal	360	2.36
5190MHz	Pass	PK	10.37512G	49.07	68.20	-19.13	3	Vertical	101	1.50
5190MHz	Pass	PK	10.38416G	49.25	68.20	-18.95	3	Horizontal	45	1.50
5230MHz	Pass	AV	5.1492G	43.71	54.00	-10.29	3	Vertical	351	1.50
5230MHz	Pass	AV	5.2272G	95.06	Inf	-Inf	3	Vertical	351	1.50
5230MHz	Pass	PK	5.15G	57.53	74.00	-16.47	3	Vertical	351	1.50
5230MHz	Pass	PK	5.2168G	109.04	Inf	-Inf	3	Vertical	351	1.50
5230MHz	Pass	AV	5.15G	44.42	54.00	-9.58	3	Horizontal	0	1.00
5230MHz	Pass	AV	5.2268G	96.45	Inf	-Inf	3	Horizontal	0	1.00
5230MHz	Pass	PK	5.1488G	57.70	74.00	-16.30	3	Horizontal	0	1.00
5230MHz	Pass	PK	5.2268G	110.18	Inf	-Inf	3	Horizontal	0	1.00
5230MHz	Pass	PK	10.45064G	48.83	68.20	-19.37	3	Vertical	4	2.35
5230MHz	Pass	PK	10.45008G	48.49	68.20	-19.71	3	Horizontal	102	1.50
5270MHz	Pass	AV	5.2856G	95.43	Inf	-Inf	3	Vertical	360	1.50
5270MHz	Pass	AV	5.352G	43.14	54.00	-10.86	3	Vertical	360	1.50
5270MHz	Pass	PK	5.2836G	108.46	Inf	-Inf	3	Vertical	360	1.50
5270MHz	Pass	PK	5.3524G	56.54	74.00	-17.46	3	Vertical	360	1.50
5270MHz	Pass	AV	5.2876G	98.73	Inf	-Inf	3	Horizontal	0	1.00
5270MHz	Pass	AV	5.35G	43.74	54.00	-10.26	3	Horizontal	0	1.00
5270MHz	Pass	PK	5.2852G	111.70	Inf	-Inf	3	Horizontal	0	1.00
5270MHz	Pass	PK	5.3512G	57.55	74.00	-16.45	3	Horizontal	0	1.00
5270MHz	Pass	PK	10.54504G	48.18	68.20	-20.02	3	Vertical	18	1.50
5270MHz	Pass	PK	10.54764G	49.36	68.20	-18.84	3	Horizontal	19	3.00
5310MHz	Pass	AV	5.2936G	97.82	Inf	-Inf	3	Vertical	10	2.47
5310MHz	Pass	AV	5.3512G	51.32	54.00	-2.68	3	Vertical	10	2.47
5310MHz	Pass	PK	5.2956G	111.19	Inf	-Inf	3	Vertical	10	2.47
5310MHz	Pass	PK	5.3588G	66.67	74.00	-7.33	3	Vertical	10	2.47
5310MHz	Pass	AV	5.3036G	98.77	Inf	-Inf	3	Horizontal	360	2.36
5310MHz	Pass	AV	5.3504G	49.45	54.00	-4.55	3	Horizontal	360	2.36
5310MHz	Pass	PK	5.3084G	112.22	Inf	-Inf	3	Horizontal	360	2.36
5310MHz	Pass	PK	5.354G	65.61	74.00	-8.39	3	Horizontal	360	2.36




**RSE TX above 1GHz_Non-Beamforming_Radio 3_
Dual-Polarized MIMO Panel Antenna_2T1S**

Appendix E.28

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5310MHz	Pass	AV	10.6152G	35.88	54.00	-18.12	3	Vertical	191	2.24
5310MHz	Pass	PK	10.6124G	49.54	74.00	-24.46	3	Vertical	191	2.24
5310MHz	Pass	AV	10.614G	35.85	54.00	-18.15	3	Horizontal	27	1.50
5310MHz	Pass	PK	10.62668G	49.83	74.00	-24.17	3	Horizontal	27	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	53.80	54.00	-0.20	3	Vertical	357	1.00
5210MHz	Pass	AV	5.222G	93.15	Inf	-Inf	3	Vertical	357	1.00
5210MHz	Pass	AV	5.369G	43.55	54.00	-10.45	3	Vertical	357	1.00
5210MHz	Pass	PK	5.142G	66.62	74.00	-7.38	3	Vertical	357	1.00
5210MHz	Pass	PK	5.179G	107.33	Inf	-Inf	3	Vertical	357	1.00
5210MHz	Pass	PK	5.353G	57.23	74.00	-16.77	3	Vertical	357	1.00
5210MHz	Pass	AV	5.15G	51.62	54.00	-2.38	3	Horizontal	6	2.20
5210MHz	Pass	AV	5.181G	93.60	Inf	-Inf	3	Horizontal	6	2.20
5210MHz	Pass	AV	5.368G	49.49	54.00	-4.51	3	Horizontal	6	2.20
5210MHz	Pass	PK	5.15G	64.38	74.00	-9.62	3	Horizontal	6	2.20
5210MHz	Pass	PK	5.186G	107.05	Inf	-Inf	3	Horizontal	6	2.20
5210MHz	Pass	PK	5.361G	63.07	74.00	-10.93	3	Horizontal	6	2.20
5210MHz	Pass	PK	10.41788G	49.70	68.20	-18.50	3	Vertical	150	1.50
5210MHz	Pass	PK	10.42352G	48.94	68.20	-19.26	3	Horizontal	14	2.28
5290MHz	Pass	AV	5.149G	43.29	54.00	-10.71	3	Vertical	11	2.54
5290MHz	Pass	AV	5.298G	94.02	Inf	-Inf	3	Vertical	11	2.54
5290MHz	Pass	AV	5.356G	47.68	54.00	-6.32	3	Vertical	11	2.54
5290MHz	Pass	PK	5.069G	56.44	74.00	-17.56	3	Vertical	11	2.54
5290MHz	Pass	PK	5.293G	109.02	Inf	-Inf	3	Vertical	11	2.54
5290MHz	Pass	PK	5.354G	61.99	74.00	-12.01	3	Vertical	11	2.54
5290MHz	Pass	PK	5.478G	57.36	68.20	-10.84	3	Vertical	11	2.54
5290MHz	Pass	AV	5.15G	43.69	54.00	-10.31	3	Horizontal	360	1.50
5290MHz	Pass	AV	5.3G	93.22	Inf	-Inf	3	Horizontal	360	1.50
5290MHz	Pass	AV	5.35G	48.56	54.00	-5.44	3	Horizontal	360	1.50
5290MHz	Pass	PK	5.144G	56.71	74.00	-17.29	3	Horizontal	360	1.50
5290MHz	Pass	PK	5.304G	105.99	Inf	-Inf	3	Horizontal	360	1.50
5290MHz	Pass	PK	5.353G	61.27	74.00	-12.73	3	Horizontal	360	1.50
5290MHz	Pass	PK	5.495G	56.50	68.20	-11.70	3	Horizontal	360	1.50
5290MHz	Pass	PK	10.57308G	49.23	68.20	-18.97	3	Vertical	42	1.71
5290MHz	Pass	PK	10.57724G	48.83	68.20	-19.37	3	Horizontal	305	2.96


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX



5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	53.67	54.00	-0.33	1.02	3	Vertical	4	1.50	52.65	33.50	4.81	37.29
AV	5.1724G	95.29	Inf	-Inf	0.93	3	Vertical	4	1.50	94.36	33.41	4.82	37.30
PK	5.1488G	71.21	74.00	-2.79	1.01	3	Vertical	4	1.50	70.20	33.49	4.81	37.29
PK	5.174G	108.92	Inf	-Inf	0.93	3	Vertical	4	1.50	107.99	33.40	4.83	37.30

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	49.75	54.00	-4.25	1.01	3	Horizontal	360	2.36	48.74	33.49	4.81	37.29
AV	5.176G	97.62	Inf	-Inf	0.93	3	Horizontal	360	2.36	96.69	33.40	4.83	37.30
PK	5.1452G	63.81	74.00	-10.19	0.99	3	Horizontal	360	2.36	62.82	33.47	4.81	37.29
PK	5.1756G	111.43	Inf	-Inf	0.93	3	Horizontal	360	2.36	110.50	33.40	4.83	37.30


5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.80	54.00	-0.20	1.02	3	Vertical	357	1.00	52.78	33.50	4.81	37.29
AV	5.222G	93.15	Inf	-Inf	0.80	3	Vertical	357	1.00	92.35	33.26	4.85	37.31
AV	5.369G	43.55	54.00	-10.45	0.64	3	Vertical	357	1.00	42.91	33.06	4.92	37.34
PK	5.142G	66.62	74.00	-7.38	0.97	3	Vertical	357	1.00	65.65	33.45	4.81	37.29
PK	5.179G	107.33	Inf	-Inf	0.91	3	Vertical	357	1.00	106.42	33.38	4.83	37.30
PK	5.353G	57.23	74.00	-16.77	0.66	3	Vertical	357	1.00	56.57	33.09	4.91	37.34

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.62	54.00	-2.38	1.02	3	Horizontal	6	2.20	50.60	33.50	4.81	37.29
AV	5.181G	93.60	Inf	-Inf	0.91	3	Horizontal	6	2.20	92.69	33.38	4.83	37.30
AV	5.368G	49.49	54.00	-4.51	0.64	3	Horizontal	6	2.20	48.85	33.06	4.92	37.34
PK	5.15G	64.38	74.00	-9.62	1.02	3	Horizontal	6	2.20	63.36	33.50	4.81	37.29
PK	5.186G	107.05	Inf	-Inf	0.89	3	Horizontal	6	2.20	106.16	33.36	4.83	37.30
PK	5.361G	63.07	74.00	-10.93	0.65	3	Horizontal	6	2.20	62.42	33.08	4.91	37.34


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX



5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2936G	97.82	Inf	-Inf	0.67	3	Vertical	10	2.47	97.15	33.11	4.88	37.32
AV	5.3512G	51.32	54.00	-2.68	0.67	3	Vertical	10	2.47	50.65	33.10	4.91	37.34
PK	5.2956G	111.19	Inf	-Inf	0.66	3	Vertical	10	2.47	110.53	33.11	4.88	37.33
PK	5.3588G	66.67	74.00	-7.33	0.65	3	Vertical	10	2.47	66.02	33.08	4.91	37.34

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3036G	98.77	Inf	-Inf	0.66	3	Horizontal	360	2.36	98.11	33.10	4.89	37.33
AV	5.3504G	49.45	54.00	-4.55	0.67	3	Horizontal	360	2.36	48.78	33.10	4.91	37.34
PK	5.3084G	112.22	Inf	-Inf	0.66	3	Horizontal	360	2.36	111.56	33.10	4.89	37.33
PK	5.354G	65.61	74.00	-8.39	0.66	3	Horizontal	360	2.36	64.95	33.09	4.91	37.34


5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX





***RSE TX below 1GHz_Non-Beamforming_Radio 3_
Dual-Polarized MIMO Panel Antenna_2T2S***

Appendix E.29

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	PK	45.52M	36.93	40.00	-3.07	3	Vertical	360	1.00



**RSE TX below 1GHz_Non-Beamforming_Radio 3_
Dual-Polarized MIMO Panel Antenna_2T2S**


Appendix E.29

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5290MHz_Adapter	Pass	PK	45.52M	36.93	40.00	-3.07	3	Vertical	360	1.00
5290MHz_Adapter	Pass	PK	99.84M	29.34	43.50	-14.16	3	Vertical	360	1.00
5290MHz_Adapter	Pass	PK	148.34M	28.70	43.50	-14.80	3	Vertical	360	1.00
5290MHz_Adapter	Pass	PK	194.9M	22.87	43.50	-20.63	3	Vertical	360	1.00
5290MHz_Adapter	Pass	PK	449.04M	24.11	46.00	-21.89	3	Vertical	360	1.00
5290MHz_Adapter	Pass	PK	499.48M	25.77	46.00	-20.23	3	Vertical	360	1.00
5290MHz_Adapter	Pass	PK	99.84M	34.82	43.50	-8.68	3	Horizontal	0	1.00
5290MHz_Adapter	Pass	PK	148.34M	30.69	43.50	-12.81	3	Horizontal	0	1.00
5290MHz_Adapter	Pass	PK	200.72M	25.67	43.50	-17.83	3	Horizontal	0	1.00
5290MHz_Adapter	Pass	PK	307.42M	22.99	46.00	-23.01	3	Horizontal	0	1.00
5290MHz_Adapter	Pass	PK	408.3M	23.51	46.00	-22.49	3	Horizontal	0	1.00
5290MHz_Adapter	Pass	PK	549.92M	28.89	46.00	-17.11	3	Horizontal	0	1.00


5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_Adapter



5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_Adapter





**RSE TX above 1GHz_Non-Beamforming_Radio 3_
Dual-Polarized MIMO Panel Antenna_2T2S**

Appendix E.30

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	PK	5.1444G	73.89	74.00	-0.11	3	Horizontal	357	1.00
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.15G	53.28	54.00	-0.72	3	Horizontal	356	1.01
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.15G	53.28	54.00	-0.72	3	Horizontal	360	1.50
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.36G	44.59	54.00	-9.41	3	Vertical	4	2.07
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.356G	52.16	54.00	-1.84	3	Horizontal	360	1.50
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.35G	50.00	54.00	-4.00	3	Horizontal	346	1.30



RSE TX above 1GHz_Non-Beamforming_Radio 3
Dual-Polarized MIMO Panel Antenna_2T2S

Appendix E.30

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.14G	44.56	54.00	-9.44	3	Vertical	6	2.37
5180MHz	Pass	AV	5.1766G	100.42	Inf	-Inf	3	Vertical	6	2.37
5180MHz	Pass	PK	5.1404G	59.04	74.00	-14.96	3	Vertical	6	2.37
5180MHz	Pass	PK	5.1746G	113.72	Inf	-Inf	3	Vertical	6	2.37
5180MHz	Pass	AV	5.1498G	50.43	54.00	-3.57	3	Horizontal	360	1.50
5180MHz	Pass	AV	5.1722G	99.20	Inf	-Inf	3	Horizontal	360	1.50
5180MHz	Pass	PK	5.1386G	66.00	74.00	-8.00	3	Horizontal	360	1.50
5180MHz	Pass	PK	5.1768G	112.49	Inf	-Inf	3	Horizontal	360	1.50
5180MHz	Pass	PK	10.3471G	49.81	68.20	-18.39	3	Vertical	0	1.94
5180MHz	Pass	PK	10.3618G	49.87	68.20	-18.33	3	Horizontal	257	1.50
5200MHz	Pass	AV	5.1492G	43.90	54.00	-10.10	3	Vertical	6	1.96
5200MHz	Pass	AV	5.1956G	100.19	Inf	-Inf	3	Vertical	6	1.96
5200MHz	Pass	PK	5.1496G	58.19	74.00	-15.81	3	Vertical	6	1.96
5200MHz	Pass	PK	5.2044G	113.34	Inf	-Inf	3	Vertical	6	1.96
5200MHz	Pass	AV	5.15G	44.41	54.00	-9.59	3	Horizontal	357	1.00
5200MHz	Pass	AV	5.1932G	98.28	Inf	-Inf	3	Horizontal	357	1.00
5200MHz	Pass	PK	5.1444G	73.89	74.00	-0.11	3	Horizontal	357	1.00
5200MHz	Pass	PK	5.2088G	111.75	Inf	-Inf	3	Horizontal	357	1.00
5200MHz	Pass	PK	10.41002G	48.93	68.20	-19.27	3	Vertical	108	1.50
5200MHz	Pass	PK	10.3904G	49.11	68.20	-19.09	3	Horizontal	317	1.50
5240MHz	Pass	AV	5.1482G	42.90	54.00	-11.10	3	Vertical	1	2.05
5240MHz	Pass	AV	5.2322G	98.96	Inf	-Inf	3	Vertical	1	2.05
5240MHz	Pass	AV	5.3504G	42.89	54.00	-11.11	3	Vertical	1	2.05
5240MHz	Pass	PK	5.1368G	57.44	74.00	-16.56	3	Vertical	1	2.05
5240MHz	Pass	PK	5.2388G	112.41	Inf	-Inf	3	Vertical	1	2.05
5240MHz	Pass	PK	5.3624G	57.32	74.00	-16.68	3	Vertical	1	2.05
5240MHz	Pass	AV	5.1476G	43.07	54.00	-10.93	3	Horizontal	360	1.50
5240MHz	Pass	AV	5.234G	98.76	Inf	-Inf	3	Horizontal	360	1.50
5240MHz	Pass	AV	5.3654G	42.95	54.00	-11.05	3	Horizontal	360	1.50
5240MHz	Pass	PK	5.1428G	57.00	74.00	-17.00	3	Horizontal	360	1.50
5240MHz	Pass	PK	5.2454G	111.55	Inf	-Inf	3	Horizontal	360	1.50
5240MHz	Pass	PK	5.3762G	57.76	74.00	-16.24	3	Horizontal	360	1.50
5240MHz	Pass	PK	10.47724G	50.03	68.20	-18.17	3	Vertical	50	1.50
5240MHz	Pass	PK	10.46734G	49.17	68.20	-19.03	3	Horizontal	0	3.00
5260MHz	Pass	AV	5.1496G	42.94	54.00	-11.06	3	Vertical	3	1.77
5260MHz	Pass	AV	5.2672G	100.07	Inf	-Inf	3	Vertical	3	1.77
5260MHz	Pass	AV	5.3524G	42.71	54.00	-11.29	3	Vertical	3	1.77
5260MHz	Pass	PK	5.1442G	56.17	74.00	-17.83	3	Vertical	3	1.77
5260MHz	Pass	PK	5.2648G	113.25	Inf	-Inf	3	Vertical	3	1.77
5260MHz	Pass	PK	5.3698G	57.26	74.00	-16.74	3	Vertical	3	1.77
5260MHz	Pass	AV	5.1496G	42.55	54.00	-11.45	3	Horizontal	0	1.50
5260MHz	Pass	AV	5.2672G	97.60	Inf	-Inf	3	Horizontal	0	1.50
5260MHz	Pass	AV	5.3596G	42.61	54.00	-11.39	3	Horizontal	0	1.50
5260MHz	Pass	PK	5.137G	56.35	74.00	-17.65	3	Horizontal	0	1.50
5260MHz	Pass	PK	5.2618G	111.65	Inf	-Inf	3	Horizontal	0	1.50
5260MHz	Pass	PK	5.359G	56.23	74.00	-17.77	3	Horizontal	0	1.50
5260MHz	Pass	PK	10.51448G	49.02	68.20	-19.18	3	Vertical	109	1.50
5260MHz	Pass	PK	10.51238G	49.61	68.20	-18.59	3	Horizontal	194	1.20
5300MHz	Pass	AV	5.3072G	101.48	Inf	-Inf	3	Vertical	3	2.11
5300MHz	Pass	AV	5.35G	43.16	54.00	-10.84	3	Vertical	3	2.11
5300MHz	Pass	PK	5.3012G	115.66	Inf	-Inf	3	Vertical	3	2.11
5300MHz	Pass	PK	5.3608G	57.25	74.00	-16.75	3	Vertical	3	2.11
5300MHz	Pass	AV	5.2988G	98.88	Inf	-Inf	3	Horizontal	2	1.50
5300MHz	Pass	AV	5.3504G	42.74	54.00	-11.26	3	Horizontal	2	1.50
5300MHz	Pass	PK	5.308G	112.76	Inf	-Inf	3	Horizontal	2	1.50
5300MHz	Pass	PK	5.3636G	57.26	74.00	-16.74	3	Horizontal	2	1.50
5300MHz	Pass	AV	10.60252G	35.94	54.00	-18.06	3	Vertical	139	1.41
5300MHz	Pass	PK	10.60702G	49.33	74.00	-24.67	3	Vertical	139	1.41
5300MHz	Pass	AV	10.60498G	35.96	54.00	-18.04	3	Horizontal	146	1.48
5300MHz	Pass	PK	10.60354G	49.02	74.00	-24.98	3	Horizontal	146	1.48

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	AV	5.3166G	100.78	Inf	-Inf	3	Vertical	4	2.07
5320MHz	Pass	AV	5.36G	44.59	54.00	-9.41	3	Vertical	4	2.07
5320MHz	Pass	PK	5.316G	114.17	Inf	-Inf	3	Vertical	4	2.07
5320MHz	Pass	PK	5.3612G	59.28	74.00	-14.72	3	Vertical	4	2.07
5320MHz	Pass	AV	5.3116G	98.74	Inf	-Inf	3	Horizontal	355	1.01
5320MHz	Pass	AV	5.3604G	44.35	54.00	-9.65	3	Horizontal	355	1.01
5320MHz	Pass	PK	5.3164G	112.31	Inf	-Inf	3	Horizontal	355	1.01
5320MHz	Pass	PK	5.3612G	58.85	74.00	-15.15	3	Horizontal	355	1.01
5320MHz	Pass	AV	10.65242G	36.15	54.00	-17.85	3	Vertical	8	1.50
5320MHz	Pass	PK	10.6385G	49.30	74.00	-24.70	3	Vertical	8	1.50
5320MHz	Pass	AV	10.65224G	36.14	54.00	-17.86	3	Horizontal	360	1.50
5320MHz	Pass	PK	10.64198G	50.19	74.00	-23.81	3	Horizontal	360	1.50
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	44.93	54.00	-9.07	3	Vertical	6	2.27
5190MHz	Pass	AV	5.1784G	95.93	Inf	-Inf	3	Vertical	6	2.27
5190MHz	Pass	PK	5.148G	58.34	74.00	-15.66	3	Vertical	6	2.27
5190MHz	Pass	PK	5.1768G	109.51	Inf	-Inf	3	Vertical	6	2.27
5190MHz	Pass	AV	5.15G	53.28	54.00	-0.72	3	Horizontal	356	1.01
5190MHz	Pass	AV	5.172G	94.61	Inf	-Inf	3	Horizontal	356	1.01
5190MHz	Pass	PK	5.1416G	67.79	74.00	-6.21	3	Horizontal	356	1.01
5190MHz	Pass	PK	5.176G	108.43	Inf	-Inf	3	Horizontal	356	1.01
5190MHz	Pass	PK	10.39164G	49.58	68.20	-18.62	3	Vertical	247	2.21
5190MHz	Pass	PK	10.37568G	50.46	68.20	-17.74	3	Horizontal	76	1.05
5230MHz	Pass	AV	5.15G	44.00	54.00	-10.00	3	Vertical	2	1.00
5230MHz	Pass	AV	5.2248G	97.04	Inf	-Inf	3	Vertical	2	1.00
5230MHz	Pass	PK	5.1488G	58.08	74.00	-15.92	3	Vertical	2	1.00
5230MHz	Pass	PK	5.2288G	110.72	Inf	-Inf	3	Vertical	2	1.00
5230MHz	Pass	AV	5.15G	44.09	54.00	-9.91	3	Horizontal	0	1.26
5230MHz	Pass	AV	5.234G	96.74	Inf	-Inf	3	Horizontal	0	1.26
5230MHz	Pass	PK	5.148G	58.53	74.00	-15.47	3	Horizontal	0	1.26
5230MHz	Pass	PK	5.2384G	109.89	Inf	-Inf	3	Horizontal	0	1.26
5230MHz	Pass	PK	10.45628G	49.23	68.20	-18.97	3	Vertical	298	2.48
5230MHz	Pass	PK	10.46216G	49.24	68.20	-18.96	3	Horizontal	283	2.11
5270MHz	Pass	AV	5.2876G	98.47	Inf	-Inf	3	Vertical	3	2.13
5270MHz	Pass	AV	5.3512G	43.94	54.00	-10.06	3	Vertical	3	2.13
5270MHz	Pass	PK	5.2828G	112.37	Inf	-Inf	3	Vertical	3	2.13
5270MHz	Pass	PK	5.35G	57.17	74.00	-16.83	3	Vertical	3	2.13
5270MHz	Pass	AV	5.284G	97.10	Inf	-Inf	3	Horizontal	1	1.34
5270MHz	Pass	AV	5.3504G	43.51	54.00	-10.49	3	Horizontal	1	1.34
5270MHz	Pass	PK	5.276G	110.73	Inf	-Inf	3	Horizontal	1	1.34
5270MHz	Pass	PK	5.3636G	57.22	74.00	-16.78	3	Horizontal	1	1.34
5270MHz	Pass	PK	10.56688G	49.19	68.20	-19.01	3	Vertical	59	2.53
5270MHz	Pass	PK	10.51228G	48.88	68.20	-19.32	3	Horizontal	54	1.50
5310MHz	Pass	AV	5.308G	98.78	Inf	-Inf	3	Vertical	3	2.11
5310MHz	Pass	AV	5.3504G	51.02	54.00	-2.98	3	Vertical	3	2.11
5310MHz	Pass	PK	5.312G	112.53	Inf	-Inf	3	Vertical	3	2.11
5310MHz	Pass	PK	5.3544G	67.87	74.00	-6.13	3	Vertical	3	2.11
5310MHz	Pass	AV	5.3076G	96.14	Inf	-Inf	3	Horizontal	360	1.50
5310MHz	Pass	AV	5.356G	52.16	54.00	-1.84	3	Horizontal	360	1.50
5310MHz	Pass	PK	5.296G	110.10	Inf	-Inf	3	Horizontal	360	1.50
5310MHz	Pass	PK	5.3544G	67.50	74.00	-6.50	3	Horizontal	360	1.50
5310MHz	Pass	AV	10.6482G	36.00	54.00	-18.00	3	Vertical	306	1.56
5310MHz	Pass	PK	10.61652G	49.83	74.00	-24.17	3	Vertical	306	1.56
5310MHz	Pass	AV	10.65G	36.09	54.00	-17.91	3	Horizontal	227	1.50
5310MHz	Pass	PK	10.62984G	49.74	74.00	-24.26	3	Horizontal	227	1.50
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	48.06	54.00	-5.94	3	Vertical	359	2.01
5210MHz	Pass	AV	5.194G	92.85	Inf	-Inf	3	Vertical	359	2.01
5210MHz	Pass	AV	5.359G	43.80	54.00	-10.20	3	Vertical	359	2.01
5210MHz	Pass	PK	5.149G	60.05	74.00	-13.95	3	Vertical	359	2.01
5210MHz	Pass	PK	5.196G	106.26	Inf	-Inf	3	Vertical	359	2.01
5210MHz	Pass	PK	5.36G	57.19	74.00	-16.81	3	Vertical	359	2.01




RSE TX above 1GHz_Non-Beamforming_Radio 3
Dual-Polarized MIMO Panel Antenna_2T2S

Appendix E.30

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5210MHz	Pass	AV	5.15G	53.28	54.00	-0.72	3	Horizontal	360	1.50
5210MHz	Pass	AV	5.179G	91.67	Inf	-Inf	3	Horizontal	360	1.50
5210MHz	Pass	AV	5.374G	44.02	54.00	-9.98	3	Horizontal	360	1.50
5210MHz	Pass	PK	5.14G	65.68	74.00	-8.32	3	Horizontal	360	1.50
5210MHz	Pass	PK	5.178G	105.00	Inf	-Inf	3	Horizontal	360	1.50
5210MHz	Pass	PK	5.382G	56.78	74.00	-17.22	3	Horizontal	360	1.50
5210MHz	Pass	PK	10.43728G	49.95	68.20	-18.25	3	Vertical	236	1.50
5210MHz	Pass	PK	10.378G	49.59	68.20	-18.61	3	Horizontal	302	2.12
5290MHz	Pass	AV	5.148G	44.41	54.00	-9.59	3	Vertical	3	2.11
5290MHz	Pass	AV	5.306G	95.10	Inf	-Inf	3	Vertical	3	2.11
5290MHz	Pass	AV	5.35G	49.65	54.00	-4.35	3	Vertical	3	2.11
5290MHz	Pass	PK	5.15G	57.12	74.00	-16.88	3	Vertical	3	2.11
5290MHz	Pass	PK	5.305G	108.09	Inf	-Inf	3	Vertical	3	2.11
5290MHz	Pass	PK	5.35G	61.79	74.00	-12.21	3	Vertical	3	2.11
5290MHz	Pass	PK	5.505G	56.69	68.20	-11.51	3	Vertical	3	2.11
5290MHz	Pass	AV	5.146G	43.99	54.00	-10.01	3	Horizontal	346	1.30
5290MHz	Pass	AV	5.301G	93.89	Inf	-Inf	3	Horizontal	346	1.30
5290MHz	Pass	AV	5.35G	50.00	54.00	-4.00	3	Horizontal	346	1.30
5290MHz	Pass	PK	5.15G	56.84	74.00	-17.16	3	Horizontal	346	1.30
5290MHz	Pass	PK	5.297G	106.41	Inf	-Inf	3	Horizontal	346	1.30
5290MHz	Pass	PK	5.355G	63.65	74.00	-10.35	3	Horizontal	346	1.30
5290MHz	Pass	PK	5.508G	56.50	68.20	-11.70	3	Horizontal	346	1.30
5290MHz	Pass	AV	10.60688G	36.75	54.00	-17.25	3	Vertical	68	2.11
5290MHz	Pass	PK	10.6364G	49.30	74.00	-24.70	3	Vertical	68	2.11
5290MHz	Pass	AV	10.60448G	36.76	54.00	-17.24	3	Horizontal	230	1.50
5290MHz	Pass	PK	10.60024G	49.32	74.00	-24.68	3	Horizontal	230	1.50


5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.06	54.00	-5.94	1.02	3	Vertical	359	2.01	47.04	33.50	4.81	37.29
AV	5.194G	92.85	Inf	-Inf	0.86	3	Vertical	359	2.01	91.99	33.32	4.84	37.30
AV	5.359G	43.80	54.00	-10.20	0.65	3	Vertical	359	2.01	43.15	33.08	4.91	37.34
PK	5.149G	60.05	74.00	-13.95	1.01	3	Vertical	359	2.01	59.04	33.49	4.81	37.29
PK	5.196G	106.26	Inf	-Inf	0.86	3	Vertical	359	2.01	105.40	33.32	4.84	37.30
PK	5.36G	57.19	74.00	-16.81	0.65	3	Vertical	359	2.01	56.54	33.08	4.91	37.34

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.28	54.00	-0.72	1.02	3	Horizontal	360	1.50	52.26	33.50	4.81	37.29
AV	5.179G	91.67	Inf	-Inf	0.91	3	Horizontal	360	1.50	90.76	33.38	4.83	37.30
AV	5.374G	44.02	54.00	-9.98	0.63	3	Horizontal	360	1.50	43.39	33.05	4.92	37.34
PK	5.14G	65.68	74.00	-8.32	0.96	3	Horizontal	360	1.50	64.72	33.44	4.81	37.29
PK	5.178G	105.00	Inf	-Inf	0.92	3	Horizontal	360	1.50	104.08	33.39	4.83	37.30
PK	5.382G	56.78	74.00	-17.22	0.62	3	Horizontal	360	1.50	56.16	33.04	4.92	37.34


5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX





**RSE TX below 1GHz_Non-Beamforming_Radio 3_
MIMO-directional Antenna_1T1S**

Appendix E.31

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	PK	53.28M	36.72	40.00	-3.28	3	Vertical	0	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1.(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5290MHz_Adapter	Pass	PK	53.28M	36.72	40.00	-3.28	3	Vertical	0	1.00
5290MHz_Adapter	Pass	PK	158.04M	28.68	43.50	-14.82	3	Vertical	0	1.00
5290MHz_Adapter	Pass	PK	249.22M	24.22	46.00	-21.78	3	Vertical	0	1.00
5290MHz_Adapter	Pass	PK	377.26M	22.15	46.00	-23.85	3	Vertical	0	1.00
5290MHz_Adapter	Pass	PK	449.04M	29.06	46.00	-16.94	3	Vertical	0	1.00
5290MHz_Adapter	Pass	PK	553.8M	26.02	46.00	-19.98	3	Vertical	0	1.00
5290MHz_Adapter	Pass	PK	99.84M	34.32	43.50	-9.18	3	Horizontal	360	1.00
5290MHz_Adapter	Pass	PK	191.02M	23.92	43.50	-19.58	3	Horizontal	360	1.00
5290MHz_Adapter	Pass	PK	249.22M	23.46	46.00	-22.54	3	Horizontal	360	1.00
5290MHz_Adapter	Pass	PK	303.54M	23.13	46.00	-22.87	3	Horizontal	360	1.00
5290MHz_Adapter	Pass	PK	449.04M	31.99	46.00	-14.01	3	Horizontal	360	1.00
5290MHz_Adapter	Pass	PK	549.92M	26.02	46.00	-19.98	3	Horizontal	360	1.00


5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_Adapter



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_Adapter





**RSE TX above 1GHz_Non-Beamforming_Radio 3_
MIMO-directional Antenna_1T1S**

Appendix E.32

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.1496G	49.89	54.00	-4.11	3	Vertical	360	1.04
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	5.1396G	51.79	54.00	-2.21	3	Vertical	360	1.50
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	5.15G	53.84	54.00	-0.16	3	Vertical	3	1.50
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	5.15G	53.18	54.00	-0.82	3	Vertical	0	1.50
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.35G	50.71	54.00	-3.29	3	Vertical	2	1.11
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	5.3604G	50.19	54.00	-3.81	3	Vertical	4	1.50
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	5.3504G	53.80	54.00	-0.20	3	Vertical	3	1.50
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	5.35G	53.63	54.00	-0.37	3	Vertical	4	1.50

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1496G	49.89	54.00	-4.11	3	Vertical	360	1.04
5180MHz	Pass	AV	5.1844G	108.40	Inf	-Inf	3	Vertical	360	1.04
5180MHz	Pass	PK	5.1396G	67.94	74.00	-6.06	3	Vertical	360	1.04
5180MHz	Pass	PK	5.182G	120.11	Inf	-Inf	3	Vertical	360	1.04
5180MHz	Pass	PK	10.37294G	50.13	68.20	-18.07	3	Vertical	143	1.50
5180MHz	Pass	PK	10.36168G	50.01	68.20	-18.19	3	Horizontal	306	1.00
5200MHz	Pass	AV	5.15G	48.68	54.00	-5.32	3	Vertical	359	1.50
5200MHz	Pass	AV	5.1968G	107.95	Inf	-Inf	3	Vertical	359	1.50
5200MHz	Pass	PK	5.1488G	61.52	74.00	-12.48	3	Vertical	359	1.50
5200MHz	Pass	PK	5.2048G	119.30	Inf	-Inf	3	Vertical	359	1.50
5200MHz	Pass	PK	10.38763G	49.33	68.20	-18.87	3	Vertical	92	2.11
5200MHz	Pass	PK	10.39202G	49.65	68.20	-18.55	3	Horizontal	242	1.50
5240MHz	Pass	AV	5.15G	46.13	54.00	-7.87	3	Vertical	360	1.50
5240MHz	Pass	AV	5.2436G	105.90	Inf	-Inf	3	Vertical	360	1.50
5240MHz	Pass	AV	5.35G	44.58	54.00	-9.42	3	Vertical	360	1.50
5240MHz	Pass	PK	5.117G	59.45	74.00	-14.55	3	Vertical	360	1.50
5240MHz	Pass	PK	5.2466G	117.31	Inf	-Inf	3	Vertical	360	1.50
5240MHz	Pass	PK	5.3576G	58.33	74.00	-15.67	3	Vertical	360	1.50
5240MHz	Pass	PK	10.48114G	49.26	68.20	-18.94	3	Vertical	54	2.86
5240MHz	Pass	PK	10.48036G	48.61	68.20	-19.59	3	Horizontal	33	1.50
5260MHz	Pass	AV	5.15G	46.98	54.00	-7.02	3	Vertical	3	1.07
5260MHz	Pass	AV	5.2654G	109.58	Inf	-Inf	3	Vertical	3	1.07
5260MHz	Pass	AV	5.3506G	45.80	54.00	-8.20	3	Vertical	3	1.07
5260MHz	Pass	PK	5.1286G	59.74	74.00	-14.26	3	Vertical	3	1.07
5260MHz	Pass	PK	5.2672G	120.58	Inf	-Inf	3	Vertical	3	1.07
5260MHz	Pass	PK	5.3518G	59.13	74.00	-14.87	3	Vertical	3	1.07
5260MHz	Pass	PK	10.50615G	49.38	68.20	-18.82	3	Vertical	17	2.98
5260MHz	Pass	PK	10.50596G	48.47	68.20	-19.73	3	Horizontal	123	1.40
5300MHz	Pass	AV	5.306G	108.94	Inf	-Inf	3	Vertical	3	1.50
5300MHz	Pass	AV	5.3504G	48.03	54.00	-5.97	3	Vertical	3	1.50
5300MHz	Pass	PK	5.3048G	120.26	Inf	-Inf	3	Vertical	3	1.50
5300MHz	Pass	PK	5.3504G	61.81	74.00	-12.19	3	Vertical	3	1.50
5300MHz	Pass	AV	10.61441G	35.73	54.00	-18.27	3	Vertical	65	1.50
5300MHz	Pass	PK	10.60765G	50.12	74.00	-23.88	3	Vertical	65	1.50
5300MHz	Pass	AV	10.60684G	35.68	54.00	-18.32	3	Horizontal	203	1.50
5300MHz	Pass	PK	10.61356G	49.49	74.00	-24.51	3	Horizontal	203	1.50
5320MHz	Pass	AV	5.3152G	109.25	Inf	-Inf	3	Vertical	2	1.11
5320MHz	Pass	AV	5.35G	50.71	54.00	-3.29	3	Vertical	2	1.11
5320MHz	Pass	PK	5.3218G	120.54	Inf	-Inf	3	Vertical	2	1.11
5320MHz	Pass	PK	5.3524G	65.92	74.00	-8.08	3	Vertical	2	1.11
5320MHz	Pass	AV	10.65438G	35.87	54.00	-18.13	3	Vertical	336	2.38
5320MHz	Pass	PK	10.65158G	49.97	74.00	-24.03	3	Vertical	336	2.38
5320MHz	Pass	AV	10.65104G	35.92	54.00	-18.08	3	Horizontal	175	2.11
5320MHz	Pass	PK	10.65356G	49.93	74.00	-24.07	3	Horizontal	175	2.11
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1396G	51.79	54.00	-2.21	3	Vertical	360	1.50
5180MHz	Pass	AV	5.172G	108.27	Inf	-Inf	3	Vertical	360	1.50
5180MHz	Pass	PK	5.1398G	69.17	74.00	-4.83	3	Vertical	360	1.50
5180MHz	Pass	PK	5.182G	122.43	Inf	-Inf	3	Vertical	360	1.50
5180MHz	Pass	PK	10.36364G	50.22	68.20	-17.98	3	Vertical	30	1.50
5180MHz	Pass	PK	10.34938G	49.80	68.20	-18.40	3	Horizontal	332	2.68
5200MHz	Pass	AV	5.15G	48.95	54.00	-5.05	3	Vertical	2	1.50
5200MHz	Pass	AV	5.198G	107.94	Inf	-Inf	3	Vertical	2	1.50
5200MHz	Pass	PK	5.1488G	62.69	74.00	-11.31	3	Vertical	2	1.50
5200MHz	Pass	PK	5.1972G	121.75	Inf	-Inf	3	Vertical	2	1.50
5200MHz	Pass	PK	10.4044G	50.40	68.20	-17.80	3	Vertical	113	1.50
5200MHz	Pass	PK	10.39466G	48.87	68.20	-19.33	3	Horizontal	292	2.89
5240MHz	Pass	AV	5.15G	45.87	54.00	-8.13	3	Vertical	4	1.50
5240MHz	Pass	AV	5.2328G	106.14	Inf	-Inf	3	Vertical	4	1.50
5240MHz	Pass	AV	5.351G	44.66	54.00	-9.34	3	Vertical	4	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5240MHz	Pass	PK	5.1392G	59.49	74.00	-14.51	3	Vertical	4	1.50
5240MHz	Pass	PK	5.2454G	119.41	Inf	-Inf	3	Vertical	4	1.50
5240MHz	Pass	PK	5.3588G	58.13	74.00	-15.87	3	Vertical	4	1.50
5240MHz	Pass	PK	10.46666G	49.35	68.20	-18.85	3	Vertical	313	1.01
5240MHz	Pass	PK	10.47532G	48.54	68.20	-19.66	3	Horizontal	138	1.16
5260MHz	Pass	AV	5.1496G	46.59	54.00	-7.41	3	Vertical	4	1.24
5260MHz	Pass	AV	5.2672G	109.22	Inf	-Inf	3	Vertical	4	1.24
5260MHz	Pass	AV	5.35G	45.77	54.00	-8.23	3	Vertical	4	1.24
5260MHz	Pass	PK	5.15G	60.66	74.00	-13.34	3	Vertical	4	1.24
5260MHz	Pass	PK	5.2672G	122.96	Inf	-Inf	3	Vertical	4	1.24
5260MHz	Pass	PK	5.3662G	59.08	74.00	-14.92	3	Vertical	4	1.24
5260MHz	Pass	PK	10.52605G	48.84	68.20	-19.36	3	Vertical	174	1.50
5260MHz	Pass	PK	10.53026G	48.59	68.20	-19.61	3	Horizontal	31	1.50
5300MHz	Pass	AV	5.308G	108.26	Inf	-Inf	3	Vertical	5	1.50
5300MHz	Pass	AV	5.35G	48.06	54.00	-5.94	3	Vertical	5	1.50
5300MHz	Pass	PK	5.3024G	121.66	Inf	-Inf	3	Vertical	5	1.50
5300MHz	Pass	PK	5.352G	62.12	74.00	-11.88	3	Vertical	5	1.50
5300MHz	Pass	AV	10.61482G	35.67	54.00	-18.33	3	Vertical	344	1.50
5300MHz	Pass	PK	10.60464G	49.70	74.00	-24.30	3	Vertical	344	1.50
5300MHz	Pass	AV	10.61452G	35.66	54.00	-18.34	3	Horizontal	166	2.60
5300MHz	Pass	PK	10.60512G	48.98	74.00	-25.02	3	Horizontal	166	2.60
5320MHz	Pass	AV	5.3128G	108.02	Inf	-Inf	3	Vertical	4	1.50
5320MHz	Pass	AV	5.3604G	50.19	54.00	-3.81	3	Vertical	4	1.50
5320MHz	Pass	PK	5.3148G	122.30	Inf	-Inf	3	Vertical	4	1.50
5320MHz	Pass	PK	5.359G	69.30	74.00	-4.70	3	Vertical	4	1.50
5320MHz	Pass	AV	10.65074G	35.86	54.00	-18.14	3	Vertical	310	1.50
5320MHz	Pass	PK	10.64645G	49.88	74.00	-24.12	3	Vertical	310	1.50
5320MHz	Pass	AV	10.64978G	35.95	54.00	-18.05	3	Horizontal	174	1.50
5320MHz	Pass	PK	10.64576G	49.02	74.00	-24.98	3	Horizontal	174	1.50
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	53.84	54.00	-0.16	3	Vertical	3	1.50
5190MHz	Pass	AV	5.1844G	104.97	Inf	-Inf	3	Vertical	3	1.50
5190MHz	Pass	PK	5.1428G	70.52	74.00	-3.48	3	Vertical	3	1.50
5190MHz	Pass	PK	5.2G	118.97	Inf	-Inf	3	Vertical	3	1.50
5190MHz	Pass	PK	10.37268G	49.63	68.20	-18.57	3	Vertical	174	1.50
5190MHz	Pass	PK	10.36296G	50.70	68.20	-17.50	3	Horizontal	183	2.56
5230MHz	Pass	AV	5.15G	49.10	54.00	-4.90	3	Vertical	5	1.50
5230MHz	Pass	AV	5.2124G	104.27	Inf	-Inf	3	Vertical	5	1.50
5230MHz	Pass	PK	5.1488G	63.95	74.00	-10.05	3	Vertical	5	1.50
5230MHz	Pass	PK	5.2256G	117.96	Inf	-Inf	3	Vertical	5	1.50
5230MHz	Pass	PK	10.47868G	49.38	68.20	-18.82	3	Vertical	42	1.50
5230MHz	Pass	PK	10.46612G	49.62	68.20	-18.58	3	Horizontal	174	1.31
5270MHz	Pass	AV	5.2656G	106.73	Inf	-Inf	3	Vertical	4	1.19
5270MHz	Pass	AV	5.3504G	49.04	54.00	-4.96	3	Vertical	4	1.19
5270MHz	Pass	PK	5.2572G	120.39	Inf	-Inf	3	Vertical	4	1.19
5270MHz	Pass	PK	5.3532G	63.09	74.00	-10.91	3	Vertical	4	1.19
5270MHz	Pass	PK	10.54055G	48.46	68.20	-19.74	3	Vertical	99	1.44
5270MHz	Pass	PK	10.54932G	47.30	68.20	-20.90	3	Horizontal	124	2.11
5310MHz	Pass	AV	5.3116G	103.09	Inf	-Inf	3	Vertical	3	1.50
5310MHz	Pass	AV	5.3504G	53.80	54.00	-0.20	3	Vertical	3	1.50
5310MHz	Pass	PK	5.3116G	115.93	Inf	-Inf	3	Vertical	3	1.50
5310MHz	Pass	PK	5.35G	69.05	74.00	-4.95	3	Vertical	3	1.50
5310MHz	Pass	AV	10.61758G	36.34	54.00	-17.66	3	Vertical	213	2.23
5310MHz	Pass	PK	10.62637G	49.23	74.00	-24.77	3	Vertical	213	2.23
5310MHz	Pass	AV	10.61792G	36.15	54.00	-17.85	3	Horizontal	303	1.23
5310MHz	Pass	PK	10.61072G	50.02	74.00	-23.98	3	Horizontal	303	1.23
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	53.18	54.00	-0.82	3	Vertical	0	1.50
5210MHz	Pass	AV	5.198G	100.45	Inf	-Inf	3	Vertical	0	1.50
5210MHz	Pass	AV	5.35G	45.31	54.00	-8.69	3	Vertical	0	1.50
5210MHz	Pass	PK	5.136G	66.37	74.00	-7.63	3	Vertical	0	1.50
5210MHz	Pass	PK	5.181G	114.45	Inf	-Inf	3	Vertical	0	1.50




**RSE TX above 1GHz_Non-Beamforming_Radio 3_
MIMO-directional Antenna_1T1S**

Appendix E.32

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5210MHz	Pass	PK	5.356G	58.17	74.00	-15.83	3	Vertical	0	1.50
5210MHz	Pass	PK	10.45293G	49.15	68.20	-19.05	3	Vertical	144	1.50
5210MHz	Pass	PK	10.47472G	49.12	68.20	-19.08	3	Horizontal	257	1.50
5290MHz	Pass	AV	5.15G	46.39	54.00	-7.61	3	Vertical	4	1.50
5290MHz	Pass	AV	5.305G	99.09	Inf	-Inf	3	Vertical	4	1.50
5290MHz	Pass	AV	5.35G	53.63	54.00	-0.37	3	Vertical	4	1.50
5290MHz	Pass	PK	5.148G	59.84	74.00	-14.16	3	Vertical	4	1.50
5290MHz	Pass	PK	5.309G	112.87	Inf	-Inf	3	Vertical	4	1.50
5290MHz	Pass	PK	5.35G	67.57	74.00	-6.43	3	Vertical	4	1.50
5290MHz	Pass	PK	5.513G	56.89	68.20	-11.31	3	Vertical	4	1.50
5290MHz	Pass	PK	10.58434G	49.39	68.20	-18.81	3	Vertical	102	2.31
5290MHz	Pass	PK	10.58184G	49.21	68.20	-18.99	3	Horizontal	32	2.47


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX





**RSE TX below 1GHz_Non-Beamforming_Radio 3_
MIMO-directional Antenna_2T1S**

Appendix E.33

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	43.58M	36.24	40.00	-3.76	3	Vertical	360	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5290MHz_Adapter	Pass	PK	43.58M	36.24	40.00	-3.76	3	Vertical	360	1.00
5290MHz_Adapter	Pass	PK	154.16M	28.64	43.50	-14.86	3	Vertical	360	1.00
5290MHz_Adapter	Pass	PK	249.22M	22.21	46.00	-23.79	3	Vertical	360	1.00
5290MHz_Adapter	Pass	PK	373.38M	21.42	46.00	-24.58	3	Vertical	360	1.00
5290MHz_Adapter	Pass	PK	449.04M	29.38	46.00	-16.62	3	Vertical	360	1.00
5290MHz_Adapter	Pass	PK	553.8M	29.08	46.00	-16.92	3	Vertical	360	1.00
5290MHz_Adapter	Pass	PK	99.84M	34.58	43.50	-8.92	3	Horizontal	0	1.00
5290MHz_Adapter	Pass	PK	158.04M	26.25	43.50	-17.25	3	Horizontal	0	1.00
5290MHz_Adapter	Pass	PK	249.22M	24.21	46.00	-21.79	3	Horizontal	0	1.00
5290MHz_Adapter	Pass	PK	305.48M	22.70	46.00	-23.30	3	Horizontal	0	1.00
5290MHz_Adapter	Pass	PK	449.04M	31.77	46.00	-14.23	3	Horizontal	0	1.00
5290MHz_Adapter	Pass	PK	549.92M	26.43	46.00	-19.57	3	Horizontal	0	1.00


5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_Adapter



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_Adapter





**RSE TX above 1GHz_Non-Beamforming_Radio 3_
MIMO-directional Antenna_2T1S**

Appendix E.34

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.15G	53.45	54.00	-0.55	3	Vertical	356	2.33
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.1498G	53.55	54.00	-0.45	3	Vertical	357	2.33
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.36	54.00	-0.64	3	Vertical	357	2.36
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.58	54.00	-0.42	3	Vertical	360	2.11
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.35G	48.68	54.00	-5.32	3	Horizontal	3	2.31
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.35G	50.65	54.00	-3.35	3	Horizontal	3	2.21
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.35G	53.61	54.00	-0.39	3	Horizontal	3	2.31
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.35G	53.65	54.00	-0.35	3	Vertical	355	2.26

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	53.45	54.00	-0.55	3	Vertical	356	2.33
5180MHz	Pass	AV	5.1836G	106.85	Inf	-Inf	3	Vertical	356	2.33
5180MHz	Pass	PK	5.1452G	70.65	74.00	-3.35	3	Vertical	356	2.33
5180MHz	Pass	PK	5.1826G	118.82	Inf	-Inf	3	Vertical	356	2.33
5180MHz	Pass	AV	5.1498G	51.92	54.00	-2.08	3	Horizontal	3	2.30
5180MHz	Pass	AV	5.1778G	109.12	Inf	-Inf	3	Horizontal	3	2.30
5180MHz	Pass	PK	5.1396G	66.86	74.00	-7.14	3	Horizontal	3	2.30
5180MHz	Pass	PK	5.1774G	119.82	Inf	-Inf	3	Horizontal	3	2.30
5180MHz	Pass	PK	10.372G	49.98	68.20	-18.22	3	Vertical	198	1.65
5180MHz	Pass	PK	10.3588G	49.11	68.20	-19.09	3	Horizontal	335	1.50
5200MHz	Pass	AV	5.1492G	48.35	54.00	-5.65	3	Vertical	360	2.17
5200MHz	Pass	AV	5.2048G	108.57	Inf	-Inf	3	Vertical	360	2.17
5200MHz	Pass	PK	5.1408G	61.93	74.00	-12.07	3	Vertical	360	2.17
5200MHz	Pass	PK	5.1996G	120.24	Inf	-Inf	3	Vertical	360	2.17
5200MHz	Pass	AV	5.1496G	48.23	54.00	-5.77	3	Horizontal	4	2.33
5200MHz	Pass	AV	5.2036G	108.90	Inf	-Inf	3	Horizontal	4	2.33
5200MHz	Pass	PK	5.1428G	61.20	74.00	-12.80	3	Horizontal	4	2.33
5200MHz	Pass	PK	5.2G	119.74	Inf	-Inf	3	Horizontal	4	2.33
5200MHz	Pass	PK	10.41307G	50.44	68.20	-17.76	3	Vertical	211	1.50
5200MHz	Pass	PK	10.40776G	49.33	68.20	-18.87	3	Horizontal	290	1.50
5240MHz	Pass	AV	5.1494G	45.76	54.00	-8.24	3	Vertical	354	2.27
5240MHz	Pass	AV	5.2436G	106.59	Inf	-Inf	3	Vertical	354	2.27
5240MHz	Pass	AV	5.35G	44.86	54.00	-9.14	3	Vertical	354	2.27
5240MHz	Pass	PK	5.141G	59.46	74.00	-14.54	3	Vertical	354	2.27
5240MHz	Pass	PK	5.2436G	119.04	Inf	-Inf	3	Vertical	354	2.27
5240MHz	Pass	PK	5.357G	58.60	74.00	-15.40	3	Vertical	354	2.27
5240MHz	Pass	AV	5.15G	45.93	54.00	-8.07	3	Horizontal	3	2.30
5240MHz	Pass	AV	5.2436G	106.54	Inf	-Inf	3	Horizontal	3	2.30
5240MHz	Pass	AV	5.35G	44.56	54.00	-9.44	3	Horizontal	3	2.30
5240MHz	Pass	PK	5.1494G	60.59	74.00	-13.41	3	Horizontal	3	2.30
5240MHz	Pass	PK	5.2418G	117.51	Inf	-Inf	3	Horizontal	3	2.30
5240MHz	Pass	PK	5.3504G	58.76	74.00	-15.24	3	Horizontal	3	2.30
5240MHz	Pass	PK	10.48064G	49.65	68.20	-18.55	3	Vertical	150	2.65
5240MHz	Pass	PK	10.472G	48.73	68.20	-19.47	3	Horizontal	118	1.50
5260MHz	Pass	AV	5.1478G	44.67	54.00	-9.33	3	Vertical	355	2.37
5260MHz	Pass	AV	5.263G	107.43	Inf	-Inf	3	Vertical	355	2.37
5260MHz	Pass	AV	5.35G	44.38	54.00	-9.62	3	Vertical	355	2.37
5260MHz	Pass	PK	5.1484G	58.48	74.00	-15.52	3	Vertical	355	2.37
5260MHz	Pass	PK	5.2642G	119.15	Inf	-Inf	3	Vertical	355	2.37
5260MHz	Pass	PK	5.3728G	57.48	74.00	-16.52	3	Vertical	355	2.37
5260MHz	Pass	AV	5.15G	46.20	54.00	-7.80	3	Horizontal	3	2.30
5260MHz	Pass	AV	5.2642G	109.24	Inf	-Inf	3	Horizontal	3	2.30
5260MHz	Pass	AV	5.3506G	45.43	54.00	-8.57	3	Horizontal	3	2.30
5260MHz	Pass	PK	5.1454G	59.30	74.00	-14.70	3	Horizontal	3	2.30
5260MHz	Pass	PK	5.26G	120.71	Inf	-Inf	3	Horizontal	3	2.30
5260MHz	Pass	PK	5.3554G	59.61	74.00	-14.39	3	Horizontal	3	2.30
5260MHz	Pass	PK	10.50477G	49.20	68.20	-19.00	3	Vertical	273	1.50
5260MHz	Pass	PK	10.52904G	48.76	68.20	-19.44	3	Horizontal	298	1.65
5300MHz	Pass	AV	5.2952G	106.63	Inf	-Inf	3	Vertical	360	2.17
5300MHz	Pass	AV	5.3508G	45.75	54.00	-8.25	3	Vertical	360	2.17
5300MHz	Pass	PK	5.2952G	118.96	Inf	-Inf	3	Vertical	360	2.17
5300MHz	Pass	PK	5.3544G	59.62	74.00	-14.38	3	Vertical	360	2.17
5300MHz	Pass	AV	5.3044G	108.06	Inf	-Inf	3	Horizontal	2	2.25
5300MHz	Pass	AV	5.35G	47.19	54.00	-6.81	3	Horizontal	2	2.25
5300MHz	Pass	PK	5.304G	119.04	Inf	-Inf	3	Horizontal	2	2.25
5300MHz	Pass	PK	5.3536G	60.28	74.00	-13.72	3	Horizontal	2	2.25
5300MHz	Pass	AV	10.60447G	35.75	54.00	-18.25	3	Vertical	330	1.50
5300MHz	Pass	PK	10.60891G	50.15	74.00	-23.85	3	Vertical	330	1.50
5300MHz	Pass	AV	10.60304G	35.78	54.00	-18.22	3	Horizontal	149	1.50
5300MHz	Pass	PK	10.60096G	50.83	74.00	-23.17	3	Horizontal	149	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	AV	5.3152G	105.89	Inf	-Inf	3	Vertical	360	2.15
5320MHz	Pass	AV	5.3502G	48.04	54.00	-5.96	3	Vertical	360	2.15
5320MHz	Pass	PK	5.324G	117.91	Inf	-Inf	3	Vertical	360	2.15
5320MHz	Pass	PK	5.3606G	63.00	74.00	-11.00	3	Vertical	360	2.15
5320MHz	Pass	AV	5.3146G	108.17	Inf	-Inf	3	Horizontal	3	2.31
5320MHz	Pass	AV	5.35G	48.68	54.00	-5.32	3	Horizontal	3	2.31
5320MHz	Pass	PK	5.318G	119.63	Inf	-Inf	3	Horizontal	3	2.31
5320MHz	Pass	PK	5.3604G	65.08	74.00	-8.92	3	Horizontal	3	2.31
5320MHz	Pass	AV	10.65107G	35.92	54.00	-18.08	3	Vertical	282	1.28
5320MHz	Pass	PK	10.64782G	50.51	74.00	-23.49	3	Vertical	282	1.28
5320MHz	Pass	AV	10.65136G	35.87	54.00	-18.13	3	Horizontal	360	2.15
5320MHz	Pass	PK	10.63032G	49.25	74.00	-24.75	3	Horizontal	360	2.15
802.11be EHT20_Nss1.(MCS0)_2TX										
5180MHz	Pass	AV	5.1498G	53.55	54.00	-0.45	3	Vertical	357	2.33
5180MHz	Pass	AV	5.1874G	106.00	Inf	-Inf	3	Vertical	357	2.33
5180MHz	Pass	PK	5.1482G	72.03	74.00	-1.97	3	Vertical	357	2.33
5180MHz	Pass	PK	5.1874G	119.69	Inf	-Inf	3	Vertical	357	2.33
5180MHz	Pass	AV	5.1392G	51.97	54.00	-2.03	3	Horizontal	3	2.28
5180MHz	Pass	AV	5.174G	108.00	Inf	-Inf	3	Horizontal	3	2.28
5180MHz	Pass	PK	5.1382G	67.17	74.00	-6.83	3	Horizontal	3	2.28
5180MHz	Pass	PK	5.1734G	121.64	Inf	-Inf	3	Horizontal	3	2.28
5180MHz	Pass	PK	10.37707G	49.54	68.20	-18.66	3	Vertical	315	2.49
5180MHz	Pass	PK	10.36592G	49.40	68.20	-18.80	3	Horizontal	74	2.99
5200MHz	Pass	AV	5.15G	48.57	54.00	-5.43	3	Vertical	360	2.06
5200MHz	Pass	AV	5.1972G	107.79	Inf	-Inf	3	Vertical	360	2.06
5200MHz	Pass	PK	5.1476G	62.13	74.00	-11.87	3	Vertical	360	2.06
5200MHz	Pass	PK	5.1976G	122.09	Inf	-Inf	3	Vertical	360	2.06
5200MHz	Pass	AV	5.15G	48.41	54.00	-5.59	3	Horizontal	3	2.27
5200MHz	Pass	AV	5.1992G	108.14	Inf	-Inf	3	Horizontal	3	2.27
5200MHz	Pass	PK	5.15G	61.20	74.00	-12.80	3	Horizontal	3	2.27
5200MHz	Pass	PK	5.2024G	121.46	Inf	-Inf	3	Horizontal	3	2.27
5200MHz	Pass	PK	10.40752G	49.44	68.20	-18.76	3	Vertical	209	1.50
5200MHz	Pass	PK	10.40168G	49.20	68.20	-19.00	3	Horizontal	74	1.38
5240MHz	Pass	AV	5.1494G	45.50	54.00	-8.50	3	Vertical	354	2.15
5240MHz	Pass	AV	5.249G	106.16	Inf	-Inf	3	Vertical	354	2.15
5240MHz	Pass	AV	5.35G	44.73	54.00	-9.27	3	Vertical	354	2.15
5240MHz	Pass	PK	5.126G	58.46	74.00	-15.54	3	Vertical	354	2.15
5240MHz	Pass	PK	5.2322G	119.30	Inf	-Inf	3	Vertical	354	2.15
5240MHz	Pass	PK	5.3558G	59.15	74.00	-14.85	3	Vertical	354	2.15
5240MHz	Pass	AV	5.15G	45.87	54.00	-8.13	3	Horizontal	3	2.11
5240MHz	Pass	AV	5.2442G	106.48	Inf	-Inf	3	Horizontal	3	2.11
5240MHz	Pass	AV	5.3504G	44.53	54.00	-9.47	3	Horizontal	3	2.11
5240MHz	Pass	PK	5.1128G	59.39	74.00	-14.61	3	Horizontal	3	2.11
5240MHz	Pass	PK	5.2346G	120.12	Inf	-Inf	3	Horizontal	3	2.11
5240MHz	Pass	PK	5.3786G	58.66	74.00	-15.34	3	Horizontal	3	2.11
5240MHz	Pass	PK	10.47736G	49.47	68.20	-18.73	3	Vertical	295	1.50
5240MHz	Pass	PK	10.47104G	49.35	68.20	-18.85	3	Horizontal	256	1.50
5260MHz	Pass	AV	5.15G	44.41	54.00	-9.59	3	Vertical	356	1.50
5260MHz	Pass	AV	5.2666G	106.15	Inf	-Inf	3	Vertical	356	1.50
5260MHz	Pass	AV	5.3506G	44.09	54.00	-9.91	3	Vertical	356	1.50
5260MHz	Pass	PK	5.1466G	58.30	74.00	-15.70	3	Vertical	356	1.50
5260MHz	Pass	PK	5.2672G	119.88	Inf	-Inf	3	Vertical	356	1.50
5260MHz	Pass	PK	5.3506G	57.39	74.00	-16.61	3	Vertical	356	1.50
5260MHz	Pass	AV	5.15G	45.79	54.00	-8.21	3	Horizontal	4	2.29
5260MHz	Pass	AV	5.2672G	108.16	Inf	-Inf	3	Horizontal	4	2.29
5260MHz	Pass	AV	5.3524G	44.80	54.00	-9.20	3	Horizontal	4	2.29
5260MHz	Pass	PK	5.1256G	59.48	74.00	-14.52	3	Horizontal	4	2.29
5260MHz	Pass	PK	5.2666G	122.13	Inf	-Inf	3	Horizontal	4	2.29
5260MHz	Pass	PK	5.3668G	57.93	74.00	-16.07	3	Horizontal	4	2.29
5260MHz	Pass	PK	10.53788G	49.27	68.20	-18.93	3	Vertical	48	1.50
5260MHz	Pass	PK	10.51128G	49.27	68.20	-18.93	3	Horizontal	115	1.44
5300MHz	Pass	AV	5.2948G	107.17	Inf	-Inf	3	Vertical	359	2.35



RSE TX above 1GHz Non-Beamforming Radio 3
MIMO-directional Antenna 2T1S

Appendix E.34

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5300MHz	Pass	AV	5.3504G	46.57	54.00	-7.43	3	Vertical	359	2.35
5300MHz	Pass	PK	5.2912G	120.06	Inf	-Inf	3	Vertical	359	2.35
5300MHz	Pass	PK	5.3504G	60.39	74.00	-13.61	3	Vertical	359	2.35
5300MHz	Pass	AV	5.3072G	108.10	Inf	-Inf	3	Horizontal	2	2.30
5300MHz	Pass	AV	5.35G	47.67	54.00	-6.33	3	Horizontal	2	2.30
5300MHz	Pass	PK	5.3028G	121.03	Inf	-Inf	3	Horizontal	2	2.30
5300MHz	Pass	PK	5.356G	61.47	74.00	-12.53	3	Horizontal	2	2.30
5300MHz	Pass	AV	10.61828G	35.75	54.00	-18.25	3	Vertical	349	1.50
5300MHz	Pass	PK	10.61612G	50.03	74.00	-23.97	3	Vertical	349	1.50
5300MHz	Pass	AV	10.60096G	35.78	54.00	-18.22	3	Horizontal	57	1.44
5300MHz	Pass	PK	10.6112G	49.25	74.00	-24.75	3	Horizontal	57	1.44
5320MHz	Pass	AV	5.3114G	105.36	Inf	-Inf	3	Vertical	354	2.16
5320MHz	Pass	AV	5.3502G	48.78	54.00	-5.22	3	Vertical	354	2.16
5320MHz	Pass	PK	5.324G	118.42	Inf	-Inf	3	Vertical	354	2.16
5320MHz	Pass	PK	5.3616G	66.16	74.00	-7.84	3	Vertical	354	2.16
5320MHz	Pass	AV	5.3122G	108.08	Inf	-Inf	3	Horizontal	3	2.21
5320MHz	Pass	AV	5.35G	50.65	54.00	-3.35	3	Horizontal	3	2.21
5320MHz	Pass	PK	5.3148G	121.91	Inf	-Inf	3	Horizontal	3	2.21
5320MHz	Pass	PK	5.3606G	69.12	74.00	-4.88	3	Horizontal	3	2.21
5320MHz	Pass	AV	10.65059G	35.92	54.00	-18.08	3	Vertical	109	1.64
5320MHz	Pass	PK	10.64451G	50.31	74.00	-23.69	3	Vertical	109	1.64
5320MHz	Pass	AV	10.65024G	35.95	54.00	-18.05	3	Horizontal	18	2.52
5320MHz	Pass	PK	10.64216G	50.16	74.00	-23.84	3	Horizontal	18	2.52
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	53.36	54.00	-0.64	3	Vertical	357	2.36
5190MHz	Pass	AV	5.1968G	100.78	Inf	-Inf	3	Vertical	357	2.36
5190MHz	Pass	PK	5.1452G	68.92	74.00	-5.08	3	Vertical	357	2.36
5190MHz	Pass	PK	5.192G	113.47	Inf	-Inf	3	Vertical	357	2.36
5190MHz	Pass	AV	5.1484G	49.76	54.00	-4.24	3	Horizontal	2	2.26
5190MHz	Pass	AV	5.1968G	102.14	Inf	-Inf	3	Horizontal	2	2.26
5190MHz	Pass	PK	5.1492G	64.86	74.00	-9.14	3	Horizontal	2	2.26
5190MHz	Pass	PK	5.1992G	115.50	Inf	-Inf	3	Horizontal	2	2.26
5190MHz	Pass	PK	10.36089G	49.50	68.20	-18.70	3	Vertical	98	1.50
5190MHz	Pass	PK	10.3464G	49.13	68.20	-19.07	3	Horizontal	282	2.43
5230MHz	Pass	AV	5.1496G	48.47	54.00	-5.53	3	Vertical	360	1.74
5230MHz	Pass	AV	5.212G	102.60	Inf	-Inf	3	Vertical	360	1.74
5230MHz	Pass	PK	5.15G	62.50	74.00	-11.50	3	Vertical	360	1.74
5230MHz	Pass	PK	5.2224G	116.05	Inf	-Inf	3	Vertical	360	1.74
5230MHz	Pass	AV	5.15G	48.68	54.00	-5.32	3	Horizontal	4	2.28
5230MHz	Pass	AV	5.212G	104.32	Inf	-Inf	3	Horizontal	4	2.28
5230MHz	Pass	PK	5.15G	62.34	74.00	-11.66	3	Horizontal	4	2.28
5230MHz	Pass	PK	5.2168G	118.15	Inf	-Inf	3	Horizontal	4	2.28
5230MHz	Pass	PK	10.45535G	49.33	68.20	-18.87	3	Vertical	195	2.98
5230MHz	Pass	PK	10.4456G	48.90	68.20	-19.30	3	Horizontal	290	1.31
5270MHz	Pass	AV	5.274G	104.04	Inf	-Inf	3	Vertical	356	2.28
5270MHz	Pass	AV	5.35G	47.10	54.00	-6.90	3	Vertical	356	2.28
5270MHz	Pass	PK	5.2684G	118.46	Inf	-Inf	3	Vertical	356	2.28
5270MHz	Pass	PK	5.35G	60.63	74.00	-13.37	3	Vertical	356	2.28
5270MHz	Pass	AV	5.2648G	105.85	Inf	-Inf	3	Horizontal	3	2.30
5270MHz	Pass	AV	5.35G	48.72	54.00	-5.28	3	Horizontal	3	2.30
5270MHz	Pass	PK	5.268G	119.68	Inf	-Inf	3	Horizontal	3	2.30
5270MHz	Pass	PK	5.3504G	62.60	74.00	-11.40	3	Horizontal	3	2.30
5270MHz	Pass	PK	10.5096G	49.27	68.20	-18.93	3	Vertical	360	1.50
5270MHz	Pass	PK	10.50992G	48.95	68.20	-19.25	3	Horizontal	262	1.79
5310MHz	Pass	AV	5.3044G	100.68	Inf	-Inf	3	Vertical	356	2.13
5310MHz	Pass	AV	5.35G	52.13	54.00	-1.87	3	Vertical	356	2.13
5310MHz	Pass	PK	5.3016G	114.79	Inf	-Inf	3	Vertical	356	2.13
5310MHz	Pass	PK	5.3532G	66.72	74.00	-7.28	3	Vertical	356	2.13
5310MHz	Pass	AV	5.3148G	102.61	Inf	-Inf	3	Horizontal	3	2.31
5310MHz	Pass	AV	5.35G	53.61	54.00	-0.39	3	Horizontal	3	2.31
5310MHz	Pass	PK	5.3052G	116.61	Inf	-Inf	3	Horizontal	3	2.31
5310MHz	Pass	PK	5.35G	69.21	74.00	-4.79	3	Horizontal	3	2.31




RSE TX above 1GHz_Non-Beamforming_Radio 3
MIMO-directional Antenna_2T1S

Appendix E.34

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5310MHz	Pass	AV	10.64791G	35.86	54.00	-18.14	3	Vertical	152	1.12
5310MHz	Pass	PK	10.63612G	50.04	74.00	-23.96	3	Vertical	152	1.12
5310MHz	Pass	AV	10.65168G	35.86	54.00	-18.14	3	Horizontal	319	1.50
5310MHz	Pass	PK	10.64816G	49.02	74.00	-24.98	3	Horizontal	319	1.50
802.11be EHT80_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	53.58	54.00	-0.42	3	Vertical	360	2.11
5210MHz	Pass	AV	5.202G	98.76	Inf	-Inf	3	Vertical	360	2.11
5210MHz	Pass	AV	5.35G	45.18	54.00	-8.82	3	Vertical	360	2.11
5210MHz	Pass	PK	5.145G	66.50	74.00	-7.50	3	Vertical	360	2.11
5210MHz	Pass	PK	5.207G	111.77	Inf	-Inf	3	Vertical	360	2.11
5210MHz	Pass	PK	5.353G	57.96	74.00	-16.04	3	Vertical	360	2.11
5210MHz	Pass	AV	5.15G	50.32	54.00	-3.68	3	Horizontal	4	2.26
5210MHz	Pass	AV	5.199G	98.98	Inf	-Inf	3	Horizontal	4	2.26
5210MHz	Pass	AV	5.35G	44.64	54.00	-9.36	3	Horizontal	4	2.26
5210MHz	Pass	PK	5.146G	62.35	74.00	-11.65	3	Horizontal	4	2.26
5210MHz	Pass	PK	5.196G	111.97	Inf	-Inf	3	Horizontal	4	2.26
5210MHz	Pass	PK	5.422G	57.32	74.00	-16.68	3	Horizontal	4	2.26
5210MHz	Pass	PK	10.36918G	49.74	68.20	-18.46	3	Vertical	84	1.88
5210MHz	Pass	PK	10.34608G	50.53	68.20	-17.67	3	Horizontal	11	1.50
5290MHz	Pass	AV	5.15G	45.10	54.00	-8.90	3	Vertical	355	2.26
5290MHz	Pass	AV	5.276G	98.62	Inf	-Inf	3	Vertical	355	2.26
5290MHz	Pass	AV	5.35G	53.65	54.00	-0.35	3	Vertical	355	2.26
5290MHz	Pass	PK	5.139G	58.38	74.00	-15.62	3	Vertical	355	2.26
5290MHz	Pass	PK	5.282G	112.30	Inf	-Inf	3	Vertical	355	2.26
5290MHz	Pass	PK	5.35G	66.42	74.00	-7.58	3	Vertical	355	2.26
5290MHz	Pass	PK	5.493G	56.10	68.20	-12.10	3	Vertical	355	2.26
5290MHz	Pass	AV	5.15G	45.96	54.00	-8.04	3	Horizontal	3	2.31
5290MHz	Pass	AV	5.307G	99.16	Inf	-Inf	3	Horizontal	3	2.31
5290MHz	Pass	AV	5.35G	53.09	54.00	-0.91	3	Horizontal	3	2.31
5290MHz	Pass	PK	5.125G	59.65	74.00	-14.35	3	Horizontal	3	2.31
5290MHz	Pass	PK	5.272G	112.92	Inf	-Inf	3	Horizontal	3	2.31
5290MHz	Pass	PK	5.35G	65.01	74.00	-8.99	3	Horizontal	3	2.31
5290MHz	Pass	PK	5.461G	57.13	68.20	-11.07	3	Horizontal	3	2.31
5290MHz	Pass	AV	10.6526G	35.81	54.00	-18.19	3	Vertical	47	1.50
5290MHz	Pass	PK	10.64707G	49.65	74.00	-24.35	3	Vertical	47	1.50
5290MHz	Pass	AV	10.652G	35.86	54.00	-18.14	3	Horizontal	31	1.50
5290MHz	Pass	PK	10.60984G	49.34	74.00	-24.66	3	Horizontal	31	1.50


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX



5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	53.55	54.00	-0.45	1.02	3	Vertical	357	2.33	52.53	33.50	4.81	37.29
AV	5.1874G	106.00	Inf	-Inf	0.88	3	Vertical	357	2.33	105.12	33.35	4.83	37.30
PK	5.1482G	72.03	74.00	-1.97	1.01	3	Vertical	357	2.33	71.02	33.49	4.81	37.29
PK	5.1874G	119.69	Inf	-Inf	0.88	3	Vertical	357	2.33	118.81	33.35	4.83	37.30

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1392G	51.97	54.00	-2.03	0.96	3	Horizontal	3	2.28	51.01	33.44	4.81	37.29
AV	5.174G	108.00	Inf	-Inf	0.93	3	Horizontal	3	2.28	107.07	33.40	4.83	37.30
PK	5.1382G	67.17	74.00	-6.83	0.95	3	Horizontal	3	2.28	66.22	33.43	4.81	37.29
PK	5.1734G	121.64	Inf	-Inf	0.94	3	Horizontal	3	2.28	120.70	33.41	4.83	37.30


5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.58	54.00	-0.42	1.02	3	Vertical	360	2.11	52.56	33.50	4.81	37.29
AV	5.202G	98.76	Inf	-Inf	0.84	3	Vertical	360	2.11	97.92	33.30	4.84	37.30
AV	5.35G	45.18	54.00	-8.82	0.67	3	Vertical	360	2.11	44.51	33.10	4.91	37.34
PK	5.145G	66.50	74.00	-7.50	0.99	3	Vertical	360	2.11	65.51	33.47	4.81	37.29
PK	5.207G	111.77	Inf	-Inf	0.82	3	Vertical	360	2.11	110.95	33.29	4.84	37.31
PK	5.353G	57.96	74.00	-16.04	0.66	3	Vertical	360	2.11	57.30	33.09	4.91	37.34

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.32	54.00	-3.68	1.02	3	Horizontal	4	2.26	49.30	33.50	4.81	37.29
AV	5.199G	98.98	Inf	-Inf	0.84	3	Horizontal	4	2.26	98.14	33.30	4.84	37.30
AV	5.35G	44.64	54.00	-9.36	0.67	3	Horizontal	4	2.26	43.97	33.10	4.91	37.34
PK	5.146G	62.35	74.00	-11.65	1.00	3	Horizontal	4	2.26	61.35	33.48	4.81	37.29
PK	5.196G	111.97	Inf	-Inf	0.86	3	Horizontal	4	2.26	111.11	33.32	4.84	37.30
PK	5.422G	57.32	74.00	-16.68	0.59	3	Horizontal	4	2.26	56.73	33.00	4.94	37.35


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX





**RSE TX below 1GHz_Non-Beamforming_Radio 3_
MIMO-directional Antenna_2T2S**

Appendix E.35

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	PK	43.58M	36.29	40.00	-3.71	3	Vertical	360	1.00



RSE TX below 1GHz_Non-Beamforming_Radio 3
MIMO-directional Antenna_2T2S


Appendix E.35

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5290MHz_Adapter	Pass	PK	43.58M	36.29	40.00	-3.71	3	Vertical	360	1.00
5290MHz_Adapter	Pass	PK	156.1M	28.61	43.50	-14.89	3	Vertical	360	1.00
5290MHz_Adapter	Pass	PK	249.22M	23.07	46.00	-22.93	3	Vertical	360	1.00
5290MHz_Adapter	Pass	PK	330.7M	21.12	46.00	-24.88	3	Vertical	360	1.00
5290MHz_Adapter	Pass	PK	449.04M	28.72	46.00	-17.28	3	Vertical	360	1.00
5290MHz_Adapter	Pass	PK	522.76M	25.89	46.00	-20.11	3	Vertical	360	1.00
5290MHz_Adapter	Pass	PK	99.84M	34.23	43.50	-9.27	3	Horizontal	0	1.00
5290MHz_Adapter	Pass	PK	158.04M	25.96	43.50	-17.54	3	Horizontal	0	1.00
5290MHz_Adapter	Pass	PK	249.22M	24.10	46.00	-21.90	3	Horizontal	0	1.00
5290MHz_Adapter	Pass	PK	392.78M	22.91	46.00	-23.09	3	Horizontal	0	1.00
5290MHz_Adapter	Pass	PK	449.04M	31.87	46.00	-14.13	3	Horizontal	0	1.00
5290MHz_Adapter	Pass	PK	549.92M	26.41	46.00	-19.59	3	Horizontal	0	1.00


5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_Adapter



5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_Adapter





RSE TX above 1GHz_Non-Beamforming_Radio 3
MIMO-directional Antenna_2T2S

Appendix E.36

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.15G	52.75	54.00	-1.25	3	Vertical	360	1.88
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.15G	53.40	54.00	-0.60	3	Vertical	357	2.11
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.15G	53.53	54.00	-0.47	3	Vertical	358	1.65
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.35G	50.22	54.00	-3.78	3	Horizontal	4	1.92
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.35G	53.82	54.00	-0.18	3	Vertical	357	1.67
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.35G	53.66	54.00	-0.34	3	Vertical	359	1.73



RSE TX above 1GHz_Non-Beamforming_Radio 3 MIMO-directional Antenna_2T2S

Appendix E.36

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	52.75	54.00	-1.25	3	Vertical	360	1.88
5180MHz	Pass	AV	5.1872G	105.90	Inf	-Inf	3	Vertical	360	1.88
5180MHz	Pass	PK	5.1396G	70.56	74.00	-3.44	3	Vertical	360	1.88
5180MHz	Pass	PK	5.1876G	119.38	Inf	-Inf	3	Vertical	360	1.88
5180MHz	Pass	AV	5.1398G	49.66	54.00	-4.34	3	Horizontal	0	1.50
5180MHz	Pass	AV	5.178G	106.39	Inf	-Inf	3	Horizontal	0	1.50
5180MHz	Pass	PK	5.1388G	65.20	74.00	-8.80	3	Horizontal	0	1.50
5180MHz	Pass	PK	5.1844G	119.86	Inf	-Inf	3	Horizontal	0	1.50
5180MHz	Pass	PK	10.36246G	49.59	68.20	-18.61	3	Vertical	249	1.36
5180MHz	Pass	PK	10.36924G	49.93	68.20	-18.27	3	Horizontal	178	1.50
5200MHz	Pass	AV	5.15G	48.04	54.00	-5.96	3	Vertical	356	2.06
5200MHz	Pass	AV	5.206G	106.75	Inf	-Inf	3	Vertical	356	2.06
5200MHz	Pass	PK	5.1484G	61.88	74.00	-12.12	3	Vertical	356	2.06
5200MHz	Pass	PK	5.2016G	119.90	Inf	-Inf	3	Vertical	356	2.06
5200MHz	Pass	AV	5.15G	47.97	54.00	-6.03	3	Horizontal	0	1.50
5200MHz	Pass	AV	5.202G	106.68	Inf	-Inf	3	Horizontal	0	1.50
5200MHz	Pass	PK	5.1464G	64.02	74.00	-9.98	3	Horizontal	0	1.50
5200MHz	Pass	PK	5.2008G	120.57	Inf	-Inf	3	Horizontal	0	1.50
5200MHz	Pass	PK	10.4111G	49.59	68.20	-18.61	3	Vertical	269	2.05
5200MHz	Pass	PK	10.40042G	50.59	68.20	-17.61	3	Horizontal	69	1.50
5240MHz	Pass	AV	5.1488G	45.46	54.00	-8.54	3	Vertical	355	2.04
5240MHz	Pass	AV	5.2478G	105.52	Inf	-Inf	3	Vertical	355	2.04
5240MHz	Pass	AV	5.35G	44.73	54.00	-9.27	3	Vertical	355	2.04
5240MHz	Pass	PK	5.1476G	58.78	74.00	-15.22	3	Vertical	355	2.04
5240MHz	Pass	PK	5.2412G	119.39	Inf	-Inf	3	Vertical	355	2.04
5240MHz	Pass	PK	5.3582G	57.89	74.00	-16.11	3	Vertical	355	2.04
5240MHz	Pass	AV	5.1494G	45.46	54.00	-8.54	3	Horizontal	0	1.50
5240MHz	Pass	AV	5.2322G	104.47	Inf	-Inf	3	Horizontal	0	1.50
5240MHz	Pass	AV	5.35G	43.84	54.00	-10.16	3	Horizontal	0	1.50
5240MHz	Pass	PK	5.141G	59.02	74.00	-14.98	3	Horizontal	0	1.50
5240MHz	Pass	PK	5.2478G	117.86	Inf	-Inf	3	Horizontal	0	1.50
5240MHz	Pass	PK	5.3606G	57.70	74.00	-16.30	3	Horizontal	0	1.50
5240MHz	Pass	PK	10.48912G	49.06	68.20	-19.14	3	Vertical	339	1.50
5240MHz	Pass	PK	10.49344G	49.85	68.20	-18.35	3	Horizontal	122	1.50
5260MHz	Pass	AV	5.1496G	44.82	54.00	-9.18	3	Vertical	357	1.50
5260MHz	Pass	AV	5.2654G	106.69	Inf	-Inf	3	Vertical	357	1.50
5260MHz	Pass	AV	5.35G	44.40	54.00	-9.60	3	Vertical	357	1.50
5260MHz	Pass	PK	5.1454G	58.06	74.00	-15.94	3	Vertical	357	1.50
5260MHz	Pass	PK	5.2648G	119.80	Inf	-Inf	3	Vertical	357	1.50
5260MHz	Pass	PK	5.3518G	58.06	74.00	-15.94	3	Vertical	357	1.50
5260MHz	Pass	AV	5.15G	45.72	54.00	-8.28	3	Horizontal	360	1.50
5260MHz	Pass	AV	5.263G	106.75	Inf	-Inf	3	Horizontal	360	1.50
5260MHz	Pass	AV	5.35G	44.40	54.00	-9.60	3	Horizontal	360	1.50
5260MHz	Pass	PK	5.1478G	60.17	74.00	-13.83	3	Horizontal	360	1.50
5260MHz	Pass	PK	5.269G	120.21	Inf	-Inf	3	Horizontal	360	1.50
5260MHz	Pass	PK	5.3614G	58.52	74.00	-15.48	3	Horizontal	360	1.50
5260MHz	Pass	PK	10.5239G	48.80	68.20	-19.40	3	Vertical	53	1.50
5260MHz	Pass	PK	10.53434G	49.68	68.20	-18.52	3	Horizontal	232	1.50
5300MHz	Pass	AV	5.3012G	105.66	Inf	-Inf	3	Vertical	357	1.70
5300MHz	Pass	AV	5.35G	46.42	54.00	-7.58	3	Vertical	357	1.70
5300MHz	Pass	PK	5.2952G	119.51	Inf	-Inf	3	Vertical	357	1.70
5300MHz	Pass	PK	5.3516G	59.99	74.00	-14.01	3	Vertical	357	1.70
5300MHz	Pass	AV	5.3036G	106.02	Inf	-Inf	3	Horizontal	4	1.50
5300MHz	Pass	AV	5.3508G	46.11	54.00	-7.89	3	Horizontal	4	1.50
5300MHz	Pass	PK	5.2968G	119.43	Inf	-Inf	3	Horizontal	4	1.50
5300MHz	Pass	PK	5.3572G	65.39	74.00	-8.61	3	Horizontal	4	1.50
5300MHz	Pass	AV	10.60702G	35.84	54.00	-18.16	3	Vertical	56	1.50
5300MHz	Pass	PK	10.5997G	48.51	68.20	-19.69	3	Vertical	56	1.50
5300MHz	Pass	AV	10.60576G	35.84	54.00	-18.16	3	Horizontal	107	1.50
5300MHz	Pass	PK	10.5919G	49.74	68.20	-18.46	3	Horizontal	107	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	AV	5.312G	105.13	Inf	-Inf	3	Vertical	357	1.50
5320MHz	Pass	AV	5.3502G	48.71	54.00	-5.29	3	Vertical	357	1.50
5320MHz	Pass	PK	5.3134G	118.64	Inf	-Inf	3	Vertical	357	1.50
5320MHz	Pass	PK	5.3594G	65.59	74.00	-8.41	3	Vertical	357	1.50
5320MHz	Pass	AV	5.3138G	107.34	Inf	-Inf	3	Horizontal	4	1.92
5320MHz	Pass	AV	5.35G	50.22	54.00	-3.78	3	Horizontal	4	1.92
5320MHz	Pass	PK	5.3168G	120.97	Inf	-Inf	3	Horizontal	4	1.92
5320MHz	Pass	PK	5.3604G	68.30	74.00	-5.70	3	Horizontal	4	1.92
5320MHz	Pass	AV	10.65188G	36.00	54.00	-18.00	3	Vertical	276	2.86
5320MHz	Pass	PK	10.64654G	49.34	74.00	-24.66	3	Vertical	276	2.86
5320MHz	Pass	AV	10.65326G	36.01	54.00	-17.99	3	Horizontal	177	1.50
5320MHz	Pass	PK	10.65476G	49.62	74.00	-24.38	3	Horizontal	177	1.50
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	53.40	54.00	-0.60	3	Vertical	357	2.11
5190MHz	Pass	AV	5.1964G	100.67	Inf	-Inf	3	Vertical	357	2.11
5190MHz	Pass	PK	5.1428G	69.38	74.00	-4.62	3	Vertical	357	2.11
5190MHz	Pass	PK	5.2036G	114.74	Inf	-Inf	3	Vertical	357	2.11
5190MHz	Pass	AV	5.15G	51.20	54.00	-2.80	3	Horizontal	0	1.50
5190MHz	Pass	AV	5.1852G	101.70	Inf	-Inf	3	Horizontal	0	1.50
5190MHz	Pass	PK	5.1468G	66.89	74.00	-7.11	3	Horizontal	0	1.50
5190MHz	Pass	PK	5.1956G	115.65	Inf	-Inf	3	Horizontal	0	1.50
5190MHz	Pass	PK	10.37388G	49.52	68.20	-18.68	3	Vertical	186	2.56
5190MHz	Pass	PK	10.40928G	49.93	68.20	-18.27	3	Horizontal	76	1.63
5230MHz	Pass	AV	5.15G	48.53	54.00	-5.47	3	Vertical	359	1.66
5230MHz	Pass	AV	5.212G	102.79	Inf	-Inf	3	Vertical	359	1.66
5230MHz	Pass	PK	5.1496G	62.54	74.00	-11.46	3	Vertical	359	1.66
5230MHz	Pass	PK	5.2456G	116.19	Inf	-Inf	3	Vertical	359	1.66
5230MHz	Pass	AV	5.15G	48.46	54.00	-5.54	3	Horizontal	0	1.50
5230MHz	Pass	AV	5.212G	103.12	Inf	-Inf	3	Horizontal	0	1.50
5230MHz	Pass	PK	5.15G	62.68	74.00	-11.32	3	Horizontal	0	1.50
5230MHz	Pass	PK	5.2116G	115.95	Inf	-Inf	3	Horizontal	0	1.50
5230MHz	Pass	PK	10.43084G	49.36	68.20	-18.84	3	Vertical	301	1.49
5230MHz	Pass	PK	10.47728G	49.14	68.20	-19.06	3	Horizontal	198	2.36
5270MHz	Pass	AV	5.2672G	103.72	Inf	-Inf	3	Vertical	356	2.17
5270MHz	Pass	AV	5.35G	46.82	54.00	-7.18	3	Vertical	356	2.17
5270MHz	Pass	PK	5.2664G	117.72	Inf	-Inf	3	Vertical	356	2.17
5270MHz	Pass	PK	5.3516G	60.51	74.00	-13.49	3	Vertical	356	2.17
5270MHz	Pass	AV	5.2648G	104.24	Inf	-Inf	3	Horizontal	2	1.50
5270MHz	Pass	AV	5.35G	47.25	54.00	-6.75	3	Horizontal	2	1.50
5270MHz	Pass	PK	5.278G	118.13	Inf	-Inf	3	Horizontal	2	1.50
5270MHz	Pass	PK	5.3524G	61.53	74.00	-12.47	3	Horizontal	2	1.50
5270MHz	Pass	PK	10.52704G	50.03	68.20	-18.17	3	Vertical	182	1.84
5270MHz	Pass	PK	10.54G	48.39	68.20	-19.81	3	Horizontal	236	1.50
5310MHz	Pass	AV	5.2996G	100.62	Inf	-Inf	3	Vertical	357	1.67
5310MHz	Pass	AV	5.35G	53.82	54.00	-0.18	3	Vertical	357	1.67
5310MHz	Pass	PK	5.2976G	114.22	Inf	-Inf	3	Vertical	357	1.67
5310MHz	Pass	PK	5.3512G	68.09	74.00	-5.91	3	Vertical	357	1.67
5310MHz	Pass	AV	5.3072G	101.71	Inf	-Inf	3	Horizontal	3	1.50
5310MHz	Pass	AV	5.35G	53.43	54.00	-0.57	3	Horizontal	3	1.50
5310MHz	Pass	PK	5.3076G	114.98	Inf	-Inf	3	Horizontal	3	1.50
5310MHz	Pass	PK	5.3504G	69.26	74.00	-4.74	3	Horizontal	3	1.50
5310MHz	Pass	AV	10.64832G	35.95	54.00	-18.05	3	Vertical	74	2.86
5310MHz	Pass	PK	10.6494G	49.13	74.00	-24.87	3	Vertical	74	2.86
5310MHz	Pass	AV	10.64916G	35.93	54.00	-18.07	3	Horizontal	77	2.25
5310MHz	Pass	PK	10.6062G	48.99	74.00	-25.01	3	Horizontal	77	2.25
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	53.53	54.00	-0.47	3	Vertical	358	1.65
5210MHz	Pass	AV	5.201G	98.06	Inf	-Inf	3	Vertical	358	1.65
5210MHz	Pass	AV	5.35G	45.53	54.00	-8.47	3	Vertical	358	1.65
5210MHz	Pass	PK	5.144G	64.78	74.00	-9.22	3	Vertical	358	1.65
5210MHz	Pass	PK	5.198G	111.79	Inf	-Inf	3	Vertical	358	1.65
5210MHz	Pass	PK	5.352G	58.54	74.00	-15.46	3	Vertical	358	1.65

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5210MHz	Pass	AV	5.15G	52.15	54.00	-1.85	3	Horizontal	0	1.50
5210MHz	Pass	AV	5.198G	98.62	Inf	-Inf	3	Horizontal	0	1.50
5210MHz	Pass	AV	5.382G	50.42	54.00	-3.58	3	Horizontal	0	1.50
5210MHz	Pass	PK	5.15G	64.74	74.00	-9.26	3	Horizontal	0	1.50
5210MHz	Pass	PK	5.204G	112.08	Inf	-Inf	3	Horizontal	0	1.50
5210MHz	Pass	PK	5.396G	63.60	74.00	-10.40	3	Horizontal	0	1.50
5210MHz	Pass	PK	10.44928G	49.49	68.20	-18.71	3	Vertical	166	1.50
5210MHz	Pass	PK	10.37848G	49.38	68.20	-18.82	3	Horizontal	166	1.50
5290MHz	Pass	AV	5.144G	45.61	54.00	-8.39	3	Vertical	359	1.73
5290MHz	Pass	AV	5.277G	97.99	Inf	-Inf	3	Vertical	359	1.73
5290MHz	Pass	AV	5.35G	53.66	54.00	-0.34	3	Vertical	359	1.73
5290MHz	Pass	PK	5.146G	58.82	74.00	-15.18	3	Vertical	359	1.73
5290MHz	Pass	PK	5.277G	110.89	Inf	-Inf	3	Vertical	359	1.73
5290MHz	Pass	PK	5.35G	66.06	74.00	-7.94	3	Vertical	359	1.73
5290MHz	Pass	PK	5.491G	56.71	68.20	-11.49	3	Vertical	359	1.73
5290MHz	Pass	AV	5.149G	50.19	54.00	-3.81	3	Horizontal	0	1.50
5290MHz	Pass	AV	5.305G	97.45	Inf	-Inf	3	Horizontal	0	1.50
5290MHz	Pass	AV	5.35G	52.83	54.00	-1.17	3	Horizontal	0	1.50
5290MHz	Pass	PK	5.144G	63.67	74.00	-10.33	3	Horizontal	0	1.50
5290MHz	Pass	PK	5.277G	111.23	Inf	-Inf	3	Horizontal	0	1.50
5290MHz	Pass	PK	5.355G	65.36	74.00	-8.64	3	Horizontal	0	1.50
5290MHz	Pass	PK	5.538G	63.14	68.20	-5.06	3	Horizontal	0	1.50
5290MHz	Pass	AV	10.61336G	36.67	54.00	-17.33	3	Vertical	265	1.06
5290MHz	Pass	PK	10.60624G	49.13	74.00	-24.87	3	Vertical	265	1.06
5290MHz	Pass	AV	10.61912G	36.59	54.00	-17.41	3	Horizontal	80	1.50
5290MHz	Pass	PK	10.60448G	49.22	74.00	-24.78	3	Horizontal	80	1.50


5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.53	54.00	-0.47	1.02	3	Vertical	358	1.65	52.51	33.50	4.81	37.29
AV	5.201G	98.06	Inf	-Inf	0.84	3	Vertical	358	1.65	97.22	33.30	4.84	37.30
AV	5.35G	45.53	54.00	-8.47	0.67	3	Vertical	358	1.65	44.86	33.10	4.91	37.34
PK	5.144G	64.78	74.00	-9.22	0.98	3	Vertical	358	1.65	63.80	33.46	4.81	37.29
PK	5.198G	111.79	Inf	-Inf	0.85	3	Vertical	358	1.65	110.94	33.31	4.84	37.30
PK	5.352G	58.54	74.00	-15.46	0.67	3	Vertical	358	1.65	57.87	33.10	4.91	37.34

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.15	54.00	-1.85	1.02	3	Horizontal	0	1.50	51.13	33.50	4.81	37.29
AV	5.198G	98.62	Inf	-Inf	0.85	3	Horizontal	0	1.50	97.77	33.31	4.84	37.30
AV	5.382G	50.42	54.00	-3.58	0.62	3	Horizontal	0	1.50	49.80	33.04	4.92	37.34
PK	5.15G	64.74	74.00	-9.26	1.02	3	Horizontal	0	1.50	63.72	33.50	4.81	37.29
PK	5.204G	112.08	Inf	-Inf	0.83	3	Horizontal	0	1.50	111.25	33.29	4.84	37.30
PK	5.396G	63.60	74.00	-10.40	0.59	3	Horizontal	0	1.50	63.01	33.01	4.93	37.35


5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX



5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX



5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX

