


5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	50.46	54.00	-3.54	0.64	3	Vertical	357	1.50	49.82	33.06	4.94	37.36
AV	5.494G	106.43	Inf	-Inf	0.84	3	Vertical	357	1.50	105.59	33.26	4.95	37.37
PK	5.46G	66.61	74.00	-7.39	0.65	3	Vertical	357	1.50	65.96	33.06	4.95	37.36
PK	5.4604G	67.31	68.20	-0.89	0.65	3	Vertical	357	1.50	66.66	33.06	4.95	37.36
PK	5.497G	120.65	Inf	-Inf	0.86	3	Vertical	357	1.50	119.79	33.28	4.95	37.37

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	51.08	54.00	-2.92	0.63	3	Horizontal	356	2.12	50.45	33.05	4.94	37.36
AV	5.4936G	106.77	Inf	-Inf	0.84	3	Horizontal	356	2.12	105.93	33.26	4.95	37.37
PK	5.459G	68.93	74.00	-5.07	0.63	3	Horizontal	356	2.12	68.30	33.05	4.94	37.36
PK	5.4608G	67.77	68.20	-0.43	0.65	3	Horizontal	356	2.12	67.12	33.06	4.95	37.36
PK	5.4932G	120.06	Inf	-Inf	0.84	3	Horizontal	356	2.12	119.22	33.26	4.95	37.37


5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	43.86	54.00	-10.14	0.67	3	Vertical	358	1.50	43.19	33.10	4.91	37.34
AV	5.459G	50.54	54.00	-3.46	0.63	3	Vertical	358	1.50	49.91	33.05	4.94	37.36
AV	5.517G	99.20	Inf	-Inf	0.87	3	Vertical	358	1.50	98.33	33.27	4.96	37.36
PK	5.328G	57.46	68.20	-10.74	0.67	3	Vertical	358	1.50	56.79	33.10	4.90	37.33
PK	5.46G	63.23	74.00	-10.77	0.65	3	Vertical	358	1.50	62.58	33.06	4.95	37.36
PK	5.465G	64.59	68.20	-3.61	0.68	3	Vertical	358	1.50	63.91	33.09	4.95	37.36
PK	5.521G	113.03	Inf	-Inf	0.86	3	Vertical	358	1.50	112.17	33.26	4.96	37.36
PK	5.726G	57.57	68.20	-10.63	1.73	3	Vertical	358	1.50	55.84	33.90	5.11	37.28

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	45.54	54.00	-8.46	0.67	3	Horizontal	360	1.89	44.87	33.10	4.91	37.34
AV	5.46G	52.88	54.00	-1.12	0.65	3	Horizontal	360	1.89	52.23	33.06	4.95	37.36
AV	5.516G	99.46	Inf	-Inf	0.87	3	Horizontal	360	1.89	98.59	33.27	4.96	37.36
PK	5.347G	59.46	68.20	-8.74	0.67	3	Horizontal	360	1.89	58.79	33.10	4.91	37.34
PK	5.458G	66.10	74.00	-7.90	0.63	3	Horizontal	360	1.89	65.47	33.05	4.94	37.36
PK	5.469G	67.53	68.20	-0.67	0.70	3	Horizontal	360	1.89	66.83	33.11	4.95	37.36
PK	5.492G	113.22	Inf	-Inf	0.83	3	Horizontal	360	1.89	112.39	33.25	4.95	37.37
PK	5.732G	59.02	68.20	-9.18	1.77	3	Horizontal	360	1.89	57.25	33.93	5.11	37.27


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.451G	48.63	54.00	-5.37	5.30	3	Vertical	4	1.64	43.33	32.80	7.57	35.07
AV	5.7378G	112.87	Inf	-Inf	6.23	3	Vertical	4	1.64	106.64	33.68	7.72	35.17
PK	5.5014G	61.76	68.20	-6.44	5.27	3	Vertical	4	1.64	56.49	32.80	7.54	35.07
PK	5.7522G	122.17	Inf	-Inf	6.28	3	Vertical	4	1.64	115.89	33.71	7.75	35.18
PK	5.9802G	59.66	68.20	-8.54	6.55	3	Vertical	4	1.64	53.11	34.06	7.76	35.27

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	48.08	54.00	-5.92	5.30	3	Horizontal	360	1.88	42.78	32.80	7.57	35.07
AV	5.7414G	112.71	Inf	-Inf	6.24	3	Horizontal	360	1.88	106.47	33.68	7.73	35.17
PK	5.6454G	60.75	68.20	-7.45	5.51	3	Horizontal	360	1.88	55.24	33.07	7.57	35.13
PK	5.751G	121.90	Inf	-Inf	6.27	3	Horizontal	360	1.88	115.63	33.70	7.75	35.18
PK	5.9454G	59.76	68.20	-8.44	6.53	3	Horizontal	360	1.88	53.23	34.02	7.77	35.26


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX



5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4522G	48.65	54.00	-5.35	5.30	3	Vertical	3	1.50	43.35	32.80	7.57	35.07
AV	5.739G	111.96	Inf	-Inf	6.24	3	Vertical	3	1.50	105.72	33.68	7.73	35.17
PK	5.649G	61.98	68.20	-6.22	5.53	3	Vertical	3	1.50	56.45	33.09	7.57	35.13
PK	5.7414G	122.85	Inf	-Inf	6.24	3	Vertical	3	1.50	116.61	33.68	7.73	35.17
PK	5.9442G	59.63	68.20	-8.57	6.53	3	Vertical	3	1.50	53.10	34.02	7.77	35.26

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.451G	47.95	54.00	-6.05	5.30	3	Horizontal	357	1.78	42.65	32.80	7.57	35.07
AV	5.7498G	111.94	Inf	-Inf	6.27	3	Horizontal	357	1.78	105.67	33.70	7.74	35.17
PK	5.5038G	61.16	68.20	-7.04	5.28	3	Horizontal	357	1.78	55.88	32.81	7.54	35.07
PK	5.7486G	123.40	Inf	-Inf	6.27	3	Horizontal	357	1.78	117.13	33.70	7.74	35.17
PK	5.943G	59.38	68.20	-8.82	6.54	3	Horizontal	357	1.78	52.84	34.03	7.77	35.26


5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX





**RSE TX below 1GHz_Non-Beamforming_Radio 2_
MIMO-directional Antenna_2T2S**

Appendix E.17

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	QP	45.36M	32.21	40.00	-7.79	3	Vertical	52	1.00



RSE TX below 1GHz_Non-Beamforming_Radio 2_
MIMO-directional Antenna_2T2S


Appendix E.17

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss2_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5775MHz_Adapter	Pass	PK	154.16M	28.73	43.50	-14.77	3	Vertical	0	1.00
5775MHz_Adapter	Pass	PK	249.22M	24.16	46.00	-21.84	3	Vertical	0	1.00
5775MHz_Adapter	Pass	PK	361.74M	21.52	46.00	-24.48	3	Vertical	0	1.00
5775MHz_Adapter	Pass	PK	449.04M	29.05	46.00	-16.95	3	Vertical	0	1.00
5775MHz_Adapter	Pass	PK	551.86M	26.80	46.00	-19.20	3	Vertical	0	1.00
5775MHz_Adapter	Pass	QP	45.36M	32.21	40.00	-7.79	3	Vertical	52	1.00
5775MHz_Adapter	Pass	PK	99.84M	33.75	43.50	-9.75	3	Horizontal	360	1.00
5775MHz_Adapter	Pass	PK	156.1M	25.47	43.50	-18.03	3	Horizontal	360	1.00
5775MHz_Adapter	Pass	PK	249.22M	26.29	46.00	-19.71	3	Horizontal	360	1.00
5775MHz_Adapter	Pass	PK	307.42M	22.99	46.00	-23.01	3	Horizontal	360	1.00
5775MHz_Adapter	Pass	PK	449.04M	31.91	46.00	-14.09	3	Horizontal	360	1.00
5775MHz_Adapter	Pass	PK	549.92M	27.50	46.00	-18.50	3	Horizontal	360	1.00


5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_Adapter



5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_Adapter





RSE TX above 1GHz_Non-Beamforming_Radio 2 MIMO-directional Antenna_2T2S

Appendix E.18

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.1496G	52.23	54.00	-1.77	3	Horizontal	0	1.50
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.15G	53.55	54.00	-0.45	3	Horizontal	3	1.50
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.146G	53.00	54.00	-1.00	3	Vertical	360	1.34
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.35G	52.20	54.00	-1.80	3	Vertical	358	1.50
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.35G	53.55	54.00	-0.45	3	Horizontal	0	1.50
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.35G	53.84	54.00	-0.16	3	Horizontal	0	1.50
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	AV	5.1492G	53.73	54.00	-0.27	3	Vertical	357	1.36
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	PK	5.7304G	67.81	68.20	-0.39	3	Vertical	360	1.50
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	PK	5.7252G	67.68	68.20	-0.52	3	Vertical	356	1.50
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	PK	5.47G	67.96	68.20	-0.24	3	Vertical	0	1.50
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	PK	5.462G	68.13	68.20	-0.07	3	Vertical	360	1.50
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	PK	5.5842G	63.02	68.20	-5.18	3	Horizontal	11	1.64
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	PK	5.647G	64.11	68.20	-4.09	3	Horizontal	11	1.72
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	PK	5.6478G	67.02	68.20	-1.18	3	Horizontal	12	1.67



RSE TX above 1GHz Non-Beamforming Radio 2 MIMO-directional Antenna 2T2S

Appendix E.18

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1392G	49.91	54.00	-4.09	3	Vertical	360	1.50
5180MHz	Pass	AV	5.178G	107.54	Inf	-Inf	3	Vertical	360	1.50
5180MHz	Pass	PK	5.1388G	66.47	74.00	-7.53	3	Vertical	360	1.50
5180MHz	Pass	PK	5.1816G	121.36	Inf	-Inf	3	Vertical	360	1.50
5180MHz	Pass	AV	5.1496G	52.23	54.00	-1.77	3	Horizontal	0	1.50
5180MHz	Pass	AV	5.173G	107.10	Inf	-Inf	3	Horizontal	0	1.50
5180MHz	Pass	PK	5.1396G	67.68	74.00	-6.32	3	Horizontal	0	1.50
5180MHz	Pass	PK	5.1784G	120.61	Inf	-Inf	3	Horizontal	0	1.50
5180MHz	Pass	PK	10.36376G	49.55	68.20	-18.65	3	Vertical	262	1.50
5180MHz	Pass	PK	10.35304G	49.38	68.20	-18.82	3	Horizontal	119	1.50
5200MHz	Pass	AV	5.15G	47.21	54.00	-6.79	3	Vertical	356	1.50
5200MHz	Pass	AV	5.1948G	106.95	Inf	-Inf	3	Vertical	356	1.50
5200MHz	Pass	PK	5.146G	60.63	74.00	-13.37	3	Vertical	356	1.50
5200MHz	Pass	PK	5.2008G	120.43	Inf	-Inf	3	Vertical	356	1.50
5200MHz	Pass	AV	5.15G	48.31	54.00	-5.69	3	Horizontal	5	1.50
5200MHz	Pass	AV	5.2052G	107.11	Inf	-Inf	3	Horizontal	5	1.50
5200MHz	Pass	PK	5.1448G	63.26	74.00	-10.74	3	Horizontal	5	1.50
5200MHz	Pass	PK	5.2044G	121.23	Inf	-Inf	3	Horizontal	5	1.50
5200MHz	Pass	PK	10.40644G	48.95	68.20	-19.25	3	Vertical	126	1.00
5200MHz	Pass	PK	10.40344G	49.87	68.20	-18.33	3	Horizontal	230	1.98
5240MHz	Pass	AV	5.15G	45.34	54.00	-8.66	3	Vertical	357	1.42
5240MHz	Pass	AV	5.2442G	105.84	Inf	-Inf	3	Vertical	357	1.42
5240MHz	Pass	AV	5.351G	44.44	54.00	-9.56	3	Vertical	357	1.42
5240MHz	Pass	PK	5.15G	58.16	74.00	-15.84	3	Vertical	357	1.42
5240MHz	Pass	PK	5.2448G	119.24	Inf	-Inf	3	Vertical	357	1.42
5240MHz	Pass	PK	5.3654G	57.84	74.00	-16.16	3	Vertical	357	1.42
5240MHz	Pass	AV	5.1494G	45.27	54.00	-8.73	3	Horizontal	3	1.50
5240MHz	Pass	AV	5.2322G	107.09	Inf	-Inf	3	Horizontal	3	1.50
5240MHz	Pass	AV	5.3864G	45.41	54.00	-8.59	3	Horizontal	3	1.50
5240MHz	Pass	PK	5.1428G	58.20	74.00	-15.80	3	Horizontal	3	1.50
5240MHz	Pass	PK	5.2322G	120.62	Inf	-Inf	3	Horizontal	3	1.50
5240MHz	Pass	PK	5.3852G	58.90	74.00	-15.10	3	Horizontal	3	1.50
5240MHz	Pass	PK	10.47028G	48.66	68.20	-19.54	3	Vertical	80	1.50
5240MHz	Pass	PK	10.47112G	48.90	68.20	-19.30	3	Horizontal	72	1.50
5260MHz	Pass	AV	5.15G	44.90	54.00	-9.10	3	Vertical	356	1.50
5260MHz	Pass	AV	5.2618G	106.95	Inf	-Inf	3	Vertical	356	1.50
5260MHz	Pass	AV	5.35G	44.95	54.00	-9.05	3	Vertical	356	1.50
5260MHz	Pass	PK	5.1472G	59.17	74.00	-14.83	3	Vertical	356	1.50
5260MHz	Pass	PK	5.2558G	120.07	Inf	-Inf	3	Vertical	356	1.50
5260MHz	Pass	PK	5.3524G	58.68	74.00	-15.32	3	Vertical	356	1.50
5260MHz	Pass	AV	5.1496G	44.35	54.00	-9.65	3	Horizontal	360	1.50
5260MHz	Pass	AV	5.2654G	106.08	Inf	-Inf	3	Horizontal	360	1.50
5260MHz	Pass	AV	5.3854G	45.13	54.00	-8.87	3	Horizontal	360	1.50
5260MHz	Pass	PK	5.1358G	57.97	74.00	-16.03	3	Horizontal	360	1.50
5260MHz	Pass	PK	5.2648G	120.28	Inf	-Inf	3	Horizontal	360	1.50
5260MHz	Pass	PK	5.3776G	59.24	74.00	-14.76	3	Horizontal	360	1.50
5260MHz	Pass	PK	10.51824G	49.11	68.20	-19.09	3	Vertical	131	3.00
5260MHz	Pass	PK	10.52504G	48.64	68.20	-19.56	3	Horizontal	52	1.50
5300MHz	Pass	AV	5.2924G	105.42	Inf	-Inf	3	Vertical	356	1.50
5300MHz	Pass	AV	5.35G	48.17	54.00	-5.83	3	Vertical	356	1.50
5300MHz	Pass	PK	5.2912G	119.50	Inf	-Inf	3	Vertical	356	1.50
5300MHz	Pass	PK	5.354G	61.85	74.00	-12.15	3	Vertical	356	1.50
5300MHz	Pass	AV	5.3048G	106.24	Inf	-Inf	3	Horizontal	360	1.50
5300MHz	Pass	AV	5.35G	47.65	54.00	-6.35	3	Horizontal	360	1.50
5300MHz	Pass	PK	5.3068G	119.75	Inf	-Inf	3	Horizontal	360	1.50
5300MHz	Pass	PK	5.354G	62.23	74.00	-11.77	3	Horizontal	360	1.50
5300MHz	Pass	AV	10.6096G	35.73	54.00	-18.27	3	Vertical	76	1.86
5300MHz	Pass	PK	10.60404G	49.70	74.00	-24.30	3	Vertical	76	1.86
5300MHz	Pass	AV	10.60824G	35.74	54.00	-18.26	3	Horizontal	156	1.50
5300MHz	Pass	PK	10.60876G	49.00	74.00	-25.00	3	Horizontal	156	1.50



RSE TX above 1GHz Non-Beamforming Radio 2 MIMO-directional Antenna 2T2S

Appendix E.18

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	AV	5.3242G	106.16	Inf	-Inf	3	Vertical	358	1.50
5320MHz	Pass	AV	5.35G	52.20	54.00	-1.80	3	Vertical	358	1.50
5320MHz	Pass	PK	5.3224G	119.55	Inf	-Inf	3	Vertical	358	1.50
5320MHz	Pass	PK	5.362G	68.09	74.00	-5.91	3	Vertical	358	1.50
5320MHz	Pass	AV	5.3184G	106.18	Inf	-Inf	3	Horizontal	2	1.50
5320MHz	Pass	AV	5.3604G	51.15	54.00	-2.85	3	Horizontal	2	1.50
5320MHz	Pass	PK	5.3188G	120.64	Inf	-Inf	3	Horizontal	2	1.50
5320MHz	Pass	PK	5.3604G	67.54	74.00	-6.46	3	Horizontal	2	1.50
5320MHz	Pass	AV	10.64212G	35.96	54.00	-18.04	3	Vertical	45	1.50
5320MHz	Pass	PK	10.64888G	49.20	74.00	-24.80	3	Vertical	45	1.50
5320MHz	Pass	AV	10.64352G	35.96	54.00	-18.04	3	Horizontal	44	2.79
5320MHz	Pass	PK	10.631G	48.94	74.00	-25.06	3	Horizontal	44	2.79
5500MHz	Pass	AV	5.4596G	51.13	54.00	-2.87	3	Vertical	358	1.63
5500MHz	Pass	AV	5.4924G	106.19	Inf	-Inf	3	Vertical	358	1.63
5500MHz	Pass	PK	5.46G	66.56	74.00	-7.44	3	Vertical	358	1.63
5500MHz	Pass	PK	5.4602G	66.58	68.20	-1.62	3	Vertical	358	1.63
5500MHz	Pass	PK	5.4922G	119.78	Inf	-Inf	3	Vertical	358	1.63
5500MHz	Pass	AV	5.4596G	51.15	54.00	-2.85	3	Horizontal	360	1.50
5500MHz	Pass	AV	5.4928G	104.76	Inf	-Inf	3	Horizontal	360	1.50
5500MHz	Pass	PK	5.458G	69.37	74.00	-4.63	3	Horizontal	360	1.50
5500MHz	Pass	PK	5.4602G	65.22	68.20	-2.98	3	Horizontal	360	1.50
5500MHz	Pass	PK	5.5084G	118.34	Inf	-Inf	3	Horizontal	360	1.50
5500MHz	Pass	AV	10.99828G	35.36	54.00	-18.64	3	Vertical	227	1.17
5500MHz	Pass	PK	10.99016G	49.00	74.00	-25.00	3	Vertical	227	1.17
5500MHz	Pass	AV	10.99656G	35.35	54.00	-18.65	3	Horizontal	230	1.15
5500MHz	Pass	PK	10.99588G	48.91	74.00	-25.09	3	Horizontal	230	1.15
5580MHz	Pass	AV	5.46G	44.58	54.00	-9.42	3	Vertical	358	1.31
5580MHz	Pass	AV	5.583G	105.10	Inf	-Inf	3	Vertical	358	1.31
5580MHz	Pass	PK	5.4546G	58.00	74.00	-16.00	3	Vertical	358	1.31
5580MHz	Pass	PK	5.4642G	58.35	68.20	-9.85	3	Vertical	358	1.31
5580MHz	Pass	PK	5.5716G	118.65	Inf	-Inf	3	Vertical	358	1.31
5580MHz	Pass	PK	5.7264G	56.90	68.20	-11.30	3	Vertical	358	1.31
5580MHz	Pass	AV	5.4588G	44.13	54.00	-9.87	3	Horizontal	2	1.50
5580MHz	Pass	AV	5.577G	103.42	Inf	-Inf	3	Horizontal	2	1.50
5580MHz	Pass	PK	5.4564G	58.39	74.00	-15.61	3	Horizontal	2	1.50
5580MHz	Pass	PK	5.4624G	57.78	68.20	-10.42	3	Horizontal	2	1.50
5580MHz	Pass	PK	5.5848G	118.25	Inf	-Inf	3	Horizontal	2	1.50
5580MHz	Pass	PK	5.7258G	56.69	68.20	-11.51	3	Horizontal	2	1.50
5580MHz	Pass	AV	11.15264G	35.90	54.00	-18.10	3	Vertical	105	1.50
5580MHz	Pass	PK	11.15292G	49.63	74.00	-24.37	3	Vertical	105	1.50
5580MHz	Pass	AV	11.15492G	35.95	54.00	-18.05	3	Horizontal	302	1.54
5580MHz	Pass	PK	11.15016G	49.72	74.00	-24.28	3	Horizontal	302	1.54
5700MHz	Pass	AV	5.7024G	100.49	Inf	-Inf	3	Vertical	360	1.50
5700MHz	Pass	PK	5.6988G	114.45	Inf	-Inf	3	Vertical	360	1.50
5700MHz	Pass	PK	5.7304G	67.81	68.20	-0.39	3	Vertical	360	1.50
5700MHz	Pass	AV	5.6952G	99.55	Inf	-Inf	3	Horizontal	1	2.01
5700MHz	Pass	PK	5.704G	113.25	Inf	-Inf	3	Horizontal	1	2.01
5700MHz	Pass	PK	5.726G	67.37	68.20	-0.83	3	Horizontal	1	2.01
5700MHz	Pass	AV	11.39924G	36.84	54.00	-17.16	3	Vertical	11	2.39
5700MHz	Pass	PK	11.40464G	51.30	74.00	-22.70	3	Vertical	11	2.39
5700MHz	Pass	AV	11.39696G	36.80	54.00	-17.20	3	Horizontal	295	1.50
5700MHz	Pass	PK	11.39324G	50.60	74.00	-23.40	3	Horizontal	295	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4416G	43.20	54.00	-10.80	3	Vertical	0	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7116G	105.24	Inf	-Inf	3	Vertical	0	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4344G	56.74	74.00	-17.26	3	Vertical	0	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	56.27	68.20	-11.93	3	Vertical	0	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7128G	118.60	Inf	-Inf	3	Vertical	0	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9276G	58.10	68.20	-10.10	3	Vertical	0	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.456G	43.45	54.00	-10.55	3	Horizontal	5	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7128G	104.09	Inf	-Inf	3	Horizontal	5	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4464G	57.09	74.00	-16.91	3	Horizontal	5	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	57.40	68.20	-10.80	3	Horizontal	5	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7272G	118.28	Inf	-Inf	3	Horizontal	5	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.876G	57.84	68.20	-10.36	3	Horizontal	5	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43568G	36.75	54.00	-17.25	3	Vertical	37	1.82
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43916G	49.74	74.00	-24.26	3	Vertical	37	1.82
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.436G	36.77	54.00	-17.23	3	Horizontal	65	1.49
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43796G	50.44	74.00	-23.56	3	Horizontal	65	1.49
5745MHz	Pass	AV	5.4594G	47.79	54.00	-6.21	3	Vertical	9	1.37
5745MHz	Pass	AV	5.7426G	110.71	Inf	-Inf	3	Vertical	9	1.37
5745MHz	Pass	PK	5.6394G	60.79	68.20	-7.41	3	Vertical	9	1.37
5745MHz	Pass	PK	5.7414G	122.52	Inf	-Inf	3	Vertical	9	1.37
5745MHz	Pass	PK	5.9382G	59.36	68.20	-8.84	3	Vertical	9	1.37
5745MHz	Pass	AV	5.4546G	48.51	54.00	-5.49	3	Horizontal	11	1.64
5745MHz	Pass	AV	5.7378G	112.28	Inf	-Inf	3	Horizontal	11	1.64
5745MHz	Pass	PK	5.5842G	63.02	68.20	-5.18	3	Horizontal	11	1.64
5745MHz	Pass	PK	5.7498G	124.86	Inf	-Inf	3	Horizontal	11	1.64
5745MHz	Pass	PK	5.9922G	59.80	68.20	-8.40	3	Horizontal	11	1.64
5745MHz	Pass	AV	11.4918G	37.17	54.00	-16.83	3	Vertical	93	1.50
5745MHz	Pass	PK	11.48068G	50.23	74.00	-23.77	3	Vertical	93	1.50
5745MHz	Pass	AV	11.48432G	37.13	54.00	-16.87	3	Horizontal	113	1.50
5745MHz	Pass	PK	11.48424G	49.56	74.00	-24.44	3	Horizontal	113	1.50
5785MHz	Pass	AV	5.78129G	109.31	Inf	-Inf	3	Vertical	9	1.35
5785MHz	Pass	PK	5.58164G	59.88	68.20	-8.32	3	Vertical	9	1.35
5785MHz	Pass	PK	5.7825G	121.15	Inf	-Inf	3	Vertical	9	1.35
5785MHz	Pass	PK	6.03902G	60.08	68.20	-8.12	3	Vertical	9	1.35
5785MHz	Pass	AV	5.78734G	110.68	Inf	-Inf	3	Horizontal	12	1.66
5785MHz	Pass	PK	5.63367G	62.69	68.20	-5.51	3	Horizontal	12	1.66
5785MHz	Pass	PK	5.79218G	122.65	Inf	-Inf	3	Horizontal	12	1.66
5785MHz	Pass	PK	6.085G	59.38	68.20	-8.82	3	Horizontal	12	1.66
5785MHz	Pass	AV	11.56188G	37.12	54.00	-16.88	3	Vertical	167	1.50
5785MHz	Pass	PK	11.57872G	49.70	74.00	-24.30	3	Vertical	167	1.50
5785MHz	Pass	AV	11.56552G	37.11	54.00	-16.89	3	Horizontal	268	1.50
5785MHz	Pass	PK	11.57248G	49.24	74.00	-24.76	3	Horizontal	268	1.50
5825MHz	Pass	AV	5.8166G	109.03	Inf	-Inf	3	Vertical	10	1.34
5825MHz	Pass	PK	5.6486G	60.16	68.20	-8.04	3	Vertical	10	1.34
5825MHz	Pass	PK	5.8166G	120.60	Inf	-Inf	3	Vertical	10	1.34
5825MHz	Pass	PK	6.0998G	59.54	68.20	-8.66	3	Vertical	10	1.34
5825MHz	Pass	AV	5.8238G	110.20	Inf	-Inf	3	Horizontal	10	1.72
5825MHz	Pass	PK	5.6402G	61.34	68.20	-6.86	3	Horizontal	10	1.72
5825MHz	Pass	PK	5.8262G	122.21	Inf	-Inf	3	Horizontal	10	1.72
5825MHz	Pass	PK	5.9822G	59.84	68.20	-8.36	3	Horizontal	10	1.72
5825MHz	Pass	AV	11.65648G	36.97	54.00	-17.03	3	Vertical	36	1.50
5825MHz	Pass	PK	11.64496G	49.06	74.00	-24.94	3	Vertical	36	1.50
5825MHz	Pass	AV	11.64888G	37.02	54.00	-16.98	3	Horizontal	206	3.00
5825MHz	Pass	PK	11.65728G	49.82	74.00	-24.18	3	Horizontal	206	3.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	50.50	54.00	-3.50	3	Vertical	360	1.50
5190MHz	Pass	AV	5.1824G	104.09	Inf	-Inf	3	Vertical	360	1.50
5190MHz	Pass	PK	5.1452G	65.46	74.00	-8.54	3	Vertical	360	1.50
5190MHz	Pass	PK	5.1832G	118.13	Inf	-Inf	3	Vertical	360	1.50
5190MHz	Pass	AV	5.15G	53.55	54.00	-0.45	3	Horizontal	3	1.50
5190MHz	Pass	AV	5.2048G	103.94	Inf	-Inf	3	Horizontal	3	1.50
5190MHz	Pass	PK	5.1484G	70.52	74.00	-3.48	3	Horizontal	3	1.50
5190MHz	Pass	PK	5.2084G	118.52	Inf	-Inf	3	Horizontal	3	1.50
5190MHz	Pass	PK	10.38676G	49.99	68.20	-18.21	3	Vertical	22	2.83
5190MHz	Pass	PK	10.38332G	49.47	68.20	-18.73	3	Horizontal	338	2.49
5230MHz	Pass	AV	5.1496G	48.55	54.00	-5.45	3	Vertical	357	1.69
5230MHz	Pass	AV	5.2128G	103.45	Inf	-Inf	3	Vertical	357	1.69
5230MHz	Pass	PK	5.1472G	62.23	74.00	-11.77	3	Vertical	357	1.69
5230MHz	Pass	PK	5.2128G	117.29	Inf	-Inf	3	Vertical	357	1.69
5230MHz	Pass	AV	5.15G	48.84	54.00	-5.16	3	Horizontal	0	1.50
5230MHz	Pass	AV	5.2212G	103.87	Inf	-Inf	3	Horizontal	0	1.50
5230MHz	Pass	PK	5.1496G	64.04	74.00	-9.96	3	Horizontal	0	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5230MHz	Pass	PK	5.2168G	118.76	Inf	-Inf	3	Horizontal	0	1.50
5230MHz	Pass	PK	10.46192G	49.98	68.20	-18.22	3	Vertical	360	1.50
5230MHz	Pass	PK	10.45664G	48.97	68.20	-19.23	3	Horizontal	127	2.11
5270MHz	Pass	AV	5.2644G	104.67	Inf	-Inf	3	Vertical	356	1.64
5270MHz	Pass	AV	5.35G	49.43	54.00	-4.57	3	Vertical	356	1.64
5270MHz	Pass	PK	5.2712G	118.64	Inf	-Inf	3	Vertical	356	1.64
5270MHz	Pass	PK	5.35G	65.05	74.00	-8.95	3	Vertical	356	1.64
5270MHz	Pass	AV	5.2672G	103.61	Inf	-Inf	3	Horizontal	3	1.50
5270MHz	Pass	AV	5.3504G	49.02	54.00	-4.98	3	Horizontal	3	1.50
5270MHz	Pass	PK	5.266G	118.08	Inf	-Inf	3	Horizontal	3	1.50
5270MHz	Pass	PK	5.358G	63.21	74.00	-10.79	3	Horizontal	3	1.50
5270MHz	Pass	PK	10.53656G	49.28	68.20	-18.92	3	Vertical	231	2.48
5270MHz	Pass	PK	10.54312G	48.52	68.20	-19.68	3	Horizontal	37	2.53
5310MHz	Pass	AV	5.324G	102.61	Inf	-Inf	3	Vertical	357	1.50
5310MHz	Pass	AV	5.3504G	52.79	54.00	-1.21	3	Vertical	357	1.50
5310MHz	Pass	PK	5.3208G	115.76	Inf	-Inf	3	Vertical	357	1.50
5310MHz	Pass	PK	5.35G	65.71	74.00	-8.29	3	Vertical	357	1.50
5310MHz	Pass	AV	5.3168G	102.76	Inf	-Inf	3	Horizontal	0	1.50
5310MHz	Pass	AV	5.35G	53.55	54.00	-0.45	3	Horizontal	0	1.50
5310MHz	Pass	PK	5.2968G	116.83	Inf	-Inf	3	Horizontal	0	1.50
5310MHz	Pass	PK	5.3556G	68.12	74.00	-5.88	3	Horizontal	0	1.50
5310MHz	Pass	AV	10.613G	35.75	54.00	-18.25	3	Vertical	172	1.33
5310MHz	Pass	PK	10.62772G	49.42	74.00	-24.58	3	Vertical	172	1.33
5310MHz	Pass	AV	10.62988G	35.74	54.00	-18.26	3	Horizontal	272	1.50
5310MHz	Pass	PK	10.61388G	48.97	74.00	-25.03	3	Horizontal	272	1.50
5510MHz	Pass	AV	5.46G	49.25	54.00	-4.75	3	Vertical	0	1.61
5510MHz	Pass	AV	5.4952G	101.65	Inf	-Inf	3	Vertical	0	1.61
5510MHz	Pass	PK	5.46G	64.19	74.00	-9.81	3	Vertical	0	1.61
5510MHz	Pass	PK	5.468G	67.52	68.20	-0.68	3	Vertical	0	1.61
5510MHz	Pass	PK	5.5088G	115.07	Inf	-Inf	3	Vertical	0	1.61
5510MHz	Pass	AV	5.46G	50.12	54.00	-3.88	3	Horizontal	0	1.50
5510MHz	Pass	AV	5.494G	100.99	Inf	-Inf	3	Horizontal	0	1.50
5510MHz	Pass	PK	5.426G	63.74	74.00	-10.26	3	Horizontal	0	1.50
5510MHz	Pass	PK	5.4604G	64.60	68.20	-3.60	3	Horizontal	0	1.50
5510MHz	Pass	PK	5.5008G	114.93	Inf	-Inf	3	Horizontal	0	1.50
5510MHz	Pass	AV	11.01944G	35.49	54.00	-18.51	3	Vertical	5	1.50
5510MHz	Pass	PK	11.02244G	49.49	74.00	-24.51	3	Vertical	5	1.50
5510MHz	Pass	AV	11.01728G	35.61	54.00	-18.39	3	Horizontal	119	1.50
5510MHz	Pass	PK	11.01656G	48.44	74.00	-25.56	3	Horizontal	119	1.50
5550MHz	Pass	AV	5.46G	48.00	54.00	-6.00	3	Vertical	0	1.60
5550MHz	Pass	AV	5.536G	102.70	Inf	-Inf	3	Vertical	0	1.60
5550MHz	Pass	PK	5.4584G	61.63	74.00	-12.37	3	Vertical	0	1.60
5550MHz	Pass	PK	5.4692G	64.32	68.20	-3.88	3	Vertical	0	1.60
5550MHz	Pass	PK	5.5352G	116.23	Inf	-Inf	3	Vertical	0	1.60
5550MHz	Pass	AV	5.46G	47.66	54.00	-6.34	3	Horizontal	0	1.50
5550MHz	Pass	AV	5.5336G	102.05	Inf	-Inf	3	Horizontal	0	1.50
5550MHz	Pass	PK	5.4568G	60.95	74.00	-13.05	3	Horizontal	0	1.50
5550MHz	Pass	PK	5.47G	64.45	68.20	-3.75	3	Horizontal	0	1.50
5550MHz	Pass	PK	5.552G	116.17	Inf	-Inf	3	Horizontal	0	1.50
5550MHz	Pass	AV	11.10596G	35.74	54.00	-18.26	3	Vertical	210	1.50
5550MHz	Pass	PK	11.10252G	49.04	74.00	-24.96	3	Vertical	210	1.50
5550MHz	Pass	AV	11.10456G	35.75	54.00	-18.25	3	Horizontal	179	2.92
5550MHz	Pass	PK	11.09872G	49.89	74.00	-24.11	3	Horizontal	179	2.92
5670MHz	Pass	AV	5.6766G	101.19	Inf	-Inf	3	Vertical	356	1.50
5670MHz	Pass	PK	5.6742G	115.05	Inf	-Inf	3	Vertical	356	1.50
5670MHz	Pass	PK	5.7252G	67.68	68.20	-0.52	3	Vertical	356	1.50
5670MHz	Pass	AV	5.6826G	100.28	Inf	-Inf	3	Horizontal	1	1.95
5670MHz	Pass	PK	5.6814G	114.74	Inf	-Inf	3	Horizontal	1	1.95
5670MHz	Pass	PK	5.7252G	66.98	68.20	-1.22	3	Horizontal	1	1.95
5670MHz	Pass	AV	11.3304G	36.72	54.00	-17.28	3	Vertical	218	1.50
5670MHz	Pass	PK	11.33344G	49.92	74.00	-24.08	3	Vertical	218	1.50
5670MHz	Pass	AV	11.33324G	36.69	54.00	-17.31	3	Horizontal	28	1.15

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5670MHz	Pass	PK	11.34956G	49.84	74.00	-24.16	3	Horizontal	28	1.15
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	43.67	54.00	-10.33	3	Vertical	360	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7016G	103.29	Inf	-Inf	3	Vertical	360	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4556G	57.70	74.00	-16.30	3	Vertical	360	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4628G	56.90	68.20	-11.30	3	Vertical	360	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.6968G	116.94	Inf	-Inf	3	Vertical	360	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8804G	57.70	68.20	-10.50	3	Vertical	360	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	43.99	54.00	-10.01	3	Horizontal	0	2.08
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7052G	103.64	Inf	-Inf	3	Horizontal	0	2.08
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4448G	58.42	74.00	-15.58	3	Horizontal	0	2.08
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4628G	57.15	68.20	-11.05	3	Horizontal	0	2.08
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7004G	118.06	Inf	-Inf	3	Horizontal	0	2.08
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.968G	58.74	68.20	-9.46	3	Horizontal	0	2.08
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42932G	36.62	54.00	-17.38	3	Vertical	20	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41984G	49.88	74.00	-24.12	3	Vertical	20	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42728G	36.62	54.00	-17.38	3	Horizontal	0	2.70
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41184G	50.04	74.00	-23.96	3	Horizontal	0	2.70
5755MHz	Pass	AV	5.455G	47.58	54.00	-6.42	3	Vertical	10	1.50
5755MHz	Pass	AV	5.7526G	106.80	Inf	-Inf	3	Vertical	10	1.50
5755MHz	Pass	PK	5.6446G	61.90	68.20	-6.30	3	Vertical	10	1.50
5755MHz	Pass	PK	5.7382G	118.41	Inf	-Inf	3	Vertical	10	1.50
5755MHz	Pass	PK	5.9758G	60.25	68.20	-7.95	3	Vertical	10	1.50
5755MHz	Pass	AV	5.4562G	48.92	54.00	-5.08	3	Horizontal	11	1.72
5755MHz	Pass	AV	5.7394G	109.46	Inf	-Inf	3	Horizontal	11	1.72
5755MHz	Pass	PK	5.647G	64.11	68.20	-4.09	3	Horizontal	11	1.72
5755MHz	Pass	PK	5.7382G	121.04	Inf	-Inf	3	Horizontal	11	1.72
5755MHz	Pass	PK	6.0166G	59.95	68.20	-8.25	3	Horizontal	11	1.72
5755MHz	Pass	AV	11.50332G	37.12	54.00	-16.88	3	Vertical	59	1.50
5755MHz	Pass	PK	11.50428G	49.89	74.00	-24.11	3	Vertical	59	1.50
5755MHz	Pass	AV	11.50128G	37.14	54.00	-16.86	3	Horizontal	325	1.50
5755MHz	Pass	PK	11.5054G	49.41	74.00	-24.59	3	Horizontal	325	1.50
5795MHz	Pass	AV	5.8022G	106.27	Inf	-Inf	3	Vertical	10	1.46
5795MHz	Pass	PK	5.6474G	60.96	68.20	-7.24	3	Vertical	10	1.46
5795MHz	Pass	PK	5.7962G	117.99	Inf	-Inf	3	Vertical	10	1.46
5795MHz	Pass	PK	6.0758G	59.78	68.20	-8.42	3	Vertical	10	1.46
5795MHz	Pass	AV	5.801G	108.35	Inf	-Inf	3	Horizontal	9	1.73
5795MHz	Pass	PK	5.543G	62.96	68.20	-5.24	3	Horizontal	9	1.73
5795MHz	Pass	PK	5.801G	120.31	Inf	-Inf	3	Horizontal	9	1.73
5795MHz	Pass	PK	5.9306G	59.96	68.20	-8.24	3	Horizontal	9	1.73
5795MHz	Pass	AV	11.581G	36.93	54.00	-17.07	3	Vertical	257	1.50
5795MHz	Pass	PK	11.58092G	49.70	74.00	-24.30	3	Vertical	257	1.50
5795MHz	Pass	AV	11.58048G	36.83	54.00	-17.17	3	Horizontal	160	1.50
5795MHz	Pass	PK	11.59996G	49.64	74.00	-24.36	3	Horizontal	160	1.50
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.146G	53.00	54.00	-1.00	3	Vertical	360	1.34
5210MHz	Pass	AV	5.196G	100.94	Inf	-Inf	3	Vertical	360	1.34
5210MHz	Pass	AV	5.351G	46.00	54.00	-8.00	3	Vertical	360	1.34
5210MHz	Pass	PK	5.148G	66.49	74.00	-7.51	3	Vertical	360	1.34
5210MHz	Pass	PK	5.193G	113.40	Inf	-Inf	3	Vertical	360	1.34
5210MHz	Pass	PK	5.393G	59.57	74.00	-14.43	3	Vertical	360	1.34
5210MHz	Pass	AV	5.145G	52.63	54.00	-1.37	3	Horizontal	4	1.50
5210MHz	Pass	AV	5.222G	101.29	Inf	-Inf	3	Horizontal	4	1.50
5210MHz	Pass	AV	5.389G	51.52	54.00	-2.48	3	Horizontal	4	1.50
5210MHz	Pass	PK	5.122G	65.56	74.00	-8.44	3	Horizontal	4	1.50
5210MHz	Pass	PK	5.217G	114.47	Inf	-Inf	3	Horizontal	4	1.50
5210MHz	Pass	PK	5.364G	63.95	74.00	-10.05	3	Horizontal	4	1.50
5210MHz	Pass	PK	10.419G	49.66	68.20	-18.54	3	Vertical	360	1.50
5210MHz	Pass	PK	10.42408G	49.76	68.20	-18.44	3	Horizontal	163	2.88
5290MHz	Pass	AV	5.149G	47.62	54.00	-6.38	3	Vertical	357	1.34
5290MHz	Pass	AV	5.26G	100.25	Inf	-Inf	3	Vertical	357	1.34
5290MHz	Pass	AV	5.35G	51.72	54.00	-2.28	3	Vertical	357	1.34
5290MHz	Pass	PK	5.107G	60.08	74.00	-13.92	3	Vertical	357	1.34



RSE TX above 1GHz Non-Beamforming Radio 2 MIMO-directional Antenna 2T2S

Appendix E.18

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5290MHz	Pass	PK	5.279G	113.42	Inf	-Inf	3	Vertical	357	1.34
5290MHz	Pass	PK	5.372G	63.35	74.00	-10.65	3	Vertical	357	1.34
5290MHz	Pass	PK	5.491G	59.44	68.20	-8.76	3	Vertical	357	1.34
5290MHz	Pass	AV	5.142G	46.53	54.00	-7.47	3	Horizontal	0	1.50
5290MHz	Pass	AV	5.307G	99.21	Inf	-Inf	3	Horizontal	0	1.50
5290MHz	Pass	AV	5.35G	53.84	54.00	-0.16	3	Horizontal	0	1.50
5290MHz	Pass	PK	5.119G	59.19	74.00	-14.81	3	Horizontal	0	1.50
5290MHz	Pass	PK	5.303G	112.46	Inf	-Inf	3	Horizontal	0	1.50
5290MHz	Pass	PK	5.35G	65.78	74.00	-8.22	3	Horizontal	0	1.50
5290MHz	Pass	PK	5.512G	59.75	68.20	-8.45	3	Horizontal	0	1.50
5290MHz	Pass	PK	10.57856G	49.84	68.20	-18.36	3	Vertical	132	1.50
5290MHz	Pass	PK	10.57016G	50.09	68.20	-18.11	3	Horizontal	224	1.31
5530MHz	Pass	AV	5.35G	45.78	54.00	-8.22	3	Vertical	0	1.50
5530MHz	Pass	AV	5.46G	53.40	54.00	-0.60	3	Vertical	0	1.50
5530MHz	Pass	AV	5.515G	99.64	Inf	-Inf	3	Vertical	0	1.50
5530MHz	Pass	PK	5.345G	58.82	68.20	-9.38	3	Vertical	0	1.50
5530MHz	Pass	PK	5.444G	67.20	74.00	-6.80	3	Vertical	0	1.50
5530MHz	Pass	PK	5.47G	67.96	68.20	-0.24	3	Vertical	0	1.50
5530MHz	Pass	PK	5.521G	112.89	Inf	-Inf	3	Vertical	0	1.50
5530MHz	Pass	PK	5.755G	59.47	68.20	-8.73	3	Vertical	0	1.50
5530MHz	Pass	AV	5.35G	44.39	54.00	-9.61	3	Horizontal	360	1.71
5530MHz	Pass	AV	5.46G	53.17	54.00	-0.83	3	Horizontal	360	1.71
5530MHz	Pass	AV	5.514G	99.64	Inf	-Inf	3	Horizontal	360	1.71
5530MHz	Pass	PK	5.328G	57.25	68.20	-10.95	3	Horizontal	360	1.71
5530MHz	Pass	PK	5.46G	65.66	74.00	-8.34	3	Horizontal	360	1.71
5530MHz	Pass	PK	5.466G	67.60	68.20	-0.60	3	Horizontal	360	1.71
5530MHz	Pass	PK	5.515G	112.51	Inf	-Inf	3	Horizontal	360	1.71
5530MHz	Pass	PK	5.725G	58.42	68.20	-9.78	3	Horizontal	360	1.71
5530MHz	Pass	AV	11.05012G	36.46	54.00	-17.54	3	Vertical	291	1.50
5530MHz	Pass	PK	11.05836G	48.95	74.00	-25.05	3	Vertical	291	1.50
5530MHz	Pass	AV	11.05072G	36.33	54.00	-17.67	3	Horizontal	179	2.06
5530MHz	Pass	PK	11.06752G	48.92	74.00	-25.08	3	Horizontal	179	2.06
5610MHz	Pass	AV	5.459G	48.78	54.00	-5.22	3	Vertical	360	1.50
5610MHz	Pass	AV	5.619G	99.20	Inf	-Inf	3	Vertical	360	1.50
5610MHz	Pass	PK	5.46G	61.71	74.00	-12.29	3	Vertical	360	1.50
5610MHz	Pass	PK	5.466G	62.79	68.20	-5.41	3	Vertical	360	1.50
5610MHz	Pass	PK	5.608G	112.68	Inf	-Inf	3	Vertical	360	1.50
5610MHz	Pass	PK	5.727G	64.74	68.20	-3.46	3	Vertical	360	1.50
5610MHz	Pass	AV	5.46G	49.00	54.00	-5.00	3	Horizontal	3	1.88
5610MHz	Pass	AV	5.618G	98.89	Inf	-Inf	3	Horizontal	3	1.88
5610MHz	Pass	PK	5.455G	62.39	74.00	-11.61	3	Horizontal	3	1.88
5610MHz	Pass	PK	5.463G	62.04	68.20	-6.16	3	Horizontal	3	1.88
5610MHz	Pass	PK	5.607G	112.16	Inf	-Inf	3	Horizontal	3	1.88
5610MHz	Pass	PK	5.725G	62.47	68.20	-5.73	3	Horizontal	3	1.88
5610MHz	Pass	AV	11.22388G	36.93	54.00	-17.07	3	Vertical	309	1.50
5610MHz	Pass	PK	11.22464G	49.46	74.00	-24.54	3	Vertical	309	1.50
5610MHz	Pass	AV	11.22692G	36.94	54.00	-17.06	3	Horizontal	237	1.50
5610MHz	Pass	PK	11.22708G	49.40	74.00	-24.60	3	Horizontal	237	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4584G	44.89	54.00	-9.11	3	Vertical	360	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.678G	100.62	Inf	-Inf	3	Vertical	360	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4272G	57.86	74.00	-16.14	3	Vertical	360	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	57.55	68.20	-10.65	3	Vertical	360	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6792G	113.36	Inf	-Inf	3	Vertical	360	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.864G	57.96	68.20	-10.24	3	Vertical	360	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.3996G	45.28	54.00	-8.72	3	Horizontal	360	1.95
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.684G	99.82	Inf	-Inf	3	Horizontal	360	1.95
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4452G	57.49	74.00	-16.51	3	Horizontal	360	1.95
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	57.87	68.20	-10.33	3	Horizontal	360	1.95
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6792G	113.40	Inf	-Inf	3	Horizontal	360	1.95
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	57.95	68.20	-10.25	3	Horizontal	360	1.95
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37596G	37.52	54.00	-16.48	3	Vertical	346	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38084G	50.35	74.00	-23.65	3	Vertical	346	1.50




RSE TX above 1GHz Non-Beamforming Radio 2 MIMO-directional Antenna 2T2S

Appendix E.18

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37216G	37.69	54.00	-16.31	3	Horizontal	164	2.35
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38512G	50.79	74.00	-23.21	3	Horizontal	164	2.35
5775MHz	Pass	AV	5.7462G	104.05	Inf	-Inf	3	Vertical	8	1.38
5775MHz	Pass	PK	5.6478G	65.42	68.20	-2.78	3	Vertical	8	1.38
5775MHz	Pass	PK	5.7414G	116.36	Inf	-Inf	3	Vertical	8	1.38
5775MHz	Pass	PK	6.0618G	59.50	68.20	-8.70	3	Vertical	8	1.38
5775MHz	Pass	AV	5.7378G	105.73	Inf	-Inf	3	Horizontal	12	1.67
5775MHz	Pass	PK	5.6478G	67.02	68.20	-1.18	3	Horizontal	12	1.67
5775MHz	Pass	PK	5.7474G	118.35	Inf	-Inf	3	Horizontal	12	1.67
5775MHz	Pass	PK	5.937G	59.66	68.20	-8.54	3	Horizontal	12	1.67
5775MHz	Pass	AV	11.54712G	37.84	54.00	-16.16	3	Vertical	295	1.50
5775MHz	Pass	PK	11.56G	49.59	74.00	-24.41	3	Vertical	295	1.50
5775MHz	Pass	AV	11.5584G	38.00	54.00	-16.00	3	Horizontal	74	1.50
5775MHz	Pass	PK	11.54168G	49.57	74.00	-24.43	3	Horizontal	74	1.50
802.11be EHT160_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1492G	53.73	54.00	-0.27	3	Vertical	357	1.36
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1888G	97.91	Inf	-Inf	3	Vertical	357	1.36
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.35G	51.26	54.00	-2.74	3	Vertical	357	1.36
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.148G	70.71	74.00	-3.29	3	Vertical	357	1.36
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1912G	111.06	Inf	-Inf	3	Vertical	357	1.36
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.37G	69.79	74.00	-4.21	3	Vertical	357	1.36
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4912G	62.60	68.20	-5.60	3	Vertical	357	1.36
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	50.73	54.00	-3.27	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3136G	95.96	Inf	-Inf	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.35G	50.77	54.00	-3.23	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1408G	68.84	74.00	-5.16	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2188G	108.62	Inf	-Inf	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3544G	71.04	74.00	-2.96	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4768G	63.58	68.20	-4.62	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.5012G	48.74	68.20	-19.46	3	Vertical	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.50044G	50.49	68.20	-17.71	3	Horizontal	160	1.64
5570MHz	Pass	AV	5.4596G	51.85	54.00	-2.15	3	Vertical	360	1.50
5570MHz	Pass	AV	5.4932G	95.27	Inf	-Inf	3	Vertical	360	1.50
5570MHz	Pass	PK	5.3252G	60.24	68.20	-7.96	3	Vertical	360	1.50
5570MHz	Pass	PK	5.444G	67.51	74.00	-6.49	3	Vertical	360	1.50
5570MHz	Pass	PK	5.462G	68.13	68.20	-0.07	3	Vertical	360	1.50
5570MHz	Pass	PK	5.5352G	107.80	Inf	-Inf	3	Vertical	360	1.50
5570MHz	Pass	PK	5.726G	67.14	68.20	-1.06	3	Vertical	360	1.50
5570MHz	Pass	AV	5.4596G	50.76	54.00	-3.24	3	Horizontal	360	1.50
5570MHz	Pass	AV	5.4932G	95.25	Inf	-Inf	3	Horizontal	360	1.50
5570MHz	Pass	PK	5.3252G	59.53	68.20	-8.67	3	Horizontal	360	1.50
5570MHz	Pass	PK	5.4224G	67.29	74.00	-6.71	3	Horizontal	360	1.50
5570MHz	Pass	PK	5.4656G	67.64	68.20	-0.56	3	Horizontal	360	1.50
5570MHz	Pass	PK	5.5424G	108.09	Inf	-Inf	3	Horizontal	360	1.50
5570MHz	Pass	PK	5.7428G	63.00	68.20	-5.20	3	Horizontal	360	1.50
5570MHz	Pass	AV	11.14588G	36.58	54.00	-17.42	3	Vertical	0	1.50
5570MHz	Pass	PK	11.14724G	49.17	74.00	-24.83	3	Vertical	0	1.50
5570MHz	Pass	AV	11.1488G	37.05	54.00	-16.95	3	Horizontal	4	2.01
5570MHz	Pass	PK	11.14592G	49.80	74.00	-24.20	3	Horizontal	4	2.01


5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	53.00	54.00	-1.00	1.00	3	Vertical	360	1.34	52.00	33.48	4.81	37.29
AV	5.196G	100.94	Inf	-Inf	0.86	3	Vertical	360	1.34	100.08	33.32	4.84	37.30
AV	5.351G	46.00	54.00	-8.00	0.67	3	Vertical	360	1.34	45.33	33.10	4.91	37.34
PK	5.148G	66.49	74.00	-7.51	1.01	3	Vertical	360	1.34	65.48	33.49	4.81	37.29
PK	5.193G	113.40	Inf	-Inf	0.87	3	Vertical	360	1.34	112.53	33.33	4.84	37.30
PK	5.393G	59.57	74.00	-14.43	0.59	3	Vertical	360	1.34	58.98	33.01	4.93	37.35

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.145G	52.63	54.00	-1.37	0.99	3	Horizontal	4	1.50	51.64	33.47	4.81	37.29
AV	5.222G	101.29	Inf	-Inf	0.80	3	Horizontal	4	1.50	100.49	33.26	4.85	37.31
AV	5.389G	51.52	54.00	-2.48	0.60	3	Horizontal	4	1.50	50.92	33.02	4.93	37.35
PK	5.122G	65.56	74.00	-8.44	0.84	3	Horizontal	4	1.50	64.72	33.33	4.80	37.29
PK	5.217G	114.47	Inf	-Inf	0.81	3	Horizontal	4	1.50	113.66	33.27	4.85	37.31
PK	5.364G	63.95	74.00	-10.05	0.64	3	Horizontal	4	1.50	63.31	33.07	4.91	37.34


5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5670MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	45.78	54.00	-8.22	0.67	3	Vertical	0	1.50	45.11	33.10	4.91	37.34
AV	5.46G	53.40	54.00	-0.60	0.65	3	Vertical	0	1.50	52.75	33.06	4.95	37.36
AV	5.515G	99.64	Inf	-Inf	0.87	3	Vertical	0	1.50	98.77	33.27	4.96	37.36
PK	5.345G	58.82	68.20	-9.38	0.67	3	Vertical	0	1.50	58.15	33.10	4.91	37.34
PK	5.444G	67.20	74.00	-6.80	0.58	3	Vertical	0	1.50	66.62	33.00	4.94	37.36
PK	5.47G	67.96	68.20	-0.24	0.71	3	Vertical	0	1.50	67.25	33.12	4.95	37.36
PK	5.521G	112.89	Inf	-Inf	0.86	3	Vertical	0	1.50	112.03	33.26	4.96	37.36
PK	5.755G	59.47	68.20	-8.73	1.89	3	Vertical	0	1.50	57.58	34.02	5.13	37.26

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	44.39	54.00	-9.61	0.67	3	Horizontal	360	1.71	43.72	33.10	4.91	37.34
AV	5.46G	53.17	54.00	-0.83	0.65	3	Horizontal	360	1.71	52.52	33.06	4.95	37.36
AV	5.514G	99.64	Inf	-Inf	0.87	3	Horizontal	360	1.71	98.77	33.27	4.96	37.36
PK	5.328G	57.25	68.20	-10.95	0.67	3	Horizontal	360	1.71	56.58	33.10	4.90	37.33
PK	5.46G	65.66	74.00	-8.34	0.65	3	Horizontal	360	1.71	65.01	33.06	4.95	37.36
PK	5.466G	67.60	68.20	-0.60	0.69	3	Horizontal	360	1.71	66.91	33.10	4.95	37.36
PK	5.515G	112.51	Inf	-Inf	0.87	3	Horizontal	360	1.71	111.64	33.27	4.96	37.36
PK	5.725G	58.42	68.20	-9.78	1.73	3	Horizontal	360	1.71	56.69	33.90	5.11	37.28


5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5745MHz_TX



5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.455G	47.58	54.00	-6.42	5.30	3	Vertical	10	1.50	42.28	32.80	7.57	35.07
AV	5.7526G	106.80	Inf	-Inf	6.28	3	Vertical	10	1.50	100.52	33.71	7.75	35.18
PK	5.6446G	61.90	68.20	-6.30	5.51	3	Vertical	10	1.50	56.39	33.07	7.57	35.13
PK	5.7382G	118.41	Inf	-Inf	6.23	3	Vertical	10	1.50	112.18	33.68	7.72	35.17
PK	5.9758G	60.25	68.20	-7.95	6.54	3	Vertical	10	1.50	53.71	34.05	7.76	35.27

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4562G	48.92	54.00	-5.08	5.30	3	Horizontal	11	1.72	43.62	32.80	7.57	35.07
AV	5.7394G	109.46	Inf	-Inf	6.24	3	Horizontal	11	1.72	103.22	33.68	7.73	35.17
PK	5.647G	64.11	68.20	-4.09	5.52	3	Horizontal	11	1.72	58.59	33.08	7.57	35.13
PK	5.7382G	121.04	Inf	-Inf	6.23	3	Horizontal	11	1.72	114.81	33.68	7.72	35.17
PK	6.0166G	59.95	68.20	-8.25	6.55	3	Horizontal	11	1.72	53.40	34.07	7.77	35.29


5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX





**RSE TX below 1GHz_Non-Beamforming_Radio 3_
Dipole Antenna_1T1S**

Appendix E.19

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	PK	47.46M	36.29	40.00	-3.71	3	Vertical	360	1.00



RSE TX below 1GHz_Non-Beamforming_Radio 3
Dipole Antenna_1T1S


Appendix E.19

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1.(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5290MHz_Adapter	Pass	PK	37.76M	33.73	40.00	-6.27	3	Vertical	360	1.00
5290MHz_Adapter	Pass	PK	47.46M	36.29	40.00	-3.71	3	Vertical	360	1.00
5290MHz_Adapter	Pass	PK	54.25M	34.95	40.00	-5.05	3	Vertical	360	1.00
5290MHz_Adapter	Pass	PK	74.62M	24.17	40.00	-15.83	3	Vertical	360	1.00
5290MHz_Adapter	Pass	PK	98.87M	30.27	43.50	-13.23	3	Vertical	360	1.00
5290MHz_Adapter	Pass	PK	250.19M	24.95	46.00	-21.05	3	Vertical	360	1.00
5290MHz_Adapter	Pass	PK	46.49M	24.25	40.00	-15.75	3	Horizontal	0	1.00
5290MHz_Adapter	Pass	PK	62.98M	22.26	40.00	-17.74	3	Horizontal	0	1.00
5290MHz_Adapter	Pass	PK	99.84M	26.22	43.50	-17.28	3	Horizontal	0	1.00
5290MHz_Adapter	Pass	PK	143.49M	24.43	43.50	-19.07	3	Horizontal	0	1.00
5290MHz_Adapter	Pass	PK	250.19M	28.40	46.00	-17.60	3	Horizontal	0	1.00
5290MHz_Adapter	Pass	PK	742.95M	29.18	46.00	-16.82	3	Horizontal	0	1.00


5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_Adapter



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_Adapter





RSE TX above 1GHz_Non-Beamforming_Radio 3
Dipole Antenna_1T1S

Appendix E.20

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.1498G	45.21	54.00	-8.79	3	Horizontal	360	1.92
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	5.14G	45.49	54.00	-8.51	3	Horizontal	0	1.88
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	5.1496G	50.43	54.00	-3.57	3	Horizontal	4	1.88
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	5.15G	53.82	54.00	-0.18	3	Horizontal	3	1.89
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.3514G	44.05	54.00	-9.95	3	Horizontal	360	1.50
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	5.3604G	44.71	54.00	-9.29	3	Horizontal	360	1.50
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	5.35G	51.10	54.00	-2.90	3	Horizontal	3	1.50
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	5.35G	51.04	54.00	-2.96	3	Horizontal	3	1.50

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1498G	45.21	54.00	-8.79	3	Horizontal	360	1.92
5180MHz	Pass	AV	5.1768G	101.16	Inf	-Inf	3	Horizontal	360	1.92
5180MHz	Pass	PK	5.138G	60.52	74.00	-13.48	3	Horizontal	360	1.92
5180MHz	Pass	PK	5.1848G	112.53	Inf	-Inf	3	Horizontal	360	1.92
5180MHz	Pass	PK	10.36568G	50.67	68.20	-17.53	3	Vertical	270	2.29
5180MHz	Pass	PK	10.3656G	50.04	68.20	-18.16	3	Horizontal	167	2.46
5200MHz	Pass	AV	5.1496G	44.05	54.00	-9.95	3	Horizontal	5	2.03
5200MHz	Pass	AV	5.1932G	101.03	Inf	-Inf	3	Horizontal	5	2.03
5200MHz	Pass	PK	5.1496G	57.14	74.00	-16.86	3	Horizontal	5	2.03
5200MHz	Pass	PK	5.1948G	111.76	Inf	-Inf	3	Horizontal	5	2.03
5200MHz	Pass	PK	10.39844G	50.12	68.20	-18.08	3	Vertical	211	2.82
5200MHz	Pass	PK	10.40776G	50.01	68.20	-18.19	3	Horizontal	332	2.10
5240MHz	Pass	AV	5.15G	42.94	54.00	-11.06	3	Horizontal	358	1.84
5240MHz	Pass	AV	5.2424G	99.86	Inf	-Inf	3	Horizontal	358	1.84
5240MHz	Pass	AV	5.3522G	42.62	54.00	-11.38	3	Horizontal	358	1.84
5240MHz	Pass	PK	5.1188G	56.65	74.00	-17.35	3	Horizontal	358	1.84
5240MHz	Pass	PK	5.2418G	111.52	Inf	-Inf	3	Horizontal	358	1.84
5240MHz	Pass	PK	5.3798G	56.21	74.00	-17.79	3	Horizontal	358	1.84
5240MHz	Pass	PK	10.472G	49.94	68.20	-18.26	3	Vertical	151	1.04
5240MHz	Pass	PK	10.47616G	49.97	68.20	-18.23	3	Horizontal	189	2.45
5260MHz	Pass	AV	5.15G	42.94	54.00	-11.06	3	Horizontal	0	1.50
5260MHz	Pass	AV	5.2636G	101.02	Inf	-Inf	3	Horizontal	0	1.50
5260MHz	Pass	AV	5.3506G	42.86	54.00	-11.14	3	Horizontal	0	1.50
5260MHz	Pass	PK	5.143G	56.53	74.00	-17.47	3	Horizontal	0	1.50
5260MHz	Pass	PK	5.26G	113.10	Inf	-Inf	3	Horizontal	0	1.50
5260MHz	Pass	PK	5.3584G	56.85	74.00	-17.15	3	Horizontal	0	1.50
5260MHz	Pass	PK	10.51048G	49.10	68.20	-19.10	3	Vertical	85	1.17
5260MHz	Pass	PK	10.51104G	49.56	68.20	-18.64	3	Horizontal	358	2.37
5300MHz	Pass	AV	5.3044G	101.10	Inf	-Inf	3	Horizontal	360	1.50
5300MHz	Pass	AV	5.35G	43.26	54.00	-10.74	3	Horizontal	360	1.50
5300MHz	Pass	PK	5.3G	112.97	Inf	-Inf	3	Horizontal	360	1.50
5300MHz	Pass	PK	5.3524G	57.00	74.00	-17.00	3	Horizontal	360	1.50
5300MHz	Pass	PK	10.59312G	49.47	68.20	-18.73	3	Vertical	88	2.13
5300MHz	Pass	PK	10.5928G	49.82	68.20	-18.38	3	Horizontal	8	2.59
5320MHz	Pass	AV	5.3132G	101.21	Inf	-Inf	3	Horizontal	360	1.50
5320MHz	Pass	AV	5.3514G	44.05	54.00	-9.95	3	Horizontal	360	1.50
5320MHz	Pass	PK	5.3202G	112.67	Inf	-Inf	3	Horizontal	360	1.50
5320MHz	Pass	PK	5.364G	57.79	74.00	-16.21	3	Horizontal	360	1.50
5320MHz	Pass	AV	10.64956G	36.00	54.00	-18.00	3	Vertical	276	2.50
5320MHz	Pass	PK	10.64732G	49.82	74.00	-24.18	3	Vertical	276	2.50
5320MHz	Pass	AV	10.64672G	35.99	54.00	-18.01	3	Horizontal	27	2.17
5320MHz	Pass	PK	10.64156G	49.89	74.00	-24.11	3	Horizontal	27	2.17
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.14G	45.49	54.00	-8.51	3	Horizontal	0	1.88
5180MHz	Pass	AV	5.1828G	100.74	Inf	-Inf	3	Horizontal	0	1.88
5180MHz	Pass	PK	5.14G	61.26	74.00	-12.74	3	Horizontal	0	1.88
5180MHz	Pass	PK	5.1818G	114.28	Inf	-Inf	3	Horizontal	0	1.88
5180MHz	Pass	PK	10.36664G	49.30	68.20	-18.90	3	Vertical	286	2.38
5180MHz	Pass	PK	10.35148G	49.36	68.20	-18.84	3	Horizontal	301	1.92
5200MHz	Pass	AV	5.15G	44.33	54.00	-9.67	3	Horizontal	4	1.89
5200MHz	Pass	AV	5.1964G	100.54	Inf	-Inf	3	Horizontal	4	1.89
5200MHz	Pass	PK	5.148G	58.06	74.00	-15.94	3	Horizontal	4	1.89
5200MHz	Pass	PK	5.1912G	114.46	Inf	-Inf	3	Horizontal	4	1.89
5200MHz	Pass	PK	10.39228G	49.16	68.20	-19.04	3	Vertical	186	2.92
5200MHz	Pass	PK	10.40556G	49.48	68.20	-18.72	3	Horizontal	337	1.12
5240MHz	Pass	AV	5.1488G	43.07	54.00	-10.93	3	Horizontal	4	1.81
5240MHz	Pass	AV	5.2382G	100.31	Inf	-Inf	3	Horizontal	4	1.81
5240MHz	Pass	AV	5.35G	42.60	54.00	-11.40	3	Horizontal	4	1.81
5240MHz	Pass	PK	5.1326G	56.60	74.00	-17.40	3	Horizontal	4	1.81
5240MHz	Pass	PK	5.2322G	113.97	Inf	-Inf	3	Horizontal	4	1.81

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5240MHz	Pass	PK	5.381G	55.95	74.00	-18.05	3	Horizontal	4	1.81
5240MHz	Pass	PK	10.48296G	49.64	68.20	-18.56	3	Vertical	51	1.01
5240MHz	Pass	PK	10.48164G	49.86	68.20	-18.34	3	Horizontal	183	1.25
5260MHz	Pass	AV	5.149G	42.61	54.00	-11.39	3	Horizontal	3	1.50
5260MHz	Pass	AV	5.2612G	100.25	Inf	-Inf	3	Horizontal	3	1.50
5260MHz	Pass	AV	5.3554G	42.73	54.00	-11.27	3	Horizontal	3	1.50
5260MHz	Pass	PK	5.1412G	56.26	74.00	-17.74	3	Horizontal	3	1.50
5260MHz	Pass	PK	5.2546G	113.66	Inf	-Inf	3	Horizontal	3	1.50
5260MHz	Pass	PK	5.3692G	56.34	74.00	-17.66	3	Horizontal	3	1.50
5260MHz	Pass	PK	10.51868G	49.48	68.20	-18.72	3	Vertical	311	1.50
5260MHz	Pass	PK	10.5124G	49.63	68.20	-18.57	3	Horizontal	106	1.91
5300MHz	Pass	AV	5.3048G	102.30	Inf	-Inf	3	Horizontal	5	1.83
5300MHz	Pass	AV	5.3512G	43.54	54.00	-10.46	3	Horizontal	5	1.83
5300MHz	Pass	PK	5.3032G	116.05	Inf	-Inf	3	Horizontal	5	1.83
5300MHz	Pass	PK	5.354G	56.99	74.00	-17.01	3	Horizontal	5	1.83
5300MHz	Pass	PK	10.60832G	50.41	74.00	-23.59	3	Vertical	157	1.82
5300MHz	Pass	PK	10.60612G	49.41	74.00	-24.59	3	Horizontal	78	1.30
5320MHz	Pass	AV	5.3114G	100.71	Inf	-Inf	3	Horizontal	360	1.50
5320MHz	Pass	AV	5.3604G	44.71	54.00	-9.29	3	Horizontal	360	1.50
5320MHz	Pass	PK	5.3156G	113.92	Inf	-Inf	3	Horizontal	360	1.50
5320MHz	Pass	PK	5.3604G	61.01	74.00	-12.99	3	Horizontal	360	1.50
5320MHz	Pass	AV	10.64964G	35.97	54.00	-18.03	3	Vertical	246	1.48
5320MHz	Pass	PK	10.64868G	50.30	74.00	-23.70	3	Vertical	246	1.48
5320MHz	Pass	AV	10.6456G	35.97	54.00	-18.03	3	Horizontal	51	1.06
5320MHz	Pass	PK	10.64936G	49.97	74.00	-24.03	3	Horizontal	51	1.06
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1496G	50.43	54.00	-3.57	3	Horizontal	4	1.88
5190MHz	Pass	AV	5.1856G	98.30	Inf	-Inf	3	Horizontal	4	1.88
5190MHz	Pass	PK	5.148G	64.82	74.00	-9.18	3	Horizontal	4	1.88
5190MHz	Pass	PK	5.178G	111.84	Inf	-Inf	3	Horizontal	4	1.88
5190MHz	Pass	PK	10.384G	50.23	68.20	-17.97	3	Vertical	77	2.08
5190MHz	Pass	PK	10.3738G	50.31	68.20	-17.89	3	Horizontal	238	1.12
5230MHz	Pass	AV	5.1496G	44.82	54.00	-9.18	3	Horizontal	4	1.87
5230MHz	Pass	AV	5.2324G	97.83	Inf	-Inf	3	Horizontal	4	1.87
5230MHz	Pass	PK	5.1472G	58.12	74.00	-15.88	3	Horizontal	4	1.87
5230MHz	Pass	PK	5.2152G	111.58	Inf	-Inf	3	Horizontal	4	1.87
5230MHz	Pass	PK	10.46716G	49.74	68.20	-18.46	3	Vertical	134	2.31
5230MHz	Pass	PK	10.46564G	49.67	68.20	-18.53	3	Horizontal	23	1.79
5270MHz	Pass	AV	5.284G	99.49	Inf	-Inf	3	Horizontal	4	1.84
5270MHz	Pass	AV	5.35G	44.53	54.00	-9.47	3	Horizontal	4	1.84
5270MHz	Pass	PK	5.28G	113.64	Inf	-Inf	3	Horizontal	4	1.84
5270MHz	Pass	PK	5.3524G	57.91	74.00	-16.09	3	Horizontal	4	1.84
5270MHz	Pass	PK	10.53404G	49.55	68.20	-18.65	3	Vertical	123	1.90
5270MHz	Pass	PK	10.53412G	49.74	68.20	-18.46	3	Horizontal	330	1.95
5310MHz	Pass	AV	5.3056G	98.30	Inf	-Inf	3	Horizontal	3	1.50
5310MHz	Pass	AV	5.35G	51.10	54.00	-2.90	3	Horizontal	3	1.50
5310MHz	Pass	PK	5.3072G	112.83	Inf	-Inf	3	Horizontal	3	1.50
5310MHz	Pass	PK	5.3516G	67.44	74.00	-6.56	3	Horizontal	3	1.50
5310MHz	Pass	AV	10.6106G	35.91	54.00	-18.09	3	Vertical	105	1.50
5310MHz	Pass	PK	10.6254G	49.74	74.00	-24.26	3	Vertical	105	1.50
5310MHz	Pass	AV	10.61112G	35.92	54.00	-18.08	3	Horizontal	98	1.75
5310MHz	Pass	PK	10.61032G	50.30	74.00	-23.70	3	Horizontal	98	1.75
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	53.82	54.00	-0.18	3	Horizontal	3	1.89
5210MHz	Pass	AV	5.198G	95.18	Inf	-Inf	3	Horizontal	3	1.89
5210MHz	Pass	AV	5.353G	43.52	54.00	-10.48	3	Horizontal	3	1.89
5210MHz	Pass	PK	5.144G	67.26	74.00	-6.74	3	Horizontal	3	1.89
5210MHz	Pass	PK	5.227G	108.48	Inf	-Inf	3	Horizontal	3	1.89
5210MHz	Pass	PK	5.352G	57.07	74.00	-16.93	3	Horizontal	3	1.89
5210MHz	Pass	PK	10.4164G	49.36	68.20	-18.84	3	Vertical	26	2.82
5210MHz	Pass	PK	10.42624G	49.42	68.20	-18.78	3	Horizontal	206	1.23
5290MHz	Pass	AV	5.15G	43.67	54.00	-10.33	3	Horizontal	3	1.50




RSE TX above 1GHz_Non-Beamforming_Radio 3
Dipole Antenna_1T1S

Appendix E.20

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5290MHz	Pass	AV	5.304G	94.45	Inf	-Inf	3	Horizontal	3	1.50
5290MHz	Pass	AV	5.35G	51.04	54.00	-2.96	3	Horizontal	3	1.50
5290MHz	Pass	PK	5.149G	56.47	74.00	-17.53	3	Horizontal	3	1.50
5290MHz	Pass	PK	5.306G	108.04	Inf	-Inf	3	Horizontal	3	1.50
5290MHz	Pass	PK	5.35G	63.65	74.00	-10.35	3	Horizontal	3	1.50
5290MHz	Pass	PK	5.509G	57.19	68.20	-11.01	3	Horizontal	3	1.50
5290MHz	Pass	PK	10.57344G	49.59	68.20	-18.61	3	Vertical	143	2.23
5290MHz	Pass	PK	10.5776G	50.15	68.20	-18.05	3	Horizontal	5	1.91


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3132G	101.21	Inf	-Inf	0.66	3	Horizontal	360	1.50	100.55	33.10	4.89	37.33
AV	5.3514G	44.05	54.00	-9.95	0.67	3	Horizontal	360	1.50	43.38	33.10	4.91	37.34
PK	5.3202G	112.67	Inf	-Inf	0.66	3	Horizontal	360	1.50	112.01	33.10	4.89	37.33
PK	5.364G	57.79	74.00	-16.21	0.64	3	Horizontal	360	1.50	57.15	33.07	4.91	37.34

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64956G	36.00	54.00	-18.00	4.55	3	Vertical	276	2.50	31.45	39.20	7.42	42.07
PK	10.64732G	49.82	74.00	-24.18	4.54	3	Vertical	276	2.50	45.28	39.19	7.42	42.07


5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX



5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3056G	98.30	Inf	-Inf	0.66	3	Horizontal	3	1.50	97.64	33.10	4.89	37.33
AV	5.35G	51.10	54.00	-2.90	0.67	3	Horizontal	3	1.50	50.43	33.10	4.91	37.34
PK	5.3072G	112.83	Inf	-Inf	0.66	3	Horizontal	3	1.50	112.17	33.10	4.89	37.33
PK	5.3516G	67.44	74.00	-6.56	0.67	3	Horizontal	3	1.50	66.77	33.10	4.91	37.34

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6106G	35.91	54.00	-18.09	4.49	3	Vertical	105	1.50	31.42	39.12	7.41	42.04
PK	10.6254G	49.74	74.00	-24.26	4.51	3	Vertical	105	1.50	45.23	39.15	7.41	42.05


5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX





**RSE TX below 1GHz_Non-Beamforming_Radio 3_
Dipole Antenna_2T1S**

Appendix E.21

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	54.25M	35.82	40.00	-4.18	3	Vertical	360	1.00



RSE TX below 1GHz_Non-Beamforming_Radio 3
Dipole Antenna_2T1S


Appendix E.21

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5290MHz_Adapter	Pass	PK	38.73M	35.29	40.00	-4.71	3	Vertical	360	1.00
5290MHz_Adapter	Pass	PK	54.25M	35.82	40.00	-4.18	3	Vertical	360	1.00
5290MHz_Adapter	Pass	PK	91.11M	27.59	43.50	-15.91	3	Vertical	360	1.00
5290MHz_Adapter	Pass	PK	99.84M	30.80	43.50	-12.70	3	Vertical	360	1.00
5290MHz_Adapter	Pass	PK	191.99M	21.54	43.50	-21.96	3	Vertical	360	1.00
5290MHz_Adapter	Pass	QP	47.43M	33.73	40.00	-6.27	3	Vertical	188	1.00
5290MHz_Adapter	Pass	PK	31.94M	24.58	40.00	-15.42	3	Horizontal	0	1.00
5290MHz_Adapter	Pass	PK	45.52M	24.58	40.00	-15.42	3	Horizontal	0	1.00
5290MHz_Adapter	Pass	PK	62.98M	22.74	40.00	-17.26	3	Horizontal	0	1.00
5290MHz_Adapter	Pass	PK	100.81M	26.57	43.50	-16.93	3	Horizontal	0	1.00
5290MHz_Adapter	Pass	PK	549.92M	28.60	46.00	-17.40	3	Horizontal	0	1.00
5290MHz_Adapter	Pass	PK	742.95M	29.36	46.00	-16.64	3	Horizontal	0	1.00


5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_Adapter



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_Adapter





RSE TX above 1GHz_Non-Beamforming_Radio 3
Dipole Antenna_2T1S

Appendix E.22

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.15G	47.73	54.00	-6.27	3	Horizontal	358	1.50
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.15G	49.58	54.00	-4.42	3	Horizontal	360	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.1492G	53.70	54.00	-0.30	3	Horizontal	360	1.84
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.149G	53.66	54.00	-0.34	3	Horizontal	360	1.50
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.3624G	44.83	54.00	-9.17	3	Horizontal	360	1.50
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.3614G	46.85	54.00	-7.15	3	Horizontal	358	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.3512G	53.17	54.00	-0.83	3	Horizontal	3	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.35G	53.37	54.00	-0.63	3	Horizontal	360	1.50

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	47.73	54.00	-6.27	3	Horizontal	358	1.50
5180MHz	Pass	AV	5.1774G	104.78	Inf	-Inf	3	Horizontal	358	1.50
5180MHz	Pass	PK	5.15G	63.19	74.00	-10.81	3	Horizontal	358	1.50
5180MHz	Pass	PK	5.1826G	115.22	Inf	-Inf	3	Horizontal	358	1.50
5180MHz	Pass	PK	10.36744G	49.15	68.20	-19.05	3	Vertical	117	1.50
5180MHz	Pass	PK	10.36942G	49.54	68.20	-18.66	3	Horizontal	0	1.52
5200MHz	Pass	AV	5.15G	44.66	54.00	-9.34	3	Horizontal	0	1.50
5200MHz	Pass	AV	5.1924G	104.35	Inf	-Inf	3	Horizontal	0	1.50
5200MHz	Pass	PK	5.1424G	57.81	74.00	-16.19	3	Horizontal	0	1.50
5200MHz	Pass	PK	5.1972G	114.94	Inf	-Inf	3	Horizontal	0	1.50
5200MHz	Pass	PK	10.4138G	49.14	68.20	-19.06	3	Vertical	31	1.50
5200MHz	Pass	PK	10.4135G	49.59	68.20	-18.61	3	Horizontal	265	1.50
5240MHz	Pass	AV	5.15G	43.75	54.00	-10.25	3	Horizontal	360	1.81
5240MHz	Pass	AV	5.2436G	105.10	Inf	-Inf	3	Horizontal	360	1.81
5240MHz	Pass	AV	5.3708G	43.07	54.00	-10.93	3	Horizontal	360	1.81
5240MHz	Pass	PK	5.1482G	57.54	74.00	-16.46	3	Horizontal	360	1.81
5240MHz	Pass	PK	5.2436G	115.63	Inf	-Inf	3	Horizontal	360	1.81
5240MHz	Pass	PK	5.3642G	57.25	74.00	-16.75	3	Horizontal	360	1.81
5240MHz	Pass	PK	10.49266G	48.72	68.20	-19.48	3	Vertical	109	1.32
5240MHz	Pass	PK	10.48294G	48.84	68.20	-19.36	3	Horizontal	250	1.50
5260MHz	Pass	AV	5.15G	43.42	54.00	-10.58	3	Horizontal	360	1.50
5260MHz	Pass	AV	5.2678G	105.12	Inf	-Inf	3	Horizontal	360	1.50
5260MHz	Pass	AV	5.3662G	43.17	54.00	-10.83	3	Horizontal	360	1.50
5260MHz	Pass	PK	5.1352G	56.75	74.00	-17.25	3	Horizontal	360	1.50
5260MHz	Pass	PK	5.2672G	115.39	Inf	-Inf	3	Horizontal	360	1.50
5260MHz	Pass	PK	5.371G	56.69	74.00	-17.31	3	Horizontal	360	1.50
5260MHz	Pass	PK	10.51682G	49.34	68.20	-18.86	3	Vertical	245	1.00
5260MHz	Pass	PK	10.52696G	49.25	68.20	-18.95	3	Horizontal	59	2.24
5300MHz	Pass	AV	5.2924G	104.65	Inf	-Inf	3	Horizontal	2	1.50
5300MHz	Pass	AV	5.35G	43.41	54.00	-10.59	3	Horizontal	2	1.50
5300MHz	Pass	PK	5.2928G	115.05	Inf	-Inf	3	Horizontal	2	1.50
5300MHz	Pass	PK	5.356G	56.75	74.00	-17.25	3	Horizontal	2	1.50
5300MHz	Pass	AV	10.61188G	35.73	54.00	-18.27	3	Vertical	208	1.50
5300MHz	Pass	PK	10.61224G	49.31	74.00	-24.69	3	Vertical	208	1.50
5300MHz	Pass	AV	10.61278G	35.72	54.00	-18.28	3	Horizontal	127	1.50
5300MHz	Pass	PK	10.60962G	49.19	74.00	-24.81	3	Horizontal	127	1.50
5320MHz	Pass	AV	5.3126G	104.74	Inf	-Inf	3	Horizontal	360	1.50
5320MHz	Pass	AV	5.3624G	44.83	54.00	-9.17	3	Horizontal	360	1.50
5320MHz	Pass	PK	5.3126G	115.12	Inf	-Inf	3	Horizontal	360	1.50
5320MHz	Pass	PK	5.3612G	58.98	74.00	-15.02	3	Horizontal	360	1.50
5320MHz	Pass	AV	10.6472G	35.90	54.00	-18.10	3	Vertical	0	1.56
5320MHz	Pass	PK	10.64612G	49.80	74.00	-24.20	3	Vertical	0	1.56
5320MHz	Pass	AV	10.64828G	35.92	54.00	-18.08	3	Horizontal	174	1.50
5320MHz	Pass	PK	10.64264G	49.56	74.00	-24.44	3	Horizontal	174	1.50
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	49.58	54.00	-4.42	3	Horizontal	360	1.50
5180MHz	Pass	AV	5.1736G	103.95	Inf	-Inf	3	Horizontal	360	1.50
5180MHz	Pass	PK	5.1486G	66.16	74.00	-7.84	3	Horizontal	360	1.50
5180MHz	Pass	PK	5.1762G	116.86	Inf	-Inf	3	Horizontal	360	1.50
5180MHz	Pass	PK	10.3744G	48.92	68.20	-19.28	3	Vertical	202	1.50
5180MHz	Pass	PK	10.37104G	49.27	68.20	-18.93	3	Horizontal	244	1.21
5200MHz	Pass	AV	5.15G	44.98	54.00	-9.02	3	Horizontal	360	1.50
5200MHz	Pass	AV	5.1936G	103.58	Inf	-Inf	3	Horizontal	360	1.50
5200MHz	Pass	PK	5.1476G	59.14	74.00	-14.86	3	Horizontal	360	1.50
5200MHz	Pass	PK	5.2016G	116.57	Inf	-Inf	3	Horizontal	360	1.50
5200MHz	Pass	PK	10.406G	49.85	68.20	-18.35	3	Vertical	251	2.09
5200MHz	Pass	PK	10.40276G	49.92	68.20	-18.28	3	Horizontal	216	1.50
5240MHz	Pass	AV	5.147G	43.55	54.00	-10.45	3	Horizontal	2	1.82
5240MHz	Pass	AV	5.2394G	104.23	Inf	-Inf	3	Horizontal	2	1.82
5240MHz	Pass	AV	5.3738G	43.15	54.00	-10.85	3	Horizontal	2	1.82



RSE TX above 1GHz Non-Beamforming Radio 3
Dipole Antenna 2T1S

Appendix E.22

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5240MHz	Pass	PK	5.144G	58.35	74.00	-15.65	3	Horizontal	2	1.82
5240MHz	Pass	PK	5.2466G	118.04	Inf	-Inf	3	Horizontal	2	1.82
5240MHz	Pass	PK	5.354G	56.99	74.00	-17.01	3	Horizontal	2	1.82
5240MHz	Pass	PK	10.47304G	49.81	68.20	-18.39	3	Vertical	0	2.94
5240MHz	Pass	PK	10.48294G	49.65	68.20	-18.55	3	Horizontal	1	1.50
5260MHz	Pass	AV	5.15G	43.31	54.00	-10.69	3	Horizontal	0	1.50
5260MHz	Pass	AV	5.2666G	104.41	Inf	-Inf	3	Horizontal	0	1.50
5260MHz	Pass	AV	5.3506G	43.09	54.00	-10.91	3	Horizontal	0	1.50
5260MHz	Pass	PK	5.1256G	56.54	74.00	-17.46	3	Horizontal	0	1.50
5260MHz	Pass	PK	5.269G	117.42	Inf	-Inf	3	Horizontal	0	1.50
5260MHz	Pass	PK	5.3746G	56.73	74.00	-17.27	3	Horizontal	0	1.50
5260MHz	Pass	PK	10.51694G	48.34	68.20	-19.86	3	Vertical	38	1.73
5260MHz	Pass	PK	10.51646G	48.72	68.20	-19.48	3	Horizontal	45	2.31
5300MHz	Pass	AV	5.2964G	104.34	Inf	-Inf	3	Horizontal	4	1.50
5300MHz	Pass	AV	5.3516G	43.89	54.00	-10.11	3	Horizontal	4	1.50
5300MHz	Pass	PK	5.2912G	117.95	Inf	-Inf	3	Horizontal	4	1.50
5300MHz	Pass	PK	5.354G	57.95	74.00	-16.05	3	Horizontal	4	1.50
5300MHz	Pass	AV	10.6132G	35.78	54.00	-18.22	3	Vertical	237	2.04
5300MHz	Pass	PK	10.6009G	51.07	74.00	-22.93	3	Vertical	237	2.04
5300MHz	Pass	AV	10.60198G	35.78	54.00	-18.22	3	Horizontal	223	1.50
5300MHz	Pass	PK	10.60454G	49.33	74.00	-24.67	3	Horizontal	223	1.50
5300MHz	Pass	AV	5.3114G	104.43	Inf	-Inf	3	Horizontal	358	1.50
5320MHz	Pass	AV	5.3614G	46.85	54.00	-7.15	3	Horizontal	358	1.50
5320MHz	Pass	PK	5.314G	117.46	Inf	-Inf	3	Horizontal	358	1.50
5320MHz	Pass	PK	5.361G	65.02	74.00	-8.98	3	Horizontal	358	1.50
5320MHz	Pass	AV	10.64666G	35.89	54.00	-18.11	3	Vertical	207	1.50
5320MHz	Pass	PK	10.65254G	49.82	74.00	-24.18	3	Vertical	207	1.50
5320MHz	Pass	AV	10.65056G	35.92	54.00	-18.08	3	Horizontal	113	1.50
5320MHz	Pass	PK	10.64876G	49.18	74.00	-24.82	3	Horizontal	113	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1492G	53.70	54.00	-0.30	3	Horizontal	360	1.84
5190MHz	Pass	AV	5.1792G	101.31	Inf	-Inf	3	Horizontal	360	1.84
5190MHz	Pass	PK	5.1488G	68.98	74.00	-5.02	3	Horizontal	360	1.84
5190MHz	Pass	PK	5.1868G	114.51	Inf	-Inf	3	Horizontal	360	1.84
5190MHz	Pass	PK	10.40892G	49.62	68.20	-18.58	3	Vertical	253	1.50
5190MHz	Pass	PK	10.38144G	49.47	68.20	-18.73	3	Horizontal	360	1.03
5230MHz	Pass	AV	5.1492G	46.12	54.00	-7.88	3	Horizontal	360	1.85
5230MHz	Pass	AV	5.2244G	101.40	Inf	-Inf	3	Horizontal	360	1.85
5230MHz	Pass	PK	5.1488G	60.01	74.00	-13.99	3	Horizontal	360	1.85
5230MHz	Pass	PK	5.2144G	114.55	Inf	-Inf	3	Horizontal	360	1.85
5230MHz	Pass	PK	10.44776G	49.08	68.20	-19.12	3	Vertical	301	3.00
5230MHz	Pass	PK	10.4318G	49.55	68.20	-18.65	3	Horizontal	319	1.00
5270MHz	Pass	AV	5.2864G	101.57	Inf	-Inf	3	Horizontal	3	1.50
5270MHz	Pass	AV	5.3512G	44.83	54.00	-9.17	3	Horizontal	3	1.50
5270MHz	Pass	PK	5.284G	115.12	Inf	-Inf	3	Horizontal	3	1.50
5270MHz	Pass	PK	5.3524G	57.78	74.00	-16.22	3	Horizontal	3	1.50
5270MHz	Pass	PK	10.56904G	49.03	68.20	-19.17	3	Vertical	6	2.59
5270MHz	Pass	PK	10.54444G	49.39	68.20	-18.81	3	Horizontal	190	1.00
5310MHz	Pass	AV	5.3064G	102.82	Inf	-Inf	3	Horizontal	3	1.50
5310MHz	Pass	AV	5.3512G	53.17	54.00	-0.83	3	Horizontal	3	1.50
5310MHz	Pass	PK	5.296G	115.35	Inf	-Inf	3	Horizontal	3	1.50
5310MHz	Pass	PK	5.356G	68.46	74.00	-5.54	3	Horizontal	3	1.50
5310MHz	Pass	AV	10.61232G	36.29	54.00	-17.71	3	Vertical	5	1.50
5310MHz	Pass	PK	10.60908G	50.95	74.00	-23.05	3	Vertical	5	1.50
5310MHz	Pass	AV	10.64628G	36.30	54.00	-17.70	3	Horizontal	235	1.50
5310MHz	Pass	PK	10.6386G	49.21	74.00	-24.79	3	Horizontal	235	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.149G	53.66	54.00	-0.34	3	Horizontal	360	1.50
5210MHz	Pass	AV	5.181G	98.16	Inf	-Inf	3	Horizontal	360	1.50
5210MHz	Pass	AV	5.358G	44.49	54.00	-9.51	3	Horizontal	360	1.50
5210MHz	Pass	PK	5.15G	66.93	74.00	-7.07	3	Horizontal	360	1.50
5210MHz	Pass	PK	5.199G	111.88	Inf	-Inf	3	Horizontal	360	1.50




RSE TX above 1GHz_Non-Beamforming_Radio 3
Dipole Antenna_2T1S

Appendix E.22

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5210MHz	Pass	PK	5.378G	57.84	74.00	-16.16	3	Horizontal	360	1.50
5210MHz	Pass	PK	10.46728G	49.86	68.20	-18.34	3	Vertical	226	1.50
5210MHz	Pass	PK	10.45384G	49.59	68.20	-18.61	3	Horizontal	57	1.50
5290MHz	Pass	AV	5.15G	45.12	54.00	-8.88	3	Horizontal	360	1.50
5290MHz	Pass	AV	5.297G	99.18	Inf	-Inf	3	Horizontal	360	1.50
5290MHz	Pass	AV	5.35G	53.37	54.00	-0.63	3	Horizontal	360	1.50
5290MHz	Pass	PK	5.15G	57.59	74.00	-16.41	3	Horizontal	360	1.50
5290MHz	Pass	PK	5.307G	112.69	Inf	-Inf	3	Horizontal	360	1.50
5290MHz	Pass	PK	5.364G	66.29	74.00	-7.71	3	Horizontal	360	1.50
5290MHz	Pass	PK	5.493G	56.35	68.20	-11.85	3	Horizontal	360	1.50
5290MHz	Pass	AV	10.61288G	36.35	54.00	-17.65	3	Vertical	207	1.35
5290MHz	Pass	PK	10.62824G	49.30	74.00	-24.70	3	Vertical	207	1.35
5290MHz	Pass	AV	10.60856G	36.22	54.00	-17.78	3	Horizontal	64	1.50
5290MHz	Pass	PK	10.61168G	49.92	74.00	-24.08	3	Horizontal	64	1.50


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX



5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	53.70	54.00	-0.30	1.02	3	Horizontal	360	1.84	52.68	33.50	4.81	37.29
AV	5.1792G	101.31	Inf	-Inf	0.91	3	Horizontal	360	1.84	100.40	33.38	4.83	37.30
PK	5.1488G	68.98	74.00	-5.02	1.01	3	Horizontal	360	1.84	67.97	33.49	4.81	37.29
PK	5.1868G	114.51	Inf	-Inf	0.88	3	Horizontal	360	1.84	113.63	33.35	4.83	37.30

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.40892G	49.62	68.20	-18.58	4.20	3	Vertical	253	1.50	45.42	38.80	7.32	41.92


5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX



5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3064G	102.82	Inf	-Inf	0.66	3	Horizontal	3	1.50	102.16	33.10	4.89	37.33
AV	5.3512G	53.17	54.00	-0.83	0.67	3	Horizontal	3	1.50	52.50	33.10	4.91	37.34
PK	5.296G	115.35	Inf	-Inf	0.66	3	Horizontal	3	1.50	114.69	33.11	4.88	37.33
PK	5.356G	68.46	74.00	-5.54	0.66	3	Horizontal	3	1.50	67.80	33.09	4.91	37.34

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61232G	36.29	54.00	-17.71	4.49	3	Vertical	5	1.50	31.80	39.12	7.41	42.04
PK	10.60908G	50.95	74.00	-23.05	4.49	3	Vertical	5	1.50	46.46	39.12	7.41	42.04


5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX





**RSE TX below 1GHz_Non-Beamforming_Radio 3_
Dipole Antenna_2T2S**

Appendix E.23

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	PK	54.25M	35.05	40.00	-4.95	3	Vertical	360	1.00



RSE TX below 1GHz_Non-Beamforming_Radio 3
Dipole Antenna_2T2S


Appendix E.23

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5290MHz_Adapter	Pass	PK	38.73M	34.84	40.00	-5.16	3	Vertical	360	1.00
5290MHz_Adapter	Pass	PK	54.25M	35.05	40.00	-4.95	3	Vertical	360	1.00
5290MHz_Adapter	Pass	PK	125.06M	24.15	43.50	-19.35	3	Vertical	360	1.00
5290MHz_Adapter	Pass	PK	149.31M	26.22	43.50	-17.28	3	Vertical	360	1.00
5290MHz_Adapter	Pass	PK	549.92M	29.63	46.00	-16.37	3	Vertical	360	1.00
5290MHz_Adapter	Pass	QP	45.56M	33.52	40.00	-6.48	3	Vertical	167	1.00
5290MHz_Adapter	Pass	PK	47.46M	24.70	40.00	-15.30	3	Horizontal	0	1.00
5290MHz_Adapter	Pass	PK	54.25M	21.57	40.00	-18.43	3	Horizontal	0	1.00
5290MHz_Adapter	Pass	PK	95.96M	24.37	43.50	-19.13	3	Horizontal	0	1.00
5290MHz_Adapter	Pass	PK	99.84M	28.44	43.50	-15.06	3	Horizontal	0	1.00
5290MHz_Adapter	Pass	PK	149.31M	27.36	43.50	-16.14	3	Horizontal	0	1.00
5290MHz_Adapter	Pass	PK	250.19M	27.65	46.00	-18.35	3	Horizontal	0	1.00


5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_Adapter



5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_Adapter





RSE TX above 1GHz_Non-Beamforming_Radio 3
Dipole Antenna_2T2S

Appendix E.24

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.148G	48.92	54.00	-5.08	3	Horizontal	350	1.00
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.15G	53.70	54.00	-0.30	3	Horizontal	351	1.00
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.15G	53.82	54.00	-0.18	3	Horizontal	358	1.00
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.3604G	46.24	54.00	-7.76	3	Horizontal	350	2.95
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.35G	53.13	54.00	-0.87	3	Horizontal	0	3.00
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.35G	53.34	54.00	-0.66	3	Horizontal	353	2.57



RSE TX above 1GHz_Non-Beamforming_Radio 3 Dipole Antenna_2T2S

Appendix E.24


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.148G	48.92	54.00	-5.08	3	Horizontal	350	1.00
5180MHz	Pass	AV	5.1836G	102.46	Inf	-Inf	3	Horizontal	350	1.00
5180MHz	Pass	PK	5.1396G	63.90	74.00	-10.10	3	Horizontal	350	1.00
5180MHz	Pass	PK	5.1848G	116.17	Inf	-Inf	3	Horizontal	350	1.00
5180MHz	Pass	PK	10.35706G	48.83	68.20	-19.37	3	Vertical	46	1.25
5180MHz	Pass	PK	10.3714G	49.21	68.20	-18.99	3	Horizontal	302	1.50
5200MHz	Pass	AV	5.15G	45.90	54.00	-8.10	3	Horizontal	0	1.00
5200MHz	Pass	AV	5.1984G	102.59	Inf	-Inf	3	Horizontal	0	1.00
5200MHz	Pass	PK	5.1296G	61.40	74.00	-12.60	3	Horizontal	0	1.00
5200MHz	Pass	PK	5.1944G	115.65	Inf	-Inf	3	Horizontal	0	1.00
5200MHz	Pass	PK	10.40966G	49.99	68.20	-18.21	3	Vertical	115	1.50
5200MHz	Pass	PK	10.40342G	49.54	68.20	-18.66	3	Horizontal	66	1.50
5240MHz	Pass	AV	5.15G	43.06	54.00	-10.94	3	Horizontal	4	1.50
5240MHz	Pass	AV	5.2472G	100.41	Inf	-Inf	3	Horizontal	4	1.50
5240MHz	Pass	AV	5.3528G	42.73	54.00	-11.27	3	Horizontal	4	1.50
5240MHz	Pass	PK	5.1446G	56.49	74.00	-17.51	3	Horizontal	4	1.50
5240MHz	Pass	PK	5.2388G	113.87	Inf	-Inf	3	Horizontal	4	1.50
5240MHz	Pass	PK	5.35G	56.41	74.00	-17.59	3	Horizontal	4	1.50
5240MHz	Pass	PK	10.48582G	49.31	68.20	-18.89	3	Vertical	119	1.69
5240MHz	Pass	PK	10.47454G	49.29	68.20	-18.91	3	Horizontal	310	1.50
5260MHz	Pass	AV	5.15G	43.62	54.00	-10.38	3	Horizontal	0	1.00
5260MHz	Pass	AV	5.2678G	101.79	Inf	-Inf	3	Horizontal	0	1.00
5260MHz	Pass	AV	5.3524G	43.10	54.00	-10.90	3	Horizontal	0	1.00
5260MHz	Pass	PK	5.1268G	56.74	74.00	-17.26	3	Horizontal	0	1.00
5260MHz	Pass	PK	5.2546G	114.70	Inf	-Inf	3	Horizontal	0	1.00
5260MHz	Pass	PK	5.3644G	57.20	74.00	-16.80	3	Horizontal	0	1.00
5260MHz	Pass	PK	10.50866G	48.73	68.20	-19.47	3	Vertical	39	1.50
5260MHz	Pass	PK	10.508G	49.09	68.20	-19.11	3	Horizontal	0	1.65
5300MHz	Pass	AV	5.3036G	102.59	Inf	-Inf	3	Horizontal	0	2.99
5300MHz	Pass	AV	5.35G	43.95	54.00	-10.05	3	Horizontal	0	2.99
5300MHz	Pass	PK	5.2912G	115.61	Inf	-Inf	3	Horizontal	0	2.99
5300MHz	Pass	PK	5.3604G	58.69	74.00	-15.31	3	Horizontal	0	2.99
5300MHz	Pass	AV	10.6114G	35.76	54.00	-18.24	3	Vertical	334	1.50
5300MHz	Pass	PK	10.60018G	48.91	74.00	-25.09	3	Vertical	334	1.50
5300MHz	Pass	AV	10.61326G	35.79	54.00	-18.21	3	Horizontal	132	1.50
5300MHz	Pass	PK	10.60478G	49.16	74.00	-24.84	3	Horizontal	132	1.50
5320MHz	Pass	AV	5.3182G	103.63	Inf	-Inf	3	Horizontal	350	2.95
5320MHz	Pass	AV	5.3604G	46.24	54.00	-7.76	3	Horizontal	350	2.95
5320MHz	Pass	PK	5.3182G	117.46	Inf	-Inf	3	Horizontal	350	2.95
5320MHz	Pass	PK	5.36G	61.27	74.00	-12.73	3	Horizontal	350	2.95
5320MHz	Pass	AV	10.64816G	35.94	54.00	-18.06	3	Vertical	307	3.00
5320MHz	Pass	PK	10.63856G	49.31	74.00	-24.69	3	Vertical	307	3.00
5320MHz	Pass	AV	10.64852G	35.94	54.00	-18.06	3	Horizontal	31	1.15
5320MHz	Pass	PK	10.64972G	49.59	74.00	-24.41	3	Horizontal	31	1.15
802.11be EHT40_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	53.70	54.00	-0.30	3	Horizontal	351	1.00
5190MHz	Pass	AV	5.184G	98.79	Inf	-Inf	3	Horizontal	351	1.00
5190MHz	Pass	PK	5.1496G	69.92	74.00	-4.08	3	Horizontal	351	1.00
5190MHz	Pass	PK	5.1784G	112.97	Inf	-Inf	3	Horizontal	351	1.00
5190MHz	Pass	PK	10.3758G	50.56	68.20	-17.64	3	Vertical	26	2.40
5190MHz	Pass	PK	10.39608G	49.20	68.20	-19.00	3	Horizontal	309	1.50
5230MHz	Pass	AV	5.15G	45.57	54.00	-8.43	3	Horizontal	4	1.00
5230MHz	Pass	AV	5.224G	98.24	Inf	-Inf	3	Horizontal	4	1.00
5230MHz	Pass	PK	5.1488G	58.84	74.00	-15.16	3	Horizontal	4	1.00
5230MHz	Pass	PK	5.2316G	112.01	Inf	-Inf	3	Horizontal	4	1.00
5230MHz	Pass	PK	10.46252G	50.56	68.20	-17.64	3	Vertical	249	1.00
5230MHz	Pass	PK	10.4798G	49.76	68.20	-18.44	3	Horizontal	104	1.50
5270MHz	Pass	AV	5.276G	99.92	Inf	-Inf	3	Horizontal	0	1.00
5270MHz	Pass	AV	5.35G	44.59	54.00	-9.41	3	Horizontal	0	1.00
5270MHz	Pass	PK	5.2872G	113.93	Inf	-Inf	3	Horizontal	0	1.00

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5270MHz	Pass	PK	5.35G	58.56	74.00	-15.44	3	Horizontal	0	1.00
5270MHz	Pass	PK	10.52032G	49.12	68.20	-19.08	3	Vertical	95	1.50
5270MHz	Pass	PK	10.5574G	49.35	68.20	-18.85	3	Horizontal	168	2.69
5310MHz	Pass	AV	5.3108G	99.70	Inf	-Inf	3	Horizontal	0	3.00
5310MHz	Pass	AV	5.35G	53.13	54.00	-0.87	3	Horizontal	0	3.00
5310MHz	Pass	PK	5.3032G	114.01	Inf	-Inf	3	Horizontal	0	3.00
5310MHz	Pass	PK	5.3532G	67.99	74.00	-6.01	3	Horizontal	0	3.00
5310MHz	Pass	AV	10.64808G	35.90	54.00	-18.10	3	Vertical	116	2.92
5310MHz	Pass	PK	10.64004G	49.54	74.00	-24.46	3	Vertical	116	2.92
5310MHz	Pass	AV	10.64688G	35.87	54.00	-18.13	3	Horizontal	45	1.50
5310MHz	Pass	PK	10.63068G	49.36	74.00	-24.64	3	Horizontal	45	1.50
802.11be EHT80_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	53.82	54.00	-0.18	3	Horizontal	358	1.00
5210MHz	Pass	AV	5.198G	96.14	Inf	-Inf	3	Horizontal	358	1.00
5210MHz	Pass	AV	5.359G	44.33	54.00	-9.67	3	Horizontal	358	1.00
5210MHz	Pass	PK	5.149G	67.12	74.00	-6.88	3	Horizontal	358	1.00
5210MHz	Pass	PK	5.197G	108.53	Inf	-Inf	3	Horizontal	358	1.00
5210MHz	Pass	PK	5.375G	57.54	74.00	-16.46	3	Horizontal	358	1.00
5210MHz	Pass	PK	10.408G	49.62	68.20	-18.58	3	Vertical	36	1.97
5210MHz	Pass	PK	10.36528G	49.23	68.20	-18.97	3	Horizontal	183	1.50
5290MHz	Pass	AV	5.149G	45.29	54.00	-8.71	3	Horizontal	353	2.57
5290MHz	Pass	AV	5.302G	97.22	Inf	-Inf	3	Horizontal	353	2.57
5290MHz	Pass	AV	5.35G	53.34	54.00	-0.66	3	Horizontal	353	2.57
5290MHz	Pass	PK	5.15G	57.75	74.00	-16.25	3	Horizontal	353	2.57
5290MHz	Pass	PK	5.293G	110.07	Inf	-Inf	3	Horizontal	353	2.57
5290MHz	Pass	PK	5.35G	67.22	74.00	-6.78	3	Horizontal	353	2.57
5290MHz	Pass	PK	5.525G	56.14	68.20	-12.06	3	Horizontal	353	2.57
5290MHz	Pass	AV	10.61984G	36.56	54.00	-17.44	3	Vertical	215	1.38
5290MHz	Pass	PK	10.62608G	49.31	74.00	-24.69	3	Vertical	215	1.38
5290MHz	Pass	AV	10.61696G	36.53	54.00	-17.47	3	Horizontal	203	1.50
5290MHz	Pass	PK	10.6036G	48.98	74.00	-25.02	3	Horizontal	203	1.50


5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.82	54.00	-0.18	1.02	3	Horizontal	358	1.00	52.80	33.50	4.81	37.29
AV	5.198G	96.14	Inf	-Inf	0.85	3	Horizontal	358	1.00	95.29	33.31	4.84	37.30
AV	5.359G	44.33	54.00	-9.67	0.65	3	Horizontal	358	1.00	43.68	33.08	4.91	37.34
PK	5.149G	67.12	74.00	-6.88	1.01	3	Horizontal	358	1.00	66.11	33.49	4.81	37.29
PK	5.197G	108.53	Inf	-Inf	0.85	3	Horizontal	358	1.00	107.68	33.31	4.84	37.30
PK	5.375G	57.54	74.00	-16.46	0.63	3	Horizontal	358	1.00	56.91	33.05	4.92	37.34

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.408G	49.62	68.20	-18.58	4.20	3	Vertical	36	1.97	45.42	38.80	7.32	41.92


5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX





**RSE TX below 1GHz_Non-Beamforming_Radio 3_
Dual-Polarized MIMO Panel Antenna_1T1S**

Appendix E.25

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	PK	43.58M	35.72	40.00	-4.28	3	Vertical	0	1.00



**RSE TX below 1GHz_Non-Beamforming_Radio 3_
Dual-Polarized MIMO Panel Antenna_1T1S**


Appendix E.25

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1.(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5290MHz_Adapter	Pass	PK	43.58M	35.72	40.00	-4.28	3	Vertical	0	1.00
5290MHz_Adapter	Pass	PK	150.28M	24.42	43.50	-19.08	3	Vertical	0	1.00
5290MHz_Adapter	Pass	PK	249.22M	20.94	46.00	-25.06	3	Vertical	0	1.00
5290MHz_Adapter	Pass	PK	375.32M	21.95	46.00	-24.05	3	Vertical	0	1.00
5290MHz_Adapter	Pass	PK	449.04M	24.87	46.00	-21.13	3	Vertical	0	1.00
5290MHz_Adapter	Pass	PK	549.92M	27.08	46.00	-18.92	3	Vertical	0	1.00
5290MHz_Adapter	Pass	PK	99.84M	32.69	43.50	-10.81	3	Horizontal	360	1.00
5290MHz_Adapter	Pass	PK	148.34M	28.90	43.50	-14.60	3	Horizontal	360	1.00
5290MHz_Adapter	Pass	PK	249.22M	24.73	46.00	-21.27	3	Horizontal	360	1.00
5290MHz_Adapter	Pass	PK	336.52M	23.12	46.00	-22.88	3	Horizontal	360	1.00
5290MHz_Adapter	Pass	PK	449.04M	24.48	46.00	-21.52	3	Horizontal	360	1.00
5290MHz_Adapter	Pass	PK	549.92M	26.83	46.00	-19.17	3	Horizontal	360	1.00


5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_Adapter



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_Adapter





**RSE TX above 1GHz_Non-Beamforming_Radio 3_
Dual-Polarized MIMO Panel Antenna_1T1S**

Appendix E.26

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.15G	45.06	54.00	-8.94	3	Horizontal	357	2.06
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	5.1396G	45.81	54.00	-8.19	3	Horizontal	360	2.33
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	5.15G	49.16	54.00	-4.84	3	Horizontal	0	2.25
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	5.15G	52.88	54.00	-1.12	3	Horizontal	5	2.21
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.3606G	43.81	54.00	-10.19	3	Horizontal	356	1.50
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	5.3606G	44.67	54.00	-9.33	3	Horizontal	356	1.50
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	5.3504G	51.51	54.00	-2.49	3	Horizontal	358	1.50
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	5.35G	49.95	54.00	-4.05	3	Horizontal	358	1.50

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	45.06	54.00	-8.94	3	Horizontal	357	2.06
5180MHz	Pass	AV	5.173G	101.06	Inf	-Inf	3	Horizontal	357	2.06
5180MHz	Pass	PK	5.14G	58.50	74.00	-15.50	3	Horizontal	357	2.06
5180MHz	Pass	PK	5.178G	112.82	Inf	-Inf	3	Horizontal	357	2.06
5180MHz	Pass	PK	10.36752G	50.12	68.20	-18.08	3	Vertical	193	1.50
5180MHz	Pass	PK	10.36258G	49.75	68.20	-18.45	3	Horizontal	360	1.50
5200MHz	Pass	AV	5.15G	43.93	54.00	-10.07	3	Horizontal	357	2.21
5200MHz	Pass	AV	5.1932G	100.13	Inf	-Inf	3	Horizontal	357	2.21
5200MHz	Pass	PK	5.1468G	57.19	74.00	-16.81	3	Horizontal	357	2.21
5200MHz	Pass	PK	5.2G	111.59	Inf	-Inf	3	Horizontal	357	2.21
5200MHz	Pass	PK	10.40801G	50.23	68.20	-17.97	3	Vertical	327	2.96
5200MHz	Pass	PK	10.39298G	49.79	68.20	-18.41	3	Horizontal	53	1.50
5240MHz	Pass	AV	5.1494G	43.04	54.00	-10.96	3	Horizontal	5	2.31
5240MHz	Pass	AV	5.234G	100.25	Inf	-Inf	3	Horizontal	5	2.31
5240MHz	Pass	AV	5.351G	42.89	54.00	-11.11	3	Horizontal	5	2.31
5240MHz	Pass	PK	5.1062G	57.02	74.00	-16.98	3	Horizontal	5	2.31
5240MHz	Pass	PK	5.2382G	111.75	Inf	-Inf	3	Horizontal	5	2.31
5240MHz	Pass	PK	5.3612G	56.51	74.00	-17.49	3	Horizontal	5	2.31
5240MHz	Pass	PK	10.4947G	50.27	68.20	-17.93	3	Vertical	179	1.17
5240MHz	Pass	PK	10.4926G	49.47	68.20	-18.73	3	Horizontal	294	1.50
5260MHz	Pass	AV	5.1496G	42.88	54.00	-11.12	3	Horizontal	352	1.00
5260MHz	Pass	AV	5.2612G	100.01	Inf	-Inf	3	Horizontal	352	1.00
5260MHz	Pass	AV	5.3548G	42.70	54.00	-11.30	3	Horizontal	352	1.00
5260MHz	Pass	PK	5.122G	56.25	74.00	-17.75	3	Horizontal	352	1.00
5260MHz	Pass	PK	5.2576G	110.95	Inf	-Inf	3	Horizontal	352	1.00
5260MHz	Pass	PK	5.3728G	57.20	74.00	-16.80	3	Horizontal	352	1.00
5260MHz	Pass	PK	10.51107G	49.87	68.20	-18.33	3	Vertical	332	1.16
5260MHz	Pass	PK	10.52126G	49.74	68.20	-18.46	3	Horizontal	163	1.50
5300MHz	Pass	AV	5.2968G	100.47	Inf	-Inf	3	Horizontal	357	1.50
5300MHz	Pass	AV	5.356G	42.90	54.00	-11.10	3	Horizontal	357	1.50
5300MHz	Pass	PK	5.2988G	111.72	Inf	-Inf	3	Horizontal	357	1.50
5300MHz	Pass	PK	5.3632G	56.92	74.00	-17.08	3	Horizontal	357	1.50
5300MHz	Pass	AV	10.61011G	36.10	54.00	-17.90	3	Vertical	127	1.20
5300MHz	Pass	PK	10.60594G	50.40	74.00	-23.60	3	Vertical	127	1.20
5300MHz	Pass	AV	10.61182G	36.10	54.00	-17.90	3	Horizontal	252	2.04
5300MHz	Pass	PK	10.60054G	49.66	74.00	-24.34	3	Horizontal	252	2.04
5320MHz	Pass	AV	5.3152G	100.42	Inf	-Inf	3	Horizontal	356	1.50
5320MHz	Pass	AV	5.3606G	43.81	54.00	-10.19	3	Horizontal	356	1.50
5320MHz	Pass	PK	5.3134G	111.49	Inf	-Inf	3	Horizontal	356	1.50
5320MHz	Pass	PK	5.365G	58.09	74.00	-15.91	3	Horizontal	356	1.50
5320MHz	Pass	AV	10.6483G	36.34	54.00	-17.66	3	Vertical	3	1.53
5320MHz	Pass	PK	10.63672G	49.66	74.00	-24.34	3	Vertical	3	1.53
5320MHz	Pass	AV	10.64774G	36.25	54.00	-17.75	3	Horizontal	151	1.50
5320MHz	Pass	PK	10.63412G	49.88	74.00	-24.12	3	Horizontal	151	1.50
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1396G	45.81	54.00	-8.19	3	Horizontal	360	2.33
5180MHz	Pass	AV	5.1718G	101.06	Inf	-Inf	3	Horizontal	360	2.33
5180MHz	Pass	PK	5.1392G	60.61	74.00	-13.39	3	Horizontal	360	2.33
5180MHz	Pass	PK	5.1858G	114.32	Inf	-Inf	3	Horizontal	360	2.33
5180MHz	Pass	PK	10.37044G	50.54	68.20	-17.66	3	Vertical	285	1.50
5180MHz	Pass	PK	10.36906G	49.43	68.20	-18.77	3	Horizontal	190	1.50
5200MHz	Pass	AV	5.15G	43.85	54.00	-10.15	3	Horizontal	7	2.22
5200MHz	Pass	AV	5.1924G	100.10	Inf	-Inf	3	Horizontal	7	2.22
5200MHz	Pass	PK	5.1476G	56.85	74.00	-17.15	3	Horizontal	7	2.22
5200MHz	Pass	PK	5.2032G	113.72	Inf	-Inf	3	Horizontal	7	2.22
5200MHz	Pass	PK	10.40884G	51.08	68.20	-17.12	3	Vertical	360	1.08
5200MHz	Pass	PK	10.40312G	49.29	68.20	-18.91	3	Horizontal	51	2.47
5240MHz	Pass	AV	5.1482G	43.11	54.00	-10.89	3	Horizontal	360	2.38
5240MHz	Pass	AV	5.2328G	98.96	Inf	-Inf	3	Horizontal	360	2.38
5240MHz	Pass	AV	5.3678G	42.93	54.00	-11.07	3	Horizontal	360	2.38



RSE TX above 1GHz_Non-Beamforming_Radio 3 Dual-Polarized MIMO Panel Antenna_1T1S

Appendix E.26

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5240MHz	Pass	PK	5.1338G	57.04	74.00	-16.96	3	Horizontal	360	2.38
5240MHz	Pass	PK	5.2358G	112.07	Inf	-Inf	3	Horizontal	360	2.38
5240MHz	Pass	PK	5.3714G	56.30	74.00	-17.70	3	Horizontal	360	2.38
5240MHz	Pass	PK	10.47416G	50.43	68.20	-17.77	3	Vertical	327	2.54
5240MHz	Pass	PK	10.495G	49.36	68.20	-18.84	3	Horizontal	314	1.50
5260MHz	Pass	AV	5.149G	42.62	54.00	-11.38	3	Horizontal	353	1.50
5260MHz	Pass	AV	5.2678G	98.69	Inf	-Inf	3	Horizontal	353	1.50
5260MHz	Pass	AV	5.3734G	42.61	54.00	-11.39	3	Horizontal	353	1.50
5260MHz	Pass	PK	5.1478G	55.96	74.00	-18.04	3	Horizontal	353	1.50
5260MHz	Pass	PK	5.2666G	112.20	Inf	-Inf	3	Horizontal	353	1.50
5260MHz	Pass	PK	5.3518G	56.41	74.00	-17.59	3	Horizontal	353	1.50
5260MHz	Pass	PK	10.52285G	49.92	68.20	-18.28	3	Vertical	232	2.53
5260MHz	Pass	PK	10.5053G	49.42	68.20	-18.78	3	Horizontal	73	1.50
5300MHz	Pass	AV	5.2972G	99.94	Inf	-Inf	3	Horizontal	357	1.50
5300MHz	Pass	AV	5.3504G	42.95	54.00	-11.05	3	Horizontal	357	1.50
5300MHz	Pass	PK	5.3044G	113.46	Inf	-Inf	3	Horizontal	357	1.50
5300MHz	Pass	PK	5.3572G	56.68	74.00	-17.32	3	Horizontal	357	1.50
5300MHz	Pass	AV	10.61051G	36.16	54.00	-17.84	3	Vertical	160	1.50
5300MHz	Pass	PK	10.60832G	50.04	74.00	-23.96	3	Vertical	160	1.50
5300MHz	Pass	AV	10.61182G	36.13	54.00	-17.87	3	Horizontal	258	1.50
5300MHz	Pass	PK	10.6108G	50.16	74.00	-23.84	3	Horizontal	258	1.50
5320MHz	Pass	AV	5.3148G	99.81	Inf	-Inf	3	Horizontal	356	1.50
5320MHz	Pass	AV	5.3606G	44.67	54.00	-9.33	3	Horizontal	356	1.50
5320MHz	Pass	PK	5.3136G	113.69	Inf	-Inf	3	Horizontal	356	1.50
5320MHz	Pass	PK	5.3598G	60.44	74.00	-13.56	3	Horizontal	356	1.50
5320MHz	Pass	AV	10.64737G	36.20	54.00	-17.80	3	Vertical	161	1.50
5320MHz	Pass	PK	10.65327G	50.33	74.00	-23.67	3	Vertical	161	1.50
5320MHz	Pass	AV	10.65038G	36.29	54.00	-17.71	3	Horizontal	146	1.50
5320MHz	Pass	PK	10.652G	49.92	74.00	-24.08	3	Horizontal	146	1.50
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	49.16	54.00	-4.84	3	Horizontal	0	2.25
5190MHz	Pass	AV	5.1816G	98.21	Inf	-Inf	3	Horizontal	0	2.25
5190MHz	Pass	PK	5.1496G	64.19	74.00	-9.81	3	Horizontal	0	2.25
5190MHz	Pass	PK	5.1844G	112.16	Inf	-Inf	3	Horizontal	0	2.25
5190MHz	Pass	PK	10.36857G	51.16	68.20	-17.04	3	Vertical	148	1.50
5190MHz	Pass	PK	10.39056G	50.38	68.20	-17.82	3	Horizontal	270	2.54
5230MHz	Pass	AV	5.15G	43.90	54.00	-10.10	3	Horizontal	354	1.00
5230MHz	Pass	AV	5.2264G	95.81	Inf	-Inf	3	Horizontal	354	1.00
5230MHz	Pass	PK	5.1464G	56.90	74.00	-17.10	3	Horizontal	354	1.00
5230MHz	Pass	PK	5.2196G	109.93	Inf	-Inf	3	Horizontal	354	1.00
5230MHz	Pass	PK	10.461G	49.88	68.20	-18.32	3	Vertical	221	1.50
5230MHz	Pass	PK	10.45496G	50.03	68.20	-18.17	3	Horizontal	92	1.50
5270MHz	Pass	AV	5.2848G	96.80	Inf	-Inf	3	Horizontal	358	1.50
5270MHz	Pass	AV	5.35G	43.65	54.00	-10.35	3	Horizontal	358	1.50
5270MHz	Pass	PK	5.2856G	111.00	Inf	-Inf	3	Horizontal	358	1.50
5270MHz	Pass	PK	5.3524G	56.98	74.00	-17.02	3	Horizontal	358	1.50
5270MHz	Pass	PK	10.53606G	50.06	68.20	-18.14	3	Vertical	56	2.40
5270MHz	Pass	PK	10.54348G	49.90	68.20	-18.30	3	Horizontal	266	1.30
5310MHz	Pass	AV	5.3144G	97.54	Inf	-Inf	3	Horizontal	358	1.50
5310MHz	Pass	AV	5.3504G	51.51	54.00	-2.49	3	Horizontal	358	1.50
5310MHz	Pass	PK	5.3132G	111.40	Inf	-Inf	3	Horizontal	358	1.50
5310MHz	Pass	PK	5.35G	65.26	74.00	-8.74	3	Horizontal	358	1.50
5310MHz	Pass	AV	10.64846G	36.20	54.00	-17.80	3	Vertical	341	1.50
5310MHz	Pass	PK	10.62651G	50.06	74.00	-23.94	3	Vertical	341	1.50
5310MHz	Pass	AV	10.64892G	36.25	54.00	-17.75	3	Horizontal	183	1.50
5310MHz	Pass	PK	10.60812G	49.64	74.00	-24.36	3	Horizontal	183	1.50
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	52.88	54.00	-1.12	3	Horizontal	5	2.21
5210MHz	Pass	AV	5.197G	94.79	Inf	-Inf	3	Horizontal	5	2.21
5210MHz	Pass	AV	5.37G	43.44	54.00	-10.56	3	Horizontal	5	2.21
5210MHz	Pass	PK	5.144G	65.58	74.00	-8.42	3	Horizontal	5	2.21
5210MHz	Pass	PK	5.183G	108.37	Inf	-Inf	3	Horizontal	5	2.21




**RSE TX above 1GHz_Non-Beamforming_Radio 3_
Dual-Polarized MIMO Panel Antenna_1T1S**

Appendix E.26

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5210MHz	Pass	PK	5.375G	57.02	74.00	-16.98	3	Horizontal	5	2.21
5210MHz	Pass	PK	10.42257G	49.96	68.20	-18.24	3	Vertical	270	1.50
5210MHz	Pass	PK	10.37392G	49.57	68.20	-18.63	3	Horizontal	119	1.50
5290MHz	Pass	AV	5.149G	43.94	54.00	-10.06	3	Horizontal	358	1.50
5290MHz	Pass	AV	5.301G	93.98	Inf	-Inf	3	Horizontal	358	1.50
5290MHz	Pass	AV	5.35G	49.95	54.00	-4.05	3	Horizontal	358	1.50
5290MHz	Pass	PK	5.142G	57.18	74.00	-16.82	3	Horizontal	358	1.50
5290MHz	Pass	PK	5.298G	107.11	Inf	-Inf	3	Horizontal	358	1.50
5290MHz	Pass	PK	5.354G	62.59	74.00	-11.41	3	Horizontal	358	1.50
5290MHz	Pass	PK	5.508G	56.12	68.20	-12.08	3	Horizontal	358	1.50
5290MHz	Pass	AV	10.63347G	36.11	54.00	-17.89	3	Vertical	7	1.54
5290MHz	Pass	PK	10.62367G	50.80	74.00	-23.20	3	Vertical	7	1.54
5290MHz	Pass	AV	10.64G	36.10	54.00	-17.90	3	Horizontal	111	1.14
5290MHz	Pass	PK	10.63904G	49.61	74.00	-24.39	3	Horizontal	111	1.14

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX

