



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	42.17	54.00	-11.83	0.67	3	Horizontal	347	1.50	41.50	33.10	4.91	37.34
AV	5.46G	46.73	54.00	-7.27	0.65	3	Horizontal	347	1.50	46.08	33.06	4.95	37.36
AV	5.518G	92.27	Inf	-Inf	0.86	3	Horizontal	347	1.50	91.41	33.26	4.96	37.36
PK	5.312G	55.51	68.20	-12.69	0.66	3	Horizontal	347	1.50	54.85	33.10	4.89	37.33
PK	5.46G	59.82	74.00	-14.18	0.65	3	Horizontal	347	1.50	59.17	33.06	4.95	37.36
PK	5.47G	60.92	68.20	-7.28	0.71	3	Horizontal	347	1.50	60.21	33.12	4.95	37.36
PK	5.54G	105.29	Inf	-Inf	0.83	3	Horizontal	347	1.50	104.46	33.22	4.96	37.35
PK	5.745G	56.63	68.20	-11.57	1.83	3	Horizontal	347	1.50	54.80	33.98	5.12	37.27

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06524G	35.95	54.00	-18.05	4.09	3	Vertical	79	2.48	31.86	38.80	7.60	42.31
PK	11.06412G	49.78	74.00	-24.22	4.09	3	Vertical	79	2.48	45.69	38.80	7.60	42.31


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX





**RSE TX below 1GHz_Non-Beamforming_Radio 2_
Dual-Polarized MIMO Panel Antenna_2T2S**

Appendix E.11

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	PK	45.52M	35.88	40.00	-4.12	3	Vertical	360	1.00



**RSE TX below 1GHz_Non-Beamforming_Radio 2_
Dual-Polarized MIMO Panel Antenna_2T2S**


Appendix E.11

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5775MHz_Adapter	Pass	PK	38.73M	35.37	40.00	-4.63	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	45.52M	35.88	40.00	-4.12	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	54.25M	31.78	40.00	-8.22	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	74.62M	27.06	40.00	-12.94	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	96.93M	25.81	43.50	-17.69	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	149.31M	24.06	43.50	-19.44	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	44.55M	26.49	40.00	-13.51	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	77.53M	30.67	40.00	-9.33	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	99.84M	33.42	43.50	-10.08	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	149.31M	27.98	43.50	-15.52	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	209.45M	23.23	43.50	-20.27	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	250.19M	23.30	46.00	-22.70	3	Horizontal	0	1.00


5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_Adapter



5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_Adapter





**RSE TX above 1GHz_Non-Beamforming_Radio 2_
Dual-Polarized MIMO Panel Antenna_2T2S**

Appendix E.12

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.1494G	46.19	54.00	-7.81	3	Horizontal	0	1.01
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.1492G	46.27	54.00	-7.73	3	Horizontal	357	1.50
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.15G	46.96	54.00	-7.04	3	Horizontal	356	1.50
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.35G	47.84	54.00	-6.16	3	Horizontal	360	1.50
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.35G	49.27	54.00	-4.73	3	Horizontal	360	1.50
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.35G	49.55	54.00	-4.45	3	Horizontal	360	1.50
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	AV	5.3532G	52.67	54.00	-1.33	3	Horizontal	0	1.50
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	PK	5.7252G	65.91	68.20	-2.29	3	Horizontal	6	1.50
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	PK	5.4696G	67.12	68.20	-1.08	3	Horizontal	355	1.01
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.46G	49.59	54.00	-4.41	3	Horizontal	356	1.00
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	PK	5.4644G	65.18	68.20	-3.02	3	Horizontal	360	1.02
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.4534G	46.20	54.00	-7.80	3	Horizontal	14	1.50
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.4598G	46.33	54.00	-7.67	3	Horizontal	12	1.50
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	PK	5.6454G	63.41	68.20	-4.79	3	Horizontal	6	1.44



RSE TX above 1GHz_Non-Beamforming_Radio 2 Dual-Polarized MIMO Panel Antenna_2T2S

Appendix E.12

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1494G	46.19	54.00	-7.81	3	Horizontal	0	1.01
5180MHz	Pass	AV	5.1872G	100.17	Inf	-Inf	3	Horizontal	0	1.01
5180MHz	Pass	PK	5.1396G	61.43	74.00	-12.57	3	Horizontal	0	1.01
5180MHz	Pass	PK	5.1846G	114.62	Inf	-Inf	3	Horizontal	0	1.01
5180MHz	Pass	PK	10.3654G	49.81	68.20	-18.39	3	Vertical	264	1.50
5180MHz	Pass	PK	10.35656G	48.78	68.20	-19.42	3	Horizontal	33	1.50
5200MHz	Pass	AV	5.15G	44.34	54.00	-9.66	3	Horizontal	359	1.67
5200MHz	Pass	AV	5.2028G	101.51	Inf	-Inf	3	Horizontal	359	1.67
5200MHz	Pass	PK	5.1328G	57.30	74.00	-16.70	3	Horizontal	359	1.67
5200MHz	Pass	PK	5.2036G	115.22	Inf	-Inf	3	Horizontal	359	1.67
5200MHz	Pass	PK	10.4038G	49.08	68.20	-19.12	3	Vertical	262	2.32
5200MHz	Pass	PK	10.40804G	48.87	68.20	-19.33	3	Horizontal	113	1.50
5240MHz	Pass	AV	5.1488G	43.05	54.00	-10.95	3	Horizontal	357	1.50
5240MHz	Pass	AV	5.2412G	101.48	Inf	-Inf	3	Horizontal	357	1.50
5240MHz	Pass	AV	5.3714G	43.47	54.00	-10.53	3	Horizontal	357	1.50
5240MHz	Pass	PK	5.1152G	56.46	74.00	-17.54	3	Horizontal	357	1.50
5240MHz	Pass	PK	5.2358G	114.94	Inf	-Inf	3	Horizontal	357	1.50
5240MHz	Pass	PK	5.36G	56.74	74.00	-17.26	3	Horizontal	357	1.50
5240MHz	Pass	PK	10.48876G	48.30	68.20	-19.90	3	Vertical	213	1.50
5240MHz	Pass	PK	10.47636G	48.48	68.20	-19.72	3	Horizontal	304	1.50
5260MHz	Pass	AV	5.149G	42.64	54.00	-11.36	3	Horizontal	360	2.47
5260MHz	Pass	AV	5.2618G	101.62	Inf	-Inf	3	Horizontal	360	2.47
5260MHz	Pass	AV	5.35G	43.08	54.00	-10.92	3	Horizontal	360	2.47
5260MHz	Pass	PK	5.137G	56.14	74.00	-17.86	3	Horizontal	360	2.47
5260MHz	Pass	PK	5.2588G	116.29	Inf	-Inf	3	Horizontal	360	2.47
5260MHz	Pass	PK	5.383G	56.86	74.00	-17.14	3	Horizontal	360	2.47
5260MHz	Pass	PK	10.52872G	48.65	68.20	-19.55	3	Vertical	111	1.50
5260MHz	Pass	PK	10.51432G	48.62	68.20	-19.58	3	Horizontal	278	1.54
5300MHz	Pass	AV	5.3052G	100.07	Inf	-Inf	3	Horizontal	5	1.50
5300MHz	Pass	AV	5.35G	44.32	54.00	-9.68	3	Horizontal	5	1.50
5300MHz	Pass	PK	5.2948G	113.65	Inf	-Inf	3	Horizontal	5	1.50
5300MHz	Pass	PK	5.3636G	58.12	74.00	-15.88	3	Horizontal	5	1.50
5300MHz	Pass	PK	10.59028G	48.95	68.20	-19.25	3	Vertical	257	1.50
5300MHz	Pass	PK	10.59014G	48.66	68.20	-19.54	3	Horizontal	218	1.50
5320MHz	Pass	AV	5.3234G	100.52	Inf	-Inf	3	Horizontal	360	1.50
5320MHz	Pass	AV	5.35G	47.84	54.00	-6.16	3	Horizontal	360	1.50
5320MHz	Pass	PK	5.324G	114.02	Inf	-Inf	3	Horizontal	360	1.50
5320MHz	Pass	PK	5.3594G	62.85	74.00	-11.15	3	Horizontal	360	1.50
5320MHz	Pass	AV	10.64824G	36.07	54.00	-17.93	3	Vertical	293	1.50
5320MHz	Pass	PK	10.63072G	49.09	74.00	-24.91	3	Vertical	293	1.50
5320MHz	Pass	AV	10.6482G	35.97	54.00	-18.03	3	Horizontal	165	2.74
5320MHz	Pass	PK	10.64448G	48.96	74.00	-25.04	3	Horizontal	165	2.74
5500MHz	Pass	AV	5.4596G	46.65	54.00	-7.35	3	Horizontal	357	1.00
5500MHz	Pass	AV	5.4954G	101.26	Inf	-Inf	3	Horizontal	357	1.00
5500MHz	Pass	PK	5.453G	69.46	74.00	-4.54	3	Horizontal	357	1.00
5500MHz	Pass	PK	5.4602G	62.57	68.20	-5.63	3	Horizontal	357	1.00
5500MHz	Pass	PK	5.4926G	114.95	Inf	-Inf	3	Horizontal	357	1.00
5500MHz	Pass	AV	10.99036G	35.51	54.00	-18.49	3	Vertical	107	1.50
5500MHz	Pass	PK	11.00624G	48.30	74.00	-25.70	3	Vertical	107	1.50
5500MHz	Pass	AV	10.9912G	35.55	54.00	-18.45	3	Horizontal	222	1.50
5500MHz	Pass	PK	10.9962G	48.38	74.00	-25.62	3	Horizontal	222	1.50
5580MHz	Pass	AV	5.4564G	42.38	54.00	-11.62	3	Horizontal	355	1.50
5580MHz	Pass	AV	5.5728G	99.14	Inf	-Inf	3	Horizontal	355	1.50
5580MHz	Pass	PK	5.4474G	56.84	74.00	-17.16	3	Horizontal	355	1.50
5580MHz	Pass	PK	5.4648G	56.26	68.20	-11.94	3	Horizontal	355	1.50
5580MHz	Pass	PK	5.5848G	113.39	Inf	-Inf	3	Horizontal	355	1.50
5580MHz	Pass	PK	5.7264G	56.12	68.20	-12.08	3	Horizontal	355	1.50
5580MHz	Pass	AV	11.15076G	35.65	54.00	-18.35	3	Vertical	17	2.78
5580MHz	Pass	PK	11.169G	49.55	74.00	-24.45	3	Vertical	17	2.78
5580MHz	Pass	AV	11.15028G	35.65	54.00	-18.35	3	Horizontal	172	1.83

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5580MHz	Pass	PK	11.15156G	48.60	74.00	-25.40	3	Horizontal	172	1.83
5700MHz	Pass	AV	5.6944G	96.83	Inf	-Inf	3	Horizontal	6	1.50
5700MHz	Pass	PK	5.6952G	110.76	Inf	-Inf	3	Horizontal	6	1.50
5700MHz	Pass	PK	5.7252G	65.91	68.20	-2.29	3	Horizontal	6	1.50
5700MHz	Pass	AV	11.40772G	36.83	54.00	-17.17	3	Vertical	181	2.63
5700MHz	Pass	PK	11.40124G	50.83	74.00	-23.17	3	Vertical	181	2.63
5700MHz	Pass	AV	11.396G	36.86	54.00	-17.14	3	Horizontal	60	1.27
5700MHz	Pass	PK	11.40772G	49.32	74.00	-24.68	3	Horizontal	60	1.27
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4428G	42.14	54.00	-11.86	3	Horizontal	4	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	99.83	Inf	-Inf	3	Horizontal	4	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4404G	55.74	74.00	-18.26	3	Horizontal	4	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	54.87	68.20	-13.33	3	Horizontal	4	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7224G	112.80	Inf	-Inf	3	Horizontal	4	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9504G	58.44	68.20	-9.76	3	Horizontal	4	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4358G	36.85	54.00	-17.15	3	Vertical	203	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44024G	50.94	74.00	-23.06	3	Vertical	203	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43628G	36.84	54.00	-17.16	3	Horizontal	168	2.25
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44256G	50.11	74.00	-23.89	3	Horizontal	168	2.25
5745MHz	Pass	AV	5.4534G	46.20	54.00	-7.80	3	Horizontal	14	1.50
5745MHz	Pass	AV	5.7474G	105.36	Inf	-Inf	3	Horizontal	14	1.50
5745MHz	Pass	PK	5.6274G	58.90	68.20	-9.30	3	Horizontal	14	1.50
5745MHz	Pass	PK	5.7486G	117.01	Inf	-Inf	3	Horizontal	14	1.50
5745MHz	Pass	PK	5.9358G	59.79	68.20	-8.41	3	Horizontal	14	1.50
5745MHz	Pass	AV	11.47902G	37.19	54.00	-16.81	3	Vertical	70	1.50
5745MHz	Pass	PK	11.50326G	50.09	74.00	-23.91	3	Vertical	70	1.50
5745MHz	Pass	AV	11.49156G	37.21	54.00	-16.79	3	Horizontal	54	2.54
5745MHz	Pass	PK	11.49906G	49.30	74.00	-24.70	3	Horizontal	54	2.54
5785MHz	Pass	AV	5.77766G	104.71	Inf	-Inf	3	Horizontal	13	1.50
5785MHz	Pass	PK	5.56954G	58.74	68.20	-9.46	3	Horizontal	13	1.50
5785MHz	Pass	PK	5.77887G	116.25	Inf	-Inf	3	Horizontal	13	1.50
5785MHz	Pass	PK	6.06927G	59.74	68.20	-8.46	3	Horizontal	13	1.50
5785MHz	Pass	AV	11.55608G	37.01	54.00	-16.99	3	Vertical	352	1.50
5785MHz	Pass	PK	11.57042G	49.90	74.00	-24.10	3	Vertical	352	1.50
5785MHz	Pass	AV	11.55614G	37.01	54.00	-16.99	3	Horizontal	20	1.50
5785MHz	Pass	PK	11.57822G	49.49	74.00	-24.51	3	Horizontal	20	1.50
5825MHz	Pass	AV	5.8178G	104.29	Inf	-Inf	3	Horizontal	13	1.50
5825MHz	Pass	PK	5.579G	58.98	68.20	-9.22	3	Horizontal	13	1.50
5825MHz	Pass	PK	5.8298G	116.01	Inf	-Inf	3	Horizontal	13	1.50
5825MHz	Pass	PK	5.999G	60.13	68.20	-8.07	3	Horizontal	13	1.50
5825MHz	Pass	AV	11.65228G	37.11	54.00	-16.89	3	Vertical	234	1.50
5825MHz	Pass	PK	11.6443G	49.54	74.00	-24.46	3	Vertical	234	1.50
5825MHz	Pass	AV	11.6554G	37.20	54.00	-16.80	3	Horizontal	125	1.00
5825MHz	Pass	PK	11.6386G	50.15	74.00	-23.85	3	Horizontal	125	1.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1492G	46.27	54.00	-7.73	3	Horizontal	357	1.50
5190MHz	Pass	AV	5.2032G	98.13	Inf	-Inf	3	Horizontal	357	1.50
5190MHz	Pass	PK	5.1424G	60.79	74.00	-13.21	3	Horizontal	357	1.50
5190MHz	Pass	PK	5.1912G	111.53	Inf	-Inf	3	Horizontal	357	1.50
5190MHz	Pass	PK	10.37284G	49.38	68.20	-18.82	3	Vertical	104	1.50
5190MHz	Pass	PK	10.37556G	48.61	68.20	-19.59	3	Horizontal	160	1.50
5230MHz	Pass	AV	5.15G	44.58	54.00	-9.42	3	Horizontal	356	1.50
5230MHz	Pass	AV	5.2448G	98.27	Inf	-Inf	3	Horizontal	356	1.50
5230MHz	Pass	PK	5.1496G	57.93	74.00	-16.07	3	Horizontal	356	1.50
5230MHz	Pass	PK	5.2272G	112.41	Inf	-Inf	3	Horizontal	356	1.50
5230MHz	Pass	PK	10.45692G	48.41	68.20	-19.79	3	Vertical	254	1.50
5230MHz	Pass	PK	10.46996G	49.15	68.20	-19.05	3	Horizontal	220	2.59
5270MHz	Pass	AV	5.2628G	98.70	Inf	-Inf	3	Horizontal	356	2.34
5270MHz	Pass	AV	5.35G	45.84	54.00	-8.16	3	Horizontal	356	2.34
5270MHz	Pass	PK	5.2644G	112.52	Inf	-Inf	3	Horizontal	356	2.34
5270MHz	Pass	PK	5.3524G	60.02	74.00	-13.98	3	Horizontal	356	2.34
5270MHz	Pass	PK	10.53652G	48.74	68.20	-19.46	3	Vertical	101	1.50
5270MHz	Pass	PK	10.53116G	48.57	68.20	-19.63	3	Horizontal	242	1.84



RSE TX above 1GHz_Non-Beamforming_Radio 2 Dual-Polarized MIMO Panel Antenna_2T2S

Appendix E.12

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5310MHz	Pass	AV	5.328G	97.82	Inf	-Inf	3	Horizontal	360	1.50
5310MHz	Pass	AV	5.35G	49.27	54.00	-4.73	3	Horizontal	360	1.50
5310MHz	Pass	PK	5.3172G	113.07	Inf	-Inf	3	Horizontal	360	1.50
5310MHz	Pass	PK	5.354G	63.21	74.00	-10.79	3	Horizontal	360	1.50
5310MHz	Pass	AV	10.61264G	35.86	54.00	-18.14	3	Vertical	327	1.71
5310MHz	Pass	PK	10.61488G	49.36	74.00	-24.64	3	Vertical	327	1.71
5310MHz	Pass	AV	10.6126G	35.83	54.00	-18.17	3	Horizontal	197	1.50
5310MHz	Pass	PK	10.61004G	50.22	74.00	-23.78	3	Horizontal	197	1.50
5510MHz	Pass	AV	5.46G	48.57	54.00	-5.43	3	Horizontal	355	1.01
5510MHz	Pass	AV	5.496G	98.65	Inf	-Inf	3	Horizontal	355	1.01
5510MHz	Pass	PK	5.4596G	63.22	74.00	-10.78	3	Horizontal	355	1.01
5510MHz	Pass	PK	5.4696G	67.12	68.20	-1.08	3	Horizontal	355	1.01
5510MHz	Pass	PK	5.5G	112.61	Inf	-Inf	3	Horizontal	355	1.01
5510MHz	Pass	AV	11.01816G	35.67	54.00	-18.33	3	Vertical	239	1.50
5510MHz	Pass	PK	11.02568G	49.45	74.00	-24.55	3	Vertical	239	1.50
5510MHz	Pass	AV	11.01656G	35.63	54.00	-18.37	3	Horizontal	280	1.50
5510MHz	Pass	PK	11.0182G	48.43	74.00	-25.57	3	Horizontal	280	1.50
5550MHz	Pass	AV	5.46G	44.00	54.00	-10.00	3	Horizontal	356	1.50
5550MHz	Pass	AV	5.546G	97.95	Inf	-Inf	3	Horizontal	356	1.50
5550MHz	Pass	PK	5.4596G	57.69	74.00	-16.31	3	Horizontal	356	1.50
5550MHz	Pass	PK	5.466G	60.08	68.20	-8.12	3	Horizontal	356	1.50
5550MHz	Pass	PK	5.528G	111.74	Inf	-Inf	3	Horizontal	356	1.50
5550MHz	Pass	AV	11.09924G	35.43	54.00	-18.57	3	Vertical	182	1.50
5550MHz	Pass	PK	11.10464G	48.69	74.00	-25.31	3	Vertical	182	1.50
5550MHz	Pass	AV	11.09868G	35.48	54.00	-18.52	3	Horizontal	101	1.50
5550MHz	Pass	PK	11.09296G	48.80	74.00	-25.20	3	Horizontal	101	1.50
5670MHz	Pass	AV	5.6658G	96.82	Inf	-Inf	3	Horizontal	360	1.50
5670MHz	Pass	PK	5.6646G	110.93	Inf	-Inf	3	Horizontal	360	1.50
5670MHz	Pass	PK	5.7264G	63.87	68.20	-4.33	3	Horizontal	360	1.50
5670MHz	Pass	AV	11.34124G	36.59	54.00	-17.41	3	Vertical	101	1.74
5670MHz	Pass	PK	11.33856G	50.49	74.00	-23.51	3	Vertical	101	1.74
5670MHz	Pass	AV	11.33328G	36.56	54.00	-17.44	3	Horizontal	353	1.50
5670MHz	Pass	PK	11.34492G	50.04	74.00	-23.96	3	Horizontal	353	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4544G	42.22	54.00	-11.78	3	Horizontal	6	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.692G	97.71	Inf	-Inf	3	Horizontal	6	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4592G	56.25	74.00	-17.75	3	Horizontal	6	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4688G	55.44	68.20	-12.76	3	Horizontal	6	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.6932G	111.46	Inf	-Inf	3	Horizontal	6	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8708G	57.40	68.20	-10.80	3	Horizontal	6	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41008G	36.78	54.00	-17.22	3	Vertical	97	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4204G	50.28	74.00	-23.72	3	Vertical	97	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42708G	36.71	54.00	-17.29	3	Horizontal	288	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42144G	49.58	74.00	-24.42	3	Horizontal	288	1.50
5755MHz	Pass	AV	5.4598G	46.33	54.00	-7.67	3	Horizontal	12	1.50
5755MHz	Pass	AV	5.7502G	103.17	Inf	-Inf	3	Horizontal	12	1.50
5755MHz	Pass	PK	5.6458G	60.17	68.20	-8.03	3	Horizontal	12	1.50
5755MHz	Pass	PK	5.749G	115.29	Inf	-Inf	3	Horizontal	12	1.50
5755MHz	Pass	PK	6.0202G	59.84	68.20	-8.36	3	Horizontal	12	1.50
5755MHz	Pass	AV	11.48984G	37.07	54.00	-16.93	3	Vertical	334	1.50
5755MHz	Pass	PK	11.5364G	50.17	74.00	-23.83	3	Vertical	334	1.50
5755MHz	Pass	AV	11.49008G	37.04	54.00	-16.96	3	Horizontal	164	1.50
5755MHz	Pass	PK	11.53688G	49.63	74.00	-24.37	3	Horizontal	164	1.50
5795MHz	Pass	AV	5.8082G	102.04	Inf	-Inf	3	Horizontal	13	1.63
5795MHz	Pass	PK	5.6486G	59.07	68.20	-9.13	3	Horizontal	13	1.63
5795MHz	Pass	PK	5.7998G	113.92	Inf	-Inf	3	Horizontal	13	1.63
5795MHz	Pass	PK	6.0134G	60.19	68.20	-8.01	3	Horizontal	13	1.63
5795MHz	Pass	AV	11.56432G	37.23	54.00	-16.77	3	Vertical	327	1.50
5795MHz	Pass	PK	11.56828G	49.24	74.00	-24.76	3	Vertical	327	1.50
5795MHz	Pass	AV	11.57068G	37.23	54.00	-16.77	3	Horizontal	96	1.49
5795MHz	Pass	PK	11.58676G	49.44	74.00	-24.56	3	Horizontal	96	1.49
802.11be EHT80_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	46.96	54.00	-7.04	3	Horizontal	356	1.50



RSE TX above 1GHz Non-Beamforming Radio 2 Dual-Polarized MIMO Panel Antenna 2T2S

Appendix E.12

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5210MHz	Pass	AV	5.222G	95.04	Inf	-Inf	3	Horizontal	356	1.50
5210MHz	Pass	AV	5.351G	45.08	54.00	-8.92	3	Horizontal	356	1.50
5210MHz	Pass	PK	5.146G	59.38	74.00	-14.62	3	Horizontal	356	1.50
5210MHz	Pass	PK	5.246G	108.22	Inf	-Inf	3	Horizontal	356	1.50
5210MHz	Pass	PK	5.365G	58.37	74.00	-15.63	3	Horizontal	356	1.50
5210MHz	Pass	PK	10.4152G	49.01	68.20	-19.19	3	Vertical	113	1.50
5210MHz	Pass	PK	10.42116G	49.09	68.20	-19.11	3	Horizontal	78	1.86
5290MHz	Pass	AV	5.15G	44.61	54.00	-9.39	3	Horizontal	360	1.50
5290MHz	Pass	AV	5.299G	94.42	Inf	-Inf	3	Horizontal	360	1.50
5290MHz	Pass	AV	5.35G	49.55	54.00	-4.45	3	Horizontal	360	1.50
5290MHz	Pass	PK	5.146G	57.04	74.00	-16.96	3	Horizontal	360	1.50
5290MHz	Pass	PK	5.314G	107.14	Inf	-Inf	3	Horizontal	360	1.50
5290MHz	Pass	PK	5.351G	61.93	74.00	-12.07	3	Horizontal	360	1.50
5290MHz	Pass	PK	5.487G	57.66	68.20	-10.54	3	Horizontal	360	1.50
5290MHz	Pass	PK	10.57836G	48.50	68.20	-19.70	3	Vertical	132	1.50
5290MHz	Pass	PK	10.57204G	49.22	68.20	-18.98	3	Horizontal	263	1.32
5530MHz	Pass	AV	5.35G	43.09	54.00	-10.91	3	Horizontal	356	1.00
5530MHz	Pass	AV	5.46G	49.59	54.00	-4.41	3	Horizontal	356	1.00
5530MHz	Pass	AV	5.5G	95.10	Inf	-Inf	3	Horizontal	356	1.00
5530MHz	Pass	PK	5.336G	55.98	68.20	-12.22	3	Horizontal	356	1.00
5530MHz	Pass	PK	5.451G	62.56	74.00	-11.44	3	Horizontal	356	1.00
5530MHz	Pass	PK	5.466G	63.49	68.20	-4.71	3	Horizontal	356	1.00
5530MHz	Pass	PK	5.501G	108.39	Inf	-Inf	3	Horizontal	356	1.00
5530MHz	Pass	PK	5.733G	57.37	68.20	-10.83	3	Horizontal	356	1.00
5530MHz	Pass	AV	11.06924G	36.45	54.00	-17.55	3	Vertical	70	1.50
5530MHz	Pass	PK	11.05408G	49.34	74.00	-24.66	3	Vertical	70	1.50
5530MHz	Pass	AV	11.05088G	36.47	54.00	-17.53	3	Horizontal	185	1.50
5530MHz	Pass	PK	11.0594G	48.34	74.00	-25.66	3	Horizontal	185	1.50
5610MHz	Pass	AV	5.46G	44.97	54.00	-9.03	3	Horizontal	357	1.50
5610MHz	Pass	AV	5.618G	94.35	Inf	-Inf	3	Horizontal	357	1.50
5610MHz	Pass	PK	5.459G	57.89	74.00	-16.11	3	Horizontal	357	1.50
5610MHz	Pass	PK	5.467G	58.99	68.20	-9.21	3	Horizontal	357	1.50
5610MHz	Pass	PK	5.62G	107.48	Inf	-Inf	3	Horizontal	357	1.50
5610MHz	Pass	PK	5.73G	58.53	68.20	-9.67	3	Horizontal	357	1.50
5610MHz	Pass	AV	11.22492G	36.75	54.00	-17.25	3	Vertical	125	1.50
5610MHz	Pass	PK	11.2286G	50.03	74.00	-23.97	3	Vertical	125	1.50
5610MHz	Pass	AV	11.22996G	36.84	54.00	-17.16	3	Horizontal	257	1.50
5610MHz	Pass	PK	11.21404G	48.51	74.00	-25.49	3	Horizontal	257	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4008G	43.19	54.00	-10.81	3	Horizontal	6	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6804G	94.82	Inf	-Inf	3	Horizontal	6	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4188G	56.10	74.00	-17.90	3	Horizontal	6	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	55.33	68.20	-12.87	3	Horizontal	6	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6984G	107.72	Inf	-Inf	3	Horizontal	6	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9276G	58.60	68.20	-9.60	3	Horizontal	6	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37316G	37.37	54.00	-16.63	3	Vertical	77	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38732G	49.71	74.00	-24.29	3	Vertical	77	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37288G	37.24	54.00	-16.76	3	Horizontal	320	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37248G	49.70	74.00	-24.30	3	Horizontal	320	1.50
5775MHz	Pass	AV	5.7462G	99.51	Inf	-Inf	3	Horizontal	6	1.44
5775MHz	Pass	PK	5.6454G	63.41	68.20	-4.79	3	Horizontal	6	1.44
5775MHz	Pass	PK	5.751G	111.96	Inf	-Inf	3	Horizontal	6	1.44
5775MHz	Pass	PK	6.0354G	60.52	68.20	-7.68	3	Horizontal	6	1.44
5775MHz	Pass	AV	11.56848G	38.01	54.00	-15.99	3	Vertical	72	1.50
5775MHz	Pass	PK	11.55264G	50.36	74.00	-23.64	3	Vertical	72	1.50
5775MHz	Pass	AV	11.55744G	38.12	54.00	-15.88	3	Horizontal	6	2.82
5775MHz	Pass	PK	11.53752G	49.77	74.00	-24.23	3	Horizontal	6	2.82
802.11be EHT160_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1492G	51.13	54.00	-2.87	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3256G	91.64	Inf	-Inf	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3532G	52.67	54.00	-1.33	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1444G	71.08	74.00	-2.92	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3112G	104.60	Inf	-Inf	3	Horizontal	0	1.50




**RSE TX above 1GHz_Non-Beamforming_Radio 2_
Dual-Polarized MIMO Panel Antenna_2T2S**

Appendix E.12

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.352G	71.75	74.00	-2.25	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4612G	64.81	68.20	-3.39	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.50184G	48.46	68.20	-19.74	3	Vertical	282	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.50104G	48.83	68.20	-19.37	3	Horizontal	200	1.50
5570MHz	Pass	AV	5.4596G	47.63	54.00	-6.37	3	Horizontal	360	1.02
5570MHz	Pass	AV	5.4932G	90.66	Inf	-Inf	3	Horizontal	360	1.02
5570MHz	Pass	PK	5.3444G	56.85	68.20	-11.35	3	Horizontal	360	1.02
5570MHz	Pass	PK	5.4476G	64.66	74.00	-9.34	3	Horizontal	360	1.02
5570MHz	Pass	PK	5.4644G	65.18	68.20	-3.02	3	Horizontal	360	1.02
5570MHz	Pass	PK	5.4944G	103.42	Inf	-Inf	3	Horizontal	360	1.02
5570MHz	Pass	PK	5.7284G	62.57	68.20	-5.63	3	Horizontal	360	1.02
5570MHz	Pass	AV	11.1496G	36.43	54.00	-17.57	3	Vertical	203	1.50
5570MHz	Pass	PK	11.13936G	49.15	74.00	-24.85	3	Vertical	203	1.50
5570MHz	Pass	AV	11.14936G	36.45	54.00	-17.55	3	Horizontal	356	1.35
5570MHz	Pass	PK	11.14328G	48.60	74.00	-25.40	3	Horizontal	356	1.35


5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	46.96	54.00	-7.04	1.02	3	Horizontal	356	1.50	45.94	33.50	4.81	37.29
AV	5.222G	95.04	Inf	-Inf	0.80	3	Horizontal	356	1.50	94.24	33.26	4.85	37.31
AV	5.351G	45.08	54.00	-8.92	0.67	3	Horizontal	356	1.50	44.41	33.10	4.91	37.34
PK	5.146G	59.38	74.00	-14.62	1.00	3	Horizontal	356	1.50	58.38	33.48	4.81	37.29
PK	5.246G	108.22	Inf	-Inf	0.76	3	Horizontal	356	1.50	107.46	33.21	4.86	37.31
PK	5.365G	58.37	74.00	-15.63	0.64	3	Horizontal	356	1.50	57.73	33.07	4.91	37.34

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
PK	10.4152G	49.01	68.20	-19.19	4.20	3	Vertical	113	1.50	44.81	38.80	7.32	41.92


5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5700MHz_TX



5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	48.57	54.00	-5.43	0.65	3	Horizontal	355	1.01	47.92	33.06	4.95	37.36
AV	5.496G	98.65	Inf	-Inf	0.86	3	Horizontal	355	1.01	97.79	33.28	4.95	37.37
PK	5.4596G	63.22	74.00	-10.78	0.64	3	Horizontal	355	1.01	62.58	33.06	4.94	37.36
PK	5.4696G	67.12	68.20	-1.08	0.71	3	Horizontal	355	1.01	66.41	33.12	4.95	37.36
PK	5.5G	112.61	Inf	-Inf	0.89	3	Horizontal	355	1.01	111.72	33.30	4.96	37.37

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01816G	35.67	54.00	-18.33	4.07	3	Vertical	239	1.50	31.60	38.86	7.58	42.37
PK	11.02568G	49.45	74.00	-24.55	4.07	3	Vertical	239	1.50	45.38	38.85	7.58	42.36


5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5745MHz_TX



5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	46.33	54.00	-7.67	5.30	3	Horizontal	12	1.50	41.03	32.80	7.57	35.07
AV	5.7502G	103.17	Inf	-Inf	6.27	3	Horizontal	12	1.50	96.90	33.70	7.75	35.18
PK	5.6458G	60.17	68.20	-8.03	5.51	3	Horizontal	12	1.50	54.66	33.07	7.57	35.13
PK	5.749G	115.29	Inf	-Inf	6.27	3	Horizontal	12	1.50	109.02	33.70	7.74	35.17
PK	6.0202G	59.84	68.20	-8.36	6.55	3	Horizontal	12	1.50	53.29	34.06	7.78	35.29

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48984G	37.07	54.00	-16.93	15.69	3	Vertical	334	1.50	21.38	38.90	10.81	34.02
PK	11.5364G	50.17	74.00	-23.83	15.64	3	Vertical	334	1.50	34.53	38.83	10.82	34.01


5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX





**RSE TX below 1GHz_Non-Beamforming_Radio 2_
MIMO-directional Antenna_1T1S**

Appendix E.13

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	PK	45.52M	36.70	40.00	-3.30	3	Vertical	360	1.00



RSE TX below 1GHz_Non-Beamforming_Radio 2
MIMO-directional Antenna_1T1S


Appendix E.13

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1.(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5775MHz_Adapter	Pass	PK	45.52M	36.70	40.00	-3.30	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	91.11M	34.58	43.50	-8.92	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	156.1M	28.86	43.50	-14.64	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	250.19M	24.08	46.00	-21.92	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	450.01M	29.37	46.00	-16.63	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	561.56M	26.89	46.00	-19.11	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	100.81M	34.17	43.50	-9.33	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	157.07M	25.53	43.50	-17.97	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	250.19M	27.33	46.00	-18.67	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	303.54M	23.11	46.00	-22.89	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	450.01M	31.99	46.00	-14.01	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	544.1M	26.72	46.00	-19.28	3	Horizontal	0	1.00


5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_Adapter



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_Adapter





RSE TX above 1GHz_Non-Beamforming_Radio 2 MIMO-directional Antenna_1T1S

Appendix E.14

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.1498G	49.55	54.00	-4.45	3	Horizontal	360	1.94
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	5.1398G	49.03	54.00	-4.97	3	Horizontal	357	1.50
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	5.1496G	51.40	54.00	-2.60	3	Horizontal	357	1.50
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	5.148G	53.78	54.00	-0.22	3	Horizontal	360	1.50
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.35G	51.64	54.00	-2.36	3	Horizontal	359	1.50
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	5.35G	52.41	54.00	-1.59	3	Horizontal	356	1.50
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	5.35G	53.09	54.00	-0.91	3	Horizontal	360	1.50
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	5.35G	53.06	54.00	-0.94	3	Horizontal	360	1.50
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	AV	5.15G	53.82	54.00	-0.18	3	Horizontal	356	1.50
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	PK	5.7264G	67.07	68.20	-1.13	3	Horizontal	357	1.50
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	PK	5.7252G	67.34	68.20	-0.86	3	Horizontal	355	1.50
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	PK	5.4668G	67.24	68.20	-0.96	3	Horizontal	354	1.50
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	PK	5.47G	67.25	68.20	-0.95	3	Horizontal	356	1.50
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	PK	5.468G	67.16	68.20	-1.04	3	Horizontal	357	1.50
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.4486G	47.89	54.00	-6.11	3	Horizontal	0	1.65
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	5.4498G	47.79	54.00	-6.21	3	Horizontal	0	1.65
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	PK	5.635G	62.84	68.20	-5.36	3	Horizontal	0	1.65
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	PK	5.6454G	66.77	68.20	-1.43	3	Horizontal	0	1.65

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1498G	49.55	54.00	-4.45	3	Horizontal	360	1.94
5180MHz	Pass	AV	5.1824G	108.83	Inf	-Inf	3	Horizontal	360	1.94
5180MHz	Pass	PK	5.1402G	64.33	74.00	-9.67	3	Horizontal	360	1.94
5180MHz	Pass	PK	5.1802G	120.39	Inf	-Inf	3	Horizontal	360	1.94
5180MHz	Pass	PK	10.36963G	49.95	68.20	-18.25	3	Vertical	301	1.50
5180MHz	Pass	PK	10.37386G	49.66	68.20	-18.54	3	Horizontal	43	2.56
5200MHz	Pass	AV	5.15G	47.18	54.00	-6.82	3	Horizontal	360	1.50
5200MHz	Pass	AV	5.1976G	107.57	Inf	-Inf	3	Horizontal	360	1.50
5200MHz	Pass	PK	5.1496G	60.37	74.00	-13.63	3	Horizontal	360	1.50
5200MHz	Pass	PK	5.2G	119.01	Inf	-Inf	3	Horizontal	360	1.50
5200MHz	Pass	PK	10.38799G	50.04	68.20	-18.16	3	Vertical	63	1.50
5200MHz	Pass	PK	10.40546G	49.50	68.20	-18.70	3	Horizontal	19	1.50
5240MHz	Pass	AV	5.15G	45.30	54.00	-8.70	3	Horizontal	357	1.50
5240MHz	Pass	AV	5.2334G	105.85	Inf	-Inf	3	Horizontal	357	1.50
5240MHz	Pass	AV	5.35G	44.28	54.00	-9.72	3	Horizontal	357	1.50
5240MHz	Pass	PK	5.129G	58.77	74.00	-15.23	3	Horizontal	357	1.50
5240MHz	Pass	PK	5.2376G	117.15	Inf	-Inf	3	Horizontal	357	1.50
5240MHz	Pass	PK	5.3516G	57.50	74.00	-16.50	3	Horizontal	357	1.50
5240MHz	Pass	PK	10.47138G	49.66	68.20	-18.54	3	Vertical	350	1.43
5240MHz	Pass	PK	10.48534G	49.40	68.20	-18.80	3	Horizontal	37	1.30
5260MHz	Pass	AV	5.15G	45.46	54.00	-8.54	3	Horizontal	356	1.50
5260MHz	Pass	AV	5.263G	107.56	Inf	-Inf	3	Horizontal	356	1.50
5260MHz	Pass	AV	5.35G	44.99	54.00	-9.01	3	Horizontal	356	1.50
5260MHz	Pass	PK	5.1322G	58.68	74.00	-15.32	3	Horizontal	356	1.50
5260MHz	Pass	PK	5.26G	119.51	Inf	-Inf	3	Horizontal	356	1.50
5260MHz	Pass	PK	5.401G	58.40	74.00	-15.60	3	Horizontal	356	1.50
5260MHz	Pass	PK	10.51209G	49.39	68.20	-18.81	3	Vertical	360	1.50
5260MHz	Pass	PK	10.5275G	49.47	68.20	-18.73	3	Horizontal	296	1.50
5300MHz	Pass	AV	5.2968G	105.61	Inf	-Inf	3	Horizontal	360	1.50
5300MHz	Pass	AV	5.35G	47.29	54.00	-6.71	3	Horizontal	360	1.50
5300MHz	Pass	PK	5.3036G	116.57	Inf	-Inf	3	Horizontal	360	1.50
5300MHz	Pass	PK	5.35G	60.34	74.00	-13.66	3	Horizontal	360	1.50
5300MHz	Pass	AV	10.61245G	36.09	54.00	-17.91	3	Vertical	89	2.87
5300MHz	Pass	PK	10.6128G	50.28	74.00	-23.72	3	Vertical	89	2.87
5300MHz	Pass	AV	10.61134G	36.02	54.00	-17.98	3	Horizontal	93	2.03
5300MHz	Pass	PK	10.59928G	49.21	68.20	-18.99	3	Horizontal	93	2.03
5320MHz	Pass	AV	5.3266G	106.37	Inf	-Inf	3	Horizontal	359	1.50
5320MHz	Pass	AV	5.35G	51.64	54.00	-2.36	3	Horizontal	359	1.50
5320MHz	Pass	PK	5.3258G	118.04	Inf	-Inf	3	Horizontal	359	1.50
5320MHz	Pass	PK	5.36G	68.77	74.00	-5.23	3	Horizontal	359	1.50
5320MHz	Pass	AV	10.64879G	36.19	54.00	-17.81	3	Vertical	272	1.50
5320MHz	Pass	PK	10.6296G	50.64	74.00	-23.36	3	Vertical	272	1.50
5320MHz	Pass	AV	10.64642G	36.22	54.00	-17.78	3	Horizontal	219	1.84
5320MHz	Pass	PK	10.65224G	49.62	74.00	-24.38	3	Horizontal	219	1.84
5500MHz	Pass	AV	5.4592G	49.66	54.00	-4.34	3	Horizontal	352	1.50
5500MHz	Pass	AV	5.4934G	106.55	Inf	-Inf	3	Horizontal	352	1.50
5500MHz	Pass	PK	5.4596G	65.90	74.00	-8.10	3	Horizontal	352	1.50
5500MHz	Pass	PK	5.4684G	66.06	68.20	-2.14	3	Horizontal	352	1.50
5500MHz	Pass	PK	5.5044G	117.90	Inf	-Inf	3	Horizontal	352	1.50
5500MHz	Pass	AV	10.98767G	35.88	54.00	-18.12	3	Vertical	203	1.50
5500MHz	Pass	PK	10.98705G	49.71	74.00	-24.29	3	Vertical	203	1.50
5500MHz	Pass	AV	10.98758G	35.79	54.00	-18.21	3	Horizontal	257	1.50
5500MHz	Pass	PK	10.99274G	49.32	74.00	-24.68	3	Horizontal	257	1.50
5580MHz	Pass	AV	5.4582G	44.52	54.00	-9.48	3	Horizontal	354	1.50
5580MHz	Pass	AV	5.583G	105.40	Inf	-Inf	3	Horizontal	354	1.50
5580MHz	Pass	PK	5.4402G	57.57	74.00	-16.43	3	Horizontal	354	1.50
5580MHz	Pass	PK	5.4672G	58.27	68.20	-9.93	3	Horizontal	354	1.50
5580MHz	Pass	PK	5.5794G	116.96	Inf	-Inf	3	Horizontal	354	1.50
5580MHz	Pass	PK	5.73G	57.84	68.20	-10.36	3	Horizontal	354	1.50
5580MHz	Pass	AV	11.14729G	36.06	54.00	-17.94	3	Vertical	144	2.63



RSE TX above 1GHz_Non-Beamforming_Radio 2
MIMO-directional Antenna 1T1S

Appendix E.14

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5580MHz	Pass	PK	11.16982G	50.10	74.00	-23.90	3	Vertical	144	2.63
5580MHz	Pass	AV	11.1504G	35.96	54.00	-18.04	3	Horizontal	85	1.16
5580MHz	Pass	PK	11.1528G	50.52	74.00	-23.48	3	Horizontal	85	1.16
5700MHz	Pass	AV	5.694G	102.02	Inf	-Inf	3	Horizontal	357	1.50
5700MHz	Pass	PK	5.698G	113.91	Inf	-Inf	3	Horizontal	357	1.50
5700MHz	Pass	PK	5.7264G	67.07	68.20	-1.13	3	Horizontal	357	1.50
5700MHz	Pass	AV	11.40544G	37.02	54.00	-16.98	3	Vertical	189	1.16
5700MHz	Pass	PK	11.39903G	50.78	74.00	-23.22	3	Vertical	189	1.16
5700MHz	Pass	AV	11.40216G	36.92	54.00	-17.08	3	Horizontal	102	2.75
5700MHz	Pass	PK	11.3898G	50.31	74.00	-23.69	3	Horizontal	102	2.75
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.456G	43.40	54.00	-10.60	3	Horizontal	354	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.714G	105.72	Inf	-Inf	3	Horizontal	354	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.456G	57.42	74.00	-16.58	3	Horizontal	354	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	55.94	68.20	-12.26	3	Horizontal	354	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7248G	116.68	Inf	-Inf	3	Horizontal	354	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.99G	58.08	68.20	-10.12	3	Horizontal	354	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43786G	37.15	54.00	-16.85	3	Vertical	261	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4361G	51.34	74.00	-22.66	3	Vertical	261	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43862G	37.00	54.00	-17.00	3	Horizontal	13	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4385G	50.15	74.00	-23.85	3	Horizontal	13	1.50
5745MHz	Pass	AV	5.4486G	47.89	54.00	-6.11	3	Horizontal	0	1.65
5745MHz	Pass	AV	5.7462G	112.12	Inf	-Inf	3	Horizontal	0	1.65
5745MHz	Pass	PK	5.6478G	61.67	68.20	-6.53	3	Horizontal	0	1.65
5745MHz	Pass	PK	5.751G	121.65	Inf	-Inf	3	Horizontal	0	1.65
5745MHz	Pass	PK	5.9802G	60.11	68.20	-8.09	3	Horizontal	0	1.65
5745MHz	Pass	AV	11.47782G	37.56	54.00	-16.44	3	Vertical	276	1.50
5745MHz	Pass	PK	11.4807G	49.99	74.00	-24.01	3	Vertical	276	1.50
5745MHz	Pass	AV	11.49102G	37.50	54.00	-16.50	3	Horizontal	53	1.50
5745MHz	Pass	PK	11.47608G	49.97	74.00	-24.03	3	Horizontal	53	1.50
5785MHz	Pass	AV	5.77766G	110.27	Inf	-Inf	3	Horizontal	0	1.68
5785MHz	Pass	PK	5.54171G	60.25	68.20	-7.95	3	Horizontal	0	1.68
5785MHz	Pass	PK	5.78371G	119.60	Inf	-Inf	3	Horizontal	0	1.68
5785MHz	Pass	PK	5.99425G	60.01	68.20	-8.19	3	Horizontal	0	1.68
5785MHz	Pass	AV	11.55668G	37.35	54.00	-16.65	3	Vertical	290	1.50
5785MHz	Pass	PK	11.56358G	49.81	74.00	-24.19	3	Vertical	290	1.50
5785MHz	Pass	AV	11.56196G	37.36	54.00	-16.64	3	Horizontal	134	1.50
5785MHz	Pass	PK	11.56304G	49.65	74.00	-24.35	3	Horizontal	134	1.50
5825MHz	Pass	AV	5.8238G	110.60	Inf	-Inf	3	Horizontal	0	1.63
5825MHz	Pass	PK	5.6474G	60.33	68.20	-7.87	3	Horizontal	0	1.63
5825MHz	Pass	PK	5.8226G	120.61	Inf	-Inf	3	Horizontal	0	1.63
5825MHz	Pass	PK	6.0338G	60.25	68.20	-7.95	3	Horizontal	0	1.63
5825MHz	Pass	AV	11.64286G	36.88	54.00	-17.12	3	Vertical	327	3.00
5825MHz	Pass	PK	11.6542G	49.88	74.00	-24.12	3	Vertical	327	3.00
5825MHz	Pass	AV	11.65138G	36.88	54.00	-17.12	3	Horizontal	15	1.50
5825MHz	Pass	PK	11.6362G	48.75	74.00	-25.25	3	Horizontal	15	1.50
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1398G	49.03	54.00	-4.97	3	Horizontal	357	1.50
5180MHz	Pass	AV	5.1848G	106.75	Inf	-Inf	3	Horizontal	357	1.50
5180MHz	Pass	PK	5.14G	65.17	74.00	-8.83	3	Horizontal	357	1.50
5180MHz	Pass	PK	5.1832G	120.31	Inf	-Inf	3	Horizontal	357	1.50
5180MHz	Pass	PK	10.36951G	49.86	68.20	-18.34	3	Vertical	298	2.94
5180MHz	Pass	PK	10.37194G	49.62	68.20	-18.58	3	Horizontal	70	1.85
5200MHz	Pass	AV	5.15G	47.13	54.00	-6.87	3	Horizontal	360	1.50
5200MHz	Pass	AV	5.1972G	106.43	Inf	-Inf	3	Horizontal	360	1.50
5200MHz	Pass	PK	5.1472G	61.30	74.00	-12.70	3	Horizontal	360	1.50
5200MHz	Pass	PK	5.1948G	119.99	Inf	-Inf	3	Horizontal	360	1.50
5200MHz	Pass	PK	10.41044G	50.39	68.20	-17.81	3	Vertical	0	2.03
5200MHz	Pass	PK	10.40132G	49.67	68.20	-18.53	3	Horizontal	1	2.71
5240MHz	Pass	AV	5.15G	44.99	54.00	-9.01	3	Horizontal	357	1.50
5240MHz	Pass	AV	5.2328G	104.97	Inf	-Inf	3	Horizontal	357	1.50
5240MHz	Pass	AV	5.35G	44.10	54.00	-9.90	3	Horizontal	357	1.50
5240MHz	Pass	PK	5.1152G	58.20	74.00	-15.80	3	Horizontal	357	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5240MHz	Pass	PK	5.2334G	118.44	Inf	-Inf	3	Horizontal	357	1.50
5240MHz	Pass	PK	5.3786G	57.60	74.00	-16.40	3	Horizontal	357	1.50
5240MHz	Pass	PK	10.49275G	50.24	68.20	-17.96	3	Vertical	168	1.50
5240MHz	Pass	PK	10.49368G	49.16	68.20	-19.04	3	Horizontal	224	2.35
5260MHz	Pass	AV	5.1496G	45.33	54.00	-8.67	3	Horizontal	354	2.03
5260MHz	Pass	AV	5.2636G	107.57	Inf	-Inf	3	Horizontal	354	2.03
5260MHz	Pass	AV	5.35G	45.27	54.00	-8.73	3	Horizontal	354	2.03
5260MHz	Pass	PK	5.149G	58.54	74.00	-15.46	3	Horizontal	354	2.03
5260MHz	Pass	PK	5.2666G	120.93	Inf	-Inf	3	Horizontal	354	2.03
5260MHz	Pass	PK	5.3986G	58.53	74.00	-15.47	3	Horizontal	354	2.03
5260MHz	Pass	PK	10.51901G	49.58	68.20	-18.62	3	Vertical	158	1.50
5260MHz	Pass	PK	10.51046G	49.52	68.20	-18.68	3	Horizontal	341	1.03
5300MHz	Pass	AV	5.3016G	105.80	Inf	-Inf	3	Horizontal	357	2.01
5300MHz	Pass	AV	5.35G	48.64	54.00	-5.36	3	Horizontal	357	2.01
5300MHz	Pass	PK	5.3072G	119.35	Inf	-Inf	3	Horizontal	357	2.01
5300MHz	Pass	PK	5.3528G	62.04	74.00	-11.96	3	Horizontal	357	2.01
5300MHz	Pass	PK	10.59236G	49.74	68.20	-18.46	3	Vertical	142	2.67
5300MHz	Pass	PK	10.61458G	49.28	74.00	-24.72	3	Horizontal	48	1.94
5320MHz	Pass	AV	5.3282G	105.74	Inf	-Inf	3	Horizontal	356	1.50
5320MHz	Pass	AV	5.35G	52.41	54.00	-1.59	3	Horizontal	356	1.50
5320MHz	Pass	PK	5.3272G	120.02	Inf	-Inf	3	Horizontal	356	1.50
5320MHz	Pass	PK	5.3524G	66.56	74.00	-7.44	3	Horizontal	356	1.50
5320MHz	Pass	AV	10.65078G	36.19	54.00	-17.81	3	Vertical	55	1.50
5320MHz	Pass	PK	10.64823G	50.85	74.00	-23.15	3	Vertical	55	1.50
5320MHz	Pass	AV	10.64966G	36.14	54.00	-17.86	3	Horizontal	266	1.28
5320MHz	Pass	PK	10.63838G	49.20	74.00	-24.80	3	Horizontal	266	1.28
5500MHz	Pass	AV	5.4596G	50.53	54.00	-3.47	3	Horizontal	355	1.68
5500MHz	Pass	AV	5.4932G	106.40	Inf	-Inf	3	Horizontal	355	1.68
5500MHz	Pass	PK	5.459G	66.81	74.00	-7.19	3	Horizontal	355	1.68
5500MHz	Pass	PK	5.4602G	65.41	68.20	-2.79	3	Horizontal	355	1.68
5500MHz	Pass	PK	5.4972G	119.79	Inf	-Inf	3	Horizontal	355	1.68
5500MHz	Pass	AV	10.99034G	35.83	54.00	-18.17	3	Vertical	0	1.50
5500MHz	Pass	PK	10.99033G	49.55	74.00	-24.45	3	Vertical	0	1.50
5500MHz	Pass	AV	10.9865G	35.83	54.00	-18.17	3	Horizontal	307	1.50
5500MHz	Pass	PK	11.00768G	49.17	74.00	-24.83	3	Horizontal	307	1.50
5580MHz	Pass	AV	5.4588G	44.34	54.00	-9.66	3	Horizontal	356	1.50
5580MHz	Pass	AV	5.5872G	104.77	Inf	-Inf	3	Horizontal	356	1.50
5580MHz	Pass	PK	5.4588G	57.97	74.00	-16.03	3	Horizontal	356	1.50
5580MHz	Pass	PK	5.4648G	57.75	68.20	-10.45	3	Horizontal	356	1.50
5580MHz	Pass	PK	5.5878G	117.99	Inf	-Inf	3	Horizontal	356	1.50
5580MHz	Pass	PK	5.727G	57.24	68.20	-10.96	3	Horizontal	356	1.50
5580MHz	Pass	AV	11.14865G	36.06	54.00	-17.94	3	Vertical	129	1.50
5580MHz	Pass	PK	11.16796G	49.43	74.00	-24.57	3	Vertical	129	1.50
5580MHz	Pass	AV	11.15148G	35.90	54.00	-18.10	3	Horizontal	230	2.11
5580MHz	Pass	PK	11.1684G	49.05	74.00	-24.95	3	Horizontal	230	2.11
5700MHz	Pass	AV	5.6936G	100.32	Inf	-Inf	3	Horizontal	355	1.50
5700MHz	Pass	PK	5.6956G	114.15	Inf	-Inf	3	Horizontal	355	1.50
5700MHz	Pass	PK	5.7252G	67.34	68.20	-0.86	3	Horizontal	355	1.50
5700MHz	Pass	AV	11.40664G	37.04	54.00	-16.96	3	Vertical	352	1.17
5700MHz	Pass	PK	11.40738G	50.67	74.00	-23.33	3	Vertical	352	1.17
5700MHz	Pass	AV	11.40174G	36.91	54.00	-17.09	3	Horizontal	50	1.50
5700MHz	Pass	PK	11.40864G	50.30	74.00	-23.70	3	Horizontal	50	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4512G	43.17	54.00	-10.83	3	Horizontal	354	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7116G	105.17	Inf	-Inf	3	Horizontal	354	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4548G	56.78	74.00	-17.22	3	Horizontal	354	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	56.79	68.20	-11.41	3	Horizontal	354	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7164G	118.07	Inf	-Inf	3	Horizontal	354	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8844G	58.57	68.20	-9.63	3	Horizontal	354	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43659G	37.12	54.00	-16.88	3	Vertical	315	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.42843G	50.65	74.00	-23.35	3	Vertical	315	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43946G	37.00	54.00	-17.00	3	Horizontal	139	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43988G	50.64	74.00	-23.36	3	Horizontal	139	1.50


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5745MHz	Pass	AV	5.4498G	47.79	54.00	-6.21	3	Horizontal	0	1.65
5745MHz	Pass	AV	5.7462G	111.45	Inf	-Inf	3	Horizontal	0	1.65
5745MHz	Pass	PK	5.4978G	60.88	68.20	-7.32	3	Horizontal	0	1.65
5745MHz	Pass	PK	5.7438G	123.11	Inf	-Inf	3	Horizontal	0	1.65
5745MHz	Pass	PK	6.0186G	60.07	68.20	-8.13	3	Horizontal	0	1.65
5745MHz	Pass	AV	11.47524G	37.46	54.00	-16.54	3	Vertical	76	1.50
5745MHz	Pass	PK	11.49222G	50.84	74.00	-23.16	3	Vertical	76	1.50
5745MHz	Pass	AV	11.47818G	37.53	54.00	-16.47	3	Horizontal	274	2.76
5745MHz	Pass	PK	11.49414G	50.09	74.00	-23.91	3	Horizontal	274	2.76
5785MHz	Pass	AV	5.77887G	109.78	Inf	-Inf	3	Horizontal	0	1.64
5785MHz	Pass	PK	5.59737G	60.62	68.20	-7.58	3	Horizontal	0	1.64
5785MHz	Pass	PK	5.79097G	122.27	Inf	-Inf	3	Horizontal	0	1.64
5785MHz	Pass	PK	5.92649G	59.72	68.20	-8.48	3	Horizontal	0	1.64
5785MHz	Pass	AV	11.5574G	37.33	54.00	-16.67	3	Vertical	325	1.50
5785MHz	Pass	PK	11.57672G	50.46	74.00	-23.54	3	Vertical	325	1.50
5785MHz	Pass	AV	11.55644G	37.29	54.00	-16.71	3	Horizontal	64	1.50
5785MHz	Pass	PK	11.56358G	49.58	74.00	-24.42	3	Horizontal	64	1.50
5825MHz	Pass	AV	5.8226G	109.81	Inf	-Inf	3	Horizontal	0	1.64
5825MHz	Pass	PK	5.5958G	59.87	68.20	-8.33	3	Horizontal	0	1.64
5825MHz	Pass	PK	5.8214G	122.06	Inf	-Inf	3	Horizontal	0	1.64
5825MHz	Pass	PK	5.9582G	59.88	68.20	-8.32	3	Horizontal	0	1.64
5825MHz	Pass	AV	11.65174G	36.77	54.00	-17.23	3	Vertical	277	1.50
5825MHz	Pass	PK	11.64976G	49.08	74.00	-24.92	3	Vertical	277	1.50
5825MHz	Pass	AV	11.65654G	36.79	54.00	-17.21	3	Horizontal	264	1.50
5825MHz	Pass	PK	11.6392G	48.90	74.00	-25.10	3	Horizontal	264	1.50
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1496G	51.40	54.00	-2.60	3	Horizontal	357	1.50
5190MHz	Pass	AV	5.1836G	104.55	Inf	-Inf	3	Horizontal	357	1.50
5190MHz	Pass	PK	5.1432G	69.90	74.00	-4.10	3	Horizontal	357	1.50
5190MHz	Pass	PK	5.1832G	117.56	Inf	-Inf	3	Horizontal	357	1.50
5190MHz	Pass	PK	10.37366G	49.89	68.20	-18.31	3	Vertical	41	1.50
5190MHz	Pass	PK	10.39884G	49.80	68.20	-18.40	3	Horizontal	55	1.50
5230MHz	Pass	AV	5.1496G	48.43	54.00	-5.57	3	Horizontal	356	1.50
5230MHz	Pass	AV	5.2124G	102.82	Inf	-Inf	3	Horizontal	356	1.50
5230MHz	Pass	PK	5.1488G	65.23	74.00	-8.77	3	Horizontal	356	1.50
5230MHz	Pass	PK	5.2348G	116.06	Inf	-Inf	3	Horizontal	356	1.50
5230MHz	Pass	PK	10.48177G	49.94	68.20	-18.26	3	Vertical	69	1.95
5230MHz	Pass	PK	10.4306G	49.09	68.20	-19.11	3	Horizontal	82	1.50
5270MHz	Pass	AV	5.2628G	104.21	Inf	-Inf	3	Horizontal	356	1.50
5270MHz	Pass	AV	5.35G	49.04	54.00	-4.96	3	Horizontal	356	1.50
5270MHz	Pass	PK	5.2636G	117.76	Inf	-Inf	3	Horizontal	356	1.50
5270MHz	Pass	PK	5.35G	63.06	74.00	-10.94	3	Horizontal	356	1.50
5270MHz	Pass	PK	10.55766G	49.96	68.20	-18.24	3	Vertical	17	2.58
5270MHz	Pass	PK	10.56772G	49.16	68.20	-19.04	3	Horizontal	302	2.84
5310MHz	Pass	AV	5.3248G	103.08	Inf	-Inf	3	Horizontal	360	1.50
5310MHz	Pass	AV	5.35G	53.09	54.00	-0.91	3	Horizontal	360	1.50
5310MHz	Pass	PK	5.3072G	116.41	Inf	-Inf	3	Horizontal	360	1.50
5310MHz	Pass	PK	5.35G	65.44	74.00	-8.56	3	Horizontal	360	1.50
5310MHz	Pass	AV	10.64796G	36.14	54.00	-17.86	3	Vertical	140	1.50
5310MHz	Pass	PK	10.63777G	50.17	74.00	-23.83	3	Vertical	140	1.50
5310MHz	Pass	AV	10.65G	36.13	54.00	-17.87	3	Horizontal	320	1.50
5310MHz	Pass	PK	10.6212G	50.80	74.00	-23.20	3	Horizontal	320	1.50
5510MHz	Pass	AV	5.46G	49.82	54.00	-4.18	3	Horizontal	354	1.50
5510MHz	Pass	AV	5.496G	101.58	Inf	-Inf	3	Horizontal	354	1.50
5510MHz	Pass	PK	5.4588G	66.29	74.00	-7.71	3	Horizontal	354	1.50
5510MHz	Pass	PK	5.4668G	67.24	68.20	-0.96	3	Horizontal	354	1.50
5510MHz	Pass	PK	5.5232G	115.80	Inf	-Inf	3	Horizontal	354	1.50
5510MHz	Pass	AV	11.01722G	35.77	54.00	-18.23	3	Vertical	207	1.50
5510MHz	Pass	PK	11.0234G	49.88	74.00	-24.12	3	Vertical	207	1.50
5510MHz	Pass	AV	11.02096G	35.80	54.00	-18.20	3	Horizontal	203	1.17
5510MHz	Pass	PK	11.00284G	49.28	74.00	-24.72	3	Horizontal	203	1.17
5550MHz	Pass	AV	5.46G	47.60	54.00	-6.40	3	Horizontal	355	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5550MHz	Pass	AV	5.5436G	102.22	Inf	-Inf	3	Horizontal	355	1.50
5550MHz	Pass	PK	5.4584G	61.73	74.00	-12.27	3	Horizontal	355	1.50
5550MHz	Pass	PK	5.47G	63.23	68.20	-4.97	3	Horizontal	355	1.50
5550MHz	Pass	PK	5.5456G	116.18	Inf	-Inf	3	Horizontal	355	1.50
5550MHz	Pass	AV	11.11252G	35.77	54.00	-18.23	3	Vertical	217	2.47
5550MHz	Pass	PK	11.11563G	49.89	74.00	-24.11	3	Vertical	217	2.47
5550MHz	Pass	AV	11.11308G	35.72	54.00	-18.28	3	Horizontal	88	1.50
5550MHz	Pass	PK	11.07192G	49.03	74.00	-24.97	3	Horizontal	88	1.50
5670MHz	Pass	AV	5.6754G	102.17	Inf	-Inf	3	Horizontal	356	1.50
5670MHz	Pass	PK	5.6844G	115.80	Inf	-Inf	3	Horizontal	356	1.50
5670MHz	Pass	PK	5.7258G	67.22	68.20	-0.98	3	Horizontal	356	1.50
5670MHz	Pass	AV	11.36515G	36.74	54.00	-17.26	3	Vertical	201	2.82
5670MHz	Pass	PK	11.3347G	51.33	74.00	-22.67	3	Vertical	201	2.82
5670MHz	Pass	AV	11.36988G	36.78	54.00	-17.22	3	Horizontal	200	2.32
5670MHz	Pass	PK	11.3568G	50.19	74.00	-23.81	3	Horizontal	200	2.32
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4544G	43.60	54.00	-10.40	3	Horizontal	355	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.6932G	102.98	Inf	-Inf	3	Horizontal	355	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.46G	56.69	74.00	-17.31	3	Horizontal	355	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4688G	56.76	68.20	-11.44	3	Horizontal	355	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7076G	116.23	Inf	-Inf	3	Horizontal	355	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8552G	57.63	68.20	-10.57	3	Horizontal	355	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.43957G	36.99	54.00	-17.01	3	Vertical	259	2.39
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42566G	51.13	74.00	-22.87	3	Vertical	259	2.39
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.4428G	37.01	54.00	-16.99	3	Horizontal	134	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4308G	50.19	74.00	-23.81	3	Horizontal	134	1.50
5755MHz	Pass	AV	5.455G	47.61	54.00	-6.39	3	Horizontal	0	1.65
5755MHz	Pass	AV	5.749G	108.10	Inf	-Inf	3	Horizontal	0	1.65
5755MHz	Pass	PK	5.635G	62.84	68.20	-5.36	3	Horizontal	0	1.65
5755MHz	Pass	PK	5.7526G	120.70	Inf	-Inf	3	Horizontal	0	1.65
5755MHz	Pass	PK	6.0154G	59.86	68.20	-8.34	3	Horizontal	0	1.65
5755MHz	Pass	AV	11.49284G	37.39	54.00	-16.61	3	Vertical	104	1.50
5755MHz	Pass	PK	11.53748G	49.47	74.00	-24.53	3	Vertical	104	1.50
5755MHz	Pass	AV	11.48732G	37.38	54.00	-16.62	3	Horizontal	181	1.15
5755MHz	Pass	PK	11.5082G	50.02	74.00	-23.98	3	Horizontal	181	1.15
5795MHz	Pass	AV	5.801G	106.58	Inf	-Inf	3	Horizontal	0	1.69
5795MHz	Pass	PK	5.6378G	61.19	68.20	-7.01	3	Horizontal	0	1.69
5795MHz	Pass	PK	5.7998G	119.09	Inf	-Inf	3	Horizontal	0	1.69
5795MHz	Pass	PK	5.9654G	59.93	68.20	-8.27	3	Horizontal	0	1.69
5795MHz	Pass	AV	11.56168G	37.24	54.00	-16.76	3	Vertical	96	1.50
5795MHz	Pass	PK	11.56108G	50.34	74.00	-23.66	3	Vertical	96	1.50
5795MHz	Pass	AV	11.56024G	37.36	54.00	-16.64	3	Horizontal	296.9	1.47
5795MHz	Pass	PK	11.566G	49.30	74.00	-24.70	3	Horizontal	296.9	1.47
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.148G	53.78	54.00	-0.22	3	Horizontal	360	1.50
5210MHz	Pass	AV	5.197G	100.77	Inf	-Inf	3	Horizontal	360	1.50
5210MHz	Pass	AV	5.35G	45.43	54.00	-8.57	3	Horizontal	360	1.50
5210MHz	Pass	PK	5.119G	67.64	74.00	-6.36	3	Horizontal	360	1.50
5210MHz	Pass	PK	5.177G	114.68	Inf	-Inf	3	Horizontal	360	1.50
5210MHz	Pass	PK	5.35G	59.19	74.00	-14.81	3	Horizontal	360	1.50
5210MHz	Pass	PK	10.43186G	50.27	68.20	-17.93	3	Vertical	54	1.50
5210MHz	Pass	PK	10.37584G	48.92	68.20	-19.28	3	Horizontal	58	1.97
5290MHz	Pass	AV	5.149G	48.87	54.00	-5.13	3	Horizontal	360	1.50
5290MHz	Pass	AV	5.275G	100.73	Inf	-Inf	3	Horizontal	360	1.50
5290MHz	Pass	AV	5.35G	53.06	54.00	-0.94	3	Horizontal	360	1.50
5290MHz	Pass	PK	5.149G	61.95	74.00	-12.05	3	Horizontal	360	1.50
5290MHz	Pass	PK	5.278G	113.77	Inf	-Inf	3	Horizontal	360	1.50
5290MHz	Pass	PK	5.35G	66.58	74.00	-7.42	3	Horizontal	360	1.50
5290MHz	Pass	PK	5.48G	60.64	68.20	-7.56	3	Horizontal	360	1.50
5290MHz	Pass	AV	10.61638G	36.06	54.00	-17.94	3	Vertical	54	1.50
5290MHz	Pass	PK	10.62513G	49.99	74.00	-24.01	3	Vertical	54	1.50
5290MHz	Pass	AV	10.6148G	36.08	54.00	-17.92	3	Horizontal	350	1.50
5290MHz	Pass	PK	10.58864G	49.91	68.20	-18.29	3	Horizontal	350	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5530MHz	Pass	AV	5.35G	44.90	54.00	-9.10	3	Horizontal	356	1.50
5530MHz	Pass	AV	5.46G	52.22	54.00	-1.78	3	Horizontal	356	1.50
5530MHz	Pass	AV	5.518G	98.13	Inf	-Inf	3	Horizontal	356	1.50
5530MHz	Pass	PK	5.331G	59.23	68.20	-8.97	3	Horizontal	356	1.50
5530MHz	Pass	PK	5.458G	66.21	74.00	-7.79	3	Horizontal	356	1.50
5530MHz	Pass	PK	5.47G	67.25	68.20	-0.95	3	Horizontal	356	1.50
5530MHz	Pass	PK	5.515G	111.92	Inf	-Inf	3	Horizontal	356	1.50
5530MHz	Pass	PK	5.739G	58.66	68.20	-9.54	3	Horizontal	356	1.50
5530MHz	Pass	AV	11.06826G	36.11	54.00	-17.89	3	Vertical	48	1.50
5530MHz	Pass	PK	11.04762G	49.82	74.00	-24.18	3	Vertical	48	1.50
5530MHz	Pass	AV	11.02112G	35.98	54.00	-18.02	3	Horizontal	252	1.50
5530MHz	Pass	PK	11.00552G	49.33	74.00	-24.67	3	Horizontal	252	1.50
5610MHz	Pass	AV	5.46G	48.10	54.00	-5.90	3	Horizontal	357	1.50
5610MHz	Pass	AV	5.623G	98.59	Inf	-Inf	3	Horizontal	357	1.50
5610MHz	Pass	PK	5.451G	61.98	74.00	-12.02	3	Horizontal	357	1.50
5610MHz	Pass	PK	5.469G	62.62	68.20	-5.58	3	Horizontal	357	1.50
5610MHz	Pass	PK	5.579G	112.35	Inf	-Inf	3	Horizontal	357	1.50
5610MHz	Pass	PK	5.726G	63.92	68.20	-4.28	3	Horizontal	357	1.50
5610MHz	Pass	AV	11.27952G	36.34	54.00	-17.66	3	Vertical	356	2.00
5610MHz	Pass	PK	11.26101G	50.58	74.00	-23.42	3	Vertical	356	2.00
5610MHz	Pass	AV	11.22996G	36.11	54.00	-17.89	3	Horizontal	270	2.16
5610MHz	Pass	PK	11.21728G	49.60	74.00	-24.40	3	Horizontal	295	2.16
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4548G	44.18	54.00	-9.82	3	Horizontal	355	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6768G	100.17	Inf	-Inf	3	Horizontal	355	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4584G	58.03	74.00	-15.97	3	Horizontal	355	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	57.40	68.20	-10.80	3	Horizontal	355	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6852G	113.55	Inf	-Inf	3	Horizontal	355	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8544G	58.77	68.20	-9.43	3	Horizontal	355	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.43799G	36.85	54.00	-17.15	3	Vertical	314	1.53
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.42977G	50.73	74.00	-23.27	3	Vertical	314	1.53
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.404G	36.89	54.00	-17.11	3	Horizontal	4	2.97
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.39992G	50.56	74.00	-23.44	3	Horizontal	4	2.97
5775MHz	Pass	AV	5.745G	104.40	Inf	-Inf	3	Horizontal	0	1.65
5775MHz	Pass	PK	5.6454G	66.77	68.20	-1.43	3	Horizontal	0	1.65
5775MHz	Pass	PK	5.7462G	116.55	Inf	-Inf	3	Horizontal	0	1.65
5775MHz	Pass	PK	6.0234G	60.28	68.20	-7.92	3	Horizontal	0	1.65
5775MHz	Pass	AV	11.49432G	37.45	54.00	-16.55	3	Vertical	236	1.50
5775MHz	Pass	PK	11.53392G	49.87	74.00	-24.13	3	Vertical	236	1.50
5775MHz	Pass	AV	11.54784G	37.50	54.00	-16.50	3	Horizontal	107	1.50
5775MHz	Pass	PK	11.562G	49.89	74.00	-24.11	3	Horizontal	107	1.50
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	53.82	54.00	-0.18	3	Horizontal	356	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1864G	97.13	Inf	-Inf	3	Horizontal	356	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.35G	50.62	54.00	-3.38	3	Horizontal	356	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.148G	71.15	74.00	-2.85	3	Horizontal	356	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1948G	109.74	Inf	-Inf	3	Horizontal	356	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3832G	71.76	74.00	-2.24	3	Horizontal	356	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.466G	61.65	68.20	-6.55	3	Horizontal	356	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.5403G	50.39	68.20	-17.81	3	Vertical	163	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.41168G	49.68	68.20	-18.52	3	Horizontal	300	2.29
5570MHz	Pass	AV	5.4596G	51.12	54.00	-2.88	3	Horizontal	357	1.50
5570MHz	Pass	AV	5.4932G	94.24	Inf	-Inf	3	Horizontal	357	1.50
5570MHz	Pass	PK	5.3276G	60.44	68.20	-7.76	3	Horizontal	357	1.50
5570MHz	Pass	PK	5.4512G	67.40	74.00	-6.60	3	Horizontal	357	1.50
5570MHz	Pass	PK	5.468G	67.16	68.20	-1.04	3	Horizontal	357	1.50
5570MHz	Pass	PK	5.54G	107.24	Inf	-Inf	3	Horizontal	357	1.50
5570MHz	Pass	PK	5.7548G	65.72	68.20	-2.48	3	Horizontal	357	1.50
5570MHz	Pass	AV	11.25721G	36.84	54.00	-17.16	3	Vertical	172	1.50
5570MHz	Pass	PK	11.21889G	49.99	74.00	-24.01	3	Vertical	172	1.50
5570MHz	Pass	AV	11.23168G	36.79	54.00	-17.21	3	Horizontal	183	1.50
5570MHz	Pass	PK	11.2264G	49.85	74.00	-24.15	3	Horizontal	183	1.50


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX



5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	51.40	54.00	-2.60	1.02	3	Horizontal	357	1.50	50.38	33.50	4.81	37.29
AV	5.1836G	104.55	Inf	-Inf	0.90	3	Horizontal	357	1.50	103.65	33.37	4.83	37.30
PK	5.1432G	69.90	74.00	-4.10	0.98	3	Horizontal	357	1.50	68.92	33.46	4.81	37.29
PK	5.1832G	117.56	Inf	-Inf	0.90	3	Horizontal	357	1.50	116.66	33.37	4.83	37.30

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.37366G	49.89	68.20	-18.31	4.15	3	Vertical	41	1.50	45.74	38.75	7.31	41.91


5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5510MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	44.90	54.00	-9.10	0.67	3	Horizontal	356	1.50	44.23	33.10	4.91	37.34
AV	5.46G	52.22	54.00	-1.78	0.65	3	Horizontal	356	1.50	51.57	33.06	4.95	37.36
AV	5.518G	98.13	Inf	-Inf	0.86	3	Horizontal	356	1.50	97.27	33.26	4.96	37.36
PK	5.331G	59.23	68.20	-8.97	0.67	3	Horizontal	356	1.50	58.56	33.10	4.90	37.33
PK	5.458G	66.21	74.00	-7.79	0.63	3	Horizontal	356	1.50	65.58	33.05	4.94	37.36
PK	5.47G	67.25	68.20	-0.95	0.71	3	Horizontal	356	1.50	66.54	33.12	4.95	37.36
PK	5.515G	111.92	Inf	-Inf	0.87	3	Horizontal	356	1.50	111.05	33.27	4.96	37.36
PK	5.739G	58.66	68.20	-9.54	1.81	3	Horizontal	356	1.50	56.85	33.96	5.12	37.27

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06826G	36.11	54.00	-17.89	4.09	3	Vertical	48	1.50	32.02	38.80	7.60	42.31
PK	11.04762G	49.82	74.00	-24.18	4.06	3	Vertical	48	1.50	45.76	38.80	7.59	42.33


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5570MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5745MHz_TX



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.455G	47.61	54.00	-6.39	5.30	3	Horizontal	-0	1.65	42.31	32.80	7.57	35.07
AV	5.749G	108.10	Inf	-Inf	6.27	3	Horizontal	-0	1.65	101.83	33.70	7.74	35.17
PK	5.635G	62.84	68.20	-5.36	5.43	3	Horizontal	-0	1.65	57.41	33.01	7.55	35.13
PK	5.7526G	120.70	Inf	-Inf	6.28	3	Horizontal	-0	1.65	114.42	33.71	7.75	35.18
PK	6.0154G	59.86	68.20	-8.34	6.55	3	Horizontal	-0	1.65	53.31	34.07	7.77	35.29

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49284G	37.39	54.00	-16.61	15.69	3	Vertical	104	1.50	21.70	38.90	10.81	34.02
PK	11.53748G	49.47	74.00	-24.53	15.64	3	Vertical	104	1.50	33.83	38.83	10.82	34.01


5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_TX





***RSE TX below 1GHz_Non-Beamforming_Radio 2_
MIMO-directional Antenna_2T1S***

Appendix E.15

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	43.58M	36.10	40.00	-3.90	3	Vertical	360	1.00



RSE TX below 1GHz_Non-Beamforming_Radio 2
MIMO-directional Antenna_2T1S


Appendix E.15

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5775MHz_Adapter	Pass	PK	43.58M	36.10	40.00	-3.90	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	158.04M	28.29	43.50	-15.21	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	249.22M	23.43	46.00	-22.57	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	390.84M	22.52	46.00	-23.48	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	449.04M	28.72	46.00	-17.28	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	551.86M	26.12	46.00	-19.88	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	99.84M	32.43	43.50	-11.07	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	148.34M	24.48	43.50	-19.02	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	249.22M	26.80	46.00	-19.20	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	307.42M	22.26	46.00	-23.74	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	449.04M	31.07	46.00	-14.93	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	549.92M	25.79	46.00	-20.21	3	Horizontal	0	1.00


5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_Adapter



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_Adapter





RSE TX above 1GHz_Non-Beamforming_Radio 2 MIMO-directional Antenna_2T1S

Appendix E.16

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.15G	51.35	54.00	-2.65	3	Vertical	355	1.24
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.15G	51.14	54.00	-2.86	3	Vertical	358	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.1496G	53.76	54.00	-0.24	3	Vertical	356	1.27
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.149G	44.52	54.00	-9.48	3	Horizontal	217	2.45
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.3506G	52.56	54.00	-1.44	3	Horizontal	357	1.89
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.35G	52.65	54.00	-1.35	3	Horizontal	0	2.03
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.3516G	53.85	54.00	-0.15	3	Vertical	356	1.27
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.35G	53.81	54.00	-0.19	3	Vertical	360	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.82	54.00	-0.18	3	Horizontal	357	1.94
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.4644G	67.25	68.20	-0.95	3	Horizontal	360	2.14
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	PK	5.4608G	67.77	68.20	-0.43	3	Horizontal	356	2.12
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	PK	5.4648G	67.78	68.20	-0.42	3	Horizontal	357	1.97
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	5.469G	67.53	68.20	-0.67	3	Horizontal	360	1.89
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	PK	5.726G	68.00	68.20	-0.20	3	Horizontal	356	1.99
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.451G	48.63	54.00	-5.37	3	Vertical	4	1.64
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.4522G	48.65	54.00	-5.35	3	Vertical	3	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	PK	5.6458G	65.03	68.20	-3.17	3	Vertical	5	1.59
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	5.6502G	67.80	68.35	-0.55	3	Vertical	6	1.61

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	51.35	54.00	-2.65	3	Vertical	355	1.24
5180MHz	Pass	AV	5.183G	107.59	Inf	-Inf	3	Vertical	355	1.24
5180MHz	Pass	PK	5.1396G	67.76	74.00	-6.24	3	Vertical	355	1.24
5180MHz	Pass	PK	5.1782G	119.78	Inf	-Inf	3	Vertical	355	1.24
5180MHz	Pass	AV	5.15G	49.36	54.00	-4.64	3	Horizontal	360	1.90
5180MHz	Pass	AV	5.1822G	108.74	Inf	-Inf	3	Horizontal	360	1.90
5180MHz	Pass	PK	5.1374G	65.45	74.00	-8.55	3	Horizontal	360	1.90
5180MHz	Pass	PK	5.18G	120.53	Inf	-Inf	3	Horizontal	360	1.90
5180MHz	Pass	PK	10.37049G	49.82	68.20	-18.38	3	Vertical	10	1.50
5180MHz	Pass	PK	10.35124G	49.44	68.20	-18.76	3	Horizontal	10	1.50
5200MHz	Pass	AV	5.15G	47.57	54.00	-6.43	3	Vertical	0	1.50
5200MHz	Pass	AV	5.1988G	107.37	Inf	-Inf	3	Vertical	0	1.50
5200MHz	Pass	PK	5.1416G	61.26	74.00	-12.74	3	Vertical	0	1.50
5200MHz	Pass	PK	5.1988G	119.02	Inf	-Inf	3	Vertical	0	1.50
5200MHz	Pass	AV	5.15G	47.25	54.00	-6.75	3	Horizontal	360	1.89
5200MHz	Pass	AV	5.1924G	107.86	Inf	-Inf	3	Horizontal	360	1.89
5200MHz	Pass	PK	5.15G	60.72	74.00	-13.28	3	Horizontal	360	1.89
5200MHz	Pass	PK	5.198G	119.64	Inf	-Inf	3	Horizontal	360	1.89
5200MHz	Pass	PK	10.40491G	49.68	68.20	-18.52	3	Vertical	232	2.63
5200MHz	Pass	PK	10.39664G	50.49	68.20	-17.71	3	Horizontal	84	1.93
5240MHz	Pass	AV	5.1494G	45.22	54.00	-8.78	3	Vertical	355	1.50
5240MHz	Pass	AV	5.234G	107.69	Inf	-Inf	3	Vertical	355	1.50
5240MHz	Pass	AV	5.384G	45.51	54.00	-8.49	3	Vertical	355	1.50
5240MHz	Pass	PK	5.135G	58.65	74.00	-15.35	3	Vertical	355	1.50
5240MHz	Pass	PK	5.2442G	119.57	Inf	-Inf	3	Vertical	355	1.50
5240MHz	Pass	PK	5.366G	58.99	74.00	-15.01	3	Vertical	355	1.50
5240MHz	Pass	AV	5.15G	45.47	54.00	-8.53	3	Horizontal	0	1.89
5240MHz	Pass	AV	5.237G	106.36	Inf	-Inf	3	Horizontal	0	1.89
5240MHz	Pass	AV	5.35G	44.42	54.00	-9.58	3	Horizontal	0	1.89
5240MHz	Pass	PK	5.1482G	58.43	74.00	-15.57	3	Horizontal	0	1.89
5240MHz	Pass	PK	5.2352G	117.06	Inf	-Inf	3	Horizontal	0	1.89
5240MHz	Pass	PK	5.3804G	57.91	74.00	-16.09	3	Horizontal	0	1.89
5240MHz	Pass	PK	10.47957G	50.22	68.20	-17.98	3	Vertical	165	1.50
5240MHz	Pass	PK	10.46716G	49.30	68.20	-18.90	3	Horizontal	11	1.50
5260MHz	Pass	AV	5.1496G	44.48	54.00	-9.52	3	Vertical	356	1.50
5260MHz	Pass	AV	5.2648G	107.46	Inf	-Inf	3	Vertical	356	1.50
5260MHz	Pass	AV	5.38G	45.50	54.00	-8.50	3	Vertical	356	1.50
5260MHz	Pass	PK	5.1376G	57.65	74.00	-16.35	3	Vertical	356	1.50
5260MHz	Pass	PK	5.2594G	119.06	Inf	-Inf	3	Vertical	356	1.50
5260MHz	Pass	PK	5.3962G	59.28	74.00	-14.72	3	Vertical	356	1.50
5260MHz	Pass	AV	5.15G	45.49	54.00	-8.51	3	Horizontal	0	1.83
5260MHz	Pass	AV	5.2612G	107.74	Inf	-Inf	3	Horizontal	0	1.83
5260MHz	Pass	AV	5.3506G	45.10	54.00	-8.90	3	Horizontal	0	1.83
5260MHz	Pass	PK	5.1496G	59.06	74.00	-14.94	3	Horizontal	0	1.83
5260MHz	Pass	PK	5.2618G	119.29	Inf	-Inf	3	Horizontal	0	1.83
5260MHz	Pass	PK	5.3806G	58.42	74.00	-15.58	3	Horizontal	0	1.83
5260MHz	Pass	PK	10.51221G	49.60	68.20	-18.60	3	Vertical	22	1.20
5260MHz	Pass	PK	10.51772G	48.97	68.20	-19.23	3	Horizontal	0	1.65
5300MHz	Pass	AV	5.3044G	107.49	Inf	-Inf	3	Vertical	355	1.50
5300MHz	Pass	AV	5.35G	47.57	54.00	-6.43	3	Vertical	355	1.50
5300MHz	Pass	PK	5.304G	119.41	Inf	-Inf	3	Vertical	355	1.50
5300MHz	Pass	PK	5.3508G	61.86	74.00	-12.14	3	Vertical	355	1.50
5300MHz	Pass	AV	5.2924G	106.56	Inf	-Inf	3	Horizontal	356	2.03
5300MHz	Pass	AV	5.35G	47.92	54.00	-6.08	3	Horizontal	356	2.03
5300MHz	Pass	PK	5.2964G	117.62	Inf	-Inf	3	Horizontal	356	2.03
5300MHz	Pass	PK	5.3504G	61.53	74.00	-12.47	3	Horizontal	356	2.03
5300MHz	Pass	AV	10.61085G	35.94	54.00	-18.06	3	Vertical	165	2.51
5300MHz	Pass	PK	10.60444G	49.82	74.00	-24.18	3	Vertical	165	2.51
5300MHz	Pass	AV	10.61338G	35.95	54.00	-18.05	3	Horizontal	137	1.05
5300MHz	Pass	PK	10.60742G	49.61	74.00	-24.39	3	Horizontal	137	1.05



RSE TX above 1GHz Non-Beamforming Radio 2 MIMO-directional Antenna 2T1S

Appendix E.16

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	AV	5.324G	107.40	Inf	-Inf	3	Vertical	357	1.50
5320MHz	Pass	AV	5.35G	51.43	54.00	-2.57	3	Vertical	357	1.50
5320MHz	Pass	PK	5.324G	120.02	Inf	-Inf	3	Vertical	357	1.50
5320MHz	Pass	PK	5.3604G	68.56	74.00	-5.44	3	Vertical	357	1.50
5320MHz	Pass	AV	5.3268G	107.84	Inf	-Inf	3	Horizontal	357	1.89
5320MHz	Pass	AV	5.3506G	52.56	54.00	-1.44	3	Horizontal	357	1.89
5320MHz	Pass	PK	5.318G	119.07	Inf	-Inf	3	Horizontal	357	1.89
5320MHz	Pass	PK	5.3598G	70.00	74.00	-4.00	3	Horizontal	357	1.89
5320MHz	Pass	AV	10.6484G	36.11	54.00	-17.89	3	Vertical	278	1.50
5320MHz	Pass	PK	10.64514G	50.06	74.00	-23.94	3	Vertical	278	1.50
5320MHz	Pass	AV	10.64732G	36.20	54.00	-17.80	3	Horizontal	136	1.50
5320MHz	Pass	PK	10.65026G	50.25	74.00	-23.75	3	Horizontal	136	1.50
5500MHz	Pass	AV	5.4592G	48.61	54.00	-5.39	3	Vertical	356	1.50
5500MHz	Pass	AV	5.5034G	106.12	Inf	-Inf	3	Vertical	356	1.50
5500MHz	Pass	PK	5.4592G	66.82	74.00	-7.18	3	Vertical	356	1.50
5500MHz	Pass	PK	5.4602G	64.08	68.20	-4.12	3	Vertical	356	1.50
5500MHz	Pass	PK	5.4984G	118.63	Inf	-Inf	3	Vertical	356	1.50
5500MHz	Pass	AV	5.46G	49.65	54.00	-4.35	3	Horizontal	360	2.14
5500MHz	Pass	AV	5.4974G	106.59	Inf	-Inf	3	Horizontal	360	2.14
5500MHz	Pass	PK	5.459G	66.84	74.00	-7.16	3	Horizontal	360	2.14
5500MHz	Pass	PK	5.4644G	67.25	68.20	-0.95	3	Horizontal	360	2.14
5500MHz	Pass	PK	5.5046G	118.41	Inf	-Inf	3	Horizontal	360	2.14
5500MHz	Pass	AV	10.98522G	35.55	54.00	-18.45	3	Vertical	302	3.00
5500MHz	Pass	PK	11.00773G	49.77	74.00	-24.23	3	Vertical	302	3.00
5500MHz	Pass	AV	10.98542G	35.54	54.00	-18.46	3	Horizontal	4	1.50
5500MHz	Pass	PK	10.99214G	49.46	74.00	-24.54	3	Horizontal	4	1.50
5580MHz	Pass	AV	5.46G	44.67	54.00	-9.33	3	Vertical	356	1.50
5580MHz	Pass	AV	5.5734G	105.98	Inf	-Inf	3	Vertical	356	1.50
5580MHz	Pass	PK	5.439G	58.13	74.00	-15.87	3	Vertical	356	1.50
5580MHz	Pass	PK	5.4672G	58.41	68.20	-9.79	3	Vertical	356	1.50
5580MHz	Pass	PK	5.5824G	117.62	Inf	-Inf	3	Vertical	356	1.50
5580MHz	Pass	PK	5.7252G	56.97	68.20	-11.23	3	Vertical	356	1.50
5580MHz	Pass	AV	5.46G	45.11	54.00	-8.89	3	Horizontal	360	1.99
5580MHz	Pass	AV	5.5824G	106.33	Inf	-Inf	3	Horizontal	360	1.99
5580MHz	Pass	PK	5.4426G	58.29	74.00	-15.71	3	Horizontal	360	1.99
5580MHz	Pass	PK	5.4696G	58.15	68.20	-10.05	3	Horizontal	360	1.99
5580MHz	Pass	PK	5.5776G	117.87	Inf	-Inf	3	Horizontal	360	1.99
5580MHz	Pass	PK	5.7276G	57.26	68.20	-10.94	3	Horizontal	360	1.99
5580MHz	Pass	AV	11.15618G	35.80	54.00	-18.20	3	Vertical	152	1.50
5580MHz	Pass	PK	11.17114G	49.89	74.00	-24.11	3	Vertical	152	1.50
5580MHz	Pass	AV	11.14866G	35.72	54.00	-18.28	3	Horizontal	228	1.50
5580MHz	Pass	PK	11.1492G	49.04	74.00	-24.96	3	Horizontal	228	1.50
5700MHz	Pass	AV	5.7036G	101.38	Inf	-Inf	3	Vertical	3	1.50
5700MHz	Pass	PK	5.7064G	112.97	Inf	-Inf	3	Vertical	3	1.50
5700MHz	Pass	PK	5.7252G	66.90	68.20	-1.30	3	Vertical	3	1.50
5700MHz	Pass	AV	5.6952G	102.37	Inf	-Inf	3	Horizontal	355	1.83
5700MHz	Pass	PK	5.6952G	113.25	Inf	-Inf	3	Horizontal	355	1.83
5700MHz	Pass	PK	5.7268G	66.22	68.20	-1.98	3	Horizontal	355	1.83
5700MHz	Pass	AV	11.4029G	36.88	54.00	-17.12	3	Vertical	116	1.50
5700MHz	Pass	PK	11.40816G	51.11	74.00	-22.89	3	Vertical	116	1.50
5700MHz	Pass	AV	11.39916G	36.87	54.00	-17.13	3	Horizontal	81	1.71
5700MHz	Pass	PK	11.40096G	50.16	74.00	-23.84	3	Horizontal	81	1.71
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4572G	43.78	54.00	-10.22	3	Vertical	360	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7176G	106.07	Inf	-Inf	3	Vertical	360	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4488G	57.72	74.00	-16.28	3	Vertical	360	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	57.61	68.20	-10.59	3	Vertical	360	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7272G	117.42	Inf	-Inf	3	Vertical	360	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8544G	57.76	68.20	-10.44	3	Vertical	360	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4476G	43.55	54.00	-10.45	3	Horizontal	354	1.96
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7164G	106.69	Inf	-Inf	3	Horizontal	354	1.96
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4344G	56.63	74.00	-17.37	3	Horizontal	354	1.96
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	57.24	68.20	-10.96	3	Horizontal	354	1.96

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7176G	116.62	Inf	-Inf	3	Horizontal	354	1.96
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9348G	57.77	68.20	-10.43	3	Horizontal	354	1.96
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44205G	36.91	54.00	-17.09	3	Vertical	256	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4363G	50.76	74.00	-23.24	3	Vertical	256	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44054G	36.94	54.00	-17.06	3	Horizontal	62	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.42566G	50.03	74.00	-23.97	3	Horizontal	62	1.50
5745MHz	Pass	AV	5.451G	48.63	54.00	-5.37	3	Vertical	4	1.64
5745MHz	Pass	AV	5.7378G	112.87	Inf	-Inf	3	Vertical	4	1.64
5745MHz	Pass	PK	5.5014G	61.76	68.20	-6.44	3	Vertical	4	1.64
5745MHz	Pass	PK	5.7522G	122.17	Inf	-Inf	3	Vertical	4	1.64
5745MHz	Pass	PK	5.9802G	59.66	68.20	-8.54	3	Vertical	4	1.64
5745MHz	Pass	AV	5.4594G	48.08	54.00	-5.92	3	Horizontal	360	1.88
5745MHz	Pass	AV	5.7414G	112.71	Inf	-Inf	3	Horizontal	360	1.88
5745MHz	Pass	PK	5.6454G	60.75	68.20	-7.45	3	Horizontal	360	1.88
5745MHz	Pass	PK	5.751G	121.90	Inf	-Inf	3	Horizontal	360	1.88
5745MHz	Pass	PK	5.9454G	59.76	68.20	-8.44	3	Horizontal	360	1.88
5745MHz	Pass	AV	11.48484G	37.46	54.00	-16.54	3	Vertical	196	1.50
5745MHz	Pass	PK	11.49264G	50.26	74.00	-23.74	3	Vertical	196	1.50
5745MHz	Pass	AV	11.48024G	37.45	54.00	-16.55	3	Horizontal	149	1.50
5745MHz	Pass	PK	11.48444G	49.85	74.00	-24.15	3	Horizontal	149	1.50
5785MHz	Pass	AV	5.79218G	111.04	Inf	-Inf	3	Vertical	7	1.50
5785MHz	Pass	PK	5.62036G	61.46	68.20	-6.74	3	Vertical	7	1.50
5785MHz	Pass	PK	5.79097G	121.27	Inf	-Inf	3	Vertical	7	1.50
5785MHz	Pass	PK	5.94948G	59.73	68.20	-8.47	3	Vertical	7	1.50
5785MHz	Pass	AV	5.77887G	111.22	Inf	-Inf	3	Horizontal	1	1.66
5785MHz	Pass	PK	5.51993G	60.48	68.20	-7.72	3	Horizontal	1	1.66
5785MHz	Pass	PK	5.79097G	119.74	Inf	-Inf	3	Horizontal	1	1.66
5785MHz	Pass	PK	5.99304G	59.93	68.20	-8.27	3	Horizontal	1	1.66
5785MHz	Pass	AV	11.56056G	37.27	54.00	-16.73	3	Vertical	29	1.50
5785MHz	Pass	PK	11.5692G	50.06	74.00	-23.94	3	Vertical	29	1.50
5785MHz	Pass	AV	11.56016G	37.27	54.00	-16.73	3	Horizontal	259	1.74
5785MHz	Pass	PK	11.57252G	50.20	74.00	-23.80	3	Horizontal	259	1.74
5825MHz	Pass	AV	5.8214G	111.12	Inf	-Inf	3	Vertical	6	1.53
5825MHz	Pass	PK	5.5982G	61.02	68.20	-7.18	3	Vertical	6	1.53
5825MHz	Pass	PK	5.8262G	120.39	Inf	-Inf	3	Vertical	6	1.53
5825MHz	Pass	PK	5.9582G	59.80	68.20	-8.40	3	Vertical	6	1.53
5825MHz	Pass	AV	5.819G	111.13	Inf	-Inf	3	Horizontal	0	1.62
5825MHz	Pass	PK	5.6462G	60.35	68.20	-7.85	3	Horizontal	0	1.62
5825MHz	Pass	PK	5.825G	120.80	Inf	-Inf	3	Horizontal	0	1.62
5825MHz	Pass	PK	6.065G	60.51	68.20	-7.69	3	Horizontal	0	1.62
5825MHz	Pass	AV	11.64748G	36.79	54.00	-17.21	3	Vertical	120	1.50
5825MHz	Pass	PK	11.64912G	49.42	74.00	-24.58	3	Vertical	120	1.50
5825MHz	Pass	AV	11.6424G	36.78	54.00	-17.22	3	Horizontal	332	1.50
5825MHz	Pass	PK	11.64392G	49.38	74.00	-24.62	3	Horizontal	332	1.50
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	51.14	54.00	-2.86	3	Vertical	358	1.50
5180MHz	Pass	AV	5.1746G	106.52	Inf	-Inf	3	Vertical	358	1.50
5180MHz	Pass	PK	5.1392G	66.57	74.00	-7.43	3	Vertical	358	1.50
5180MHz	Pass	PK	5.1858G	120.95	Inf	-Inf	3	Vertical	358	1.50
5180MHz	Pass	AV	5.1392G	49.94	54.00	-4.06	3	Horizontal	0	1.91
5180MHz	Pass	AV	5.1838G	107.97	Inf	-Inf	3	Horizontal	0	1.91
5180MHz	Pass	PK	5.1398G	65.37	74.00	-8.63	3	Horizontal	0	1.91
5180MHz	Pass	PK	5.1784G	121.20	Inf	-Inf	3	Horizontal	0	1.91
5180MHz	Pass	PK	10.35963G	50.22	68.20	-17.98	3	Vertical	37	1.29
5180MHz	Pass	PK	10.35886G	49.96	68.20	-18.24	3	Horizontal	35	1.50
5200MHz	Pass	AV	5.15G	48.11	54.00	-5.89	3	Vertical	356	1.18
5200MHz	Pass	AV	5.2036G	107.66	Inf	-Inf	3	Vertical	356	1.18
5200MHz	Pass	PK	5.15G	62.21	74.00	-11.79	3	Vertical	356	1.18
5200MHz	Pass	PK	5.2064G	121.11	Inf	-Inf	3	Vertical	356	1.18
5200MHz	Pass	AV	5.15G	47.10	54.00	-6.90	3	Horizontal	360	1.50
5200MHz	Pass	AV	5.1924G	106.52	Inf	-Inf	3	Horizontal	360	1.50
5200MHz	Pass	PK	5.1456G	61.44	74.00	-12.56	3	Horizontal	360	1.50



RSE TX above 1GHz_Non-Beamforming_Radio 2 MIMO-directional Antenna 2T1S

Appendix E.16

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5200MHz	Pass	PK	5.1944G	119.94	Inf	-Inf	3	Horizontal	360	1.50
5200MHz	Pass	PK	10.38577G	50.74	68.20	-17.46	3	Vertical	143	1.60
5200MHz	Pass	PK	10.41284G	49.70	68.20	-18.50	3	Horizontal	256	2.99
5240MHz	Pass	AV	5.1494G	45.15	54.00	-8.85	3	Vertical	356	1.50
5240MHz	Pass	AV	5.2346G	106.98	Inf	-Inf	3	Vertical	356	1.50
5240MHz	Pass	AV	5.3828G	45.42	54.00	-8.58	3	Vertical	356	1.50
5240MHz	Pass	PK	5.147G	58.55	74.00	-15.45	3	Vertical	356	1.50
5240MHz	Pass	PK	5.2352G	121.29	Inf	-Inf	3	Vertical	356	1.50
5240MHz	Pass	PK	5.3546G	58.75	74.00	-15.25	3	Vertical	356	1.50
5240MHz	Pass	AV	5.15G	45.26	54.00	-8.74	3	Horizontal	1	1.99
5240MHz	Pass	AV	5.2364G	105.85	Inf	-Inf	3	Horizontal	1	1.99
5240MHz	Pass	AV	5.35G	44.33	54.00	-9.67	3	Horizontal	1	1.99
5240MHz	Pass	PK	5.1158G	58.64	74.00	-15.36	3	Horizontal	1	1.99
5240MHz	Pass	PK	5.2388G	119.13	Inf	-Inf	3	Horizontal	1	1.99
5240MHz	Pass	PK	5.3558G	57.81	74.00	-16.19	3	Horizontal	1	1.99
5240MHz	Pass	PK	10.47641G	49.61	68.20	-18.59	3	Vertical	68	1.50
5240MHz	Pass	PK	10.47022G	49.02	68.20	-19.18	3	Horizontal	257	1.02
5260MHz	Pass	AV	5.15G	44.26	54.00	-9.74	3	Vertical	355	1.50
5260MHz	Pass	AV	5.2618G	107.25	Inf	-Inf	3	Vertical	355	1.50
5260MHz	Pass	AV	5.3536G	45.23	54.00	-8.77	3	Vertical	355	1.50
5260MHz	Pass	PK	5.1466G	57.54	74.00	-16.46	3	Vertical	355	1.50
5260MHz	Pass	PK	5.2648G	120.74	Inf	-Inf	3	Vertical	355	1.50
5260MHz	Pass	PK	5.3632G	60.15	74.00	-13.85	3	Vertical	355	1.50
5260MHz	Pass	AV	5.1496G	45.32	54.00	-8.68	3	Horizontal	0	1.84
5260MHz	Pass	AV	5.2636G	107.32	Inf	-Inf	3	Horizontal	0	1.84
5260MHz	Pass	AV	5.3506G	45.00	54.00	-9.00	3	Horizontal	0	1.84
5260MHz	Pass	PK	5.1484G	58.76	74.00	-15.24	3	Horizontal	0	1.84
5260MHz	Pass	PK	5.2654G	120.77	Inf	-Inf	3	Horizontal	0	1.84
5260MHz	Pass	PK	5.404G	58.63	74.00	-15.37	3	Horizontal	0	1.84
5260MHz	Pass	PK	10.51345G	49.48	68.20	-18.72	3	Vertical	319	1.50
5260MHz	Pass	PK	10.50602G	49.76	68.20	-18.44	3	Horizontal	238	1.64
5300MHz	Pass	AV	5.3072G	106.92	Inf	-Inf	3	Vertical	354	1.50
5300MHz	Pass	AV	5.35G	47.63	54.00	-6.37	3	Vertical	354	1.50
5300MHz	Pass	PK	5.3076G	120.79	Inf	-Inf	3	Vertical	354	1.50
5300MHz	Pass	PK	5.354G	61.77	74.00	-12.23	3	Vertical	354	1.50
5300MHz	Pass	AV	5.292G	105.06	Inf	-Inf	3	Horizontal	0	1.50
5300MHz	Pass	AV	5.35G	47.41	54.00	-6.59	3	Horizontal	0	1.50
5300MHz	Pass	PK	5.3056G	117.86	Inf	-Inf	3	Horizontal	0	1.50
5300MHz	Pass	PK	5.3548G	62.93	74.00	-11.07	3	Horizontal	0	1.50
5300MHz	Pass	AV	10.61181G	35.89	54.00	-18.11	3	Vertical	339	1.69
5300MHz	Pass	PK	10.60472G	50.44	74.00	-23.56	3	Vertical	339	1.69
5300MHz	Pass	AV	10.61362G	35.87	54.00	-18.13	3	Horizontal	126	1.50
5300MHz	Pass	PK	10.60948G	49.40	74.00	-24.60	3	Horizontal	126	1.50
5320MHz	Pass	AV	5.322G	106.42	Inf	-Inf	3	Vertical	360	1.50
5320MHz	Pass	AV	5.35G	51.75	54.00	-2.25	3	Vertical	360	1.50
5320MHz	Pass	PK	5.3152G	120.23	Inf	-Inf	3	Vertical	360	1.50
5320MHz	Pass	PK	5.3614G	67.42	74.00	-6.58	3	Vertical	360	1.50
5320MHz	Pass	AV	5.3262G	106.44	Inf	-Inf	3	Horizontal	0	2.03
5320MHz	Pass	AV	5.35G	52.65	54.00	-1.35	3	Horizontal	0	2.03
5320MHz	Pass	PK	5.3242G	120.31	Inf	-Inf	3	Horizontal	0	2.03
5320MHz	Pass	PK	5.361G	68.92	74.00	-5.08	3	Horizontal	0	2.03
5320MHz	Pass	AV	10.64813G	36.00	54.00	-18.00	3	Vertical	207	1.50
5320MHz	Pass	PK	10.64637G	50.95	74.00	-23.05	3	Vertical	207	1.50
5320MHz	Pass	AV	10.64918G	36.08	54.00	-17.92	3	Horizontal	220	1.38
5320MHz	Pass	PK	10.65056G	50.47	74.00	-23.53	3	Horizontal	220	1.38
5500MHz	Pass	AV	5.4594G	50.46	54.00	-3.54	3	Vertical	357	1.50
5500MHz	Pass	AV	5.494G	106.43	Inf	-Inf	3	Vertical	357	1.50
5500MHz	Pass	PK	5.46G	66.61	74.00	-7.39	3	Vertical	357	1.50
5500MHz	Pass	PK	5.4604G	67.31	68.20	-0.89	3	Vertical	357	1.50
5500MHz	Pass	PK	5.497G	120.65	Inf	-Inf	3	Vertical	357	1.50
5500MHz	Pass	AV	5.4588G	51.08	54.00	-2.92	3	Horizontal	356	2.12
5500MHz	Pass	AV	5.4936G	106.77	Inf	-Inf	3	Horizontal	356	2.12



RSE TX above 1GHz Non-Beamforming Radio 2 MIMO-directional Antenna 2T1S

Appendix E.16

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5500MHz	Pass	PK	5.459G	68.93	74.00	-5.07	3	Horizontal	356	2.12
5500MHz	Pass	PK	5.4608G	67.77	68.20	-0.43	3	Horizontal	356	2.12
5500MHz	Pass	PK	5.4932G	120.06	Inf	-Inf	3	Horizontal	356	2.12
5500MHz	Pass	AV	10.98543G	35.76	54.00	-18.24	3	Vertical	316	1.50
5500MHz	Pass	PK	11.00035G	50.30	74.00	-23.70	3	Vertical	316	1.50
5500MHz	Pass	AV	10.98704G	35.82	54.00	-18.18	3	Horizontal	84	1.50
5500MHz	Pass	PK	10.98794G	49.46	74.00	-24.54	3	Horizontal	84	1.50
5580MHz	Pass	AV	5.46G	44.54	54.00	-9.46	3	Vertical	0	1.50
5580MHz	Pass	AV	5.5716G	105.61	Inf	-Inf	3	Vertical	0	1.50
5580MHz	Pass	PK	5.4588G	58.49	74.00	-15.51	3	Vertical	0	1.50
5580MHz	Pass	PK	5.4696G	57.94	68.20	-10.26	3	Vertical	0	1.50
5580MHz	Pass	PK	5.5866G	119.09	Inf	-Inf	3	Vertical	0	1.50
5580MHz	Pass	PK	5.727G	56.78	68.20	-11.42	3	Vertical	0	1.50
5580MHz	Pass	AV	5.46G	44.91	54.00	-9.09	3	Horizontal	357	2.03
5580MHz	Pass	AV	5.5734G	105.44	Inf	-Inf	3	Horizontal	357	2.03
5580MHz	Pass	PK	5.4564G	58.50	74.00	-15.50	3	Horizontal	357	2.03
5580MHz	Pass	PK	5.4654G	58.91	68.20	-9.29	3	Horizontal	357	2.03
5580MHz	Pass	PK	5.586G	118.89	Inf	-Inf	3	Horizontal	357	2.03
5580MHz	Pass	PK	5.7252G	57.89	68.20	-10.31	3	Horizontal	357	2.03
5580MHz	Pass	AV	11.15513G	35.76	54.00	-18.24	3	Vertical	150	2.42
5580MHz	Pass	PK	11.1515G	49.74	74.00	-24.26	3	Vertical	150	2.42
5580MHz	Pass	AV	11.14758G	35.80	54.00	-18.20	3	Horizontal	145	1.50
5580MHz	Pass	PK	11.15544G	48.86	74.00	-25.14	3	Horizontal	145	1.50
5700MHz	Pass	AV	5.704G	100.29	Inf	-Inf	3	Vertical	0	1.50
5700MHz	Pass	PK	5.704G	114.56	Inf	-Inf	3	Vertical	0	1.50
5700MHz	Pass	PK	5.7308G	62.16	68.20	-6.04	3	Vertical	0	1.50
5700MHz	Pass	AV	5.6948G	101.37	Inf	-Inf	3	Horizontal	356	1.68
5700MHz	Pass	PK	5.692G	114.59	Inf	-Inf	3	Horizontal	356	1.68
5700MHz	Pass	PK	5.7288G	66.66	68.20	-1.54	3	Horizontal	356	1.68
5700MHz	Pass	AV	11.40009G	36.87	54.00	-17.13	3	Vertical	252	1.50
5700MHz	Pass	PK	11.40346G	50.91	74.00	-23.09	3	Vertical	252	1.50
5700MHz	Pass	AV	11.40516G	36.95	54.00	-17.05	3	Horizontal	75	1.50
5700MHz	Pass	PK	11.3952G	50.68	74.00	-23.32	3	Horizontal	75	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4524G	43.93	54.00	-10.07	3	Vertical	357	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.714G	105.54	Inf	-Inf	3	Vertical	357	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4536G	57.03	74.00	-16.97	3	Vertical	357	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	57.11	68.20	-11.09	3	Vertical	357	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7248G	118.44	Inf	-Inf	3	Vertical	357	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9444G	57.80	68.20	-10.40	3	Vertical	357	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4572G	43.57	54.00	-10.43	3	Horizontal	357	1.83
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7128G	105.67	Inf	-Inf	3	Horizontal	357	1.83
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.42G	56.76	74.00	-17.24	3	Horizontal	357	1.83
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	57.02	68.20	-11.18	3	Horizontal	357	1.83
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7116G	118.09	Inf	-Inf	3	Horizontal	357	1.83
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9852G	57.57	68.20	-10.63	3	Horizontal	357	1.83
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44183G	36.89	54.00	-17.11	3	Vertical	249	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44121G	51.28	74.00	-22.72	3	Vertical	249	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44042G	36.94	54.00	-17.06	3	Horizontal	212	2.60
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44732G	51.42	74.00	-22.58	3	Horizontal	212	2.60
5745MHz	Pass	AV	5.4522G	48.65	54.00	-5.35	3	Vertical	3	1.50
5745MHz	Pass	AV	5.739G	111.96	Inf	-Inf	3	Vertical	3	1.50
5745MHz	Pass	PK	5.649G	61.98	68.20	-6.22	3	Vertical	3	1.50
5745MHz	Pass	PK	5.7414G	122.85	Inf	-Inf	3	Vertical	3	1.50
5745MHz	Pass	PK	5.9442G	59.63	68.20	-8.57	3	Vertical	3	1.50
5745MHz	Pass	AV	5.451G	47.95	54.00	-6.05	3	Horizontal	357	1.78
5745MHz	Pass	AV	5.7498G	111.94	Inf	-Inf	3	Horizontal	357	1.78
5745MHz	Pass	PK	5.5038G	61.16	68.20	-7.04	3	Horizontal	357	1.78
5745MHz	Pass	PK	5.7486G	123.40	Inf	-Inf	3	Horizontal	357	1.78
5745MHz	Pass	PK	5.943G	59.38	68.20	-8.82	3	Horizontal	357	1.78
5745MHz	Pass	AV	11.48152G	37.45	54.00	-16.55	3	Vertical	166	2.34
5745MHz	Pass	PK	11.48444G	50.10	74.00	-23.90	3	Vertical	166	2.34
5745MHz	Pass	AV	11.49036G	37.41	54.00	-16.59	3	Horizontal	205	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5745MHz	Pass	PK	11.4818G	50.38	74.00	-23.62	3	Horizontal	205	1.50
5785MHz	Pass	AV	5.79339G	110.52	Inf	-Inf	3	Vertical	7	1.50
5785MHz	Pass	PK	5.64819G	61.71	68.20	-6.49	3	Vertical	7	1.50
5785MHz	Pass	PK	5.79218G	122.36	Inf	-Inf	3	Vertical	7	1.50
5785MHz	Pass	PK	5.94827G	60.01	68.20	-8.19	3	Vertical	7	1.50
5785MHz	Pass	AV	5.77766G	110.83	Inf	-Inf	3	Horizontal	0	1.66
5785MHz	Pass	PK	5.64577G	60.78	68.20	-7.42	3	Horizontal	0	1.66
5785MHz	Pass	PK	5.7825G	121.96	Inf	-Inf	3	Horizontal	0	1.66
5785MHz	Pass	PK	6.05354G	60.24	68.20	-7.96	3	Horizontal	0	1.66
5785MHz	Pass	AV	11.56004G	37.19	54.00	-16.81	3	Vertical	164	1.50
5785MHz	Pass	PK	11.56144G	50.07	74.00	-23.93	3	Vertical	164	1.50
5785MHz	Pass	AV	11.56036G	37.23	54.00	-16.77	3	Horizontal	221	1.50
5785MHz	Pass	PK	11.5704G	49.63	74.00	-24.37	3	Horizontal	221	1.50
5825MHz	Pass	AV	5.8238G	110.26	Inf	-Inf	3	Vertical	7	1.60
5825MHz	Pass	PK	5.5766G	60.61	68.20	-7.59	3	Vertical	7	1.60
5825MHz	Pass	PK	5.8262G	122.14	Inf	-Inf	3	Vertical	7	1.60
5825MHz	Pass	PK	6.1154G	60.64	68.20	-7.56	3	Vertical	7	1.60
5825MHz	Pass	AV	5.8226G	110.55	Inf	-Inf	3	Horizontal	0	1.62
5825MHz	Pass	PK	5.591G	60.26	68.20	-7.94	3	Horizontal	0	1.62
5825MHz	Pass	PK	5.8274G	121.88	Inf	-Inf	3	Horizontal	0	1.62
5825MHz	Pass	PK	6.0938G	59.89	68.20	-8.31	3	Horizontal	0	1.62
5825MHz	Pass	AV	11.6408G	36.85	54.00	-17.15	3	Vertical	223	1.50
5825MHz	Pass	PK	11.65892G	49.73	74.00	-24.27	3	Vertical	223	1.50
5825MHz	Pass	AV	11.6566G	36.83	54.00	-17.17	3	Horizontal	1	1.50
5825MHz	Pass	PK	11.65648G	49.31	74.00	-24.69	3	Horizontal	1	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1496G	53.76	54.00	-0.24	3	Vertical	356	1.27
5190MHz	Pass	AV	5.2064G	105.04	Inf	-Inf	3	Vertical	356	1.27
5190MHz	Pass	PK	5.1496G	66.82	74.00	-7.18	3	Vertical	356	1.27
5190MHz	Pass	PK	5.1996G	118.56	Inf	-Inf	3	Vertical	356	1.27
5190MHz	Pass	AV	5.15G	50.79	54.00	-3.21	3	Horizontal	0	1.50
5190MHz	Pass	AV	5.1856G	104.63	Inf	-Inf	3	Horizontal	0	1.50
5190MHz	Pass	PK	5.1492G	68.70	74.00	-5.30	3	Horizontal	0	1.50
5190MHz	Pass	PK	5.1844G	117.84	Inf	-Inf	3	Horizontal	0	1.50
5190MHz	Pass	PK	10.39898G	50.14	68.20	-18.06	3	Vertical	273	1.50
5190MHz	Pass	PK	10.39452G	49.24	68.20	-18.96	3	Horizontal	181	2.02
5230MHz	Pass	AV	5.15G	48.90	54.00	-5.10	3	Vertical	355	1.39
5230MHz	Pass	AV	5.2344G	104.83	Inf	-Inf	3	Vertical	355	1.39
5230MHz	Pass	PK	5.1496G	63.21	74.00	-10.79	3	Vertical	355	1.39
5230MHz	Pass	PK	5.2332G	118.04	Inf	-Inf	3	Vertical	355	1.39
5230MHz	Pass	AV	5.15G	48.80	54.00	-5.20	3	Horizontal	0	1.72
5230MHz	Pass	AV	5.2148G	103.42	Inf	-Inf	3	Horizontal	0	1.72
5230MHz	Pass	PK	5.1472G	63.52	74.00	-10.48	3	Horizontal	0	1.72
5230MHz	Pass	PK	5.2152G	117.49	Inf	-Inf	3	Horizontal	0	1.72
5230MHz	Pass	PK	10.47185G	49.81	68.20	-18.39	3	Vertical	158	2.28
5230MHz	Pass	PK	10.44284G	49.96	68.20	-18.24	3	Horizontal	269	3.00
5270MHz	Pass	AV	5.2596G	104.55	Inf	-Inf	3	Vertical	354	1.50
5270MHz	Pass	AV	5.35G	49.85	54.00	-4.15	3	Vertical	354	1.50
5270MHz	Pass	PK	5.2648G	118.71	Inf	-Inf	3	Vertical	354	1.50
5270MHz	Pass	PK	5.3592G	72.34	74.00	-1.66	3	Vertical	354	1.50
5270MHz	Pass	AV	5.264G	105.93	Inf	-Inf	3	Horizontal	355	2.06
5270MHz	Pass	AV	5.35G	50.44	54.00	-3.56	3	Horizontal	355	2.06
5270MHz	Pass	PK	5.2684G	119.27	Inf	-Inf	3	Horizontal	355	2.06
5270MHz	Pass	PK	5.3504G	63.72	74.00	-10.28	3	Horizontal	355	2.06
5270MHz	Pass	PK	10.55059G	49.92	68.20	-18.28	3	Vertical	265	1.50
5270MHz	Pass	PK	10.5562G	49.52	68.20	-18.68	3	Horizontal	299	2.68
5310MHz	Pass	AV	5.3164G	104.64	Inf	-Inf	3	Vertical	356	1.27
5310MHz	Pass	AV	5.3516G	53.85	54.00	-0.15	3	Vertical	356	1.27
5310MHz	Pass	PK	5.3172G	117.85	Inf	-Inf	3	Vertical	356	1.27
5310MHz	Pass	PK	5.35G	68.52	74.00	-5.48	3	Vertical	356	1.27
5310MHz	Pass	AV	5.3236G	103.01	Inf	-Inf	3	Horizontal	0	1.97
5310MHz	Pass	AV	5.3508G	53.62	54.00	-0.38	3	Horizontal	0	1.97



RSE TX above 1GHz Non-Beamforming Radio 2 MIMO-directional Antenna 2T1S

Appendix E.16

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5310MHz	Pass	PK	5.3236G	116.53	Inf	-Inf	3	Horizontal	0	1.97
5310MHz	Pass	PK	5.3508G	66.72	74.00	-7.28	3	Horizontal	0	1.97
5310MHz	Pass	AV	10.64912G	36.43	54.00	-17.57	3	Vertical	18	1.50
5310MHz	Pass	PK	10.60103G	50.40	74.00	-23.60	3	Vertical	18	1.50
5310MHz	Pass	AV	10.64736G	36.51	54.00	-17.49	3	Horizontal	283	1.56
5310MHz	Pass	PK	10.6024G	49.43	74.00	-24.57	3	Horizontal	283	1.56
5510MHz	Pass	AV	5.46G	47.67	54.00	-6.33	3	Vertical	357	1.50
5510MHz	Pass	AV	5.5168G	101.74	Inf	-Inf	3	Vertical	357	1.50
5510MHz	Pass	PK	5.4592G	64.63	74.00	-9.37	3	Vertical	357	1.50
5510MHz	Pass	PK	5.4668G	67.34	68.20	-0.86	3	Vertical	357	1.50
5510MHz	Pass	PK	5.4992G	115.28	Inf	-Inf	3	Vertical	357	1.50
5510MHz	Pass	AV	5.46G	49.39	54.00	-4.61	3	Horizontal	357	1.97
5510MHz	Pass	AV	5.4956G	101.93	Inf	-Inf	3	Horizontal	357	1.97
5510MHz	Pass	PK	5.4592G	65.05	74.00	-8.95	3	Horizontal	357	1.97
5510MHz	Pass	PK	5.4648G	67.78	68.20	-0.42	3	Horizontal	357	1.97
5510MHz	Pass	PK	5.5128G	115.70	Inf	-Inf	3	Horizontal	357	1.97
5510MHz	Pass	AV	11.01763G	35.73	54.00	-18.27	3	Vertical	187	2.36
5510MHz	Pass	PK	11.03054G	50.10	74.00	-23.90	3	Vertical	187	2.36
5510MHz	Pass	AV	11.01976G	35.73	54.00	-18.27	3	Horizontal	360	2.97
5510MHz	Pass	PK	11.0284G	49.70	74.00	-24.30	3	Horizontal	360	2.97
5550MHz	Pass	AV	5.46G	47.96	54.00	-6.04	3	Vertical	360	1.50
5550MHz	Pass	AV	5.5364G	103.72	Inf	-Inf	3	Vertical	360	1.50
5550MHz	Pass	PK	5.456G	61.63	74.00	-12.37	3	Vertical	360	1.50
5550MHz	Pass	PK	5.4688G	64.28	68.20	-3.92	3	Vertical	360	1.50
5550MHz	Pass	PK	5.5572G	117.30	Inf	-Inf	3	Vertical	360	1.50
5550MHz	Pass	AV	5.46G	48.07	54.00	-5.93	3	Horizontal	355	1.69
5550MHz	Pass	AV	5.5548G	103.09	Inf	-Inf	3	Horizontal	355	1.69
5550MHz	Pass	PK	5.4544G	61.69	74.00	-12.31	3	Horizontal	355	1.69
5550MHz	Pass	PK	5.4692G	63.93	68.20	-4.27	3	Horizontal	355	1.69
5550MHz	Pass	PK	5.5648G	116.91	Inf	-Inf	3	Horizontal	355	1.69
5550MHz	Pass	AV	11.07133G	35.62	54.00	-18.38	3	Vertical	265	1.50
5550MHz	Pass	PK	11.09534G	49.45	74.00	-24.55	3	Vertical	265	1.50
5550MHz	Pass	AV	11.11332G	35.56	54.00	-18.44	3	Horizontal	304	2.85
5550MHz	Pass	PK	11.1012G	49.72	74.00	-24.28	3	Horizontal	304	2.85
5670MHz	Pass	AV	5.6742G	101.86	Inf	-Inf	3	Vertical	359	1.50
5670MHz	Pass	PK	5.667G	116.56	Inf	-Inf	3	Vertical	359	1.50
5670MHz	Pass	PK	5.7252G	66.81	68.20	-1.39	3	Vertical	359	1.50
5670MHz	Pass	AV	5.6676G	102.30	Inf	-Inf	3	Horizontal	356	1.70
5670MHz	Pass	PK	5.6736G	115.36	Inf	-Inf	3	Horizontal	356	1.70
5670MHz	Pass	PK	5.7258G	67.53	68.20	-0.67	3	Horizontal	356	1.70
5670MHz	Pass	AV	11.36506G	36.76	54.00	-17.24	3	Vertical	166	2.67
5670MHz	Pass	PK	11.34419G	50.85	74.00	-23.15	3	Vertical	166	2.67
5670MHz	Pass	AV	11.36388G	36.76	54.00	-17.24	3	Horizontal	294	1.50
5670MHz	Pass	PK	11.3424G	50.76	74.00	-23.24	3	Horizontal	294	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	44.24	54.00	-9.76	3	Vertical	0	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.704G	103.26	Inf	-Inf	3	Vertical	0	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4556G	57.81	74.00	-16.19	3	Vertical	0	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4604G	57.48	68.20	-10.72	3	Vertical	0	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7064G	117.37	Inf	-Inf	3	Vertical	0	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9536G	57.63	68.20	-10.57	3	Vertical	0	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.458G	43.81	54.00	-10.19	3	Horizontal	355	1.74
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.692G	103.94	Inf	-Inf	3	Horizontal	355	1.74
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4316G	57.40	74.00	-16.60	3	Horizontal	355	1.74
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4688G	56.93	68.20	-11.27	3	Horizontal	355	1.74
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.6944G	116.47	Inf	-Inf	3	Horizontal	355	1.74
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9884G	58.58	68.20	-9.62	3	Horizontal	355	1.74
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.40163G	36.94	54.00	-17.06	3	Vertical	123	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.40477G	50.92	74.00	-23.08	3	Vertical	123	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.44208G	36.92	54.00	-17.08	3	Horizontal	57	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.40572G	50.55	74.00	-23.45	3	Horizontal	57	1.50
5755MHz	Pass	AV	5.4574G	48.87	54.00	-5.13	3	Vertical	5	1.59
5755MHz	Pass	AV	5.7406G	109.54	Inf	-Inf	3	Vertical	5	1.59

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5755MHz	Pass	PK	5.6458G	65.03	68.20	-3.17	3	Vertical	5	1.59
5755MHz	Pass	PK	5.7514G	121.44	Inf	-Inf	3	Vertical	5	1.59
5755MHz	Pass	PK	6.0406G	60.03	68.20	-8.17	3	Vertical	5	1.59
5755MHz	Pass	AV	5.4586G	47.90	54.00	-6.10	3	Horizontal	0	1.75
5755MHz	Pass	AV	5.7478G	109.13	Inf	-Inf	3	Horizontal	0	1.75
5755MHz	Pass	PK	5.6458G	62.69	68.20	-5.51	3	Horizontal	0	1.75
5755MHz	Pass	PK	5.7598G	120.22	Inf	-Inf	3	Horizontal	0	1.75
5755MHz	Pass	PK	6.019G	60.48	68.20	-7.72	3	Horizontal	0	1.75
5755MHz	Pass	AV	11.5012G	37.40	54.00	-16.60	3	Vertical	220	1.50
5755MHz	Pass	PK	11.50096G	49.49	74.00	-24.51	3	Vertical	220	1.50
5755MHz	Pass	AV	11.5026G	37.36	54.00	-16.64	3	Horizontal	156	1.50
5755MHz	Pass	PK	11.50216G	49.31	74.00	-24.69	3	Horizontal	156	1.50
5795MHz	Pass	AV	5.801G	107.94	Inf	-Inf	3	Vertical	8	1.64
5795MHz	Pass	PK	5.6462G	62.10	68.20	-6.10	3	Vertical	8	1.64
5795MHz	Pass	PK	5.7962G	119.50	Inf	-Inf	3	Vertical	8	1.64
5795MHz	Pass	PK	6.0086G	60.51	68.20	-7.69	3	Vertical	8	1.64
5795MHz	Pass	AV	5.7998G	107.55	Inf	-Inf	3	Horizontal	0	1.71
5795MHz	Pass	PK	5.6366G	61.76	68.20	-6.44	3	Horizontal	0	1.71
5795MHz	Pass	PK	5.7866G	119.68	Inf	-Inf	3	Horizontal	0	1.71
5795MHz	Pass	PK	6.0194G	59.81	68.20	-8.39	3	Horizontal	0	1.71
5795MHz	Pass	AV	11.58032G	36.95	54.00	-17.05	3	Vertical	58	1.50
5795MHz	Pass	PK	11.58244G	49.56	74.00	-24.44	3	Vertical	58	1.50
5795MHz	Pass	AV	11.58024G	36.81	54.00	-17.19	3	Horizontal	335	1.50
5795MHz	Pass	PK	11.5976G	49.10	74.00	-24.90	3	Horizontal	335	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.149G	43.95	54.00	-10.05	3	Vertical	180	3.00
5210MHz	Pass	AV	5.224G	87.50	Inf	-Inf	3	Vertical	180	3.00
5210MHz	Pass	AV	5.37G	42.84	54.00	-11.16	3	Vertical	180	3.00
5210MHz	Pass	PK	5.146G	57.37	74.00	-16.63	3	Vertical	180	3.00
5210MHz	Pass	PK	5.224G	100.90	Inf	-Inf	3	Vertical	180	3.00
5210MHz	Pass	PK	5.43G	56.56	74.00	-17.44	3	Vertical	180	3.00
5210MHz	Pass	AV	5.149G	44.52	54.00	-9.48	3	Horizontal	217	2.45
5210MHz	Pass	AV	5.222G	91.45	Inf	-Inf	3	Horizontal	217	2.45
5210MHz	Pass	AV	5.355G	43.25	54.00	-10.75	3	Horizontal	217	2.45
5210MHz	Pass	PK	5.15G	57.53	74.00	-16.47	3	Horizontal	217	2.45
5210MHz	Pass	PK	5.217G	105.26	Inf	-Inf	3	Horizontal	217	2.45
5210MHz	Pass	PK	5.382G	57.35	74.00	-16.65	3	Horizontal	217	2.45
5210MHz	Pass	PK	10.41101G	49.88	68.20	-18.32	3	Vertical	138	1.50
5210MHz	Pass	PK	10.46632G	49.49	68.20	-18.71	3	Horizontal	43	1.50
5290MHz	Pass	AV	5.149G	46.16	54.00	-7.84	3	Vertical	360	1.50
5290MHz	Pass	AV	5.307G	98.98	Inf	-Inf	3	Vertical	360	1.50
5290MHz	Pass	AV	5.35G	53.81	54.00	-0.19	3	Vertical	360	1.50
5290MHz	Pass	PK	5.145G	59.23	74.00	-14.77	3	Vertical	360	1.50
5290MHz	Pass	PK	5.318G	113.46	Inf	-Inf	3	Vertical	360	1.50
5290MHz	Pass	PK	5.35G	65.98	74.00	-8.02	3	Vertical	360	1.50
5290MHz	Pass	PK	5.468G	61.12	68.20	-7.08	3	Vertical	360	1.50
5290MHz	Pass	AV	5.149G	48.39	54.00	-5.61	3	Horizontal	354	1.93
5290MHz	Pass	AV	5.276G	101.26	Inf	-Inf	3	Horizontal	354	1.93
5290MHz	Pass	AV	5.35G	52.76	54.00	-1.24	3	Horizontal	354	1.93
5290MHz	Pass	PK	5.15G	61.11	74.00	-12.89	3	Horizontal	354	1.93
5290MHz	Pass	PK	5.266G	114.53	Inf	-Inf	3	Horizontal	354	1.93
5290MHz	Pass	PK	5.35G	66.68	74.00	-7.32	3	Horizontal	354	1.93
5290MHz	Pass	PK	5.464G	60.32	68.20	-7.88	3	Horizontal	354	1.93
5290MHz	Pass	AV	10.61362G	35.91	54.00	-18.09	3	Vertical	312	1.86
5290MHz	Pass	PK	10.60409G	50.57	74.00	-23.43	3	Vertical	312	1.86
5290MHz	Pass	AV	10.6316G	35.87	54.00	-18.13	3	Horizontal	290	2.75
5290MHz	Pass	PK	10.60248G	49.39	74.00	-24.61	3	Horizontal	290	2.75
5530MHz	Pass	AV	5.35G	43.86	54.00	-10.14	3	Vertical	358	1.50
5530MHz	Pass	AV	5.459G	50.54	54.00	-3.46	3	Vertical	358	1.50
5530MHz	Pass	AV	5.517G	99.20	Inf	-Inf	3	Vertical	358	1.50
5530MHz	Pass	PK	5.328G	57.46	68.20	-10.74	3	Vertical	358	1.50
5530MHz	Pass	PK	5.46G	63.23	74.00	-10.77	3	Vertical	358	1.50



RSE TX above 1GHz Non-Beamforming Radio 2 MIMO-directional Antenna 2T1S

Appendix E.16

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5530MHz	Pass	PK	5.465G	64.59	68.20	-3.61	3	Vertical	358	1.50
5530MHz	Pass	PK	5.521G	113.03	Inf	-Inf	3	Vertical	358	1.50
5530MHz	Pass	PK	5.726G	57.57	68.20	-10.63	3	Vertical	358	1.50
5530MHz	Pass	AV	5.35G	45.54	54.00	-8.46	3	Horizontal	360	1.89
5530MHz	Pass	AV	5.46G	52.88	54.00	-1.12	3	Horizontal	360	1.89
5530MHz	Pass	AV	5.516G	99.46	Inf	-Inf	3	Horizontal	360	1.89
5530MHz	Pass	PK	5.347G	59.46	68.20	-8.74	3	Horizontal	360	1.89
5530MHz	Pass	PK	5.458G	66.10	74.00	-7.90	3	Horizontal	360	1.89
5530MHz	Pass	PK	5.469G	67.53	68.20	-0.67	3	Horizontal	360	1.89
5530MHz	Pass	PK	5.492G	113.22	Inf	-Inf	3	Horizontal	360	1.89
5530MHz	Pass	PK	5.732G	59.02	68.20	-9.18	3	Horizontal	360	1.89
5530MHz	Pass	AV	11.02109G	35.78	54.00	-18.22	3	Vertical	176	2.30
5530MHz	Pass	PK	11.01764G	49.46	74.00	-24.54	3	Vertical	176	2.30
5530MHz	Pass	AV	11.01872G	35.77	54.00	-18.23	3	Horizontal	236	1.38
5530MHz	Pass	PK	11.02112G	49.67	74.00	-24.33	3	Horizontal	236	1.38
5610MHz	Pass	AV	5.459G	48.35	54.00	-5.65	3	Vertical	0	1.50
5610MHz	Pass	AV	5.597G	99.53	Inf	-Inf	3	Vertical	0	1.50
5610MHz	Pass	PK	5.46G	61.47	74.00	-12.53	3	Vertical	0	1.50
5610MHz	Pass	PK	5.467G	62.12	68.20	-6.08	3	Vertical	0	1.50
5610MHz	Pass	PK	5.592G	112.84	Inf	-Inf	3	Vertical	0	1.50
5610MHz	Pass	PK	5.733G	62.08	68.20	-6.12	3	Vertical	0	1.50
5610MHz	Pass	AV	5.46G	48.48	54.00	-5.52	3	Horizontal	357	1.67
5610MHz	Pass	AV	5.62G	99.56	Inf	-Inf	3	Horizontal	357	1.67
5610MHz	Pass	PK	5.459G	61.74	74.00	-12.26	3	Horizontal	357	1.67
5610MHz	Pass	PK	5.466G	62.24	68.20	-5.96	3	Horizontal	357	1.67
5610MHz	Pass	PK	5.623G	112.99	Inf	-Inf	3	Horizontal	357	1.67
5610MHz	Pass	PK	5.736G	62.81	68.20	-5.39	3	Horizontal	357	1.67
5610MHz	Pass	AV	11.22925G	36.30	54.00	-17.70	3	Vertical	89	1.50
5610MHz	Pass	PK	11.22679G	50.14	74.00	-23.86	3	Vertical	89	1.50
5610MHz	Pass	AV	11.22808G	36.41	54.00	-17.59	3	Horizontal	314	2.33
5610MHz	Pass	PK	11.22792G	49.85	74.00	-24.15	3	Horizontal	314	2.33
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	45.15	54.00	-8.85	3	Vertical	0	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6768G	99.30	Inf	-Inf	3	Vertical	0	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.3984G	58.70	74.00	-15.30	3	Vertical	0	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	58.32	68.20	-9.88	3	Vertical	0	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.684G	112.23	Inf	-Inf	3	Vertical	0	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.966G	58.09	68.20	-10.11	3	Vertical	0	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	45.17	54.00	-8.83	3	Horizontal	354	1.89
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.678G	101.78	Inf	-Inf	3	Horizontal	354	1.89
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.3912G	59.50	74.00	-14.50	3	Horizontal	354	1.89
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	58.49	68.20	-9.71	3	Horizontal	354	1.89
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6936G	115.83	Inf	-Inf	3	Horizontal	354	1.89
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	58.86	68.20	-9.34	3	Horizontal	354	1.89
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.40177G	37.37	54.00	-16.63	3	Vertical	189	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37183G	50.73	74.00	-23.27	3	Vertical	189	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.39968G	37.44	54.00	-16.56	3	Horizontal	279	2.21
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.42776G	50.67	74.00	-23.33	3	Horizontal	279	2.21
5775MHz	Pass	AV	5.7462G	105.07	Inf	-Inf	3	Vertical	6	1.61
5775MHz	Pass	PK	5.6502G	67.80	68.35	-0.55	3	Vertical	6	1.61
5775MHz	Pass	PK	5.7474G	117.20	Inf	-Inf	3	Vertical	6	1.61
5775MHz	Pass	PK	6.021G	60.09	68.20	-8.11	3	Vertical	6	1.61
5775MHz	Pass	AV	5.7474G	104.95	Inf	-Inf	3	Horizontal	0	1.74
5775MHz	Pass	PK	5.6478G	65.99	68.20	-2.21	3	Horizontal	0	1.74
5775MHz	Pass	PK	5.7522G	116.60	Inf	-Inf	3	Horizontal	0	1.74
5775MHz	Pass	PK	5.9586G	60.52	68.20	-7.68	3	Horizontal	0	1.74
5775MHz	Pass	AV	11.54168G	37.39	54.00	-16.61	3	Vertical	268	1.50
5775MHz	Pass	PK	11.54144G	50.18	74.00	-23.82	3	Vertical	268	1.50
5775MHz	Pass	AV	11.54072G	37.35	54.00	-16.65	3	Horizontal	306	1.50
5775MHz	Pass	PK	11.54088G	50.63	74.00	-23.37	3	Horizontal	306	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1492G	50.00	54.00	-4.00	3	Vertical	357	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3124G	95.42	Inf	-Inf	3	Vertical	357	1.50




RSE TX above 1GHz_Non-Beamforming_Radio 2 MIMO-directional Antenna_2T1S

Appendix E.16

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3544G	49.01	54.00	-4.99	3	Vertical	357	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1456G	70.03	74.00	-3.97	3	Vertical	357	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3112G	108.71	Inf	-Inf	3	Vertical	357	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3568G	71.85	74.00	-2.15	3	Vertical	357	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.49G	62.15	68.20	-6.05	3	Vertical	357	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	53.82	54.00	-0.18	3	Horizontal	357	1.94
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1888G	98.31	Inf	-Inf	3	Horizontal	357	1.94
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.35G	50.66	54.00	-3.34	3	Horizontal	357	1.94
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.124G	71.92	74.00	-2.08	3	Horizontal	357	1.94
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1876G	111.79	Inf	-Inf	3	Horizontal	357	1.94
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3772G	72.34	74.00	-1.66	3	Horizontal	357	1.94
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4636G	63.45	68.20	-4.75	3	Horizontal	357	1.94
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.47818G	50.10	68.20	-18.10	3	Vertical	7	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.46084G	49.56	68.20	-18.64	3	Horizontal	75	2.36
5570MHz	Pass	AV	5.4572G	50.12	54.00	-3.88	3	Vertical	357	1.50
5570MHz	Pass	AV	5.4944G	95.15	Inf	-Inf	3	Vertical	357	1.50
5570MHz	Pass	PK	5.3264G	59.89	68.20	-8.31	3	Vertical	357	1.50
5570MHz	Pass	PK	5.4344G	69.09	74.00	-4.91	3	Vertical	357	1.50
5570MHz	Pass	PK	5.462G	67.85	68.20	-0.35	3	Vertical	357	1.50
5570MHz	Pass	PK	5.5088G	108.46	Inf	-Inf	3	Vertical	357	1.50
5570MHz	Pass	PK	5.7392G	62.96	68.20	-5.24	3	Vertical	357	1.50
5570MHz	Pass	AV	5.4584G	51.59	54.00	-2.41	3	Horizontal	356	1.99
5570MHz	Pass	AV	5.4932G	95.75	Inf	-Inf	3	Horizontal	356	1.99
5570MHz	Pass	PK	5.3444G	60.61	68.20	-7.59	3	Horizontal	356	1.99
5570MHz	Pass	PK	5.4092G	69.96	74.00	-4.04	3	Horizontal	356	1.99
5570MHz	Pass	PK	5.462G	66.33	68.20	-1.87	3	Horizontal	356	1.99
5570MHz	Pass	PK	5.5064G	108.24	Inf	-Inf	3	Horizontal	356	1.99
5570MHz	Pass	PK	5.726G	68.00	68.20	-0.20	3	Horizontal	356	1.99
5570MHz	Pass	AV	11.25863G	36.48	54.00	-17.52	3	Vertical	21	1.50
5570MHz	Pass	PK	11.25537G	50.32	74.00	-23.68	3	Vertical	21	1.50
5570MHz	Pass	AV	11.25904G	36.45	54.00	-17.55	3	Horizontal	171	1.50
5570MHz	Pass	PK	11.23552G	49.75	74.00	-24.25	3	Horizontal	171	1.50


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX



5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	53.76	54.00	-0.24	1.02	3	Vertical	356	1.27	52.74	33.50	4.81	37.29
AV	5.2064G	105.04	Inf	-Inf	0.82	3	Vertical	356	1.27	104.22	33.29	4.84	37.31
PK	5.1496G	66.82	74.00	-7.18	1.02	3	Vertical	356	1.27	65.80	33.50	4.81	37.29
PK	5.1996G	118.56	Inf	-Inf	0.84	3	Vertical	356	1.27	117.72	33.30	4.84	37.30

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.79	54.00	-3.21	1.02	3	Horizontal	0	1.50	49.77	33.50	4.81	37.29
AV	5.1856G	104.63	Inf	-Inf	0.89	3	Horizontal	0	1.50	103.74	33.36	4.83	37.30
PK	5.1492G	68.70	74.00	-5.30	1.02	3	Horizontal	0	1.50	67.68	33.50	4.81	37.29
PK	5.1844G	117.84	Inf	-Inf	0.89	3	Horizontal	0	1.50	116.95	33.36	4.83	37.30


5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	43.95	54.00	-10.05	1.01	3	Vertical	180	3.00	42.94	33.49	4.81	37.29
AV	5.224G	87.50	Inf	-Inf	0.79	3	Vertical	180	3.00	86.71	33.25	4.85	37.31
AV	5.37G	42.84	54.00	-11.16	0.64	3	Vertical	180	3.00	42.20	33.06	4.92	37.34
PK	5.146G	57.37	74.00	-16.63	1.00	3	Vertical	180	3.00	56.37	33.48	4.81	37.29
PK	5.224G	100.90	Inf	-Inf	0.79	3	Vertical	180	3.00	100.11	33.25	4.85	37.31
PK	5.43G	56.56	74.00	-17.44	0.59	3	Vertical	180	3.00	55.97	33.00	4.94	37.35

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	44.52	54.00	-9.48	1.01	3	Horizontal	217	2.45	43.51	33.49	4.81	37.29
AV	5.222G	91.45	Inf	-Inf	0.80	3	Horizontal	217	2.45	90.65	33.26	4.85	37.31
AV	5.355G	43.25	54.00	-10.75	0.66	3	Horizontal	217	2.45	42.59	33.09	4.91	37.34
PK	5.15G	57.53	74.00	-16.47	1.02	3	Horizontal	217	2.45	56.51	33.50	4.81	37.29
PK	5.217G	105.26	Inf	-Inf	0.81	3	Horizontal	217	2.45	104.45	33.27	4.85	37.31
PK	5.382G	57.35	74.00	-16.65	0.62	3	Horizontal	217	2.45	56.73	33.04	4.92	37.34


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	48.61	54.00	-5.39	0.64	3	Vertical	356	1.50	47.97	33.06	4.94	37.36
AV	5.5034G	106.12	Inf	-Inf	0.88	3	Vertical	356	1.50	105.24	33.29	4.96	37.37
PK	5.4592G	66.82	74.00	-7.18	0.64	3	Vertical	356	1.50	66.18	33.06	4.94	37.36
PK	5.4602G	64.08	68.20	-4.12	0.65	3	Vertical	356	1.50	63.43	33.06	4.95	37.36
PK	5.4984G	118.63	Inf	-Inf	0.87	3	Vertical	356	1.50	117.76	33.29	4.95	37.37

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.65	54.00	-4.35	0.65	3	Horizontal	360	2.14	49.00	33.06	4.95	37.36
AV	5.4974G	106.59	Inf	-Inf	0.86	3	Horizontal	360	2.14	105.73	33.28	4.95	37.37
PK	5.459G	66.84	74.00	-7.16	0.63	3	Horizontal	360	2.14	66.21	33.05	4.94	37.36
PK	5.4644G	67.25	68.20	-0.95	0.68	3	Horizontal	360	2.14	66.57	33.09	4.95	37.36
PK	5.5046G	118.41	Inf	-Inf	0.88	3	Horizontal	360	2.14	117.53	33.29	4.96	37.37

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX

