



5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	43.31	54.00	-10.69	0.67	3	Horizontal	2	1.77	42.64	33.10	4.91	37.34
AV	5.46G	52.83	54.00	-1.17	0.65	3	Horizontal	2	1.77	52.18	33.06	4.95	37.36
AV	5.517G	98.79	Inf	-Inf	0.87	3	Horizontal	2	1.77	97.92	33.27	4.96	37.36
PK	5.337G	56.39	68.20	-11.81	0.67	3	Horizontal	2	1.77	55.72	33.10	4.90	37.33
PK	5.46G	66.63	74.00	-7.37	0.65	3	Horizontal	2	1.77	65.98	33.06	4.95	37.36
PK	5.464G	67.21	68.20	-0.99	0.67	3	Horizontal	2	1.77	66.54	33.08	4.95	37.36
PK	5.522G	111.81	Inf	-Inf	0.86	3	Horizontal	2	1.77	110.95	33.26	4.96	37.36
PK	5.73G	57.29	68.20	-10.91	1.76	3	Horizontal	2	1.77	55.53	33.92	5.11	37.27

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06424G	35.38	54.00	-18.62	4.09	3	Vertical	185	1.50	31.29	38.80	7.60	42.31
PK	11.05416G	48.43	74.00	-25.57	4.06	3	Vertical	185	1.50	44.37	38.80	7.59	42.33


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4498G	46.30	54.00	-7.70	5.30	3	Horizontal	0	1.50	41.00	32.80	7.57	35.07
AV	5.7402G	109.04	Inf	-Inf	6.24	3	Horizontal	0	1.50	102.80	33.68	7.73	35.17
PK	5.463G	59.11	68.20	-9.09	5.30	3	Horizontal	0	1.50	53.81	32.80	7.57	35.07
PK	5.7402G	117.32	Inf	-Inf	6.24	3	Horizontal	0	1.50	111.08	33.68	7.73	35.17
PK	5.9886G	59.98	68.20	-8.22	6.55	3	Horizontal	0	1.50	53.43	34.08	7.75	35.28

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4915G	36.96	54.00	-17.04	15.69	3	Vertical	257	1.50	21.27	38.90	10.81	34.02
PK	11.49294G	49.78	74.00	-24.22	15.69	3	Vertical	257	1.50	34.09	38.90	10.81	34.02


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4574G	46.37	54.00	-7.63	5.30	3	Horizontal	0	1.63	41.07	32.80	7.57	35.07
AV	5.7502G	105.84	Inf	-Inf	6.27	3	Horizontal	0	1.63	99.57	33.70	7.75	35.18
PK	5.6494G	60.20	68.20	-8.00	5.54	3	Horizontal	0	1.63	54.66	33.10	7.57	35.13
PK	5.7502G	117.67	Inf	-Inf	6.27	3	Horizontal	0	1.63	111.40	33.70	7.75	35.18
PK	6.0082G	60.92	68.20	-7.28	6.56	3	Horizontal	0	1.63	54.36	34.08	7.76	35.28

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48768G	37.01	54.00	-16.99	15.69	3	Vertical	162	1.28	21.32	38.90	10.81	34.02
PK	11.50724G	49.57	74.00	-24.43	15.69	3	Vertical	162	1.28	33.88	38.89	10.82	34.02


5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX





RSE TX below 1GHz_Non-Beamforming_Radio 2
Dipole Antenna_2T2S

Appendix E.5

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	PK	47.46M	36.82	40.00	-3.18	3	Vertical	360	1.00



RSE TX below 1GHz_Non-Beamforming_Radio 2
Dipole Antenna_2T2S


Appendix E.5

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5775MHz_Adapter	Pass	PK	38.73M	32.97	40.00	-7.03	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	47.46M	36.82	40.00	-3.18	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	54.25M	35.70	40.00	-4.30	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	99.84M	30.74	43.50	-12.76	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	146.4M	22.52	43.50	-20.98	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	195.87M	25.22	43.50	-18.28	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	44.55M	24.63	40.00	-15.37	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	57.16M	25.77	40.00	-14.23	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	127M	31.73	43.50	-11.77	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	165.8M	27.95	43.50	-15.55	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	549.92M	28.69	46.00	-17.31	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	742.95M	29.74	46.00	-16.26	3	Horizontal	0	1.00


5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_Adapter



5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_Adapter





RSE TX above 1GHz_Non-Beamforming_Radio 2
Dipole Antenna_2T2S

Appendix E.6

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.1398G	46.04	54.00	-7.96	3	Horizontal	187	1.08
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.15G	48.52	54.00	-5.48	3	Horizontal	175	2.73
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.148G	50.97	54.00	-3.03	3	Horizontal	189	2.74
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.35G	48.66	54.00	-5.34	3	Horizontal	183	1.00
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.35G	50.18	54.00	-3.82	3	Horizontal	0	1.00
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.35G	50.53	54.00	-3.47	3	Horizontal	182	2.77
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	AV	5.148G	52.91	54.00	-1.09	3	Horizontal	179	2.93
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	PK	5.7264G	67.40	68.20	-0.80	3	Horizontal	359	1.00
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	PK	5.4632G	67.29	68.20	-0.91	3	Horizontal	0	3.00
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.46G	51.02	54.00	-2.98	3	Horizontal	0	3.00
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	PK	5.4644G	66.98	68.20	-1.22	3	Horizontal	181	2.65
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.4486G	46.30	54.00	-7.70	3	Horizontal	190	1.20
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.455G	46.28	54.00	-7.72	3	Horizontal	188	1.26
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	PK	5.6478G	62.49	68.20	-5.71	3	Horizontal	188	1.25



RSE TX above 1GHz_Non-Beamforming_Radio 2 Dipole Antenna_2T2S

Appendix E.6

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1398G	46.04	54.00	-7.96	3	Horizontal	187	1.08
5180MHz	Pass	AV	5.1782G	101.45	Inf	-Inf	3	Horizontal	187	1.08
5180MHz	Pass	PK	5.1398G	59.92	74.00	-14.08	3	Horizontal	187	1.08
5180MHz	Pass	PK	5.1854G	115.05	Inf	-Inf	3	Horizontal	187	1.08
5180MHz	Pass	PK	10.36984G	49.27	68.20	-18.93	3	Vertical	253	1.50
5180MHz	Pass	PK	10.35802G	48.68	68.20	-19.52	3	Horizontal	128	1.49
5200MHz	Pass	AV	5.15G	44.70	54.00	-9.30	3	Horizontal	176	2.68
5200MHz	Pass	AV	5.1964G	102.95	Inf	-Inf	3	Horizontal	176	2.68
5200MHz	Pass	PK	5.1396G	57.94	74.00	-16.06	3	Horizontal	176	2.68
5200MHz	Pass	PK	5.1932G	116.23	Inf	-Inf	3	Horizontal	176	2.68
5200MHz	Pass	PK	10.40882G	49.29	68.20	-18.91	3	Vertical	301	1.50
5200MHz	Pass	PK	10.3853G	49.08	68.20	-19.12	3	Horizontal	187	2.68
5240MHz	Pass	AV	5.1476G	43.14	54.00	-10.86	3	Horizontal	179	3.00
5240MHz	Pass	AV	5.2358G	103.41	Inf	-Inf	3	Horizontal	179	3.00
5240MHz	Pass	AV	5.369G	43.21	54.00	-10.79	3	Horizontal	179	3.00
5240MHz	Pass	PK	5.1422G	56.47	74.00	-17.53	3	Horizontal	179	3.00
5240MHz	Pass	PK	5.2358G	116.40	Inf	-Inf	3	Horizontal	179	3.00
5240MHz	Pass	PK	5.3678G	57.05	74.00	-16.95	3	Horizontal	179	3.00
5240MHz	Pass	PK	10.47592G	49.05	68.20	-19.15	3	Vertical	299	1.60
5240MHz	Pass	PK	10.48126G	49.49	68.20	-18.71	3	Horizontal	360	2.20
5260MHz	Pass	AV	5.1496G	43.26	54.00	-10.74	3	Horizontal	181	2.95
5260MHz	Pass	AV	5.2528G	103.35	Inf	-Inf	3	Horizontal	181	2.95
5260MHz	Pass	AV	5.3644G	43.45	54.00	-10.55	3	Horizontal	181	2.95
5260MHz	Pass	PK	5.14G	56.88	74.00	-17.12	3	Horizontal	181	2.95
5260MHz	Pass	PK	5.2636G	116.48	Inf	-Inf	3	Horizontal	181	2.95
5260MHz	Pass	PK	5.3878G	57.20	74.00	-16.80	3	Horizontal	181	2.95
5260MHz	Pass	PK	10.51274G	48.81	68.20	-19.39	3	Vertical	296	1.50
5260MHz	Pass	PK	10.51424G	48.23	68.20	-19.97	3	Horizontal	275	2.81
5300MHz	Pass	AV	5.2984G	102.10	Inf	-Inf	3	Horizontal	0	3.00
5300MHz	Pass	AV	5.35G	45.27	54.00	-8.73	3	Horizontal	0	3.00
5300MHz	Pass	PK	5.2992G	115.79	Inf	-Inf	3	Horizontal	0	3.00
5300MHz	Pass	PK	5.3528G	59.41	74.00	-14.59	3	Horizontal	0	3.00
5300MHz	Pass	AV	10.61134G	35.76	54.00	-18.24	3	Vertical	306	1.85
5300MHz	Pass	PK	10.60234G	48.91	74.00	-25.09	3	Vertical	306	1.85
5300MHz	Pass	AV	10.61314G	35.69	54.00	-18.31	3	Horizontal	58	1.50
5300MHz	Pass	PK	10.6003G	49.25	74.00	-24.75	3	Horizontal	58	1.50
5320MHz	Pass	AV	5.3162G	101.80	Inf	-Inf	3	Horizontal	183	1.00
5320MHz	Pass	AV	5.35G	48.66	54.00	-5.34	3	Horizontal	183	1.00
5320MHz	Pass	PK	5.3288G	115.24	Inf	-Inf	3	Horizontal	183	1.00
5320MHz	Pass	PK	5.3606G	63.41	74.00	-10.59	3	Horizontal	183	1.00
5320MHz	Pass	AV	10.64822G	35.74	54.00	-18.26	3	Vertical	167	2.91
5320MHz	Pass	PK	10.65284G	48.88	74.00	-25.12	3	Vertical	167	2.91
5320MHz	Pass	AV	10.64858G	35.81	54.00	-18.19	3	Horizontal	267	1.50
5320MHz	Pass	PK	10.64738G	49.01	74.00	-24.99	3	Horizontal	267	1.50
5500MHz	Pass	AV	5.4598G	48.68	54.00	-5.32	3	Horizontal	359	3.00
5500MHz	Pass	AV	5.4984G	103.48	Inf	-Inf	3	Horizontal	359	3.00
5500MHz	Pass	PK	5.4592G	63.87	74.00	-10.13	3	Horizontal	359	3.00
5500MHz	Pass	PK	5.4604G	63.50	68.20	-4.70	3	Horizontal	359	3.00
5500MHz	Pass	PK	5.491G	116.94	Inf	-Inf	3	Horizontal	359	3.00
5500MHz	Pass	AV	10.988G	35.49	54.00	-18.51	3	Vertical	290	1.50
5500MHz	Pass	PK	10.98914G	48.49	74.00	-25.51	3	Vertical	290	1.50
5500MHz	Pass	AV	10.98542G	35.46	54.00	-18.54	3	Horizontal	102	1.50
5500MHz	Pass	PK	10.99916G	48.88	74.00	-25.12	3	Horizontal	102	1.50
5580MHz	Pass	AV	5.4564G	42.83	54.00	-11.17	3	Horizontal	359	1.00
5580MHz	Pass	AV	5.5764G	101.39	Inf	-Inf	3	Horizontal	359	1.00
5580MHz	Pass	PK	5.4402G	56.78	74.00	-17.22	3	Horizontal	359	1.00
5580MHz	Pass	PK	5.4624G	57.10	68.20	-11.10	3	Horizontal	359	1.00
5580MHz	Pass	PK	5.5848G	114.27	Inf	-Inf	3	Horizontal	359	1.00
5580MHz	Pass	PK	5.7282G	56.70	68.20	-11.50	3	Horizontal	359	1.00
5580MHz	Pass	AV	11.14914G	35.57	54.00	-18.43	3	Vertical	171	1.50



RSE TX above 1GHz_Non-Beamforming_Radio 2 Dipole Antenna_2T2S

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5580MHz	Pass	PK	11.16228G	48.68	74.00	-25.32	3	Vertical	171	1.50
5580MHz	Pass	AV	11.14992G	35.58	54.00	-18.42	3	Horizontal	123	1.50
5580MHz	Pass	PK	11.15388G	48.99	74.00	-25.01	3	Horizontal	123	1.50
5700MHz	Pass	AV	5.704G	99.03	Inf	-Inf	3	Horizontal	359	1.00
5700MHz	Pass	PK	5.6948G	112.87	Inf	-Inf	3	Horizontal	359	1.00
5700MHz	Pass	PK	5.7264G	67.40	68.20	-0.80	3	Horizontal	359	1.00
5700MHz	Pass	AV	11.40552G	36.62	54.00	-17.38	3	Vertical	149	2.87
5700MHz	Pass	PK	11.4057G	49.56	74.00	-24.44	3	Vertical	149	2.87
5700MHz	Pass	AV	11.40648G	36.59	54.00	-17.41	3	Horizontal	296	1.50
5700MHz	Pass	PK	11.4054G	50.39	74.00	-23.61	3	Horizontal	296	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4548G	42.61	54.00	-11.39	3	Horizontal	359	3.00
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7128G	102.83	Inf	-Inf	3	Horizontal	359	3.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4524G	56.32	74.00	-17.68	3	Horizontal	359	3.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	56.56	68.20	-11.64	3	Horizontal	359	3.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7104G	116.55	Inf	-Inf	3	Horizontal	359	3.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.978G	57.67	68.20	-10.53	3	Horizontal	359	3.00
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44096G	36.60	54.00	-17.40	3	Vertical	7	3.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44444G	50.46	74.00	-23.54	3	Vertical	7	3.00
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4418G	36.60	54.00	-17.40	3	Horizontal	32	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4448G	50.14	74.00	-23.86	3	Horizontal	32	1.50
5745MHz	Pass	AV	5.4486G	46.30	54.00	-7.70	3	Horizontal	190	1.20
5745MHz	Pass	AV	5.7378G	107.20	Inf	-Inf	3	Horizontal	190	1.20
5745MHz	Pass	PK	5.6382G	59.38	68.20	-8.82	3	Horizontal	190	1.20
5745MHz	Pass	PK	5.7426G	119.31	Inf	-Inf	3	Horizontal	190	1.20
5745MHz	Pass	PK	6.033G	59.80	68.20	-8.40	3	Horizontal	190	1.20
5745MHz	Pass	AV	11.4906G	37.22	54.00	-16.78	3	Vertical	330	1.50
5745MHz	Pass	PK	11.49156G	49.47	74.00	-24.53	3	Vertical	330	1.50
5745MHz	Pass	AV	11.48472G	37.22	54.00	-16.78	3	Horizontal	142	1.50
5745MHz	Pass	PK	11.49384G	49.62	74.00	-24.38	3	Horizontal	142	1.50
5785MHz	Pass	AV	5.78371G	106.11	Inf	-Inf	3	Horizontal	191	1.24
5785MHz	Pass	PK	5.64214G	58.94	68.20	-9.26	3	Horizontal	191	1.24
5785MHz	Pass	PK	5.77766G	117.48	Inf	-Inf	3	Horizontal	191	1.24
5785MHz	Pass	PK	6.07048G	60.15	68.20	-8.05	3	Horizontal	191	1.24
5785MHz	Pass	AV	11.5712G	37.07	54.00	-16.93	3	Vertical	342	1.50
5785MHz	Pass	PK	11.57294G	49.41	74.00	-24.59	3	Vertical	342	1.50
5785MHz	Pass	AV	11.55644G	37.07	54.00	-16.93	3	Horizontal	158	1.50
5785MHz	Pass	PK	11.57222G	49.55	74.00	-24.45	3	Horizontal	158	1.50
5825MHz	Pass	AV	5.8178G	105.54	Inf	-Inf	3	Horizontal	192	1.32
5825MHz	Pass	PK	5.6366G	58.70	68.20	-9.50	3	Horizontal	192	1.32
5825MHz	Pass	PK	5.8166G	116.94	Inf	-Inf	3	Horizontal	192	1.32
5825MHz	Pass	PK	6.1178G	60.45	68.20	-7.75	3	Horizontal	192	1.32
5825MHz	Pass	AV	11.6512G	36.92	54.00	-17.08	3	Vertical	254	1.50
5825MHz	Pass	PK	11.66026G	49.32	74.00	-24.68	3	Vertical	254	1.50
5825MHz	Pass	AV	11.65078G	37.01	54.00	-16.99	3	Horizontal	233	1.50
5825MHz	Pass	PK	11.66224G	50.20	74.00	-23.80	3	Horizontal	233	1.50
802.11be EHT40_Nss2_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	48.52	54.00	-5.48	3	Horizontal	175	2.73
5190MHz	Pass	AV	5.184G	100.22	Inf	-Inf	3	Horizontal	175	2.73
5190MHz	Pass	PK	5.1472G	62.35	74.00	-11.65	3	Horizontal	175	2.73
5190MHz	Pass	PK	5.1888G	113.83	Inf	-Inf	3	Horizontal	175	2.73
5190MHz	Pass	PK	10.37988G	49.56	68.20	-18.64	3	Vertical	193	2.58
5190MHz	Pass	PK	10.37256G	49.28	68.20	-18.92	3	Horizontal	337	2.27
5230MHz	Pass	AV	5.15G	45.82	54.00	-8.18	3	Horizontal	180	2.81
5230MHz	Pass	AV	5.2328G	100.53	Inf	-Inf	3	Horizontal	180	2.81
5230MHz	Pass	PK	5.1464G	59.90	74.00	-14.10	3	Horizontal	180	2.81
5230MHz	Pass	PK	5.2252G	113.65	Inf	-Inf	3	Horizontal	180	2.81
5230MHz	Pass	PK	10.43708G	48.95	68.20	-19.25	3	Vertical	101	1.32
5230MHz	Pass	PK	10.45172G	49.26	68.20	-18.94	3	Horizontal	319	1.50
5270MHz	Pass	AV	5.2708G	100.88	Inf	-Inf	3	Horizontal	181	2.95
5270MHz	Pass	AV	5.35G	46.07	54.00	-7.93	3	Horizontal	181	2.95
5270MHz	Pass	PK	5.272G	115.55	Inf	-Inf	3	Horizontal	181	2.95
5270MHz	Pass	PK	5.3516G	58.82	74.00	-15.18	3	Horizontal	181	2.95

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5270MHz	Pass	PK	10.54984G	49.13	68.20	-19.07	3	Vertical	15	2.03
5270MHz	Pass	PK	10.567G	48.62	68.20	-19.58	3	Horizontal	277	2.69
5310MHz	Pass	AV	5.3212G	99.05	Inf	-Inf	3	Horizontal	0	1.00
5310MHz	Pass	AV	5.35G	50.18	54.00	-3.82	3	Horizontal	0	1.00
5310MHz	Pass	PK	5.324G	112.82	Inf	-Inf	3	Horizontal	0	1.00
5310MHz	Pass	PK	5.3504G	63.29	74.00	-10.71	3	Horizontal	0	1.00
5310MHz	Pass	AV	10.6476G	35.85	54.00	-18.15	3	Vertical	270	1.30
5310MHz	Pass	PK	10.64856G	49.40	74.00	-24.60	3	Vertical	270	1.30
5310MHz	Pass	AV	10.64832G	35.80	54.00	-18.20	3	Horizontal	214	2.19
5310MHz	Pass	PK	10.6356G	49.48	74.00	-24.52	3	Horizontal	214	2.19
5510MHz	Pass	AV	5.46G	49.14	54.00	-4.86	3	Horizontal	0	3.00
5510MHz	Pass	AV	5.4988G	100.80	Inf	-Inf	3	Horizontal	0	3.00
5510MHz	Pass	PK	5.458G	68.11	74.00	-5.89	3	Horizontal	0	3.00
5510MHz	Pass	PK	5.4632G	67.29	68.20	-0.91	3	Horizontal	0	3.00
5510MHz	Pass	PK	5.498G	114.18	Inf	-Inf	3	Horizontal	0	3.00
5510MHz	Pass	AV	11.03212G	35.51	54.00	-18.49	3	Vertical	12	1.50
5510MHz	Pass	PK	10.99576G	48.95	74.00	-25.05	3	Vertical	12	1.50
5510MHz	Pass	AV	11.0182G	35.45	54.00	-18.55	3	Horizontal	250	1.50
5510MHz	Pass	PK	10.99336G	48.90	74.00	-25.10	3	Horizontal	250	1.50
5550MHz	Pass	AV	5.46G	45.56	54.00	-8.44	3	Horizontal	0	2.95
5550MHz	Pass	AV	5.5508G	100.03	Inf	-Inf	3	Horizontal	0	2.95
5550MHz	Pass	PK	5.4564G	59.99	74.00	-14.01	3	Horizontal	0	2.95
5550MHz	Pass	PK	5.4648G	60.60	68.20	-7.60	3	Horizontal	0	2.95
5550MHz	Pass	PK	5.5612G	113.61	Inf	-Inf	3	Horizontal	0	2.95
5550MHz	Pass	AV	11.11668G	35.48	54.00	-18.52	3	Vertical	172	1.50
5550MHz	Pass	PK	11.10312G	49.30	74.00	-24.70	3	Vertical	172	1.50
5550MHz	Pass	AV	11.11548G	35.42	54.00	-18.58	3	Horizontal	256	1.50
5550MHz	Pass	PK	11.10396G	50.03	74.00	-23.97	3	Horizontal	256	1.50
5670MHz	Pass	AV	5.664G	99.97	Inf	-Inf	3	Horizontal	0	3.00
5670MHz	Pass	PK	5.6814G	113.52	Inf	-Inf	3	Horizontal	0	3.00
5670MHz	Pass	PK	5.7252G	66.17	68.20	-2.03	3	Horizontal	0	3.00
5670MHz	Pass	AV	11.35704G	36.50	54.00	-17.50	3	Vertical	105	2.78
5670MHz	Pass	PK	11.33244G	49.99	74.00	-24.01	3	Vertical	105	2.78
5670MHz	Pass	AV	11.36004G	36.40	54.00	-17.60	3	Horizontal	259	1.50
5670MHz	Pass	PK	11.35704G	50.23	74.00	-23.77	3	Horizontal	259	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	42.69	54.00	-11.31	3	Horizontal	5	1.00
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7076G	100.72	Inf	-Inf	3	Horizontal	5	1.00
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4316G	56.39	74.00	-17.61	3	Horizontal	5	1.00
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4652G	56.18	68.20	-12.02	3	Horizontal	5	1.00
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.704G	114.72	Inf	-Inf	3	Horizontal	5	1.00
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8876G	57.70	68.20	-10.50	3	Horizontal	5	1.00
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.40644G	36.61	54.00	-17.39	3	Vertical	349	2.17
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.44556G	50.01	74.00	-23.99	3	Vertical	349	2.17
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.43692G	36.57	54.00	-17.43	3	Horizontal	250	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.44904G	50.44	74.00	-23.56	3	Horizontal	250	1.50
5755MHz	Pass	AV	5.455G	46.28	54.00	-7.72	3	Horizontal	188	1.26
5755MHz	Pass	AV	5.7418G	104.04	Inf	-Inf	3	Horizontal	188	1.26
5755MHz	Pass	PK	5.5462G	59.92	68.20	-8.28	3	Horizontal	188	1.26
5755MHz	Pass	PK	5.7478G	116.13	Inf	-Inf	3	Horizontal	188	1.26
5755MHz	Pass	PK	6.007G	60.04	68.20	-8.16	3	Horizontal	188	1.26
5755MHz	Pass	AV	11.48624G	37.17	54.00	-16.83	3	Vertical	78	1.50
5755MHz	Pass	PK	11.50508G	49.89	74.00	-24.11	3	Vertical	78	1.50
5755MHz	Pass	AV	11.53736G	37.13	54.00	-16.87	3	Horizontal	194	2.99
5755MHz	Pass	PK	11.53172G	49.56	74.00	-24.44	3	Horizontal	194	2.99
5795MHz	Pass	AV	5.8082G	102.95	Inf	-Inf	3	Horizontal	190	1.24
5795MHz	Pass	PK	5.6246G	59.34	68.20	-8.86	3	Horizontal	190	1.24
5795MHz	Pass	PK	5.8094G	115.01	Inf	-Inf	3	Horizontal	190	1.24
5795MHz	Pass	PK	6.0554G	59.79	68.20	-8.41	3	Horizontal	190	1.24
5795MHz	Pass	AV	11.56408G	37.05	54.00	-16.95	3	Vertical	96	1.50
5795MHz	Pass	PK	11.56024G	49.61	74.00	-24.39	3	Vertical	96	1.50
5795MHz	Pass	AV	11.56288G	37.09	54.00	-16.91	3	Horizontal	270	1.50
5795MHz	Pass	PK	11.59072G	49.47	74.00	-24.53	3	Horizontal	270	1.50



RSE TX above 1GHz_Non-Beamforming_Radio 2 Dipole Antenna_2T2S

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.148G	50.97	54.00	-3.03	3	Horizontal	189	2.74
5210MHz	Pass	AV	5.197G	97.20	Inf	-Inf	3	Horizontal	189	2.74
5210MHz	Pass	AV	5.362G	45.16	54.00	-8.84	3	Horizontal	189	2.74
5210MHz	Pass	PK	5.127G	63.54	74.00	-10.46	3	Horizontal	189	2.74
5210MHz	Pass	PK	5.178G	109.88	Inf	-Inf	3	Horizontal	189	2.74
5210MHz	Pass	PK	5.354G	57.93	74.00	-16.07	3	Horizontal	189	2.74
5210MHz	Pass	PK	10.42192G	50.00	68.20	-18.20	3	Vertical	31	1.50
5210MHz	Pass	PK	10.41712G	48.34	68.20	-19.86	3	Horizontal	87	2.92
5290MHz	Pass	AV	5.146G	46.11	54.00	-7.89	3	Horizontal	182	2.77
5290MHz	Pass	AV	5.278G	97.44	Inf	-Inf	3	Horizontal	182	2.77
5290MHz	Pass	AV	5.35G	50.53	54.00	-3.47	3	Horizontal	182	2.77
5290MHz	Pass	PK	5.148G	59.17	74.00	-14.83	3	Horizontal	182	2.77
5290MHz	Pass	PK	5.279G	110.21	Inf	-Inf	3	Horizontal	182	2.77
5290MHz	Pass	PK	5.351G	63.75	74.00	-10.25	3	Horizontal	182	2.77
5290MHz	Pass	PK	5.462G	58.87	68.20	-9.33	3	Horizontal	182	2.77
5290MHz	Pass	AV	10.62848G	36.49	54.00	-17.51	3	Vertical	79	2.09
5290MHz	Pass	PK	10.64032G	50.22	74.00	-23.78	3	Vertical	79	2.09
5290MHz	Pass	AV	10.63632G	36.60	54.00	-17.40	3	Horizontal	84	2.70
5290MHz	Pass	PK	10.65392G	49.37	74.00	-24.63	3	Horizontal	84	2.70
5530MHz	Pass	AV	5.35G	44.15	54.00	-9.85	3	Horizontal	0	3.00
5530MHz	Pass	AV	5.46G	51.02	54.00	-2.98	3	Horizontal	0	3.00
5530MHz	Pass	AV	5.499G	97.34	Inf	-Inf	3	Horizontal	0	3.00
5530MHz	Pass	PK	5.345G	56.44	68.20	-11.76	3	Horizontal	0	3.00
5530MHz	Pass	PK	5.447G	64.44	74.00	-9.56	3	Horizontal	0	3.00
5530MHz	Pass	PK	5.468G	64.15	68.20	-4.05	3	Horizontal	0	3.00
5530MHz	Pass	PK	5.515G	110.54	Inf	-Inf	3	Horizontal	0	3.00
5530MHz	Pass	PK	5.743G	58.45	68.20	-9.75	3	Horizontal	0	3.00
5530MHz	Pass	AV	11.03376G	36.36	54.00	-17.64	3	Vertical	98	1.20
5530MHz	Pass	PK	11.01872G	49.37	74.00	-24.63	3	Vertical	98	1.20
5530MHz	Pass	AV	11.01776G	36.28	54.00	-17.72	3	Horizontal	241	2.28
5530MHz	Pass	PK	11.05008G	49.04	74.00	-24.96	3	Horizontal	241	2.28
5610MHz	Pass	AV	5.46G	46.42	54.00	-7.58	3	Horizontal	0	3.00
5610MHz	Pass	AV	5.623G	96.80	Inf	-Inf	3	Horizontal	0	3.00
5610MHz	Pass	PK	5.458G	58.80	74.00	-15.20	3	Horizontal	0	3.00
5610MHz	Pass	PK	5.467G	59.39	68.20	-8.81	3	Horizontal	0	3.00
5610MHz	Pass	PK	5.615G	109.30	Inf	-Inf	3	Horizontal	0	3.00
5610MHz	Pass	PK	5.73G	60.43	68.20	-7.77	3	Horizontal	0	3.00
5610MHz	Pass	AV	11.29232G	36.85	54.00	-17.15	3	Vertical	276	2.54
5610MHz	Pass	PK	11.28624G	50.06	74.00	-23.94	3	Vertical	276	2.54
5610MHz	Pass	AV	11.27792G	36.88	54.00	-17.12	3	Horizontal	202	1.27
5610MHz	Pass	PK	11.25424G	50.04	74.00	-23.96	3	Horizontal	202	1.27
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	43.92	54.00	-10.08	3	Horizontal	357	2.48
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.678G	98.15	Inf	-Inf	3	Horizontal	357	2.48
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4188G	56.70	74.00	-17.30	3	Horizontal	357	2.48
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	56.39	68.20	-11.81	3	Horizontal	357	2.48
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.678G	110.62	Inf	-Inf	3	Horizontal	357	2.48
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.924G	58.03	68.20	-10.17	3	Horizontal	357	2.48
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.40256G	38.12	54.00	-15.88	3	Vertical	313	1.67
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38992G	50.64	74.00	-23.36	3	Vertical	313	1.67
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.40128G	38.18	54.00	-15.82	3	Horizontal	195	1.07
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.40016G	50.41	74.00	-23.59	3	Horizontal	195	1.07
5775MHz	Pass	AV	5.7438G	100.62	Inf	-Inf	3	Horizontal	188	1.25
5775MHz	Pass	PK	5.6478G	62.49	68.20	-5.71	3	Horizontal	188	1.25
5775MHz	Pass	PK	5.7642G	112.37	Inf	-Inf	3	Horizontal	188	1.25
5775MHz	Pass	PK	6.021G	59.93	68.20	-8.27	3	Horizontal	188	1.25
5775MHz	Pass	AV	11.53248G	37.90	54.00	-16.10	3	Vertical	86	1.50
5775MHz	Pass	PK	11.5632G	49.82	74.00	-24.18	3	Vertical	86	1.50
5775MHz	Pass	AV	11.54232G	37.94	54.00	-16.06	3	Horizontal	228	1.50
5775MHz	Pass	PK	11.55576G	49.41	74.00	-24.59	3	Horizontal	228	1.50
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.148G	52.91	54.00	-1.09	3	Horizontal	179	2.93




RSE TX above 1GHz_Non-Beamforming_Radio 2
Dipole Antenna_2T2S

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2296G	94.15	Inf	-Inf	3	Horizontal	179	2.93
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3532G	52.07	54.00	-1.93	3	Horizontal	179	2.93
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1456G	70.67	74.00	-3.33	3	Horizontal	179	2.93
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2308G	107.66	Inf	-Inf	3	Horizontal	179	2.93
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4372G	71.88	74.00	-2.12	3	Horizontal	179	2.93
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4672G	65.47	68.20	-2.73	3	Horizontal	179	2.93
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.5368G	48.33	68.20	-19.87	3	Vertical	331	1.11
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.43792G	48.67	68.20	-19.53	3	Horizontal	293	2.45
5570MHz	Pass	AV	5.4584G	48.89	54.00	-5.11	3	Horizontal	181	2.65
5570MHz	Pass	AV	5.5088G	92.84	Inf	-Inf	3	Horizontal	181	2.65
5570MHz	Pass	PK	5.3444G	58.55	68.20	-9.65	3	Horizontal	181	2.65
5570MHz	Pass	PK	5.4452G	65.29	74.00	-8.71	3	Horizontal	181	2.65
5570MHz	Pass	PK	5.4644G	66.98	68.20	-1.22	3	Horizontal	181	2.65
5570MHz	Pass	PK	5.4944G	104.80	Inf	-Inf	3	Horizontal	181	2.65
5570MHz	Pass	PK	5.726G	64.87	68.20	-3.33	3	Horizontal	181	2.65
5570MHz	Pass	AV	11.19504G	36.49	54.00	-17.51	3	Vertical	95	2.04
5570MHz	Pass	PK	11.19728G	48.53	74.00	-25.47	3	Vertical	95	2.04
5570MHz	Pass	AV	11.19728G	36.52	54.00	-17.48	3	Horizontal	198	1.63
5570MHz	Pass	PK	11.1128G	48.80	74.00	-25.20	3	Horizontal	198	1.63


5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	50.97	54.00	-3.03	1.01	3	Horizontal	189	2.74	49.96	33.49	4.81	37.29
AV	5.197G	97.20	Inf	-Inf	0.85	3	Horizontal	189	2.74	96.35	33.31	4.84	37.30
AV	5.362G	45.16	54.00	-8.84	0.65	3	Horizontal	189	2.74	44.51	33.08	4.91	37.34
PK	5.127G	63.54	74.00	-10.46	0.87	3	Horizontal	189	2.74	62.67	33.36	4.80	37.29
PK	5.178G	109.88	Inf	-Inf	0.92	3	Horizontal	189	2.74	108.96	33.39	4.83	37.30
PK	5.354G	57.93	74.00	-16.07	0.66	3	Horizontal	189	2.74	57.27	33.09	4.91	37.34

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.42192G	50.00	68.20	-18.20	4.21	3	Vertical	31	1.50	45.79	38.80	7.33	41.92


5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5700MHz_TX



5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	5.46G	49.14	54.00	-4.86	0.65	3	Horizontal	0	3.00	48.49	33.06	4.95	37.36				
AV	5.4988G	100.80	Inf	-Inf	0.87	3	Horizontal	0	3.00	99.93	33.29	4.95	37.37				
PK	5.458G	68.11	74.00	-5.89	0.63	3	Horizontal	0	3.00	67.48	33.05	4.94	37.36				
PK	5.4632G	67.29	68.20	-0.91	0.67	3	Horizontal	0	3.00	66.62	33.08	4.95	37.36				
PK	5.498G	114.18	Inf	-Inf	0.87	3	Horizontal	0	3.00	113.31	33.29	4.95	37.37				

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	11.03212G	35.51	54.00	-18.49	4.07	3	Vertical	12	1.50	31.44	38.84	7.58	42.35				
PK	10.99576G	48.95	74.00	-25.05	4.09	3	Vertical	12	1.50	44.86	38.91	7.57	42.39				


5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5745MHz_TX



5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.455G	46.28	54.00	-7.72	5.30	3	Horizontal	188	1.26	40.98	32.80	7.57	35.07
AV	5.7418G	104.04	Inf	-Inf	6.24	3	Horizontal	188	1.26	97.80	33.68	7.73	35.17
PK	5.5462G	59.92	68.20	-8.28	5.32	3	Horizontal	188	1.26	54.60	32.89	7.52	35.09
PK	5.7478G	116.13	Inf	-Inf	6.27	3	Horizontal	188	1.26	109.86	33.70	7.74	35.17
PK	6.007G	60.04	68.20	-8.16	6.57	3	Horizontal	188	1.26	53.47	34.09	7.76	35.28

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48624G	37.17	54.00	-16.83	15.69	3	Vertical	78	1.50	21.48	38.90	10.81	34.02
PK	11.50508G	49.89	74.00	-24.11	15.69	3	Vertical	78	1.50	34.20	38.89	10.82	34.02


5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX





**RSE TX below 1GHz_Non-Beamforming_Radio 2_
Dual-Polarized MIMO Panel Antenna_1T1S**

Appendix E.7

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	PK	43.58M	36.83	40.00	-3.17	3	Vertical	360	1.00



**RSE TX below 1GHz_Non-Beamforming_Radio 2_
Dual-Polarized MIMO Panel Antenna_1T1S**


Appendix E.7

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1.(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5775MHz_Adapter	Pass	PK	43.58M	36.83	40.00	-3.17	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	99.84M	29.18	43.50	-14.32	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	154.16M	28.28	43.50	-15.22	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	249.22M	20.84	46.00	-25.16	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	423.82M	36.62	46.00	-9.38	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	549.92M	27.21	46.00	-18.79	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	101.78M	34.82	43.50	-8.68	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	191.02M	24.85	43.50	-18.65	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	342.34M	23.56	46.00	-22.44	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	398.6M	24.72	46.00	-21.28	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	499.48M	25.08	46.00	-20.92	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	549.92M	27.34	46.00	-18.66	3	Horizontal	0	1.00


5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_Adapter



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_Adapter





RSE TX above 1GHzNon-Beamforming_Radio 2 Dual-Polarized MIMO Panel Antenna_1T1S

Appendix E.8

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.1498G	44.09	54.00	-9.91	3	Horizontal	357	2.35
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	5.1394G	43.91	54.00	-10.09	3	Horizontal	14	1.50
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	5.15G	45.67	54.00	-8.33	3	Horizontal	16	1.50
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	5.149G	47.89	54.00	-6.11	3	Horizontal	15	1.50
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.3504G	44.51	54.00	-9.49	3	Horizontal	16	1.50
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	5.3602G	44.88	54.00	-9.12	3	Horizontal	16	1.50
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	5.35G	45.77	54.00	-8.23	3	Horizontal	18	1.50
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	5.35G	45.74	54.00	-8.26	3	Horizontal	16	1.50
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	AV	5.15G	53.27	54.00	-0.73	3	Horizontal	345	1.50
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	PK	5.7256G	66.19	68.20	-2.01	3	Horizontal	6	1.50
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	PK	5.7272G	66.57	68.20	-1.63	3	Horizontal	5	1.25
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	PK	5.4692G	63.98	68.20	-4.22	3	Horizontal	17	1.50
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	PK	5.467G	61.37	68.20	-6.83	3	Horizontal	350	1.50
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	PK	5.4632G	63.85	68.20	-4.35	3	Horizontal	9	1.50
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.457G	45.69	54.00	-8.31	3	Horizontal	0	2.00
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	PK	6.01603G	60.37	68.20	-7.83	3	Horizontal	0	2.25
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	5.4598G	45.82	54.00	-8.18	3	Horizontal	5	2.33
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	PK	5.649G	60.62	68.20	-7.58	3	Horizontal	3	2.07



RSE TX above 1GHzNon-Beamforming_Radio 2 Dual-Polarized MIMO Panel Antenna_1T1S

Appendix E.8

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1498G	44.09	54.00	-9.91	3	Horizontal	357	2.35
5180MHz	Pass	AV	5.1766G	98.76	Inf	-Inf	3	Horizontal	357	2.35
5180MHz	Pass	PK	5.1402G	57.84	74.00	-16.16	3	Horizontal	357	2.35
5180MHz	Pass	PK	5.18G	110.76	Inf	-Inf	3	Horizontal	357	2.35
5180MHz	Pass	PK	10.36921G	50.38	68.20	-17.82	3	Vertical	34	1.06
5180MHz	Pass	PK	10.3672G	49.11	68.20	-19.09	3	Horizontal	123	2.99
5200MHz	Pass	AV	5.1496G	42.77	54.00	-11.23	3	Horizontal	14	1.50
5200MHz	Pass	AV	5.2028G	97.15	Inf	-Inf	3	Horizontal	14	1.50
5200MHz	Pass	PK	5.1388G	56.26	74.00	-17.74	3	Horizontal	14	1.50
5200MHz	Pass	PK	5.2G	108.62	Inf	-Inf	3	Horizontal	14	1.50
5200MHz	Pass	PK	10.39524G	49.09	68.20	-19.11	3	Vertical	352	1.50
5200MHz	Pass	PK	10.39792G	49.35	68.20	-18.85	3	Horizontal	68	1.50
5240MHz	Pass	AV	5.1476G	42.59	54.00	-11.41	3	Horizontal	357	1.50
5240MHz	Pass	AV	5.2376G	97.23	Inf	-Inf	3	Horizontal	357	1.50
5240MHz	Pass	AV	5.3648G	42.65	54.00	-11.35	3	Horizontal	357	1.50
5240MHz	Pass	PK	5.1452G	55.74	74.00	-18.26	3	Horizontal	357	1.50
5240MHz	Pass	PK	5.24G	109.36	Inf	-Inf	3	Horizontal	357	1.50
5240MHz	Pass	PK	5.3786G	56.51	74.00	-17.49	3	Horizontal	357	1.50
5240MHz	Pass	PK	10.48772G	49.50	68.20	-18.70	3	Vertical	143	1.50
5240MHz	Pass	PK	10.4794G	49.16	68.20	-19.04	3	Horizontal	350	1.00
5260MHz	Pass	AV	5.15G	42.40	54.00	-11.60	3	Horizontal	17	1.50
5260MHz	Pass	AV	5.2522G	97.95	Inf	-Inf	3	Horizontal	17	1.50
5260MHz	Pass	AV	5.371G	42.43	54.00	-11.57	3	Horizontal	17	1.50
5260MHz	Pass	PK	5.1466G	56.27	74.00	-17.73	3	Horizontal	17	1.50
5260MHz	Pass	PK	5.2558G	108.58	Inf	-Inf	3	Horizontal	17	1.50
5260MHz	Pass	PK	5.356G	56.12	74.00	-17.88	3	Horizontal	17	1.50
5260MHz	Pass	PK	10.524G	49.91	68.20	-18.29	3	Vertical	215	1.50
5260MHz	Pass	PK	10.52932G	48.79	68.20	-19.41	3	Horizontal	162	2.35
5300MHz	Pass	AV	5.3036G	98.16	Inf	-Inf	3	Horizontal	16	1.50
5300MHz	Pass	AV	5.35G	42.78	54.00	-11.22	3	Horizontal	16	1.50
5300MHz	Pass	PK	5.3044G	109.98	Inf	-Inf	3	Horizontal	16	1.50
5300MHz	Pass	PK	5.3776G	56.26	74.00	-17.74	3	Horizontal	16	1.50
5300MHz	Pass	PK	10.60728G	49.71	74.00	-24.29	3	Vertical	305	1.31
5300MHz	Pass	PK	10.60028G	49.55	74.00	-24.45	3	Horizontal	37	1.50
5320MHz	Pass	AV	5.3168G	97.87	Inf	-Inf	3	Horizontal	16	1.50
5320MHz	Pass	AV	5.3504G	44.51	54.00	-9.49	3	Horizontal	16	1.50
5320MHz	Pass	PK	5.3174G	109.40	Inf	-Inf	3	Horizontal	16	1.50
5320MHz	Pass	PK	5.3606G	58.92	74.00	-15.08	3	Horizontal	16	1.50
5320MHz	Pass	AV	10.6458G	36.48	54.00	-17.52	3	Vertical	189	1.21
5320MHz	Pass	PK	10.6422G	49.25	74.00	-24.75	3	Vertical	189	1.21
5320MHz	Pass	AV	10.64944G	36.56	54.00	-17.44	3	Horizontal	259	1.47
5320MHz	Pass	PK	10.63912G	49.27	74.00	-24.73	3	Horizontal	259	1.47
5500MHz	Pass	AV	5.4594G	44.35	54.00	-9.65	3	Horizontal	18	1.50
5500MHz	Pass	AV	5.4932G	97.98	Inf	-Inf	3	Horizontal	18	1.50
5500MHz	Pass	PK	5.459G	58.61	74.00	-15.39	3	Horizontal	18	1.50
5500MHz	Pass	PK	5.4602G	59.19	68.20	-9.01	3	Horizontal	18	1.50
5500MHz	Pass	PK	5.4978G	109.78	Inf	-Inf	3	Horizontal	18	1.50
5500MHz	Pass	AV	10.9904G	36.07	54.00	-17.93	3	Vertical	126	1.98
5500MHz	Pass	PK	11.00084G	49.25	74.00	-24.75	3	Vertical	126	1.98
5500MHz	Pass	AV	11.00152G	36.11	54.00	-17.89	3	Horizontal	221	2.11
5500MHz	Pass	PK	11.0086G	49.04	74.00	-24.96	3	Horizontal	221	2.11
5580MHz	Pass	AV	5.4552G	42.10	54.00	-11.90	3	Horizontal	352	1.50
5580MHz	Pass	AV	5.5866G	96.99	Inf	-Inf	3	Horizontal	352	1.50
5580MHz	Pass	PK	5.457G	55.58	74.00	-18.42	3	Horizontal	352	1.50
5580MHz	Pass	PK	5.4624G	56.68	68.20	-11.52	3	Horizontal	352	1.50
5580MHz	Pass	PK	5.58G	108.58	Inf	-Inf	3	Horizontal	352	1.50
5580MHz	Pass	PK	5.727G	55.68	68.20	-12.52	3	Horizontal	352	1.50
5580MHz	Pass	AV	11.15152G	36.37	54.00	-17.63	3	Vertical	18	1.50
5580MHz	Pass	PK	11.16704G	49.53	74.00	-24.47	3	Vertical	18	1.50
5580MHz	Pass	AV	11.1596G	36.40	54.00	-17.60	3	Horizontal	242	2.37

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5580MHz	Pass	PK	11.15052G	49.22	74.00	-24.78	3	Horizontal	242	2.37
5700MHz	Pass	AV	5.6928G	96.90	Inf	-Inf	3	Horizontal	6	1.50
5700MHz	Pass	PK	5.6936G	107.75	Inf	-Inf	3	Horizontal	6	1.50
5700MHz	Pass	PK	5.7256G	66.19	68.20	-2.01	3	Horizontal	6	1.50
5700MHz	Pass	AV	11.40764G	37.08	54.00	-16.92	3	Vertical	164	2.89
5700MHz	Pass	PK	11.39412G	49.82	74.00	-24.18	3	Vertical	164	2.89
5700MHz	Pass	AV	11.40664G	37.09	54.00	-16.91	3	Horizontal	177	1.50
5700MHz	Pass	PK	11.40964G	51.07	74.00	-22.93	3	Horizontal	177	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4392G	41.91	54.00	-12.09	3	Horizontal	354	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7164G	97.67	Inf	-Inf	3	Horizontal	354	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4488G	55.19	74.00	-18.81	3	Horizontal	354	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	54.41	68.20	-13.79	3	Horizontal	354	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7248G	109.32	Inf	-Inf	3	Horizontal	354	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9168G	57.87	68.20	-10.33	3	Horizontal	354	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43712G	37.28	54.00	-16.72	3	Vertical	193	2.39
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43648G	50.75	74.00	-23.25	3	Vertical	193	2.39
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43708G	37.33	54.00	-16.67	3	Horizontal	320	1.83
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43472G	51.49	74.00	-22.51	3	Horizontal	320	1.83
5745MHz	Pass	AV	5.457G	45.69	54.00	-8.31	3	Horizontal	0	2.00
5745MHz	Pass	AV	5.7474G	103.58	Inf	-Inf	3	Horizontal	0	2.00
5745MHz	Pass	PK	5.6406G	59.03	68.20	-9.17	3	Horizontal	0	2.00
5745MHz	Pass	PK	5.7462G	113.20	Inf	-Inf	3	Horizontal	0	2.00
5745MHz	Pass	PK	6.0126G	59.37	68.20	-8.83	3	Horizontal	0	2.00
5745MHz	Pass	AV	11.49078G	37.18	54.00	-16.82	3	Vertical	68	1.50
5745MHz	Pass	PK	11.48958G	49.20	74.00	-24.80	3	Vertical	68	1.50
5745MHz	Pass	AV	11.49156G	37.29	54.00	-16.71	3	Horizontal	200	2.24
5745MHz	Pass	PK	11.49126G	49.53	74.00	-24.47	3	Horizontal	200	2.24
5785MHz	Pass	AV	5.79218G	102.39	Inf	-Inf	3	Horizontal	5	2.26
5785MHz	Pass	PK	5.48363G	58.26	68.20	-9.94	3	Horizontal	5	2.26
5785MHz	Pass	PK	5.77887G	111.14	Inf	-Inf	3	Horizontal	5	2.26
5785MHz	Pass	PK	5.98699G	59.62	68.20	-8.58	3	Horizontal	5	2.26
5785MHz	Pass	AV	11.57174G	37.15	54.00	-16.85	3	Vertical	184	1.50
5785MHz	Pass	PK	11.5721G	49.36	74.00	-24.64	3	Vertical	184	1.50
5785MHz	Pass	AV	11.55614G	37.31	54.00	-16.69	3	Horizontal	150	1.50
5785MHz	Pass	PK	11.57186G	49.49	74.00	-24.51	3	Horizontal	150	1.50
5825MHz	Pass	AV	5.8178G	103.10	Inf	-Inf	3	Horizontal	2	2.12
5825MHz	Pass	PK	5.6174G	57.74	68.20	-10.46	3	Horizontal	2	2.12
5825MHz	Pass	PK	5.8238G	112.00	Inf	-Inf	3	Horizontal	2	2.12
5825MHz	Pass	PK	5.9774G	59.65	68.20	-8.55	3	Horizontal	2	2.12
5825MHz	Pass	AV	11.65414G	37.12	54.00	-16.88	3	Vertical	264	1.50
5825MHz	Pass	PK	11.6617G	49.46	74.00	-24.54	3	Vertical	264	1.50
5825MHz	Pass	AV	11.6539G	37.14	54.00	-16.86	3	Horizontal	204	1.50
5825MHz	Pass	PK	11.63668G	50.48	74.00	-23.52	3	Horizontal	204	1.50
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1394G	43.91	54.00	-10.09	3	Horizontal	14	1.50
5180MHz	Pass	AV	5.1784G	97.05	Inf	-Inf	3	Horizontal	14	1.50
5180MHz	Pass	PK	5.1392G	57.66	74.00	-16.34	3	Horizontal	14	1.50
5180MHz	Pass	PK	5.175G	110.36	Inf	-Inf	3	Horizontal	14	1.50
5180MHz	Pass	PK	10.3642G	48.96	68.20	-19.24	3	Vertical	175	1.27
5180MHz	Pass	PK	10.35544G	49.55	68.20	-18.65	3	Horizontal	172	2.94
5200MHz	Pass	AV	5.1496G	42.90	54.00	-11.10	3	Horizontal	360	1.50
5200MHz	Pass	AV	5.1952G	96.12	Inf	-Inf	3	Horizontal	360	1.50
5200MHz	Pass	PK	5.1384G	56.17	74.00	-17.83	3	Horizontal	360	1.50
5200MHz	Pass	PK	5.1916G	109.91	Inf	-Inf	3	Horizontal	360	1.50
5200MHz	Pass	PK	10.39496G	49.81	68.20	-18.39	3	Vertical	286	1.76
5200MHz	Pass	PK	10.39068G	49.51	68.20	-18.69	3	Horizontal	28	1.50
5240MHz	Pass	AV	5.1458G	42.53	54.00	-11.47	3	Horizontal	4	1.50
5240MHz	Pass	AV	5.234G	96.87	Inf	-Inf	3	Horizontal	4	1.50
5240MHz	Pass	AV	5.357G	42.67	54.00	-11.33	3	Horizontal	4	1.50
5240MHz	Pass	PK	5.1266G	55.90	74.00	-18.10	3	Horizontal	4	1.50
5240MHz	Pass	PK	5.2334G	110.08	Inf	-Inf	3	Horizontal	4	1.50
5240MHz	Pass	PK	5.3738G	56.53	74.00	-17.47	3	Horizontal	4	1.50



RSE TX above 1GHzNon-Beamforming_Radio 2
Dual-Polarized MIMO Panel Antenna_1T1S

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5240MHz	Pass	PK	10.47296G	49.41	68.20	-18.79	3	Vertical	123	1.50
5240MHz	Pass	PK	10.48152G	48.86	68.20	-19.34	3	Horizontal	216	1.50
5260MHz	Pass	AV	5.1454G	42.34	54.00	-11.66	3	Horizontal	18	1.50
5260MHz	Pass	AV	5.2516G	97.29	Inf	-Inf	3	Horizontal	18	1.50
5260MHz	Pass	AV	5.3614G	42.53	54.00	-11.47	3	Horizontal	18	1.50
5260MHz	Pass	PK	5.1382G	55.77	74.00	-18.23	3	Horizontal	18	1.50
5260MHz	Pass	PK	5.2528G	110.18	Inf	-Inf	3	Horizontal	18	1.50
5260MHz	Pass	PK	5.3968G	56.41	74.00	-17.59	3	Horizontal	18	1.50
5260MHz	Pass	PK	10.5152G	49.55	68.20	-18.65	3	Vertical	242	1.50
5260MHz	Pass	PK	10.5158G	49.32	68.20	-18.88	3	Horizontal	224	2.08
5300MHz	Pass	AV	5.3056G	97.56	Inf	-Inf	3	Horizontal	16	1.50
5300MHz	Pass	AV	5.354G	42.83	54.00	-11.17	3	Horizontal	16	1.50
5300MHz	Pass	PK	5.302G	110.60	Inf	-Inf	3	Horizontal	16	1.50
5300MHz	Pass	PK	5.35G	56.21	74.00	-17.79	3	Horizontal	16	1.50
5300MHz	Pass	PK	10.60968G	49.32	74.00	-24.68	3	Vertical	59	1.50
5300MHz	Pass	PK	10.60588G	49.43	74.00	-24.57	3	Horizontal	360	1.50
5320MHz	Pass	AV	5.3184G	97.52	Inf	-Inf	3	Horizontal	16	1.50
5320MHz	Pass	AV	5.3602G	44.88	54.00	-9.12	3	Horizontal	16	1.50
5320MHz	Pass	PK	5.3148G	111.80	Inf	-Inf	3	Horizontal	16	1.50
5320MHz	Pass	PK	5.3596G	59.78	74.00	-14.22	3	Horizontal	16	1.50
5320MHz	Pass	AV	10.64936G	36.20	54.00	-17.80	3	Vertical	289	1.50
5320MHz	Pass	PK	10.64584G	49.95	74.00	-24.05	3	Vertical	289	1.50
5320MHz	Pass	AV	10.64984G	36.19	54.00	-17.81	3	Horizontal	99	1.50
5320MHz	Pass	PK	10.64512G	49.63	74.00	-24.37	3	Horizontal	99	1.50
5500MHz	Pass	AV	5.4594G	45.22	54.00	-8.78	3	Horizontal	17	1.50
5500MHz	Pass	AV	5.4936G	97.60	Inf	-Inf	3	Horizontal	17	1.50
5500MHz	Pass	PK	5.4592G	61.00	74.00	-13.00	3	Horizontal	17	1.50
5500MHz	Pass	PK	5.4608G	61.03	68.20	-7.17	3	Horizontal	17	1.50
5500MHz	Pass	PK	5.4912G	111.16	Inf	-Inf	3	Horizontal	17	1.50
5500MHz	Pass	AV	10.99124G	35.99	54.00	-18.01	3	Vertical	112	2.49
5500MHz	Pass	PK	11.00036G	48.58	74.00	-25.42	3	Vertical	112	2.49
5500MHz	Pass	AV	10.99084G	35.97	54.00	-18.03	3	Horizontal	227	2.28
5500MHz	Pass	PK	11.00996G	48.48	74.00	-25.52	3	Horizontal	227	2.28
5580MHz	Pass	AV	5.4426G	42.05	54.00	-11.95	3	Horizontal	352	1.50
5580MHz	Pass	AV	5.5848G	96.33	Inf	-Inf	3	Horizontal	352	1.50
5580MHz	Pass	PK	5.4558G	55.38	74.00	-18.62	3	Horizontal	352	1.50
5580MHz	Pass	PK	5.4672G	55.15	68.20	-13.05	3	Horizontal	352	1.50
5580MHz	Pass	PK	5.5854G	109.46	Inf	-Inf	3	Horizontal	352	1.50
5580MHz	Pass	PK	5.7276G	56.06	68.20	-12.14	3	Horizontal	352	1.50
5580MHz	Pass	AV	11.15056G	36.34	54.00	-17.66	3	Vertical	124	1.50
5580MHz	Pass	PK	11.15304G	50.43	74.00	-23.57	3	Vertical	124	1.50
5580MHz	Pass	AV	11.15228G	36.32	54.00	-17.68	3	Horizontal	346	1.66
5580MHz	Pass	PK	11.1512G	48.68	74.00	-25.32	3	Horizontal	346	1.66
5700MHz	Pass	AV	5.6932G	95.74	Inf	-Inf	3	Horizontal	5	1.25
5700MHz	Pass	PK	5.6932G	109.34	Inf	-Inf	3	Horizontal	5	1.25
5700MHz	Pass	PK	5.7272G	66.57	68.20	-1.63	3	Horizontal	5	1.25
5700MHz	Pass	AV	11.40616G	37.12	54.00	-16.88	3	Vertical	197	1.50
5700MHz	Pass	PK	11.4092G	50.36	74.00	-23.64	3	Vertical	197	1.50
5700MHz	Pass	AV	11.40852G	37.14	54.00	-16.86	3	Horizontal	42	1.50
5700MHz	Pass	PK	11.40516G	49.97	74.00	-24.03	3	Horizontal	42	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4428G	41.90	54.00	-12.10	3	Horizontal	353	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7116G	97.09	Inf	-Inf	3	Horizontal	353	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4392G	55.36	74.00	-18.64	3	Horizontal	353	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	54.77	68.20	-13.43	3	Horizontal	353	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7128G	110.22	Inf	-Inf	3	Horizontal	353	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.87G	58.52	68.20	-9.68	3	Horizontal	353	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43916G	37.29	54.00	-16.71	3	Vertical	324	1.39
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44812G	50.43	74.00	-23.57	3	Vertical	324	1.39
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44192G	37.38	54.00	-16.62	3	Horizontal	33	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43644G	50.96	74.00	-23.04	3	Horizontal	33	1.50
5745MHz	Pass	AV	5.457G	45.78	54.00	-8.22	3	Horizontal	7	2.18
5745MHz	Pass	AV	5.7462G	103.32	Inf	-Inf	3	Horizontal	7	2.18



RSE TX above 1GHzNon-Beamforming_Radio 2 Dual-Polarized MIMO Panel Antenna_1T1S

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5745MHz	Pass	PK	5.559G	58.65	68.20	-9.55	3	Horizontal	7	2.18
5745MHz	Pass	PK	5.751G	115.16	Inf	-Inf	3	Horizontal	7	2.18
5745MHz	Pass	PK	5.9322G	60.10	68.20	-8.10	3	Horizontal	7	2.18
5745MHz	Pass	AV	11.4912G	37.27	54.00	-16.73	3	Vertical	149	1.49
5745MHz	Pass	PK	11.49186G	49.27	74.00	-24.73	3	Vertical	149	1.49
5745MHz	Pass	AV	11.49126G	37.23	54.00	-16.77	3	Horizontal	340	1.35
5745MHz	Pass	PK	11.49474G	50.00	74.00	-24.00	3	Horizontal	340	1.35
5785MHz	Pass	AV	5.79218G	102.09	Inf	-Inf	3	Horizontal	0	2.25
5785MHz	Pass	PK	5.57075G	58.07	68.20	-10.13	3	Horizontal	0	2.25
5785MHz	Pass	PK	5.79339G	113.63	Inf	-Inf	3	Horizontal	0	2.25
5785MHz	Pass	PK	6.01603G	60.37	68.20	-7.83	3	Horizontal	0	2.25
5785MHz	Pass	AV	11.5601G	37.25	54.00	-16.75	3	Vertical	50	1.35
5785MHz	Pass	PK	11.57312G	49.43	74.00	-24.57	3	Vertical	50	1.35
5785MHz	Pass	AV	11.55698G	37.25	54.00	-16.75	3	Horizontal	265	1.21
5785MHz	Pass	PK	11.56256G	49.80	74.00	-24.20	3	Horizontal	265	1.21
5825MHz	Pass	AV	5.819G	102.56	Inf	-Inf	3	Horizontal	3	2.31
5825MHz	Pass	PK	5.5442G	57.89	68.20	-10.31	3	Horizontal	3	2.31
5825MHz	Pass	PK	5.8214G	114.50	Inf	-Inf	3	Horizontal	3	2.31
5825MHz	Pass	PK	5.945G	59.77	68.20	-8.43	3	Horizontal	3	2.31
5825MHz	Pass	AV	11.65816G	37.10	54.00	-16.90	3	Vertical	20	2.40
5825MHz	Pass	PK	11.65174G	50.87	74.00	-23.13	3	Vertical	20	2.40
5825MHz	Pass	AV	11.65G	37.12	54.00	-16.88	3	Horizontal	85	1.50
5825MHz	Pass	PK	11.6461G	50.40	74.00	-23.60	3	Horizontal	85	1.50
802.11be EHT40_Nss1_(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	45.67	54.00	-8.33	3	Horizontal	16	1.50
5190MHz	Pass	AV	5.1792G	94.19	Inf	-Inf	3	Horizontal	16	1.50
5190MHz	Pass	PK	5.1496G	58.95	74.00	-15.05	3	Horizontal	16	1.50
5190MHz	Pass	PK	5.1724G	108.68	Inf	-Inf	3	Horizontal	16	1.50
5190MHz	Pass	PK	10.3808G	48.96	68.20	-19.24	3	Vertical	210	1.50
5190MHz	Pass	PK	10.37772G	49.44	68.20	-18.76	3	Horizontal	91	1.50
5230MHz	Pass	AV	5.15G	43.31	54.00	-10.69	3	Horizontal	357	1.50
5230MHz	Pass	AV	5.2352G	94.09	Inf	-Inf	3	Horizontal	357	1.50
5230MHz	Pass	PK	5.146G	56.95	74.00	-17.05	3	Horizontal	357	1.50
5230MHz	Pass	PK	5.2376G	107.63	Inf	-Inf	3	Horizontal	357	1.50
5230MHz	Pass	PK	10.45412G	50.06	68.20	-18.14	3	Vertical	126	1.50
5230MHz	Pass	PK	10.46568G	49.17	68.20	-19.03	3	Horizontal	357	1.50
5270MHz	Pass	AV	5.2524G	94.91	Inf	-Inf	3	Horizontal	17	1.50
5270MHz	Pass	AV	5.35G	43.57	54.00	-10.43	3	Horizontal	17	1.50
5270MHz	Pass	PK	5.2668G	108.49	Inf	-Inf	3	Horizontal	17	1.50
5270MHz	Pass	PK	5.35G	57.46	74.00	-16.54	3	Horizontal	17	1.50
5270MHz	Pass	PK	10.542G	48.82	68.20	-19.38	3	Vertical	17	1.50
5270MHz	Pass	PK	10.5302G	48.65	68.20	-19.55	3	Horizontal	244	2.57
5310MHz	Pass	AV	5.3052G	94.76	Inf	-Inf	3	Horizontal	18	1.50
5310MHz	Pass	AV	5.35G	45.77	54.00	-8.23	3	Horizontal	18	1.50
5310MHz	Pass	PK	5.3088G	108.73	Inf	-Inf	3	Horizontal	18	1.50
5310MHz	Pass	PK	5.358G	59.04	74.00	-14.96	3	Horizontal	18	1.50
5310MHz	Pass	AV	10.6106G	36.15	54.00	-17.85	3	Vertical	262	1.50
5310MHz	Pass	PK	10.62208G	48.78	74.00	-25.22	3	Vertical	262	1.50
5310MHz	Pass	AV	10.61268G	36.16	54.00	-17.84	3	Horizontal	343	2.52
5310MHz	Pass	PK	10.621G	49.78	74.00	-24.22	3	Horizontal	343	2.52
5510MHz	Pass	AV	5.46G	45.50	54.00	-8.50	3	Horizontal	17	1.50
5510MHz	Pass	AV	5.5172G	94.51	Inf	-Inf	3	Horizontal	17	1.50
5510MHz	Pass	PK	5.4584G	60.21	74.00	-13.79	3	Horizontal	17	1.50
5510MHz	Pass	PK	5.4692G	63.98	68.20	-4.22	3	Horizontal	17	1.50
5510MHz	Pass	PK	5.4968G	108.24	Inf	-Inf	3	Horizontal	17	1.50
5510MHz	Pass	AV	11.01968G	36.16	54.00	-17.84	3	Vertical	26	1.50
5510MHz	Pass	PK	11.01448G	48.52	74.00	-25.48	3	Vertical	26	1.50
5510MHz	Pass	AV	11.02064G	36.13	54.00	-17.87	3	Horizontal	157	1.50
5510MHz	Pass	PK	11.01644G	49.07	74.00	-24.93	3	Horizontal	157	1.50
5550MHz	Pass	AV	5.4596G	43.08	54.00	-10.92	3	Horizontal	351	1.50
5550MHz	Pass	AV	5.5368G	94.72	Inf	-Inf	3	Horizontal	351	1.50
5550MHz	Pass	PK	5.4552G	56.64	74.00	-17.36	3	Horizontal	351	1.50



RSE TX above 1GHzNon-Beamforming_Radio 2
Dual-Polarized MIMO Panel Antenna_1T1S


Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5550MHz	Pass	PK	5.4668G	57.13	68.20	-11.07	3	Horizontal	351	1.50
5550MHz	Pass	PK	5.5352G	108.28	Inf	-Inf	3	Horizontal	351	1.50
5550MHz	Pass	AV	11.09792G	35.98	54.00	-18.02	3	Vertical	344	1.50
5550MHz	Pass	PK	11.10764G	48.96	74.00	-25.04	3	Vertical	344	1.50
5550MHz	Pass	AV	11.09872G	35.99	54.00	-18.01	3	Horizontal	150	1.00
5550MHz	Pass	PK	11.10784G	48.77	74.00	-25.23	3	Horizontal	150	1.00
5670MHz	Pass	AV	5.6766G	95.81	Inf	-Inf	3	Horizontal	5	1.01
5670MHz	Pass	PK	5.6652G	109.27	Inf	-Inf	3	Horizontal	5	1.01
5670MHz	Pass	PK	5.7252G	63.12	68.20	-5.08	3	Horizontal	5	1.01
5670MHz	Pass	AV	11.34564G	36.86	54.00	-17.14	3	Vertical	360	1.50
5670MHz	Pass	PK	11.34544G	49.94	74.00	-24.06	3	Vertical	360	1.50
5670MHz	Pass	AV	11.33068G	36.93	54.00	-17.07	3	Horizontal	69	1.40
5670MHz	Pass	PK	11.33112G	49.63	74.00	-24.37	3	Horizontal	69	1.40
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4592G	41.90	54.00	-12.10	3	Horizontal	354	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.6944G	95.26	Inf	-Inf	3	Horizontal	354	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4196G	55.39	74.00	-18.61	3	Horizontal	354	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.464G	54.85	68.20	-13.35	3	Horizontal	354	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7064G	108.24	Inf	-Inf	3	Horizontal	354	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8708G	57.84	68.20	-10.36	3	Horizontal	354	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41164G	37.11	54.00	-16.89	3	Vertical	135	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41316G	50.33	74.00	-23.67	3	Vertical	135	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41116G	37.07	54.00	-16.93	3	Horizontal	289	1.04
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41852G	50.23	74.00	-23.77	3	Horizontal	289	1.04
5755MHz	Pass	AV	5.4598G	45.82	54.00	-8.18	3	Horizontal	5	2.33
5755MHz	Pass	AV	5.749G	100.50	Inf	-Inf	3	Horizontal	5	2.33
5755MHz	Pass	PK	5.6422G	59.18	68.20	-9.02	3	Horizontal	5	2.33
5755MHz	Pass	PK	5.749G	112.86	Inf	-Inf	3	Horizontal	5	2.33
5755MHz	Pass	PK	6.0502G	59.81	68.20	-8.39	3	Horizontal	5	2.33
5755MHz	Pass	AV	11.53496G	37.32	54.00	-16.68	3	Vertical	93	1.50
5755MHz	Pass	PK	11.5376G	50.02	74.00	-23.98	3	Vertical	93	1.50
5755MHz	Pass	AV	11.48948G	37.31	54.00	-16.69	3	Horizontal	204	1.50
5755MHz	Pass	PK	11.51564G	50.86	74.00	-23.14	3	Horizontal	204	1.50
5795MHz	Pass	AV	5.7974G	99.41	Inf	-Inf	3	Horizontal	4	2.32
5795MHz	Pass	PK	5.5646G	58.49	68.20	-9.71	3	Horizontal	4	2.32
5795MHz	Pass	PK	5.8022G	111.44	Inf	-Inf	3	Horizontal	4	2.32
5795MHz	Pass	PK	6.0626G	59.66	68.20	-8.54	3	Horizontal	4	2.32
5795MHz	Pass	AV	11.56492G	37.29	54.00	-16.71	3	Vertical	282	1.50
5795MHz	Pass	PK	11.56888G	50.02	74.00	-23.98	3	Vertical	282	1.50
5795MHz	Pass	AV	11.56252G	37.27	54.00	-16.73	3	Horizontal	237	1.50
5795MHz	Pass	PK	11.57296G	49.68	74.00	-24.32	3	Horizontal	237	1.50
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.149G	47.89	54.00	-6.11	3	Horizontal	15	1.50
5210MHz	Pass	AV	5.18G	90.83	Inf	-Inf	3	Horizontal	15	1.50
5210MHz	Pass	AV	5.356G	43.06	54.00	-10.94	3	Horizontal	15	1.50
5210MHz	Pass	PK	5.141G	61.65	74.00	-12.35	3	Horizontal	15	1.50
5210MHz	Pass	PK	5.18G	104.28	Inf	-Inf	3	Horizontal	15	1.50
5210MHz	Pass	PK	5.359G	57.40	74.00	-16.60	3	Horizontal	15	1.50
5210MHz	Pass	PK	10.4158G	49.05	68.20	-19.15	3	Vertical	8	1.78
5210MHz	Pass	PK	10.4236G	49.11	68.20	-19.09	3	Horizontal	90	1.50
5290MHz	Pass	AV	5.15G	43.92	54.00	-10.08	3	Horizontal	16	1.50
5290MHz	Pass	AV	5.304G	91.78	Inf	-Inf	3	Horizontal	16	1.50
5290MHz	Pass	AV	5.35G	45.74	54.00	-8.26	3	Horizontal	16	1.50
5290MHz	Pass	PK	5.145G	58.23	74.00	-15.77	3	Horizontal	16	1.50
5290MHz	Pass	PK	5.305G	105.83	Inf	-Inf	3	Horizontal	16	1.50
5290MHz	Pass	PK	5.369G	58.77	74.00	-15.23	3	Horizontal	16	1.50
5290MHz	Pass	PK	5.483G	57.60	68.20	-10.60	3	Horizontal	16	1.50
5290MHz	Pass	PK	10.577G	49.88	68.20	-18.32	3	Vertical	66	1.50
5290MHz	Pass	PK	10.57284G	49.07	68.20	-19.13	3	Horizontal	203	1.56
5530MHz	Pass	AV	5.35G	42.30	54.00	-11.70	3	Horizontal	350	1.50
5530MHz	Pass	AV	5.46G	46.92	54.00	-7.08	3	Horizontal	350	1.50
5530MHz	Pass	AV	5.522G	91.48	Inf	-Inf	3	Horizontal	350	1.50
5530MHz	Pass	PK	5.325G	56.32	68.20	-11.88	3	Horizontal	350	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5530MHz	Pass	PK	5.46G	60.05	74.00	-13.95	3	Horizontal	350	1.50
5530MHz	Pass	PK	5.467G	61.37	68.20	-6.83	3	Horizontal	350	1.50
5530MHz	Pass	PK	5.524G	104.98	Inf	-Inf	3	Horizontal	350	1.50
5530MHz	Pass	PK	5.767G	56.89	68.20	-11.31	3	Horizontal	350	1.50
5530MHz	Pass	AV	11.06668G	36.23	54.00	-17.77	3	Vertical	328	1.88
5530MHz	Pass	PK	11.06376G	49.60	74.00	-24.40	3	Vertical	328	1.88
5530MHz	Pass	AV	11.06548G	36.16	54.00	-17.84	3	Horizontal	282	2.55
5530MHz	Pass	PK	11.05012G	49.04	74.00	-24.96	3	Horizontal	282	2.55
5610MHz	Pass	AV	5.46G	43.42	54.00	-10.58	3	Horizontal	9	1.50
5610MHz	Pass	AV	5.601G	91.30	Inf	-Inf	3	Horizontal	9	1.50
5610MHz	Pass	PK	5.455G	56.47	74.00	-17.53	3	Horizontal	9	1.50
5610MHz	Pass	PK	5.463G	56.31	68.20	-11.89	3	Horizontal	9	1.50
5610MHz	Pass	PK	5.602G	105.26	Inf	-Inf	3	Horizontal	9	1.50
5610MHz	Pass	PK	5.733G	58.70	68.20	-9.50	3	Horizontal	9	1.50
5610MHz	Pass	AV	11.22632G	36.44	54.00	-17.56	3	Vertical	268	2.27
5610MHz	Pass	PK	11.2122G	49.92	74.00	-24.08	3	Vertical	268	2.27
5610MHz	Pass	AV	11.22668G	36.54	54.00	-17.46	3	Horizontal	160	1.05
5610MHz	Pass	PK	11.22744G	49.56	74.00	-24.44	3	Horizontal	160	1.05
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4452G	42.14	54.00	-11.86	3	Horizontal	6	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.678G	92.64	Inf	-Inf	3	Horizontal	6	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.396G	55.88	74.00	-18.12	3	Horizontal	6	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	55.28	68.20	-12.92	3	Horizontal	6	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6792G	105.65	Inf	-Inf	3	Horizontal	6	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.93G	57.59	68.20	-10.61	3	Horizontal	6	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37716G	36.89	54.00	-17.11	3	Vertical	318	1.94
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37176G	50.95	74.00	-23.05	3	Vertical	318	1.94
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37328G	36.86	54.00	-17.14	3	Horizontal	301	1.71
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38264G	49.93	74.00	-24.07	3	Horizontal	301	1.71
5775MHz	Pass	AV	5.757G	96.24	Inf	-Inf	3	Horizontal	3	2.07
5775MHz	Pass	PK	5.649G	60.62	68.20	-7.58	3	Horizontal	3	2.07
5775MHz	Pass	PK	5.7426G	108.73	Inf	-Inf	3	Horizontal	3	2.07
5775MHz	Pass	PK	5.931G	59.74	68.20	-8.46	3	Horizontal	3	2.07
5775MHz	Pass	AV	11.54376G	37.26	54.00	-16.74	3	Vertical	155	1.50
5775MHz	Pass	PK	11.53656G	49.47	74.00	-24.53	3	Vertical	155	1.50
5775MHz	Pass	AV	11.49144G	37.36	54.00	-16.64	3	Horizontal	287	1.50
5775MHz	Pass	PK	11.55768G	49.67	74.00	-24.33	3	Horizontal	287	1.50
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	53.27	54.00	-0.73	3	Horizontal	345	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1732G	89.21	Inf	-Inf	3	Horizontal	345	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3532G	51.99	54.00	-2.01	3	Horizontal	345	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.148G	70.36	74.00	-3.64	3	Horizontal	345	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1756G	102.95	Inf	-Inf	3	Horizontal	345	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3676G	69.71	74.00	-4.29	3	Horizontal	345	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4672G	60.30	68.20	-7.90	3	Horizontal	345	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.49004G	49.30	68.20	-18.90	3	Vertical	4	2.37
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.4916G	49.74	68.20	-18.46	3	Horizontal	43	1.76
5570MHz	Pass	AV	5.4596G	46.82	54.00	-7.18	3	Horizontal	9	1.50
5570MHz	Pass	AV	5.5988G	86.43	Inf	-Inf	3	Horizontal	9	1.50
5570MHz	Pass	PK	5.3444G	56.14	68.20	-12.06	3	Horizontal	9	1.50
5570MHz	Pass	PK	5.4404G	65.91	74.00	-8.09	3	Horizontal	9	1.50
5570MHz	Pass	PK	5.4632G	63.85	68.20	-4.35	3	Horizontal	9	1.50
5570MHz	Pass	PK	5.5988G	100.99	Inf	-Inf	3	Horizontal	9	1.50
5570MHz	Pass	PK	5.7584G	62.47	68.20	-5.73	3	Horizontal	9	1.50
5570MHz	Pass	AV	11.14868G	36.02	54.00	-17.98	3	Vertical	18	1.50
5570MHz	Pass	PK	11.14952G	48.96	74.00	-25.04	3	Vertical	18	1.50
5570MHz	Pass	AV	11.14924G	36.07	54.00	-17.93	3	Horizontal	255	3.00
5570MHz	Pass	PK	11.13748G	48.68	74.00	-25.32	3	Horizontal	255	3.00


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX



5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	45.67	54.00	-8.33	1.02	3	Horizontal	16	1.50	44.65	33.50	4.81	37.29
AV	5.1792G	94.19	Inf	-Inf	0.91	3	Horizontal	16	1.50	93.28	33.38	4.83	37.30
PK	5.1496G	58.95	74.00	-15.05	1.02	3	Horizontal	16	1.50	57.93	33.50	4.81	37.29
PK	5.1724G	108.68	Inf	-Inf	0.93	3	Horizontal	16	1.50	107.75	33.41	4.82	37.30

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.3808G	48.96	68.20	-19.24	4.16	3	Vertical	210	1.50	44.80	38.76	7.31	41.91


5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3168G	97.87	Inf	-Inf	0.66	3	Horizontal	16	1.50	97.21	33.10	4.89	37.33
AV	5.3504G	44.51	54.00	-9.49	0.67	3	Horizontal	16	1.50	43.84	33.10	4.91	37.34
PK	5.3174G	109.40	Inf	-Inf	0.66	3	Horizontal	16	1.50	108.74	33.10	4.89	37.33
PK	5.3606G	58.92	74.00	-15.08	0.65	3	Horizontal	16	1.50	58.27	33.08	4.91	37.34

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6458G	36.48	54.00	-17.52	4.54	3	Vertical	189	1.21	31.94	39.19	7.42	42.07
PK	10.6422G	49.25	74.00	-24.75	4.53	3	Vertical	189	1.21	44.72	39.18	7.42	42.07


5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5510MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	42.30	54.00	-11.70	0.67	3	Horizontal	350	1.50	41.63	33.10	4.91	37.34
AV	5.46G	46.92	54.00	-7.08	0.65	3	Horizontal	350	1.50	46.27	33.06	4.95	37.36
AV	5.522G	91.48	Inf	-Inf	0.86	3	Horizontal	350	1.50	90.62	33.26	4.96	37.36
PK	5.325G	56.32	68.20	-11.88	0.67	3	Horizontal	350	1.50	55.65	33.10	4.90	37.33
PK	5.46G	60.05	74.00	-13.95	0.65	3	Horizontal	350	1.50	59.40	33.06	4.95	37.36
PK	5.467G	61.37	68.20	-6.83	0.69	3	Horizontal	350	1.50	60.68	33.10	4.95	37.36
PK	5.524G	104.98	Inf	-Inf	0.85	3	Horizontal	350	1.50	104.13	33.25	4.96	37.36
PK	5.767G	56.89	68.20	-11.31	1.96	3	Horizontal	350	1.50	54.93	34.07	5.15	37.26

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06668G	36.23	54.00	-17.77	4.09	3	Vertical	328	1.88	32.14	38.80	7.60	42.31
PK	11.06376G	49.60	74.00	-24.40	4.09	3	Vertical	328	1.88	45.51	38.80	7.60	42.31


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5570MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5785MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5785MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5785MHz_TX



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	45.82	54.00	-8.18	5.30	3	Horizontal	5	2.33	40.52	32.80	7.57	35.07
AV	5.749G	100.50	Inf	-Inf	6.27	3	Horizontal	5	2.33	94.23	33.70	7.74	35.17
PK	5.6422G	59.18	68.20	-9.02	5.48	3	Horizontal	5	2.33	53.70	33.05	7.56	35.13
PK	5.749G	112.86	Inf	-Inf	6.27	3	Horizontal	5	2.33	106.59	33.70	7.74	35.17
PK	6.0502G	59.81	68.20	-8.39	6.51	3	Horizontal	5	2.33	53.30	34.00	7.82	35.31

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.53496G	37.32	54.00	-16.68	15.63	3	Vertical	93	1.50	21.69	38.83	10.82	34.02
PK	11.5376G	50.02	74.00	-23.98	15.63	3	Vertical	93	1.50	34.39	38.82	10.82	34.01


5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_TX





**RSE TX below 1GHz_Non-Beamforming_Radio 2_
Dual-Polarized MIMO Panel Antenna_2T1S**

Appendix E.9

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	45.52M	36.03	40.00	-3.97	3	Vertical	360	1.00



**RSE TX below 1GHz_Non-Beamforming_Radio 2_
Dual-Polarized MIMO Panel Antenna_2T1S**


Appendix E.9

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5775MHz_Adapter	Pass	PK	38.73M	35.75	40.00	-4.25	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	45.52M	36.03	40.00	-3.97	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	54.25M	32.00	40.00	-8.00	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	88M	25.61	43.50	-17.89	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	125.06M	25.58	43.50	-17.92	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	149.31M	26.33	43.50	-17.17	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	44.55M	25.24	40.00	-14.76	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	71.71M	24.68	40.00	-15.32	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	79.47M	29.40	40.00	-10.60	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	100.81M	33.73	43.50	-9.77	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	149.31M	28.64	43.50	-14.86	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	209.45M	23.36	43.50	-20.14	3	Horizontal	0	1.00


5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_Adapter



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_Adapter





**RSE TX above 1GHz_Non-Beamforming_Radio 2_
Dual-Polarized MIMO Panel Antenna_2T1S**

Appendix E.10

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.1468G	43.56	54.00	-10.44	3	Horizontal	17	1.01
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.14G	43.61	54.00	-10.39	3	Horizontal	16	1.03
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.15G	45.63	54.00	-8.37	3	Horizontal	17	1.00
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.147G	48.49	54.00	-5.51	3	Horizontal	346	1.01
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.35G	44.35	54.00	-9.65	3	Horizontal	20	1.50
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.35G	44.80	54.00	-9.20	3	Horizontal	22	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.35G	46.05	54.00	-7.95	3	Horizontal	22	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.352G	45.55	54.00	-8.45	3	Horizontal	22	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	5.1492G	52.75	54.00	-1.25	3	Horizontal	5	1.36
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.7252G	61.55	68.20	-6.65	3	Horizontal	341	1.50
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	PK	5.7256G	63.80	68.20	-4.40	3	Horizontal	342	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	PK	5.4632G	63.17	68.20	-5.03	3	Horizontal	346	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.46G	46.73	54.00	-7.27	3	Horizontal	347	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	PK	5.4656G	60.52	68.20	-7.68	3	Horizontal	347	1.34
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.469G	61.15	68.20	-7.05	3	Horizontal	12	1.50
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	PK	6.0054G	60.36	68.20	-7.84	3	Horizontal	15	1.57
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.4574G	46.35	54.00	-7.65	3	Horizontal	13	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	5.6454G	62.35	68.20	-5.85	3	Horizontal	13	1.60



RSE TX above 1GHz_Non-Beamforming_Radio 2 Dual-Polarized MIMO Panel Antenna_2T1S

Appendix E.10

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1468G	43.56	54.00	-10.44	3	Horizontal	17	1.01
5180MHz	Pass	AV	5.1814G	98.91	Inf	-Inf	3	Horizontal	17	1.01
5180MHz	Pass	PK	5.1464G	57.19	74.00	-16.81	3	Horizontal	17	1.01
5180MHz	Pass	PK	5.1802G	109.52	Inf	-Inf	3	Horizontal	17	1.01
5180MHz	Pass	PK	10.35752G	49.13	68.20	-19.07	3	Vertical	259	1.50
5180MHz	Pass	PK	10.366G	49.46	68.20	-18.74	3	Horizontal	0	1.50
5200MHz	Pass	AV	5.1496G	42.73	54.00	-11.27	3	Horizontal	3	1.50
5200MHz	Pass	AV	5.2048G	97.74	Inf	-Inf	3	Horizontal	3	1.50
5200MHz	Pass	PK	5.1396G	56.07	74.00	-17.93	3	Horizontal	3	1.50
5200MHz	Pass	PK	5.2048G	107.95	Inf	-Inf	3	Horizontal	3	1.50
5200MHz	Pass	PK	10.40724G	49.61	68.20	-18.59	3	Vertical	128	1.50
5200MHz	Pass	PK	10.3936G	49.34	68.20	-18.86	3	Horizontal	30	1.50
5240MHz	Pass	AV	5.15G	42.51	54.00	-11.49	3	Horizontal	21	1.50
5240MHz	Pass	AV	5.2412G	97.60	Inf	-Inf	3	Horizontal	21	1.50
5240MHz	Pass	AV	5.3636G	42.67	54.00	-11.33	3	Horizontal	21	1.50
5240MHz	Pass	PK	5.1122G	56.62	74.00	-17.38	3	Horizontal	21	1.50
5240MHz	Pass	PK	5.2394G	108.61	Inf	-Inf	3	Horizontal	21	1.50
5240MHz	Pass	PK	5.3738G	56.34	74.00	-17.66	3	Horizontal	21	1.50
5240MHz	Pass	PK	10.48408G	49.16	68.20	-19.04	3	Vertical	100	1.50
5240MHz	Pass	PK	10.4716G	49.80	68.20	-18.40	3	Horizontal	128	2.24
5260MHz	Pass	AV	5.15G	42.30	54.00	-11.70	3	Horizontal	22	1.50
5260MHz	Pass	AV	5.2552G	98.48	Inf	-Inf	3	Horizontal	22	1.50
5260MHz	Pass	AV	5.3728G	42.40	54.00	-11.60	3	Horizontal	22	1.50
5260MHz	Pass	PK	5.1292G	55.56	74.00	-18.44	3	Horizontal	22	1.50
5260MHz	Pass	PK	5.2648G	109.05	Inf	-Inf	3	Horizontal	22	1.50
5260MHz	Pass	PK	5.3752G	56.17	74.00	-17.83	3	Horizontal	22	1.50
5260MHz	Pass	PK	10.52752G	48.72	68.20	-19.48	3	Vertical	282	2.64
5260MHz	Pass	PK	10.51592G	49.90	68.20	-18.30	3	Horizontal	114	1.50
5300MHz	Pass	AV	5.3052G	98.27	Inf	-Inf	3	Horizontal	23	1.50
5300MHz	Pass	AV	5.3512G	42.70	54.00	-11.30	3	Horizontal	23	1.50
5300MHz	Pass	PK	5.3052G	109.30	Inf	-Inf	3	Horizontal	23	1.50
5300MHz	Pass	PK	5.374G	56.37	74.00	-17.63	3	Horizontal	23	1.50
5300MHz	Pass	AV	10.6034G	36.11	54.00	-17.89	3	Vertical	33	1.98
5300MHz	Pass	PK	10.60216G	49.55	74.00	-24.45	3	Vertical	33	1.98
5300MHz	Pass	AV	10.6076G	36.15	54.00	-17.85	3	Horizontal	253	2.51
5300MHz	Pass	PK	10.60224G	51.27	74.00	-22.73	3	Horizontal	253	2.51
5320MHz	Pass	AV	5.316G	98.38	Inf	-Inf	3	Horizontal	20	1.50
5320MHz	Pass	AV	5.35G	44.35	54.00	-9.65	3	Horizontal	20	1.50
5320MHz	Pass	PK	5.32G	109.07	Inf	-Inf	3	Horizontal	20	1.50
5320MHz	Pass	PK	5.3612G	59.31	74.00	-14.69	3	Horizontal	20	1.50
5320MHz	Pass	AV	10.64556G	36.36	54.00	-17.64	3	Vertical	69	2.91
5320MHz	Pass	PK	10.64036G	50.10	74.00	-23.90	3	Vertical	69	2.91
5320MHz	Pass	AV	10.64532G	36.36	54.00	-17.64	3	Horizontal	335	2.65
5320MHz	Pass	PK	10.64168G	49.96	74.00	-24.04	3	Horizontal	335	2.65
5500MHz	Pass	AV	5.46G	43.93	54.00	-10.07	3	Horizontal	347	1.50
5500MHz	Pass	AV	5.495G	99.07	Inf	-Inf	3	Horizontal	347	1.50
5500MHz	Pass	PK	5.4596G	60.12	74.00	-13.88	3	Horizontal	347	1.50
5500MHz	Pass	PK	5.4698G	58.01	68.20	-10.19	3	Horizontal	347	1.50
5500MHz	Pass	PK	5.4948G	109.43	Inf	-Inf	3	Horizontal	347	1.50
5500MHz	Pass	AV	10.99156G	35.87	54.00	-18.13	3	Vertical	62	1.30
5500MHz	Pass	PK	10.9956G	50.28	74.00	-23.72	3	Vertical	62	1.30
5500MHz	Pass	AV	10.99132G	35.84	54.00	-18.16	3	Horizontal	40	1.50
5500MHz	Pass	PK	10.9958G	50.65	74.00	-23.35	3	Horizontal	40	1.50
5580MHz	Pass	AV	5.4522G	42.13	54.00	-11.87	3	Horizontal	18	1.50
5580MHz	Pass	AV	5.5752G	97.83	Inf	-Inf	3	Horizontal	18	1.50
5580MHz	Pass	PK	5.4408G	55.99	74.00	-18.01	3	Horizontal	18	1.50
5580MHz	Pass	PK	5.4648G	55.21	68.20	-12.99	3	Horizontal	18	1.50
5580MHz	Pass	PK	5.5752G	108.23	Inf	-Inf	3	Horizontal	18	1.50
5580MHz	Pass	PK	5.7294G	55.83	68.20	-12.37	3	Horizontal	18	1.50
5580MHz	Pass	AV	11.1532G	36.01	54.00	-17.99	3	Vertical	312	1.50



RSE TX above 1GHz_Non-Beamforming_Radio 2
Dual-Polarized MIMO Panel Antenna_2T1S

Appendix E.10

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5580MHz	Pass	PK	11.1504G	49.17	74.00	-24.83	3	Vertical	312	1.50
5580MHz	Pass	AV	11.1512G	35.97	54.00	-18.03	3	Horizontal	15	1.21
5580MHz	Pass	PK	11.1576G	49.29	74.00	-24.71	3	Horizontal	15	1.21
5700MHz	Pass	AV	5.696G	95.40	Inf	-Inf	3	Horizontal	341	1.50
5700MHz	Pass	PK	5.7012G	105.62	Inf	-Inf	3	Horizontal	341	1.50
5700MHz	Pass	PK	5.7252G	61.55	68.20	-6.65	3	Horizontal	341	1.50
5700MHz	Pass	AV	11.40532G	37.10	54.00	-16.90	3	Vertical	228	2.64
5700MHz	Pass	PK	11.39156G	51.16	74.00	-22.84	3	Vertical	228	2.64
5700MHz	Pass	AV	11.40596G	37.18	54.00	-16.82	3	Horizontal	360	2.69
5700MHz	Pass	PK	11.39736G	50.52	74.00	-23.48	3	Horizontal	360	2.69
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4344G	41.80	54.00	-12.20	3	Horizontal	341	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.726G	98.44	Inf	-Inf	3	Horizontal	341	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4416G	55.84	74.00	-18.16	3	Horizontal	341	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	54.67	68.20	-13.53	3	Horizontal	341	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.726G	108.31	Inf	-Inf	3	Horizontal	341	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8904G	58.25	68.20	-9.95	3	Horizontal	341	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44032G	37.15	54.00	-16.85	3	Vertical	340	2.54
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44128G	50.36	74.00	-23.64	3	Vertical	340	2.54
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44024G	37.13	54.00	-16.87	3	Horizontal	58	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44032G	50.40	74.00	-23.60	3	Horizontal	58	1.50
5745MHz	Pass	AV	5.4594G	46.20	54.00	-7.80	3	Horizontal	12	1.50
5745MHz	Pass	AV	5.7462G	106.85	Inf	-Inf	3	Horizontal	12	1.50
5745MHz	Pass	PK	5.469G	61.15	68.20	-7.05	3	Horizontal	12	1.50
5745MHz	Pass	PK	5.7462G	116.88	Inf	-Inf	3	Horizontal	12	1.50
5745MHz	Pass	PK	5.9922G	59.41	68.20	-8.79	3	Horizontal	12	1.50
5745MHz	Pass	AV	11.49066G	37.18	54.00	-16.82	3	Vertical	208	1.18
5745MHz	Pass	PK	11.47656G	49.56	74.00	-24.44	3	Vertical	208	1.18
5745MHz	Pass	AV	11.49138G	37.17	54.00	-16.83	3	Horizontal	155	1.50
5745MHz	Pass	PK	11.49804G	49.27	74.00	-24.73	3	Horizontal	155	1.50
5785MHz	Pass	AV	5.78008G	105.35	Inf	-Inf	3	Horizontal	20	1.50
5785MHz	Pass	PK	5.50662G	58.63	68.20	-9.57	3	Horizontal	20	1.50
5785MHz	Pass	PK	5.78976G	114.92	Inf	-Inf	3	Horizontal	20	1.50
5785MHz	Pass	PK	6.04991G	60.05	68.20	-8.15	3	Horizontal	20	1.50
5785MHz	Pass	AV	11.55542G	37.12	54.00	-16.88	3	Vertical	355	1.50
5785MHz	Pass	PK	11.55578G	49.45	74.00	-24.55	3	Vertical	355	1.50
5785MHz	Pass	AV	11.55548G	37.14	54.00	-16.86	3	Horizontal	88	1.50
5785MHz	Pass	PK	11.57636G	50.06	74.00	-23.94	3	Horizontal	88	1.50
5825MHz	Pass	AV	5.8298G	105.85	Inf	-Inf	3	Horizontal	16	1.64
5825MHz	Pass	PK	5.5598G	59.21	68.20	-8.99	3	Horizontal	16	1.64
5825MHz	Pass	PK	5.8202G	115.82	Inf	-Inf	3	Horizontal	16	1.64
5825MHz	Pass	PK	6.047G	60.33	68.20	-7.87	3	Horizontal	16	1.64
5825MHz	Pass	AV	11.6575G	37.14	54.00	-16.86	3	Vertical	89	1.00
5825MHz	Pass	PK	11.64988G	50.35	74.00	-23.65	3	Vertical	89	1.00
5825MHz	Pass	AV	11.65282G	37.07	54.00	-16.93	3	Horizontal	76	1.50
5825MHz	Pass	PK	11.65282G	49.46	74.00	-24.54	3	Horizontal	76	1.50
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.14G	43.61	54.00	-10.39	3	Horizontal	16	1.03
5180MHz	Pass	AV	5.178G	98.10	Inf	-Inf	3	Horizontal	16	1.03
5180MHz	Pass	PK	5.139G	58.64	74.00	-15.36	3	Horizontal	16	1.03
5180MHz	Pass	PK	5.183G	112.09	Inf	-Inf	3	Horizontal	16	1.03
5180MHz	Pass	PK	10.36856G	50.55	68.20	-17.65	3	Vertical	331	1.78
5180MHz	Pass	PK	10.3696G	49.29	68.20	-18.91	3	Horizontal	107	2.70
5200MHz	Pass	AV	5.1496G	42.75	54.00	-11.25	3	Horizontal	3	1.50
5200MHz	Pass	AV	5.2024G	96.54	Inf	-Inf	3	Horizontal	3	1.50
5200MHz	Pass	PK	5.1436G	56.59	74.00	-17.41	3	Horizontal	3	1.50
5200MHz	Pass	PK	5.1968G	109.90	Inf	-Inf	3	Horizontal	3	1.50
5200MHz	Pass	PK	10.39932G	49.72	68.20	-18.48	3	Vertical	101	1.44
5200MHz	Pass	PK	10.40332G	48.97	68.20	-19.23	3	Horizontal	320	1.50
5240MHz	Pass	AV	5.15G	42.54	54.00	-11.46	3	Horizontal	21	1.50
5240MHz	Pass	AV	5.2424G	96.92	Inf	-Inf	3	Horizontal	21	1.50
5240MHz	Pass	AV	5.3732G	42.66	54.00	-11.34	3	Horizontal	21	1.50
5240MHz	Pass	PK	5.126G	56.08	74.00	-17.92	3	Horizontal	21	1.50



RSE TX above 1GHz Non-Beamforming Radio 2
Dual-Polarized MIMO Panel Antenna 2T1S

Appendix E.10

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5240MHz	Pass	PK	5.2358G	110.44	Inf	-Inf	3	Horizontal	21	1.50
5240MHz	Pass	PK	5.3636G	56.43	74.00	-17.57	3	Horizontal	21	1.50
5240MHz	Pass	PK	10.47424G	49.31	68.20	-18.89	3	Vertical	190	1.50
5240MHz	Pass	PK	10.47348G	49.89	68.20	-18.31	3	Horizontal	129	1.50
5260MHz	Pass	AV	5.1478G	42.23	54.00	-11.77	3	Horizontal	23	1.50
5260MHz	Pass	AV	5.2528G	97.56	Inf	-Inf	3	Horizontal	23	1.50
5260MHz	Pass	AV	5.3686G	42.39	54.00	-11.61	3	Horizontal	23	1.50
5260MHz	Pass	PK	5.1484G	55.64	74.00	-18.36	3	Horizontal	23	1.50
5260MHz	Pass	PK	5.263G	110.68	Inf	-Inf	3	Horizontal	23	1.50
5260MHz	Pass	PK	5.3878G	55.89	74.00	-18.11	3	Horizontal	23	1.50
5260MHz	Pass	PK	10.52968G	48.87	68.20	-19.33	3	Vertical	353	2.80
5260MHz	Pass	PK	10.51112G	50.03	68.20	-18.17	3	Horizontal	48	1.50
5300MHz	Pass	AV	5.3076G	97.65	Inf	-Inf	3	Horizontal	23	1.50
5300MHz	Pass	AV	5.3508G	42.78	54.00	-11.22	3	Horizontal	23	1.50
5300MHz	Pass	PK	5.3084G	110.61	Inf	-Inf	3	Horizontal	23	1.50
5300MHz	Pass	PK	5.3576G	56.61	74.00	-17.39	3	Horizontal	23	1.50
5300MHz	Pass	AV	10.60088G	36.17	54.00	-17.83	3	Vertical	299	2.59
5300MHz	Pass	PK	10.60349G	49.08	74.00	-24.92	3	Vertical	299	2.59
5300MHz	Pass	AV	10.60616G	36.12	54.00	-17.88	3	Horizontal	102	2.25
5300MHz	Pass	PK	10.60336G	49.63	74.00	-24.37	3	Horizontal	102	2.25
5320MHz	Pass	AV	5.3126G	97.54	Inf	-Inf	3	Horizontal	22	1.50
5320MHz	Pass	AV	5.35G	44.80	54.00	-9.20	3	Horizontal	22	1.50
5320MHz	Pass	PK	5.3174G	110.62	Inf	-Inf	3	Horizontal	22	1.50
5320MHz	Pass	PK	5.3602G	60.19	74.00	-13.81	3	Horizontal	22	1.50
5320MHz	Pass	AV	10.64828G	36.39	54.00	-17.61	3	Vertical	125	1.09
5320MHz	Pass	PK	10.64284G	50.07	74.00	-23.93	3	Vertical	125	1.09
5320MHz	Pass	AV	10.64468G	36.34	54.00	-17.66	3	Horizontal	288	1.50
5320MHz	Pass	PK	10.64228G	49.52	74.00	-24.48	3	Horizontal	288	1.50
5500MHz	Pass	AV	5.46G	45.24	54.00	-8.76	3	Horizontal	16	1.50
5500MHz	Pass	AV	5.4928G	98.36	Inf	-Inf	3	Horizontal	16	1.50
5500MHz	Pass	PK	5.4596G	60.75	74.00	-13.25	3	Horizontal	16	1.50
5500MHz	Pass	PK	5.4628G	61.14	68.20	-7.06	3	Horizontal	16	1.50
5500MHz	Pass	PK	5.5074G	111.16	Inf	-Inf	3	Horizontal	16	1.50
5500MHz	Pass	AV	10.99708G	35.86	54.00	-18.14	3	Vertical	11	1.75
5500MHz	Pass	PK	11.00188G	49.55	74.00	-24.45	3	Vertical	11	1.75
5500MHz	Pass	AV	10.99076G	35.91	54.00	-18.09	3	Horizontal	111	1.50
5500MHz	Pass	PK	11.00112G	48.73	74.00	-25.27	3	Horizontal	111	1.50
5580MHz	Pass	AV	5.4546G	42.21	54.00	-11.79	3	Horizontal	20	1.00
5580MHz	Pass	AV	5.5848G	98.09	Inf	-Inf	3	Horizontal	20	1.00
5580MHz	Pass	PK	5.4432G	56.28	74.00	-17.72	3	Horizontal	20	1.00
5580MHz	Pass	PK	5.4666G	55.28	68.20	-12.92	3	Horizontal	20	1.00
5580MHz	Pass	PK	5.5818G	111.30	Inf	-Inf	3	Horizontal	20	1.00
5580MHz	Pass	PK	5.7288G	56.16	68.20	-12.04	3	Horizontal	20	1.00
5580MHz	Pass	AV	11.15132G	36.03	54.00	-17.97	3	Vertical	299	1.50
5580MHz	Pass	PK	11.16792G	49.48	74.00	-24.52	3	Vertical	299	1.50
5580MHz	Pass	AV	11.15136G	36.17	54.00	-17.83	3	Horizontal	153	1.50
5580MHz	Pass	PK	11.15296G	49.10	74.00	-24.90	3	Horizontal	153	1.50
5700MHz	Pass	AV	5.6956G	93.95	Inf	-Inf	3	Horizontal	342	1.50
5700MHz	Pass	PK	5.6984G	107.23	Inf	-Inf	3	Horizontal	342	1.50
5700MHz	Pass	PK	5.7256G	63.80	68.20	-4.40	3	Horizontal	342	1.50
5700MHz	Pass	AV	11.39712G	37.09	54.00	-16.91	3	Vertical	36	1.42
5700MHz	Pass	PK	11.4068G	51.11	74.00	-22.89	3	Vertical	36	1.42
5700MHz	Pass	AV	11.4066G	37.07	54.00	-16.93	3	Horizontal	290	1.62
5700MHz	Pass	PK	11.40664G	51.04	74.00	-22.96	3	Horizontal	290	1.62
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4584G	41.79	54.00	-12.21	3	Horizontal	341	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7284G	97.58	Inf	-Inf	3	Horizontal	341	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4596G	55.43	74.00	-18.57	3	Horizontal	341	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	55.29	68.20	-12.91	3	Horizontal	341	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7212G	110.33	Inf	-Inf	3	Horizontal	341	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.936G	57.34	68.20	-10.86	3	Horizontal	341	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44144G	37.10	54.00	-16.90	3	Vertical	22	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43864G	50.18	74.00	-23.82	3	Vertical	22	1.50



RSE TX above 1GHz_Non-Beamforming_Radio 2
Dual-Polarized MIMO Panel Antenna_2T1S

Appendix E.10

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43828G	37.13	54.00	-16.87	3	Horizontal	42	1.39
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44988G	49.95	74.00	-24.05	3	Horizontal	42	1.39
5745MHz	Pass	AV	5.451G	46.10	54.00	-7.90	3	Horizontal	15	1.57
5745MHz	Pass	AV	5.7426G	106.13	Inf	-Inf	3	Horizontal	15	1.57
5745MHz	Pass	PK	5.6226G	58.88	68.20	-9.32	3	Horizontal	15	1.57
5745MHz	Pass	PK	5.7522G	117.13	Inf	-Inf	3	Horizontal	15	1.57
5745MHz	Pass	PK	6.0054G	60.36	68.20	-7.84	3	Horizontal	15	1.57
5745MHz	Pass	AV	11.49036G	37.17	54.00	-16.83	3	Vertical	275	1.50
5745MHz	Pass	PK	11.47938G	49.53	74.00	-24.47	3	Vertical	275	1.50
5745MHz	Pass	AV	11.4915G	37.17	54.00	-16.83	3	Horizontal	90	1.20
5745MHz	Pass	PK	11.49264G	50.41	74.00	-23.59	3	Horizontal	90	1.20
5785MHz	Pass	AV	5.77766G	105.09	Inf	-Inf	3	Horizontal	11	1.54
5785MHz	Pass	PK	5.62157G	58.96	68.20	-9.24	3	Horizontal	11	1.54
5785MHz	Pass	PK	5.77887G	117.47	Inf	-Inf	3	Horizontal	11	1.54
5785MHz	Pass	PK	5.99546G	59.77	68.20	-8.43	3	Horizontal	11	1.54
5785MHz	Pass	AV	11.55524G	37.21	54.00	-16.79	3	Vertical	157	2.17
5785MHz	Pass	PK	11.55686G	49.55	74.00	-24.45	3	Vertical	157	2.17
5785MHz	Pass	AV	11.55698G	37.16	54.00	-16.84	3	Horizontal	324	1.50
5785MHz	Pass	PK	11.57732G	49.60	74.00	-24.40	3	Horizontal	324	1.50
5825MHz	Pass	AV	5.8178G	105.35	Inf	-Inf	3	Horizontal	11	1.60
5825MHz	Pass	PK	5.6198G	58.82	68.20	-9.38	3	Horizontal	11	1.60
5825MHz	Pass	PK	5.8226G	116.47	Inf	-Inf	3	Horizontal	11	1.60
5825MHz	Pass	PK	5.9846G	59.60	68.20	-8.60	3	Horizontal	11	1.60
5825MHz	Pass	AV	11.65114G	37.13	54.00	-16.87	3	Vertical	96	1.50
5825MHz	Pass	PK	11.63974G	49.48	74.00	-24.52	3	Vertical	96	1.50
5825MHz	Pass	AV	11.65642G	37.10	54.00	-16.90	3	Horizontal	294	2.32
5825MHz	Pass	PK	11.63818G	50.13	74.00	-23.87	3	Horizontal	294	2.32
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	45.63	54.00	-8.37	3	Horizontal	17	1.00
5190MHz	Pass	AV	5.1932G	95.35	Inf	-Inf	3	Horizontal	17	1.00
5190MHz	Pass	PK	5.1476G	59.37	74.00	-14.63	3	Horizontal	17	1.00
5190MHz	Pass	PK	5.1756G	108.46	Inf	-Inf	3	Horizontal	17	1.00
5190MHz	Pass	PK	10.37352G	49.60	68.20	-18.60	3	Vertical	59	1.50
5190MHz	Pass	PK	10.378G	49.99	68.20	-18.21	3	Horizontal	305	1.50
5230MHz	Pass	AV	5.15G	43.34	54.00	-10.66	3	Horizontal	23	1.43
5230MHz	Pass	AV	5.2352G	94.96	Inf	-Inf	3	Horizontal	23	1.43
5230MHz	Pass	PK	5.1496G	57.78	74.00	-16.22	3	Horizontal	23	1.43
5230MHz	Pass	PK	5.2248G	108.83	Inf	-Inf	3	Horizontal	23	1.43
5230MHz	Pass	PK	10.46528G	50.89	68.20	-17.31	3	Vertical	360	2.25
5230MHz	Pass	PK	10.45104G	49.22	68.20	-18.98	3	Horizontal	195	1.56
5270MHz	Pass	AV	5.2552G	94.90	Inf	-Inf	3	Horizontal	23	1.50
5270MHz	Pass	AV	5.35G	43.52	54.00	-10.48	3	Horizontal	23	1.50
5270MHz	Pass	PK	5.2576G	108.19	Inf	-Inf	3	Horizontal	23	1.50
5270MHz	Pass	PK	5.3508G	57.39	74.00	-16.61	3	Horizontal	23	1.50
5270MHz	Pass	PK	10.54948G	49.94	68.20	-18.26	3	Vertical	20	2.57
5270MHz	Pass	PK	10.5434G	49.13	68.20	-19.07	3	Horizontal	49	1.50
5310MHz	Pass	AV	5.3076G	95.48	Inf	-Inf	3	Horizontal	22	1.50
5310MHz	Pass	AV	5.35G	46.05	54.00	-7.95	3	Horizontal	22	1.50
5310MHz	Pass	PK	5.3076G	109.89	Inf	-Inf	3	Horizontal	22	1.50
5310MHz	Pass	PK	5.3528G	60.07	74.00	-13.93	3	Horizontal	22	1.50
5310MHz	Pass	AV	10.61548G	36.23	54.00	-17.77	3	Vertical	340	1.50
5310MHz	Pass	PK	10.61524G	49.34	74.00	-24.66	3	Vertical	340	1.50
5310MHz	Pass	AV	10.61264G	36.18	54.00	-17.82	3	Horizontal	259	1.32
5310MHz	Pass	PK	10.62936G	50.17	74.00	-23.83	3	Horizontal	259	1.32
5510MHz	Pass	AV	5.46G	45.64	54.00	-8.36	3	Horizontal	346	1.50
5510MHz	Pass	AV	5.5152G	95.61	Inf	-Inf	3	Horizontal	346	1.50
5510MHz	Pass	PK	5.46G	61.10	74.00	-12.90	3	Horizontal	346	1.50
5510MHz	Pass	PK	5.4632G	63.17	68.20	-5.03	3	Horizontal	346	1.50
5510MHz	Pass	PK	5.5176G	108.30	Inf	-Inf	3	Horizontal	346	1.50
5510MHz	Pass	AV	11.01572G	35.92	54.00	-18.08	3	Vertical	145	1.50
5510MHz	Pass	PK	11.0264G	50.16	74.00	-23.84	3	Vertical	145	1.50
5510MHz	Pass	AV	11.01744G	35.94	54.00	-18.06	3	Horizontal	273	2.70



RSE TX above 1GHz_Non-Beamforming_Radio 2 Dual-Polarized MIMO Panel Antenna_2T1S


Appendix E.10

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5510MHz	Pass	PK	11.01608G	49.61	74.00	-24.39	3	Horizontal	273	2.70
5550MHz	Pass	AV	5.46G	43.42	54.00	-10.58	3	Horizontal	20	1.00
5550MHz	Pass	AV	5.5368G	96.57	Inf	-Inf	3	Horizontal	20	1.00
5550MHz	Pass	PK	5.4512G	57.87	74.00	-16.13	3	Horizontal	20	1.00
5550MHz	Pass	PK	5.4696G	57.36	68.20	-10.84	3	Horizontal	20	1.00
5550MHz	Pass	PK	5.5416G	109.49	Inf	-Inf	3	Horizontal	20	1.00
5550MHz	Pass	AV	11.10048G	35.79	54.00	-18.21	3	Vertical	298	1.50
5550MHz	Pass	PK	11.09896G	49.29	74.00	-24.71	3	Vertical	298	1.50
5550MHz	Pass	AV	11.10408G	35.73	54.00	-18.27	3	Horizontal	71	1.50
5550MHz	Pass	PK	11.10464G	49.37	74.00	-24.63	3	Horizontal	71	1.50
5670MHz	Pass	AV	5.676G	95.78	Inf	-Inf	3	Horizontal	8	1.00
5670MHz	Pass	PK	5.676G	109.05	Inf	-Inf	3	Horizontal	8	1.00
5670MHz	Pass	PK	5.7252G	61.90	68.20	-6.30	3	Horizontal	8	1.00
5670MHz	Pass	AV	11.33216G	36.78	54.00	-17.22	3	Vertical	352	1.50
5670MHz	Pass	PK	11.33064G	49.79	74.00	-24.21	3	Vertical	352	1.50
5670MHz	Pass	AV	11.34592G	36.78	54.00	-17.22	3	Horizontal	179	1.00
5670MHz	Pass	PK	11.34428G	49.78	74.00	-24.22	3	Horizontal	179	1.00
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4556G	41.84	54.00	-12.16	3	Horizontal	341	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.6956G	95.88	Inf	-Inf	3	Horizontal	341	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4256G	56.08	74.00	-17.92	3	Horizontal	341	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4664G	55.27	68.20	-12.93	3	Horizontal	341	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7112G	108.30	Inf	-Inf	3	Horizontal	341	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9008G	57.68	68.20	-10.52	3	Horizontal	341	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41156G	37.06	54.00	-16.94	3	Vertical	135	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42828G	50.61	74.00	-23.39	3	Vertical	135	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.4252G	37.05	54.00	-16.95	3	Horizontal	168	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41164G	50.00	74.00	-24.00	3	Horizontal	168	1.50
5755MHz	Pass	AV	5.4574G	46.35	54.00	-7.65	3	Horizontal	13	1.50
5755MHz	Pass	AV	5.7478G	103.36	Inf	-Inf	3	Horizontal	13	1.50
5755MHz	Pass	PK	5.5858G	59.97	68.20	-8.23	3	Horizontal	13	1.50
5755MHz	Pass	PK	5.7526G	115.11	Inf	-Inf	3	Horizontal	13	1.50
5755MHz	Pass	PK	6.0502G	60.06	68.20	-8.14	3	Horizontal	13	1.50
5755MHz	Pass	AV	11.48192G	37.19	54.00	-16.81	3	Vertical	34	1.50
5755MHz	Pass	PK	11.53304G	50.44	74.00	-23.56	3	Vertical	34	1.50
5755MHz	Pass	AV	11.48252G	37.21	54.00	-16.79	3	Horizontal	84	3.00
5755MHz	Pass	PK	11.5232G	49.78	74.00	-24.22	3	Horizontal	84	3.00
5795MHz	Pass	AV	5.8094G	102.15	Inf	-Inf	3	Horizontal	19	1.50
5795MHz	Pass	PK	5.645G	59.40	68.20	-8.80	3	Horizontal	19	1.50
5795MHz	Pass	PK	5.8046G	113.98	Inf	-Inf	3	Horizontal	19	1.50
5795MHz	Pass	PK	5.9774G	59.77	68.20	-8.43	3	Horizontal	19	1.50
5795MHz	Pass	AV	11.56156G	37.26	54.00	-16.74	3	Vertical	208	1.00
5795MHz	Pass	PK	11.61304G	49.34	74.00	-24.66	3	Vertical	208	1.00
5795MHz	Pass	AV	11.5624G	37.19	54.00	-16.81	3	Horizontal	190	1.50
5795MHz	Pass	PK	11.58904G	49.49	74.00	-24.51	3	Horizontal	190	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.147G	48.49	54.00	-5.51	3	Horizontal	346	1.01
5210MHz	Pass	AV	5.215G	91.80	Inf	-Inf	3	Horizontal	346	1.01
5210MHz	Pass	AV	5.359G	43.13	54.00	-10.87	3	Horizontal	346	1.01
5210MHz	Pass	PK	5.147G	62.39	74.00	-11.61	3	Horizontal	346	1.01
5210MHz	Pass	PK	5.221G	105.50	Inf	-Inf	3	Horizontal	346	1.01
5210MHz	Pass	PK	5.386G	56.80	74.00	-17.20	3	Horizontal	346	1.01
5210MHz	Pass	PK	10.41644G	49.92	68.20	-18.28	3	Vertical	308	1.50
5210MHz	Pass	PK	10.42636G	49.26	68.20	-18.94	3	Horizontal	8	2.94
5290MHz	Pass	AV	5.15G	43.52	54.00	-10.48	3	Horizontal	22	1.50
5290MHz	Pass	AV	5.305G	91.81	Inf	-Inf	3	Horizontal	22	1.50
5290MHz	Pass	AV	5.352G	45.55	54.00	-8.45	3	Horizontal	22	1.50
5290MHz	Pass	PK	5.144G	56.48	74.00	-17.52	3	Horizontal	22	1.50
5290MHz	Pass	PK	5.323G	105.39	Inf	-Inf	3	Horizontal	22	1.50
5290MHz	Pass	PK	5.379G	59.48	74.00	-14.52	3	Horizontal	22	1.50
5290MHz	Pass	PK	5.465G	56.69	68.20	-11.51	3	Horizontal	22	1.50
5290MHz	Pass	PK	10.5746G	51.14	68.20	-17.06	3	Vertical	352	1.50
5290MHz	Pass	PK	10.58196G	49.39	68.20	-18.81	3	Horizontal	37	1.62

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5530MHz	Pass	AV	5.35G	42.17	54.00	-11.83	3	Horizontal	347	1.50
5530MHz	Pass	AV	5.46G	46.73	54.00	-7.27	3	Horizontal	347	1.50
5530MHz	Pass	AV	5.518G	92.27	Inf	-Inf	3	Horizontal	347	1.50
5530MHz	Pass	PK	5.312G	55.51	68.20	-12.69	3	Horizontal	347	1.50
5530MHz	Pass	PK	5.46G	59.82	74.00	-14.18	3	Horizontal	347	1.50
5530MHz	Pass	PK	5.47G	60.92	68.20	-7.28	3	Horizontal	347	1.50
5530MHz	Pass	PK	5.54G	105.29	Inf	-Inf	3	Horizontal	347	1.50
5530MHz	Pass	PK	5.745G	56.63	68.20	-11.57	3	Horizontal	347	1.50
5530MHz	Pass	AV	11.06524G	35.95	54.00	-18.05	3	Vertical	79	2.48
5530MHz	Pass	PK	11.06412G	49.78	74.00	-24.22	3	Vertical	79	2.48
5530MHz	Pass	AV	11.06684G	35.94	54.00	-18.06	3	Horizontal	259	1.50
5530MHz	Pass	PK	11.06096G	48.73	74.00	-25.27	3	Horizontal	259	1.50
5610MHz	Pass	AV	5.46G	43.17	54.00	-10.83	3	Horizontal	12	1.50
5610MHz	Pass	AV	5.598G	91.39	Inf	-Inf	3	Horizontal	12	1.50
5610MHz	Pass	PK	5.444G	56.33	74.00	-17.67	3	Horizontal	12	1.50
5610MHz	Pass	PK	5.462G	56.22	68.20	-11.98	3	Horizontal	12	1.50
5610MHz	Pass	PK	5.598G	104.44	Inf	-Inf	3	Horizontal	12	1.50
5610MHz	Pass	PK	5.739G	58.33	68.20	-9.87	3	Horizontal	12	1.50
5610MHz	Pass	AV	11.22936G	36.28	54.00	-17.72	3	Vertical	94	2.34
5610MHz	Pass	PK	11.22768G	49.48	74.00	-24.52	3	Vertical	94	2.34
5610MHz	Pass	AV	11.22944G	36.27	54.00	-17.73	3	Horizontal	105	1.50
5610MHz	Pass	PK	11.22844G	49.33	74.00	-24.67	3	Horizontal	105	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4452G	42.14	54.00	-11.86	3	Horizontal	9	1.26
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6804G	93.45	Inf	-Inf	3	Horizontal	9	1.26
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.408G	56.58	74.00	-17.42	3	Horizontal	9	1.26
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	55.06	68.20	-13.14	3	Horizontal	9	1.26
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.678G	106.41	Inf	-Inf	3	Horizontal	9	1.26
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.864G	58.23	68.20	-9.97	3	Horizontal	9	1.26
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38836G	36.81	54.00	-17.19	3	Vertical	166	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38556G	50.64	74.00	-23.36	3	Vertical	166	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37468G	36.82	54.00	-17.18	3	Horizontal	208	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37636G	50.59	74.00	-23.41	3	Horizontal	208	1.50
5775MHz	Pass	AV	5.763G	99.88	Inf	-Inf	3	Horizontal	13	1.60
5775MHz	Pass	PK	5.6454G	62.35	68.20	-5.85	3	Horizontal	13	1.60
5775MHz	Pass	PK	5.763G	111.96	Inf	-Inf	3	Horizontal	13	1.60
5775MHz	Pass	PK	6.0438G	59.86	68.20	-8.34	3	Horizontal	13	1.60
5775MHz	Pass	AV	11.53368G	37.30	54.00	-16.70	3	Vertical	166	2.91
5775MHz	Pass	PK	11.49192G	49.71	74.00	-24.29	3	Vertical	166	2.91
5775MHz	Pass	AV	11.4948G	37.28	54.00	-16.72	3	Horizontal	76	2.23
5775MHz	Pass	PK	11.55264G	49.99	74.00	-24.01	3	Horizontal	76	2.23
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1492G	52.75	54.00	-1.25	3	Horizontal	5	1.36
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2296G	89.71	Inf	-Inf	3	Horizontal	5	1.36
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.35G	52.51	54.00	-1.49	3	Horizontal	5	1.36
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1492G	69.44	74.00	-4.56	3	Horizontal	5	1.36
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1924G	102.16	Inf	-Inf	3	Horizontal	5	1.36
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3568G	69.94	74.00	-4.06	3	Horizontal	5	1.36
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4696G	61.59	68.20	-6.61	3	Horizontal	5	1.36
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.49544G	49.08	68.20	-19.12	3	Vertical	328	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.49968G	49.88	68.20	-18.32	3	Horizontal	306	2.88
5570MHz	Pass	AV	5.45G	46.27	54.00	-7.73	3	Horizontal	347	1.34
5570MHz	Pass	AV	5.5124G	88.09	Inf	-Inf	3	Horizontal	347	1.34
5570MHz	Pass	PK	5.2712G	56.05	68.20	-12.15	3	Horizontal	347	1.34
5570MHz	Pass	PK	5.396G	62.10	74.00	-11.90	3	Horizontal	347	1.34
5570MHz	Pass	PK	5.4656G	60.52	68.20	-7.68	3	Horizontal	347	1.34
5570MHz	Pass	PK	5.5376G	100.31	Inf	-Inf	3	Horizontal	347	1.34
5570MHz	Pass	PK	5.7368G	60.01	68.20	-8.19	3	Horizontal	347	1.34
5570MHz	Pass	AV	11.14816G	36.77	54.00	-17.23	3	Vertical	50	2.32
5570MHz	Pass	PK	11.13992G	49.20	74.00	-24.80	3	Vertical	50	2.32
5570MHz	Pass	AV	11.1482G	36.73	54.00	-17.27	3	Horizontal	343	1.50
5570MHz	Pass	PK	11.14396G	48.71	74.00	-25.29	3	Horizontal	343	1.50


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX



5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX

