



**RSE TX above 1GHz_Non-Beamforming_Radio 1_
Dipole Antenna_2T1S**

Appendix F.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2437MHz	Pass	PK	2.4858G	68.79	74.00	-5.21	3	Horizontal	180	2.23
2437MHz	Pass	AV	4.87778G	28.29	54.00	-25.71	3	Vertical	26	1.41
2437MHz	Pass	AV	7.30932G	36.91	54.00	-17.09	3	Vertical	4	1.47
2437MHz	Pass	PK	4.87136G	41.21	74.00	-32.79	3	Vertical	26	1.41
2437MHz	Pass	PK	7.305G	50.64	74.00	-23.36	3	Vertical	4	1.47
2437MHz	Pass	AV	4.87262G	31.32	54.00	-22.68	3	Horizontal	339	1.65
2437MHz	Pass	AV	7.30896G	41.12	54.00	-12.88	3	Horizontal	299	1.80
2437MHz	Pass	PK	4.87802G	45.47	74.00	-28.53	3	Horizontal	339	1.65
2437MHz	Pass	PK	7.30392G	55.34	74.00	-18.66	3	Horizontal	299	1.80
2457MHz	Pass	AV	2.464G	104.56	Inf	-Inf	3	Horizontal	180	1.67
2457MHz	Pass	AV	2.4835G	52.57	54.00	-1.43	3	Horizontal	180	1.67
2457MHz	Pass	PK	2.4638G	115.70	Inf	-Inf	3	Horizontal	180	1.67
2457MHz	Pass	PK	2.4836G	66.16	74.00	-7.84	3	Horizontal	180	1.67
2462MHz	Pass	AV	2.4688G	105.26	Inf	-Inf	3	Horizontal	181	1.66
2462MHz	Pass	AV	2.4835G	53.52	54.00	-0.48	3	Horizontal	181	1.66
2462MHz	Pass	PK	2.4688G	115.94	Inf	-Inf	3	Horizontal	181	1.66
2462MHz	Pass	PK	2.4836G	69.41	74.00	-4.59	3	Horizontal	181	1.66
2462MHz	Pass	AV	4.92718G	30.30	54.00	-23.70	3	Vertical	304	1.29
2462MHz	Pass	AV	7.37898G	34.58	54.00	-19.42	3	Vertical	360	1.24
2462MHz	Pass	PK	4.9324G	43.70	74.00	-30.30	3	Vertical	304	1.29
2462MHz	Pass	PK	7.38054G	48.92	74.00	-25.08	3	Vertical	360	1.24
2462MHz	Pass	AV	4.9273G	32.75	54.00	-21.25	3	Horizontal	338	1.70
2462MHz	Pass	AV	7.38372G	37.86	54.00	-16.14	3	Horizontal	303	1.69
2462MHz	Pass	PK	4.92226G	46.19	74.00	-27.81	3	Horizontal	338	1.70
2462MHz	Pass	PK	7.37424G	52.50	74.00	-21.50	3	Horizontal	303	1.69
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	52.88	54.00	-1.12	3	Horizontal	185	1.72
2412MHz	Pass	AV	2.42G	103.45	Inf	-Inf	3	Horizontal	185	1.72
2412MHz	Pass	PK	2.39G	67.24	74.00	-6.76	3	Horizontal	185	1.72
2412MHz	Pass	PK	2.4152G	116.56	Inf	-Inf	3	Horizontal	185	1.72
2412MHz	Pass	AV	4.82334G	27.46	54.00	-26.54	3	Vertical	305	1.65
2412MHz	Pass	PK	4.82778G	41.62	74.00	-32.38	3	Vertical	305	1.65
2412MHz	Pass	AV	4.82304G	30.31	54.00	-23.69	3	Horizontal	338	1.81
2412MHz	Pass	PK	4.81812G	43.43	74.00	-30.57	3	Horizontal	338	1.81
2417MHz	Pass	AV	2.3894G	53.84	54.00	-0.16	3	Horizontal	180	2.66
2417MHz	Pass	AV	2.422G	103.95	Inf	-Inf	3	Horizontal	180	2.66
2417MHz	Pass	PK	2.3892G	66.37	74.00	-7.63	3	Horizontal	180	2.66
2417MHz	Pass	PK	2.4246G	117.97	Inf	-Inf	3	Horizontal	180	2.66
2437MHz	Pass	AV	2.389G	50.86	54.00	-3.14	3	Horizontal	181	2.23
2437MHz	Pass	AV	2.4338G	105.64	Inf	-Inf	3	Horizontal	181	2.23
2437MHz	Pass	AV	2.4835G	53.71	54.00	-0.29	3	Horizontal	181	2.23
2437MHz	Pass	PK	2.3886G	65.92	74.00	-8.08	3	Horizontal	181	2.23
2437MHz	Pass	PK	2.439G	119.06	Inf	-Inf	3	Horizontal	181	2.23
2437MHz	Pass	PK	2.4842G	69.74	74.00	-4.26	3	Horizontal	181	2.23
2437MHz	Pass	AV	4.87562G	28.06	54.00	-25.94	3	Vertical	22	1.42
2437MHz	Pass	AV	7.30512G	35.90	54.00	-18.10	3	Vertical	3	1.43
2437MHz	Pass	PK	4.88108G	41.00	74.00	-33.00	3	Vertical	22	1.42
2437MHz	Pass	PK	7.30422G	50.05	74.00	-23.95	3	Vertical	3	1.43
2437MHz	Pass	AV	4.87316G	30.69	54.00	-23.31	3	Horizontal	341	1.75
2437MHz	Pass	AV	7.30494G	39.94	54.00	-14.06	3	Horizontal	301	1.81
2437MHz	Pass	PK	4.87508G	44.15	74.00	-29.85	3	Horizontal	341	1.75
2437MHz	Pass	PK	7.29738G	54.28	74.00	-19.72	3	Horizontal	301	1.81
2457MHz	Pass	AV	2.4658G	103.07	Inf	-Inf	3	Horizontal	178	1.72
2457MHz	Pass	AV	2.4835G	53.70	54.00	-0.30	3	Horizontal	178	1.72
2457MHz	Pass	PK	2.466G	117.19	Inf	-Inf	3	Horizontal	178	1.72
2457MHz	Pass	PK	2.4835G	70.88	74.00	-3.12	3	Horizontal	178	1.72
2462MHz	Pass	AV	2.4678G	103.61	Inf	-Inf	3	Horizontal	179	1.41
2462MHz	Pass	AV	2.4835G	50.33	54.00	-3.67	3	Horizontal	179	1.41
2462MHz	Pass	PK	2.4704G	116.59	Inf	-Inf	3	Horizontal	179	1.41
2462MHz	Pass	PK	2.485G	68.43	74.00	-5.57	3	Horizontal	179	1.41
2462MHz	Pass	AV	4.92544G	29.78	54.00	-24.22	3	Vertical	303	1.28
2462MHz	Pass	AV	7.3803G	34.23	54.00	-19.77	3	Vertical	5	1.50




**RSE TX above 1GHz_Non-Beamforming_Radio 1_
Dipole Antenna_2T1S**

Appendix F.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2462MHz	Pass	PK	4.93336G	43.31	74.00	-30.69	3	Vertical	303	1.28
2462MHz	Pass	PK	7.37442G	48.26	74.00	-25.74	3	Vertical	5	1.50
2462MHz	Pass	AV	4.92556G	32.01	54.00	-21.99	3	Horizontal	337	1.67
2462MHz	Pass	AV	7.38006G	36.86	54.00	-17.14	3	Horizontal	301	1.84
2462MHz	Pass	PK	4.93534G	45.28	74.00	-28.72	3	Horizontal	337	1.67
2462MHz	Pass	PK	7.37964G	50.66	74.00	-23.34	3	Horizontal	301	1.84


2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.924G	43.82	54.00	-10.18	-0.88	3	Horizontal	338	1.62	44.70	33.04	4.27	38.19
AV	7.38678G	44.36	54.00	-9.64	6.19	3	Horizontal	299	1.78	38.17	36.98	6.08	36.87
PK	4.924G	47.54	74.00	-26.46	-0.88	3	Horizontal	338	1.62	48.42	33.04	4.27	38.19
PK	7.38642G	51.27	74.00	-22.73	6.18	3	Horizontal	299	1.78	45.09	36.98	6.08	36.88

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	53.66	54.00	-0.34	30.30	3	Horizontal	179	2.63	23.36	27.50	2.80	-
AV	2.4218G	105.91	Inf	-Inf	30.51	3	Horizontal	179	2.63	75.40	27.70	2.81	-
PK	2.3876G	69.77	74.00	-4.23	30.28	3	Horizontal	179	2.63	39.49	27.48	2.80	-
PK	2.4218G	117.04	Inf	-Inf	30.51	3	Horizontal	179	2.63	86.53	27.70	2.81	-

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)			
AV	2.3894G	53.84	54.00	-0.16	30.29	3	Horizontal	180	2.66	23.55	27.49	2.80	-			
AV	2.422G	103.95	Inf	-Inf	30.51	3	Horizontal	180	2.66	73.44	27.70	2.81	-			
PK	2.3892G	66.37	74.00	-7.63	30.29	3	Horizontal	180	2.66	36.08	27.49	2.80	-			
PK	2.4246G	117.97	Inf	-Inf	30.51	3	Horizontal	180	2.66	87.46	27.70	2.81	-			



**RSE TX below 1GHz_Non-Beamforming_Radio 1_
Dipole Antenna_2T2S**

Appendix F.5

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	PK	47.46M	34.34	40.00	-5.66	3	Vertical	0	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2437MHz_Adapter	Pass	PK	30M	32.49	40.00	-7.51	3	Vertical	0	1.00
2437MHz_Adapter	Pass	PK	47.46M	34.34	40.00	-5.66	3	Vertical	0	1.00
2437MHz_Adapter	Pass	PK	97.9M	30.10	43.50	-13.40	3	Vertical	0	1.00
2437MHz_Adapter	Pass	PK	249.22M	28.49	46.00	-17.51	3	Vertical	0	1.00
2437MHz_Adapter	Pass	PK	495.6M	25.40	46.00	-20.60	3	Vertical	0	1.00
2437MHz_Adapter	Pass	PK	650.8M	31.83	46.00	-14.17	3	Vertical	0	1.00
2437MHz_Adapter	Pass	PK	30M	26.93	40.00	-13.07	3	Horizontal	360	1.00
2437MHz_Adapter	Pass	PK	47.46M	23.79	40.00	-16.21	3	Horizontal	360	1.00
2437MHz_Adapter	Pass	PK	97.9M	29.33	43.50	-14.17	3	Horizontal	360	1.00
2437MHz_Adapter	Pass	PK	156.1M	22.09	43.50	-21.41	3	Horizontal	360	1.00
2437MHz_Adapter	Pass	PK	249.22M	33.07	46.00	-12.93	3	Horizontal	360	1.00
2437MHz_Adapter	Pass	PK	650.8M	28.19	46.00	-17.81	3	Horizontal	360	1.00


2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2437MHz_Adapter



2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2437MHz_Adapter





**RSE TX above 1GHz_Non-Beamforming_Radio 1_
Dipole Antenna_2T2S**

Appendix F.6

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	2.4835G	53.89	54.00	-0.11	3	Vertical	170	1.53

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	52.03	54.00	-1.97	3	Vertical	168	1.65
2412MHz	Pass	AV	2.419G	102.00	Inf	-Inf	3	Vertical	168	1.65
2412MHz	Pass	PK	2.39G	65.94	74.00	-8.06	3	Vertical	168	1.65
2412MHz	Pass	PK	2.4146G	115.17	Inf	-Inf	3	Vertical	168	1.65
2412MHz	Pass	AV	4.82724G	27.82	54.00	-26.18	3	Vertical	2	2.92
2412MHz	Pass	PK	4.82286G	41.60	74.00	-32.40	3	Vertical	2	2.92
2412MHz	Pass	AV	4.8213G	28.17	54.00	-25.83	3	Horizontal	314	1.43
2412MHz	Pass	PK	4.82208G	42.70	74.00	-31.30	3	Horizontal	314	1.43
2417MHz	Pass	AV	2.3898G	53.88	54.00	-0.12	3	Vertical	171	1.48
2417MHz	Pass	AV	2.4242G	102.80	Inf	-Inf	3	Vertical	171	1.48
2417MHz	Pass	PK	2.3898G	67.22	74.00	-6.78	3	Vertical	171	1.48
2417MHz	Pass	PK	2.4248G	115.90	Inf	-Inf	3	Vertical	171	1.48
2437MHz	Pass	AV	2.3898G	53.03	54.00	-0.97	3	Vertical	170	1.53
2437MHz	Pass	AV	2.4362G	103.48	Inf	-Inf	3	Vertical	170	1.53
2437MHz	Pass	AV	2.4835G	53.89	54.00	-0.11	3	Vertical	170	1.53
2437MHz	Pass	PK	2.3898G	66.37	74.00	-7.63	3	Vertical	170	1.53
2437MHz	Pass	PK	2.4442G	117.14	Inf	-Inf	3	Vertical	170	1.53
2437MHz	Pass	PK	2.4846G	68.04	74.00	-5.96	3	Vertical	170	1.53
2437MHz	Pass	AV	4.87358G	28.14	54.00	-25.86	3	Vertical	360	1.23
2437MHz	Pass	PK	4.87598G	42.12	74.00	-31.88	3	Vertical	360	1.23
2437MHz	Pass	AV	4.87604G	28.42	54.00	-25.58	3	Horizontal	312	1.31
2437MHz	Pass	PK	4.87694G	43.70	74.00	-30.30	3	Horizontal	312	1.31
2457MHz	Pass	AV	2.4588G	101.65	Inf	-Inf	3	Vertical	168	1.50
2457MHz	Pass	AV	2.4835G	52.39	54.00	-1.61	3	Vertical	168	1.50
2457MHz	Pass	PK	2.4622G	115.73	Inf	-Inf	3	Vertical	168	1.50
2457MHz	Pass	PK	2.4838G	67.75	74.00	-6.25	3	Vertical	168	1.50
2462MHz	Pass	AV	2.4692G	101.58	Inf	-Inf	3	Vertical	171	1.44
2462MHz	Pass	AV	2.4835G	51.13	54.00	-2.87	3	Vertical	171	1.44
2462MHz	Pass	PK	2.4688G	115.93	Inf	-Inf	3	Vertical	171	1.44
2462MHz	Pass	PK	2.4844G	67.49	74.00	-6.51	3	Vertical	171	1.44
2462MHz	Pass	AV	4.9273G	29.08	54.00	-24.92	3	Vertical	8	1.36
2462MHz	Pass	PK	4.92316G	43.24	74.00	-30.76	3	Vertical	8	1.36
2462MHz	Pass	AV	4.927G	29.32	54.00	-24.68	3	Horizontal	317	1.39
2462MHz	Pass	PK	4.92802G	43.07	74.00	-30.93	3	Horizontal	317	1.39

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	53.03	54.00	-0.97	30.30	3	Vertical	170	1.53	22.73	27.50	2.80	-
AV	2.4362G	103.48	Inf	-Inf	30.51	3	Vertical	170	1.53	72.97	27.70	2.81	-
AV	2.4835G	53.89	54.00	-0.11	30.71	3	Vertical	170	1.53	23.18	27.90	2.81	-
PK	2.3898G	66.37	74.00	-7.63	30.30	3	Vertical	170	1.53	36.07	27.50	2.80	-
PK	2.4442G	117.14	Inf	-Inf	30.51	3	Vertical	170	1.53	86.63	27.70	2.81	-
PK	2.4846G	68.04	74.00	-5.96	30.71	3	Vertical	170	1.53	37.33	27.90	2.81	-

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87358G	28.14	54.00	-25.86	-1.18	3	Vertical	360	1.23	29.32	32.79	4.24	38.21
PK	4.87598G	42.12	74.00	-31.88	-1.17	3	Vertical	360	1.23	43.29	32.80	4.24	38.21

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2437MHz_TX





***RSE TX below 1GHz_Non-Beamforming_Radio 1_
Dual-Polarized MIMO Panel Antenna_1T1S***

Appendix F.7

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	PK	45.52M	35.30	40.00	-4.70	3	Vertical	360	1.00



**RSE TX below 1GHz_Non-Beamforming_Radio 1_
Dual-Polarized MIMO Panel Antenna_1T1S**


Appendix F.7

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
2437MHz_Adapter	Pass	PK	30M	35.09	40.00	-4.91	3	Vertical	360	1.00
2437MHz_Adapter	Pass	PK	45.52M	35.30	40.00	-4.70	3	Vertical	360	1.00
2437MHz_Adapter	Pass	PK	95.96M	30.97	43.50	-12.53	3	Vertical	360	1.00
2437MHz_Adapter	Pass	PK	194.9M	21.53	43.50	-21.97	3	Vertical	360	1.00
2437MHz_Adapter	Pass	PK	313.24M	21.80	46.00	-24.20	3	Vertical	360	1.00
2437MHz_Adapter	Pass	PK	495.6M	32.70	46.00	-13.30	3	Vertical	360	1.00
2437MHz_Adapter	Pass	PK	37.76M	27.56	40.00	-12.44	3	Horizontal	0	1.00
2437MHz_Adapter	Pass	PK	86.26M	34.54	40.00	-5.46	3	Horizontal	0	1.00
2437MHz_Adapter	Pass	PK	94.02M	35.41	43.50	-8.09	3	Horizontal	0	1.00
2437MHz_Adapter	Pass	PK	175.5M	25.82	43.50	-17.68	3	Horizontal	0	1.00
2437MHz_Adapter	Pass	PK	249.22M	26.64	46.00	-19.36	3	Horizontal	0	1.00
2437MHz_Adapter	Pass	PK	513.06M	30.02	46.00	-15.98	3	Horizontal	0	1.00

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX


2437MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	35.09	40.00	-4.91	-3.60	3	Vertical	360	1.00	38.69	23.36	0.42	27.38
PK	45.52M	35.30	40.00	-4.70	-11.54	3	Vertical	360	1.00	46.84	15.33	0.50	27.37
PK	95.96M	30.97	43.50	-12.53	-11.40	3	Vertical	360	1.00	42.37	15.10	0.74	27.24
PK	194.9M	21.53	43.50	-21.97	-11.69	3	Vertical	360	1.00	33.22	14.10	1.07	26.86
PK	313.24M	21.80	46.00	-24.20	-6.84	3	Vertical	360	1.00	28.64	18.59	1.34	26.77
PK	495.6M	32.70	46.00	-13.30	-3.85	3	Vertical	360	1.00	36.55	22.50	1.69	28.04

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2437MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	37.76M	27.56	40.00	-12.44	-7.52	3	Horizontal	0	1.00	35.08	19.40	0.46	27.38
PK	86.26M	34.54	40.00	-5.46	-13.13	3	Horizontal	0	1.00	47.67	13.45	0.69	27.27
PK	94.02M	35.41	43.50	-8.09	-11.78	3	Horizontal	0	1.00	47.19	14.73	0.73	27.24
PK	175.5M	25.82	43.50	-17.68	-11.40	3	Horizontal	0	1.00	37.22	14.54	1.01	26.95
PK	249.22M	26.64	46.00	-19.36	-8.03	3	Horizontal	0	1.00	34.67	17.40	1.21	26.64
PK	513.06M	30.02	46.00	-15.98	-3.78	3	Horizontal	0	1.00	33.80	22.65	1.71	28.14



**RSE TX above 1GHz_Non-Beamforming_Radio 1_
Dual-Polarized MIMO Panel Antenna_1T1S**

Appendix F.8

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX	Pass	AV	2.4838G	53.86	54.00	-0.14	3	Vertical	350	1.44
802.11g_Nss1,(6Mbps)_1TX	Pass	AV	2.39G	53.66	54.00	-0.34	3	Vertical	349	1.00
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	2.39G	53.90	54.00	-0.10	3	Vertical	352	1.17



RSE TX above 1GHz_Non-Beamforming_Radio 1_ Dual-Polarized MIMO Panel Antenna_1T1S

Appendix F.8

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11b_Nss1,(1Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3852G	51.94	54.00	-2.06	3	Vertical	348	1.50
2412MHz	Pass	AV	2.4128G	111.91	Inf	-Inf	3	Vertical	348	1.50
2412MHz	Pass	PK	2.3896G	61.49	74.00	-12.51	3	Vertical	348	1.50
2412MHz	Pass	PK	2.4128G	114.62	Inf	-Inf	3	Vertical	348	1.50
2412MHz	Pass	AV	4.82394G	33.35	54.00	-20.65	3	Vertical	306	2.40
2412MHz	Pass	PK	4.82418G	42.64	74.00	-31.36	3	Vertical	306	2.40
2412MHz	Pass	AV	4.824G	30.08	54.00	-23.92	3	Horizontal	187	2.86
2412MHz	Pass	PK	4.8243G	42.46	74.00	-31.54	3	Horizontal	187	2.86
2437MHz	Pass	AV	2.3882G	47.55	54.00	-6.45	3	Vertical	349	1.47
2437MHz	Pass	AV	2.4362G	112.15	Inf	-Inf	3	Vertical	349	1.47
2437MHz	Pass	AV	2.4854G	49.89	54.00	-4.11	3	Vertical	349	1.47
2437MHz	Pass	PK	2.3878G	58.75	74.00	-15.25	3	Vertical	349	1.47
2437MHz	Pass	PK	2.4362G	114.93	Inf	-Inf	3	Vertical	349	1.47
2437MHz	Pass	PK	2.4835G	60.58	74.00	-13.42	3	Vertical	349	1.47
2437MHz	Pass	AV	4.874G	32.85	54.00	-21.15	3	Vertical	263	1.65
2437MHz	Pass	PK	4.87406G	42.24	74.00	-31.76	3	Vertical	263	1.65
2437MHz	Pass	AV	4.874G	30.05	54.00	-23.95	3	Horizontal	32	2.27
2437MHz	Pass	PK	4.87394G	41.25	74.00	-32.75	3	Horizontal	32	2.27
2457MHz	Pass	AV	2.4578G	111.82	Inf	-Inf	3	Vertical	350	1.44
2457MHz	Pass	AV	2.4838G	53.86	54.00	-0.14	3	Vertical	350	1.44
2457MHz	Pass	PK	2.4578G	114.61	Inf	-Inf	3	Vertical	350	1.44
2457MHz	Pass	PK	2.484G	62.39	74.00	-11.61	3	Vertical	350	1.44
2462MHz	Pass	AV	2.4612G	110.99	Inf	-Inf	3	Vertical	349	1.41
2462MHz	Pass	AV	2.4835G	53.63	54.00	-0.37	3	Vertical	349	1.41
2462MHz	Pass	PK	2.461G	113.82	Inf	-Inf	3	Vertical	349	1.41
2462MHz	Pass	PK	2.4835G	65.75	74.00	-8.25	3	Vertical	349	1.41
2462MHz	Pass	AV	4.924G	34.79	54.00	-19.21	3	Vertical	212	1.95
2462MHz	Pass	PK	4.92394G	43.53	74.00	-30.47	3	Vertical	212	1.95
2462MHz	Pass	AV	4.924G	30.47	54.00	-23.53	3	Horizontal	35	1.62
2462MHz	Pass	PK	4.92394G	41.75	74.00	-32.25	3	Horizontal	35	1.62
802.11g_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	52.75	54.00	-1.25	3	Vertical	348	1.49
2412MHz	Pass	AV	2.4152G	103.11	Inf	-Inf	3	Vertical	348	1.49
2412MHz	Pass	PK	2.39G	69.09	74.00	-4.91	3	Vertical	348	1.49
2412MHz	Pass	PK	2.4096G	114.48	Inf	-Inf	3	Vertical	348	1.49
2412MHz	Pass	AV	4.81656G	26.76	54.00	-27.24	3	Vertical	305	2.04
2412MHz	Pass	PK	4.8276G	41.65	74.00	-32.35	3	Vertical	305	2.04
2412MHz	Pass	AV	4.82028G	26.51	54.00	-27.49	3	Horizontal	49	2.02
2412MHz	Pass	PK	4.82988G	40.65	74.00	-33.35	3	Horizontal	49	2.02
2417MHz	Pass	AV	2.39G	53.66	54.00	-0.34	3	Vertical	349	1.00
2417MHz	Pass	AV	2.4232G	101.68	Inf	-Inf	3	Vertical	349	1.00
2417MHz	Pass	PK	2.3894G	66.40	74.00	-7.60	3	Vertical	349	1.00
2417MHz	Pass	PK	2.4146G	113.19	Inf	-Inf	3	Vertical	349	1.00
2437MHz	Pass	AV	2.3898G	51.40	54.00	-2.60	3	Vertical	352	1.99
2437MHz	Pass	AV	2.4334G	105.17	Inf	-Inf	3	Vertical	352	1.99
2437MHz	Pass	AV	2.4835G	52.56	54.00	-1.44	3	Vertical	352	1.99
2437MHz	Pass	PK	2.3898G	68.48	74.00	-5.52	3	Vertical	352	1.99
2437MHz	Pass	PK	2.437G	116.64	Inf	-Inf	3	Vertical	352	1.99
2437MHz	Pass	PK	2.485G	68.98	74.00	-5.02	3	Vertical	352	1.99
2437MHz	Pass	AV	4.87838G	26.93	54.00	-27.07	3	Vertical	351	1.50
2437MHz	Pass	PK	4.85996G	41.22	74.00	-32.78	3	Vertical	351	1.50
2437MHz	Pass	AV	4.86344G	26.66	54.00	-27.34	3	Horizontal	91	2.87
2437MHz	Pass	PK	4.86746G	40.75	74.00	-33.25	3	Horizontal	91	2.87
2457MHz	Pass	AV	2.4582G	103.48	Inf	-Inf	3	Vertical	349	1.44
2457MHz	Pass	AV	2.4835G	53.03	54.00	-0.97	3	Vertical	349	1.44
2457MHz	Pass	PK	2.457G	115.79	Inf	-Inf	3	Vertical	349	1.44
2457MHz	Pass	PK	2.4844G	68.16	74.00	-5.84	3	Vertical	349	1.44
2462MHz	Pass	AV	2.4584G	103.53	Inf	-Inf	3	Vertical	351	1.45
2462MHz	Pass	AV	2.4835G	52.58	54.00	-1.42	3	Vertical	351	1.45
2462MHz	Pass	PK	2.4594G	115.21	Inf	-Inf	3	Vertical	351	1.45




**RSE TX above 1GHz_Non-Beamforming_Radio 1_
Dual-Polarized MIMO Panel Antenna_1T1S**

Appendix F.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2462MHz	Pass	PK	2.484G	66.85	74.00	-7.15	3	Vertical	351	1.45
2462MHz	Pass	AV	4.9264G	27.46	54.00	-26.54	3	Vertical	212	1.68
2462MHz	Pass	PK	4.9249G	41.53	74.00	-32.47	3	Vertical	212	1.68
2462MHz	Pass	AV	4.92568G	26.89	54.00	-27.11	3	Horizontal	343	1.24
2462MHz	Pass	PK	4.91512G	41.21	74.00	-32.79	3	Horizontal	343	1.24
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	51.48	54.00	-2.52	3	Vertical	353	1.50
2412MHz	Pass	AV	2.4166G	102.31	Inf	-Inf	3	Vertical	353	1.50
2412MHz	Pass	PK	2.39G	66.53	74.00	-7.47	3	Vertical	353	1.50
2412MHz	Pass	PK	2.4068G	116.48	Inf	-Inf	3	Vertical	353	1.50
2412MHz	Pass	AV	4.81764G	26.76	54.00	-27.24	3	Vertical	305	2.81
2412MHz	Pass	PK	4.81302G	41.09	74.00	-32.91	3	Vertical	305	2.81
2412MHz	Pass	AV	4.81866G	26.49	54.00	-27.51	3	Horizontal	98	2.48
2412MHz	Pass	PK	4.8339G	41.20	74.00	-32.80	3	Horizontal	98	2.48
2417MHz	Pass	AV	2.39G	53.90	54.00	-0.10	3	Vertical	352	1.17
2417MHz	Pass	AV	2.4244G	102.09	Inf	-Inf	3	Vertical	352	1.17
2417MHz	Pass	PK	2.39G	68.00	74.00	-6.00	3	Vertical	352	1.17
2417MHz	Pass	PK	2.4244G	115.97	Inf	-Inf	3	Vertical	352	1.17
2437MHz	Pass	AV	2.3898G	51.79	54.00	-2.21	3	Vertical	350	1.49
2437MHz	Pass	AV	2.4294G	104.26	Inf	-Inf	3	Vertical	350	1.49
2437MHz	Pass	AV	2.4835G	53.25	54.00	-0.75	3	Vertical	350	1.49
2437MHz	Pass	PK	2.389G	67.17	74.00	-6.83	3	Vertical	350	1.49
2437MHz	Pass	PK	2.4306G	117.83	Inf	-Inf	3	Vertical	350	1.49
2437MHz	Pass	PK	2.4835G	69.45	74.00	-4.55	3	Vertical	350	1.49
2437MHz	Pass	AV	4.87868G	27.07	54.00	-26.93	3	Vertical	83	2.77
2437MHz	Pass	PK	4.88066G	41.33	74.00	-32.67	3	Vertical	83	2.77
2437MHz	Pass	AV	4.8788G	26.68	54.00	-27.32	3	Horizontal	34	1.94
2437MHz	Pass	PK	4.88114G	40.86	74.00	-33.14	3	Horizontal	34	1.94
2457MHz	Pass	AV	2.4582G	103.39	Inf	-Inf	3	Vertical	351	1.45
2457MHz	Pass	AV	2.4835G	52.35	54.00	-1.65	3	Vertical	351	1.45
2457MHz	Pass	PK	2.4546G	117.09	Inf	-Inf	3	Vertical	351	1.45
2457MHz	Pass	PK	2.484G	68.27	74.00	-5.73	3	Vertical	351	1.45
2462MHz	Pass	AV	2.4592G	102.71	Inf	-Inf	3	Vertical	350	1.47
2462MHz	Pass	AV	2.4835G	52.53	54.00	-1.47	3	Vertical	350	1.47
2462MHz	Pass	PK	2.4588G	116.28	Inf	-Inf	3	Vertical	350	1.47
2462MHz	Pass	PK	2.4835G	64.90	74.00	-9.10	3	Vertical	350	1.47
2462MHz	Pass	AV	4.92406G	27.32	54.00	-26.68	3	Vertical	211	1.48
2462MHz	Pass	PK	4.9351G	41.50	74.00	-32.50	3	Vertical	211	1.48
2462MHz	Pass	AV	4.90948G	26.82	54.00	-27.18	3	Horizontal	44	1.50
2462MHz	Pass	PK	4.93414G	41.59	74.00	-32.41	3	Horizontal	44	1.50


2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2457MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2417MHz_TX



2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	2.39G	53.90	54.00	-0.10	30.30	3	Vertical	352	1.17	23.60	27.50	2.80	-				
AV	2.4244G	102.09	Inf	-Inf	30.51	3	Vertical	352	1.17	71.58	27.70	2.81	-				
PK	2.39G	68.00	74.00	-6.00	30.30	3	Vertical	352	1.17	37.70	27.50	2.80	-				
PK	2.4244G	115.97	Inf	-Inf	30.51	3	Vertical	352	1.17	85.46	27.70	2.81	-				



***RSE TX below 1GHz_Non-Beamforming_Radio 1_
Dual-Polarized MIMO Panel Antenna_2T1S***

Appendix F.9

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	PK	45.52M	35.67	40.00	-4.33	3	Vertical	0	1.00



**RSE TX below 1GHz_Non-Beamforming_Radio 1_
Dual-Polarized MIMO Panel Antenna_2T1S**


Appendix F.9

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2437MHz_Adapter	Pass	PK	45.52M	35.67	40.00	-4.33	3	Vertical	0	1.00
2437MHz_Adapter	Pass	PK	97.9M	31.43	43.50	-12.07	3	Vertical	0	1.00
2437MHz_Adapter	Pass	PK	134.76M	24.43	43.50	-19.07	3	Vertical	0	1.00
2437MHz_Adapter	Pass	PK	192.96M	21.48	43.50	-22.02	3	Vertical	0	1.00
2437MHz_Adapter	Pass	PK	396.66M	23.60	46.00	-22.40	3	Vertical	0	1.00
2437MHz_Adapter	Pass	PK	520.82M	27.71	46.00	-18.29	3	Vertical	0	1.00
2437MHz_Adapter	Pass	PK	30M	29.27	40.00	-10.73	3	Horizontal	360	1.00
2437MHz_Adapter	Pass	PK	86.26M	34.93	40.00	-5.07	3	Horizontal	360	1.00
2437MHz_Adapter	Pass	PK	148.34M	26.44	43.50	-17.06	3	Horizontal	360	1.00
2437MHz_Adapter	Pass	PK	249.22M	27.34	46.00	-18.66	3	Horizontal	360	1.00
2437MHz_Adapter	Pass	PK	315.18M	24.61	46.00	-21.39	3	Horizontal	360	1.00
2437MHz_Adapter	Pass	PK	577.08M	26.60	46.00	-19.40	3	Horizontal	360	1.00


2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_Adapter



2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_Adapter





**RSE TX above 1GHz_Non-Beamforming_Radio 1_
Dual-Polarized MIMO Panel Antenna_2T1S**

Appendix F.10

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_2TX	Pass	AV	2.39G	53.33	54.00	-0.67	3	Horizontal	5	1.83
802.11g_Nss1,(6Mbps)_2TX	Pass	AV	2.39G	53.76	54.00	-0.24	3	Horizontal	3	1.82
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	2.3894G	53.84	54.00	-0.16	3	Horizontal	6	1.84



RSE TX above 1GHz_Non-Beamforming_Radio 1 Dual-Polarized MIMO Panel Antenna_2T1S

Appendix F.10

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	50.42	54.00	-3.58	3	Horizontal	5	1.56
2412MHz	Pass	AV	2.4128G	111.49	Inf	-Inf	3	Horizontal	5	1.56
2412MHz	Pass	PK	2.39G	61.84	74.00	-12.16	3	Horizontal	5	1.56
2412MHz	Pass	PK	2.4128G	114.30	Inf	-Inf	3	Horizontal	5	1.56
2412MHz	Pass	AV	4.824G	34.54	54.00	-19.46	3	Vertical	241	1.50
2412MHz	Pass	PK	4.82418G	42.63	74.00	-31.37	3	Vertical	241	1.50
2412MHz	Pass	AV	4.82406G	30.99	54.00	-23.01	3	Horizontal	57	1.50
2412MHz	Pass	PK	4.82412G	41.04	74.00	-32.96	3	Horizontal	57	1.50
2417MHz	Pass	AV	2.39G	53.33	54.00	-0.67	3	Horizontal	5	1.83
2417MHz	Pass	AV	2.4178G	112.81	Inf	-Inf	3	Horizontal	5	1.83
2417MHz	Pass	PK	2.3898G	62.18	74.00	-11.82	3	Horizontal	5	1.83
2417MHz	Pass	PK	2.4178G	115.55	Inf	-Inf	3	Horizontal	5	1.83
2437MHz	Pass	AV	2.3898G	48.46	54.00	-5.54	3	Horizontal	0	2.12
2437MHz	Pass	AV	2.4362G	114.30	Inf	-Inf	3	Horizontal	0	2.12
2437MHz	Pass	AV	2.4835G	51.87	54.00	-2.13	3	Horizontal	0	2.12
2437MHz	Pass	PK	2.3898G	59.27	74.00	-14.73	3	Horizontal	0	2.12
2437MHz	Pass	PK	2.4362G	116.98	Inf	-Inf	3	Horizontal	0	2.12
2437MHz	Pass	PK	2.4838G	61.40	74.00	-12.60	3	Horizontal	0	2.12
2437MHz	Pass	AV	4.874G	36.55	54.00	-17.45	3	Vertical	239	1.27
2437MHz	Pass	AV	7.31172G	46.25	54.00	-7.75	3	Vertical	285	2.44
2437MHz	Pass	PK	4.87406G	43.51	74.00	-30.49	3	Vertical	239	1.27
2437MHz	Pass	PK	7.31118G	52.77	74.00	-21.23	3	Vertical	285	2.44
2437MHz	Pass	AV	4.874G	36.38	54.00	-17.62	3	Horizontal	210	3.00
2437MHz	Pass	AV	7.31172G	45.64	54.00	-8.36	3	Horizontal	263	2.39
2437MHz	Pass	PK	4.874G	43.65	74.00	-30.35	3	Horizontal	210	3.00
2437MHz	Pass	PK	7.3119G	52.28	74.00	-21.72	3	Horizontal	263	2.39
2457MHz	Pass	AV	2.4578G	111.30	Inf	-Inf	3	Horizontal	0	1.59
2457MHz	Pass	AV	2.4848G	52.23	54.00	-1.77	3	Horizontal	0	1.59
2457MHz	Pass	PK	2.4578G	114.16	Inf	-Inf	3	Horizontal	0	1.59
2457MHz	Pass	PK	2.485G	62.01	74.00	-11.99	3	Horizontal	0	1.59
2462MHz	Pass	AV	2.4628G	111.42	Inf	-Inf	3	Horizontal	0	1.92
2462MHz	Pass	AV	2.4836G	51.61	54.00	-2.39	3	Horizontal	0	1.92
2462MHz	Pass	PK	2.4628G	114.23	Inf	-Inf	3	Horizontal	0	1.92
2462MHz	Pass	PK	2.4835G	61.99	74.00	-12.01	3	Horizontal	0	1.92
2462MHz	Pass	AV	4.924G	38.48	54.00	-15.52	3	Vertical	247	2.45
2462MHz	Pass	AV	7.38522G	40.66	54.00	-13.34	3	Vertical	285	2.48
2462MHz	Pass	PK	4.92388G	45.20	74.00	-28.80	3	Vertical	247	2.45
2462MHz	Pass	PK	7.38768G	50.15	74.00	-23.85	3	Vertical	285	2.48
2462MHz	Pass	AV	4.924G	35.25	54.00	-18.75	3	Horizontal	36	2.26
2462MHz	Pass	AV	7.38516G	37.47	54.00	-16.53	3	Horizontal	234	2.59
2462MHz	Pass	PK	4.92394G	42.92	74.00	-31.08	3	Horizontal	36	2.26
2462MHz	Pass	PK	7.38684G	48.66	74.00	-25.34	3	Horizontal	234	2.59
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	53.55	54.00	-0.45	3	Horizontal	3	1.87
2412MHz	Pass	AV	2.4166G	105.52	Inf	-Inf	3	Horizontal	3	1.87
2412MHz	Pass	PK	2.3898G	72.32	74.00	-1.68	3	Horizontal	3	1.87
2412MHz	Pass	PK	2.4162G	117.35	Inf	-Inf	3	Horizontal	3	1.87
2412MHz	Pass	AV	4.82742G	27.49	54.00	-26.51	3	Vertical	241	1.52
2412MHz	Pass	PK	4.8273G	42.13	74.00	-31.87	3	Vertical	241	1.52
2412MHz	Pass	AV	4.82262G	26.97	54.00	-27.03	3	Horizontal	58	1.16
2412MHz	Pass	PK	4.8228G	40.59	74.00	-33.41	3	Horizontal	58	1.16
2417MHz	Pass	AV	2.39G	53.76	54.00	-0.24	3	Horizontal	3	1.82
2417MHz	Pass	AV	2.4162G	105.00	Inf	-Inf	3	Horizontal	3	1.82
2417MHz	Pass	PK	2.39G	68.22	74.00	-5.78	3	Horizontal	3	1.82
2417MHz	Pass	PK	2.4212G	116.85	Inf	-Inf	3	Horizontal	3	1.82
2437MHz	Pass	AV	2.3898G	51.71	54.00	-2.29	3	Horizontal	360	2.09
2437MHz	Pass	AV	2.4362G	106.00	Inf	-Inf	3	Horizontal	360	2.09
2437MHz	Pass	AV	2.4835G	53.69	54.00	-0.31	3	Horizontal	360	2.09
2437MHz	Pass	PK	2.3898G	66.19	74.00	-7.81	3	Horizontal	360	2.09
2437MHz	Pass	PK	2.4362G	117.42	Inf	-Inf	3	Horizontal	360	2.09



**RSE TX above 1GHz_Non-Beamforming_Radio 1_
Dual-Polarized MIMO Panel Antenna_2T1S**

Appendix F.10

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2437MHz	Pass	PK	2.4846G	69.22	74.00	-4.78	3	Horizontal	360	2.09
2437MHz	Pass	AV	4.87244G	27.91	54.00	-26.09	3	Vertical	238	1.50
2437MHz	Pass	AV	7.31364G	38.40	54.00	-15.60	3	Vertical	284	2.53
2437MHz	Pass	PK	4.87244G	41.83	74.00	-32.17	3	Vertical	238	1.50
2437MHz	Pass	PK	7.30386G	52.74	74.00	-21.26	3	Vertical	284	2.53
2437MHz	Pass	AV	4.87244G	26.72	54.00	-27.28	3	Horizontal	58	1.49
2437MHz	Pass	AV	7.31358G	38.28	54.00	-15.72	3	Horizontal	263	2.61
2437MHz	Pass	PK	4.8734G	40.40	74.00	-33.60	3	Horizontal	58	1.49
2437MHz	Pass	PK	7.31424G	53.08	74.00	-20.92	3	Horizontal	263	2.61
2457MHz	Pass	AV	2.4618G	104.43	Inf	-Inf	3	Horizontal	0	1.90
2457MHz	Pass	AV	2.4856G	53.05	54.00	-0.95	3	Horizontal	0	1.90
2457MHz	Pass	PK	2.4618G	116.25	Inf	-Inf	3	Horizontal	0	1.90
2457MHz	Pass	PK	2.488G	69.02	74.00	-4.98	3	Horizontal	0	1.90
2462MHz	Pass	AV	2.4668G	104.40	Inf	-Inf	3	Horizontal	359	1.50
2462MHz	Pass	AV	2.4835G	52.89	54.00	-1.11	3	Horizontal	359	1.50
2462MHz	Pass	PK	2.4658G	116.38	Inf	-Inf	3	Horizontal	359	1.50
2462MHz	Pass	PK	2.4844G	71.65	74.00	-2.35	3	Horizontal	359	1.50
2462MHz	Pass	AV	4.92718G	28.91	54.00	-25.09	3	Vertical	243	1.50
2462MHz	Pass	AV	7.38384G	36.19	54.00	-17.81	3	Vertical	285	2.18
2462MHz	Pass	PK	4.9276G	43.09	74.00	-30.91	3	Vertical	243	1.50
2462MHz	Pass	PK	7.38948G	50.49	74.00	-23.51	3	Vertical	285	2.18
2462MHz	Pass	AV	4.92238G	27.80	54.00	-26.20	3	Horizontal	38	2.10
2462MHz	Pass	AV	7.38384G	35.51	54.00	-18.49	3	Horizontal	261	2.74
2462MHz	Pass	PK	4.9234G	42.38	74.00	-31.62	3	Horizontal	38	2.10
2462MHz	Pass	PK	7.38438G	49.82	74.00	-24.18	3	Horizontal	261	2.74
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3898G	53.30	54.00	-0.70	3	Horizontal	6	1.84
2412MHz	Pass	AV	2.4168G	104.03	Inf	-Inf	3	Horizontal	6	1.84
2412MHz	Pass	PK	2.39G	68.44	74.00	-5.56	3	Horizontal	6	1.84
2412MHz	Pass	PK	2.4194G	118.06	Inf	-Inf	3	Horizontal	6	1.84
2412MHz	Pass	AV	4.82556G	27.11	54.00	-26.89	3	Vertical	241	1.38
2412MHz	Pass	PK	4.8381G	40.97	74.00	-33.03	3	Vertical	241	1.38
2412MHz	Pass	AV	4.82568G	26.74	54.00	-27.26	3	Horizontal	60	1.20
2412MHz	Pass	PK	4.83312G	40.53	74.00	-33.47	3	Horizontal	60	1.20
2417MHz	Pass	AV	2.3894G	53.84	54.00	-0.16	3	Horizontal	6	1.84
2417MHz	Pass	AV	2.4192G	103.21	Inf	-Inf	3	Horizontal	6	1.84
2417MHz	Pass	PK	2.389G	67.42	74.00	-6.58	3	Horizontal	6	1.84
2417MHz	Pass	PK	2.4144G	117.40	Inf	-Inf	3	Horizontal	6	1.84
2437MHz	Pass	AV	2.3894G	51.85	54.00	-2.15	3	Horizontal	0	1.74
2437MHz	Pass	AV	2.4342G	104.57	Inf	-Inf	3	Horizontal	0	1.74
2437MHz	Pass	AV	2.4842G	53.68	54.00	-0.32	3	Horizontal	0	1.74
2437MHz	Pass	PK	2.3898G	66.47	74.00	-7.53	3	Horizontal	0	1.74
2437MHz	Pass	PK	2.4338G	118.05	Inf	-Inf	3	Horizontal	0	1.74
2437MHz	Pass	PK	2.4842G	67.68	74.00	-6.32	3	Horizontal	0	1.74
2437MHz	Pass	AV	4.87568G	27.65	54.00	-26.35	3	Vertical	238	1.46
2437MHz	Pass	AV	7.31238G	37.24	54.00	-16.76	3	Vertical	285	2.45
2437MHz	Pass	PK	4.87784G	40.74	74.00	-33.26	3	Vertical	238	1.46
2437MHz	Pass	PK	7.31268G	51.18	74.00	-22.82	3	Vertical	285	2.45
2437MHz	Pass	AV	4.87544G	26.52	54.00	-27.48	3	Horizontal	89	1.50
2437MHz	Pass	AV	7.31484G	36.91	54.00	-17.09	3	Horizontal	261	2.46
2437MHz	Pass	PK	4.87364G	40.68	74.00	-33.32	3	Horizontal	89	1.50
2437MHz	Pass	PK	7.31514G	51.26	74.00	-22.74	3	Horizontal	261	2.46
2457MHz	Pass	AV	2.4644G	103.13	Inf	-Inf	3	Horizontal	0	2.30
2457MHz	Pass	AV	2.4836G	52.06	54.00	-1.94	3	Horizontal	0	2.30
2457MHz	Pass	PK	2.4644G	116.46	Inf	-Inf	3	Horizontal	0	2.30
2457MHz	Pass	PK	2.484G	70.73	74.00	-3.27	3	Horizontal	0	2.30
2462MHz	Pass	AV	2.4694G	103.14	Inf	-Inf	3	Horizontal	3	1.50
2462MHz	Pass	AV	2.4835G	53.59	54.00	-0.41	3	Horizontal	3	1.50
2462MHz	Pass	PK	2.4694G	116.85	Inf	-Inf	3	Horizontal	3	1.50
2462MHz	Pass	PK	2.4842G	70.56	74.00	-3.44	3	Horizontal	3	1.50
2462MHz	Pass	AV	4.9231G	28.46	54.00	-25.54	3	Vertical	243	2.01
2462MHz	Pass	AV	7.38486G	34.56	54.00	-19.44	3	Vertical	287	2.38




**RSE TX above 1GHz_Non-Beamforming_Radio 1_
Dual-Polarized MIMO Panel Antenna_2T1S**

Appendix F.10

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2462MHz	Pass	PK	4.92604G	42.12	74.00	-31.88	3	Vertical	243	2.01
2462MHz	Pass	PK	7.37466G	49.34	74.00	-24.66	3	Vertical	287	2.38
2462MHz	Pass	AV	4.9231G	27.38	54.00	-26.62	3	Horizontal	59	1.12
2462MHz	Pass	AV	7.38486G	34.62	54.00	-19.38	3	Horizontal	264	2.81
2462MHz	Pass	PK	4.92994G	41.08	74.00	-32.92	3	Horizontal	59	1.12
2462MHz	Pass	PK	7.3851G	48.86	74.00	-25.14	3	Horizontal	264	2.81


2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2417MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2417MHz_TX



2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	53.84	54.00	-0.16	30.29	3	Horizontal	6	1.84	23.55	27.49	2.80	-
AV	2.4192G	103.21	Inf	-Inf	30.50	3	Horizontal	6	1.84	72.71	27.69	2.81	-
PK	2.389G	67.42	74.00	-6.58	30.29	3	Horizontal	6	1.84	37.13	27.49	2.80	-
PK	2.4144G	117.40	Inf	-Inf	30.45	3	Horizontal	6	1.84	86.95	27.64	2.81	-



***RSE TX below 1GHz_Non-Beamforming_Radio 1_
Dual-Polarized MIMO Panel Antenna_2T2S***

Appendix F.11

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	PK	31.94M	36.35	40.00	-3.65	3	Vertical	360	1.00



**RSE TX below 1GHz_Non-Beamforming_Radio 1_
Dual-Polarized MIMO Panel Antenna_2T2S**


Appendix F.11

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2437MHz_Adapter	Pass	PK	31.94M	36.35	40.00	-3.65	3	Vertical	360	1.00
2437MHz_Adapter	Pass	PK	45.52M	35.97	40.00	-4.03	3	Vertical	360	1.00
2437MHz_Adapter	Pass	PK	82.38M	31.99	40.00	-8.01	3	Vertical	360	1.00
2437MHz_Adapter	Pass	PK	148.34M	24.65	43.50	-18.85	3	Vertical	360	1.00
2437MHz_Adapter	Pass	PK	249.22M	21.78	46.00	-24.22	3	Vertical	360	1.00
2437MHz_Adapter	Pass	PK	518.88M	35.14	46.00	-10.86	3	Vertical	360	1.00
2437MHz_Adapter	Pass	PK	30M	31.67	40.00	-8.33	3	Horizontal	0	1.00
2437MHz_Adapter	Pass	PK	95.96M	35.67	43.50	-7.83	3	Horizontal	0	1.00
2437MHz_Adapter	Pass	PK	148.34M	26.07	43.50	-17.43	3	Horizontal	0	1.00
2437MHz_Adapter	Pass	PK	173.56M	26.83	43.50	-16.67	3	Horizontal	0	1.00
2437MHz_Adapter	Pass	PK	249.22M	26.44	46.00	-19.56	3	Horizontal	0	1.00
2437MHz_Adapter	Pass	PK	495.6M	25.69	46.00	-20.31	3	Horizontal	0	1.00


2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2437MHz_Adapter



2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2437MHz_Adapter





***RSE TX above 1GHz_Non-Beamforming_Radio 1_
Dual-Polarized MIMO Panel Antenna_2T2S***

Appendix F.12

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	2.39G	53.82	54.00	-0.18	3	Vertical	359	1.92



RSE TX above 1GHz_Non-Beamforming_Radio 1 Dual-Polarized MIMO Panel Antenna_2T2S


Appendix F.12

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	51.64	54.00	-2.36	3	Vertical	0	1.95
2412MHz	Pass	AV	2.4156G	102.25	Inf	-Inf	3	Vertical	0	1.95
2412MHz	Pass	PK	2.3886G	67.45	74.00	-6.55	3	Vertical	0	1.95
2412MHz	Pass	PK	2.4146G	116.87	Inf	-Inf	3	Vertical	0	1.95
2412MHz	Pass	AV	2.39G	53.30	54.00	-0.70	3	Horizontal	0	1.81
2412MHz	Pass	AV	2.4166G	102.52	Inf	-Inf	3	Horizontal	0	1.81
2412MHz	Pass	PK	2.3886G	68.43	74.00	-5.57	3	Horizontal	0	1.81
2412MHz	Pass	PK	2.417G	116.50	Inf	-Inf	3	Horizontal	0	1.81
2412MHz	Pass	AV	4.82382G	27.05	54.00	-26.95	3	Vertical	256	2.79
2412MHz	Pass	PK	4.8228G	41.46	74.00	-32.54	3	Vertical	256	2.79
2412MHz	Pass	AV	4.82394G	26.78	54.00	-27.22	3	Horizontal	151	2.79
2412MHz	Pass	PK	4.82526G	41.23	74.00	-32.77	3	Horizontal	151	2.79
2417MHz	Pass	AV	2.39G	53.82	54.00	-0.18	3	Vertical	359	1.92
2417MHz	Pass	AV	2.4154G	101.19	Inf	-Inf	3	Vertical	359	1.92
2417MHz	Pass	PK	2.39G	67.27	74.00	-6.73	3	Vertical	359	1.92
2417MHz	Pass	PK	2.4248G	115.32	Inf	-Inf	3	Vertical	359	1.92
2417MHz	Pass	AV	2.39G	52.55	54.00	-1.45	3	Horizontal	359	2.15
2417MHz	Pass	AV	2.4156G	101.70	Inf	-Inf	3	Horizontal	359	2.15
2417MHz	Pass	PK	2.3898G	65.41	74.00	-8.59	3	Horizontal	359	2.15
2417MHz	Pass	PK	2.4154G	116.09	Inf	-Inf	3	Horizontal	359	2.15
2437MHz	Pass	AV	2.3898G	51.26	54.00	-2.74	3	Vertical	1	1.88
2437MHz	Pass	AV	2.4298G	103.87	Inf	-Inf	3	Vertical	1	1.88
2437MHz	Pass	AV	2.4835G	53.04	54.00	-0.96	3	Vertical	1	1.88
2437MHz	Pass	PK	2.3898G	65.96	74.00	-8.04	3	Vertical	1	1.88
2437MHz	Pass	PK	2.4286G	117.63	Inf	-Inf	3	Vertical	1	1.88
2437MHz	Pass	PK	2.4842G	67.48	74.00	-6.52	3	Vertical	1	1.88
2437MHz	Pass	AV	2.3898G	51.79	54.00	-2.21	3	Horizontal	1	1.86
2437MHz	Pass	AV	2.4302G	103.82	Inf	-Inf	3	Horizontal	1	1.86
2437MHz	Pass	AV	2.4835G	53.75	54.00	-0.25	3	Horizontal	1	1.86
2437MHz	Pass	PK	2.3898G	66.49	74.00	-7.51	3	Horizontal	1	1.86
2437MHz	Pass	PK	2.4322G	117.63	Inf	-Inf	3	Horizontal	1	1.86
2437MHz	Pass	PK	2.4835G	66.79	74.00	-7.21	3	Horizontal	1	1.86
2437MHz	Pass	AV	4.8743G	27.19	54.00	-26.81	3	Vertical	233	1.91
2437MHz	Pass	PK	4.8767G	41.62	74.00	-32.38	3	Vertical	233	1.91
2437MHz	Pass	AV	4.87496G	26.84	54.00	-27.16	3	Horizontal	237	1.50
2437MHz	Pass	PK	4.8734G	41.88	74.00	-32.12	3	Horizontal	237	1.50
2457MHz	Pass	AV	2.4606G	102.66	Inf	-Inf	3	Vertical	4	2.09
2457MHz	Pass	AV	2.4835G	52.33	54.00	-1.67	3	Vertical	4	2.09
2457MHz	Pass	PK	2.4622G	116.40	Inf	-Inf	3	Vertical	4	2.09
2457MHz	Pass	PK	2.4838G	68.48	74.00	-5.52	3	Vertical	4	2.09
2457MHz	Pass	AV	2.4652G	102.46	Inf	-Inf	3	Horizontal	0	1.29
2457MHz	Pass	AV	2.4835G	53.77	54.00	-0.23	3	Horizontal	0	1.29
2457MHz	Pass	PK	2.4648G	116.21	Inf	-Inf	3	Horizontal	0	1.29
2457MHz	Pass	PK	2.4835G	72.13	74.00	-1.87	3	Horizontal	0	1.29
2462MHz	Pass	AV	2.4604G	101.92	Inf	-Inf	3	Vertical	10	2.10
2462MHz	Pass	AV	2.4836G	52.09	54.00	-1.91	3	Vertical	10	2.10
2462MHz	Pass	PK	2.4602G	115.77	Inf	-Inf	3	Vertical	10	2.10
2462MHz	Pass	PK	2.4836G	65.53	74.00	-8.47	3	Vertical	10	2.10
2462MHz	Pass	AV	2.468G	102.14	Inf	-Inf	3	Horizontal	0	1.28
2462MHz	Pass	AV	2.4835G	53.72	54.00	-0.28	3	Horizontal	0	1.28
2462MHz	Pass	PK	2.4666G	116.37	Inf	-Inf	3	Horizontal	0	1.28
2462MHz	Pass	PK	2.4856G	71.75	74.00	-2.25	3	Horizontal	0	1.28
2462MHz	Pass	AV	4.92376G	28.51	54.00	-25.49	3	Vertical	232	2.03
2462MHz	Pass	PK	4.93282G	43.22	74.00	-30.78	3	Vertical	232	2.03
2462MHz	Pass	AV	4.92634G	27.23	54.00	-26.77	3	Horizontal	40	1.83
2462MHz	Pass	PK	4.93408G	41.97	74.00	-32.03	3	Horizontal	40	1.83


2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2417MHz_TX



2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2417MHz_TX





***RSE TX below 1GHz_Non-Beamforming_Radio 1_
MIMO-directional Antenna_1T1S***

Appendix F.13

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	PK	30M	35.12	40.00	-4.88	3	Vertical	0	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
2437MHz_Adapter	Pass	PK	30M	35.12	40.00	-4.88	3	Vertical	0	1.00
2437MHz_Adapter	Pass	PK	47.46M	32.87	40.00	-7.13	3	Vertical	0	1.00
2437MHz_Adapter	Pass	PK	97.9M	30.09	43.50	-13.41	3	Vertical	0	1.00
2437MHz_Adapter	Pass	PK	148.34M	27.91	43.50	-15.59	3	Vertical	0	1.00
2437MHz_Adapter	Pass	PK	249.22M	26.65	46.00	-19.35	3	Vertical	0	1.00
2437MHz_Adapter	Pass	PK	429.64M	33.76	46.00	-12.24	3	Vertical	0	1.00
2437MHz_Adapter	Pass	PK	30M	24.90	40.00	-15.10	3	Horizontal	360	1.00
2437MHz_Adapter	Pass	PK	78.5M	30.98	40.00	-9.02	3	Horizontal	360	1.00
2437MHz_Adapter	Pass	PK	99.84M	33.28	43.50	-10.22	3	Horizontal	360	1.00
2437MHz_Adapter	Pass	PK	148.34M	29.18	43.50	-14.32	3	Horizontal	360	1.00
2437MHz_Adapter	Pass	PK	249.22M	33.72	46.00	-12.28	3	Horizontal	360	1.00
2437MHz_Adapter	Pass	PK	650.8M	28.73	46.00	-17.27	3	Horizontal	360	1.00


2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2437MHz_Adapter



2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2437MHz_Adapter





***RSE TX above 1GHz_Non-Beamforming_Radio 1_
MIMO-directional Antenna_1T1S***

Appendix F.14

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX	Pass	AV	2.39G	53.72	54.00	-0.28	3	Vertical	357	1.68
802.11g_Nss1,(6Mbps)_1TX	Pass	AV	2.39G	53.63	54.00	-0.37	3	Vertical	357	2.06
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	2.39G	53.91	54.00	-0.09	3	Vertical	360	1.59

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11b_Nss1,(1Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3896G	51.50	54.00	-2.50	3	Vertical	0	2.60
2412MHz	Pass	AV	2.4128G	112.49	Inf	-Inf	3	Vertical	0	2.60
2412MHz	Pass	PK	2.39G	61.46	74.00	-12.54	3	Vertical	0	2.60
2412MHz	Pass	PK	2.4128G	115.27	Inf	-Inf	3	Vertical	0	2.60
2412MHz	Pass	AV	4.824G	31.93	54.00	-22.07	3	Vertical	172	1.46
2412MHz	Pass	PK	4.82406G	41.70	74.00	-32.30	3	Vertical	172	1.46
2412MHz	Pass	AV	4.824G	30.13	54.00	-23.87	3	Horizontal	144	1.55
2412MHz	Pass	PK	4.82382G	41.33	74.00	-32.67	3	Horizontal	144	1.55
2417MHz	Pass	AV	2.39G	53.72	54.00	-0.28	3	Vertical	357	1.68
2417MHz	Pass	AV	2.4178G	114.38	Inf	-Inf	3	Vertical	357	1.68
2417MHz	Pass	PK	2.389G	63.84	74.00	-10.16	3	Vertical	357	1.68
2417MHz	Pass	PK	2.4178G	117.15	Inf	-Inf	3	Vertical	357	1.68
2437MHz	Pass	AV	2.3858G	50.65	54.00	-3.35	3	Vertical	359	1.65
2437MHz	Pass	AV	2.4362G	115.92	Inf	-Inf	3	Vertical	359	1.65
2437MHz	Pass	AV	2.4882G	53.21	54.00	-0.79	3	Vertical	359	1.65
2437MHz	Pass	PK	2.3878G	61.06	74.00	-12.94	3	Vertical	359	1.65
2437MHz	Pass	PK	2.4362G	118.63	Inf	-Inf	3	Vertical	359	1.65
2437MHz	Pass	PK	2.4854G	62.59	74.00	-11.41	3	Vertical	359	1.65
2437MHz	Pass	AV	4.874G	32.82	54.00	-21.18	3	Vertical	172	1.62
2437MHz	Pass	PK	4.87394G	42.37	74.00	-31.63	3	Vertical	172	1.62
2437MHz	Pass	AV	4.874G	30.40	54.00	-23.60	3	Horizontal	144	1.60
2437MHz	Pass	PK	4.87406G	40.99	74.00	-33.01	3	Horizontal	144	1.60
2457MHz	Pass	AV	2.4578G	114.02	Inf	-Inf	3	Vertical	356	2.09
2457MHz	Pass	AV	2.4838G	53.24	54.00	-0.76	3	Vertical	356	2.09
2457MHz	Pass	PK	2.4578G	116.88	Inf	-Inf	3	Vertical	356	2.09
2457MHz	Pass	PK	2.4838G	63.88	74.00	-10.12	3	Vertical	356	2.09
2462MHz	Pass	AV	2.4612G	113.57	Inf	-Inf	3	Vertical	356	2.11
2462MHz	Pass	AV	2.4844G	52.10	54.00	-1.90	3	Vertical	356	2.11
2462MHz	Pass	PK	2.461G	116.47	Inf	-Inf	3	Vertical	356	2.11
2462MHz	Pass	PK	2.4844G	62.91	74.00	-11.09	3	Vertical	356	2.11
2462MHz	Pass	AV	4.924G	33.88	54.00	-20.12	3	Vertical	237	1.58
2462MHz	Pass	PK	4.92388G	41.96	74.00	-32.04	3	Vertical	237	1.58
2462MHz	Pass	AV	4.92406G	32.00	54.00	-22.00	3	Horizontal	184	1.16
2462MHz	Pass	PK	4.92424G	41.82	74.00	-32.18	3	Horizontal	184	1.16
802.11g_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	53.63	54.00	-0.37	3	Vertical	357	2.06
2412MHz	Pass	AV	2.4146G	105.84	Inf	-Inf	3	Vertical	357	2.06
2412MHz	Pass	PK	2.3898G	69.16	74.00	-4.84	3	Vertical	357	2.06
2412MHz	Pass	PK	2.4118G	117.68	Inf	-Inf	3	Vertical	357	2.06
2412MHz	Pass	AV	4.81824G	26.68	54.00	-27.32	3	Vertical	172	1.50
2412MHz	Pass	PK	4.82058G	40.65	74.00	-33.35	3	Vertical	172	1.50
2412MHz	Pass	AV	4.8171G	26.44	54.00	-27.56	3	Horizontal	212	1.50
2412MHz	Pass	PK	4.81482G	40.87	74.00	-33.13	3	Horizontal	212	1.50
2417MHz	Pass	AV	2.3898G	53.53	54.00	-0.47	3	Vertical	356	1.67
2417MHz	Pass	AV	2.423G	101.87	Inf	-Inf	3	Vertical	356	1.67
2417MHz	Pass	PK	2.3896G	65.34	74.00	-8.66	3	Vertical	356	1.67
2417MHz	Pass	PK	2.4214G	113.66	Inf	-Inf	3	Vertical	356	1.67
2437MHz	Pass	AV	2.3898G	51.39	54.00	-2.61	3	Vertical	358	1.64
2437MHz	Pass	AV	2.4338G	107.17	Inf	-Inf	3	Vertical	358	1.64
2437MHz	Pass	AV	2.4835G	53.30	54.00	-0.70	3	Vertical	358	1.64
2437MHz	Pass	PK	2.3898G	67.25	74.00	-6.75	3	Vertical	358	1.64
2437MHz	Pass	PK	2.4354G	118.65	Inf	-Inf	3	Vertical	358	1.64
2437MHz	Pass	PK	2.4835G	67.91	74.00	-6.09	3	Vertical	358	1.64
2437MHz	Pass	AV	4.87796G	26.89	54.00	-27.11	3	Vertical	171	1.50
2437MHz	Pass	PK	4.87808G	40.69	74.00	-33.31	3	Vertical	171	1.50
2437MHz	Pass	AV	4.8611G	26.60	54.00	-27.40	3	Horizontal	306	1.91
2437MHz	Pass	PK	4.86776G	40.79	74.00	-33.21	3	Horizontal	306	1.91
2457MHz	Pass	AV	2.4602G	106.26	Inf	-Inf	3	Vertical	358	2.07
2457MHz	Pass	AV	2.4836G	53.55	54.00	-0.45	3	Vertical	358	2.07
2457MHz	Pass	PK	2.4568G	117.82	Inf	-Inf	3	Vertical	358	2.07




RSE TX above 1GHz_Non-Beamforming_Radio 1 MIMO-directional Antenna_1T1S

Appendix F.14

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2457MHz	Pass	PK	2.4842G	68.56	74.00	-5.44	3	Vertical	358	2.07
2462MHz	Pass	AV	2.4588G	105.10	Inf	-Inf	3	Vertical	356	2.11
2462MHz	Pass	AV	2.4835G	53.02	54.00	-0.98	3	Vertical	356	2.11
2462MHz	Pass	PK	2.4596G	117.32	Inf	-Inf	3	Vertical	356	2.11
2462MHz	Pass	PK	2.484G	69.77	74.00	-4.23	3	Vertical	356	2.11
2462MHz	Pass	AV	4.92514G	27.06	54.00	-26.94	3	Vertical	169	1.26
2462MHz	Pass	PK	4.93354G	40.80	74.00	-33.20	3	Vertical	169	1.26
2462MHz	Pass	AV	4.9267G	26.85	54.00	-27.15	3	Horizontal	188	1.34
2462MHz	Pass	PK	4.92916G	41.10	74.00	-32.90	3	Horizontal	188	1.34
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	53.25	54.00	-0.75	3	Vertical	353	2.04
2412MHz	Pass	AV	2.4158G	105.38	Inf	-Inf	3	Vertical	353	2.04
2412MHz	Pass	PK	2.3898G	67.78	74.00	-6.22	3	Vertical	353	2.04
2412MHz	Pass	PK	2.414G	119.12	Inf	-Inf	3	Vertical	353	2.04
2412MHz	Pass	AV	4.82034G	26.55	54.00	-27.45	3	Vertical	232	1.99
2412MHz	Pass	PK	4.82946G	40.74	74.00	-33.26	3	Vertical	232	1.99
2412MHz	Pass	AV	4.81884G	26.51	54.00	-27.49	3	Horizontal	163	1.50
2412MHz	Pass	PK	4.81392G	40.52	74.00	-33.48	3	Horizontal	163	1.50
2417MHz	Pass	AV	2.39G	53.91	54.00	-0.09	3	Vertical	360	1.59
2417MHz	Pass	AV	2.4242G	102.17	Inf	-Inf	3	Vertical	360	1.59
2417MHz	Pass	PK	2.39G	67.41	74.00	-6.59	3	Vertical	360	1.59
2417MHz	Pass	PK	2.4246G	116.19	Inf	-Inf	3	Vertical	360	1.59
2437MHz	Pass	AV	2.3898G	52.49	54.00	-1.51	3	Vertical	360	1.61
2437MHz	Pass	AV	2.4342G	106.74	Inf	-Inf	3	Vertical	360	1.61
2437MHz	Pass	AV	2.4835G	53.83	54.00	-0.17	3	Vertical	360	1.61
2437MHz	Pass	PK	2.3894G	68.38	74.00	-5.62	3	Vertical	360	1.61
2437MHz	Pass	PK	2.4306G	120.47	Inf	-Inf	3	Vertical	360	1.61
2437MHz	Pass	PK	2.4838G	68.51	74.00	-5.49	3	Vertical	360	1.61
2437MHz	Pass	AV	4.87778G	26.89	54.00	-27.11	3	Vertical	117	2.66
2437MHz	Pass	PK	4.86338G	40.76	74.00	-33.24	3	Vertical	117	2.66
2437MHz	Pass	AV	4.86476G	26.58	54.00	-27.42	3	Horizontal	228	1.50
2437MHz	Pass	PK	4.86554G	40.21	74.00	-33.79	3	Horizontal	228	1.50
2457MHz	Pass	AV	2.4606G	105.53	Inf	-Inf	3	Vertical	357	2.08
2457MHz	Pass	AV	2.4835G	52.03	54.00	-1.97	3	Vertical	357	2.08
2457MHz	Pass	PK	2.4616G	119.41	Inf	-Inf	3	Vertical	357	2.08
2457MHz	Pass	PK	2.4838G	68.97	74.00	-5.03	3	Vertical	357	2.08
2462MHz	Pass	AV	2.4594G	104.65	Inf	-Inf	3	Vertical	356	2.08
2462MHz	Pass	AV	2.4835G	53.73	54.00	-0.27	3	Vertical	356	2.08
2462MHz	Pass	PK	2.464G	118.87	Inf	-Inf	3	Vertical	356	2.08
2462MHz	Pass	PK	2.4835G	69.43	74.00	-4.57	3	Vertical	356	2.08
2462MHz	Pass	AV	4.92544G	26.89	54.00	-27.11	3	Vertical	236	1.50
2462MHz	Pass	PK	4.93402G	41.41	74.00	-32.59	3	Vertical	236	1.50
2462MHz	Pass	AV	4.9096G	26.58	54.00	-27.42	3	Horizontal	357	2.95
2462MHz	Pass	PK	4.93264G	40.98	74.00	-33.02	3	Horizontal	357	2.95


2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2417MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX



2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	2.39G	53.91	54.00	-0.09	30.30	3	Vertical	360	1.59	23.61	27.50	2.80	-				
AV	2.4242G	102.17	Inf	-Inf	30.51	3	Vertical	360	1.59	71.66	27.70	2.81	-				
PK	2.39G	67.41	74.00	-6.59	30.30	3	Vertical	360	1.59	37.11	27.50	2.80	-				
PK	2.4246G	116.19	Inf	-Inf	30.51	3	Vertical	360	1.59	85.68	27.70	2.81	-				



***RSE TX below 1GHz_Non-Beamforming_Radio 1_
MIMO-directional Antenna_2T1S***

Appendix F.15

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	PK	49.4M	35.50	40.00	-4.50	3	Vertical	360	1.00



**RSE TX below 1GHz_Non-Beamforming_Radio 1_
MIMO-directional Antenna_2T1S**


Appendix F.15

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2437MHz_Adapter	Pass	PK	49.4M	35.50	40.00	-4.50	3	Vertical	360	1.00
2437MHz_Adapter	Pass	PK	57.16M	32.97	40.00	-7.03	3	Vertical	360	1.00
2437MHz_Adapter	Pass	PK	99.84M	29.41	43.50	-14.09	3	Vertical	360	1.00
2437MHz_Adapter	Pass	PK	249.22M	24.89	46.00	-21.11	3	Vertical	360	1.00
2437MHz_Adapter	Pass	PK	429.64M	34.12	46.00	-11.88	3	Vertical	360	1.00
2437MHz_Adapter	Pass	PK	650.8M	30.47	46.00	-15.53	3	Vertical	360	1.00
2437MHz_Adapter	Pass	PK	78.5M	33.21	40.00	-6.79	3	Horizontal	360	1.00
2437MHz_Adapter	Pass	PK	97.9M	35.18	43.50	-8.32	3	Horizontal	360	1.00
2437MHz_Adapter	Pass	PK	159.98M	26.20	43.50	-17.30	3	Horizontal	360	1.00
2437MHz_Adapter	Pass	PK	249.22M	30.12	46.00	-15.88	3	Horizontal	360	1.00
2437MHz_Adapter	Pass	PK	522.76M	27.44	46.00	-18.56	3	Horizontal	360	1.00
2437MHz_Adapter	Pass	PK	598.42M	25.39	46.00	-20.61	3	Horizontal	360	1.00


2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_Adapter



2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_Adapter





**RSE TX above 1GHz_Non-Beamforming_Radio 1_
MIMO-directional Antenna_2T1S**

Appendix F.16

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_2TX	Pass	AV	2.3898G	53.78	54.00	-0.22	3	Vertical	357	1.64
802.11g_Nss1,(6Mbps)_2TX	Pass	AV	2.4842G	53.93	54.00	-0.07	3	Horizontal	0	1.42
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	2.39G	53.95	54.00	-0.05	3	Horizontal	360	1.78

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3892G	51.18	54.00	-2.82	3	Vertical	356	2.25
2412MHz	Pass	AV	2.4128G	112.73	Inf	-Inf	3	Vertical	356	2.25
2412MHz	Pass	PK	2.3896G	61.11	74.00	-12.89	3	Vertical	356	2.25
2412MHz	Pass	PK	2.4128G	115.56	Inf	-Inf	3	Vertical	356	2.25
2412MHz	Pass	AV	2.3882G	44.72	54.00	-9.28	3	Horizontal	360	2.18
2412MHz	Pass	AV	2.4112G	111.15	Inf	-Inf	3	Horizontal	360	2.18
2412MHz	Pass	PK	2.3828G	57.37	74.00	-16.63	3	Horizontal	360	2.18
2412MHz	Pass	PK	2.4112G	113.98	Inf	-Inf	3	Horizontal	360	2.18
2412MHz	Pass	AV	4.82394G	36.13	54.00	-17.87	3	Vertical	165	1.62
2412MHz	Pass	PK	4.82412G	43.77	74.00	-30.23	3	Vertical	165	1.62
2412MHz	Pass	AV	4.82406G	35.06	54.00	-18.94	3	Horizontal	125	2.65
2412MHz	Pass	PK	4.82394G	42.77	74.00	-31.23	3	Horizontal	125	2.65
2417MHz	Pass	AV	2.3886G	53.74	54.00	-0.26	3	Vertical	355	1.66
2417MHz	Pass	AV	2.4162G	113.36	Inf	-Inf	3	Vertical	355	1.66
2417MHz	Pass	PK	2.3896G	62.37	74.00	-11.63	3	Vertical	355	1.66
2417MHz	Pass	PK	2.4162G	116.16	Inf	-Inf	3	Vertical	355	1.66
2417MHz	Pass	AV	2.39G	47.07	54.00	-6.93	3	Horizontal	360	1.92
2417MHz	Pass	AV	2.4162G	111.10	Inf	-Inf	3	Horizontal	360	1.92
2417MHz	Pass	PK	2.39G	59.22	74.00	-14.78	3	Horizontal	360	1.92
2417MHz	Pass	PK	2.4162G	113.90	Inf	-Inf	3	Horizontal	360	1.92
2437MHz	Pass	AV	2.3898G	53.78	54.00	-0.22	3	Vertical	357	1.64
2437MHz	Pass	AV	2.4378G	115.18	Inf	-Inf	3	Vertical	357	1.64
2437MHz	Pass	AV	2.4835G	52.26	54.00	-1.74	3	Vertical	357	1.64
2437MHz	Pass	PK	2.3898G	61.75	74.00	-12.25	3	Vertical	357	1.64
2437MHz	Pass	PK	2.4378G	117.86	Inf	-Inf	3	Vertical	357	1.64
2437MHz	Pass	PK	2.4835G	62.71	74.00	-11.29	3	Vertical	357	1.64
2437MHz	Pass	AV	2.3882G	51.50	54.00	-2.50	3	Horizontal	360	1.98
2437MHz	Pass	AV	2.4378G	114.09	Inf	-Inf	3	Horizontal	360	1.98
2437MHz	Pass	AV	2.4835G	53.00	54.00	-1.00	3	Horizontal	360	1.98
2437MHz	Pass	PK	2.3878G	60.61	74.00	-13.39	3	Horizontal	360	1.98
2437MHz	Pass	PK	2.4378G	116.84	Inf	-Inf	3	Horizontal	360	1.98
2437MHz	Pass	PK	2.4835G	61.60	74.00	-12.40	3	Horizontal	360	1.98
2437MHz	Pass	AV	4.874G	35.94	54.00	-18.06	3	Vertical	163	1.62
2437MHz	Pass	PK	4.87388G	43.33	74.00	-30.67	3	Vertical	163	1.62
2437MHz	Pass	AV	4.87394G	35.44	54.00	-18.56	3	Horizontal	209	2.60
2437MHz	Pass	PK	4.87376G	43.02	74.00	-30.98	3	Horizontal	209	2.60
2457MHz	Pass	AV	2.4578G	113.23	Inf	-Inf	3	Vertical	360	2.10
2457MHz	Pass	AV	2.4864G	53.03	54.00	-0.97	3	Vertical	360	2.10
2457MHz	Pass	PK	2.4578G	116.05	Inf	-Inf	3	Vertical	360	2.10
2457MHz	Pass	PK	2.4846G	61.99	74.00	-12.01	3	Vertical	360	2.10
2457MHz	Pass	AV	2.4578G	111.98	Inf	-Inf	3	Horizontal	360	2.35
2457MHz	Pass	AV	2.484G	46.41	54.00	-7.59	3	Horizontal	360	2.35
2457MHz	Pass	PK	2.4578G	114.85	Inf	-Inf	3	Horizontal	360	2.35
2457MHz	Pass	PK	2.4838G	59.47	74.00	-14.53	3	Horizontal	360	2.35
2462MHz	Pass	AV	2.4612G	112.77	Inf	-Inf	3	Vertical	357	1.43
2462MHz	Pass	AV	2.4874G	51.20	54.00	-2.80	3	Vertical	357	1.43
2462MHz	Pass	PK	2.4612G	115.58	Inf	-Inf	3	Vertical	357	1.43
2462MHz	Pass	PK	2.4846G	61.66	74.00	-12.34	3	Vertical	357	1.43
2462MHz	Pass	AV	2.4612G	111.70	Inf	-Inf	3	Horizontal	360	1.89
2462MHz	Pass	AV	2.4836G	49.31	54.00	-4.69	3	Horizontal	360	1.89
2462MHz	Pass	PK	2.4612G	114.72	Inf	-Inf	3	Horizontal	360	1.89
2462MHz	Pass	PK	2.4835G	61.27	74.00	-12.73	3	Horizontal	360	1.89
2462MHz	Pass	AV	4.92394G	37.55	54.00	-16.45	3	Vertical	233	2.43
2462MHz	Pass	PK	4.92394G	45.27	74.00	-28.73	3	Vertical	233	2.43
2462MHz	Pass	AV	4.924G	34.52	54.00	-19.48	3	Horizontal	180	1.12
2462MHz	Pass	PK	4.92394G	43.30	74.00	-30.70	3	Horizontal	180	1.12
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	53.14	54.00	-0.86	3	Vertical	360	1.50
2412MHz	Pass	AV	2.4184G	105.85	Inf	-Inf	3	Vertical	360	1.50
2412MHz	Pass	PK	2.39G	69.03	74.00	-4.97	3	Vertical	360	1.50



**RSE TX above 1GHz_Non-Beamforming_Radio 1_
MIMO-directional Antenna 2T1S**

Appendix F.16

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2412MHz	Pass	PK	2.4182G	118.37	Inf	-Inf	3	Vertical	360	1.50
2412MHz	Pass	AV	2.39G	53.25	54.00	-0.75	3	Horizontal	359	1.94
2412MHz	Pass	AV	2.4168G	105.56	Inf	-Inf	3	Horizontal	359	1.94
2412MHz	Pass	PK	2.39G	67.45	74.00	-6.55	3	Horizontal	359	1.94
2412MHz	Pass	PK	2.4118G	117.19	Inf	-Inf	3	Horizontal	359	1.94
2412MHz	Pass	AV	4.82226G	28.07	54.00	-25.93	3	Vertical	164	1.64
2412MHz	Pass	PK	4.82274G	42.80	74.00	-31.20	3	Vertical	164	1.64
2412MHz	Pass	AV	4.82214G	27.03	54.00	-26.97	3	Horizontal	187	1.50
2412MHz	Pass	PK	4.81698G	41.55	74.00	-32.45	3	Horizontal	187	1.50
2417MHz	Pass	AV	2.3898G	52.47	54.00	-1.53	3	Vertical	0	1.67
2417MHz	Pass	AV	2.424G	103.84	Inf	-Inf	3	Vertical	0	1.67
2417MHz	Pass	PK	2.3898G	64.29	74.00	-9.71	3	Vertical	0	1.67
2417MHz	Pass	PK	2.423G	116.52	Inf	-Inf	3	Vertical	0	1.67
2417MHz	Pass	AV	2.3898G	53.87	54.00	-0.13	3	Horizontal	0	1.74
2417MHz	Pass	AV	2.4216G	102.93	Inf	-Inf	3	Horizontal	0	1.74
2417MHz	Pass	PK	2.3898G	65.68	74.00	-8.32	3	Horizontal	0	1.74
2417MHz	Pass	PK	2.4234G	114.47	Inf	-Inf	3	Horizontal	0	1.74
2437MHz	Pass	AV	2.3898G	53.23	54.00	-0.77	3	Vertical	357	1.61
2437MHz	Pass	AV	2.4298G	107.58	Inf	-Inf	3	Vertical	357	1.61
2437MHz	Pass	AV	2.4835G	52.51	54.00	-1.49	3	Vertical	357	1.61
2437MHz	Pass	PK	2.3898G	69.41	74.00	-4.59	3	Vertical	357	1.61
2437MHz	Pass	PK	2.4358G	119.58	Inf	-Inf	3	Vertical	357	1.61
2437MHz	Pass	PK	2.4835G	69.22	74.00	-4.78	3	Vertical	357	1.61
2437MHz	Pass	AV	2.3898G	48.55	54.00	-5.45	3	Horizontal	360	1.67
2437MHz	Pass	AV	2.4322G	106.69	Inf	-Inf	3	Horizontal	360	1.67
2437MHz	Pass	AV	2.4835G	50.49	54.00	-3.51	3	Horizontal	360	1.67
2437MHz	Pass	PK	2.3898G	66.63	74.00	-7.37	3	Horizontal	360	1.67
2437MHz	Pass	PK	2.4334G	118.02	Inf	-Inf	3	Horizontal	360	1.67
2437MHz	Pass	PK	2.4854G	65.64	74.00	-8.36	3	Horizontal	360	1.67
2437MHz	Pass	AV	4.877G	27.84	54.00	-26.16	3	Vertical	162	1.65
2437MHz	Pass	PK	4.87646G	41.49	74.00	-32.51	3	Vertical	162	1.65
2437MHz	Pass	AV	4.87712G	27.63	54.00	-26.37	3	Horizontal	206	2.22
2437MHz	Pass	PK	4.88276G	41.63	74.00	-32.37	3	Horizontal	206	2.22
2457MHz	Pass	AV	2.4586G	105.87	Inf	-Inf	3	Vertical	0	1.41
2457MHz	Pass	AV	2.4836G	50.60	54.00	-3.40	3	Vertical	0	1.41
2457MHz	Pass	PK	2.4588G	118.51	Inf	-Inf	3	Vertical	0	1.41
2457MHz	Pass	PK	2.4835G	64.86	74.00	-9.14	3	Vertical	0	1.41
2457MHz	Pass	AV	2.4604G	106.15	Inf	-Inf	3	Horizontal	0	1.42
2457MHz	Pass	AV	2.4842G	53.93	54.00	-0.07	3	Horizontal	0	1.42
2457MHz	Pass	PK	2.4618G	117.52	Inf	-Inf	3	Horizontal	0	1.42
2457MHz	Pass	PK	2.4838G	68.62	74.00	-5.38	3	Horizontal	0	1.42
2462MHz	Pass	AV	2.4578G	104.98	Inf	-Inf	3	Vertical	357	1.09
2462MHz	Pass	AV	2.4835G	50.65	54.00	-3.35	3	Vertical	357	1.09
2462MHz	Pass	PK	2.4574G	117.39	Inf	-Inf	3	Vertical	357	1.09
2462MHz	Pass	PK	2.4835G	64.46	74.00	-9.54	3	Vertical	357	1.09
2462MHz	Pass	AV	2.458G	105.50	Inf	-Inf	3	Horizontal	360	2.33
2462MHz	Pass	AV	2.4835G	52.78	54.00	-1.22	3	Horizontal	360	2.33
2462MHz	Pass	PK	2.4596G	117.42	Inf	-Inf	3	Horizontal	360	2.33
2462MHz	Pass	PK	2.4835G	67.74	74.00	-6.26	3	Horizontal	360	2.33
2462MHz	Pass	AV	4.92244G	29.38	54.00	-24.62	3	Vertical	231	2.51
2462MHz	Pass	PK	4.92196G	43.33	74.00	-30.67	3	Vertical	231	2.51
2462MHz	Pass	AV	4.9273G	30.07	54.00	-23.93	3	Horizontal	212	2.85
2462MHz	Pass	PK	4.92274G	44.54	74.00	-29.46	3	Horizontal	212	2.85
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	53.41	54.00	-0.59	3	Vertical	360	1.64
2412MHz	Pass	AV	2.4202G	104.65	Inf	-Inf	3	Vertical	360	1.64
2412MHz	Pass	PK	2.3898G	67.66	74.00	-6.34	3	Vertical	360	1.64
2412MHz	Pass	PK	2.4192G	118.49	Inf	-Inf	3	Vertical	360	1.64
2412MHz	Pass	AV	2.39G	51.88	54.00	-2.12	3	Horizontal	360	1.89
2412MHz	Pass	AV	2.417G	104.17	Inf	-Inf	3	Horizontal	360	1.89
2412MHz	Pass	PK	2.3892G	64.67	74.00	-9.33	3	Horizontal	360	1.89
2412MHz	Pass	PK	2.4048G	117.88	Inf	-Inf	3	Horizontal	360	1.89




RSE TX above 1GHz_Non-Beamforming_Radio 1 MIMO-directional Antenna_2T1S

Appendix F.16

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2412MHz	Pass	AV	4.82046G	27.30	54.00	-26.70	3	Vertical	230	1.50
2412MHz	Pass	PK	4.82544G	41.42	74.00	-32.58	3	Vertical	230	1.50
2412MHz	Pass	AV	4.82298G	27.37	54.00	-26.63	3	Horizontal	124	2.70
2412MHz	Pass	PK	4.81866G	41.30	74.00	-32.70	3	Horizontal	124	2.70
2417MHz	Pass	AV	2.39G	52.53	54.00	-1.47	3	Vertical	353	1.75
2417MHz	Pass	AV	2.4254G	103.08	Inf	-Inf	3	Vertical	353	1.75
2417MHz	Pass	PK	2.39G	65.42	74.00	-8.58	3	Vertical	353	1.75
2417MHz	Pass	PK	2.4242G	116.56	Inf	-Inf	3	Vertical	353	1.75
2417MHz	Pass	AV	2.39G	53.95	54.00	-0.05	3	Horizontal	360	1.78
2417MHz	Pass	AV	2.4244G	102.31	Inf	-Inf	3	Horizontal	360	1.78
2417MHz	Pass	PK	2.3898G	67.35	74.00	-6.65	3	Horizontal	360	1.78
2417MHz	Pass	PK	2.4246G	116.45	Inf	-Inf	3	Horizontal	360	1.78
2437MHz	Pass	AV	2.3898G	51.17	54.00	-2.83	3	Vertical	353	1.82
2437MHz	Pass	AV	2.429G	106.85	Inf	-Inf	3	Vertical	353	1.82
2437MHz	Pass	AV	2.4835G	52.51	54.00	-1.49	3	Vertical	353	1.82
2437MHz	Pass	PK	2.3898G	66.87	74.00	-7.13	3	Vertical	353	1.82
2437MHz	Pass	PK	2.4318G	120.99	Inf	-Inf	3	Vertical	353	1.82
2437MHz	Pass	PK	2.4835G	67.83	74.00	-6.17	3	Vertical	353	1.82
2437MHz	Pass	AV	2.3898G	49.67	54.00	-4.33	3	Horizontal	360	1.67
2437MHz	Pass	AV	2.4342G	105.80	Inf	-Inf	3	Horizontal	360	1.67
2437MHz	Pass	AV	2.4835G	51.23	54.00	-2.77	3	Horizontal	360	1.67
2437MHz	Pass	PK	2.3898G	64.61	74.00	-9.39	3	Horizontal	360	1.67
2437MHz	Pass	PK	2.4342G	120.35	Inf	-Inf	3	Horizontal	360	1.67
2437MHz	Pass	PK	2.4842G	66.42	74.00	-7.58	3	Horizontal	360	1.67
2437MHz	Pass	AV	4.87796G	27.67	54.00	-26.33	3	Vertical	225	1.44
2437MHz	Pass	PK	4.8854G	42.44	74.00	-31.56	3	Vertical	225	1.44
2437MHz	Pass	AV	4.87826G	27.44	54.00	-26.56	3	Horizontal	208	2.51
2437MHz	Pass	PK	4.88072G	41.42	74.00	-32.58	3	Horizontal	208	2.51
2457MHz	Pass	AV	2.458G	105.22	Inf	-Inf	3	Vertical	360	1.90
2457MHz	Pass	AV	2.4836G	51.64	54.00	-2.36	3	Vertical	360	1.90
2457MHz	Pass	PK	2.4616G	119.44	Inf	-Inf	3	Vertical	360	1.90
2457MHz	Pass	PK	2.4838G	69.30	74.00	-4.70	3	Vertical	360	1.90
2457MHz	Pass	AV	2.4596G	105.56	Inf	-Inf	3	Horizontal	360	1.66
2457MHz	Pass	AV	2.4835G	52.46	54.00	-1.54	3	Horizontal	360	1.66
2457MHz	Pass	PK	2.4642G	119.58	Inf	-Inf	3	Horizontal	360	1.66
2457MHz	Pass	PK	2.4844G	68.42	74.00	-5.58	3	Horizontal	360	1.66
2462MHz	Pass	AV	2.4596G	104.07	Inf	-Inf	3	Vertical	356	1.23
2462MHz	Pass	AV	2.4835G	50.93	54.00	-3.07	3	Vertical	356	1.23
2462MHz	Pass	PK	2.4696G	117.77	Inf	-Inf	3	Vertical	356	1.23
2462MHz	Pass	PK	2.4842G	65.10	74.00	-8.90	3	Vertical	356	1.23
2462MHz	Pass	AV	2.4594G	104.48	Inf	-Inf	3	Horizontal	360	2.06
2462MHz	Pass	AV	2.4835G	53.74	54.00	-0.26	3	Horizontal	360	2.06
2462MHz	Pass	PK	2.4588G	118.00	Inf	-Inf	3	Horizontal	360	2.06
2462MHz	Pass	PK	2.484G	69.63	74.00	-4.37	3	Horizontal	360	2.06
2462MHz	Pass	AV	4.92556G	28.92	54.00	-25.08	3	Vertical	235	2.45
2462MHz	Pass	PK	4.93294G	42.61	74.00	-31.39	3	Vertical	235	2.45
2462MHz	Pass	AV	4.92328G	27.78	54.00	-26.22	3	Horizontal	177	2.63
2462MHz	Pass	PK	4.92352G	41.73	74.00	-32.27	3	Horizontal	177	2.63

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	53.78	54.00	-0.22	30.30	3	Vertical	357	1.64	23.48	27.50	2.80	-
AV	2.4378G	115.18	Inf	-Inf	30.51	3	Vertical	357	1.64	84.67	27.70	2.81	-
AV	2.4835G	52.26	54.00	-1.74	30.71	3	Vertical	357	1.64	21.55	27.90	2.81	-
PK	2.3898G	61.75	74.00	-12.25	30.30	3	Vertical	357	1.64	31.45	27.50	2.80	-
PK	2.4378G	117.86	Inf	-Inf	30.51	3	Vertical	357	1.64	87.35	27.70	2.81	-
PK	2.4835G	62.71	74.00	-11.29	30.71	3	Vertical	357	1.64	32.00	27.90	2.81	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3882G	51.50	54.00	-2.50	30.28	3	Horizontal	360	1.98	21.22	27.48	2.80	-
AV	2.4378G	114.09	Inf	-Inf	30.51	3	Horizontal	360	1.98	83.58	27.70	2.81	-
AV	2.4835G	53.00	54.00	-1.00	30.71	3	Horizontal	360	1.98	22.29	27.90	2.81	-
PK	2.3878G	60.61	74.00	-13.39	30.28	3	Horizontal	360	1.98	30.33	27.48	2.80	-
PK	2.4378G	116.84	Inf	-Inf	30.51	3	Horizontal	360	1.98	86.33	27.70	2.81	-
PK	2.4835G	61.60	74.00	-12.40	30.71	3	Horizontal	360	1.98	30.89	27.90	2.81	-


2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4586G	105.87	Inf	-Inf	30.51	3	Vertical	0	1.41	75.36	27.70	2.81	-
AV	2.4836G	50.60	54.00	-3.40	30.71	3	Vertical	0	1.41	19.89	27.90	2.81	-
PK	2.4588G	118.51	Inf	-Inf	30.51	3	Vertical	0	1.41	88.00	27.70	2.81	-
PK	2.4835G	64.86	74.00	-9.14	30.71	3	Vertical	0	1.41	34.15	27.90	2.81	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4604G	106.15	Inf	-Inf	30.51	3	Horizontal	0	1.42	75.64	27.70	2.81	-
AV	2.4842G	53.93	54.00	-0.07	30.71	3	Horizontal	0	1.42	23.22	27.90	2.81	-
PK	2.4618G	117.52	Inf	-Inf	30.53	3	Horizontal	0	1.42	86.99	27.72	2.81	-
PK	2.4838G	68.62	74.00	-5.38	30.71	3	Horizontal	0	1.42	37.91	27.90	2.81	-

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	52.53	54.00	-1.47	30.30	3	Vertical	353	1.75	22.23	27.50	2.80	-
AV	2.4254G	103.08	Inf	-Inf	30.51	3	Vertical	353	1.75	72.57	27.70	2.81	-
PK	2.39G	65.42	74.00	-8.58	30.30	3	Vertical	353	1.75	35.12	27.50	2.80	-
PK	2.4242G	116.56	Inf	-Inf	30.51	3	Vertical	353	1.75	86.05	27.70	2.81	-

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	53.95	54.00	-0.05	30.30	3	Horizontal	360	1.78	23.65	27.50	2.80	-
AV	2.4244G	102.31	Inf	-Inf	30.51	3	Horizontal	360	1.78	71.80	27.70	2.81	-
PK	2.3898G	67.35	74.00	-6.65	30.30	3	Horizontal	360	1.78	37.05	27.50	2.80	-
PK	2.4246G	116.45	Inf	-Inf	30.51	3	Horizontal	360	1.78	85.94	27.70	2.81	-



***RSE TX below 1GHz_Non-Beamforming_Radio 1_
MIMO-directional Antenna_2T2S***

Appendix F.17

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	PK	31.94M	35.60	40.00	-4.40	3	Vertical	0	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2437MHz_Adapter	Pass	PK	31.94M	35.60	40.00	-4.40	3	Vertical	0	1.00
2437MHz_Adapter	Pass	PK	49.4M	35.52	40.00	-4.48	3	Vertical	0	1.00
2437MHz_Adapter	Pass	PK	97.9M	28.91	43.50	-14.59	3	Vertical	0	1.00
2437MHz_Adapter	Pass	PK	148.34M	27.52	43.50	-15.98	3	Vertical	0	1.00
2437MHz_Adapter	Pass	PK	249.22M	24.47	46.00	-21.53	3	Vertical	0	1.00
2437MHz_Adapter	Pass	PK	516.94M	27.69	46.00	-18.31	3	Vertical	0	1.00
2437MHz_Adapter	Pass	PK	78.5M	33.01	40.00	-6.99	3	Horizontal	360	1.00
2437MHz_Adapter	Pass	PK	97.9M	35.29	43.50	-8.21	3	Horizontal	360	1.00
2437MHz_Adapter	Pass	PK	158.04M	26.03	43.50	-17.47	3	Horizontal	360	1.00
2437MHz_Adapter	Pass	PK	249.22M	29.81	46.00	-16.19	3	Horizontal	360	1.00
2437MHz_Adapter	Pass	PK	518.88M	27.99	46.00	-18.01	3	Horizontal	360	1.00
2437MHz_Adapter	Pass	PK	650.8M	28.55	46.00	-17.45	3	Horizontal	360	1.00

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX


2437MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	31.94M	35.60	40.00	-4.40	-4.49	3	Vertical	0	1.00	40.09	22.46	0.43	27.38
PK	49.4M	35.52	40.00	-4.48	-13.33	3	Vertical	0	1.00	48.85	13.51	0.52	27.36
PK	97.9M	28.91	43.50	-14.59	-11.04	3	Vertical	0	1.00	39.95	15.45	0.75	27.24
PK	148.34M	27.52	43.50	-15.98	-10.40	3	Vertical	0	1.00	37.92	15.75	0.92	27.07
PK	249.22M	24.47	46.00	-21.53	-8.03	3	Vertical	0	1.00	32.50	17.40	1.21	26.64
PK	516.94M	27.69	46.00	-18.31	-3.79	3	Vertical	0	1.00	31.48	22.67	1.71	28.17

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2437MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	78.5M	33.01	40.00	-6.99	-14.56	3	Horizontal	360	1.00	47.57	12.07	0.67	27.30
PK	97.9M	35.29	43.50	-8.21	-11.04	3	Horizontal	360	1.00	46.33	15.45	0.75	27.24
PK	158.04M	26.03	43.50	-17.47	-10.84	3	Horizontal	360	1.00	36.87	15.24	0.95	27.03
PK	249.22M	29.81	46.00	-16.19	-8.03	3	Horizontal	360	1.00	37.84	17.40	1.21	26.64
PK	518.88M	27.99	46.00	-18.01	-3.88	3	Horizontal	360	1.00	31.87	22.59	1.72	28.19
PK	650.8M	28.55	46.00	-17.45	-2.40	3	Horizontal	360	1.00	30.95	24.13	1.92	28.45



***RSE TX above 1GHz_Non-Beamforming_Radio 1_
MIMO-directional Antenna_2T2S***

Appendix F.18

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	2.39G	53.85	54.00	-0.15	3	Horizontal	358	1.87

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	52.49	54.00	-1.51	3	Vertical	360	1.64
2412MHz	Pass	AV	2.4206G	103.89	Inf	-Inf	3	Vertical	360	1.64
2412MHz	Pass	PK	2.39G	67.54	74.00	-6.46	3	Vertical	360	1.64
2412MHz	Pass	PK	2.4168G	117.89	Inf	-Inf	3	Vertical	360	1.64
2412MHz	Pass	AV	2.39G	51.83	54.00	-2.17	3	Horizontal	3	2.31
2412MHz	Pass	AV	2.4098G	104.05	Inf	-Inf	3	Horizontal	3	2.31
2412MHz	Pass	PK	2.3898G	64.93	74.00	-9.07	3	Horizontal	3	2.31
2412MHz	Pass	PK	2.4148G	118.17	Inf	-Inf	3	Horizontal	3	2.31
2412MHz	Pass	AV	4.8224G	27.09	54.00	-26.91	3	Vertical	99	1.50
2412MHz	Pass	PK	4.8224G	41.31	74.00	-32.69	3	Vertical	99	1.50
2412MHz	Pass	AV	4.81924G	26.48	54.00	-27.52	3	Horizontal	296	1.50
2412MHz	Pass	PK	4.81572G	40.45	74.00	-33.55	3	Horizontal	296	1.50
2417MHz	Pass	AV	2.39G	52.19	54.00	-1.81	3	Vertical	358	1.68
2417MHz	Pass	AV	2.4248G	102.84	Inf	-Inf	3	Vertical	358	1.68
2417MHz	Pass	PK	2.39G	65.27	74.00	-8.73	3	Vertical	358	1.68
2417MHz	Pass	PK	2.4228G	116.77	Inf	-Inf	3	Vertical	358	1.68
2417MHz	Pass	AV	2.39G	53.85	54.00	-0.15	3	Horizontal	358	1.87
2417MHz	Pass	AV	2.4248G	102.14	Inf	-Inf	3	Horizontal	358	1.87
2417MHz	Pass	PK	2.39G	66.67	74.00	-7.33	3	Horizontal	358	1.87
2417MHz	Pass	PK	2.4184G	116.40	Inf	-Inf	3	Horizontal	358	1.87
2437MHz	Pass	AV	2.3898G	52.46	54.00	-1.54	3	Vertical	355	1.64
2437MHz	Pass	AV	2.4282G	107.04	Inf	-Inf	3	Vertical	355	1.64
2437MHz	Pass	AV	2.4835G	53.23	54.00	-0.77	3	Vertical	355	1.64
2437MHz	Pass	PK	2.3894G	67.92	74.00	-6.08	3	Vertical	355	1.64
2437MHz	Pass	PK	2.433G	120.64	Inf	-Inf	3	Vertical	355	1.64
2437MHz	Pass	PK	2.4846G	67.95	74.00	-6.05	3	Vertical	355	1.64
2437MHz	Pass	AV	2.3898G	49.64	54.00	-4.36	3	Horizontal	357	1.71
2437MHz	Pass	AV	2.435G	105.82	Inf	-Inf	3	Horizontal	357	1.71
2437MHz	Pass	AV	2.4835G	51.02	54.00	-2.98	3	Horizontal	357	1.71
2437MHz	Pass	PK	2.3898G	66.71	74.00	-7.29	3	Horizontal	357	1.71
2437MHz	Pass	PK	2.4378G	119.56	Inf	-Inf	3	Horizontal	357	1.71
2437MHz	Pass	PK	2.4838G	66.55	74.00	-7.45	3	Horizontal	357	1.71
2437MHz	Pass	AV	4.8773G	27.21	54.00	-26.79	3	Vertical	229	1.17
2437MHz	Pass	PK	4.87802G	40.99	74.00	-33.01	3	Vertical	229	1.17
2437MHz	Pass	AV	4.87802G	27.04	54.00	-26.96	3	Horizontal	206	1.43
2437MHz	Pass	PK	4.8764G	41.54	74.00	-32.46	3	Horizontal	206	1.43
2457MHz	Pass	AV	2.4596G	105.03	Inf	-Inf	3	Vertical	360	1.42
2457MHz	Pass	AV	2.4835G	50.17	54.00	-3.83	3	Vertical	360	1.42
2457MHz	Pass	PK	2.462G	119.37	Inf	-Inf	3	Vertical	360	1.42
2457MHz	Pass	PK	2.484G	65.53	74.00	-8.47	3	Vertical	360	1.42
2457MHz	Pass	AV	2.4582G	105.37	Inf	-Inf	3	Horizontal	360	1.89
2457MHz	Pass	AV	2.4836G	52.88	54.00	-1.12	3	Horizontal	360	1.89
2457MHz	Pass	PK	2.4616G	119.32	Inf	-Inf	3	Horizontal	360	1.89
2457MHz	Pass	PK	2.4835G	69.24	74.00	-4.76	3	Horizontal	360	1.89
2462MHz	Pass	AV	2.4676G	103.86	Inf	-Inf	3	Vertical	360	1.50
2462MHz	Pass	AV	2.4835G	52.43	54.00	-1.57	3	Vertical	360	1.50
2462MHz	Pass	PK	2.4672G	118.77	Inf	-Inf	3	Vertical	360	1.50
2462MHz	Pass	PK	2.4836G	67.42	74.00	-6.58	3	Vertical	360	1.50
2462MHz	Pass	AV	2.4588G	104.31	Inf	-Inf	3	Horizontal	359	1.65
2462MHz	Pass	AV	2.4835G	53.07	54.00	-0.93	3	Horizontal	359	1.65
2462MHz	Pass	PK	2.463G	118.14	Inf	-Inf	3	Horizontal	359	1.65
2462MHz	Pass	PK	2.4836G	67.79	74.00	-6.21	3	Horizontal	359	1.65
2462MHz	Pass	AV	4.92388G	28.20	54.00	-25.80	3	Vertical	228	1.71
2462MHz	Pass	PK	4.9246G	42.36	74.00	-31.64	3	Vertical	228	1.71
2462MHz	Pass	AV	4.92478G	27.59	54.00	-26.41	3	Horizontal	178	2.86
2462MHz	Pass	PK	4.93018G	41.39	74.00	-32.61	3	Horizontal	178	2.86


2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2417MHz_TX



2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2417MHz_TX





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
g20_Nss1,(6Mbps)_1TX	Pass	PK	43.58M	35.78	40.00	-4.22	3	Vertical	360	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
g20_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
2437MHz_Adapter	Pass	PK	43.58M	35.78	40.00	-4.22	3	Vertical	360	1.00
2437MHz_Adapter	Pass	PK	99.84M	30.45	43.50	-13.05	3	Vertical	360	1.00
2437MHz_Adapter	Pass	PK	249.22M	29.19	46.00	-16.81	3	Vertical	360	1.00
2437MHz_Adapter	Pass	PK	361.74M	21.72	46.00	-24.28	3	Vertical	360	1.00
2437MHz_Adapter	Pass	PK	449.04M	24.03	46.00	-21.97	3	Vertical	360	1.00
2437MHz_Adapter	Pass	PK	499.48M	27.99	46.00	-18.01	3	Vertical	360	1.00
2437MHz_Adapter	Pass	PK	30M	25.67	40.00	-14.33	3	Horizontal	0	1.00
2437MHz_Adapter	Pass	PK	171.62M	31.36	43.50	-12.14	3	Horizontal	0	1.00
2437MHz_Adapter	Pass	PK	249.22M	32.22	46.00	-13.78	3	Horizontal	0	1.00
2437MHz_Adapter	Pass	PK	348.16M	21.05	46.00	-24.95	3	Horizontal	0	1.00
2437MHz_Adapter	Pass	PK	423.82M	31.67	46.00	-14.33	3	Horizontal	0	1.00
2437MHz_Adapter	Pass	PK	499.48M	26.55	46.00	-19.45	3	Horizontal	0	1.00

2.4-2.4835GHz_g20_Nss1,(6Mbps)_1TX


2437MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	43.58M	35.78	40.00	-4.22	-9.13	3	Vertical	360	1.00	44.91	15.52	1.31	25.96
PK	99.84M	30.45	43.50	-13.05	-10.02	3	Vertical	360	1.00	40.47	15.61	2.00	27.63
PK	249.22M	29.19	46.00	-16.81	-6.86	3	Vertical	360	1.00	36.05	16.98	3.22	27.06
PK	361.74M	21.72	46.00	-24.28	-4.03	3	Vertical	360	1.00	25.75	19.50	3.92	27.45
PK	449.04M	24.03	46.00	-21.97	-2.26	3	Vertical	360	1.00	26.29	21.40	4.39	28.05
PK	499.48M	27.99	46.00	-18.01	-1.51	3	Vertical	360	1.00	29.50	22.16	4.65	28.32

2.4-2.4835GHz_g20_Nss1,(6Mbps)_1TX

2437MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	25.67	40.00	-14.33	-3.12	3	Horizontal	0	1.00	28.79	23.18	1.09	27.39
PK	171.62M	31.36	43.50	-12.14	-10.54	3	Horizontal	0	1.00	41.90	14.26	2.63	27.43
PK	249.22M	32.22	46.00	-13.78	-6.86	3	Horizontal	0	1.00	39.08	16.98	3.22	27.06
PK	348.16M	21.05	46.00	-24.95	-4.41	3	Horizontal	0	1.00	25.46	19.08	3.85	27.34
PK	423.82M	31.67	46.00	-14.33	-2.35	3	Horizontal	0	1.00	34.02	21.31	4.25	27.91
PK	499.48M	26.55	46.00	-19.45	-1.51	3	Horizontal	0	1.00	28.06	22.16	4.65	28.32

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
b20_Nss1,(1Mbps)_1TX	Pass	PK	2.3876G	67.34	74.00	-6.66	3	Vertical	183	2.22
g20_Nss1,(6Mbps)_1TX	Pass	AV	2.4836G	53.68	54.00	-0.32	3	Vertical	291	2.52

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
b20_Nss1,(1Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3876G	45.57	54.00	-8.43	3	Vertical	186	2.19
2412MHz	Pass	AV	2.4128G	100.68	Inf	-Inf	3	Vertical	186	2.19
2412MHz	Pass	PK	2.39G	65.87	74.00	-8.13	3	Vertical	186	2.19
2412MHz	Pass	PK	2.4118G	103.31	Inf	-Inf	3	Vertical	186	2.19
2412MHz	Pass	AV	4.8168G	28.65	54.00	-25.35	3	Vertical	347	1.50
2412MHz	Pass	PK	4.81504G	41.71	74.00	-32.29	3	Vertical	347	1.50
2412MHz	Pass	AV	4.81452G	28.62	54.00	-25.38	3	Horizontal	41	1.50
2412MHz	Pass	PK	4.8232G	40.77	74.00	-33.23	3	Horizontal	41	1.50
2417MHz	Pass	AV	2.3886G	45.72	54.00	-8.28	3	Vertical	183	2.22
2417MHz	Pass	AV	2.4178G	102.03	Inf	-Inf	3	Vertical	183	2.22
2417MHz	Pass	PK	2.3876G	67.34	74.00	-6.66	3	Vertical	183	2.22
2417MHz	Pass	PK	2.417G	105.08	Inf	-Inf	3	Vertical	183	2.22
2437MHz	Pass	AV	2.389G	45.47	54.00	-8.53	3	Vertical	285	2.29
2437MHz	Pass	AV	2.4378G	102.20	Inf	-Inf	3	Vertical	285	2.29
2437MHz	Pass	AV	2.495G	46.36	54.00	-7.64	3	Vertical	285	2.29
2437MHz	Pass	PK	2.383G	57.59	74.00	-16.41	3	Vertical	285	2.29
2437MHz	Pass	PK	2.4378G	104.78	Inf	-Inf	3	Vertical	285	2.29
2437MHz	Pass	PK	2.4998G	58.41	74.00	-15.59	3	Vertical	285	2.29
2437MHz	Pass	AV	4.87484G	28.73	54.00	-25.27	3	Vertical	324	1.50
2437MHz	Pass	PK	4.87736G	41.04	74.00	-32.96	3	Vertical	324	1.50
2437MHz	Pass	AV	4.87416G	28.63	54.00	-25.37	3	Horizontal	294	1.50
2437MHz	Pass	PK	4.86996G	41.92	74.00	-32.08	3	Horizontal	294	1.50
2462MHz	Pass	AV	2.4612G	101.87	Inf	-Inf	3	Vertical	229	2.62
2462MHz	Pass	AV	2.4838G	46.83	54.00	-7.17	3	Vertical	229	2.62
2462MHz	Pass	PK	2.4618G	104.48	Inf	-Inf	3	Vertical	229	2.62
2462MHz	Pass	PK	2.4864G	66.47	74.00	-7.53	3	Vertical	229	2.62
2462MHz	Pass	AV	4.8754G	28.67	54.00	-25.33	3	Vertical	186	1.50
2462MHz	Pass	PK	4.87396G	41.94	74.00	-32.06	3	Vertical	186	1.50
2462MHz	Pass	AV	4.9154G	28.34	54.00	-25.66	3	Horizontal	235	1.50
2462MHz	Pass	PK	4.92436G	41.18	74.00	-32.82	3	Horizontal	235	1.50
g20_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	51.45	54.00	-2.55	3	Vertical	191	2.19
2412MHz	Pass	AV	2.4138G	97.49	Inf	-Inf	3	Vertical	191	2.19
2412MHz	Pass	PK	2.39G	67.50	74.00	-6.50	3	Vertical	191	2.19
2412MHz	Pass	PK	2.4094G	107.46	Inf	-Inf	3	Vertical	191	2.19
2412MHz	Pass	AV	4.81596G	29.05	54.00	-24.95	3	Vertical	114	1.50
2412MHz	Pass	PK	4.81896G	40.70	74.00	-33.30	3	Vertical	114	1.50
2412MHz	Pass	AV	4.81412G	29.09	54.00	-24.91	3	Horizontal	206	2.35
2412MHz	Pass	PK	4.82548G	40.90	74.00	-33.10	3	Horizontal	206	2.35
2417MHz	Pass	AV	2.3898G	51.00	54.00	-3.00	3	Vertical	189	2.56
2417MHz	Pass	AV	2.4238G	99.85	Inf	-Inf	3	Vertical	189	2.56
2417MHz	Pass	PK	2.3828G	70.97	74.00	-3.03	3	Vertical	189	2.56
2417MHz	Pass	PK	2.4226G	109.04	Inf	-Inf	3	Vertical	189	2.56
2437MHz	Pass	AV	2.3898G	47.55	54.00	-6.45	3	Vertical	285	2.57
2437MHz	Pass	AV	2.4398G	102.62	Inf	-Inf	3	Vertical	285	2.57
2437MHz	Pass	AV	2.4842G	49.51	54.00	-4.49	3	Vertical	285	2.57
2437MHz	Pass	PK	2.3862G	61.23	74.00	-12.77	3	Vertical	285	2.57
2437MHz	Pass	PK	2.4418G	111.97	Inf	-Inf	3	Vertical	285	2.57
2437MHz	Pass	PK	2.4838G	66.91	74.00	-7.09	3	Vertical	285	2.57
2437MHz	Pass	AV	4.87344G	29.33	54.00	-24.67	3	Vertical	8	1.50
2437MHz	Pass	PK	4.87272G	41.36	74.00	-32.64	3	Vertical	8	1.50
2437MHz	Pass	AV	4.87956G	29.19	54.00	-24.81	3	Horizontal	292	1.00
2437MHz	Pass	PK	4.87804G	42.14	74.00	-31.86	3	Horizontal	292	1.00
2457MHz	Pass	AV	2.4526G	100.32	Inf	-Inf	3	Vertical	291	2.52
2457MHz	Pass	AV	2.4836G	53.68	54.00	-0.32	3	Vertical	291	2.52
2457MHz	Pass	PK	2.4516G	109.92	Inf	-Inf	3	Vertical	291	2.52
2457MHz	Pass	PK	2.4916G	70.72	74.00	-3.28	3	Vertical	291	2.52
2462MHz	Pass	AV	2.4596G	97.38	Inf	-Inf	3	Vertical	229	2.62
2462MHz	Pass	AV	2.4835G	53.46	54.00	-0.54	3	Vertical	229	2.62
2462MHz	Pass	PK	2.4648G	106.70	Inf	-Inf	3	Vertical	229	2.62



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2462MHz	Pass	PK	2.4972G	69.30	74.00	-4.70	3	Vertical	229	2.62
2462MHz	Pass	AV	4.92304G	28.81	54.00	-25.19	3	Vertical	310	1.50
2462MHz	Pass	PK	4.92344G	41.15	74.00	-32.85	3	Vertical	310	1.50
2462MHz	Pass	AV	4.91508G	28.90	54.00	-25.10	3	Horizontal	146	2.03
2462MHz	Pass	PK	4.93204G	41.19	74.00	-32.81	3	Horizontal	146	2.03


2.4-2.4835GHz_b20_Nss1,(1Mbps)_1TX

2417MHz_TX



2.4-2.4835GHz_g20_Nss1,(6Mbps)_1TX

2457MHz_TX





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	2.40174G	49.65	68.20	-18.55	Horizontal
Mode 2	Pass	AV	2.40178G	54.52	68.20	-13.68	Vertical
Mode 3	Pass	AV	2.4018G	51.00	68.20	-17.20	Horizontal
Mode 4	Pass	AV	2.40176G	50.45	68.20	-17.75	Horizontal
Mode 5	Pass	PK	5.87G	69.41	88.20	-18.79	Horizontal
Mode 6	Pass	PK	5.87G	69.41	88.20	-18.79	Horizontal

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	2.34563G	26.64	54.00	-27.36	3	Vertical	352	2.00	-
Mode 1	Pass	AV	2.46109G	28.07	68.20	-40.13	3	Vertical	141	1.00	-
Mode 1	Pass	AV	5.72561G	34.17	68.20	-34.03	3	Vertical	306	1.89	-
Mode 1	Pass	PK	2.34563G	39.50	74.00	-34.50	3	Vertical	352	2.00	-
Mode 1	Pass	PK	2.46109G	44.74	88.20	-43.46	3	Vertical	141	1.00	-
Mode 1	Pass	PK	5.72561G	68.53	88.20	-19.67	3	Vertical	306	1.89	-
Mode 1	Pass	AV	1.32921G	25.25	54.00	-28.75	3	Horizontal	133	1.34	-
Mode 1	Pass	AV	1.6206G	24.82	54.00	-29.18	3	Horizontal	140	1.00	-
Mode 1	Pass	AV	2.40174G	49.65	68.20	-18.55	3	Horizontal	145	1.00	-
Mode 1	Pass	PK	1.32921G	44.13	74.00	-29.87	3	Horizontal	133	1.34	-
Mode 1	Pass	PK	1.6206G	36.82	74.00	-37.18	3	Horizontal	140	1.00	-
Mode 1	Pass	PK	2.40174G	55.95	88.20	-32.25	3	Horizontal	145	1.00	-
Mode 2	Pass	AV	1.33156G	30.64	54.00	-23.36	3	Vertical	269	1.00	-
Mode 2	Pass	AV	2.40178G	54.52	68.20	-13.68	3	Vertical	310	1.51	-
Mode 2	Pass	AV	4.00325G	37.61	54.00	-16.39	3	Vertical	90	1.99	-
Mode 2	Pass	PK	1.32875G	43.75	74.00	-30.25	3	Vertical	269	1.00	-
Mode 2	Pass	PK	2.40178G	60.22	88.20	-27.98	3	Vertical	310	1.51	-
Mode 2	Pass	PK	4.00325G	46.87	74.00	-27.13	3	Vertical	90	1.99	-
Mode 2	Pass	AV	1.78809G	26.29	68.20	-41.91	3	Horizontal	239	1.00	-
Mode 2	Pass	AV	2.3424G	26.62	54.00	-27.38	3	Horizontal	92	1.50	-
Mode 2	Pass	AV	2.46103G	44.37	68.20	-23.83	3	Horizontal	152	1.50	-
Mode 2	Pass	PK	1.78875G	41.05	88.20	-47.15	3	Horizontal	239	1.00	-
Mode 2	Pass	PK	2.3424G	51.51	74.00	-22.49	3	Horizontal	92	1.50	-
Mode 2	Pass	PK	2.46103G	72.36	88.20	-15.84	3	Horizontal	152	1.50	-
Mode 3	Pass	AV	2.38341G	27.24	54.00	-26.76	3	Vertical	310	1.50	-
Mode 3	Pass	AV	2.40947G	29.08	68.20	-39.12	3	Vertical	257	1.50	-
Mode 3	Pass	AV	5.72634G	48.95	68.20	-19.25	3	Vertical	148	1.60	-
Mode 3	Pass	PK	2.38341G	39.33	74.00	-34.67	3	Vertical	310	1.50	-
Mode 3	Pass	PK	2.40947G	49.06	88.20	-39.14	3	Vertical	257	1.50	-
Mode 3	Pass	PK	5.72634G	69.59	88.20	-18.61	3	Vertical	148	1.60	-
Mode 3	Pass	AV	1.36528G	24.79	54.00	-29.21	3	Horizontal	179	1.55	-
Mode 3	Pass	AV	1.59562G	24.89	54.00	-29.11	3	Horizontal	201	1.50	-
Mode 3	Pass	AV	2.4018G	51.00	68.20	-17.20	3	Horizontal	314	1.85	-
Mode 3	Pass	PK	1.36528G	37.53	74.00	-36.47	3	Horizontal	179	1.55	-
Mode 3	Pass	PK	1.59562G	37.02	74.00	-36.98	3	Horizontal	201	1.50	-
Mode 3	Pass	PK	2.4018G	56.68	88.20	-31.52	3	Horizontal	314	1.85	-
Mode 4	Pass	AV	2.36772G	27.16	54.00	-26.84	3	Vertical	131	2.00	-
Mode 4	Pass	AV	2.43142G	26.02	68.20	-42.18	3	Vertical	136	1.50	-
Mode 4	Pass	AV	5.20735G	38.31	68.20	-29.89	3	Vertical	5	1.50	-
Mode 4	Pass	PK	2.36772G	53.38	74.00	-20.62	3	Vertical	131	2.00	-
Mode 4	Pass	PK	2.43142G	38.42	88.20	-49.78	3	Vertical	136	1.50	-
Mode 4	Pass	PK	5.20735G	69.28	88.20	-18.92	3	Vertical	5	1.50	-
Mode 4	Pass	AV	1.5938G	24.71	54.00	-29.29	3	Horizontal	352	1.54	-
Mode 4	Pass	AV	2.40176G	50.45	68.20	-17.75	3	Horizontal	314	1.85	-
Mode 4	Pass	AV	2.78791G	28.52	54.00	-25.48	3	Horizontal	51	1.50	-
Mode 4	Pass	PK	1.5938G	37.32	74.00	-36.68	3	Horizontal	352	1.54	-
Mode 4	Pass	PK	2.40176G	56.43	88.20	-31.77	3	Horizontal	314	1.85	-
Mode 4	Pass	PK	2.78791G	41.18	74.00	-32.82	3	Horizontal	51	1.50	-
Mode 5	Pass	AV	1.79G	31.59	68.20	-36.61	3	Vertical	157	2.16	-
Mode 5	Pass	AV	2.17875G	37.62	68.20	-30.58	3	Vertical	256	1.49	-


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 5	Pass	AV	5.1775G	39.86	68.20	-28.34	3	Vertical	333	2.22	-
Mode 5	Pass	PK	1.7941G	43.94	88.20	-44.26	3	Vertical	157	2.16	-
Mode 5	Pass	PK	2.17141G	45.19	88.20	-43.01	3	Vertical	256	1.49	-
Mode 5	Pass	PK	5.1728G	48.10	88.20	-40.10	3	Vertical	333	2.22	-
Mode 5	Pass	AV	1.19523G	26.69	54.00	-27.31	3	Horizontal	116	1.49	-
Mode 5	Pass	AV	1.3375G	27.97	54.00	-26.03	3	Horizontal	228	1.57	-
Mode 5	Pass	AV	5.8522G	48.58	68.20	-19.62	3	Horizontal	197	1.00	-
Mode 5	Pass	PK	1.19688G	39.34	74.00	-34.66	3	Horizontal	116	1.49	-
Mode 5	Pass	PK	1.33G	40.47	74.00	-33.53	3	Horizontal	228	1.57	-
Mode 5	Pass	PK	5.87G	69.41	88.20	-18.79	3	Horizontal	197	1.00	-
Mode 6	Pass	AV	1.7987441G	29.54	68.20	-38.66	3	Vertical	258	1.00	-
Mode 6	Pass	AV	2.17825G	26.67	68.20	-41.53	3	Vertical	333	1.28	-
Mode 6	Pass	AV	2.49364G	29.31	54.00	-24.69	3	Vertical	357	1.93	-
Mode 6	Pass	PK	1.79G	43.94	88.20	-44.26	3	Vertical	258	1.00	-
Mode 6	Pass	PK	2.17875G	45.19	88.20	-43.01	3	Vertical	333	1.28	-
Mode 6	Pass	PK	2.49G	47.44	74.00	-26.56	3	Vertical	357	1.93	-
Mode 6	Pass	AV	1.32943G	25.72	54.00	-28.28	3	Horizontal	149	1.00	-
Mode 6	Pass	AV	2.52172G	26.91	68.20	-41.29	3	Horizontal	157	1.63	-
Mode 6	Pass	AV	5.86933G	43.60	68.20	-24.60	3	Horizontal	0	1.47	-
Mode 6	Pass	PK	1.33G	40.47	74.00	-33.53	3	Horizontal	149	1.00	-
Mode 6	Pass	PK	2.52188G	50.36	88.20	-37.84	3	Horizontal	157	1.63	-
Mode 6	Pass	PK	5.87G	69.41	88.20	-18.79	3	Horizontal	0	1.47	-

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.34563G	26.64	54.00	-27.36	-3.44	3	Vertical	352	2.00	-	30.08	27.16	4.48	35.08
AV	2.46109G	28.07	68.20	-40.13	-2.81	3	Vertical	141	1.00	-	30.88	27.70	4.61	35.12
AV	5.72561G	34.17	68.20	-34.03	5.69	3	Vertical	306	1.89	-	28.48	33.65	7.20	35.16
PK	2.34563G	39.50	74.00	-34.50	-3.44	3	Vertical	352	2.00	-	42.94	27.16	4.48	35.08
PK	2.46109G	44.74	88.20	-43.46	-2.81	3	Vertical	141	1.00	-	47.55	27.70	4.61	35.12
PK	5.72561G	68.53	88.20	-19.67	5.69	3	Vertical	306	1.89	-	62.84	33.65	7.20	35.16

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.32921G	25.25	54.00	-28.75	-6.13	3	Horizontal	133	1.34	-	31.38	25.91	3.32	35.36
AV	1.6206G	24.82	54.00	-29.18	-5.80	3	Horizontal	140	1.00	-	30.62	25.59	3.69	35.08
AV	2.40174G	49.65	68.20	-18.55	-3.14	3	Horizontal	145	1.00	-	52.79	27.42	4.54	35.10
PK	1.32921G	44.13	74.00	-29.87	-6.13	3	Horizontal	133	1.34	-	50.26	25.91	3.32	35.36
PK	1.6206G	36.82	74.00	-37.18	-5.80	3	Horizontal	140	1.00	-	42.62	25.59	3.69	35.08
PK	2.40174G	55.95	88.20	-32.25	-3.14	3	Horizontal	145	1.00	-	59.09	27.42	4.54	35.10

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.33156G	30.64	54.00	-23.36	-6.14	3	Vertical	269	1.00	-	36.78	25.90	3.32	35.36
AV	2.40178G	54.52	68.20	-13.68	-3.14	3	Vertical	310	1.51	-	57.66	27.42	4.54	35.10
AV	4.00325G	37.61	54.00	-16.39	1.81	3	Vertical	90	1.99	-	35.80	30.71	6.14	35.04
PK	1.32875G	43.75	74.00	-30.25	-6.13	3	Vertical	269	1.00	-	49.88	25.91	3.32	35.36
PK	2.40178G	60.22	88.20	-27.98	-3.14	3	Vertical	310	1.51	-	63.36	27.42	4.54	35.10
PK	4.00325G	46.87	74.00	-27.13	1.81	3	Vertical	90	1.99	-	45.06	30.71	6.14	35.04

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.78809G	26.29	68.20	-41.91	-6.19	3	Horizontal	239	1.00	-	32.48	24.98	3.87	35.04
AV	2.3424G	26.62	54.00	-27.38	-3.48	3	Horizontal	92	1.50	-	30.10	27.12	4.48	35.08
AV	2.46103G	44.37	68.20	-23.83	-2.81	3	Horizontal	152	1.50	-	47.18	27.70	4.61	35.12
PK	1.78875G	41.05	88.20	-47.15	-6.17	3	Horizontal	239	1.00	-	47.22	24.99	3.87	35.03
PK	2.3424G	51.51	74.00	-22.49	-3.48	3	Horizontal	92	1.50	-	54.99	27.12	4.48	35.08
PK	2.46103G	72.36	88.20	-15.84	-2.81	3	Horizontal	152	1.50	-	75.17	27.70	4.61	35.12

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.38341G	27.24	54.00	-26.76	-3.35	3	Vertical	310	1.50	-	30.59	27.23	4.52	35.10
AV	2.40947G	29.08	68.20	-39.12	-3.06	3	Vertical	257	1.50	-	32.14	27.49	4.55	35.10
AV	5.72634G	48.95	68.20	-19.25	5.68	3	Vertical	148	1.60	-	43.27	33.65	7.20	35.17
PK	2.38341G	39.33	74.00	-34.67	-3.35	3	Vertical	310	1.50	-	42.68	27.23	4.52	35.10
PK	2.40947G	49.06	88.20	-39.14	-3.06	3	Vertical	257	1.50	-	52.12	27.49	4.55	35.10
PK	5.72634G	69.59	88.20	-18.61	5.68	3	Vertical	148	1.60	-	63.91	33.65	7.20	35.17

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.36528G	24.79	54.00	-29.21	-6.20	3	Horizontal	179	1.55	-	30.99	25.75	3.36	35.31
AV	1.59562G	24.89	54.00	-29.11	-5.89	3	Horizontal	201	1.50	-	30.78	25.54	3.66	35.09
AV	2.4018G	51.00	68.20	-17.20	-3.14	3	Horizontal	314	1.85	-	54.14	27.42	4.54	35.10
PK	1.36528G	37.53	74.00	-36.47	-6.20	3	Horizontal	179	1.55	-	43.73	25.75	3.36	35.31
PK	1.59562G	37.02	74.00	-36.98	-5.89	3	Horizontal	201	1.50	-	42.91	25.54	3.66	35.09
PK	2.4018G	56.68	88.20	-31.52	-3.14	3	Horizontal	314	1.85	-	59.82	27.42	4.54	35.10

Radiated Emissions above 1GHz_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.36772G	27.16	54.00	-26.84	-3.38	3	Vertical	131	2.00	-	30.54	27.20	4.51	35.09
AV	2.43142G	26.02	68.20	-42.18	-2.93	3	Vertical	136	1.50	-	28.95	27.60	4.58	35.11
AV	5.20735G	38.31	68.20	-29.89	4.72	3	Vertical	5	1.50	-	33.59	32.99	6.80	35.07
PK	2.36772G	53.38	74.00	-20.62	-3.38	3	Vertical	131	2.00	-	56.76	27.20	4.51	35.09
PK	2.43142G	38.42	88.20	-49.78	-2.93	3	Vertical	136	1.50	-	41.35	27.60	4.58	35.11
PK	5.20735G	69.28	88.20	-18.92	4.72	3	Vertical	5	1.50	-	64.56	32.99	6.80	35.07

Radiated Emissions above 1GHz_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.5938G	24.71	54.00	-29.29	-5.87	3	Horizontal	352	1.54	-	30.58	25.56	3.66	35.09
AV	2.40176G	50.45	68.20	-17.75	-3.14	3	Horizontal	314	1.85	-	53.59	27.42	4.54	35.10
AV	2.78791G	28.52	54.00	-25.48	-1.81	3	Horizontal	51	1.50	-	30.33	28.40	4.97	35.18
PK	1.5938G	37.32	74.00	-36.68	-5.87	3	Horizontal	352	1.54	-	43.19	25.56	3.66	35.09
PK	2.40176G	56.43	88.20	-31.77	-3.14	3	Horizontal	314	1.85	-	59.57	27.42	4.54	35.10
PK	2.78791G	41.18	74.00	-32.82	-1.81	3	Horizontal	51	1.50	-	42.99	28.40	4.97	35.18

Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.79G	31.59	68.20	-36.61	-6.16	3	Vertical	157	2.16	-	37.75	25.00	3.87	35.03
AV	2.17875G	37.62	68.20	-30.58	-3.42	3	Vertical	256	1.49	-	41.04	27.30	4.31	35.03
AV	5.1775G	39.86	68.20	-28.34	4.76	3	Vertical	333	2.22	-	35.10	33.05	6.78	35.07
PK	1.7941G	43.94	88.20	-44.26	-6.12	3	Vertical	157	2.16	-	50.06	25.04	3.87	35.03
PK	2.17141G	45.19	88.20	-43.01	-3.43	3	Vertical	256	1.49	-	48.62	27.30	4.30	35.03
PK	5.1728G	48.10	88.20	-40.10	4.76	3	Vertical	333	2.22	-	43.34	33.05	6.78	35.07

Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.19523G	26.69	54.00	-27.31	-6.32	3	Horizontal	116	1.49	-	33.01	26.10	3.14	35.56
AV	1.3375G	27.97	54.00	-26.03	-6.12	3	Horizontal	228	1.57	-	34.09	25.90	3.33	35.35
AV	5.8522G	48.58	68.20	-19.62	6.05	3	Horizontal	197	1.00	-	42.53	34.01	7.26	35.22
PK	1.19688G	39.34	74.00	-34.66	-6.31	3	Horizontal	116	1.49	-	45.65	26.10	3.15	35.56
PK	1.33G	40.47	74.00	-33.53	-6.14	3	Horizontal	228	1.57	-	46.61	25.90	3.32	35.36
PK	5.87G	69.41	88.20	-18.79	6.12	3	Horizontal	197	1.00	-	63.29	34.08	7.27	35.23

Radiated Emissions above 1GHz_Mode 6



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.7987441G	29.54	68.20	-38.66	-6.06	3	Vertical	258	1.00	-	35.60	25.09	3.88	35.03
AV	2.17825G	26.67	68.20	-41.53	-3.42	3	Vertical	333	1.28	-	30.09	27.30	4.31	35.03
AV	2.49364G	29.31	54.00	-24.69	-2.58	3	Vertical	357	1.93	-	31.89	27.90	4.65	35.13
PK	1.79G	43.94	88.20	-44.26	-6.16	3	Vertical	258	1.00	-	50.10	25.00	3.87	35.03
PK	2.17875G	45.19	88.20	-43.01	-3.42	3	Vertical	333	1.28	-	48.61	27.30	4.31	35.03
PK	2.49G	47.44	74.00	-26.56	-2.59	3	Vertical	357	1.93	-	50.03	27.90	4.64	35.13

Radiated Emissions above 1GHz_Mode 6



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.32943G	25.72	54.00	-28.28	-6.13	3	Horizontal	149	1.00	-	31.85	25.91	3.32	35.36
AV	2.52172G	26.91	68.20	-41.29	-2.53	3	Horizontal	157	1.63	-	29.44	27.92	4.68	35.13
AV	5.86933G	43.60	68.20	-24.60	6.12	3	Horizontal	0	1.47	-	37.48	34.08	7.27	35.23
PK	1.33G	40.47	74.00	-33.53	-6.14	3	Horizontal	149	1.00	-	46.61	25.90	3.32	35.36
PK	2.52188G	50.36	88.20	-37.84	-2.53	3	Horizontal	157	1.63	-	52.89	27.92	4.68	35.13
PK	5.87G	69.41	88.20	-18.79	6.12	3	Horizontal	0	1.47	-	63.29	34.08	7.27	35.23



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	2.40168G	52.37	68.20	-15.83	Horizontal
Mode 2	Pass	PK	2.43603G	65.51	88.20	-22.69	Horizontal
Mode 3	Pass	AV	2.43785G	54.39	68.20	-13.81	Vertical
Mode 4	Pass	PK	2.43791G	63.17	88.20	-25.03	Vertical
Mode 5	Pass	AV	1.198653G	25.11	54.00	-28.89	Vertical
Mode 6	Pass	AV	5.3091G	40.85	68.20	-27.35	Vertical

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	1.19954G	24.73	54.00	-29.27	3	Vertical	360	1.00	-
Mode 1	Pass	AV	2.36435G	27.61	54.00	-26.39	3	Vertical	132	1.74	-
Mode 1	Pass	AV	2.43783G	25.03	68.20	-43.17	3	Vertical	1	1.41	-
Mode 1	Pass	PK	1.19954G	42.24	74.00	-31.76	3	Vertical	360	1.00	-
Mode 1	Pass	PK	2.36435G	40.26	74.00	-33.74	3	Vertical	132	1.74	-
Mode 1	Pass	PK	2.43783G	63.62	88.20	-24.58	3	Vertical	1	1.41	-
Mode 1	Pass	AV	1.59669G	24.91	54.00	-29.09	3	Horizontal	224	1.50	-
Mode 1	Pass	AV	2.40168G	52.37	68.20	-15.83	3	Horizontal	303	1.31	-
Mode 1	Pass	AV	5.72718G	33.97	68.20	-34.23	3	Horizontal	0	1.54	-
Mode 1	Pass	PK	1.59669G	37.38	74.00	-36.62	3	Horizontal	224	1.50	-
Mode 1	Pass	PK	2.40168G	58.84	88.20	-29.36	3	Horizontal	303	1.31	-
Mode 1	Pass	PK	5.72718G	63.56	88.20	-24.64	3	Horizontal	0	1.54	-
Mode 2	Pass	AV	1.19492G	24.92	54.00	-29.08	3	Vertical	17.1	1.68	-
Mode 2	Pass	AV	1.47924G	24.96	54.00	-29.04	3	Vertical	193	1.50	-
Mode 2	Pass	AV	2.43785G	24.95	68.20	-43.25	3	Vertical	12	1.60	-
Mode 2	Pass	PK	1.19492G	41.19	74.00	-32.81	3	Vertical	17.1	1.68	-
Mode 2	Pass	PK	1.47924G	37.55	74.00	-36.45	3	Vertical	193	1.50	-
Mode 2	Pass	PK	2.43785G	62.65	88.20	-25.55	3	Vertical	12	1.60	-
Mode 2	Pass	AV	1.33252G	25.25	54.00	-28.75	3	Horizontal	337	1.55	-
Mode 2	Pass	AV	2.43603G	25.27	68.20	-42.93	3	Horizontal	354	2.00	-
Mode 2	Pass	AV	5.84891G	34.03	68.20	-34.17	3	Horizontal	12	1.54	-
Mode 2	Pass	PK	1.33252G	43.31	74.00	-30.69	3	Horizontal	337	1.55	-
Mode 2	Pass	PK	2.43603G	65.51	88.20	-22.69	3	Horizontal	354	2.00	-
Mode 2	Pass	PK	5.84891G	47.02	88.20	-41.18	3	Horizontal	12	1.54	-
Mode 3	Pass	AV	1.19754G	25.16	54.00	-28.84	3	Vertical	181	1.00	-
Mode 3	Pass	AV	2.43785G	54.39	68.20	-13.81	3	Vertical	6	1.33	-
Mode 3	Pass	AV	5.7725G	34.20	68.20	-34.00	3	Vertical	9	1.06	-
Mode 3	Pass	PK	1.19754G	42.43	74.00	-31.57	3	Vertical	181	1.00	-
Mode 3	Pass	PK	2.43785G	63.05	88.20	-25.15	3	Vertical	6	1.33	-
Mode 3	Pass	PK	5.7725G	64.20	88.20	-24.00	3	Vertical	9	1.06	-
Mode 3	Pass	AV	1.19831G	24.98	54.00	-29.02	3	Horizontal	-0	1.50	-
Mode 3	Pass	AV	2.43627G	25.02	68.20	-43.18	3	Horizontal	171	1.50	-
Mode 3	Pass	AV	5.77237G	34.14	68.20	-34.06	3	Horizontal	15	1.37	-
Mode 3	Pass	PK	1.19831G	42.17	74.00	-31.83	3	Horizontal	-0	1.50	-
Mode 3	Pass	PK	2.43627G	38.78	88.20	-49.42	3	Horizontal	171	1.50	-
Mode 3	Pass	PK	5.77237G	65.76	88.20	-22.44	3	Horizontal	15	1.37	-
Mode 4	Pass	AV	1.2049G	26.81	54.00	-27.19	3	Vertical	223	1.00	-
Mode 4	Pass	AV	2.1868G	29.45	68.20	-38.75	3	Vertical	38	1.00	-
Mode 4	Pass	AV	2.43791G	24.86	68.20	-43.34	3	Vertical	3	1.38	-
Mode 4	Pass	PK	1.19813G	41.72	74.00	-32.28	3	Vertical	223	1.00	-
Mode 4	Pass	PK	2.19375G	46.20	88.20	-42.00	3	Vertical	38	1.00	-
Mode 4	Pass	PK	2.43791G	63.17	88.20	-25.03	3	Vertical	3	1.38	-
Mode 4	Pass	AV	1.33244G	25.60	54.00	-28.40	3	Horizontal	38	1.00	-
Mode 4	Pass	AV	1.78759G	25.78	68.20	-42.42	3	Horizontal	260	1.00	-
Mode 4	Pass	AV	2.43206G	25.87	68.20	-42.33	3	Horizontal	82	1.50	-
Mode 4	Pass	PK	1.3325G	41.64	74.00	-32.36	3	Horizontal	38	1.00	-
Mode 4	Pass	PK	1.78813G	41.10	88.20	-47.10	3	Horizontal	260	1.00	-
Mode 4	Pass	PK	2.43206G	38.20	88.20	-50.00	3	Horizontal	82	1.50	-
Mode 5	Pass	AV	1.78231G	26.67	68.20	-41.53	3	Vertical	5	1.79	-
Mode 5	Pass	AV	1.198653G	25.11	54.00	-28.89	3	Vertical	7	1.23	-


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 5	Pass	AV	5.17632G	31.55	68.20	-36.65	3	Vertical	168	1.41	-
Mode 5	Pass	PK	1.19875G	39.85	74.00	-34.15	3	Vertical	7	1.23	-
Mode 5	Pass	PK	1.78938G	40.96	88.20	-47.24	3	Vertical	5	1.79	-
Mode 5	Pass	PK	5.1725G	50.42	88.20	-37.78	3	Vertical	168	1.41	-
Mode 5	Pass	AV	1.77631G	25.63	68.20	-42.57	3	Horizontal	5	1.02	-
Mode 5	Pass	AV	2.40312G	34.66	68.20	-33.54	3	Horizontal	139	1.78	-
Mode 5	Pass	AV	5.17589G	30.97	68.20	-37.23	3	Horizontal	24	1.55	-
Mode 5	Pass	PK	1.7825G	38.57	88.20	-49.63	3	Horizontal	5	1.02	-
Mode 5	Pass	PK	2.40188G	57.58	88.20	-30.62	3	Horizontal	139	1.78	-
Mode 5	Pass	PK	5.17688G	49.02	88.20	-39.18	3	Horizontal	24	1.55	-
Mode 6	Pass	AV	1.7933G	25.27	68.20	-42.93	3	Vertical	228	1.57	-
Mode 6	Pass	AV	3.11264G	25.87	68.20	-42.33	3	Vertical	210	1.49	-
Mode 6	Pass	AV	5.3091G	40.85	68.20	-27.35	3	Vertical	9	1.23	-
Mode 6	Pass	PK	1.7925G	38.73	88.20	-49.47	3	Vertical	228	1.57	-
Mode 6	Pass	PK	3.11125G	43.16	88.20	-45.04	3	Vertical	210	1.49	-
Mode 6	Pass	PK	5.3075G	55.97	88.20	-32.23	3	Vertical	9	1.23	-
Mode 6	Pass	AV	1.1854G	25.61	54.00	-28.39	3	Horizontal	81	1.09	-
Mode 6	Pass	AV	3.23486G	25.77	68.20	-42.43	3	Horizontal	59	1.44	-
Mode 6	Pass	AV	5.1843G	25.09	68.20	-43.11	3	Horizontal	76	1.50	-
Mode 6	Pass	PK	1.19625G	41.38	74.00	-32.62	3	Horizontal	81	1.09	-
Mode 6	Pass	PK	3.23375G	42.72	88.20	-45.48	3	Horizontal	59	1.44	-
Mode 6	Pass	PK	5.17563G	47.91	88.20	-40.29	3	Horizontal	76	1.50	-

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.19954G	24.73	54.00	-29.27	-6.30	3	Vertical	360	1.00	-	31.03	26.10	3.15	35.55
AV	2.36435G	27.61	54.00	-26.39	-3.39	3	Vertical	132	1.74	-	31.00	27.20	4.50	35.09
AV	2.43783G	25.03	68.20	-43.17	-2.93	3	Vertical	1	1.41	-	27.96	27.60	4.58	35.11
PK	1.19954G	42.24	74.00	-31.76	-6.30	3	Vertical	360	1.00	-	48.54	26.10	3.15	35.55
PK	2.36435G	40.26	74.00	-33.74	-3.39	3	Vertical	132	1.74	-	43.65	27.20	4.50	35.09
PK	2.43783G	63.62	88.20	-24.58	-2.93	3	Vertical	1	1.41	-	66.55	27.60	4.58	35.11

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.59669G	24.91	54.00	-29.09	-5.88	3	Horizontal	224	1.50	-	30.79	25.53	3.67	35.08
AV	2.40168G	52.37	68.20	-15.83	-3.14	3	Horizontal	303	1.31	-	55.51	27.42	4.54	35.10
AV	5.72718G	33.97	68.20	-34.23	5.68	3	Horizontal	0	1.54	-	28.29	33.65	7.20	35.17
PK	1.59669G	37.38	74.00	-36.62	-5.88	3	Horizontal	224	1.50	-	43.26	25.53	3.67	35.08
PK	2.40168G	58.84	88.20	-29.36	-3.14	3	Horizontal	303	1.31	-	61.98	27.42	4.54	35.10
PK	5.72718G	63.56	88.20	-24.64	5.68	3	Horizontal	0	1.54	-	57.88	33.65	7.20	35.17

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.19492G	24.92	54.00	-29.08	-6.32	3	Vertical	17.1	1.68	-	31.24	26.10	3.14	35.56
AV	1.47924G	24.96	54.00	-29.04	-6.13	3	Vertical	193	1.50	-	31.09	25.50	3.51	35.14
AV	2.43785G	24.95	68.20	-43.25	-2.93	3	Vertical	12	1.60	-	27.88	27.60	4.58	35.11
PK	1.19492G	41.19	74.00	-32.81	-6.32	3	Vertical	17.1	1.68	-	47.51	26.10	3.14	35.56
PK	1.47924G	37.55	74.00	-36.45	-6.13	3	Vertical	193	1.50	-	43.68	25.50	3.51	35.14
PK	2.43785G	62.65	88.20	-25.55	-2.93	3	Vertical	12	1.60	-	65.58	27.60	4.58	35.11

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.33252G	25.25	54.00	-28.75	-6.14	3	Horizontal	337	1.55	-	31.39	25.90	3.32	35.36
AV	2.43603G	25.27	68.20	-42.93	-2.93	3	Horizontal	354	2.00	-	28.20	27.60	4.58	35.11
AV	5.84891G	34.03	68.20	-34.17	6.04	3	Horizontal	12	1.54	-	27.99	34.00	7.26	35.22
PK	1.33252G	43.31	74.00	-30.69	-6.14	3	Horizontal	337	1.55	-	49.45	25.90	3.32	35.36
PK	2.43603G	65.51	88.20	-22.69	-2.93	3	Horizontal	354	2.00	-	68.44	27.60	4.58	35.11
PK	5.84891G	47.02	88.20	-41.18	6.04	3	Horizontal	12	1.54	-	40.98	34.00	7.26	35.22


Radiated Emissions above 1GHz_Mode 3




Radiated Emissions above 1GHz_Mode 3




Radiated Emissions above 1GHz_Mode 4



Radiated Emissions above 1GHz_Mode 4




Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.78231G	26.67	68.20	-41.53	-6.26	3	Vertical	5	1.79	-	32.93	24.92	3.86	35.04
AV	1.198653G	25.11	54.00	-28.89	-6.31	3	Vertical	7	1.23	-	31.42	26.10	3.15	35.56
AV	5.17632G	31.55	68.20	-36.65	4.76	3	Vertical	168	1.41	-	26.79	33.05	6.78	35.07
PK	1.19875G	39.85	74.00	-34.15	-6.31	3	Vertical	7	1.23	-	46.16	26.10	3.15	35.56
PK	1.78938G	40.96	88.20	-47.24	-6.17	3	Vertical	5	1.79	-	47.13	24.99	3.87	35.03
PK	5.1725G	50.42	88.20	-37.78	4.76	3	Vertical	168	1.41	-	45.66	33.05	6.78	35.07

Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.77631G	25.63	68.20	-42.57	-6.28	3	Horizontal	5	1.02	-	31.91	24.90	3.86	35.04
AV	2.40312G	34.66	68.20	-33.54	-3.13	3	Horizontal	139	1.78	-	37.79	27.43	4.54	35.10
AV	5.17589G	30.97	68.20	-37.23	4.76	3	Horizontal	24	1.55	-	26.21	33.05	6.78	35.07
PK	1.7825G	38.57	88.20	-49.63	-6.26	3	Horizontal	5	1.02	-	44.83	24.92	3.86	35.04
PK	2.40188G	57.58	88.20	-30.62	-3.14	3	Horizontal	139	1.78	-	60.72	27.42	4.54	35.10
PK	5.17688G	49.02	88.20	-39.18	4.76	3	Horizontal	24	1.55	-	44.26	33.05	6.78	35.07

Radiated Emissions above 1GHz_Mode 6



Radiated Emissions above 1GHz_Mode 6





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.9995G	34.03	54.00	-19.97	Vertical
Mode 2	Pass	AV	4.95532G	33.75	54.00	-20.25	Vertical
Mode 3	Pass	AV	5.03707G	33.33	54.00	-20.67	Vertical
Mode 4	Pass	AV	5.09649G	35.14	54.00	-18.86	Horizontal
Mode 5	Pass	AV	4.1165G	32.90	54.00	-21.10	Vertical
Mode 6	Pass	PK	2.415G	63.83	88.20	-24.37	Vertical

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	2.17764G	26.97	68.20	-41.23	3	Vertical	215	1.91	-
Mode 1	Pass	AV	3.76018G	30.00	54.00	-24.00	3	Vertical	8	1.50	-
Mode 1	Pass	AV	4.9995G	34.03	54.00	-19.97	3	Vertical	126	1.59	-
Mode 1	Pass	PK	2.17764G	47.68	88.20	-40.52	3	Vertical	215	1.91	-
Mode 1	Pass	PK	3.76018G	42.04	74.00	-31.96	3	Vertical	8	1.50	-
Mode 1	Pass	PK	4.9995G	46.95	74.00	-27.05	3	Vertical	126	1.59	-
Mode 1	Pass	AV	2.27815G	26.64	54.00	-27.36	3	Horizontal	110	1.50	-
Mode 1	Pass	AV	3.12545G	29.74	68.20	-38.46	3	Horizontal	206	1.00	-
Mode 1	Pass	AV	5.06971G	33.16	54.00	-20.84	3	Horizontal	3	1.99	-
Mode 1	Pass	PK	2.27815G	39.42	74.00	-34.58	3	Horizontal	110	1.50	-
Mode 1	Pass	PK	3.12545G	42.45	88.20	-45.75	3	Horizontal	206	1.00	-
Mode 1	Pass	PK	5.06971G	51.08	74.00	-22.92	3	Horizontal	3	1.99	-
Mode 2	Pass	AV	2.17636G	26.57	68.20	-41.63	3	Vertical	212	2.00	-
Mode 2	Pass	AV	3.17583G	30.06	68.20	-38.14	3	Vertical	10	1.07	-
Mode 2	Pass	AV	4.95532G	33.75	54.00	-20.25	3	Vertical	15	1.51	-
Mode 2	Pass	PK	2.17636G	49.67	88.20	-38.53	3	Vertical	212	2.00	-
Mode 2	Pass	PK	3.17583G	41.90	88.20	-46.30	3	Vertical	10	1.07	-
Mode 2	Pass	PK	4.95532G	46.00	74.00	-28.00	3	Vertical	15	1.51	-
Mode 2	Pass	AV	2.24248G	26.84	54.00	-27.16	3	Horizontal	27	1.50	-
Mode 2	Pass	AV	3.78961G	30.30	54.00	-23.70	3	Horizontal	0	1.50	-
Mode 2	Pass	AV	5.10762G	33.38	54.00	-20.62	3	Horizontal	0	1.95	-
Mode 2	Pass	PK	2.24248G	39.25	74.00	-34.75	3	Horizontal	27	1.50	-
Mode 2	Pass	PK	3.78961G	42.57	74.00	-31.43	3	Horizontal	0	1.50	-
Mode 2	Pass	PK	5.10762G	53.72	74.00	-20.28	3	Horizontal	0	1.95	-
Mode 3	Pass	AV	2.18459G	26.06	68.20	-42.14	3	Vertical	330	1.76	-
Mode 3	Pass	AV	3.26952G	29.89	68.20	-38.31	3	Vertical	258	1.50	-
Mode 3	Pass	AV	5.03707G	33.33	54.00	-20.67	3	Vertical	81	1.50	-
Mode 3	Pass	PK	2.18459G	48.41	88.20	-39.79	3	Vertical	330	1.76	-
Mode 3	Pass	PK	3.26952G	42.09	88.20	-46.11	3	Vertical	258	1.50	-
Mode 3	Pass	PK	5.03707G	45.77	74.00	-28.23	3	Vertical	81	1.50	-
Mode 3	Pass	AV	2.18378G	25.94	68.20	-42.26	3	Horizontal	163	1.74	-
Mode 3	Pass	AV	3.79813G	30.56	54.00	-23.44	3	Horizontal	320	1.50	-
Mode 3	Pass	AV	5.08993G	33.05	54.00	-20.95	3	Horizontal	4	1.96	-
Mode 3	Pass	PK	2.18378G	47.77	88.20	-40.43	3	Horizontal	163	1.74	-
Mode 3	Pass	PK	3.79813G	42.73	74.00	-31.27	3	Horizontal	320	1.50	-
Mode 3	Pass	PK	5.08993G	52.95	74.00	-21.05	3	Horizontal	4	1.96	-
Mode 4	Pass	AV	2.18749G	26.42	68.20	-41.78	3	Vertical	213	2.00	-
Mode 4	Pass	AV	3.81104G	30.45	54.00	-23.55	3	Vertical	346	1.98	-
Mode 4	Pass	AV	4.9957G	34.01	54.00	-19.99	3	Vertical	332	1.50	-
Mode 4	Pass	PK	2.18749G	50.87	88.20	-37.33	3	Vertical	213	2.00	-
Mode 4	Pass	PK	3.81104G	42.93	74.00	-31.07	3	Vertical	346	1.98	-
Mode 4	Pass	PK	4.9957G	46.56	74.00	-27.44	3	Vertical	332	1.50	-
Mode 4	Pass	AV	2.18559G	26.38	68.20	-41.82	3	Horizontal	191	1.50	-
Mode 4	Pass	AV	3.64999G	30.01	54.00	-23.99	3	Horizontal	102	1.50	-
Mode 4	Pass	AV	5.09649G	35.14	54.00	-18.86	3	Horizontal	2	1.92	-
Mode 4	Pass	PK	2.18559G	46.84	88.20	-41.36	3	Horizontal	191	1.50	-
Mode 4	Pass	PK	3.64999G	42.61	74.00	-31.39	3	Horizontal	102	1.50	-
Mode 4	Pass	PK	5.09649G	52.78	74.00	-21.22	3	Horizontal	2	1.92	-
Mode 5	Pass	AV	1.19715G	26.63	54.00	-27.37	3	Vertical	212	1.97	-
Mode 5	Pass	AV	2.41862G	30.55	68.20	-37.65	3	Vertical	0	1.58	-


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 5	Pass	AV	4.1165G	32.90	54.00	-21.10	3	Vertical	67	1.44	-
Mode 5	Pass	PK	1.19813G	38.92	74.00	-35.08	3	Vertical	212	1.97	-
Mode 5	Pass	PK	2.41875G	54.51	88.20	-33.69	3	Vertical	0	1.58	-
Mode 5	Pass	PK	4.1175G	45.64	74.00	-28.36	3	Vertical	67	1.44	-
Mode 5	Pass	AV	1.5873G	25.63	54.00	-28.37	3	Horizontal	79	1.43	-
Mode 5	Pass	AV	1.59713G	30.36	54.00	-23.64	3	Horizontal	251	1.53	-
Mode 5	Pass	AV	2.4124G	35.57	68.20	-32.63	3	Horizontal	32	1.36	-
Mode 5	Pass	PK	1.59625G	38.31	74.00	-35.69	3	Horizontal	79	1.43	-
Mode 5	Pass	PK	2.41G	51.24	88.20	-36.96	3	Horizontal	251	1.52	-
Mode 5	Pass	PK	5.0975G	48.45	74.00	-25.55	3	Horizontal	32	1.36	-
Mode 6	Pass	AV	1.48341G	25.59	54.00	-28.41	3	Vertical	213	1.00	-
Mode 6	Pass	AV	2.417G	40.22	68.20	-27.98	3	Vertical	25	2.13	-
Mode 6	Pass	AV	5.1732G	35.69	68.20	-32.51	3	Vertical	22	2.54	-
Mode 6	Pass	PK	1.48375G	37.44	74.00	-36.56	3	Vertical	213	1.00	-
Mode 6	Pass	PK	2.415G	63.83	88.20	-24.37	3	Vertical	25	2.13	-
Mode 6	Pass	PK	5.175G	48.90	88.20	-39.30	3	Vertical	22	2.54	-
Mode 6	Pass	AV	1.58931G	25.62	54.00	-28.38	3	Horizontal	55	1.50	-
Mode 6	Pass	AV	2.41134G	30.58	68.20	-37.62	3	Horizontal	82	1.50	-
Mode 6	Pass	AV	5.81434G	36.97	68.20	-31.23	3	Horizontal	64	1.56	-
Mode 6	Pass	PK	1.59625G	37.27	74.00	-36.73	3	Horizontal	55	1.50	-
Mode 6	Pass	PK	2.41125G	51.29	88.20	-36.91	3	Horizontal	82	1.50	-
Mode 6	Pass	PK	5.81875G	58.22	88.20	-29.98	3	Horizontal	64	1.56	-

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.17764G	26.97	68.20	-41.23	-3.42	3	Vertical	215	1.91	-	30.39	27.30	4.31	35.03
AV	3.76018G	30.00	54.00	-24.00	0.85	3	Vertical	8	1.50	-	29.15	30.16	5.83	35.14
AV	4.9995G	34.03	54.00	-19.97	4.85	3	Vertical	126	1.59	-	29.18	33.20	6.72	35.07
PK	2.17764G	47.68	88.20	-40.52	-3.42	3	Vertical	215	1.91	-	51.10	27.30	4.31	35.03
PK	3.76018G	42.04	74.00	-31.96	0.85	3	Vertical	8	1.50	-	41.19	30.16	5.83	35.14
PK	4.9995G	46.95	74.00	-27.05	4.85	3	Vertical	126	1.59	-	42.10	33.20	6.72	35.07

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.27815G	26.64	54.00	-27.36	-3.53	3	Horizontal	110	1.50	-	30.17	27.12	4.41	35.06
AV	3.12545G	29.74	68.20	-38.46	-0.31	3	Horizontal	206	1.00	-	30.05	29.65	5.27	35.23
AV	5.06971G	33.16	54.00	-20.84	4.59	3	Horizontal	3	1.99	-	28.57	32.92	6.74	35.07
PK	2.27815G	39.42	74.00	-34.58	-3.53	3	Horizontal	110	1.50	-	42.95	27.12	4.41	35.06
PK	3.12545G	42.45	88.20	-45.75	-0.31	3	Horizontal	206	1.00	-	42.76	29.65	5.27	35.23
PK	5.06971G	51.08	74.00	-22.92	4.59	3	Horizontal	3	1.99	-	46.49	32.92	6.74	35.07

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.17636G	26.57	68.20	-41.63	-3.42	3	Vertical	212	2.00	-	29.99	27.30	4.31	35.03
AV	3.17583G	30.06	68.20	-38.14	-0.22	3	Vertical	10	1.07	-	30.28	29.70	5.31	35.23
AV	4.95532G	33.75	54.00	-20.25	4.62	3	Vertical	15	1.51	-	29.13	33.02	6.67	35.07
PK	2.17636G	49.67	88.20	-38.53	-3.42	3	Vertical	212	2.00	-	53.09	27.30	4.31	35.03
PK	3.17583G	41.90	88.20	-46.30	-0.22	3	Vertical	10	1.07	-	42.12	29.70	5.31	35.23
PK	4.95532G	46.00	74.00	-28.00	4.62	3	Vertical	15	1.51	-	41.38	33.02	6.67	35.07

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.24248G	26.84	54.00	-27.16	-3.48	3	Horizontal	27	1.50	-	30.32	27.20	4.37	35.05
AV	3.78961G	30.30	54.00	-23.70	1.06	3	Horizontal	0	1.50	-	29.24	30.34	5.85	35.13
AV	5.10762G	33.38	54.00	-20.62	4.54	3	Horizontal	0	1.95	-	28.84	32.85	6.76	35.07
PK	2.24248G	39.25	74.00	-34.75	-3.48	3	Horizontal	27	1.50	-	42.73	27.20	4.37	35.05
PK	3.78961G	42.57	74.00	-31.43	1.06	3	Horizontal	0	1.50	-	41.51	30.34	5.85	35.13
PK	5.10762G	53.72	74.00	-20.28	4.54	3	Horizontal	0	1.95	-	49.18	32.85	6.76	35.07

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.18459G	26.06	68.20	-42.14	-3.48	3	Vertical	330	1.76	-	29.54	27.25	4.31	35.04
AV	3.26952G	29.89	68.20	-38.31	-0.23	3	Vertical	258	1.50	-	30.12	29.60	5.41	35.24
AV	5.03707G	33.33	54.00	-20.67	4.71	3	Vertical	81	1.50	-	28.62	33.05	6.73	35.07
PK	2.18459G	48.41	88.20	-39.79	-3.48	3	Vertical	330	1.76	-	51.89	27.25	4.31	35.04
PK	3.26952G	42.09	88.20	-46.11	-0.23	3	Vertical	258	1.50	-	42.32	29.60	5.41	35.24
PK	5.03707G	45.77	74.00	-28.23	4.71	3	Vertical	81	1.50	-	41.06	33.05	6.73	35.07

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.18378G	25.94	68.20	-42.26	-3.47	3	Horizontal	163	1.74	-	29.41	27.26	4.31	35.04
AV	3.79813G	30.56	54.00	-23.44	1.13	3	Horizontal	320	1.50	-	29.43	30.39	5.86	35.12
AV	5.08993G	33.05	54.00	-20.95	4.52	3	Horizontal	4	1.96	-	28.53	32.84	6.75	35.07
PK	2.18378G	47.77	88.20	-40.43	-3.47	3	Horizontal	163	1.74	-	51.24	27.26	4.31	35.04
PK	3.79813G	42.73	74.00	-31.27	1.13	3	Horizontal	320	1.50	-	41.60	30.39	5.86	35.12
PK	5.08993G	52.95	74.00	-21.05	4.52	3	Horizontal	4	1.96	-	48.43	32.84	6.75	35.07


Radiated Emissions above 1GHz_Mode 4



Radiated Emissions above 1GHz_Mode 4




Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.19715G	26.63	54.00	-27.37	-6.31	3	Vertical	212	1.97	-	32.94	26.10	3.15	35.56
AV	2.41862G	30.55	68.20	-37.65	-2.96	3	Vertical	0	1.58	-	33.51	27.59	4.56	35.11
AV	4.1165G	32.90	54.00	-21.10	1.97	3	Vertical	67	1.44	-	30.93	30.90	6.11	35.04
PK	1.19813G	38.92	74.00	-35.08	-6.31	3	Vertical	212	1.97	-	45.23	26.10	3.15	35.56
PK	2.41875G	54.51	88.20	-33.69	-2.96	3	Vertical	0	1.58	-	57.47	27.59	4.56	35.11
PK	4.1175G	45.64	74.00	-28.36	1.97	3	Vertical	67	1.44	-	43.67	30.90	6.11	35.04

Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.5873G	25.63	54.00	-28.37	-5.84	3	Horizontal	79	1.43	-	31.47	25.60	3.65	35.09
AV	1.59713G	30.36	54.00	-23.64	-5.88	3	Horizontal	251	1.53	-	36.24	25.53	3.67	35.08
AV	2.4124G	35.57	68.20	-32.63	-3.03	3	Horizontal	32	1.36	-	38.60	27.52	4.55	35.10
PK	1.59625G	38.31	74.00	-35.69	-5.87	3	Horizontal	79	1.43	-	44.18	25.54	3.67	35.08
PK	2.41G	51.24	88.20	-36.96	-3.05	3	Horizontal	251	1.52	-	54.29	27.50	4.55	35.10
PK	5.0975G	48.45	74.00	-25.55	4.49	3	Horizontal	32	1.36	-	43.96	32.81	6.75	35.07

Radiated Emissions above 1GHz_Mode 6



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.48341G	25.59	54.00	-28.41	-6.18	3	Vertical	213	1.00	-	31.77	25.43	3.52	35.13
AV	2.417G	40.22	68.20	-27.98	-2.98	3	Vertical	25	2.13	-	43.20	27.57	4.56	35.11
AV	5.1732G	35.69	68.20	-32.51	4.76	3	Vertical	22	2.54	-	30.93	33.05	6.78	35.07
PK	1.48375G	37.44	74.00	-36.56	-6.18	3	Vertical	213	1.00	-	43.62	25.43	3.52	35.13
PK	2.415G	63.83	88.20	-24.37	-2.99	3	Vertical	25	2.13	-	66.82	27.55	4.56	35.10
PK	5.175G	48.90	88.20	-39.30	4.76	3	Vertical	22	2.54	-	44.14	33.05	6.78	35.07

Radiated Emissions above 1GHz_Mode 6



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.58931G	25.62	54.00	-28.38	-5.83	3	Horizontal	55	1.50	-	31.45	25.60	3.66	35.09
AV	2.41134G	30.58	68.20	-37.62	-3.04	3	Horizontal	82	1.50	-	33.62	27.51	4.55	35.10
AV	5.81434G	36.97	68.20	-31.23	5.97	3	Horizontal	64	1.56	-	31.00	33.93	7.24	35.20
PK	1.59625G	37.27	74.00	-36.73	-5.87	3	Horizontal	55	1.50	-	43.14	25.54	3.67	35.08
PK	2.41125G	51.29	88.20	-36.91	-3.04	3	Horizontal	82	1.50	-	54.33	27.51	4.55	35.10
PK	5.81875G	58.22	88.20	-29.98	5.98	3	Horizontal	64	1.56	-	52.24	33.94	7.24	35.20