


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6685MHz_TX

24/02/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6625MHz_TX

24/02/2025




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6665MHz_TX

24/02/2025



**Summary**

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	6.41625G	0.65	6.383475G	-53.42	-38.89	-14.53	2
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	5.961198G	1.35	5.986125G	-46.20	-38.58	-7.62	1
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	6.400251G	0.30	6.34105G	-45.77	-39.70	-6.07	2
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	6.3713G	2.85	6.5069G	-43.37	-37.15	-6.22	1
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	6.00301G	1.28	6.267G	-43.54	-38.69	-4.85	2
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	6.24776G	-0.02	6.5886G	-45.49	-39.76	-5.73	2
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	6.851276G	0.85	6.841575G	-30.60	-20.58	-10.02	1
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	6.850401G	0.63	6.836725G	-32.52	-24.11	-8.41	1
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	6.843G	2.50	6.9047G	-42.86	-37.09	-5.77	2
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	6.6117G	3.67	6.7476G	-39.30	-36.33	-2.97	1
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	6.60621G	1.45	6.4202G	-42.73	-38.16	-4.57	1

**Result**

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.962548G	-0.63	5.98535G	-56.52	-39.40	-17.12	1
5955MHz	Pass	5.960999G	-1.00	5.987725G	-57.55	-41.00	-16.55	2
6195MHz	Pass	6.195975G	0.80	6.22675G	-54.10	-38.99	-15.11	1
6195MHz	Pass	6.197524G	1.22	6.22595G	-53.55	-38.42	-15.13	2
6415MHz	Pass	6.411276G	0.56	6.38355G	-55.31	-38.99	-16.32	1
6415MHz	Pass	6.41625G	0.65	6.383475G	-53.42	-38.89	-14.53	2
6535MHz	Pass	6.538799G	-0.46	6.567025G	-58.00	-40.46	-17.54	1
6535MHz	Pass	6.541923G	-1.21	6.50315G	-58.51	-41.21	-17.30	2
6695MHz	Pass	6.691301G	0.96	6.7257G	-51.79	-38.11	-13.68	1
6695MHz	Pass	6.689726G	0.57	6.726875G	-54.94	-39.43	-15.51	2
6855MHz	Pass	6.851276G	0.85	6.841575G	-30.60	-20.58	-10.02	1
6855MHz	Pass	6.856G	1.32	6.84285G	-33.08	-18.82	-14.26	2
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.961198G	1.35	5.986125G	-46.20	-38.58	-7.62	1
5955MHz	Pass	5.963498G	0.92	5.985925G	-46.01	-38.12	-7.89	2
6195MHz	Pass	6.202173G	2.21	6.22555G	-44.73	-35.89	-8.84	1
6195MHz	Pass	6.193875G	2.08	6.22585G	-45.38	-36.70	-8.68	2
6415MHz	Pass	6.420649G	1.09	6.4457G	-49.88	-37.26	-12.62	1
6415MHz	Pass	6.41375G	1.12	6.447175G	-47.67	-38.88	-8.79	2
6535MHz	Pass	6.542723G	1.00	6.566925G	-49.45	-39.00	-10.45	1
6535MHz	Pass	6.533675G	0.09	6.503075G	-51.68	-39.91	-11.77	2
6695MHz	Pass	6.698074G	0.41	6.72745G	-49.22	-38.99	-10.23	1
6695MHz	Pass	6.695925G	0.28	6.726275G	-51.65	-39.55	-12.10	2
6855MHz	Pass	6.850401G	0.63	6.836725G	-32.52	-24.11	-8.41	1
6855MHz	Pass	6.859974G	0.69	6.887475G	-50.36	-39.28	-11.08	2
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.978747G	-0.55	6.0255G	-50.67	-40.55	-10.12	1
5965MHz	Pass	5.980596G	-1.59	6.0246G	-53.23	-41.59	-11.64	2
6205MHz	Pass	6.209349G	-0.24	6.2662G	-48.61	-40.24	-8.37	1
6205MHz	Pass	6.221396G	-0.84	6.26365G	-51.15	-40.68	-10.47	2
6405MHz	Pass	6.399801G	0.48	6.34575G	-47.77	-39.43	-8.34	1
6405MHz	Pass	6.400251G	0.30	6.34105G	-45.77	-39.70	-6.07	2
6565MHz	Pass	6.567599G	-0.02	6.62565G	-47.27	-40.02	-7.25	1
6565MHz	Pass	6.553803G	-0.09	6.62605G	-49.56	-40.09	-9.47	2
6685MHz	Pass	6.678402G	0.04	6.7211G	-34.79	-22.75	-12.04	1
6685MHz	Pass	6.692548G	-0.16	6.74615G	-49.61	-40.16	-9.45	2
6845MHz	Pass	6.852048G	2.80	6.8783G	-25.73	-18.46	-7.27	1
6845MHz	Pass	6.843G	2.50	6.9047G	-42.86	-37.09	-5.77	2
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9777G	1.70	6.1036G	-44.30	-37.46	-6.84	1
5985MHz	Pass	5.9989G	1.75	6.1061G	-44.80	-38.25	-6.55	2
6225MHz	Pass	6.25449G	2.31	6.3473G	-44.14	-37.69	-6.45	1
6225MHz	Pass	6.2376G	1.92	6.3482G	-46.81	-38.08	-8.73	2
6385MHz	Pass	6.3713G	2.85	6.5069G	-43.37	-37.15	-6.22	1
6385MHz	Pass	6.3728G	2.77	6.5184G	-44.70	-37.07	-7.63	2
6625MHz	Pass	6.6117G	3.67	6.7476G	-39.30	-36.33	-2.97	1
6625MHz	Pass	6.6362G	3.83	6.7466G	-39.85	-36.17	-3.68	2
6705MHz	Pass	6.7202G	1.45	6.8268G	-45.21	-38.55	-6.66	1
6705MHz	Pass	6.6911G	1.32	6.8271G	-47.87	-38.68	-9.19	2
6785MHz	Pass	6.7713G	-0.59	6.907G	-51.10	-40.59	-10.51	1
6785MHz	Pass	6.7961G	-0.58	6.9078G	-52.83	-40.58	-12.25	2
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	5.99901G	1.52	6.2678G	-44.61	-38.37	-6.24	1
6025MHz	Pass	6.00301G	1.28	6.267G	-43.54	-38.69	-4.85	2


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6185MHz	Pass	6.24618G	1.41	6.4274G	-48.42	-38.42	-10.00	1
6185MHz	Pass	6.26118G	1.05	6.4278G	-48.43	-38.65	-9.78	2
6345MHz	Pass	6.28701G	1.04	6.5886G	-47.41	-38.96	-8.45	1
6345MHz	Pass	6.37059G	1.12	6.589G	-47.36	-38.85	-8.51	2
6665MHz	Pass	6.60621G	1.45	6.4202G	-42.73	-38.16	-4.57	1
6665MHz	Pass	6.60541G	1.99	6.4224G	-43.29	-37.68	-5.61	2
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.24576G	0.09	6.5182G	-41.27	-34.53	-6.74	1
6105MHz	Pass	6.24776G	-0.02	6.5886G	-45.49	-39.76	-5.73	2
6265MHz	Pass	6.30299G	-0.18	6.7502G	-46.87	-40.04	-6.83	1
6265MHz	Pass	6.30219G	0.24	6.7558G	-47.29	-39.65	-7.64	2

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6415MHz_TX

22/02/2025




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

22/02/2025



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

22/02/2025

CF (Hz)
6.405G


Span (Hz)
200M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.399801G	0.48	6.34575G	-47.77	-39.43	-8.34	1
6.400251G	0.30	6.34105G	-45.77	-39.70	-6.07	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

22/02/2025

CF (Hz)
6.385G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3713G	2.85	6.5069G	-43.37	-37.15	-6.22	1
6.3728G	2.77	6.5184G	-44.70	-37.07	-7.63	2

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

22/02/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6105MHz_TX

22/02/2025




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6855MHz_TX

22/02/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6855MHz_TX

22/02/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6845MHz_TX

22/02/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

22/02/2025




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

22/02/2025



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	6.418249G	1.81	6.383325G	-46.38	-38.08	-8.30	2
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	6.410949G	2.21	6.34405G	-45.84	-37.79	-8.05	2
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	6.25619G	1.82	6.3474G	-46.58	-38.18	-8.40	1
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	6.00341G	0.80	6.2694G	-45.47	-39.13	-6.34	2
802.11be EHT320_Nss2,(MCS0)_2TX	Pass	6.00303G	1.09	6.5994G	-43.36	-38.91	-4.45	2
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	6.699274G	2.34	6.714625G	-30.71	-22.99	-7.72	1
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	6.689299G	2.98	6.74585G	-40.06	-37.02	-3.04	1
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	6.7166G	2.48	6.8348G	-43.94	-37.52	-6.42	1
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	6.69019G	2.20	6.9108G	-42.16	-37.74	-4.42	1

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.959099G	-2.68	5.985575G	-56.25	-40.99	-15.26	1
5955MHz	Pass	5.962748G	-2.74	5.985825G	-56.59	-41.49	-15.10	2
6195MHz	Pass	6.202873G	-3.43	6.22565G	-57.29	-42.16	-15.13	1
6195MHz	Pass	6.200674G	-2.47	6.225725G	-57.00	-41.11	-15.89	2
6415MHz	Pass	6.412576G	1.32	6.383575G	-49.45	-38.11	-11.34	1
6415MHz	Pass	6.418249G	1.81	6.383325G	-46.38	-38.08	-8.30	2
6535MHz	Pass	6.538199G	1.77	6.56645G	-46.08	-37.97	-8.11	1
6535MHz	Pass	6.527577G	0.95	6.5662G	-47.37	-37.88	-9.49	2
6695MHz	Pass	6.699274G	2.34	6.714625G	-30.71	-22.99	-7.72	1
6695MHz	Pass	6.699699G	2.12	6.72625G	-45.55	-37.21	-8.34	2
6855MHz	Pass	6.858649G	3.55	6.834375G	-27.97	-16.80	-11.17	1
6855MHz	Pass	6.852376G	4.38	6.836G	-28.76	-19.21	-9.55	2
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.971998G	-2.03	6.0242G	-54.50	-42.01	-12.49	1
5965MHz	Pass	5.978197G	-2.52	6.02705G	-55.77	-42.52	-13.25	2
6205MHz	Pass	6.215797G	-0.89	6.2634G	-50.25	-40.19	-10.06	1
6205MHz	Pass	6.219646G	-1.39	6.2538G	-46.22	-34.80	-11.42	2
6405MHz	Pass	6.401551G	1.96	6.343G	-49.22	-38.04	-11.18	1
6405MHz	Pass	6.410949G	2.21	6.34405G	-45.84	-37.79	-8.05	2
6565MHz	Pass	6.562101G	1.99	6.62395G	-45.59	-37.34	-8.25	1
6565MHz	Pass	6.557702G	1.69	6.50525G	-47.01	-37.93	-9.08	2
6685MHz	Pass	6.689299G	2.98	6.74585G	-40.06	-37.02	-3.04	1
6685MHz	Pass	6.688799G	2.63	6.73715G	-39.75	-32.37	-7.38	2
6845MHz	Pass	6.850349G	2.59	6.80425G	-30.82	-18.10	-12.72	1
6845MHz	Pass	6.840301G	3.02	6.88065G	-31.80	-17.85	-13.95	2
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9907G	0.63	6.1066G	-51.33	-39.32	-12.01	1
5985MHz	Pass	5.9934G	0.68	6.1077G	-50.03	-39.32	-10.71	2
6225MHz	Pass	6.25619G	1.82	6.3474G	-46.58	-38.18	-8.40	1
6225MHz	Pass	6.2362G	1.83	6.3465G	-47.68	-37.99	-9.69	2
6385MHz	Pass	6.3734G	2.46	6.505G	-46.85	-37.21	-9.64	1
6385MHz	Pass	6.3728G	2.61	6.2628G	-45.73	-37.23	-8.50	2
6625MHz	Pass	6.616G	3.81	6.7G	-27.16	-16.59	-10.57	1
6625MHz	Pass	6.635G	3.94	6.7675G	-43.04	-35.55	-7.49	2
6705MHz	Pass	6.7166G	2.48	6.8348G	-43.94	-37.52	-6.42	1
6705MHz	Pass	6.6936G	2.45	6.827G	-45.34	-37.52	-7.82	2
6785MHz	Pass	6.7749G	0.41	6.872G	-39.11	-29.03	-10.08	1
6785MHz	Pass	6.7726G	0.36	6.9067G	-51.21	-39.64	-11.57	2
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6025MHz	Pass	6.00001G	1.11	6.2684G	-46.25	-38.77	-7.48	1
6025MHz	Pass	6.00341G	0.80	6.2694G	-45.47	-39.13	-6.34	2
6185MHz	Pass	6.24698G	1.77	6.428G	-47.44	-37.67	-9.77	1
6185MHz	Pass	6.24938G	1.70	6.428G	-47.78	-38.03	-9.75	2
6345MHz	Pass	6.31861G	1.67	6.5892G	-47.31	-38.14	-9.17	1
6345MHz	Pass	6.31781G	1.81	6.5892G	-46.92	-38.00	-8.92	2
6665MHz	Pass	6.69019G	2.20	6.9108G	-42.16	-37.74	-4.42	1
6665MHz	Pass	6.64061G	2.30	6.4208G	-43.45	-37.60	-5.85	2
802.11be EHT320_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.24816G	1.39	6.5926G	-44.04	-38.61	-5.43	1
6105MHz	Pass	6.00303G	1.09	6.5994G	-43.36	-38.91	-4.45	2
6265MHz	Pass	6.29819G	1.48	6.755G	-43.46	-38.52	-4.94	1
6265MHz	Pass	6.29699G	1.58	6.7542G	-45.14	-38.42	-6.72	2

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6415MHz_TX

21/02/2025

CF (Hz)
6.415G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.412576G	1.32	6.383575G	-49.45	-38.11	-11.34	1
6.418249G	1.81	6.383325G	-46.38	-38.08	-8.30	2

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6405MHz_TX

21/02/2025

CF (Hz)
6.405G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.401551G	1.96	6.343G	-49.22	-38.04	-11.18	1
6.410949G	2.21	6.34405G	-45.84	-37.79	-8.05	2

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6225MHz_TX

21/02/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.25619G	1.82	6.3474G	-46.58	-38.18	-8.40	1
6.2362G	1.83	6.3465G	-47.68	-37.99	-9.69	2

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6025MHz_TX

21/02/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.00001G	1.11	6.2684G	-46.25	-38.77	-7.48	1
6.00341G	0.80	6.2694G	-45.47	-39.13	-6.34	2

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6105MHz_TX

21/02/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.24816G	1.39	6.5926G	-44.04	-38.61	-5.43	1
6.00303G	1.09	6.5994G	-43.36	-38.91	-4.45	2

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6695MHz_TX

21/02/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.699274G	2.34	6.714625G	-30.71	-22.99	-7.72	1
6.699699G	2.12	6.72625G	-45.55	-37.21	-8.34	2

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6685MHz_TX

21/02/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.689299G	2.98	6.74585G	-40.06	-37.02	-3.04	1
6.688799G	2.63	6.73715G	-39.75	-32.37	-7.38	2

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6705MHz_TX

21/02/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7166G	2.48	6.8348G	-43.94	-37.52	-6.42	1
6.6936G	2.45	6.827G	-45.34	-37.52	-7.82	2

6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6665MHz_TX

21/02/2025

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69019G	2.20	6.9108G	-42.16	-37.74	-4.42	1
6.64061G	2.30	6.4208G	-43.45	-37.60	-5.85	2

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	6.407627G	2.09	6.39285G	-33.22	-26.44	-6.78	2
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	5.980096G	3.58	6.0307G	-40.46	-36.42	-4.04	1
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	6.237G	3.15	6.3461G	-39.50	-36.85	-2.65	1
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	6.37199G	2.96	6.5872G	-40.05	-36.65	-3.40	1
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	6.00103G	1.80	6.5418G	-36.50	-34.31	-2.19	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	6.688752G	3.99	6.727275G	-42.12	-35.66	-6.46	2
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	6.672453G	5.09	6.74405G	-38.47	-34.21	-4.26	2
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	6.67401G	4.58	6.8264G	-39.09	-35.21	-3.88	2
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	6.60761G	4.21	6.3998G	-40.49	-35.79	-4.70	2

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.961498G	-0.04	5.985625G	-49.73	-39.86	-9.87	1
5955MHz	Pass	5.960824G	0.62	5.986875G	-49.39	-39.38	-10.01	2
6195MHz	Pass	6.187377G	0.44	6.2275G	-52.23	-39.56	-12.67	1
6195MHz	Pass	6.1967G	1.00	6.2269G	-52.30	-38.79	-13.51	2
6415MHz	Pass	6.406252G	1.85	6.393125G	-34.82	-25.62	-9.20	1
6415MHz	Pass	6.407627G	2.09	6.39285G	-33.22	-26.44	-6.78	2
6535MHz	Pass	6.532426G	3.57	6.566625G	-43.60	-35.46	-8.14	1
6535MHz	Pass	6.542498G	2.86	6.566525G	-45.63	-37.05	-8.58	2
6695MHz	Pass	6.689401G	3.65	6.712175G	-24.46	-16.49	-7.97	1
6695MHz	Pass	6.688752G	3.99	6.727275G	-42.12	-35.66	-6.46	2
6855MHz	Pass	6.85345G	3.20	6.874075G	-25.30	-17.31	-7.99	1
6855MHz	Pass	6.856225G	3.96	6.87475G	-27.45	-18.69	-8.76	2
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.980096G	3.58	6.0307G	-40.46	-36.42	-4.04	1
5965MHz	Pass	5.978597G	3.12	6.02655G	-42.77	-36.88	-5.89	2
6205MHz	Pass	6.211398G	0.51	6.2659G	-45.69	-39.49	-6.20	1
6205MHz	Pass	6.218997G	0.23	6.26615G	-51.14	-39.77	-11.37	2
6405MHz	Pass	6.392753G	-4.93	6.3437G	-57.44	-44.93	-12.51	1
6405MHz	Pass	6.409849G	-5.81	6.34355G	-57.28	-45.81	-11.47	2
6565MHz	Pass	6.560351G	1.47	6.62345G	-46.43	-38.05	-8.38	1
6565MHz	Pass	6.562601G	1.75	6.5037G	-47.96	-38.25	-9.71	2
6685MHz	Pass	6.695647G	4.46	6.75375G	-40.15	-35.00	-5.15	1
6685MHz	Pass	6.672453G	5.09	6.74405G	-38.47	-34.21	-4.26	2
6845MHz	Pass	6.834953G	2.54	6.88685G	-26.82	-17.63	-9.19	1
6845MHz	Pass	6.848749G	3.08	6.92165G	-45.21	-36.92	-8.29	2
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9942G	2.49	6.1059G	-41.65	-37.51	-4.14	1
5985MHz	Pass	5.9953G	2.42	6.1025G	-41.15	-36.70	-4.45	2
6225MHz	Pass	6.237G	3.15	6.3461G	-39.50	-36.85	-2.65	1
6225MHz	Pass	6.2368G	3.50	6.347G	-43.99	-36.37	-7.62	2
6385MHz	Pass	6.3741G	3.62	6.5099G	-41.34	-36.38	-4.96	1
6385MHz	Pass	6.3707G	3.82	6.266G	-42.21	-35.65	-6.56	2
6625MHz	Pass	6.59801G	4.09	6.7749G	-42.72	-35.00	-7.72	1
6625MHz	Pass	6.59481G	4.32	6.7513G	-39.75	-35.68	-4.07	2
6705MHz	Pass	6.7095G	4.50	6.7703G	-23.34	-16.71	-6.63	1
6705MHz	Pass	6.67401G	4.58	6.8264G	-39.09	-35.21	-3.88	2
6785MHz	Pass	6.7779G	1.26	6.9072G	-47.08	-38.74	-8.34	1
6785MHz	Pass	6.7977G	0.91	6.9072G	-48.48	-38.83	-9.65	2
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	5.99481G	4.19	6.302G	-40.77	-35.78	-4.99	1
6025MHz	Pass	6.00121G	4.05	6.3044G	-40.55	-35.89	-4.66	2
6185MHz	Pass	6.24379G	3.30	6.432G	-40.75	-36.63	-4.12	1
6185MHz	Pass	6.24499G	3.22	6.4276G	-42.20	-36.45	-5.75	2
6345MHz	Pass	6.37199G	2.96	6.5872G	-40.05	-36.65	-3.40	1
6345MHz	Pass	6.26942G	3.30	6.5884G	-41.94	-36.68	-5.26	2
6665MHz	Pass	6.72359G	4.04	6.339G	-44.38	-35.59	-8.79	1
6665MHz	Pass	6.60761G	4.21	6.3998G	-40.49	-35.79	-4.70	2
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.00103G	1.80	6.5418G	-36.50	-34.31	-2.19	1
6105MHz	Pass	6.00103G	1.77	6.5918G	-40.58	-38.21	-2.37	2
6265MHz	Pass	6.30139G	1.61	6.8338G	-44.58	-38.22	-6.36	1
6265MHz	Pass	6.29459G	1.76	6.7618G	-42.52	-37.16	-5.36	2

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

24/02/2025

CF (Hz)
6.415G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.406252G	1.85	6.393125G	-34.82	-25.62	-9.20	1
6.407627G	2.09	6.39285G	-33.22	-26.44	-6.78	2

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

24/02/2025

CF (Hz)
5.965G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.980096G	3.58	6.0307G	-40.46	-36.42	-4.04	1
5.978597G	3.12	6.02655G	-42.77	-36.88	-5.89	2

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

24/02/2025

CF (Hz)
6.225G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.237G	3.15	6.3461G	-39.50	-36.85	-2.65	1
6.2368G	3.50	6.347G	-43.99	-36.37	-7.62	2

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

24/02/2025

CF (Hz)
6.345G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.37199G	2.96	6.5872G	-40.05	-36.65	-3.40	1
6.26942G	3.30	6.5884G	-41.94	-36.68	-5.26	2

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6105MHz_TX

24/02/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.00103G	1.80	6.5418G	-36.50	-34.31	-2.19	1
6.00103G	1.77	6.5918G	-40.58	-38.21	-2.37	2

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

24/02/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.689401G	3.65	6.712175G	-24.46	-16.49	-7.97	1
6.688752G	3.99	6.727275G	-42.12	-35.66	-6.46	2

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

24/02/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.695647G	4.46	6.75375G	-40.15	-35.00	-5.15	1
6.672453G	5.09	6.74405G	-38.47	-34.21	-4.26	2

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

25/02/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7095G	4.50	6.7703G	-23.34	-16.71	-6.63	1
6.67401G	4.58	6.8264G	-39.09	-35.21	-3.88	2

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

24/02/2025





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	PK	37.76M	35.30	40.00	-4.70	3	Vertical	0	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
6185MHz	Pass	PK	37.76M	35.30	40.00	-4.70	3	Vertical	0	1.00
6185MHz	Pass	PK	95.96M	27.76	43.50	-15.74	3	Vertical	0	1.00
6185MHz	Pass	PK	249.22M	28.58	46.00	-17.42	3	Vertical	0	1.00
6185MHz	Pass	PK	404.42M	28.91	46.00	-17.09	3	Vertical	0	1.00
6185MHz	Pass	PK	499.48M	31.02	46.00	-14.98	3	Vertical	0	1.00
6185MHz	Pass	PK	594.54M	33.65	46.00	-12.35	3	Vertical	0	1.00
6185MHz	Pass	PK	30M	27.07	40.00	-12.93	3	Horizontal	360	1.00
6185MHz	Pass	PK	171.62M	29.45	43.50	-14.05	3	Horizontal	360	1.00
6185MHz	Pass	PK	249.22M	30.75	46.00	-15.25	3	Horizontal	360	1.00
6185MHz	Pass	PK	379.2M	27.47	46.00	-18.53	3	Horizontal	360	1.00
6185MHz	Pass	PK	468.44M	30.66	46.00	-15.34	3	Horizontal	360	1.00
6185MHz	Pass	PK	551.86M	32.46	46.00	-13.54	3	Horizontal	360	1.00


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6185MHz_Adapter



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6185MHz_Adapter



**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	12.39182G	41.36	54.00	-12.64	3	Vertical	188	2.48
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	12.39194G	41.34	54.00	-12.66	3	Vertical	161	2.44
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	12.39444G	41.58	54.00	-12.42	3	Vertical	278	2.69
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	12.41688G	41.64	54.00	-12.36	3	Vertical	304	1.00
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	AV	12.34888G	42.38	54.00	-11.62	3	Vertical	177	1.59
802.11be EHT320_Nss1,(MCS0)_1TX	Pass	AV	12.34856G	42.29	54.00	-11.71	3	Vertical	332	1.50
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	13.38274G	43.37	54.00	-10.63	3	Vertical	207	1.50
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	13.38226G	43.38	54.00	-10.62	3	Vertical	31	1.71
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	13.37208G	43.66	54.00	-10.34	3	Horizontal	306	1.83
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	13.37464G	43.97	54.00	-10.03	3	Horizontal	65	1.50
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	AV	13.37448G	43.91	54.00	-10.09	3	Horizontal	285	2.32

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9238G	47.57	68.20	-20.63	3	Vertical	50	1.77
5955MHz	Pass	AV	5.9622G	100.18	Inf	-Inf	3	Vertical	50	1.77
5955MHz	Pass	PK	5.925G	65.59	88.20	-22.61	3	Vertical	50	1.77
5955MHz	Pass	PK	5.9613G	111.34	Inf	-Inf	3	Vertical	50	1.77
5955MHz	Pass	AV	11.90154G	39.74	54.00	-14.26	3	Vertical	31	1.50
5955MHz	Pass	PK	11.90754G	55.08	74.00	-18.92	3	Vertical	31	1.50
5955MHz	Pass	AV	11.90208G	39.72	54.00	-14.28	3	Horizontal	97	1.00
5955MHz	Pass	PK	11.91708G	53.71	74.00	-20.29	3	Horizontal	97	1.00
6195MHz	Pass	AV	12.39182G	41.36	54.00	-12.64	3	Vertical	188	2.48
6195MHz	Pass	PK	12.38924G	55.25	74.00	-18.75	3	Vertical	188	2.48
6195MHz	Pass	AV	12.39214G	41.33	54.00	-12.67	3	Horizontal	241	1.50
6195MHz	Pass	PK	12.3971G	56.14	74.00	-17.86	3	Horizontal	241	1.50
6415MHz	Pass	AV	12.83212G	43.07	68.20	-25.13	3	Vertical	90	1.50
6415MHz	Pass	PK	12.82936G	56.88	88.20	-31.32	3	Vertical	90	1.50
6415MHz	Pass	AV	12.83246G	43.05	68.20	-25.15	3	Horizontal	359	2.89
6415MHz	Pass	PK	12.83356G	57.44	88.20	-30.76	3	Horizontal	359	2.89
6535MHz	Pass	AV	13.07038G	45.03	68.20	-23.17	3	Vertical	34	1.48
6535MHz	Pass	PK	13.0733G	59.53	88.20	-28.67	3	Vertical	34	1.48
6535MHz	Pass	AV	13.069G	42.22	68.20	-25.98	3	Horizontal	218	2.77
6535MHz	Pass	PK	13.0749G	55.98	88.20	-32.22	3	Horizontal	218	2.77
6695MHz	Pass	AV	13.38274G	43.37	54.00	-10.63	3	Vertical	207	1.50
6695MHz	Pass	PK	13.38782G	57.48	74.00	-16.52	3	Vertical	207	1.50
6695MHz	Pass	AV	13.38228G	43.37	54.00	-10.63	3	Horizontal	85	1.64
6695MHz	Pass	PK	13.39352G	58.05	74.00	-15.95	3	Horizontal	85	1.64
6855MHz	Pass	AV	13.70536G	45.84	68.20	-22.36	3	Vertical	33	2.59
6855MHz	Pass	PK	13.71762G	60.30	88.20	-27.90	3	Vertical	33	2.59
6855MHz	Pass	AV	13.70334G	45.81	68.20	-22.39	3	Horizontal	331	1.50
6855MHz	Pass	PK	13.70388G	60.03	88.20	-28.17	3	Horizontal	331	1.50
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9244G	47.26	68.20	-20.94	3	Vertical	201	1.78
5955MHz	Pass	AV	5.9622G	97.39	Inf	-Inf	3	Vertical	201	1.78
5955MHz	Pass	PK	5.826G	59.63	88.20	-28.57	3	Vertical	201	1.78
5955MHz	Pass	PK	5.9583G	109.88	Inf	-Inf	3	Vertical	201	1.78
5955MHz	Pass	AV	11.90402G	40.16	54.00	-13.84	3	Vertical	128	1.50
5955MHz	Pass	PK	11.91346G	54.00	74.00	-20.00	3	Vertical	128	1.50
5955MHz	Pass	AV	11.90144G	40.24	54.00	-13.76	3	Horizontal	121	1.50
5955MHz	Pass	PK	11.90404G	53.88	74.00	-20.12	3	Horizontal	121	1.50
6195MHz	Pass	AV	12.39194G	41.34	54.00	-12.66	3	Vertical	161	2.44
6195MHz	Pass	PK	12.39798G	55.08	74.00	-18.92	3	Vertical	161	2.44
6195MHz	Pass	AV	12.39192G	41.34	54.00	-12.66	3	Horizontal	207	1.50
6195MHz	Pass	PK	12.39274G	54.92	74.00	-19.08	3	Horizontal	207	1.50
6415MHz	Pass	AV	12.83242G	43.09	68.20	-25.11	3	Vertical	157	2.52
6415MHz	Pass	PK	12.83284G	57.09	88.20	-31.11	3	Vertical	157	2.52
6415MHz	Pass	AV	12.83498G	43.01	68.20	-25.19	3	Horizontal	191	1.50
6415MHz	Pass	PK	12.83856G	57.48	88.20	-30.72	3	Horizontal	191	1.50
6535MHz	Pass	AV	13.07032G	44.14	68.20	-24.06	3	Vertical	35	1.31
6535MHz	Pass	PK	13.06588G	58.88	88.20	-29.32	3	Vertical	35	1.31
6535MHz	Pass	AV	13.07056G	42.50	68.20	-25.70	3	Horizontal	236	2.77
6535MHz	Pass	PK	13.06326G	56.70	88.20	-31.50	3	Horizontal	236	2.77
6695MHz	Pass	AV	13.38226G	43.38	54.00	-10.62	3	Vertical	31	1.71
6695MHz	Pass	PK	13.38886G	57.53	74.00	-16.47	3	Vertical	31	1.71
6695MHz	Pass	AV	13.38222G	43.36	54.00	-10.64	3	Horizontal	344	1.50
6695MHz	Pass	PK	13.38546G	57.60	74.00	-16.40	3	Horizontal	344	1.50
6855MHz	Pass	AV	13.70332G	45.82	68.20	-22.38	3	Vertical	24	2.76
6855MHz	Pass	PK	13.70956G	59.10	88.20	-29.10	3	Vertical	24	2.76
6855MHz	Pass	AV	13.70334G	45.81	68.20	-22.39	3	Horizontal	356	2.86
6855MHz	Pass	PK	13.71794G	59.61	88.20	-28.59	3	Horizontal	356	2.86
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9239G	49.79	68.20	-18.41	3	Vertical	51	1.70
5965MHz	Pass	AV	5.9698G	96.68	Inf	-Inf	3	Vertical	51	1.70

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5965MHz	Pass	PK	5.9215G	70.65	88.20	-17.55	3	Vertical	51	1.70
5965MHz	Pass	PK	5.9689G	109.72	Inf	-Inf	3	Vertical	51	1.70
5965MHz	Pass	AV	11.93204G	40.18	54.00	-13.82	3	Vertical	134	3.00
5965MHz	Pass	PK	11.922G	53.86	74.00	-20.14	3	Vertical	134	3.00
5965MHz	Pass	AV	11.92972G	40.21	54.00	-13.79	3	Horizontal	158	2.65
5965MHz	Pass	PK	11.94844G	53.82	74.00	-20.18	3	Horizontal	158	2.65
6205MHz	Pass	AV	12.39444G	41.58	54.00	-12.42	3	Vertical	278	2.69
6205MHz	Pass	PK	12.40364G	54.97	74.00	-19.03	3	Vertical	278	2.69
6205MHz	Pass	AV	12.39188G	41.55	54.00	-12.45	3	Horizontal	213	1.42
6205MHz	Pass	PK	12.39388G	54.90	74.00	-19.10	3	Horizontal	213	1.42
6405MHz	Pass	AV	12.82956G	43.18	68.20	-25.02	3	Vertical	234	1.50
6405MHz	Pass	PK	12.81828G	56.39	88.20	-31.81	3	Vertical	234	1.50
6405MHz	Pass	AV	12.82972G	43.15	68.20	-25.05	3	Horizontal	148	1.96
6405MHz	Pass	PK	12.81508G	56.71	88.20	-31.49	3	Horizontal	148	1.96
6565MHz	Pass	AV	13.12476G	42.99	68.20	-25.21	3	Vertical	34	1.48
6565MHz	Pass	PK	13.11964G	57.12	88.20	-31.08	3	Vertical	34	1.48
6565MHz	Pass	AV	13.1288G	42.15	68.20	-26.05	3	Horizontal	73	1.50
6565MHz	Pass	PK	13.14752G	56.38	88.20	-31.82	3	Horizontal	73	1.50
6685MHz	Pass	AV	13.37528G	43.65	54.00	-10.35	3	Vertical	340	1.50
6685MHz	Pass	PK	13.38028G	56.91	74.00	-17.09	3	Vertical	340	1.50
6685MHz	Pass	AV	13.37208G	43.66	54.00	-10.34	3	Horizontal	306	1.83
6685MHz	Pass	PK	13.37244G	57.91	74.00	-16.09	3	Horizontal	306	1.83
6845MHz	Pass	AV	13.70604G	45.99	68.20	-22.21	3	Vertical	345	2.25
6845MHz	Pass	PK	13.7064G	60.67	88.20	-27.53	3	Vertical	345	2.25
6845MHz	Pass	AV	13.69616G	45.97	68.20	-22.23	3	Horizontal	157	2.11
6845MHz	Pass	PK	13.69236G	59.21	88.20	-28.99	3	Horizontal	157	2.11
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9235G	53.21	68.20	-14.99	3	Vertical	50	1.83
5985MHz	Pass	AV	5.995G	94.43	Inf	-Inf	3	Vertical	50	1.83
5985MHz	Pass	PK	5.9165G	72.88	88.20	-15.32	3	Vertical	50	1.83
5985MHz	Pass	PK	5.971G	107.28	Inf	-Inf	3	Vertical	50	1.83
5985MHz	Pass	AV	11.93184G	40.42	54.00	-13.58	3	Vertical	36	1.50
5985MHz	Pass	PK	11.95848G	53.89	74.00	-20.11	3	Vertical	36	1.50
5985MHz	Pass	AV	11.94232G	40.38	54.00	-13.62	3	Horizontal	41	2.38
5985MHz	Pass	PK	11.9908G	54.74	74.00	-19.26	3	Horizontal	41	2.38
6225MHz	Pass	AV	12.41688G	41.64	54.00	-12.36	3	Vertical	304	1.00
6225MHz	Pass	PK	12.476G	55.65	74.00	-18.35	3	Vertical	304	1.00
6225MHz	Pass	AV	12.41688G	41.60	54.00	-12.40	3	Horizontal	0	1.50
6225MHz	Pass	PK	12.41392G	54.99	74.00	-19.01	3	Horizontal	0	1.50
6385MHz	Pass	AV	12.80944G	43.01	68.20	-25.19	3	Vertical	332	1.50
6385MHz	Pass	PK	12.77328G	56.65	88.20	-31.55	3	Vertical	332	1.50
6385MHz	Pass	AV	12.80976G	43.02	68.20	-25.18	3	Horizontal	130	2.20
6385MHz	Pass	PK	12.79296G	57.37	88.20	-30.83	3	Horizontal	130	2.20
6625MHz	Pass	AV	13.26496G	43.27	54.00	-10.73	3	Vertical	66	1.50
6625MHz	Pass	PK	13.26984G	57.76	74.00	-16.24	3	Vertical	66	1.50
6625MHz	Pass	AV	13.28992G	43.25	54.00	-10.75	3	Horizontal	84	1.50
6625MHz	Pass	PK	13.23784G	56.93	88.20	-31.27	3	Horizontal	84	1.50
6705MHz	Pass	AV	13.37184G	43.89	54.00	-10.11	3	Vertical	223	1.50
6705MHz	Pass	PK	13.38144G	57.19	74.00	-16.81	3	Vertical	223	1.50
6705MHz	Pass	AV	13.37464G	43.97	54.00	-10.03	3	Horizontal	65	1.50
6705MHz	Pass	PK	13.37576G	57.14	74.00	-16.86	3	Horizontal	65	1.50
6785MHz	Pass	AV	13.53224G	43.03	68.20	-25.17	3	Vertical	0	1.50
6785MHz	Pass	PK	13.55832G	56.48	88.20	-31.72	3	Vertical	0	1.50
6785MHz	Pass	AV	13.53216G	43.03	68.20	-25.17	3	Horizontal	359	2.40
6785MHz	Pass	PK	13.54888G	55.79	88.20	-32.41	3	Horizontal	359	2.40
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.924G	53.01	68.20	-15.19	3	Vertical	200	1.76
6025MHz	Pass	AV	6G	91.10	Inf	-Inf	3	Vertical	200	1.76
6025MHz	Pass	PK	5.922G	68.91	88.20	-19.29	3	Vertical	200	1.76
6025MHz	Pass	PK	5.9745G	104.28	Inf	-Inf	3	Vertical	200	1.76
6025MHz	Pass	AV	12.13G	40.90	54.00	-13.10	3	Vertical	96	1.50
6025MHz	Pass	PK	12.04232G	53.81	74.00	-20.19	3	Vertical	96	1.50




RSE TX above 1GHz_Non-Beamforming_Radio 3_1T1S

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6025MHz	Pass	AV	12.08888G	40.84	54.00	-13.16	3	Horizontal	304	1.50
6025MHz	Pass	PK	12.12936G	54.60	74.00	-19.40	3	Horizontal	304	1.50
6185MHz	Pass	AV	12.34888G	42.38	54.00	-11.62	3	Vertical	177	1.59
6185MHz	Pass	PK	12.30728G	55.65	74.00	-18.35	3	Vertical	177	1.59
6185MHz	Pass	AV	12.34664G	42.37	54.00	-11.63	3	Horizontal	21	1.50
6185MHz	Pass	PK	12.31912G	55.66	74.00	-18.34	3	Horizontal	21	1.50
6345MHz	Pass	AV	12.76856G	42.95	68.20	-25.25	3	Vertical	131	1.50
6345MHz	Pass	PK	12.74488G	57.08	88.20	-31.12	3	Vertical	131	1.50
6345MHz	Pass	AV	12.76824G	42.90	68.20	-25.30	3	Horizontal	263	1.50
6345MHz	Pass	PK	12.74616G	56.57	88.20	-31.63	3	Horizontal	263	1.50
6665MHz	Pass	AV	13.37512G	43.90	54.00	-10.10	3	Vertical	111	1.44
6665MHz	Pass	PK	13.31128G	56.96	74.00	-17.04	3	Vertical	111	1.44
6665MHz	Pass	AV	13.37448G	43.91	54.00	-10.09	3	Horizontal	285	2.32
6665MHz	Pass	PK	13.362G	58.62	74.00	-15.38	3	Horizontal	285	2.32
802.11be EHT320_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.925G	52.06	68.20	-16.14	3	Vertical	215	1.74
6105MHz	Pass	AV	6.262G	83.96	Inf	-Inf	3	Vertical	215	1.74
6105MHz	Pass	PK	5.925G	68.36	88.20	-19.84	3	Vertical	215	1.74
6105MHz	Pass	PK	6.252G	102.57	Inf	-Inf	3	Vertical	215	1.74
6105MHz	Pass	AV	12.34856G	42.29	54.00	-11.71	3	Vertical	332	1.50
6105MHz	Pass	PK	12.31304G	55.17	74.00	-18.83	3	Vertical	332	1.50
6105MHz	Pass	AV	12.34856G	42.28	54.00	-11.72	3	Horizontal	170	1.76
6105MHz	Pass	PK	12.27336G	56.35	74.00	-17.65	3	Horizontal	170	1.76
6265MHz	Pass	AV	12.68872G	42.28	54.00	-11.72	3	Vertical	289	1.50
6265MHz	Pass	PK	12.68808G	55.37	74.00	-18.63	3	Vertical	289	1.50
6265MHz	Pass	AV	12.53G	42.29	54.00	-11.71	3	Horizontal	82	1.50
6265MHz	Pass	PK	12.53592G	55.30	74.00	-18.70	3	Horizontal	82	1.50


5.925-6.425GHz_802.11a_Nss1,(6Mbps)_1TX

6195MHz_TX




5.925-6.425GHz_802.11a_Nss1,(6Mbps)_1TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6205MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6205MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6225MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6225MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6185MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6185MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_1TX

6695MHz_TX




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_1TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6705MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6705MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6665MHz_TX



6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6665MHz_TX



**Summary**


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	PK	41.64M	36.63	40.00	-3.37	3	Vertical	360	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6185MHz	Pass	PK	41.64M	36.63	40.00	-3.37	3	Vertical	360	1.00
6185MHz	Pass	PK	113.42M	27.97	43.50	-15.53	3	Vertical	360	1.00
6185MHz	Pass	PK	249.22M	27.93	46.00	-18.07	3	Vertical	360	1.00
6185MHz	Pass	PK	371.44M	27.32	46.00	-18.68	3	Vertical	360	1.00
6185MHz	Pass	PK	495.6M	30.14	46.00	-15.86	3	Vertical	360	1.00
6185MHz	Pass	PK	598.42M	33.37	46.00	-12.63	3	Vertical	360	1.00
6185MHz	Pass	PK	30M	26.81	40.00	-13.19	3	Horizontal	0	1.00
6185MHz	Pass	PK	177.44M	29.81	43.50	-13.69	3	Horizontal	0	1.00
6185MHz	Pass	PK	249.22M	31.52	46.00	-14.48	3	Horizontal	0	1.00
6185MHz	Pass	PK	350.1M	27.97	46.00	-18.03	3	Horizontal	0	1.00
6185MHz	Pass	PK	458.74M	29.53	46.00	-16.47	3	Horizontal	0	1.00
6185MHz	Pass	PK	544.1M	31.72	46.00	-14.28	3	Horizontal	0	1.00


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_Adapter



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_Adapter



**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	12.39184G	41.53	54.00	-12.47	3	Vertical	241	1.15
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	12.39214G	41.54	54.00	-12.46	3	Horizontal	329	2.97
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	12.39176G	41.66	54.00	-12.34	3	Vertical	348	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.923G	56.17	68.20	-12.03	3	Vertical	23	1.75
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	5.923G	56.66	68.20	-11.54	3	Vertical	20	1.68
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	AV	12.34856G	42.28	54.00	-11.72	3	Vertical	349	2.58
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	13.38782G	43.67	54.00	-10.33	3	Vertical	52	1.50
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	13.39246G	43.67	54.00	-10.33	3	Vertical	263	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	13.37464G	43.91	54.00	-10.09	3	Vertical	130	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	13.37456G	44.01	54.00	-9.99	3	Horizontal	48	1.73
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	13.37448G	44.05	54.00	-9.95	3	Horizontal	141	2.90

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.925G	47.67	68.20	-20.53	3	Vertical	20	1.70
5955MHz	Pass	AV	5.9613G	104.08	Inf	-Inf	3	Vertical	20	1.70
5955MHz	Pass	PK	5.9232G	63.21	88.20	-24.99	3	Vertical	20	1.70
5955MHz	Pass	PK	5.9559G	114.65	Inf	-Inf	3	Vertical	20	1.70
5955MHz	Pass	AV	11.9043G	39.95	54.00	-14.05	3	Vertical	291	1.25
5955MHz	Pass	PK	11.90284G	53.99	74.00	-20.01	3	Vertical	291	1.25
5955MHz	Pass	AV	11.90142G	39.98	54.00	-14.02	3	Horizontal	159	1.49
5955MHz	Pass	PK	11.9088G	53.70	74.00	-20.30	3	Horizontal	159	1.49
6195MHz	Pass	AV	12.39184G	41.53	54.00	-12.47	3	Vertical	241	1.15
6195MHz	Pass	PK	12.38288G	55.10	74.00	-18.90	3	Vertical	241	1.15
6195MHz	Pass	AV	12.39202G	41.53	54.00	-12.47	3	Horizontal	126	1.46
6195MHz	Pass	PK	12.3822G	55.37	74.00	-18.63	3	Horizontal	126	1.46
6415MHz	Pass	AV	12.83238G	43.20	68.20	-25.00	3	Vertical	262	1.50
6415MHz	Pass	PK	12.82982G	56.81	88.20	-31.39	3	Vertical	262	1.50
6415MHz	Pass	AV	12.83278G	43.19	68.20	-25.01	3	Horizontal	253	1.50
6415MHz	Pass	PK	12.83546G	57.36	88.20	-30.84	3	Horizontal	253	1.50
6535MHz	Pass	AV	13.06906G	44.79	68.20	-23.41	3	Vertical	35	1.50
6535MHz	Pass	PK	13.0639G	58.52	88.20	-29.68	3	Vertical	35	1.50
6535MHz	Pass	AV	13.06938G	42.87	68.20	-25.33	3	Horizontal	208	1.07
6535MHz	Pass	PK	13.06542G	56.58	88.20	-31.62	3	Horizontal	208	1.07
6695MHz	Pass	AV	13.38782G	43.67	54.00	-10.33	3	Vertical	52	1.50
6695MHz	Pass	PK	13.38902G	57.43	74.00	-16.57	3	Vertical	52	1.50
6695MHz	Pass	AV	13.39276G	43.61	54.00	-10.39	3	Horizontal	248	1.50
6695MHz	Pass	PK	13.39894G	57.42	74.00	-16.58	3	Horizontal	248	1.50
6855MHz	Pass	AV	13.70098G	45.79	68.20	-22.41	3	Vertical	213	1.06
6855MHz	Pass	PK	13.71346G	59.41	88.20	-28.79	3	Vertical	213	1.06
6855MHz	Pass	AV	13.70366G	45.80	68.20	-22.40	3	Horizontal	135	1.50
6855MHz	Pass	PK	13.71976G	59.80	88.20	-28.40	3	Horizontal	135	1.50
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9232G	52.31	68.20	-15.89	3	Vertical	20	1.80
5955MHz	Pass	AV	5.9634G	103.11	Inf	-Inf	3	Vertical	20	1.80
5955MHz	Pass	PK	5.9232G	69.15	88.20	-19.05	3	Vertical	20	1.80
5955MHz	Pass	PK	5.9631G	115.09	Inf	-Inf	3	Vertical	20	1.80
5955MHz	Pass	AV	11.9019G	40.46	54.00	-13.54	3	Vertical	10	1.50
5955MHz	Pass	PK	11.91568G	53.96	74.00	-20.04	3	Vertical	10	1.50
5955MHz	Pass	AV	11.90148G	40.51	54.00	-13.49	3	Horizontal	75	1.50
5955MHz	Pass	PK	11.90926G	54.10	74.00	-19.90	3	Horizontal	75	1.50
6195MHz	Pass	AV	12.39184G	41.50	54.00	-12.50	3	Vertical	321	1.50
6195MHz	Pass	PK	12.39188G	55.87	74.00	-18.13	3	Vertical	321	1.50
6195MHz	Pass	AV	12.39214G	41.54	54.00	-12.46	3	Horizontal	329	2.97
6195MHz	Pass	PK	12.39334G	55.54	74.00	-18.46	3	Horizontal	329	2.97
6415MHz	Pass	AV	12.83066G	43.58	68.20	-24.62	3	Vertical	149	1.05
6415MHz	Pass	PK	12.83398G	57.26	88.20	-30.94	3	Vertical	149	1.05
6415MHz	Pass	AV	12.83256G	43.34	68.20	-24.86	3	Horizontal	288	2.62
6415MHz	Pass	PK	12.83362G	57.76	88.20	-30.44	3	Horizontal	288	2.62
6535MHz	Pass	AV	13.06996G	46.20	68.20	-22.00	3	Vertical	35	1.24
6535MHz	Pass	PK	13.06756G	59.47	88.20	-28.73	3	Vertical	35	1.24
6535MHz	Pass	AV	13.0683G	42.93	68.20	-25.27	3	Horizontal	186	2.76
6535MHz	Pass	PK	13.0673G	57.08	88.20	-31.12	3	Horizontal	186	2.76
6695MHz	Pass	AV	13.39246G	43.67	54.00	-10.33	3	Vertical	263	1.50
6695MHz	Pass	PK	13.38594G	57.41	74.00	-16.59	3	Vertical	263	1.50
6695MHz	Pass	AV	13.39272G	43.64	54.00	-10.36	3	Horizontal	140	1.50
6695MHz	Pass	PK	13.38772G	58.57	74.00	-15.43	3	Horizontal	140	1.50
6855MHz	Pass	AV	13.70626G	45.80	68.20	-22.40	3	Vertical	195	1.27
6855MHz	Pass	PK	13.71062G	59.64	88.20	-28.56	3	Vertical	195	1.27
6855MHz	Pass	AV	13.70114G	45.79	68.20	-22.41	3	Horizontal	78	2.24
6855MHz	Pass	PK	13.70614G	59.50	88.20	-28.70	3	Horizontal	78	2.24
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9236G	50.67	68.20	-17.53	3	Vertical	24	1.76
5965MHz	Pass	AV	5.9707G	100.39	Inf	-Inf	3	Vertical	24	1.76

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5965MHz	Pass	PK	5.9224G	75.38	88.20	-12.82	3	Vertical	24	1.76
5965MHz	Pass	PK	5.968G	112.49	Inf	-Inf	3	Vertical	24	1.76
5965MHz	Pass	AV	11.92988G	40.60	54.00	-13.40	3	Vertical	192	1.50
5965MHz	Pass	PK	11.93036G	53.92	74.00	-20.08	3	Vertical	192	1.50
5965MHz	Pass	AV	11.92716G	40.57	54.00	-13.43	3	Horizontal	14	1.41
5965MHz	Pass	PK	11.93504G	53.84	74.00	-20.16	3	Horizontal	14	1.41
6205MHz	Pass	AV	12.39176G	41.66	54.00	-12.34	3	Vertical	348	1.50
6205MHz	Pass	PK	12.40836G	55.38	74.00	-18.62	3	Vertical	348	1.50
6205MHz	Pass	AV	12.39184G	41.66	54.00	-12.34	3	Horizontal	37	1.50
6205MHz	Pass	PK	12.412G	55.86	74.00	-18.14	3	Horizontal	37	1.50
6405MHz	Pass	AV	12.82996G	43.27	68.20	-24.93	3	Vertical	282	1.50
6405MHz	Pass	PK	12.82524G	56.88	88.20	-31.32	3	Vertical	282	1.50
6405MHz	Pass	AV	12.83G	43.27	68.20	-24.93	3	Horizontal	299	1.18
6405MHz	Pass	PK	12.82932G	57.35	88.20	-30.85	3	Horizontal	299	1.18
6565MHz	Pass	AV	13.12952G	43.65	68.20	-24.55	3	Vertical	35	1.24
6565MHz	Pass	PK	13.13232G	56.85	88.20	-31.35	3	Vertical	35	1.24
6565MHz	Pass	AV	13.12696G	42.50	68.20	-25.70	3	Horizontal	99	2.54
6565MHz	Pass	PK	13.12704G	56.51	88.20	-31.69	3	Horizontal	99	2.54
6685MHz	Pass	AV	13.37464G	43.91	54.00	-10.09	3	Vertical	130	1.50
6685MHz	Pass	PK	13.37548G	57.97	74.00	-16.03	3	Vertical	130	1.50
6685MHz	Pass	AV	13.37472G	43.88	54.00	-10.12	3	Horizontal	313	1.50
6685MHz	Pass	PK	13.35856G	57.75	74.00	-16.25	3	Horizontal	313	1.50
6845MHz	Pass	AV	13.69844G	45.92	68.20	-22.28	3	Vertical	62	1.50
6845MHz	Pass	PK	13.70604G	59.95	88.20	-28.25	3	Vertical	62	1.50
6845MHz	Pass	AV	13.7006G	45.91	68.20	-22.29	3	Horizontal	320	1.07
6845MHz	Pass	PK	13.6872G	59.75	88.20	-28.45	3	Horizontal	320	1.07
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.923G	56.17	68.20	-12.03	3	Vertical	23	1.75
5985MHz	Pass	AV	5.9955G	97.84	Inf	-Inf	3	Vertical	23	1.75
5985MHz	Pass	PK	5.922G	74.22	88.20	-13.98	3	Vertical	23	1.75
5985MHz	Pass	PK	5.9655G	109.79	Inf	-Inf	3	Vertical	23	1.75
5985MHz	Pass	AV	11.93G	40.49	54.00	-13.51	3	Vertical	257	2.73
5985MHz	Pass	PK	11.9912G	53.92	74.00	-20.08	3	Vertical	257	2.73
5985MHz	Pass	AV	11.93208G	40.53	54.00	-13.47	3	Horizontal	161	1.50
5985MHz	Pass	PK	12.00392G	54.50	74.00	-19.50	3	Horizontal	161	1.50
6225MHz	Pass	AV	12.41944G	41.63	54.00	-12.37	3	Vertical	0	1.50
6225MHz	Pass	PK	12.42752G	55.17	74.00	-18.83	3	Vertical	0	1.50
6225MHz	Pass	AV	12.41696G	41.63	54.00	-12.37	3	Horizontal	305	1.50
6225MHz	Pass	PK	12.41872G	55.25	74.00	-18.75	3	Horizontal	305	1.50
6385MHz	Pass	AV	12.80992G	43.05	68.20	-25.15	3	Vertical	0	1.50
6385MHz	Pass	PK	12.794G	56.72	88.20	-31.48	3	Vertical	0	1.50
6385MHz	Pass	AV	12.80952G	43.08	68.20	-25.12	3	Horizontal	220	1.50
6385MHz	Pass	PK	12.76G	56.77	88.20	-31.43	3	Horizontal	220	1.50
6625MHz	Pass	AV	13.28984G	43.28	54.00	-10.72	3	Vertical	44	3.00
6625MHz	Pass	PK	13.26768G	56.87	74.00	-17.13	3	Vertical	44	3.00
6625MHz	Pass	AV	13.28968G	43.29	54.00	-10.71	3	Horizontal	198	1.50
6625MHz	Pass	PK	13.2648G	57.29	74.00	-16.71	3	Horizontal	198	1.50
6705MHz	Pass	AV	13.37456G	43.99	54.00	-10.01	3	Vertical	268	1.52
6705MHz	Pass	PK	13.44232G	57.23	88.20	-30.97	3	Vertical	268	1.52
6705MHz	Pass	AV	13.37456G	44.01	54.00	-9.99	3	Horizontal	48	1.73
6705MHz	Pass	PK	13.38648G	58.11	74.00	-15.89	3	Horizontal	48	1.73
6785MHz	Pass	AV	13.53G	43.14	68.20	-25.06	3	Vertical	158	2.25
6785MHz	Pass	PK	13.56744G	56.39	88.20	-31.81	3	Vertical	158	2.25
6785MHz	Pass	AV	13.53G	43.14	68.20	-25.06	3	Horizontal	335	1.50
6785MHz	Pass	PK	13.54272G	56.84	88.20	-31.36	3	Horizontal	335	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.923G	56.66	68.20	-11.54	3	Vertical	20	1.68
6025MHz	Pass	AV	6.0005G	95.53	Inf	-Inf	3	Vertical	20	1.68
6025MHz	Pass	PK	5.923G	71.74	88.20	-16.46	3	Vertical	20	1.68
6025MHz	Pass	PK	6.0455G	109.01	Inf	-Inf	3	Vertical	20	1.68
6025MHz	Pass	AV	12.12904G	40.48	54.00	-13.52	3	Vertical	7	2.40
6025MHz	Pass	PK	12.13064G	53.94	74.00	-20.06	3	Vertical	7	2.40




RSE TX above 1GHz_Non-Beamforming_Radio 3_2T1S

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6025MHz	Pass	AV	12.12968G	40.51	54.00	-13.49	3	Horizontal	284	1.50
6025MHz	Pass	PK	12.14024G	53.93	74.00	-20.07	3	Horizontal	284	1.50
6185MHz	Pass	AV	12.35176G	42.25	54.00	-11.75	3	Vertical	95	2.92
6185MHz	Pass	PK	12.37096G	55.30	74.00	-18.70	3	Vertical	95	2.92
6185MHz	Pass	AV	12.35096G	42.26	54.00	-11.74	3	Horizontal	270	1.79
6185MHz	Pass	PK	12.354G	55.24	74.00	-18.76	3	Horizontal	270	1.79
6345MHz	Pass	AV	12.76568G	42.82	68.20	-25.38	3	Vertical	92	2.97
6345MHz	Pass	PK	12.73368G	55.97	88.20	-32.23	3	Vertical	92	2.97
6345MHz	Pass	AV	12.76824G	42.88	68.20	-25.32	3	Horizontal	215	1.50
6345MHz	Pass	PK	12.76984G	56.10	88.20	-32.10	3	Horizontal	215	1.50
6665MHz	Pass	AV	13.32512G	44.00	54.00	-10.00	3	Vertical	317	1.50
6665MHz	Pass	PK	13.31912G	57.37	74.00	-16.63	3	Vertical	317	1.50
6665MHz	Pass	AV	13.37448G	44.05	54.00	-9.95	3	Horizontal	141	2.90
6665MHz	Pass	PK	13.3532G	57.28	74.00	-16.72	3	Horizontal	141	2.90
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.923G	52.91	68.20	-15.29	3	Vertical	209	1.72
6105MHz	Pass	AV	6.248G	94.16	Inf	-Inf	3	Vertical	209	1.72
6105MHz	Pass	PK	5.921G	64.91	88.20	-23.29	3	Vertical	209	1.72
6105MHz	Pass	PK	6.208G	105.68	Inf	-Inf	3	Vertical	209	1.72
6105MHz	Pass	AV	12.34856G	42.28	54.00	-11.72	3	Vertical	349	2.58
6105MHz	Pass	PK	12.34024G	55.71	74.00	-18.29	3	Vertical	349	2.58
6105MHz	Pass	AV	12.35112G	42.20	54.00	-11.80	3	Horizontal	329	1.49
6105MHz	Pass	PK	12.34544G	55.60	74.00	-18.40	3	Horizontal	329	1.49
6265MHz	Pass	AV	12.69G	42.26	54.00	-11.74	3	Vertical	198	2.52
6265MHz	Pass	PK	12.65256G	55.67	74.00	-18.33	3	Vertical	198	2.52
6265MHz	Pass	AV	12.67848G	42.23	54.00	-11.77	3	Horizontal	3	1.50
6265MHz	Pass	PK	12.66576G	56.02	74.00	-17.98	3	Horizontal	3	1.50


5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

6195MHz_TX




5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

6695MHz_TX




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX



6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	13.37448G	44.05	54.00	-9.95	20.24	3	Horizontal	141	2.90	23.81	40.00	12.66	32.42				
PK	13.3532G	57.28	74.00	-16.72	20.23	3	Horizontal	141	2.90	37.05	40.00	12.66	32.43				



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	PK	37.76M	35.92	40.00	-4.08	3	Vertical	360	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6185MHz	Pass	PK	37.76M	35.92	40.00	-4.08	3	Vertical	360	1.00
6185MHz	Pass	PK	90.14M	27.46	43.50	-16.04	3	Vertical	360	1.00
6185MHz	Pass	PK	249.22M	27.75	46.00	-18.25	3	Vertical	360	1.00
6185MHz	Pass	PK	355.92M	27.11	46.00	-18.89	3	Vertical	360	1.00
6185MHz	Pass	PK	431.58M	30.56	46.00	-15.44	3	Vertical	360	1.00
6185MHz	Pass	PK	594.54M	33.35	46.00	-12.65	3	Vertical	360	1.00
6185MHz	Pass	PK	30M	26.84	40.00	-13.16	3	Horizontal	0	1.00
6185MHz	Pass	PK	175.5M	29.68	43.50	-13.82	3	Horizontal	0	1.00
6185MHz	Pass	PK	249.22M	30.46	46.00	-15.54	3	Horizontal	0	1.00
6185MHz	Pass	PK	355.92M	27.35	46.00	-18.65	3	Horizontal	0	1.00
6185MHz	Pass	PK	472.32M	30.53	46.00	-15.47	3	Horizontal	0	1.00
6185MHz	Pass	PK	546.04M	31.92	46.00	-14.08	3	Horizontal	0	1.00


5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6185MHz_Adapter



5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6185MHz_Adapter



**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	12.38152G	43.10	54.00	-10.90	3	Vertical	30	1.50
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	12.40072G	43.26	54.00	-10.74	3	Vertical	117	1.00
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	12.47128G	43.37	54.00	-10.63	3	Horizontal	201	1.50
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	AV	12.69392G	44.46	54.00	-9.54	3	Horizontal	268	1.50
802.11be EHT320_Nss2,(MCS0)_2TX	Pass	AV	12.53488G	43.92	54.00	-10.08	3	Vertical	185	1.50
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	13.39752G	45.32	54.00	-8.68	3	Vertical	261	1.50
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	13.37248G	45.50	54.00	-8.50	3	Vertical	196	2.54
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	13.25056G	44.96	54.00	-9.04	3	Vertical	212	1.50
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	AV	13.37592G	45.58	54.00	-8.42	3	Vertical	355	2.27

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9247G	56.78	68.20	-11.42	3	Vertical	224	1.86
5955MHz	Pass	AV	5.9595G	103.81	Inf	-Inf	3	Vertical	224	1.86
5955MHz	Pass	PK	5.925G	72.77	88.20	-15.43	3	Vertical	224	1.86
5955MHz	Pass	PK	5.9631G	116.96	Inf	-Inf	3	Vertical	224	1.86
5955MHz	Pass	AV	11.90304G	42.05	54.00	-11.95	3	Vertical	51	1.50
5955MHz	Pass	PK	11.90127G	55.42	74.00	-18.58	3	Vertical	51	1.50
5955MHz	Pass	AV	11.895G	42.04	54.00	-11.96	3	Horizontal	329	2.55
5955MHz	Pass	PK	11.92185G	55.64	74.00	-18.36	3	Horizontal	329	2.55
6195MHz	Pass	AV	12.38152G	43.10	54.00	-10.90	3	Vertical	30	1.50
6195MHz	Pass	PK	12.39662G	56.87	74.00	-17.13	3	Vertical	30	1.50
6195MHz	Pass	AV	12.39932G	43.08	54.00	-10.92	3	Horizontal	177	1.50
6195MHz	Pass	PK	12.38258G	56.86	74.00	-17.14	3	Horizontal	177	1.50
6415MHz	Pass	AV	12.83828G	44.74	68.20	-23.46	3	Vertical	304	2.75
6415MHz	Pass	PK	12.83726G	58.44	88.20	-29.76	3	Vertical	304	2.75
6415MHz	Pass	AV	12.83658G	44.75	68.20	-23.45	3	Horizontal	61	1.50
6415MHz	Pass	PK	12.8359G	58.84	88.20	-29.36	3	Horizontal	61	1.50
6535MHz	Pass	AV	13.06956G	48.26	68.20	-19.94	3	Vertical	31	1.30
6535MHz	Pass	PK	13.06872G	62.77	88.20	-25.43	3	Vertical	31	1.30
6535MHz	Pass	AV	13.06854G	45.18	68.20	-23.02	3	Horizontal	185	1.33
6535MHz	Pass	PK	13.07214G	59.09	88.20	-29.11	3	Horizontal	185	1.33
6695MHz	Pass	AV	13.39752G	45.32	54.00	-8.68	3	Vertical	261	1.50
6695MHz	Pass	PK	13.3901G	59.73	74.00	-14.27	3	Vertical	261	1.50
6695MHz	Pass	AV	13.39776G	45.31	54.00	-8.69	3	Horizontal	360	1.85
6695MHz	Pass	PK	13.39754G	59.95	74.00	-14.05	3	Horizontal	360	1.85
6855MHz	Pass	AV	13.70186G	47.31	68.20	-20.89	3	Vertical	19	1.50
6855MHz	Pass	PK	13.7126G	61.55	88.20	-26.65	3	Vertical	19	1.50
6855MHz	Pass	AV	13.70162G	47.34	68.20	-20.86	3	Horizontal	242	1.97
6855MHz	Pass	PK	13.717G	61.07	88.20	-27.13	3	Horizontal	242	1.97
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9248G	48.52	68.20	-19.68	3	Vertical	218	1.70
5965MHz	Pass	AV	5.9731G	97.59	Inf	-Inf	3	Vertical	218	1.70
5965MHz	Pass	PK	5.9212G	68.61	88.20	-19.59	3	Vertical	218	1.70
5965MHz	Pass	PK	5.9746G	109.85	Inf	-Inf	3	Vertical	218	1.70
5965MHz	Pass	AV	11.94776G	42.18	54.00	-11.82	3	Vertical	0	2.87
5965MHz	Pass	PK	11.94144G	56.46	74.00	-17.54	3	Vertical	0	2.87
5965MHz	Pass	AV	11.94892G	42.17	54.00	-11.83	3	Horizontal	270	1.50
5965MHz	Pass	PK	11.936G	55.36	74.00	-18.64	3	Horizontal	270	1.50
6205MHz	Pass	AV	12.40072G	43.26	54.00	-10.74	3	Vertical	117	1.00
6205MHz	Pass	PK	12.39904G	56.83	74.00	-17.17	3	Vertical	117	1.00
6205MHz	Pass	AV	12.39844G	43.24	54.00	-10.76	3	Horizontal	252	1.50
6205MHz	Pass	PK	12.41496G	57.55	74.00	-16.45	3	Horizontal	252	1.50
6405MHz	Pass	AV	12.82264G	44.76	68.20	-23.44	3	Vertical	343	1.50
6405MHz	Pass	PK	12.82392G	58.18	88.20	-30.02	3	Vertical	343	1.50
6405MHz	Pass	AV	12.82756G	44.76	68.20	-23.44	3	Horizontal	205	1.34
6405MHz	Pass	PK	12.81176G	58.29	88.20	-29.91	3	Horizontal	205	1.34
6565MHz	Pass	AV	13.11848G	45.21	68.20	-22.99	3	Vertical	31	1.41
6565MHz	Pass	PK	13.12172G	58.27	88.20	-29.93	3	Vertical	31	1.41
6565MHz	Pass	AV	13.11904G	44.43	68.20	-23.77	3	Horizontal	298	2.66
6565MHz	Pass	PK	13.14904G	58.22	88.20	-29.98	3	Horizontal	298	2.66
6685MHz	Pass	AV	13.37248G	45.50	54.00	-8.50	3	Vertical	196	2.54
6685MHz	Pass	PK	13.37432G	59.51	74.00	-14.49	3	Vertical	196	2.54
6685MHz	Pass	AV	13.37736G	45.47	54.00	-8.53	3	Horizontal	44	2.76
6685MHz	Pass	PK	13.36772G	59.02	74.00	-14.98	3	Horizontal	44	2.76
6845MHz	Pass	AV	13.6712G	47.47	68.20	-20.73	3	Vertical	328	1.50
6845MHz	Pass	PK	13.69808G	60.91	88.20	-27.29	3	Vertical	328	1.50
6845MHz	Pass	AV	13.7014G	47.48	68.20	-20.72	3	Horizontal	30	1.50
6845MHz	Pass	PK	13.7066G	61.19	88.20	-27.01	3	Horizontal	30	1.50
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9245G	50.50	68.20	-17.70	3	Vertical	219	1.71
5985MHz	Pass	AV	5.9755G	95.05	Inf	-Inf	3	Vertical	219	1.71

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5985MHz	Pass	PK	5.9205G	73.80	88.20	-14.40	3	Vertical	219	1.71
5985MHz	Pass	PK	5.9745G	107.43	Inf	-Inf	3	Vertical	219	1.71
5985MHz	Pass	AV	12.0048G	42.42	54.00	-11.58	3	Vertical	157	1.57
5985MHz	Pass	PK	11.94712G	55.82	74.00	-18.18	3	Vertical	157	1.57
5985MHz	Pass	AV	12.00464G	42.46	54.00	-11.54	3	Horizontal	144	1.83
5985MHz	Pass	PK	11.93088G	55.77	74.00	-18.23	3	Horizontal	144	1.83
6225MHz	Pass	AV	12.46864G	43.35	54.00	-10.65	3	Vertical	320	1.50
6225MHz	Pass	PK	12.44328G	56.67	74.00	-17.33	3	Vertical	320	1.50
6225MHz	Pass	AV	12.47128G	43.37	54.00	-10.63	3	Horizontal	201	1.50
6225MHz	Pass	PK	12.46152G	57.28	74.00	-16.72	3	Horizontal	201	1.50
6385MHz	Pass	AV	12.79192G	44.59	68.20	-23.61	3	Vertical	102	3.00
6385MHz	Pass	PK	12.73024G	58.09	88.20	-30.11	3	Vertical	102	3.00
6385MHz	Pass	AV	12.792G	44.61	68.20	-23.59	3	Horizontal	251	1.50
6385MHz	Pass	PK	12.76976G	57.89	88.20	-30.31	3	Horizontal	251	1.50
6625MHz	Pass	AV	13.25056G	44.96	54.00	-9.04	3	Vertical	212	1.50
6625MHz	Pass	PK	13.27328G	57.91	74.00	-16.09	3	Vertical	212	1.50
6625MHz	Pass	AV	13.26616G	44.90	54.00	-9.10	3	Horizontal	288	1.39
6625MHz	Pass	PK	13.25312G	58.13	74.00	-15.87	3	Horizontal	288	1.39
6705MHz	Pass	AV	13.44928G	45.65	68.20	-22.55	3	Vertical	100	1.82
6705MHz	Pass	PK	13.37648G	58.71	74.00	-15.29	3	Vertical	100	1.82
6705MHz	Pass	AV	13.44888G	45.65	68.20	-22.55	3	Horizontal	119	2.61
6705MHz	Pass	PK	13.3972G	58.92	74.00	-15.08	3	Horizontal	119	2.61
6785MHz	Pass	AV	13.53024G	45.49	68.20	-22.71	3	Vertical	14	1.00
6785MHz	Pass	PK	13.5316G	59.19	88.20	-29.01	3	Vertical	14	1.00
6785MHz	Pass	AV	13.5504G	45.51	68.20	-22.69	3	Horizontal	111	1.49
6785MHz	Pass	PK	13.59384G	58.70	88.20	-29.50	3	Horizontal	111	1.49
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.925G	53.02	68.20	-15.18	3	Vertical	13	1.74
6025MHz	Pass	AV	6.0035G	93.82	Inf	-Inf	3	Vertical	13	1.74
6025MHz	Pass	PK	5.9205G	71.02	88.20	-17.18	3	Vertical	13	1.74
6025MHz	Pass	PK	5.969G	106.75	Inf	-Inf	3	Vertical	13	1.74
6025MHz	Pass	AV	12.05032G	42.71	54.00	-11.29	3	Vertical	310	3.00
6025MHz	Pass	PK	12.06104G	55.54	74.00	-18.46	3	Vertical	310	3.00
6025MHz	Pass	AV	12.04536G	42.67	54.00	-11.33	3	Horizontal	78	1.56
6025MHz	Pass	PK	12.11336G	55.34	74.00	-18.66	3	Horizontal	78	1.56
6185MHz	Pass	AV	12.35064G	43.82	54.00	-10.18	3	Vertical	287	1.50
6185MHz	Pass	PK	12.35464G	57.07	74.00	-16.93	3	Vertical	287	1.50
6185MHz	Pass	AV	12.35048G	43.81	54.00	-10.19	3	Horizontal	219	1.50
6185MHz	Pass	PK	12.3508G	56.96	74.00	-17.04	3	Horizontal	219	1.50
6345MHz	Pass	AV	12.76648G	44.46	68.20	-23.74	3	Vertical	22	1.50
6345MHz	Pass	PK	12.75352G	57.51	88.20	-30.69	3	Vertical	22	1.50
6345MHz	Pass	AV	12.69392G	44.46	54.00	-9.54	3	Horizontal	268	1.50
6345MHz	Pass	PK	12.6988G	57.68	74.00	-16.32	3	Horizontal	268	1.50
6665MHz	Pass	AV	13.37592G	45.58	54.00	-8.42	3	Vertical	355	2.27
6665MHz	Pass	PK	13.4052G	58.88	88.20	-29.32	3	Vertical	355	2.27
6665MHz	Pass	AV	13.37464G	45.58	54.00	-8.42	3	Horizontal	47	1.50
6665MHz	Pass	PK	13.4004G	59.06	88.20	-29.14	3	Horizontal	47	1.50
802.11be EHT320_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.924G	53.84	68.20	-14.36	3	Vertical	202	1.50
6105MHz	Pass	AV	6.246G	92.26	Inf	-Inf	3	Vertical	202	1.50
6105MHz	Pass	PK	5.922G	65.88	88.20	-22.32	3	Vertical	202	1.50
6105MHz	Pass	PK	6.261G	103.76	Inf	-Inf	3	Vertical	202	1.50
6105MHz	Pass	AV	12.35496G	43.85	54.00	-10.15	3	Vertical	26	1.50
6105MHz	Pass	PK	12.31144G	56.94	74.00	-17.06	3	Vertical	26	1.50
6105MHz	Pass	AV	12.35496G	43.85	54.00	-10.15	3	Horizontal	72	1.32
6105MHz	Pass	PK	12.314G	57.82	74.00	-16.18	3	Horizontal	72	1.32
6265MHz	Pass	AV	12.53488G	43.92	54.00	-10.08	3	Vertical	185	1.50
6265MHz	Pass	PK	12.53712G	57.12	74.00	-16.88	3	Vertical	185	1.50
6265MHz	Pass	AV	12.68552G	43.92	54.00	-10.08	3	Horizontal	326	1.50
6265MHz	Pass	PK	12.68584G	57.56	74.00	-16.44	3	Horizontal	326	1.50
6425MHz	Pass	AV	12.85208G	45.07	68.20	-23.13	3	Vertical	132	1.50
6425MHz	Pass	PK	12.85624G	59.31	88.20	-28.89	3	Vertical	132	1.50




RSE TX above 1GHz_Non-Beamforming_Radio 3_2T2S

Appendix E.10

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6425MHz	Pass	AV	12.95208G	45.04	68.20	-23.16	3	Horizontal	88	2.49
6425MHz	Pass	PK	12.92424G	58.05	88.20	-30.15	3	Horizontal	88	2.49


5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6205MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6205MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6225MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6225MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6345MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6345MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6265MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6265MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6665MHz_TX



6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6665MHz_TX



**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	12.37G	43.97	54.00	-10.03	3	Vertical	63	2.26
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	PK	5.9134G	84.48	88.20	-3.72	3	Vertical	21	1.75
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.925G	60.10	68.20	-8.10	3	Vertical	20	1.43
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	5.924G	67.38	68.20	-0.82	3	Vertical	221	1.74
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	AV	5.925G	59.47	68.20	-8.73	3	Vertical	40	1.91
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	13.39G	45.72	54.00	-8.28	3	Vertical	235	2.64
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	13.37324G	45.99	54.00	-8.01	3	Vertical	111	1.47
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	13.39808G	45.80	54.00	-8.20	3	Horizontal	79	1.89
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	13.37464G	45.96	54.00	-8.04	3	Vertical	31	3.00


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9244G	50.67	68.20	-17.53	3	Vertical	20	1.50
5955MHz	Pass	AV	5.9622G	105.86	Inf	-Inf	3	Vertical	20	1.50
5955MHz	Pass	PK	5.9238G	67.99	88.20	-20.21	3	Vertical	20	1.50
5955MHz	Pass	PK	5.9622G	117.66	Inf	-Inf	3	Vertical	20	1.50
5955MHz	Pass	AV	11.90028G	42.61	54.00	-11.39	3	Vertical	192	1.21
5955MHz	Pass	PK	11.89912G	55.86	74.00	-18.14	3	Vertical	192	1.21
5955MHz	Pass	AV	11.8924G	42.61	54.00	-11.39	3	Horizontal	294	1.29
5955MHz	Pass	PK	11.9206G	55.45	74.00	-18.55	3	Horizontal	294	1.29
6195MHz	Pass	AV	12.37G	43.97	54.00	-10.03	3	Vertical	63	2.26
6195MHz	Pass	PK	12.39364G	57.89	74.00	-16.11	3	Vertical	63	2.26
6195MHz	Pass	AV	12.37088G	43.93	54.00	-10.07	3	Horizontal	192	1.05
6195MHz	Pass	PK	12.39392G	57.74	74.00	-16.26	3	Horizontal	192	1.05
6415MHz	Pass	AV	12.83044G	45.33	68.20	-22.87	3	Vertical	3	1.58
6415MHz	Pass	PK	12.8204G	59.05	88.20	-29.15	3	Vertical	3	1.58
6415MHz	Pass	AV	12.82384G	45.21	68.20	-22.99	3	Horizontal	82	2.29
6415MHz	Pass	PK	12.83688G	58.11	88.20	-30.09	3	Horizontal	82	2.29
6535MHz	Pass	AV	13.06946G	48.20	68.20	-20.00	3	Vertical	37	1.61
6535MHz	Pass	PK	13.06894G	61.56	88.20	-26.64	3	Vertical	37	1.61
6535MHz	Pass	AV	13.07412G	44.82	68.20	-23.38	3	Horizontal	168	1.93
6535MHz	Pass	PK	13.06212G	58.49	88.20	-29.71	3	Horizontal	168	1.93
6695MHz	Pass	AV	13.39G	45.72	54.00	-8.28	3	Vertical	235	2.64
6695MHz	Pass	PK	13.3962G	59.66	74.00	-14.34	3	Vertical	235	2.64
6695MHz	Pass	AV	13.3939G	45.56	54.00	-8.44	3	Horizontal	315	1.50
6695MHz	Pass	PK	13.39806G	59.57	74.00	-14.43	3	Horizontal	315	1.50
6855MHz	Pass	AV	13.7044G	47.65	68.20	-20.55	3	Vertical	64	1.50
6855MHz	Pass	PK	13.70082G	61.21	88.20	-26.99	3	Vertical	64	1.50
6855MHz	Pass	AV	13.70724G	47.60	68.20	-20.60	3	Horizontal	0	1.50
6855MHz	Pass	PK	13.71156G	61.47	88.20	-26.73	3	Horizontal	0	1.50
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9248G	60.88	68.20	-7.32	3	Vertical	21	1.75
5965MHz	Pass	AV	5.9473G	106.05	Inf	-Inf	3	Vertical	21	1.75
5965MHz	Pass	PK	5.9134G	84.48	88.20	-3.72	3	Vertical	21	1.75
5965MHz	Pass	PK	5.983G	118.46	Inf	-Inf	3	Vertical	21	1.75
5965MHz	Pass	AV	11.92804G	42.61	54.00	-11.39	3	Vertical	191	2.13
5965MHz	Pass	PK	11.93308G	55.73	74.00	-18.27	3	Vertical	191	2.13
5965MHz	Pass	AV	11.9462G	42.63	54.00	-11.37	3	Horizontal	173	1.50
5965MHz	Pass	PK	11.93468G	55.93	74.00	-18.07	3	Horizontal	173	1.50
6205MHz	Pass	AV	12.39852G	43.72	54.00	-10.28	3	Vertical	7	2.76
6205MHz	Pass	PK	12.40172G	57.16	74.00	-16.84	3	Vertical	7	2.76
6205MHz	Pass	AV	12.39568G	43.74	54.00	-10.26	3	Horizontal	242	1.50
6205MHz	Pass	PK	12.41288G	57.59	74.00	-16.41	3	Horizontal	242	1.50
6405MHz	Pass	AV	12.8296G	45.14	68.20	-23.06	3	Vertical	360	2.58
6405MHz	Pass	PK	12.81812G	58.65	88.20	-29.55	3	Vertical	360	2.58
6405MHz	Pass	AV	12.82868G	45.15	68.20	-23.05	3	Horizontal	239	1.49
6405MHz	Pass	PK	12.81404G	58.81	88.20	-29.39	3	Horizontal	239	1.49
6565MHz	Pass	AV	13.1138G	45.23	68.20	-22.97	3	Vertical	29	1.50
6565MHz	Pass	PK	13.11364G	57.44	88.20	-30.76	3	Vertical	29	1.50
6565MHz	Pass	AV	13.1272G	44.21	68.20	-23.99	3	Horizontal	340	1.32
6565MHz	Pass	PK	13.12496G	58.19	88.20	-30.01	3	Horizontal	340	1.32
6685MHz	Pass	AV	13.37324G	45.99	54.00	-8.01	3	Vertical	111	1.47
6685MHz	Pass	PK	13.35664G	59.09	74.00	-14.91	3	Vertical	111	1.47
6685MHz	Pass	AV	13.37752G	45.71	54.00	-8.29	3	Horizontal	342	1.49
6685MHz	Pass	PK	13.37748G	58.77	74.00	-15.23	3	Horizontal	342	1.49
6845MHz	Pass	AV	13.70236G	47.88	68.20	-20.32	3	Vertical	112	1.18
6845MHz	Pass	PK	13.67532G	61.10	88.20	-27.10	3	Vertical	112	1.18
6845MHz	Pass	AV	13.68716G	47.73	68.20	-20.47	3	Horizontal	341	1.50
6845MHz	Pass	PK	13.67196G	61.01	88.20	-27.19	3	Horizontal	341	1.50
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.925G	60.10	68.20	-8.10	3	Vertical	20	1.43
5985MHz	Pass	AV	6.0125G	104.23	Inf	-Inf	3	Vertical	20	1.43

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5985MHz	Pass	PK	5.922G	79.11	88.20	-9.09	3	Vertical	20	1.43
5985MHz	Pass	PK	6.013G	115.70	Inf	-Inf	3	Vertical	20	1.43
5985MHz	Pass	AV	11.944G	42.66	54.00	-11.34	3	Vertical	73	1.83
5985MHz	Pass	PK	11.97648G	56.34	74.00	-17.66	3	Vertical	73	1.83
5985MHz	Pass	AV	11.93248G	42.63	54.00	-11.37	3	Horizontal	285	1.47
5985MHz	Pass	PK	11.96144G	56.36	74.00	-17.64	3	Horizontal	285	1.47
6225MHz	Pass	AV	12.42912G	43.72	54.00	-10.28	3	Vertical	74	2.41
6225MHz	Pass	PK	12.4552G	57.04	74.00	-16.96	3	Vertical	74	2.41
6225MHz	Pass	AV	12.4412G	43.67	54.00	-10.33	3	Horizontal	332	2.66
6225MHz	Pass	PK	12.41656G	57.26	74.00	-16.74	3	Horizontal	332	2.66
6385MHz	Pass	AV	12.7884G	44.69	68.20	-23.51	3	Vertical	126	1.50
6385MHz	Pass	PK	12.7772G	58.18	88.20	-30.02	3	Vertical	126	1.50
6385MHz	Pass	AV	12.8088G	44.61	68.20	-23.59	3	Horizontal	357	1.50
6385MHz	Pass	PK	12.80584G	57.77	88.20	-30.43	3	Horizontal	357	1.50
6625MHz	Pass	AV	13.262G	44.95	54.00	-9.05	3	Vertical	136	1.50
6625MHz	Pass	PK	13.2292G	58.41	88.20	-29.79	3	Vertical	136	1.50
6625MHz	Pass	AV	13.26176G	44.90	54.00	-9.10	3	Horizontal	160	2.80
6625MHz	Pass	PK	13.26128G	58.43	74.00	-15.57	3	Horizontal	160	2.80
6705MHz	Pass	AV	13.40296G	45.87	68.20	-22.33	3	Vertical	6	1.50
6705MHz	Pass	PK	13.426G	59.08	88.20	-29.12	3	Vertical	6	1.50
6705MHz	Pass	AV	13.39808G	45.80	54.00	-8.20	3	Horizontal	79	1.89
6705MHz	Pass	PK	13.41832G	59.70	88.20	-28.50	3	Horizontal	79	1.89
6785MHz	Pass	AV	13.53752G	45.32	68.20	-22.88	3	Vertical	208	1.50
6785MHz	Pass	PK	13.53808G	58.67	88.20	-29.53	3	Vertical	208	1.50
6785MHz	Pass	AV	13.53G	45.29	68.20	-22.91	3	Horizontal	340	1.65
6785MHz	Pass	PK	13.54832G	58.77	88.20	-29.43	3	Horizontal	340	1.65
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.924G	67.38	68.20	-0.82	3	Vertical	221	1.74
6025MHz	Pass	AV	6.0045G	100.76	Inf	-Inf	3	Vertical	221	1.74
6025MHz	Pass	PK	5.9215G	81.40	88.20	-6.80	3	Vertical	221	1.74
6025MHz	Pass	PK	6.007G	112.53	Inf	-Inf	3	Vertical	221	1.74
6025MHz	Pass	AV	12.0044G	42.74	54.00	-11.26	3	Vertical	266	2.77
6025MHz	Pass	PK	12.0788G	55.75	74.00	-18.25	3	Vertical	266	2.77
6025MHz	Pass	AV	12.0068G	42.69	54.00	-11.31	3	Horizontal	195	1.50
6025MHz	Pass	PK	12.042G	55.71	74.00	-18.29	3	Horizontal	195	1.50
6185MHz	Pass	AV	12.3516G	44.27	54.00	-9.73	3	Vertical	47	1.50
6185MHz	Pass	PK	12.37192G	57.57	74.00	-16.43	3	Vertical	47	1.50
6185MHz	Pass	AV	12.3492G	44.30	54.00	-9.70	3	Horizontal	12	1.50
6185MHz	Pass	PK	12.35208G	57.45	74.00	-16.55	3	Horizontal	12	1.50
6345MHz	Pass	AV	12.76696G	44.65	68.20	-23.55	3	Vertical	202	3.00
6345MHz	Pass	PK	12.75576G	57.44	88.20	-30.76	3	Vertical	202	3.00
6345MHz	Pass	AV	12.7668G	44.62	68.20	-23.58	3	Horizontal	215	2.05
6345MHz	Pass	PK	12.76344G	57.78	88.20	-30.42	3	Horizontal	215	2.05
6665MHz	Pass	AV	13.37464G	45.96	54.00	-8.04	3	Vertical	31	3.00
6665MHz	Pass	PK	13.38648G	59.59	74.00	-14.41	3	Vertical	31	3.00
6665MHz	Pass	AV	13.37624G	45.78	54.00	-8.22	3	Horizontal	266	1.33
6665MHz	Pass	PK	13.39048G	58.95	74.00	-15.05	3	Horizontal	266	1.33
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.925G	59.47	68.20	-8.73	3	Vertical	40	1.91
6105MHz	Pass	AV	6.006G	94.16	Inf	-Inf	3	Vertical	40	1.91
6105MHz	Pass	PK	5.925G	74.77	88.20	-13.43	3	Vertical	40	1.91
6105MHz	Pass	PK	5.967G	113.49	Inf	-Inf	3	Vertical	40	1.91
6105MHz	Pass	AV	12.34952G	44.09	54.00	-9.91	3	Vertical	286	1.50
6105MHz	Pass	PK	12.31784G	57.75	74.00	-16.25	3	Vertical	286	1.50
6105MHz	Pass	AV	12.34696G	44.05	54.00	-9.95	3	Horizontal	360	2.54
6105MHz	Pass	PK	12.31248G	56.89	74.00	-17.11	3	Horizontal	360	2.54
6265MHz	Pass	AV	12.37064G	44.06	54.00	-9.94	3	Vertical	230	2.76
6265MHz	Pass	PK	12.37352G	57.11	74.00	-16.89	3	Vertical	230	2.76
6265MHz	Pass	AV	12.37064G	44.02	54.00	-9.98	3	Horizontal	184	1.50
6265MHz	Pass	PK	12.41G	57.46	74.00	-16.54	3	Horizontal	184	1.50


5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX



5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.924G	67.38	68.20	-0.82	8.60	3	Vertical	221	1.74	58.78	34.15	8.61	34.16
AV	6.0045G	100.76	Inf	-Inf	8.56	3	Vertical	221	1.74	92.20	34.10	8.65	34.19
PK	5.9215G	81.40	88.20	-6.80	8.60	3	Vertical	221	1.74	72.80	34.16	8.60	34.16
PK	6.007G	112.53	Inf	-Inf	8.56	3	Vertical	221	1.74	103.97	34.10	8.65	34.19

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.0044G	42.74	54.00	-11.26	16.91	3	Vertical	266	2.77	25.83	39.01	12.06	34.16
PK	12.0788G	55.75	74.00	-18.25	17.13	3	Vertical	266	2.77	38.62	39.10	12.09	34.06


5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX



5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9215G	62.71	68.20	-5.49	8.60	3	Vertical	40	1.91	54.11	34.16	8.60	34.16
AV	6.00775G	97.67	Inf	-Inf	8.56	3	Vertical	40	1.91	89.11	34.10	8.65	34.19
PK	5.9215G	74.02	88.20	-14.18	8.60	3	Vertical	40	1.91	65.42	34.16	8.60	34.16
PK	6.21675G	106.97	Inf	-Inf	9.01	3	Vertical	40	1.91	97.96	34.33	8.97	34.29

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.34952G	44.09	54.00	-9.91	17.51	3	Vertical	286	1.50	26.58	39.00	12.21	33.70
PK	12.31784G	57.75	74.00	-16.25	17.52	3	Vertical	286	1.50	40.23	39.06	12.20	33.74


5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX



6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX



11/02/2025

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	13.37624G	45.78	54.00	-8.22	20.25	3	Horizontal	266	1.33	25.53	40.00	12.67	32.42				
PK	13.39048G	58.95	74.00	-15.05	20.26	3	Horizontal	266	1.33	38.69	40.00	12.67	32.41				

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	2.40174G	49.65	68.20	-18.55	Horizontal
Mode 2	Pass	AV	2.40178G	54.52	68.20	-13.68	Vertical
Mode 3	Pass	AV	2.4018G	51.00	68.20	-17.20	Horizontal
Mode 4	Pass	AV	2.40176G	50.45	68.20	-17.75	Horizontal
Mode 5	Pass	PK	5.87G	69.41	88.20	-18.79	Horizontal
Mode 6	Pass	PK	5.87G	69.41	88.20	-18.79	Horizontal

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	2.34563G	26.64	54.00	-27.36	3	Vertical	352	2.00	-
Mode 1	Pass	AV	2.46109G	28.07	68.20	-40.13	3	Vertical	141	1.00	-
Mode 1	Pass	AV	5.72561G	34.17	68.20	-34.03	3	Vertical	306	1.89	-
Mode 1	Pass	PK	2.34563G	39.50	74.00	-34.50	3	Vertical	352	2.00	-
Mode 1	Pass	PK	2.46109G	44.74	88.20	-43.46	3	Vertical	141	1.00	-
Mode 1	Pass	PK	5.72561G	68.53	88.20	-19.67	3	Vertical	306	1.89	-
Mode 1	Pass	AV	1.32921G	25.25	54.00	-28.75	3	Horizontal	133	1.34	-
Mode 1	Pass	AV	1.6206G	24.82	54.00	-29.18	3	Horizontal	140	1.00	-
Mode 1	Pass	AV	2.40174G	49.65	68.20	-18.55	3	Horizontal	145	1.00	-
Mode 1	Pass	PK	1.32921G	44.13	74.00	-29.87	3	Horizontal	133	1.34	-
Mode 1	Pass	PK	1.6206G	36.82	74.00	-37.18	3	Horizontal	140	1.00	-
Mode 1	Pass	PK	2.40174G	55.95	88.20	-32.25	3	Horizontal	145	1.00	-
Mode 2	Pass	AV	1.33156G	30.64	54.00	-23.36	3	Vertical	269	1.00	-
Mode 2	Pass	AV	2.40178G	54.52	68.20	-13.68	3	Vertical	310	1.51	-
Mode 2	Pass	AV	4.00325G	37.61	54.00	-16.39	3	Vertical	90	1.99	-
Mode 2	Pass	PK	1.32875G	43.75	74.00	-30.25	3	Vertical	269	1.00	-
Mode 2	Pass	PK	2.40178G	60.22	88.20	-27.98	3	Vertical	310	1.51	-
Mode 2	Pass	PK	4.00325G	46.87	74.00	-27.13	3	Vertical	90	1.99	-
Mode 2	Pass	AV	1.78809G	26.29	68.20	-41.91	3	Horizontal	239	1.00	-
Mode 2	Pass	AV	2.3424G	26.62	54.00	-27.38	3	Horizontal	92	1.50	-
Mode 2	Pass	AV	2.46103G	44.37	68.20	-23.83	3	Horizontal	152	1.50	-
Mode 2	Pass	PK	1.78875G	41.05	88.20	-47.15	3	Horizontal	239	1.00	-
Mode 2	Pass	PK	2.3424G	51.51	74.00	-22.49	3	Horizontal	92	1.50	-
Mode 2	Pass	PK	2.46103G	72.36	88.20	-15.84	3	Horizontal	152	1.50	-
Mode 3	Pass	AV	2.38341G	27.24	54.00	-26.76	3	Vertical	310	1.50	-
Mode 3	Pass	AV	2.40947G	29.08	68.20	-39.12	3	Vertical	257	1.50	-
Mode 3	Pass	AV	5.72634G	48.95	68.20	-19.25	3	Vertical	148	1.60	-
Mode 3	Pass	PK	2.38341G	39.33	74.00	-34.67	3	Vertical	310	1.50	-
Mode 3	Pass	PK	2.40947G	49.06	88.20	-39.14	3	Vertical	257	1.50	-
Mode 3	Pass	PK	5.72634G	69.59	88.20	-18.61	3	Vertical	148	1.60	-
Mode 3	Pass	AV	1.36528G	24.79	54.00	-29.21	3	Horizontal	179	1.55	-
Mode 3	Pass	AV	1.59562G	24.89	54.00	-29.11	3	Horizontal	201	1.50	-
Mode 3	Pass	AV	2.4018G	51.00	68.20	-17.20	3	Horizontal	314	1.85	-
Mode 3	Pass	PK	1.36528G	37.53	74.00	-36.47	3	Horizontal	179	1.55	-
Mode 3	Pass	PK	1.59562G	37.02	74.00	-36.98	3	Horizontal	201	1.50	-
Mode 3	Pass	PK	2.4018G	56.68	88.20	-31.52	3	Horizontal	314	1.85	-
Mode 4	Pass	AV	2.36772G	27.16	54.00	-26.84	3	Vertical	131	2.00	-
Mode 4	Pass	AV	2.43142G	26.02	68.20	-42.18	3	Vertical	136	1.50	-
Mode 4	Pass	AV	5.20735G	38.31	68.20	-29.89	3	Vertical	5	1.50	-
Mode 4	Pass	PK	2.36772G	53.38	74.00	-20.62	3	Vertical	131	2.00	-
Mode 4	Pass	PK	2.43142G	38.42	88.20	-49.78	3	Vertical	136	1.50	-
Mode 4	Pass	PK	5.20735G	69.28	88.20	-18.92	3	Vertical	5	1.50	-
Mode 4	Pass	AV	1.5938G	24.71	54.00	-29.29	3	Horizontal	352	1.54	-
Mode 4	Pass	AV	2.40176G	50.45	68.20	-17.75	3	Horizontal	314	1.85	-
Mode 4	Pass	AV	2.78791G	28.52	54.00	-25.48	3	Horizontal	51	1.50	-
Mode 4	Pass	PK	1.5938G	37.32	74.00	-36.68	3	Horizontal	352	1.54	-
Mode 4	Pass	PK	2.40176G	56.43	88.20	-31.77	3	Horizontal	314	1.85	-
Mode 4	Pass	PK	2.78791G	41.18	74.00	-32.82	3	Horizontal	51	1.50	-
Mode 5	Pass	AV	1.79G	31.59	68.20	-36.61	3	Vertical	157	2.16	-
Mode 5	Pass	AV	2.17875G	37.62	68.20	-30.58	3	Vertical	256	1.49	-


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 5	Pass	AV	5.1775G	39.86	68.20	-28.34	3	Vertical	333	2.22	-
Mode 5	Pass	PK	1.7941G	43.94	88.20	-44.26	3	Vertical	157	2.16	-
Mode 5	Pass	PK	2.17141G	45.19	88.20	-43.01	3	Vertical	256	1.49	-
Mode 5	Pass	PK	5.1728G	48.10	88.20	-40.10	3	Vertical	333	2.22	-
Mode 5	Pass	AV	1.19523G	26.69	54.00	-27.31	3	Horizontal	116	1.49	-
Mode 5	Pass	AV	1.3375G	27.97	54.00	-26.03	3	Horizontal	228	1.57	-
Mode 5	Pass	AV	5.8522G	48.58	68.20	-19.62	3	Horizontal	197	1.00	-
Mode 5	Pass	PK	1.19688G	39.34	74.00	-34.66	3	Horizontal	116	1.49	-
Mode 5	Pass	PK	1.33G	40.47	74.00	-33.53	3	Horizontal	228	1.57	-
Mode 5	Pass	PK	5.87G	69.41	88.20	-18.79	3	Horizontal	197	1.00	-
Mode 6	Pass	AV	1.7987441G	29.54	68.20	-38.66	3	Vertical	258	1.00	-
Mode 6	Pass	AV	2.17825G	26.67	68.20	-41.53	3	Vertical	333	1.28	-
Mode 6	Pass	AV	2.49364G	29.31	54.00	-24.69	3	Vertical	357	1.93	-
Mode 6	Pass	PK	1.79G	43.94	88.20	-44.26	3	Vertical	258	1.00	-
Mode 6	Pass	PK	2.17875G	45.19	88.20	-43.01	3	Vertical	333	1.28	-
Mode 6	Pass	PK	2.49G	47.44	74.00	-26.56	3	Vertical	357	1.93	-
Mode 6	Pass	AV	1.32943G	25.72	54.00	-28.28	3	Horizontal	149	1.00	-
Mode 6	Pass	AV	2.52172G	26.91	68.20	-41.29	3	Horizontal	157	1.63	-
Mode 6	Pass	AV	5.86933G	43.60	68.20	-24.60	3	Horizontal	0	1.47	-
Mode 6	Pass	PK	1.33G	40.47	74.00	-33.53	3	Horizontal	149	1.00	-
Mode 6	Pass	PK	2.52188G	50.36	88.20	-37.84	3	Horizontal	157	1.63	-
Mode 6	Pass	PK	5.87G	69.41	88.20	-18.79	3	Horizontal	0	1.47	-

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.34563G	26.64	54.00	-27.36	-3.44	3	Vertical	352	2.00	-	30.08	27.16	4.48	35.08
AV	2.46109G	28.07	68.20	-40.13	-2.81	3	Vertical	141	1.00	-	30.88	27.70	4.61	35.12
AV	5.72561G	34.17	68.20	-34.03	5.69	3	Vertical	306	1.89	-	28.48	33.65	7.20	35.16
PK	2.34563G	39.50	74.00	-34.50	-3.44	3	Vertical	352	2.00	-	42.94	27.16	4.48	35.08
PK	2.46109G	44.74	88.20	-43.46	-2.81	3	Vertical	141	1.00	-	47.55	27.70	4.61	35.12
PK	5.72561G	68.53	88.20	-19.67	5.69	3	Vertical	306	1.89	-	62.84	33.65	7.20	35.16

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.32921G	25.25	54.00	-28.75	-6.13	3	Horizontal	133	1.34	-	31.38	25.91	3.32	35.36
AV	1.6206G	24.82	54.00	-29.18	-5.80	3	Horizontal	140	1.00	-	30.62	25.59	3.69	35.08
AV	2.40174G	49.65	68.20	-18.55	-3.14	3	Horizontal	145	1.00	-	52.79	27.42	4.54	35.10
PK	1.32921G	44.13	74.00	-29.87	-6.13	3	Horizontal	133	1.34	-	50.26	25.91	3.32	35.36
PK	1.6206G	36.82	74.00	-37.18	-5.80	3	Horizontal	140	1.00	-	42.62	25.59	3.69	35.08
PK	2.40174G	55.95	88.20	-32.25	-3.14	3	Horizontal	145	1.00	-	59.09	27.42	4.54	35.10

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.33156G	30.64	54.00	-23.36	-6.14	3	Vertical	269	1.00	-	36.78	25.90	3.32	35.36
AV	2.40178G	54.52	68.20	-13.68	-3.14	3	Vertical	310	1.51	-	57.66	27.42	4.54	35.10
AV	4.00325G	37.61	54.00	-16.39	1.81	3	Vertical	90	1.99	-	35.80	30.71	6.14	35.04
PK	1.32875G	43.75	74.00	-30.25	-6.13	3	Vertical	269	1.00	-	49.88	25.91	3.32	35.36
PK	2.40178G	60.22	88.20	-27.98	-3.14	3	Vertical	310	1.51	-	63.36	27.42	4.54	35.10
PK	4.00325G	46.87	74.00	-27.13	1.81	3	Vertical	90	1.99	-	45.06	30.71	6.14	35.04

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.78809G	26.29	68.20	-41.91	-6.19	3	Horizontal	239	1.00	-	32.48	24.98	3.87	35.04
AV	2.3424G	26.62	54.00	-27.38	-3.48	3	Horizontal	92	1.50	-	30.10	27.12	4.48	35.08
AV	2.46103G	44.37	68.20	-23.83	-2.81	3	Horizontal	152	1.50	-	47.18	27.70	4.61	35.12
PK	1.78875G	41.05	88.20	-47.15	-6.17	3	Horizontal	239	1.00	-	47.22	24.99	3.87	35.03
PK	2.3424G	51.51	74.00	-22.49	-3.48	3	Horizontal	92	1.50	-	54.99	27.12	4.48	35.08
PK	2.46103G	72.36	88.20	-15.84	-2.81	3	Horizontal	152	1.50	-	75.17	27.70	4.61	35.12

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.38341G	27.24	54.00	-26.76	-3.35	3	Vertical	310	1.50	-	30.59	27.23	4.52	35.10
AV	2.40947G	29.08	68.20	-39.12	-3.06	3	Vertical	257	1.50	-	32.14	27.49	4.55	35.10
AV	5.72634G	48.95	68.20	-19.25	5.68	3	Vertical	148	1.60	-	43.27	33.65	7.20	35.17
PK	2.38341G	39.33	74.00	-34.67	-3.35	3	Vertical	310	1.50	-	42.68	27.23	4.52	35.10
PK	2.40947G	49.06	88.20	-39.14	-3.06	3	Vertical	257	1.50	-	52.12	27.49	4.55	35.10
PK	5.72634G	69.59	88.20	-18.61	5.68	3	Vertical	148	1.60	-	63.91	33.65	7.20	35.17

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.36528G	24.79	54.00	-29.21	-6.20	3	Horizontal	179	1.55	-	30.99	25.75	3.36	35.31
AV	1.59562G	24.89	54.00	-29.11	-5.89	3	Horizontal	201	1.50	-	30.78	25.54	3.66	35.09
AV	2.4018G	51.00	68.20	-17.20	-3.14	3	Horizontal	314	1.85	-	54.14	27.42	4.54	35.10
PK	1.36528G	37.53	74.00	-36.47	-6.20	3	Horizontal	179	1.55	-	43.73	25.75	3.36	35.31
PK	1.59562G	37.02	74.00	-36.98	-5.89	3	Horizontal	201	1.50	-	42.91	25.54	3.66	35.09
PK	2.4018G	56.68	88.20	-31.52	-3.14	3	Horizontal	314	1.85	-	59.82	27.42	4.54	35.10

Radiated Emissions above 1GHz_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.36772G	27.16	54.00	-26.84	-3.38	3	Vertical	131	2.00	-	30.54	27.20	4.51	35.09
AV	2.43142G	26.02	68.20	-42.18	-2.93	3	Vertical	136	1.50	-	28.95	27.60	4.58	35.11
AV	5.20735G	38.31	68.20	-29.89	4.72	3	Vertical	5	1.50	-	33.59	32.99	6.80	35.07
PK	2.36772G	53.38	74.00	-20.62	-3.38	3	Vertical	131	2.00	-	56.76	27.20	4.51	35.09
PK	2.43142G	38.42	88.20	-49.78	-2.93	3	Vertical	136	1.50	-	41.35	27.60	4.58	35.11
PK	5.20735G	69.28	88.20	-18.92	4.72	3	Vertical	5	1.50	-	64.56	32.99	6.80	35.07

Radiated Emissions above 1GHz_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.5938G	24.71	54.00	-29.29	-5.87	3	Horizontal	352	1.54	-	30.58	25.56	3.66	35.09
AV	2.40176G	50.45	68.20	-17.75	-3.14	3	Horizontal	314	1.85	-	53.59	27.42	4.54	35.10
AV	2.78791G	28.52	54.00	-25.48	-1.81	3	Horizontal	51	1.50	-	30.33	28.40	4.97	35.18
PK	1.5938G	37.32	74.00	-36.68	-5.87	3	Horizontal	352	1.54	-	43.19	25.56	3.66	35.09
PK	2.40176G	56.43	88.20	-31.77	-3.14	3	Horizontal	314	1.85	-	59.57	27.42	4.54	35.10
PK	2.78791G	41.18	74.00	-32.82	-1.81	3	Horizontal	51	1.50	-	42.99	28.40	4.97	35.18

Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.79G	31.59	68.20	-36.61	-6.16	3	Vertical	157	2.16	-	37.75	25.00	3.87	35.03
AV	2.17875G	37.62	68.20	-30.58	-3.42	3	Vertical	256	1.49	-	41.04	27.30	4.31	35.03
AV	5.1775G	39.86	68.20	-28.34	4.76	3	Vertical	333	2.22	-	35.10	33.05	6.78	35.07
PK	1.7941G	43.94	88.20	-44.26	-6.12	3	Vertical	157	2.16	-	50.06	25.04	3.87	35.03
PK	2.17141G	45.19	88.20	-43.01	-3.43	3	Vertical	256	1.49	-	48.62	27.30	4.30	35.03
PK	5.1728G	48.10	88.20	-40.10	4.76	3	Vertical	333	2.22	-	43.34	33.05	6.78	35.07

Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.19523G	26.69	54.00	-27.31	-6.32	3	Horizontal	116	1.49	-	33.01	26.10	3.14	35.56
AV	1.3375G	27.97	54.00	-26.03	-6.12	3	Horizontal	228	1.57	-	34.09	25.90	3.33	35.35
AV	5.8522G	48.58	68.20	-19.62	6.05	3	Horizontal	197	1.00	-	42.53	34.01	7.26	35.22
PK	1.19688G	39.34	74.00	-34.66	-6.31	3	Horizontal	116	1.49	-	45.65	26.10	3.15	35.56
PK	1.33G	40.47	74.00	-33.53	-6.14	3	Horizontal	228	1.57	-	46.61	25.90	3.32	35.36
PK	5.87G	69.41	88.20	-18.79	6.12	3	Horizontal	197	1.00	-	63.29	34.08	7.27	35.23

Radiated Emissions above 1GHz_Mode 6



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.7987441G	29.54	68.20	-38.66	-6.06	3	Vertical	258	1.00	-	35.60	25.09	3.88	35.03
AV	2.17825G	26.67	68.20	-41.53	-3.42	3	Vertical	333	1.28	-	30.09	27.30	4.31	35.03
AV	2.49364G	29.31	54.00	-24.69	-2.58	3	Vertical	357	1.93	-	31.89	27.90	4.65	35.13
PK	1.79G	43.94	88.20	-44.26	-6.16	3	Vertical	258	1.00	-	50.10	25.00	3.87	35.03
PK	2.17875G	45.19	88.20	-43.01	-3.42	3	Vertical	333	1.28	-	48.61	27.30	4.31	35.03
PK	2.49G	47.44	74.00	-26.56	-2.59	3	Vertical	357	1.93	-	50.03	27.90	4.64	35.13

Radiated Emissions above 1GHz_Mode 6



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.32943G	25.72	54.00	-28.28	-6.13	3	Horizontal	149	1.00	-	31.85	25.91	3.32	35.36
AV	2.52172G	26.91	68.20	-41.29	-2.53	3	Horizontal	157	1.63	-	29.44	27.92	4.68	35.13
AV	5.86933G	43.60	68.20	-24.60	6.12	3	Horizontal	0	1.47	-	37.48	34.08	7.27	35.23
PK	1.33G	40.47	74.00	-33.53	-6.14	3	Horizontal	149	1.00	-	46.61	25.90	3.32	35.36
PK	2.52188G	50.36	88.20	-37.84	-2.53	3	Horizontal	157	1.63	-	52.89	27.92	4.68	35.13
PK	5.87G	69.41	88.20	-18.79	6.12	3	Horizontal	0	1.47	-	63.29	34.08	7.27	35.23

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	2.40168G	52.37	68.20	-15.83	Horizontal
Mode 2	Pass	PK	2.43603G	65.51	88.20	-22.69	Horizontal
Mode 3	Pass	AV	2.43785G	54.39	68.20	-13.81	Vertical
Mode 4	Pass	PK	2.43791G	63.17	88.20	-25.03	Vertical
Mode 5	Pass	AV	1.198653G	25.11	54.00	-28.89	Vertical
Mode 6	Pass	AV	5.3091G	40.85	68.20	-27.35	Vertical

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	1.19954G	24.73	54.00	-29.27	3	Vertical	360	1.00	-
Mode 1	Pass	AV	2.36435G	27.61	54.00	-26.39	3	Vertical	132	1.74	-
Mode 1	Pass	AV	2.43783G	25.03	68.20	-43.17	3	Vertical	1	1.41	-
Mode 1	Pass	PK	1.19954G	42.24	74.00	-31.76	3	Vertical	360	1.00	-
Mode 1	Pass	PK	2.36435G	40.26	74.00	-33.74	3	Vertical	132	1.74	-
Mode 1	Pass	PK	2.43783G	63.62	88.20	-24.58	3	Vertical	1	1.41	-
Mode 1	Pass	AV	1.59669G	24.91	54.00	-29.09	3	Horizontal	224	1.50	-
Mode 1	Pass	AV	2.40168G	52.37	68.20	-15.83	3	Horizontal	303	1.31	-
Mode 1	Pass	AV	5.72718G	33.97	68.20	-34.23	3	Horizontal	0	1.54	-
Mode 1	Pass	PK	1.59669G	37.38	74.00	-36.62	3	Horizontal	224	1.50	-
Mode 1	Pass	PK	2.40168G	58.84	88.20	-29.36	3	Horizontal	303	1.31	-
Mode 1	Pass	PK	5.72718G	63.56	88.20	-24.64	3	Horizontal	0	1.54	-
Mode 2	Pass	AV	1.19492G	24.92	54.00	-29.08	3	Vertical	17.1	1.68	-
Mode 2	Pass	AV	1.47924G	24.96	54.00	-29.04	3	Vertical	193	1.50	-
Mode 2	Pass	AV	2.43785G	24.95	68.20	-43.25	3	Vertical	12	1.60	-
Mode 2	Pass	PK	1.19492G	41.19	74.00	-32.81	3	Vertical	17.1	1.68	-
Mode 2	Pass	PK	1.47924G	37.55	74.00	-36.45	3	Vertical	193	1.50	-
Mode 2	Pass	PK	2.43785G	62.65	88.20	-25.55	3	Vertical	12	1.60	-
Mode 2	Pass	AV	1.33252G	25.25	54.00	-28.75	3	Horizontal	337	1.55	-
Mode 2	Pass	AV	2.43603G	25.27	68.20	-42.93	3	Horizontal	354	2.00	-
Mode 2	Pass	AV	5.84891G	34.03	68.20	-34.17	3	Horizontal	12	1.54	-
Mode 2	Pass	PK	1.33252G	43.31	74.00	-30.69	3	Horizontal	337	1.55	-
Mode 2	Pass	PK	2.43603G	65.51	88.20	-22.69	3	Horizontal	354	2.00	-
Mode 2	Pass	PK	5.84891G	47.02	88.20	-41.18	3	Horizontal	12	1.54	-
Mode 3	Pass	AV	1.19754G	25.16	54.00	-28.84	3	Vertical	181	1.00	-
Mode 3	Pass	AV	2.43785G	54.39	68.20	-13.81	3	Vertical	6	1.33	-
Mode 3	Pass	AV	5.7725G	34.20	68.20	-34.00	3	Vertical	9	1.06	-
Mode 3	Pass	PK	1.19754G	42.43	74.00	-31.57	3	Vertical	181	1.00	-
Mode 3	Pass	PK	2.43785G	63.05	88.20	-25.15	3	Vertical	6	1.33	-
Mode 3	Pass	PK	5.7725G	64.20	88.20	-24.00	3	Vertical	9	1.06	-
Mode 3	Pass	AV	1.19831G	24.98	54.00	-29.02	3	Horizontal	-0	1.50	-
Mode 3	Pass	AV	2.43627G	25.02	68.20	-43.18	3	Horizontal	171	1.50	-
Mode 3	Pass	AV	5.77237G	34.14	68.20	-34.06	3	Horizontal	15	1.37	-
Mode 3	Pass	PK	1.19831G	42.17	74.00	-31.83	3	Horizontal	-0	1.50	-
Mode 3	Pass	PK	2.43627G	38.78	88.20	-49.42	3	Horizontal	171	1.50	-
Mode 3	Pass	PK	5.77237G	65.76	88.20	-22.44	3	Horizontal	15	1.37	-
Mode 4	Pass	AV	1.2049G	26.81	54.00	-27.19	3	Vertical	223	1.00	-
Mode 4	Pass	AV	2.1868G	29.45	68.20	-38.75	3	Vertical	38	1.00	-
Mode 4	Pass	AV	2.43791G	24.86	68.20	-43.34	3	Vertical	3	1.38	-
Mode 4	Pass	PK	1.19813G	41.72	74.00	-32.28	3	Vertical	223	1.00	-
Mode 4	Pass	PK	2.19375G	46.20	88.20	-42.00	3	Vertical	38	1.00	-
Mode 4	Pass	PK	2.43791G	63.17	88.20	-25.03	3	Vertical	3	1.38	-
Mode 4	Pass	AV	1.33244G	25.60	54.00	-28.40	3	Horizontal	38	1.00	-
Mode 4	Pass	AV	1.78759G	25.78	68.20	-42.42	3	Horizontal	260	1.00	-
Mode 4	Pass	AV	2.43206G	25.87	68.20	-42.33	3	Horizontal	82	1.50	-
Mode 4	Pass	PK	1.3325G	41.64	74.00	-32.36	3	Horizontal	38	1.00	-
Mode 4	Pass	PK	1.78813G	41.10	88.20	-47.10	3	Horizontal	260	1.00	-
Mode 4	Pass	PK	2.43206G	38.20	88.20	-50.00	3	Horizontal	82	1.50	-
Mode 5	Pass	AV	1.78231G	26.67	68.20	-41.53	3	Vertical	5	1.79	-
Mode 5	Pass	AV	1.198653G	25.11	54.00	-28.89	3	Vertical	7	1.23	-


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 5	Pass	AV	5.17632G	31.55	68.20	-36.65	3	Vertical	168	1.41	-
Mode 5	Pass	PK	1.19875G	39.85	74.00	-34.15	3	Vertical	7	1.23	-
Mode 5	Pass	PK	1.78938G	40.96	88.20	-47.24	3	Vertical	5	1.79	-
Mode 5	Pass	PK	5.1725G	50.42	88.20	-37.78	3	Vertical	168	1.41	-
Mode 5	Pass	AV	1.77631G	25.63	68.20	-42.57	3	Horizontal	5	1.02	-
Mode 5	Pass	AV	2.40312G	34.66	68.20	-33.54	3	Horizontal	139	1.78	-
Mode 5	Pass	AV	5.17589G	30.97	68.20	-37.23	3	Horizontal	24	1.55	-
Mode 5	Pass	PK	1.7825G	38.57	88.20	-49.63	3	Horizontal	5	1.02	-
Mode 5	Pass	PK	2.40188G	57.58	88.20	-30.62	3	Horizontal	139	1.78	-
Mode 5	Pass	PK	5.17688G	49.02	88.20	-39.18	3	Horizontal	24	1.55	-
Mode 6	Pass	AV	1.7933G	25.27	68.20	-42.93	3	Vertical	228	1.57	-
Mode 6	Pass	AV	3.11264G	25.87	68.20	-42.33	3	Vertical	210	1.49	-
Mode 6	Pass	AV	5.3091G	40.85	68.20	-27.35	3	Vertical	9	1.23	-
Mode 6	Pass	PK	1.7925G	38.73	88.20	-49.47	3	Vertical	228	1.57	-
Mode 6	Pass	PK	3.11125G	43.16	88.20	-45.04	3	Vertical	210	1.49	-
Mode 6	Pass	PK	5.3075G	55.97	88.20	-32.23	3	Vertical	9	1.23	-
Mode 6	Pass	AV	1.1854G	25.61	54.00	-28.39	3	Horizontal	81	1.09	-
Mode 6	Pass	AV	3.23486G	25.77	68.20	-42.43	3	Horizontal	59	1.44	-
Mode 6	Pass	AV	5.1843G	25.09	68.20	-43.11	3	Horizontal	76	1.50	-
Mode 6	Pass	PK	1.19625G	41.38	74.00	-32.62	3	Horizontal	81	1.09	-
Mode 6	Pass	PK	3.23375G	42.72	88.20	-45.48	3	Horizontal	59	1.44	-
Mode 6	Pass	PK	5.17563G	47.91	88.20	-40.29	3	Horizontal	76	1.50	-

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.19954G	24.73	54.00	-29.27	-6.30	3	Vertical	360	1.00	-	31.03	26.10	3.15	35.55
AV	2.36435G	27.61	54.00	-26.39	-3.39	3	Vertical	132	1.74	-	31.00	27.20	4.50	35.09
AV	2.43783G	25.03	68.20	-43.17	-2.93	3	Vertical	1	1.41	-	27.96	27.60	4.58	35.11
PK	1.19954G	42.24	74.00	-31.76	-6.30	3	Vertical	360	1.00	-	48.54	26.10	3.15	35.55
PK	2.36435G	40.26	74.00	-33.74	-3.39	3	Vertical	132	1.74	-	43.65	27.20	4.50	35.09
PK	2.43783G	63.62	88.20	-24.58	-2.93	3	Vertical	1	1.41	-	66.55	27.60	4.58	35.11

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.59669G	24.91	54.00	-29.09	-5.88	3	Horizontal	224	1.50	-	30.79	25.53	3.67	35.08
AV	2.40168G	52.37	68.20	-15.83	-3.14	3	Horizontal	303	1.31	-	55.51	27.42	4.54	35.10
AV	5.72718G	33.97	68.20	-34.23	5.68	3	Horizontal	0	1.54	-	28.29	33.65	7.20	35.17
PK	1.59669G	37.38	74.00	-36.62	-5.88	3	Horizontal	224	1.50	-	43.26	25.53	3.67	35.08
PK	2.40168G	58.84	88.20	-29.36	-3.14	3	Horizontal	303	1.31	-	61.98	27.42	4.54	35.10
PK	5.72718G	63.56	88.20	-24.64	5.68	3	Horizontal	0	1.54	-	57.88	33.65	7.20	35.17

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.19492G	24.92	54.00	-29.08	-6.32	3	Vertical	17.1	1.68	-	31.24	26.10	3.14	35.56
AV	1.47924G	24.96	54.00	-29.04	-6.13	3	Vertical	193	1.50	-	31.09	25.50	3.51	35.14
AV	2.43785G	24.95	68.20	-43.25	-2.93	3	Vertical	12	1.60	-	27.88	27.60	4.58	35.11
PK	1.19492G	41.19	74.00	-32.81	-6.32	3	Vertical	17.1	1.68	-	47.51	26.10	3.14	35.56
PK	1.47924G	37.55	74.00	-36.45	-6.13	3	Vertical	193	1.50	-	43.68	25.50	3.51	35.14
PK	2.43785G	62.65	88.20	-25.55	-2.93	3	Vertical	12	1.60	-	65.58	27.60	4.58	35.11

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.33252G	25.25	54.00	-28.75	-6.14	3	Horizontal	337	1.55	-	31.39	25.90	3.32	35.36
AV	2.43603G	25.27	68.20	-42.93	-2.93	3	Horizontal	354	2.00	-	28.20	27.60	4.58	35.11
AV	5.84891G	34.03	68.20	-34.17	6.04	3	Horizontal	12	1.54	-	27.99	34.00	7.26	35.22
PK	1.33252G	43.31	74.00	-30.69	-6.14	3	Horizontal	337	1.55	-	49.45	25.90	3.32	35.36
PK	2.43603G	65.51	88.20	-22.69	-2.93	3	Horizontal	354	2.00	-	68.44	27.60	4.58	35.11
PK	5.84891G	47.02	88.20	-41.18	6.04	3	Horizontal	12	1.54	-	40.98	34.00	7.26	35.22

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.19754G	25.16	54.00	-28.84	-6.31	3	Vertical	181	1.00	-	31.47	26.10	3.15	35.56
AV	2.43785G	54.39	68.20	-13.81	-2.93	3	Vertical	6	1.33	-	57.32	27.60	4.58	35.11
AV	5.7725G	34.20	68.20	-34.00	5.83	3	Vertical	9	1.06	-	28.37	33.79	7.22	35.18
PK	1.19754G	42.43	74.00	-31.57	-6.31	3	Vertical	181	1.00	-	48.74	26.10	3.15	35.56
PK	2.43785G	63.05	88.20	-25.15	-2.93	3	Vertical	6	1.33	-	65.98	27.60	4.58	35.11
PK	5.7725G	64.20	88.20	-24.00	5.83	3	Vertical	9	1.06	-	58.37	33.79	7.22	35.18

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.19831G	24.98	54.00	-29.02	-6.31	3	Horizontal	-0	1.50	-	31.29	26.10	3.15	35.56
AV	2.43627G	25.02	68.20	-43.18	-2.93	3	Horizontal	171	1.50	-	27.95	27.60	4.58	35.11
AV	5.77237G	34.14	68.20	-34.06	5.83	3	Horizontal	15	1.37	-	28.31	33.79	7.22	35.18
PK	1.19831G	42.17	74.00	-31.83	-6.31	3	Horizontal	-0	1.50	-	48.48	26.10	3.15	35.56
PK	2.43627G	38.78	88.20	-49.42	-2.93	3	Horizontal	171	1.50	-	41.71	27.60	4.58	35.11
PK	5.77237G	65.76	88.20	-22.44	5.83	3	Horizontal	15	1.37	-	59.93	33.79	7.22	35.18


Radiated Emissions above 1GHz_Mode 4



Radiated Emissions above 1GHz_Mode 4




Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.78231G	26.67	68.20	-41.53	-6.26	3	Vertical	5	1.79	-	32.93	24.92	3.86	35.04
AV	1.198653G	25.11	54.00	-28.89	-6.31	3	Vertical	7	1.23	-	31.42	26.10	3.15	35.56
AV	5.17632G	31.55	68.20	-36.65	4.76	3	Vertical	168	1.41	-	26.79	33.05	6.78	35.07
PK	1.19875G	39.85	74.00	-34.15	-6.31	3	Vertical	7	1.23	-	46.16	26.10	3.15	35.56
PK	1.78938G	40.96	88.20	-47.24	-6.17	3	Vertical	5	1.79	-	47.13	24.99	3.87	35.03
PK	5.1725G	50.42	88.20	-37.78	4.76	3	Vertical	168	1.41	-	45.66	33.05	6.78	35.07

Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.77631G	25.63	68.20	-42.57	-6.28	3	Horizontal	5	1.02	-	31.91	24.90	3.86	35.04
AV	2.40312G	34.66	68.20	-33.54	-3.13	3	Horizontal	139	1.78	-	37.79	27.43	4.54	35.10
AV	5.17589G	30.97	68.20	-37.23	4.76	3	Horizontal	24	1.55	-	26.21	33.05	6.78	35.07
PK	1.7825G	38.57	88.20	-49.63	-6.26	3	Horizontal	5	1.02	-	44.83	24.92	3.86	35.04
PK	2.40188G	57.58	88.20	-30.62	-3.14	3	Horizontal	139	1.78	-	60.72	27.42	4.54	35.10
PK	5.17688G	49.02	88.20	-39.18	4.76	3	Horizontal	24	1.55	-	44.26	33.05	6.78	35.07

Radiated Emissions above 1GHz_Mode 6



Radiated Emissions above 1GHz_Mode 6



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.9995G	34.03	54.00	-19.97	Vertical
Mode 2	Pass	AV	4.95532G	33.75	54.00	-20.25	Vertical
Mode 3	Pass	AV	5.03707G	33.33	54.00	-20.67	Vertical
Mode 4	Pass	AV	5.09649G	35.14	54.00	-18.86	Horizontal
Mode 5	Pass	AV	4.1165G	32.90	54.00	-21.10	Vertical
Mode 6	Pass	PK	2.415G	63.83	88.20	-24.37	Vertical